

Bibliography

BIBLIOGRAPHY

BOOKS

- ❖ AATCC Test Method 81 – 2006 of the Water Extract from Wet Processed Textiles, AATCC Technical Manual (2008), P. 101.
- ❖ AATCC Test Method 94 – 2007, Finishes in Textile Identification, (AATCC Technical Manual (2008), pp. 126-131.
- ❖ Agarwal, S.S. and Paridhavi, M., (2007), Herbal Drug Technology, University Press, Hyderabad, P.30.
- ❖ American Association of Textile Chemists and Colourists (AATCC), Test Methods – 147 – 1998, 100 – 1999, 30 – 1999, 79 – 2000, 124 – 2001, AATCC Technical Manual, Vol. 79, (2004), Research Triangle Park, NC 27709, USA, pp. 261-262, 149-151, 81-83, 103-104, 203-206.
- ❖ American Association of Textile Chemists and Colourists, (2004), "AATCC Test Method 183-2000", Transmittance or Blocking of Erythemally Weighted Ultraviolet Radiation through Fabrics. In : AATCC Technical Manual, Research Triangle Park, (NC), AATCC 2004, pp. 341-343.
- ❖ American Society for Testing and Materials (ASTM), Test Standard Designation, ASTM D 1777 – 96, 1388 – 96, 737 – 96, 1518 – 98, 3181 – 95, Annual Book of ASTM Standards, Seventh Section, Vol. 07. 01, Textiles ID 76 – D 3218, (2002), ASTM International, West Conshohocken, PA 19428 – 2559, pp. 443-446, 320-325, 213-217, 387-394, 787-791.
- ❖ American Society for Testing and Materials (ASTM) Test Standard Designation, ASTM D 3776 – 96, 3775 – 98, 5034 – 01, 4966 – 98, 4850 – 02, 6544 – 00, Annual Book of ASTM Standards, Seventh Section, Vol. 07. 02, Textile – II, D 3333 – Latest, (2002), ASTM International, West Conshohocken, PA, pp. 78-81, 74-77, 671-675, 649-652, 560-567, 1159-1161.
- ❖ Angappan, P. and Gopalakrishnan, R., (1987), "Textile Testing", SSM Institute of Textile Technology, Komarapalayam, P. 330.
- ❖ Anonymous, (1985), "Doctors Find Neem Good for Skin Diseases", New Delhi Evening News.
- ❖ Anonymous, (2008), "*Aloe vera* History", Science and Medicinal Uses, <http://www.healingaloe.com>.
- ❖ ASTM D 3185 – 95, Guide for Conducting Wear Tests on Textiles, April, (1995), pp. 787-791, IS 7689-ISI Hand Book (Bureau of Indian Standards, New Delhi, 1999).
- ❖ Basu, A., (2001), "Textile Testing", The South India Textile Research Association, Coimbatore, P. 30.
- ❖ Beck, A.F., (1993), "Basic Statistics", Sage Publications, Toppan Publishing, Singapore, P. 253.
- ❖ Benson, H.J., (2002), "Microbiological Applications : Laboratory Manual in General Microbiology", Seventh edition, McGraw Hill, P. 420.
- ❖ Booth, J.E., (1996), "Principles of Textile Testing", CSB Publications and Distributors, New Delhi, 3rd Edition, P. 23.
- ❖ Bunce, K., (2004), "The Layman's Guide to Antimicrobial Fabrics and Testing Methods", Shirley Technologies Ltd., P. 79.
- ❖ CEN, (1999), "The European Committee for Standardization, Textiles : Solar UV Protective Properties : Methods of Test for Apparel Fabrics", Stassart, Brussels, CEN :PrEN 13758.
- ❖ Chakraborty, T.N., (2010), "Fundamentals and Practices in Colouration of Textiles", Wood Head Publications, New Delhi, pp. 13, 15.
- ❖ Chopra, R.N., Nayar, S.L. and Chopra, I.C., (2002), Glossary of Indian Medicinal Plants, New Delhi, NISCAIR, CSIR, P. 18.
- ❖ Diamond, J. and Diamond, L.E., (2007), "Fashion Apparel Accessories and Home Furnishings", Dorking Kindersley India Private Ltd., Pearson Practice Hale, South Asia, pp. 251-254.
- ❖ Dring, I., (2003), "Antimicrobial, Retproofing – d Hygieni Finishes", Textile Finishing, Heywood Publications, New York, pp. 367-370.
- ❖ Fessenden, R.J. and Fessenden, J.S., (1982), "Organic Chemistry", 2nd ed., Willard Grant Press, Boston, Mass.
- ❖ Ghani, A., (2003), "Medicinal Plants of Bangladesh with Chemical Constituents and Uses", 2nd edition, Asiatic Society of Bangladesh, Dhaka, Bangladesh, pp. 425-526.

- ❖ Grover and Hambay, (1969), "Hand Book of Textile Testing and Quality Control", Wiley Eastern Pvt. Ltd., New Delhi, P. 53.
- ❖ Gupta, S.P., (1998), "Statistical Method", Sultan Chand and Sons, New Delhi, pp. A.3.32, A.3.39.
- ❖ Gupta, S.P., (2005), "Statistical Methods", Sultan Chand and Sons, Educational Publishers, New Delhi, 5th Edition, P 63.
- ❖ ISI Hand Book of Textile Testing, 1982, Indian Standards, New Delhi, P. 60.
- ❖ Jain, S.K., (1991), "Dictionary of Indian Folk Medicine and Ethno-Botany", Deep Publications, New Delhi, India, pp. 193-223.
- ❖ Karnick, C.R., (1996), "Ayurvedic Narcotic Medicinal Plants", Sri Satguru Publications, Delhi, P. 148.
- ❖ Kluytmans, J., Van Belkum, A. and Verbrugh, H., (1997), "Nasal Carriage of *Staphylococcus aureus* : Epidermiology, Underlying Mechanisms and Associated Risks,
- ❖ Kothari, V.K., (2008), "Technical Textiles, Technology, "Developments and Applications", IAFL Publications, New Delhi, P. 280.
- ❖ Kurian, J.C., (1984), "Plants that Heal", Oriented Watchman Publishing House, Pune, pp. 8335, 108.
- ❖ Lawless and Julia, (2001), "The Aromatherapy Garden", United Kingdom, Kyle Cathie Ltd
- ❖ Lockett, A.P., (2003), "Textile Testing", Society of Dyers and Colourists, England, P. 1 0 1.
- ❖ Lyle, D.S., (1977), "Performance of Textiles", John Wiley and Sons, New York, pp. 75, 176.
- ❖ Medicinal and Aromatic Plants Abstract, (2003), Vol. 25, National Institute of Science Communication and Information Resources, (SIR, New Delhi), pp. 666, 59.
- ❖ Pizzute, J.S., (1985), "Fabric Science", Fair Child Publications, New York, pp. 14, 109.
- ❖ Podlech and Dieter, (2001), "Herbs and Healing Plants of Britain and Europe", U.K., Harper Collins (Collins Nature Guide),
- ❖ Pullaiah, T., (2002), "Medicinal Plants in India", Vol. I, Rrosency Publication, New Delhi.
- ❖ Reich, E. and Schibli, A., (2007), "High Performance Thin Layer Chromatography for the Analysis of Medicinal Plants (illustrated edition)", Thieme, New York.
- ❖ Reinert, G., Schemidt, E. and Hilfiker, R., (1994), "Facts About the Application UV Absorbers on Textiles", Melliand English Edition, No. 7-8, pp. E151-E153.
- ❖ Saikia, R., Bezbaruah, R. and Boara, T.C., (2008), "Microbial Biotechnology", New India Publishing Agency, New Delhi, pp. 349, 357.
- ❖ Saravanavel, (1999), "Interview, Research Methodology", Kitab Mahal Agencies, Ahmedabad, pp. 177, 178.
- ❖ Saville, B.P., (1999), "Physical Testing of Textiles", The Textile Institute, CRC Press, Boca Raton Boston, New York, Woodhead Publishing Ltd., England, pp. 154, 160, 204.
- ❖ Schmutterer, H., (1995), "The Neem Tree : Source of Unique Natural Products for Integrated Pest Management", Medicine, Industry and Other Purposes, VCH, Weinheim, Germany, pp. 1-696.
- ❖ Shindler, W.D. and Hauser, P.J., (2004), "Chemical Finishing of Textile", Culinary and Hospitality Industry Publications, New York, pp. 180, 182.
- ❖ Shrivastava, A.K., (2006), "Medicinal Plants", A.P.H. Publishing Corporation, New Delhi, P. 19.
- ❖ Singh, M.P. and Panda, H.,(2005), "Medicinal Herbs with their Formulation", Vol. 1, Daya Publishing House, Delhi, P. 19.
- ❖ Singh, R.P., Chari, M.S., Raheja, A.K. and Kraus, W., (1996), "Neem and Environment", Oxford and IBH Publishing, New Delhi, Vols. I and II, pp. 1-1198.
- ❖ Smith, J.L., (2006), "Textile Processing (Printing, Dyeing and Finishing)", Abhishek Publications, Chandigarh, 1st Edition, P. 122.
- ❖ Sofowora, A., (1982), "Medicinal Plants and Traditional Medicine in Africa", John Wiley and Sons, pp. 142-146.
- ❖ Spencer, J.D., (1991), "Knitting Technology", Pergamon Press, Oxford, P. 344.
- ❖ Srinivasan, M. and Gatewood, B.M., (2000), "Relationship of Dye Characteristics to UV Protection Provided by Cotton Fabric", TCC and ADR, Vol. 32, No. 4, pp. 36-43,
- ❖ Textile Committee, (1993), "The Textile Consumers Handbook", Textile Committee, Bombay, pp. 10, 15, 17, 24.
- ❖ Textile Committee, (1993), Business Publication, Vol. XVII, No. 3, Mumbai, pp. 12, 17.

- ❖ Textile Institute, (1991), "Textile Terms and Definitions", International Head Quarters, UK, pp. 36, 37, 95.
- ❖ Trease, G.E. and Evans, W.C., (1989), "Pharmacognosy", 11th Edition, Brailiar Tiridel and MacMillan Publishers, London, pp. 155-265.
- ❖ Vardhana, R., (2008), "Direct Uses of Medicinal Plants and their Identification", Sarup and Sons, New Delhi, pp. 346, 347.
- ❖ WHO, (1999), "Who Monographs on Selected Medicinal Plants", World Health Organization, Genera Vol. 1, ISBN 92415478. <http://whqlibdoc.who.int/publications/1999/92415451>
- ❖ World Health Organization, (2002), "WHO Traditional Medicine Strategy 2002-2005", World Health Organization.

JOURNALS

- ❖ AATCC Review, (2010), "Qualitative Versus Quantitative", Testing Antimicrobial Performance, Vol. 10, No. 6, November – December, pp. 36, 37.
- ❖ Achwal, W.B., (2003), "Textiles with Cosmetics Substances", Colourage, March, Vol. 50, pp. 41, 42.
- ❖ Adam, J.H., Ramian Omar and Wilcock, C.C., (2002), "Phytochemical Screening of Flavonoids in Three Hybrids of Napenthes (Napenthaeae) and their Putative Parental Species from Sarawak and Sabah", Online Journal of Biological Sciences., Vol. 2, No. 9, pp. 623-625.
- ❖ Aggarwal, J., Gupta, C. and Singh, S., (2007), "Renewable Antimicrobial Finish for Next to Skin Garments", Man-Made Textiles in India, January, Vol. 50, pp. 32-35.
- ❖ Ali, M., Ravinder, E. and Ramachandran, R., (2001), "A New Flavonoid from the Aerial Parts of *Tridax procumbens*", Fitoterapia, Vol. 72, pp. 313-315.
- ❖ Aly, A.S., Hashem, A. and Hussein, S.S., (2004), "Utilization of Chitosan Citrate as Crease-Resistant and Antimicrobial Finishing Agent for Cotton Fabric, Indian Journal of Fibre and Textile Research, Vol. 29, June, pp. 218-222.
- ❖ Amrita, V., Sonal, D and Shalini, R., (2009), "Antibacterial Effect of Herbs and Spices Extract on *Escherichia coli*", Electronic Journal of Biology, pp. 40-42.
- ❖ Anita, S., Ramachandran, T., Koushik, C.V., Rajendran, R. and Mahalakshmi, K., (2010), "Preparation and Characterization of Zinc Oxide Nano Particles and a Study of the Antimicrobial Property of Cotton Fabric Treated with the Particles", Journal of Textile and Apparel Technology and Management, Vol. 6, No. 4, P. 2.
- ❖ Annie, S., Rajendran, K., Ramgopal, B. and Denish Kumar, C., (2004), "Neutralization Potential of Viviper Russelli (Russel's viper) Venom by Ethanol Leaf Extract of *Acalypha indica*", Journal of Ethnopharmacology, Vol. 94, pp. 267-273.
- ❖ Anon, (2005), "Microencapsulation : For Enhanced Textile Performance", Performance Apparel Market, Vol. 12, pp. 21-39.
- ❖ Arunkumar, S. and Muthuselvam, M., (2009), "Analysis of Phytochemical Constituents and Antimicrobial Activities of *Aloe vera* L. Against Clinical Pathogens", World Journal of Agricultural Sciences, Vol. 5, No. 5, pp. 572-576.
- ❖ Austin, D.J., Kristinsson, K.G. and Anderson, R.M., (1999), "The Relationship Between the Volume of Antimicrobial Consumption in Human Communities and the Frequency of Resistance", Proceedings of National Academic Sciences, USA, Vol. 96, pp. 1152-1156.
- ❖ Ayyanar, M. and Ignacimuthu, S., (2009), "Herbal Medicines for Wound Healing Among Tribal People in Southern India : Ethnobotanical and Scientific Evidences", International Journal of Applied Research in Natural Products, Vol. 2, No. 3, Sept-Oct., pp. 29-42,
- ❖ Babu, K.M., (2003), "Antimicrobial Finishes for Textiles", Asian Textile Journal, Vol. 12, No. 4, April, pp. 64-68.
- ❖ Bairagdar, S.M. and Katkar, P.M., (2010), "Micro Encapsulation in Textiles", Colourage, Vol. LVII, No. 4, April, P. 41.
- ❖ Bajaj, P., Kothari, V.K. and Ghosh, S.B., (2000), "Some Innovations in UV Protective Clothing", Indian Journal of Fibres and Textile Research, Vol. 35, No. 4, pp. 315-329.
- ❖ Baker, S.E., (2006), "*Aspergillus niger* Genomics : Past, Present and Into the Future", Medical Mycology, Vol. 44, September, pp. S17-S21.
- ❖ Barooah, L. and Konwar, B.K., (2010), "Antibacterial Property of Medicinal Plants Used in Assamese Traditional Medicine for the Treatment of Dysentery and Diarrhoea", Journal of Eco-friendly Agriculture, Vol. 5, No. 1, January, P. 40.

- ❖ Basu, A. and Balasubramaniyan, K., (2008), "Development of Bandages Using Bamboo Fibres", *Asian Textile Journal*, Vol. No. 17, June, pp. 74-77.
- ❖ Bauer, R.W., Kirby, M.D.K., Sherris, J.C. and Turck, M., (1966), "Antibiotic Susceptibility Testing by Standard Single Disc Diffusion Method", *American Journal of Clinical Pathology*, Vol. 45, pp. 493-496.
- ❖ Bedon, E. and Hatfield, G.M., (1982), "An Investigation of the Antiviral Activities of *Phodophyllum peltun*", *Lloydia*, Vol. 45, No. 6, P. 725.
- ❖ Behera, B.K., Mani, M.P., Amit, K., Mondal and Sharma, N., (2002), "Comfort Behaviour of Cotton Polypropylene Based Bi-Layer Knitted Fabrics", *Asian Textile Journal*, Vol. 11, No. 5, May, P. 64.
- ❖ Berghe, V.A. and Vlietinck, A.J., (1991), "Screening Methods for Antibacterial and Antiviral Agents from Higher Plants", *Meth. Plant Biochem.*, Vol. 6, pp. 47-68.
- ❖ Bhattacharya, S.D. and Patel, B.H., (2003), "Dyeing of Polyurethane / Silk Blend with Temporarily Solubilised Disperse Dye", *Man-made Textiles in India*, Vol. XLVI, No. 7, pp. 248-254.
- ❖ Biswas, T.K. and Mukherjee, B., (2003), "Plant Medicines of Indian Origin for Wound Healing Activity : A Review", *International Journal of Lower Extremity Wounds*, Vol. 2, P. 25.
- ❖ Bohringer, B., Schindling, G., Schon, U., Hanke, D., Hoffman, K., Altmeyer, R. and Klotz, M.L., (1997), "UV Protection by Textiles", *Melliand International*, No. 3, pp. 165-167.
- ❖ Bonjar, S., (2004), "Evaluation of Antibacterial Properties of Some Medicinal Plants Used in Iran", *Journal of Ethnopharmacology*, Vol. 94, pp. 301-305.
- ❖ Botes, L., van der Westhuizen, F.H. and Loots, D.U., (2008), "Phytochemical Contents and Antioxidant Capacities of TWO *Aloe greatheadii* var. *davyana* Extracts", *Molecules*, Vol. 13, pp. 2169-2180.
- ❖ Bourdy, G. and Walter, A., (1992), "Maternity and Medicinal Plants in Vanuatu", I. The cycle of Reproduction, *Journal of Ethnopharmacology*, Vol. 37, pp. 179-196.
- ❖ Branter, A. and Gerin, E., (1999), "Antimicrobial Activity of Plant Extracts Used Externally in Traditional Medicine", *Ethnopharmacology*, Vol. 44, pp. 35-40.
- ❖ Brantner, A. and Grein, E., (1994), "Antibacterial Activity of Plant Extract Used Externally in Traditional Medicine", *Journal of Ethnopharmacology*, Vol. 44, No. 1, pp. 35-40.
- ❖ Calvin, J., (2008), "*Aloe vera* Plant History Uses and Benefits", *E Journal* www.disabled-world.com/artman/publish/aloevera.html, Vol. 17, March.
- ❖ Chakraborty, J.N., Arjun, D. and Srinivasulu, K., (2010), "Application of Textiles in Medical, Hygiene and Health Care", *Asian Textile Journal*, Vol. 19, December, pp. 43-57.
- ❖ Chatterjee, A. and Pakrashi, S., (eds.), (1994), "The Treatise on Indian Medicinal Plants", Vol. 3, P. 76.
- ❖ Chaudhary, S.N. and Borkar, S.P., (2009), "Advanced Textile Materials in Healthcare", *Asian Textile Journal*, Vol. 18, April, pp. 40-46.
- ❖ Chavan, D.A. and Borkar, S.P., (2008), "Application of Technical Textiles in Environmental Protection", *Journal of the Textile Association*, Vol. 69, July-August, pp. 75-81.
- ❖ Chen, C. and Chang, W.Y., (2007), "Antimicrobial Activity of Cotton Fabric Pretreated by Microwave Plasma and Dyed with Onion Skin and Onion Pulp Extractions", *Indian Journal of Fibre and Textile Research*, Vol. 32, March, pp. 122-125.
- ❖ Cheng, S.Y., Yuen, C.W.M., Kan, C.W. and Cheuk, K.K.L., (2008), "Imparting Cosmetic Effects on Textiles", *Colourage*, Vol. 55, August, pp. 68-74.
- ❖ Chengaiah, B., Maheshkumar, K., Alagusundaram, M., Sasikala, C and Chetty, C.M., (2009), "*In vitro* Anthelmintic Activity of Roots of *Acalypha indica* Linn.", *International Journal of Pharm Tech. Research (CODEN (USA) : IJPRIF*, Vol. 1, No. 4, October – December, pp. 1499-1502.
- ❖ Chitradividu, C., Manian, S. and Kalaichelvi, K., (2009), "Antimicrobial Studies on Selected Medicinal Plants," Erode Region, Tamil Nadu, India, *Middle-East Journal of Scientific Research*, Vol. 4, No. 3, pp. 147-152.
- ❖ Chopda, M.Z. and Mahajan, R.T., (2009), "Wound Healing Plants of Jalgaon District of Maharashtra State", *India, Ethnobotanical Leaflets*, Vol. 13, pp. 1-32.
- ❖ Choudhary, S., Singh, A., Kumari, A. and Grover, E., (2009), "Enrichment of Cotton Fabric with Dye Extracted from Fruits of *Cassia fistula*?", *The Textile Industry and Trade Journal*, Vol. 47, No. 3-4, March-April, pp. 13-15.
- ❖ Chung, T.H., Kim, J.C. and Kim, M.K., (1995), "Investigation of Korean Plant Extracts for Potential Phytotherapeutic Agents Against B-virus Hepatitis", *Phytotherapy Research*, Vol. 9, pp. 429-434.

- ❖ Coates, J., (2000), "Interpretation of Infrared Spectra : A Practical Approach", John Wiley and Sons Ltd., Chichester, Vol. 12, pp. 1-22.
- ❖ Cowan, M.M., (1999), "Plant Products as Antimicrobial Agents", Clinical Microbiology Journal, Vol. 12, No. 4, P. 564.
- ❖ Ferri, A., Rombaldoni, F., Mazzuchetti, G., Rovero, G. and Sicardi, S., (2012), "Thermal Properties of Wool Fabrics Treated in Atmospheric Pressure Post- Discharge Plasma Equipment", Journal of Engineered Fibers and Fabrics, Vol. 7, pp. 75-81.
- ❖ Danhoff, I.E. and McAnally, B.H., (1983), "Stabilized Aloe Vera, its Effect on Human Skin Cells", Drugs in the Cosmetics Industry, pp. 113, 52-196.
- ❖ Das, A.K., Ahmed, F., Biswas, N.N., Dev, S. and Masud, M.M., (2005), "Diuretic Activity of *Acalypha indica*", Dhaka Univ. Journal of Pharmaceutical Sciences, Vol. 4, pp. 1-2.
- ❖ Dayal, A. and Aggarwal, A.K., (1998), "Textiles and UV Protection", Asian Textile Journal, No. 9, pp. 62-68.
- ❖ Dent, R.W., (1976), "The Air Permeability of Non-Woven Fabrics", Textile Research Journal, Vol. 67, pp. 220-224.
- ❖ Desai, A.A., (2003), "Clothing that Offer Protection Against Ultra Violet Radiation", Textile Magazine, Vol. 1, pp. 77-79.
- ❖ Dhillon, C. and Khajuria, B., (1966), "Neem : A Natural Pesticide for Sustainable Agriculture", Medicine, Industry and other Purposes, VCH, Weinheim, Germany, Vol. 26, pp. 50-51.
- ❖ Diallo, D., Hveem, B., Mahmoud, M.A., Betge, G., Paulsen, B.S. and Maiga, A., (1999), "An Ethnobotanical Survey of Herbal Drugs of Gourma District", Mali, Pharmaceutical Biology, Vol. 37, pp. 80-91 (cited <http://ukpmc.ac.uk/www.biomedcentral.com>).
- ❖ Diffey, B.L., (1998), "The CIE Ultraviolet Action Spectrum for Erythema," In : Mathes R. Sliney, D. eds., Measurements of Optical Radiation Hazards, Munich, Germany, Karki-Druck, pp. 63-67.
- ❖ Dixon, R.A., Howles, P.A., Lamb, C., He, X.Z. and Reddy, J.T., (1998), "Prospects of the Metabolic Engineering of Bioactive Flavonoids and Related Phenylpropanid Compounds", Adv. Exp. Med. Biol., Vol. 439, pp. 55-66.
- ❖ Doshi, G.M., Shahare, M.D., Aggarwal, G.V., Pillai, P.G. and Desai, S.K., (2011), "Anti-Inflammatory Potential of *Cassia auriculata* Flowers", Journal of Pharmaceutical Research and Clinical Practice, Vol. 1, No. 2, April-June, pp. 50-58.
- ❖ Durga, R.K., Karthikumar, S. and Jegatheesan, (2010), "Isolation of Potential Antibacterial and Antioxidant Compounds from *Acalypha indica* and *Ocimum basilicum*", African Journal of Plant Sciences, Vol. 4, No. 5, May, pp. 163-166.
- ❖ Edeoga, H.O., Okmu, D.E. and Mbaebie, B.O., (2005), "Phytochemical Constituents of Some Nigerian Medicinal Plants", African Journal of Biotechnology, Vol. 4, pp. 685-688.
- ❖ Elastal, Z.Y., Aera, A. and Aam, A., (2005), "Antimicrobial Activity of Some Medicinal Plant Extracts in Palestine", Pakistan Journal of Medical Sciences, Vol. 21, No. 2, P. 187.
- ❖ Eloff, J.N., (1998), "Which Extractant Should be Used for the Screening and Isolation of Antimicrobial Components from Plants", Ethnopharmacology, Vol. 60, pp. 1-8.
- ❖ Essawi, T. and Srour, M., (2000), "Screening of Some Palestinian Medicinal Plants for Antibacterial Activity", Journal of Ethnopharmacology, Vol. 70, No. 3, pp. 343-349.
- ❖ Fan, D., (2005), "Chemical Testing of Textiles", The Textile Institute, CRC Press, Wood Head Publishing Limited, England, P. 172.
- ❖ Fattah, A.S., El-Khatib, E., Kantouch, A.A. and El-Zawawi, I., (2010), "Finishing of Wool Fabrics with Metals Ions and Silver Nanoparticles to Acquire Antimicrobial and UV-Protection Properties", Research Journal of Textile Association, Vol. 14, No. 10, pp. 53-64.
- ❖ Field, J.A. and Lettinga, G., (1992), "Toxicity of Tannic Compounds to Microorganisms, Plant Polyphenols : Synthesis, Properties, Significance", Basic Life Science, Vol. 59, pp. 673-692.
- ❖ Freiburghaus, F., Kaminsky, R., Nkunya, M.H.H. and Brun, R., (1996), "Evaluation of African Medicinal Plants for their *in vitro* Trypanocidal Activity", Journal of Ethnopharmacology, Vol. 55, pp. 1-11.
- ❖ Fulton, J.E., (1990), "The Stimulation of Postdermal Abrasion Wound Healing with Stabilized Aloe Vera Gel – Polythylen Oxide Dressing", Journal of Dermatological and Surgical Oncology, Vol. 16, No. 5, pp. 460-467.
- ❖ Gaikwad, S.A., Kale, A., Mundhe, K., Deshpande, N.R. and Salvekar, J.P., (2010), "Detection of Amino Acids Present in the Leaves of *Cassia auriculata* L.", International Journal of Pharm The Research, Vol. , No. 2, April-June, pp. 1092-1094

- ❖ Gambichler, T., Avermaete, A., Bader, A., Altmeyer, P. and Hoffman, K., (2000), "Ultraviolet Protection by Summer Textiles : Ultraviolet Transmission Measurements Verified by Determination of the Minimal Erythema Dose with Solar-Simulated Radiation, Journal of Investigative Dermatology, Vol. 144, pp. 484-489.
- ❖ Gao, Y. and Cranston, R., (2008), "Recent Advances in Antimicrobial Treatments of Textiles", Textile Research Journal, Vol. 78, No. 1, pp. 69-72.
- ❖ Gerber, B., Mathys, P., Moser, M., Bressoud, D. and Fahrlander, C.B., (2002), "Ultraviolet Emission Spectra of Sunbeds, Photochemistry and Photobiology, Vol. 76, No. 6, pp 664-664.
- ❖ Gidado, A., Ameh, D.A. and Atawodi, S.E., (2005), "Effect of *Nauclea latifolia* Leaves Aqueous Extracts on Blood Glucose Levels of Normal and Alloxan-Induced Diabetic Rats", African Journal of Biotechnology, Vol. 4, No. 1, pp. 91-93.
- ❖ Gies, H.P., Roy, C.R., McLennan, A., Diffey, B.L., Pailthorpe, M., Driscoll, C., Whillock, M., McKinlay, A.F., Grainger, K., Clark, I. and Sayre, R.M., (1997), "UV Protection by Clothing : An Intercomparison of Measurements and Methods", Health Physics, Vol. 73, No. 3, pp. 464-465.
- ❖ Gokulakumar, B. and Narayanaswamy, R., (2008), "Fourier Transform-Infrared Spectra (FT-IR) Analysis of Root Rot Disease in Sesame", Romanian Journal of Biophysics, Vol. 18, No. 3, P. 218, Bucharest.
- ❖ Gopalakrishnan, D., (2006), "Antimicrobial Finishes", Man Made Textiles in India, Vol. XIX, No. 10, October, P. 373.
- ❖ Gopalakrishnan, D., Mahendran, N. and Aravindhnan, K.A., (2007), "Medical Textiles", Asian Textile Journal, Vol. 16, No. 1, January, P. 70.
- ❖ Gorenesk, M. and Sluga, F., (2004), "Modifying the UV Blocking Effect of Polyester Fabric", Textile Research Journal, Vol. 74, No. 6, P. 697.
- ❖ Govindarajan, M., Jebanesan, A., Reetha, D., Amsath, R., Pushpanathan, T., Samidurai, K., (2008), "Antibacterial Activity of *Acalypha indica* L.", European Review for Medical and Pharmacological Sciences, Vol. 12 No. 5, pp. 299-2.
- ❖ Goyal, R. and Prabhu, C.N., (2009), "Antimicrobial Finishing of Textiles", Colourage, Vol. 56, No. 9, September, pp. 78-80.
- ❖ Greenoak, G.E. and Palithorpe, M., (1996), "Skin Protection by Clothing from the Damaging Effects of Sunlight", Australian Textiles, Vol. 16, January / February, P. 61.
- ❖ Guinot, P., Roge, A., Argadennec, A., Garcia, M., Dupont, D., Lecoecur, E., Candelier, L. and Andary, C., (2006), "Dyeing Plants Screening : An Approach to Combine Past Heritage and Present Development", Colour Technology, Vol. 122, Issue 2, April, P. 93.
- ❖ Gulrajani, M.L., (2008), "Finishing Techniques for Medical Textiles", Asian Technical Textiles, Vol. 2, No. 1, January – March, P. 29.
- ❖ Gulrajini, M.L., (2008), "Bio and Nana Technology in the Processing of Silk, Asian Dyer, Vol. 5, No. 5, October, pp. 27, 29.
- ❖ Gupta, D. and Laha, A., (2007), "Antimicrobial Activity of Cotton Fabric Treated With *Quercus infectoria* Extract", Indian Journal of Fibre and Textile Research, Vol. 32, March, pp. 88-92.
- ❖ Gupta, D., Jain, A. and Panwar, S., (2005), "Anti-UV and Anti-Microbial Properties of Some Natural Dyes on Cotton", Indian Journal of Fibres and Textile Research, Vol. 30, June, pp. 190-195.
- ❖ Gupta, P., Murali, P., Murali, M.V., Faridi, M.M.A., Kaul, P.B., Ramachandran, V.C. and Talwar, V., (1993), "Clinical Profile of *Klebsiella septicaemia* in Neonates", Indian Journal of Paediatr., Vol. 60, pp. 565-572.
- ❖ Hadfield, R.A., Vlahovic, T.C. and Khan, M.T., (2008), "The Use of Marigold Therapy for Podiatric Skin Conditions", The Foot and Ankle Journal, Vol. 1, No. 7, July.
- ❖ Harini, K., Sivapriya, S. and Dev, V.R.G., (2007), "Checkmate for Microbes", Synthetic Fibres, Vol. XXXVI, No. 2, April/June, pp. 8-12.
- ❖ Harlapur, S.F., Anathakrishnan, T. and Madusudan, (2010), "Drape a Better Measure of Fabric Stiffness", The Textile Industry and Trade Journal, Vol. 48, No. 11-12, November-December, P. 10.
- ❖ Hatch, K.L., (2003), "Making a Claim that a Garment Fabric is UV Protective", AATCC Review, No. 12, pp. 23-26.
- ❖ He, G.Q., Xiong, H.P., Chen, Q.H., Ruan, H., Wang, Z.Y. and Traore, L., (2005), "Optimization of conditions for supercritical fluid extraction of flavonoids from hops (*Humulus lupulus* L.)", Journal of Zhejiang University Science, Vol. 6B, pp. 999-1004.
- ❖ Hegde, M.G., Bai, S.K. and Vijayeendra, M.K., (2011), "Anti-bacterial Activity of *Garcinia indica* Dye", The Textile Magazine, Vol. 52, Issue 9, July, pp. 48-52.

- ❖ Herborne, J.B., (1973), "Phytochemical Methods", 3rd edition, Chapman and Hall Ltd., London, pp. 135-203.
- ❖ Hes, L., (2008), "Non-destructive Determination of Comfort Parameters During Marketing of Functional Garments and Clothing", Indian Journal of Fibre and Textile Research, Vol. 33, September, pp. 239-245.
- ❖ Hess, S.C., Brum, R.L., Honda, N.K., Cruz, A.B., Moretto, E., Cruz, R.B., Messana, I., Ferrari, F., Filho, V.C. and Yunes, R.A., (1995), "Antibacterial Activity and Phytochemical Analysis of *Vochysia divergens* (Vochysiaceae)", Journal of Ethnopharmacology, Vol. 47, pp. 97-100.
- ❖ Hirat, T. and Suga, T., (1983), "The Efficiency of Aloe Plants, Chemical Constituents and Biological Activities", Cosmetics and Toiletries, Vol. 98, pp. 105-108.
- ❖ Hiremath, J., Kattimani, K.N., Mukesh, L.C. and Anand, B.M., (2010), "Antibacterial Activity of *Strychnos nux* – Vomica Leaf Extracts", Journal of Ecobiology, Vol. 26, No. 3, P. 217.
- ❖ Hockberger, P.E., (2002), "A History of Ultraviolet Photobiology for Humans, Animals and Microorganisms", Photochemistry and Photobiology, Vol. 76, No. 6, pp. 561-579.
- ❖ Hodnick, W.F., Milosavljevic, E.B., Nelson, J.H. and Pardini, R.S., (1988), "Electrochemistry of Flavonoids : Relationships Between Redox Potentials, Inhibition of Mitochondrial Respiration and Production of Oxygen Radicals by Flavonoids," Biochemistry and Pharmacology, Vol. 37, pp. 2607-2611.
- ❖ Hoffman, K., Kaspar, K., Gambichier, T., Altmeyer, P., (2000), "*In vitro* and *in vivo* Determination of the UV Protection Factor for Light Weight Cotton and Viscose Summer Fabrics : A Preliminary Study, Journal of American Academic Dermatology, Vol. 43, Pp. 1009-1016
- ❖ Holme, I., (2003), "UV Absorbers for Protection and Performance", International Dyer, Vol. 4, pp. 9-10, 13.
- ❖ Hussein, S.A.M., Barakat, H.H., Merfort, I. and Nawwar, M.A.M., (1997), "Transform the Leaves of *Punica granatum*", Photochemistry, Vol. 45, February-March, pp. 819-823.
- ❖ Ignachimuthu, S., Ayyanar, M. and Sankara Sivaraman, K., (2006), "Ethnobotanical Investigations Among Tribes in Madurai District of Tamil Nadu (India)", Journal of Ethnobiology and Ethnomedicine, Vol. 2, pp. 25-30.
- ❖ Ignachimuthu, S., Duraipandiyan, V. and Ayyanar, M., (2006), "Antimicrobial Activity of Some Ethnomedicinal Plants Used by Paliyar Tribe from Tamil Nadu", India BMC Complementary and Alternative Medicine, Vol. 6, pp. 35-41.
- ❖ Iqbal, S. and Pramanik, P., (2011), Box and Behnken Design in Textile Industry", Textile Asia, June, pp. 30-32.
- ❖ Jain, M., (2010), "Ayurvedic Textiles : A Wonderful Approach to Handle Health Disorders", Ayurvedic Textile, Colourage, Vol. 57, October, pp. 45-49.
- ❖ Jayalakshmi and Amsamani, S., (2008), "Natural Dyeing of Wool Using Biofixing Agents", Man-Made Textiles in India, Vol. 51, November, pp. 396-401.
- ❖ John, B., (2007), "Experimental Staph Vaccine Broadly Protective in Animal Studies, NIH. Archived from the original on 5 May.
- ❖ John, S.A. and Malathi, R., (2010), "Phytochemical Constituents and Antimicrobial Activities of *Tylophora asthmatica* Leaves", Journal of Ecobiology, Vol. 27, No. 1, pp. 77-80.
- ❖ Johri, R.M. and Lata, S., (2004), "Text Book of Microbiology", Sonali Publications, New Delhi, pp. 1, 9, 10, 63, 67.
- ❖ Joshi, H.D. and Joshi, D.H., (2002), "Antimicrobial Finishes", Mantra Bulletin, Vol. 20, No. 8, August, pp. 2-5.
- ❖ Joshi, M., Ali, S.W., Purwar, R. and Rajendra, S., (2009), "Eco-friendly Antimicrobial Finishing of Textiles Using Bioactive Agents Based on Natural Products", Indian Journal of Fibre and Textile Research, Vol. 34, September, pp. 295-304.
- ❖ Kan, C.W. and Yuen, C.M.W., (2006), "Antimicrobial Finishes", Textile Asia, The Asian Textile and Apparel Monthly, Vol. XXXVII, No. 7, Business Press Limited, China, July, pp. 32-36.
- ❖ Kanazawa, A., Ikeda, T. and Endo, T., (1993), "Antibacterial Activity of Polymeric Sulfonium Salts", Journal of Polymer Science and Polymer Chemistry, Vol. 31, pp. 2873-2876.
- ❖ Karolia, A. and Mendapara, S., (2005), "Application of Antimicrobial and Fragrance Finish in Combination by Microencapsulation on Cotton Fabric", Journal of the Textile Association, November-December, pp. 155-159.

- ❖ Karolia, A. and Mendapara, S., (2007), "Imparting Antimicrobial and Fragrance Finish on Cotton using Chitosan with Silicon Softener", *Indian Journal of Fibre and Textile Research*, Vol. 32, March, pp. 99-107.
- ❖ Kathirvelu, S., D'Souza, L. and Dhurai, B., (2010), "Review of UV Protection and Evaluation", *Journal of the Institution of Engineers (India)*, Vol. 90, February, pp. 26-31.
- ❖ Kausik Biswas, Ishita Chattopadhyay, Ranajit K. Banerjee and Uday Bandyopadhyay, (2002), "Biological Activities and Medicinal Properties of Neem (*Azadirachta indica*)", *Current Science*, Vol. 82, No. 11, June, P. 1336.
- ❖ Kavitha, T., Padmashwini, R., Giridev, V.R. and Neelakandan, R., (2006), "Antimicrobial Finishes for Textile from Plants", *Synthetic Fibres*, October / December, P. 9.
- ❖ Kemper, K.J. and Chiou, V., (1999), "*A. vera*, The Longwood Herbal Task Froce (www.mcp.edu/herbal/default.htm) and The Center for Holistic Pediatric Education and Research (www.childrenhospital.org/holistic).
- ❖ Khan, I.A. and Khanum, A., (2008), "Medicinal Aromatic Plants of India", Ukaaz Publications, Hyderabad, P. 7.
- ❖ Khanna, G., (2005), "Antimicrobial Finishes for Textiles", *Colourage*, Colourage Publications Pvt. Ltd., Bombay, September, pp. 94-95.
- ❖ Kharbade, B.V. and Agarwal, O.P., (1985), "Identification of Natural Dyestuffs in Old Textiles : Application of TLC-IR Techniques", *Journal of Chromatography*, Vol. 347, P. 447.
- ❖ Kindra, K.J. and Satyanaraya, T., (1978), "Inhibitory Activity of Essential Oil of Some Plants Against Pathogenic Bacteria", *Indian Drugs*, Vol. 16, pp. 15-17.
- ❖ Kivcak, H., Mert, T and Ozturk, H.T., (2002), "Antimicrobial and Cytotoxic Activities of *Ceratonia siliqua* L. extracts", *Turkish Journal of Biology*, Vol. 26, pp. 197-200.
- ❖ Korgankar, V., (2005), "Treatment with Antimicrobials", *Asian Dyer*, Vol. 2, pp. 45-47.
- ❖ Korgaonkar, V., (2006), "Treatment with Antimicrobials : Opportunities", *Asian Dyer*, Vol. 3, December, pp. 45-48.
- ❖ Kotb, N.A. and Megeid, Z.M.A., (2011), "Evaluation of Abrasion Behaviour of Knitted Fabrics under Different Paths of Martindale tester", *Journal of American Sciences*, Vol. 7, No. 7. Pp. 164-169.
- ❖ Kothari, V.K., (2000), "Textile Fibres : Development and Innovations", JAPL Publications, New Delhi, Vol. 2, pp. 1-2.
- ❖ Kumar, A. and Yadav, D.K., (2009), "Medicinal Herbs", *Journal of Economic and Taxonomic Botany*, Vol. 33, No. 9, P. 622.
- ❖ Kumar, B., Vijayakumar, M., Govindarajan, R. and Pushpagadan, P., (2007), "Ethnopharmacological Approaches to Wound Healing – Exploring Medicinal Plants of India", *Journal of Ethnopharmacology*, Vol. 114, No. 2, pp. 103-113.
- ❖ Kumar, S., Kumar, D., Jusha, M., Saroba, K., Singh, N. and Vasistha, R., (2008), "Antioxidant and Free Radical Scavenging Potential of *Citrullus colocynthis* (L.) Schrad methanolic Fruit Extract", *Acta Pharmaceutica*, Vol. 54, No. 2, P. 215.
- ❖ Kusumoto, I.T., Nakabayashi, T. and Kida, H., (1995), "Screening of Various Plant Extracts Used in Ayurvedic Medicine for Inhibitory Effects on Human Immunodeficiency Virus Type 1 (HIV-1) Protease", *Physiotherapy Research*, Vol. 9, pp. 180-184.
- ❖ Lee, (2004), "Wound Healers Cause Skin Disease", *Science Daily*, Vol. 15, pp. 45-67.
- ❖ Li, F.L., Li, Q., Gao, D.W., Feng, C.H. and Shao, J.J., (2008), "Research on the Ultrasonic Extraction to Total Flavones from Sweet Potato Leaves", *Jiangsu Condiment and Subsidiary Food*, Vol. 25, pp. 13-18.
- ❖ Lowe, N.J., Bourget, T.D., Hughes, S.N. and Sayire, R.M., (1995), "UV Protection Offered by Clothing : An *in vitro* and *in vivo* Assessment of Clothing Fabrics", *Skin Cancer*, Vol. 10, pp. 89-96.
- ❖ Luqman, S., Srivastava, S., Darokar, M.P. and Khanuja, S.P.S., (2005), "Detection of Antibacterial Activity in Spent Roots of Two Genotypes of Aromatic Grass *Vetiveria zizanioides*", *Phrmaceutical Biology*, Vol. 43, No. 8, pp. 732-736.
- ❖ Magnuson, J. and Lasure, L., (2004), "Organic Acid Production by Filamentous Fungi", In : Tkacz, J. Lasure L. (eds.), *Advances in Fungal Biotechnology for Industry, Agriculture and Medicine*, New York : Kluwer Academic and Plenum Publishers, pp. 307-340.
- ❖ Mahesh, B. and Satish, S., (2008), "Antimicrobial Activity of Some Important Medicinal Plant Against Plant and Human Pathogens", *World Journal of Agricultural Sciences*, Vol. 4, No. S, pp. 839-843.

- ❖ Majorie, H. and Kubo, I., (1999), "Antibacterial Activity of Anacardic Acids and Totarol, Alone and in Combination with Methicillin, Against Methicillin-Resistant *Staphylococcus aureus*", Journal of Applied Bacteriology, Vol. 80, pp. 387-394.
- ❖ Majumdar, A, Mukhopadhyay, S. and Yadav, R., (2010), "Thermal Properties of Knitted Fabrics Made from Cotton and Regenerated Bamboo Cellulosic Fibres", International Journal of Thermal Science, Vol. 49, pp. 2042-2048.
- ❖ Males, Z., Plazibat, M., Bilusic Vundac, V., Zuntar, I and Hazler Pilepic, K., (2006), "Thin Layer Chromatographic Analysis of Flavonoids, Phenolic Acids and Amino Acids in Some Croatian *Hypericum taxa*", Journal of Planar Chromatography, Vol. 17, pp. 280-285.
- ❖ Malik, S.K. and Arora, T., (2003), "UV Radiations : Problems and Remedies", Man-Made Textiles in India, No. 5, pp. 164-169.
- ❖ Maneemegalai, S. and Naveen, T., (2010), "Evaluation of Antibacterial Activity of Flower Extracts of *Cassia auriculata* L.", Ethnobotanical Leaflets 14, pp. 182-192.
- ❖ Manohari, B.G., Kannappan, J., Kandhavdivu, P. and Ramachandran, J., (2011), "Liquid Moisture Transmission Behaviour of Microfiber Blended Knitted Fabrics", Melliand International, Vol. 17, March, P. 37.
- ❖ Manonmani, G., Ramachandran, T., Rajendran, R. and Rajesh, E.M., (2009), "Chromogenic and Antimicrobial Activity of Natural Dye Finished Knitted Fabrics", Man Made Textiles in India, Vol. 52, No. 3, March, pp. 94-96.
- ❖ Massey, S. and Goel, A., (2008), "Clothing Hygiene : It's Effect on Insulation and Comfort Properties", Man Made Textile in India, Vol. LI, No. 5, May pp. 173-175.
- ❖ Mecheels, S., (2007), "Innovative and Functional Textiles – Quality Requirements and Test Procedures", paper presented at the International Textile Conference, UTEX 2007.
- ❖ Medic-Saric, M., Jasprica, I, Smolcic-Bubalo, A and Mornar, A., (2004), "Optimization of Chromatographic Conditions in Thin Layer Chromatography of Flavonoids and Phenolic Acids", Croatica Chemica Acta CCACAA, Vol. 77, No. 1-2, pp. 361-366.
- ❖ Meghashri and Gopal, S., (2009), "*In vitro* Antifungal and Antibacterial Activities of Root Extract of *Glycyrrhiza glabra*", Journal of Applied Sciences Research, Vol. 5, No. 10, pp. 1436-1439.
- ❖ Menter, J.M. and Hatch, K.L., (2003), "Clothing as Solar Radiation Protection", Current Probl. Dermatology, Vol. 31, pp. 50-63.
- ❖ Menzies, S.W., Lukins, P.B. and Greenoak, G.E., (1991), "A Comparative Study of Fabric Protection Against Ultraviolet-Induced Erythema Determined by Spectrophotometric and Human Skin Measurements", Photodermatol. Photoimmunol. Photomed., Vol. 8, pp. 157-163.
- ❖ Mhasalkar, U.P., (2009), "Practices of Cotton Fibre Selection and Procurement for Optimum Mixing", The Textile Industry Trade Journal, Vol. 47, No. 1-2, January – February, P. 15.
- ❖ Mishra, S.P., (2000), "Dyeing with Natural Dyes – Part I : Introduction", Asian Textile Journal, September, pp. 38, 39.
- ❖ Mishra, U.S., Behera, S.R. and Murthy, P.N., (2009), "Antibacterial and Analgesic Effects of the Leaves of *Dihrostachys cinerea*", International Journal of Pharmacy and Pharmaceutical Sciences, Vol. 1, Issue 2.
- ❖ Morys, M. and Berger, D., (1993), "The Accurate Measurements of Biologically Effective Ultraviolet Radiation", Proceedings of International Symposium on High Latitude Optics, Norway, July, (Cited by Saravanan, D., 2007, UV protection textile materials, AUTEX Research Journal, Vol. 7, No. 1, March, pp. 53-62).
- ❖ Mucha, H., Hafe, D. and Swerer, H., (2002), "Investigation on the Antimicrobial Activity of RF Air Plasma and Azadirachtin Treated Cotton Fabric", Melliand International, Vol. 8, P. 148.
- ❖ Murugan, P., (2010), "Tanner's cassia (*Cassia auriculata* L.) Extract Prevents Hemoglobin Glycation and Tail Tendon Collagen Properties in Experimental Diabetic Rats", Journal of Cell and Tissue Research, Vol. 10, No. 1, pp. 2109-2114.
- ❖ Nadiger, G.S. and Ghosh, P.S., (2008), "An Important Technical Textile Segment, Medical Textiles", Asian Technical Textiles, Vol. 2, No. 1, January – March, P. 35.
- ❖ Nair, R., Kalariya, T. and Chanda, S., (2005), "Antibacterial Activity of Some Selected Indian Medicinal Flora", Turkish Journal of Biology, Vol. 29, pp. 41-47.
- ❖ Nair, V.N., (2004), "Identification of Common Indian Medicinal Plants", Scientific Publishers, P. 23.
- ❖ Narayanan, S.S., Ramkumar, K.M., Latha, M. and Rajeshkanna, V., (2007), "Antimicrobial and Free Radical Scavenging Activity of *Cassia auriculata* L. Flowers", International Journal of Natural and Applied Sciences, Vol. 3, pp. 39-43.

- ❖ Nascimento, G.G.F., Lacatelli, J., Freitas, P.C. and Silva, G.L., (2000), "Antibacterial Activity of Plant Extracts and Phytochemicals on Antibiotic-Resistant Bacteria", *Brazilian Journal of Microbiology*, Vol. 31, No. 4, pp. 886-891.
- ❖ Navarro, V., Villarreal, M.L., Rojas, G. and Lozoya, X., (1996), "Antimicrobial Evaluation of Some Plants Used in Mexican Traditional Medicine for the Treatment of Infectious Diseases", *Journal of Ethnopharmacology*, Vol. 53, pp. 143-147.
- ❖ Nayak, R., Chatterjee, K., Khandual, A. and Jaipura, L., (2008), "Evaluation of Functional Finishes – An Over View", *Man-Made Textiles in India*, Vol. 51, pp. 130-135.
- ❖ Nazeruddin, G.M., Pingale, S.S. and Shaikh, S.S., (2011), "Pharmacological review of *Tridax procumbens* L.", *Der Pharmacia Sinica*, Vol. 2, No. 4, pp. 172-175.
- ❖ Ngebe, J., Yarkubu, R.A. and Njam, D.A., (2008), "Phytochemical Screening for Active Compounds in *Conarium schweinfurthii* (Atile) Leaves from Jo North, Plateau State Nigeria", *Research Journal of Biological Science*, Vol. 3, No. 9, pp. 1070-1078, www.medwelljournals.com/fulltext/rjbs/2008/1076.pdf.
- ❖ Okerulu, I.O. and Ani, C.J., (2001), "The Phytochemical Analysis and Antibacterial Screening of Extracts of *Tetracarpidium conophorum*", *Journal of Chemical Soc. Nig.*, Vol. 26, No. 1, pp. 223-228.
- ❖ Orhan, M., Kut, D. and Gunesoglu, C., (2007), "Use of Triclosan as Antibacterial Agent in Textiles", *Indian Journal of Fibre and Textile Research*, Vol. 32, March, pp. 114-118.
- ❖ Owolabi, J., Omogbai, E.K.I. and Obasuyi, O., (2007), "Antifungal and Antibacterial Activities of the Ethanolic and Aqueous Extract of *Kigelia Africana* (Bignoniaceae) Stem Bark", *African Journal of Biotechnology*, Vol. 6, No. 14, pp. 882-885.
- ❖ Ozdil, N., Marmarali, A. and Kretzchmar, S.D., (2007), "Effect of Yarn Properties on Thermal Comfort of Knitted Fabrics", *International Journal of Thermal Sciences*, Vol. 46, pp. 1318-1322.
- ❖ Packialakshmi, N., (2010), "Antibacterial Effect of the Medicinal Plants *Acorus calamus* and *Aegle marmelos*", *Journal of Ecobiology*, Vol. 26, No. 1, pp. 43-47.
- ❖ Pailthorpe, M.T. and Chriskis, J.I., (1995), "Sun Protection of Apparel Textiles", *Proceedings of 3rd Asian Textile Conference*, Vol. II, pp. 904-914.
- ❖ Pal, S., (2009), "Nonwovens and their Application in Medical Textiles", *Asian Textile Journal*, Vol. 18, May, pp. 49-55.
- ❖ Pailthorpe, M., (1994), "Textile and Sun Protection : The Current Situation", *Australias Textiles*, Vol. 14, pp. 54-66.
- ❖ Pardeshi, P.D. and Manjrekar, S.G., (2002), "Medical Textiles : New Avenue of Textile Applications", *The Indian Textile Journal*, May, pp. 13-22.
- ❖ Park, Y.I. and Jo, T.H., (2006), "Perspective of Industrial Application of *Aloe vera*". In : Park, Y.I. and S.K. Lee (Eds.), *New perspective son Aloe*, Springer Verlag, New York, USA, pp. 191-200, ISBN : 0387317996 http://rapidshare.com/files/46675452/New_Perspectives_on_Aloe.pdf.
- ❖ Parveen, I., Moorby, J.M., Hirst, W.M., Morris, S.M. and Raser, M.D., (2007), "Profiling of Plasma and Faeces by FT-IR to Differentiate Between Heath Land Plant Diets Offered to Zero-Grazed Sheep", *Animal Feed Science and Technology*, (in press).
- ❖ Patel, B.H., Patel, K.J., Naik, J.A. and Bhavsar, A.M., (2004), "Dyeing and Antimicrobial Finishing of Cotton", *Man-Made Textiles in India*, Vol. 47, November, pp. 426-428.
- ❖ Paul, J. and Devi, S.A., (1997), "A Practical Study on the Properties of Mercerized Cotton Fabrics", *New Cloth Market*, Vol. II, No. 7, P. 9.
- ❖ Pei, S.J., (2001), "Ethnobotanical Approaches of Traditional Medicine Studies : Some Experiences from Asia", *Pharmaceutical Biology*, Vol. 39, pp. 74-79.
- ❖ Pellati, Federica, Calo, S. and Benvenuti, S., (2007), "High-Performance Liquid Chromatography Analysis of Polyacetylenes and Polyenes in *Echinaceae pallid* by Using a Monolithic Reversed-Phase Silica Column", *Journal of Chromatography, A.*, Vol. 56, pp. 1149-1153.
- ❖ Peng, J., Fan, G. and Wu, Y., (2006), "Preparative Separation and Isolation of Three Flavonoids and Three Phloroglucinol Derivatives from *Hypericum japonicum* Thumb. Using High-Speed Countercurrent Chromatography by Stepwise Increasing the Flow Rate of the Mobile Phase", *Journal of Liquid Chromatography and Related Technologies*, Vol. 29, pp. 1619-1612
- ❖ Perez, C. and Anesini, C., (1999), "*In vitro* Antibacterial Activity of Argentina Folk Medicinal Plants Against *Salmonella typhi*", *Journal of Ethnopharmacology*, Vol. 44, No. 1, pp. 41-46.

- ❖ Perfect, J.R., Cox, G.M. and Lee, J.Y., (2001), "The Impact of Culture Isolation of *Aspergillus* Species : A Hospital-Based Survey of Aspergillosis", *Clinical Infect Disease*, Vol. 33, pp. 1824-1833.
- ❖ Perkin, S.W., (2000), "Functional Finishes and High Performance Textiles", *Text, Chemists and Colorists and American Dyestuff Reports*, Vol. 32, No. 4, pp. 24-27.
- ❖ Perumal Samy, R., Ignacimuthu, S. and Patri Raja, D., (2008), "Preliminary Screening of Ethnomedicinal Plants from India", *European Review for Medical and Pharmacological Sciences*, Vol. 12, pp. 1-7.
- ❖ Perumalsamy, R. and Ignacimuthu, S., (2008), "Antibacterial Activity of Some Folklore Medicinal Plants Used by Tribals in Western Ghats of India", *Journal of Ethnopharmacology*, Vol. 69, pp. 63-71.
- ❖ Phukon, A. and Phukon, P., (1998), "Wicking Behavior of Knitted Fabrics", *Colourage*, Vol. CVIII, June, P. 110.
- ❖ Prakash, S.K., (2006), "Effects of Herbal Extracts Towards Microbiocidal Activity Against Pathogenic *E. coli* in Poultry", *International J. of Poultry Sciences*, Vol. 5, pp. 259-261.
- ❖ Prince, P.A., (2010), "Deep Sleeping Finishing on Cotton with "Lavender Oil"", *The Textile Industry and Trade Journal*, January – March, pp. 11-14.
- ❖ Purwar, R. and Joshi, M., (2004), "Recent Development in Antimicrobial Finishing of Textiles – A Review", *AATCC Review*, Vol. 4, pp. 22-26.
- ❖ Ramachandran, T., Ganesan, P., Hariharan, S. and Thirumoorthy, M., (2008), "Application of Functional Finishes for Apparels", *Man-Made Textiles in India*, Vol. 51, February, pp. 62-66.
- ❖ Ramachandran, T., Rajendrakumar, K. and Rajendran, R., (2004), *Journal of Textile Institute*, Vol. 84, P. 42.
- ❖ Ramkumar, S., (2011), "Technical Textiles : A Growing Necessity for India", *The Indian Textile Journal*, March, *Mantra Textile Magazine*, Vol. 5, 6, February, ISSN 973-4848, P. 3.
- ❖ Ramya, S., Alaguchamy, N, Maruthappan, V.M., Sivaperumal, R., Sivalingam, M., Krishnan, A., Govindaraji, V., Kannan, K. and Jayakumararaj, R., (2009), "Wound Healing Ethnomedicinal Plants Popular Among the Malayali Tribes in Vattal Hills, Dharmapuri, Tamil Nadu India", *Ethnobotanical Leaflets*, Vol. 13, pp. 1257-1271.
- ❖ Rasik, A.M., Raghbir, R., Gupta, A., Shukla, A., Dubey, .P., Srivastava, S., Jain, H.K., Kulshreshtha, D.K., (1999), "Healing Potential of *Calotrophis procera* on Dermal Wounds in Guinea Pigs", *Journal of Ethnopharmacology*, Vol. 68, pp. 261-266.
- ❖ Ravishankar, J. and Diffey, B.L., (1997), "Laboratory Testing of UV Transmission through Fabrics May Underestimate Protection", *Photodermatol. Photoimmunol. Phtomed.*, Vol. 13, pp. 202-203.
- ❖ Reinert, G., Fuso, F., Hilfiker, R. and Schmidt, E., (1997), "UV Protecting Properties of Textile Fibres and their Improvement", *AATCC Review*, Vol. 29, No. 12, pp. 31-43.
- ❖ Rodriguez, J.D.D., Castillo, H.D., Garcia, R.R. and Sanchez, A.J.L., (2005), *Industrial Crop and Products*, Vol. 21, P. 81.
- ❖ Rojas, J.J., Ochoa, V.J., Ocampo, S.A. and Munoz, J.F., (2006), "Screening for Antimicrobial Activity of Ten Medicinal Plants Used in Colombian Folkloric Medicine : A Possible Alternative in the Treatment of Non-Nosocomial Infections", *BMC Complementary and Alternative Medicine*, Vol. 6, No. 2, p. 1472.
- ❖ Ruchi, G.M., Kajekodunmi, Ramia, Gouri, B.V., Hussain, A. and Suad Khamis, S.B., (2007), "Antioxidant Capacity of Some Edible and Wound Healing Plants in Oman", *Food Chemistry*, Vol. 101, pp. 465-470.
- ❖ Rupp, J., Bohringer, A., Yonenaga, A. and Hilden, J., (2001), "Textiles for Protection Against Harmful Ultraviolet Radiation", *International Textile Bulletin*, No. 6, pp. 8-20.
- ❖ Samanta, A.K., Singhee, D., Basu, G. and Biswas, S.K., (2007), "Thermal Behavior and Structural Features of Chemically and Biochemically Modified Jute Substrate", *Indian Journal of Fibre and Textile Research*, Vol. 32, September, pp. 355-365.
- ❖ Saraf, N.M., Alat, D.V. and Chakrabarti, R., (2007), "Microencapsulation at an Affordable Price", *Colourage*, Vol. 54, September, pp. 66-70.
- ❖ Saravanan, D., (2007), "UV Protection Textile Materials", *AUTEX Research Journal*, Vol. 7, No. 1, March, pp. 53-62.
- ❖ Sarkar, R.K., De, P. and Chauhan, P.D., (2003), "Bacteria-Resist Finish on Cotton Fabrics Using Natural Herbal Extracts", *Indian Journal of Fibre and Textile Research*, Vol. 28, September, pp. 322-331.

- ❖ Sathianarayanan, M.P. and Bhat, N.V., (2010), "Durable Anti-Bacterial Finishing of Cotton Fabrics Using Silver Nanoparticles", *Asian Textile Journal*, Vol. 19, September, pp. 47-53.
- ❖ Sathianarayanan, M.P., Bhat, N.V., Kokate, S.S. and Walunj, V.E., (2010), "Antibacterial Finish for Cotton Fabric from Herbal Products", *Indian Journal of Fibre and Textile Research*, Vol. 35, March, pp. 50, 51.
- ❖ Sathishkumar, T., Baskar, R., Shanmugam, S., Rajasekara, P., Sadasivam, S. and Manikandan, V., (2008), "Optimization of Flavonoids Extraction from the Leaves of *Tabernaemontana heyneana* Wall. Using L16 Orthogonal Design", *Nature Science*, Vol. 6, pp. 10-19.
- ❖ Saxena, V.K. and Albert, S., (2005), " β -Sitosterol-3-O- β -D-xylopyranoside from the Flowers of *Tridax procumbens* Linn.", *Journal of Chemical Sciences*, Vol. 117, No. 3, pp. 263-266.
- ❖ Scalbert, A., (1991), "Antimicrobial Properties of Tannins", *Phytochemistry*, Vol. 30, pp. 3875-3883.
- ❖ Schindler, S., Wolfrum, J. and Weinsdorfer, H.I., (2001), "Pet Filament Yarn Cover Comfort Fabrics", *International Textile Bulletin ITS Publishing*, 6th Issue, Vol. 47, November, P. 72.
- ❖ Scholz, J., Noeke, G., Hollstein, F. and Weissbach, A., (2005), "Investigation on Fabric Coated with Precious Metals Using the Magnetron Sputter Technique with Regard to their Antimicrobial Properties", *Surf Coating Technology*, Vol. 192, pp. 252.
- ❖ Schultz, S.C., Bahraminejad, S., Asenstorfer, R.E. and Riley, I.T., (2008), "Analysis of the Antimicrobial Activity of Flavonoids and Saponin Isolated from the Shoots of Oats (*Avena sativa* L.)", *Journal of Phyto Pathology*, Vol. 156, pp. 1-7.
- ❖ Shah, A. and Maheswari, R., (2006), "Colour Expression and Influencing Factors", *Colourage*, Vol. III, No.3, P. 81.
- ❖ Shanmugasundaram, O.L., (2008), "Application of Nonwovens in Medical Field", *The Indian Textile Journal*, Vol. 118, September, pp. 99-102.
- ❖ Shanmugavasan, A. and Ramachandran, T., (2011), "Compression Bandage Coated with Micro Encapsules of Herb *Ziziphus Jujube* Extract", *The Journal of Textile Association*, Vol. 72, No. 1, May – June, P. 30.
- ❖ Shendarkar, G.R., Ghiware, N.B. and Gond, N.Y., (2008), "Preliminary Phytochemical Investigation and *in vivo* Antidiabetic Activity of *Cassia auriculata* L. Flowers", *Journal of Research Education. Indian Medicine*, July – September.
- ❖ Sher, A., (2009), "Antimicrobial Activity of Natural Products from Medicinal Plants", *Gomal Journal of Medical Sciences*, January – June, Vol. 7, No. 1, pp. 72-78.
- ❖ Shivaprakash, A.V., (2010), "Extraction Application of Natural Dyes on Silk and Cotton Fabric", *Man-Made Textiles*, Vol. 53, May, P. 2176.
- ❖ Shivayogi, P.H., Rudresh, K., Shrishailppa, B., Saraswati, B.P. and Somanth, R.P., (1999), "Post-Coital Antifertility Activity of *Acalypha indica* L.", *Journal of Ethno Pharmacology*, Vol. 1 No. 4, P. 1499.
- ❖ Shukla, S.R. and Sundar, S.P., (2008), "Antimicrobial and Moth Finishing of Textiles", *Asian Dyer*, Vol. 5, No. 2, April, pp. 37-42.
- ❖ Siddiqui, S., Verma, A., Rather, A.A., Jabeen, F. and Meghvansi, M.K., (2009), "Preliminary Phytochemicals Analysis of Some Important Medicinal and Aromatic Plants", *Advances in Biological Research*, Vol. 3, No. 5-6, pp. 188-195.
- ❖ Silva, O., Duarte, A., Cabrita, J., Pimentel, M., Diniz, A. and Gomes, E., (1996), "Antimicrobial Activity of Guinea-Bissau Traditional Remedies", *Journal of Ethnopharmacology*, Vol. 50, pp. 55-59.
- ❖ Singh, D.A.P., Raman, M., Saradha, V., Jayabharathi, P. and Kumar, V.R.S., (2004), "Acaricidal Property of Kuppaimeni (*Acalypha indica*) Against Natural *Psoroptes cuniculi* Infestation in Broiler Rabbits", *Indian Journal of Animal Sciences*, Vol. 74, No. 10, pp. 1003-1006.
- ❖ Singh, G. and Maurya, S., (2005), "Antimicrobial, Antifungal and Insecticidal Investigations on Essential Oils : An Overview", *Review Article*, Vol. 4, No. 3, May-June, pp. 179-191.
- ❖ Singh, S. and Gahlot, M., (2009), *Indian Silk*, Vol. 48, No. 1, May, P. 19.
- ❖ Singh, V.N. and Semwal, B.D., (2009), "Tridax Procumbens LS, Common Weed Trend in Waste Places Along with Wet Lands, *Journal of Economic and Taxonomic Botany*, Vol. 33, No. 4, P. 925.
- ❖ Sithan, K.S.V. and Kamaraj, M., (2010), "Antibacterial Activity of *Strychnos nux-vomica* Leaf Extracts", *Journal of Ecobiology*, Vol. 27, No. 1, pp. 39-42.
- ❖ Sivaramakrishnan, C.V., (2007), "Antimicrobial Finishes", *Colourage*, Vol. LIV, No. 8, September, pp. 50-54.

- ❖ Soudahmini, E., Senthil, G.M., Panayappan, L. and Divakar, M.C., (2005), "Herbal Remedies of Madugga Tribes of Siruvani Forest", South India, Natural Product Radiance, Vol. 4, No. 6, November-December, pp. 492, 497.
- ❖ Sreekanth, P., Padma, M., Chandrasekhar, R. and Madhulety, T., (2008), The Orissa Journal of Horticulture, Vol. 36, No.1, January – June, RINI R No. 4999/105.
- ❖ Srivastava, A., (2010), "Use of Aloe Vera for Furnishing Antimicrobial Finish on Cotton Fabrics", Indian Journal of the Textile Association, July-August, pp. 68-72.
- ❖ Sudha, S., Giridev, V.R. and Neelakandan, R., (2006), "Plasma Application in Textiles : An Overview", Journal of the Textile Association, Vol. 67, No. 1, May-June, pp. 25-26.
- ❖ Sundhararajan, A. and John, S.A., (2010), "Phytochemical Screening and Antibacterial Activity of *Pentatropis microphylla* Against Human Pathogenic Bacteria", Journal of Ecobiology, Vol. 27, No. 1, pp. 53-57.
- ❖ Suresh Reddy, J., Rajeswara Ro, P. and Mada, S.R., (2002), "Wound Healing Effects of *Heliotropium indicum*, *Plumbago zeylanicum* and *Acalypha indica* in Rats", Journal of Ethnopharmacology, Vol. 79, pp. 249-251.
- ❖ Suseela, L., Sarsvathy, A. and Brindha, P., (2002), "Pharmacognostic Studies on *Tridax procumbens* L. (Asteraceae)", Journal of Phytological Research, Vol. 15, No. 2, pp. 141-147.
- ❖ Swoffold, H.W., (2010), "An Overview of Antimicrobial Testing for Textile Applications", AATCC Review, November / December, pp. 51-55.
- ❖ Tanaka, J.C.A., de Dilva, C.C., de Oliveira, A.J.B., Nakamura, C. and Dias Filho, B.P., (1999), "Antibacterial Activity of Iodole Alkaloids from *Aspidosperm aramifloram*", British Journal of Medicinal Biological Research, Vol. 39, No. 3, pp. 387-391.
- ❖ Taylor, R.S.L., Edel, F., Manandhar, N.P. and Towers, G.H.N., (1996), "Antimicrobial Activities of Southern Nepalese Medicinal Plants", Journal of Ethnopharmacology, Vol. 50, pp. 97-102.
- ❖ Teli, M.D. and Kumar, G.V.N.S., (2007), Functional textiles and apparels, Journal of the Textile Association, Vol. 68, May-June, pp. 21-30.
- ❖ Teli, M.D. and Prabhu, K.H., (2006), Textile that case for health and gygiene and social acceptance, Par 1, Vol. 3, Asian Dyer, June, P. 49.
- ❖ Teli, M.D., Sekar, N., Jain, A. and Saved N. Shaik, (2011), "Antibacterial Textile Using Antibacterial Dyes", Asian Dyer, Vol. 8, No. 4,
- ❖ Tereschuck, M.L., Riera, M.V.Q., Castro, G.R. and Abdala, L.R., (1997), Antimicrobial activity of flavonoid from leaves of *Tagetes minuta*, Journal of Ethnopharmacology, Vol. 56, pp. 227-232.
- ❖ Thilagavathi, G. and Bala, K.S., (2007), "Microencapsulation of Herbal Extracts for Microbial Resistance in Healthcare Textiles", Indian Journal of Fibre and Textile Research, Vol. 32, September, pp. 351-354.
- ❖ Thilagavathi, G. and Kannaiyan, T., (2008), "Dual Antimicrobial and Blood Repellent Finishes for Cotton Hospital Fabrics", Indian Journal of Fibre and Textile Research, Vol. 33, March, pp. 23-29.
- ❖ Thilagavathi, G., Rajendrakumar, K. and Rajendran, R., (2005), "Development of Eco-friendly Antimicrobial Textile Finishes Using Herbs", Indian Journal of Fibre and Textile Research, Vol. 30, December, pp. 431-436.
- ❖ Thiry, M.C., (2010), "Common Qualitative Testing", AATCC Review, Vol. 10, No. 6, November – December, P. 26.
- ❖ Tiwari, H.C., Singh, P. Mishra, P.K. and Srivastava, P., (2010), "Evaluation of Various Techniques for Extraction of Natural Colorants from Pomegranate Rind – Ultrasound and Enzyme Assisted Extraction", Journal of Fibre and Textile Research, Vol. 35, No. 3, September, pp. 272-276.
- ❖ Udopa, S.L., Udopa, A.L. and Lalkarni, D.R., (1991), "Influence of *Tridax procumbens* on lysi Oxidase Activity and Wound Healing", Planta Med , Vol. 57, No. 4, August, pp. 325-327.
- ❖ Uniyal, S.K., Singh, K.N., Jamwal, P. and Lal, B., (2006), "Traditional Use of Medicinal Plants Among the Tribal Communities of Chhota Bhangal, Western Himalayan", Journal of Ethnobiology and Ethnomedicine, Vol. 2, pp. 1-14.
- ❖ Ushamalini and Naik, D.P., (2008), Ecology Environment Conservation, Vol. 41, No. 2-3, P. 413.
- ❖ Vankar, P.S., Shanker, R., Dixit, S. and Mahanta, D., (2009), "Sonicator Dyeing of Cotton, Wool and Silk with the Leaves Extract", Journal of Textile and Apparel, Technology and Management, Vol. 6, Issue 1, pp. 1-11.
- ❖ Varkiyani, S.M.H., Rahimzadeh, H, Bafekrpoor, H. and Jeddi, A.A.A., (2011), "Influence of Punch Density and Fibre Blends on Thermal Conductivity on Nonwoven", The Open Textile Journal, Vol. 4, pp. 1-6

- ❖ Velmurugan, P., Rajan, M. and Kamaraj, M., (2010), "Antibacterial Activities of Leaf Extracts of *Clerodendrum inerme*", Journal of Ecobiology, Vol. 26, No. 4, pp. 391-394.
- ❖ Velmurugan, S., (2006), "Spectroscopic Studies on the Status of Redroot Disease Incidence and its Variation in Sugarcane (*Saccharum officinarum* L.)", Ph.D. Thesis, Annamalai University, Annamalai Nagar, India.
- ❖ Venkatesan, D. and Karrunakaran, C.M., (2010), "Antimicrobial Activity of Selected Indian Medicinal Plants", Journal of Physiology, Vol. 2, No. 2, pp. 44-48.
- ❖ Vishnu, (2006), "Biomedical Textiles : An Overview", Textile Trends, Vol. XLVIX, April, P. 29.
- ❖ Viswanath, C.S. and Ramachandran, T., (2010), "Comfort Characteristics of Cotton Fabrics Finished with Fluoro-alkyl Nano Lotus Finish", Indian Journal of Fibre and Textile Research, Vol. 35, December, pp. 312-348.
- ❖ Vlietinck, A.J., Van Hoof, L. and Totte, J., (1995), "Screening Hundred Rwandese Medicinal Plants for Antimicrobial and Antiviral Properties", Journal of Ethnopharmacology, Vol. 46, pp. 31-47.
- ❖ Vyas, S.K., Gulve, A.L. and Kandekar, T.S., (2010), "Antimicrobial Finishing Agents for Textiles", Asian Textile Journal, Vol. 19, No. 5, May, pp. 57-64.
- ❖ Vyjayanthi, G., Kulkarni, C., Abraham, A. and Kolhapure, S.A., (2004), "Evaluation of Anti-Dandruff Activity and Safety of Polyherbal Hair Oil : An Open Pilot Clinical Trial",
- ❖ Wallace, M.L., (2001), "Testing the Efficacy of Polyhexamethylene Biguanide as a Antimicrobial Treatment for Cotton Fabric", AATCC Review, Vol. 1, pp. 18-20.
- ❖ Wasif, A.I. and Deshpande, R.H., (2011), "Functionalised Nano Finishes for Textiles", Asian Textile Journal, Vol. 20, No. 3, March, P. 56.
- ❖ Wasif, A.I. and Laga, K., (2009), "Protecting Fabrics Against Microbes Causing Discolouration and Bad Odour", Textile Asia, pp. 22-30.
- ❖ White, W.C., (2009), "Medical Textiles : Versatile in Use but Vulnerable to Microbial Problems", Nonwoven and Technical Textiles, April-June, pp. 9-25.
- ❖ Wurtz, M. and Pirmasens, P.F.I.E.V., (2004), "Microbiological Tests on Shoes and Materials", World Footwear, Vol. 18, No. 2, March – April, pp.
- ❖ Yadav, N., (2011), "Antimicrobial Textiles", Textile Excellence, Vol. 9, No. 2, July 16-31, pp. 29-32.
- ❖ Yen, M.S., Chen, J.C. and Chen, C.C., (2005), "Degree of Crosslinking and Physical Properties of Dimethyldihydroxyethyleneurea/acrylic Acid, Cross Linked Cotton Fabric After Treatment with Various Metallic Salts", Journal of Applied Polymer Science, Vol. 97, pp. 584-594.
- ❖ Yuvarani, M., Nayar, R.C., Prakash, C. and Koushik, C.V., (2010), "Investigation of Wetting and Wicking Behaviour of Trilogical Treated Cotton Fabric by Vertical Wicking Principle", International Journal of Current Research, Vol. 9, October, pp. 005-009.
- ❖ Zhang, L., Shan, Y., Tanj, K. and Putheti, R., (2009), "Ultrasound-Assisted Extraction Flavonoids from Lotus (*Nelumbo nuficera* Gaert) Leaf and Evaluation of its Anti-Fatigue Activity", International Journal of Physical Sciences, Vol. 4, No. 8, pp. 418-422.
- ❖ Zhang, R., Xu, Y.Q. and Shi, Y., (2003), "The Extracting Technology of Flavonoids Compounds", Food and Machinery, Vol. 1, pp. 21-22.
- ❖ Zhang, Y. and Lewis, K., (1997), "Fabatins : New Antimicrobial Plant Peptides", FEMS Microbiol. Lett., Vol. 149, pp. 59-64.

CONFERENCE

- ❖ Aung, T.T. and Win, N.Y., (2008), "Extraction of Natural Mordant from Plant Source for Dyeing Application", GMSARN International Conference on Sustainable Development : Issues and Prospects for the GMS, November, pp. 12-14.
- ❖ Brindha, P., Sundar, A. and Saraswathy, A., (1982), "Phytochemical Comparison of *Pentatropis*, *Oldenlandia* and *Pulmerta*", In : Proceeding of the National Seminar on Recent Trends in Natural Products Chemistry on March 30 and 31, Bharathidasan University, Tiruchirappalli.
- ❖ Rajendran, R., Ramu, R., Jagdish, R., Thilagavathi, G. and Rajendrakumar, K., (2004), "Antimicrobial Effectiveness of Some Commercial Textiles and Related Hygiene Products", Proceedings of the HPFEX 2004 on 7th, 8th, 9th, Kumaraguru College of Technology, pp. 454-461.
- ❖ Rao, R.R. and Suseela, M.R., (2000), "*Vetiveria zizanoides* (Linn.) Nash A Multipurpose Eco-Friendly Grass of India", National Botanical Research Institute, Lucknow, pp. 439-442.
- ❖ Wasif, S.K. and Rubal, S., (2007), "Proceedings", 6th International Conference, TEXSCI, (Liberec, Czech Republic),

WEBSITES

<http://answers.myog.com/question/35604197-glycerrhia-glabra.herb>
<http://biology-today.com/general-zoology/gram-positive-and-gram-negative-bacteria>
<http://healthmed.com/healthcare,industry/mexicandaisy-medicinal-properties.html>
<http://medical-dictionary.thefreedictionary.com>
<http://oecotextiles.wordprocess.com>
<http://siddham.in/kuppaimeni.acalypha-indica.html>
<http://ukpmc.ac.uk/www.biomedcentral.com>
<http://ukpmc.ac.uk/www.biomedcentral.com>
<http://www.a1tamilnadu.com/kuppaimeni-Indian.nettle/237/html>
<http://www.achomeopathy.com/r.php/acal>
<http://www.ageless.co.za/herb-flaxseedhtml>
<http://www.articleonramp.com>
<http://www.ayurdrugs.com/buy.products.html?pageshop.product-deta.html>
<http://www.botanical-online.com/flaxseed.html>
<http://www.cdc.gov/ncidod/dhqp/ar.html> accessed sep2010
http://www.emedicinehealth.com/dandruff/article_em.htm#overview
http://www.emedicinehealth.com/dandruff/page3_em.html
<http://www.emuoilcanada.com/skin-rashes.html>
<http://www.en.wikipedia.org/wiki/flaxseex.html>
<http://www.ezinearticles.com>
<http://www.fabrics/net/cotton.asp>
<http://www.flaxseedoilguide.com/flaxseed-oil-hair-and-skin>
<http://www.herbs-hands-healing.co.uk/singleherbs/marigold.html>
<http://www.internethealthlibrary.com/Plant-Remedies/Aloevera.htm> 2006 and Agarry et al., 2005.
<http://www.medicinenet.com/flaxseed-linum-ustiatiss/mum.oral.article.com>
<http://www.medicinenet.com/rash/article.html>
<http://www.mouthsheet.com/review/useful-medicinal-herbs-review-uomnlmoto>
<http://www.scalppsoriasisblog.com/benefits-offlaxseed-natural-healthy.html>
<http://www.scielo.cl/scielo.php?pid=S0718.9516201>
<http://www.siv.edu/cbe>
<http://www.vedamsbooks.in/no39158/handbook-on-medicinal-herbs-uses-h-panda>
<http://www.medicinenet.com/rash/article.html>
www.active-textiles.com/ActiveTextiles/index.html, (Cited by Bairagdar and Katkar, 2010, Micro-encapsulation in textiles, Colourage, April, pp. 41-43.
www.aloevera.shtml.com
www.articlesbase.com/wellness-articles/skin-diseases-causes-and-symptoms-and-tips-for-skin-diseases-and-skin-disorder-3807252.html#ixzz1liyuZKMz
www.assgein.gov/-ngrlsbl
www.ayurvedaconsultants/images/doctor/ayurveda/ayurvedic-berb-ushir.astx
www.biomedcentral.com
www.bodybuildingforyou.com
www.botanicalnet.com
www.buzzle.com/articles/infections-of-the-skin.html
www.clihouston.com/knowledge-base/types-of-microorganisms.html
www.disabled-world.com
www.eere.energy.gov/solar/pdfs/solartimeline.pdf accessed Sept. 2005
www.garden.lovetoknow.com
www.globinmed.com/index.php?option.com

www.glycyrrhiza-glabra.101erbs.com
www.greenpharmacyinfo/article.aspissn=0973-8258,2009
www.healthtree.com/articles/skin-conditions/causes
www.herbalist.com
www.herbs.2000.com
www.herbs-hands.healing.co.uk/singleherbs/marigold.html
www.himalayahealthcare.com/products/yastimathu.html
www.hse.gov.uk
[www.hse.gov.uk/skin/diseases/contact dermatitis.html](http://www.hse.gov.uk/skin/diseases/contact%20dermatitis.html)
www.hse.gov.uk/skin/diseases/infections.html
www.ias.ac.in/currsci./jun102001/1336pdf
www.improvehomelife.com
www.irti.org
www.livestrong.com/article/183528-what-are-the-causes-of-skin-disease/#ix_zz1livYTQGu
www.mamashealth.com
www.medwellpublishing.com/fulltext/?doi=ijp2011
www.natural-medicinal-herbs.com
www.neem-products.com/neem-history.html
www.neem-products.com/neem-medicinal-properties.html
www.neeroga.com
www.ohioline.osu.edu/hyg-fact/5000/5550.html
www.onlinegardenertips.com
www.parisaramahiti.kar.nic.in/medicinal-plants-new/medplants/P.38.html
www.perkinelmer.com
www.pfaf.org
www.rootsherbal.com
www.skin-disease.org
www.tedpella.com
www.thenaturalstore.products
www.wikipedia.com
www.womens-health-symmetry.com/marigold.html
www.womens-health-symmetry.com/marigold.html