

LIST OF TABLES

Table No	Title	Page No
I.	Classification of sports and games according to energy expenditure	12
II.	Average body weight and energy expenditure levels assumed and allowances suggested	12
III.	Ingredients used for the development of Nutribar	40
IV.	Physical activity factors	61
V.	The mean scores obtained for the Nutribar prepared with varying proportions in sensory evaluation	70
VI.	ANOVA comparing the Mean sensory Scores Obtained for Nutribar prepared with varying proportions	71
VII.	Duncan's test for multiple comparisons of mean sensory score obtained by Nutribar with Different Levels	72
VIII.	Nutritive value of Developed Nutri-bar (100g)	75
IX.	Nutraceutical Potentials of Nutribar (100g) (Qualitative and Quantitative)	77
X.	Mean \pm SD value of Total Antioxidant Capacity of Standard and Nutribar	79
XI.	Shelf Life Study for 4 weeks at room temperature	80
XII.	Shelf Life Study for 4 weeks at 4 ⁰ C	83
XIII.	Socio Demographic background of the selected sprinters	87

Table No	Title	Page No
XIV.	Mean anthropometric measurements of the selected subjects	91
XV.	Body Mass Index classification of the selected Sprinters	92
XVI.	Mean waist and hip circumferences and waist-hip ratio of the selected Sprinters	94
XVII.	Mean skinfold thickness of the selected Sprinters	95
XVIII.	Mean Body Composition and BMR of the selected Sprinters	96
XIX.	Mean biochemical parameters of selected sprinters	98
XX.	Clinical signs and Symptoms among Sprinters	100
XXI.	Family History of the Sprinters	102
XXII.	Details of ailments / morbidity among Sprinters	102
XXIII.	Details of Dietary Pattern of Sprinters	103
XXIV.	Lifestyle Pattern of Sprinters	105
XXV.	Food Frequency Among Sprinters	106
XXVI.	Food Intake pattern of the Women Sprinters	111
XXVII.	Macronutrient Intake of the Sprinters	113
XXVIII.	Micronutrient Intake of the Sprinters	114
XXIX.	Mean energy Intake and Expenditure of Sprinters	115
XXX.	Mean physical performance assessment of Selected Sprinters	117
XXXI.	Impact of supplementation on Anthropometric Measurements	119

Table No	Title	Page No
XXXII.	Impact on Body Composition Analysis of the selected Sprinters	123
XXXIII.	Impact of supplementation of Nutribar on Biochemical Analysis of Selected Sprinters	127
XXXIV.	Impact of supplementation of Nutribar on Physical performance in the experimental group and control group	130
XXXV.	Comparison on the changes in Anthropometric Measurements between Experimental and Control group	133
XXXVI.	Comparison on the changes in Body composition between Experimental and Control Group after Intervention	135
XXXVII.	Comparison on the changes in Biochemical Parameters between Experimental and Control Group	137
XXXVIII.	Comparison on the changes in Physical Performance between Experimental and Control Group	138
XXXIX.	Impact on Nutrient Intake of the Sprinters after Intervention	140
XL.	Correlation between Nutrient intake and Biochemical parameters for Experimental group after supplementation	141
XLI.	Correlation between Biochemical parameters and Energy intake for Control group after supplementation	143
XLII.	Correlation between Body Composition and Physical Performance for Experimental group after supplementation	144
XLIII.	Correlation between Body Composition and Physical Performance for control group after Intervention	148
XLIV.	Impact of Nutrition Education on Selected Sprinters	152

LIST OF FIGURES

Figure No	Title	Page No
1.	Factors affecting physical performance	18
2.	Research Design	33
3.	Development of Nutribar	41
4.	Standardisation of the Nutribar	42
5.	Coimbatore District Map and Areas Selected for the Study	45
6.	Material used for imparting nutrition education	64
7.	Mean organoleptic scores between standard and Variation 2 Nutribar	73
8.	Macronutrient content of standard and Nutribar (g/100g)	76
9.	Phytochemical content of standard and Nutribar	78
10.	Age wise distribution of the sprinters	89
11.	Classification of Respondents Based on Monthly Income	90
12.	Body mass index of the selected sprinters	93
13.	Mean skinfold Thickness of Selected Sprinters	95
14.	Mean Body Composition of the selected Sprinters	98
15.	Clinical signs and Symptoms among Sprinters.	100

Figure No	Title	Page No
16.	Impact of supplementation of Nutribar on Anthropometric Measurements	120
17.	Impact of supplementation on Body composition Analysis	126
18.	Impact of supplementation on Biochemical parameters	129
19.	Impact of supplementation on Physical performance of sprinters	132
20.	Comparison on the changes in Anthropometric Measurements between Experimental and Control	134
21.	Comparison of changes Fat % between Experimental and Control after the supplementation	136
22.	Comparison of changes in 30-meter test and Ruler drop test between Experimental and Control after the supplementation	139
23.	Positive correlation between energy intake and blood glucose; Iron intake and haemoglobin	142
24.	Positive correlation between the fat intake and blood glucose	143
25.	Positive correlation between 30-m sprint time, Fat % and Fat mass	145
26.	Positive correlation between 60-m sprint time, Fat % and Fat mass	146
27.	Positive correlation between Margaria column test with Fat free mass & BMR	147
28.	Negative correlation between Long jump with Weight and BMI	148
29.	Positive correlation between 30-m sprint time, WHR and Fat %	149

Figure No	Title	Page No
30.	Positive correlation between 60-m sprint time, weight and WHR	150
31.	Negative correlation between Sit Ups, WHR, and Fat mass	151
32.	Impact of Nutrition Education on Selected Sprinters	152

LIST OF PLATES

Plates No	Title	Page No
1.	Height Measurement	52
2.	Weight Measurement	52
3.	Skinfold Thickness	52
4.	Chest circumference	54
5.	Hip circumference	54
6.	Waist circumference	54
7.	Body composition	58
8.	Collection of Blood	59
9.	Performance test	62
10.	Preparation and packaging of Nutribar	63
11.	Nutrition Education in progress	65
12.	Total Bacterial Count of Standard and developed Nutribar from 7th day to 30th day on room temperature	81
13.	Total Fungal Count of Standard and developed Nutribar from 7th day to 30th day on room temperature	82
14.	Total Bacterial Count of Standard and developed Nutribar from 7th day to 30th day on refrigerated temperature (4° C)	85
15.	Total Fungal Count of Standard and developed Nutribar from 7th day to 30th day on refrigerated temperature (4° C)	86