

---

## BIBLIOGRAPHY

- A new look at the cardiovascular crisis in India (Online), (2009), Available from: URL: <http://www.expresspharmaonline.com/20090131/research01.shtml>
- AHA Statistical Update, (2012), Heart disease and stroke statistics – 2012 update.
- AHA, (2011), How smoking affects cholesterol levels. [http://www.ehow.com/how-does\\_4762542\\_how-smoking-affects-cholesterol-levels.html](http://www.ehow.com/how-does_4762542_how-smoking-affects-cholesterol-levels.html)
- Ahmad, T., Chasman, DI., Buring, JE., Lee, IM., Ridker, PM. and Everett, BM., (2011), Physical activity modifies the effects of LPL, LIPC and CETP polymorphisms on HDL-C levels and the risk of myocardial infarction in women of European ancestry. *Circ. Cardiovasc. Gent.*, Feb; 4(1): Pp.74-80.
- Ahmed, N., Anwar, W. and Waqas, H., (2009), Obesity, hyperlipidemia and hyperuracemia in young and old hypertensive patients. *J. Ayub. Med. Coll. Abbottabad.*, Oct-Dec; 21(4): Pp.53-6.
- Aliani, M., Ryland, D. and Pierce, GN., (2011), Effect of flax addition on the flavour profile of muffins and snack bars. *Food Res. Int.*, Oct; 44(8): Pp.2489-2496.
- Alwan, A., David R. MacLean, Riley, LM., Edourad Tursan d'Espaignet, Mathers, CD., Stevens, GA. and Bettcher, D., (2010), Monitoring and surveillance of chronic non-communicable diseases: Progress and capacity in high-burden countries. *The Lancet*, Nov; 376(9755): Pp.1861-1868.
- American Chemical Society, (2011), Walnuts are top nut for heart-healthy antioxidants. *Science Daily*, <http://www.sciencedaily.com/releases/2011/03/110327191040.htm>
- American Heart Association, (2009), Cardiovascular disease statistics. Available at <http://www.americanheart.org/presenter.jhtml?identifier=4478>
- American Heart Association, (2010), Guidelines for CPR and ECC. [http://www.heart.org/idc/groups/heart-public/@wcm/@ecc/documents/downloadable/ucm\\_317350.pdf](http://www.heart.org/idc/groups/heart-public/@wcm/@ecc/documents/downloadable/ucm_317350.pdf)
- An Pan, Danxia Yu, Wendy Demark-Wahnefried, Oscar H Franco and Xu Lin, (2009), Meta-analysis of the effects of flaxseed interventions on blood lipids. *Am. J. Clin. Nutr.*90; No: 2: Pp. 288-297.
- Anderson, JW., Baird, P., Davis, RH Jr., Ferreri, S., Knudtson, M., Koraym, A., Waters, V. and Williams, CL., (2009), Health benefits of dietary fiber. *Nutr. Rev.*, Apr; 67(4): Pp.188-205.

- Anderson, R., (2011), U.S. decennial life tables for 1989–91, Vol. 1, No. 4: United States Life Tables Eliminating Certain Causes of Death. Hyattsville, MD: National Center for Health Statistics; 1999. [http://www.cdc.gov/nchs/data/lifetables/life89\\_1\\_4.pdf](http://www.cdc.gov/nchs/data/lifetables/life89_1_4.pdf).
- Anjana, RM., Ali, MK., Pradeepa, R., Deepa, M., Datta, M., Unnikrishnan, R., Rema, M. and Mohan, V., (2011), The need for obtaining accurate nationwide estimates of diabetes prevalence in India - rationale for a national study on diabetes. *Ind. J. Med. Res.*, Apr; 133: Pp.369-380.
- Appelros, P., Stegmayr, B. and Terent, A., (2009), Sex differences in stroke epidemiology: A systematic review. *Stroke*, Apr; 40(4): Pp.1082–90.
- ASSOCHAM, (2011), Cardiovascular diseases in India - Challenges and way ahead International Heart Protection Summit September. [www.deloitte.com/in](http://www.deloitte.com/in)
- Babiker, M.A. and Elsayir, H.A., (2012), Effects of smoking and sport in total cholesterol levels and lipoproteins and risk of coronary heart disease. *Inter. J. adv. Sci. Tec. Res.*, Feb; 1(2): Pp.52-60.
- Baigent, C., Landray, MJ., Reith, C., Emberson, J., Wheeler, DC., Tomson, C., Wanner, C., Krane, V., Cass, A., Craig, J., Neal, B., Jiang, L., Hooi, LS., Levin, A., Agodoa, L., Gaziano, M., Kasiske, B., Walker, R., Massy, ZA., Feldt-Rasmussen, B., Krairitichai, U., Ophascharoensuk, V., Fellström, B., Holdaas, H., Tesar, V., Wiecek, A., Grobbee, D., de Zeeuw, D., Gronhagen-Riska, C., Dasgupta, T., Lewis, D., Herrington, W., Mafham, M., Majoni, W., Wallendszus, K., Grimm, R., Pedersen, T., Tobert, J., Armitage, J., Baxter, A., Bray, C., Chen, Y., Chen, Z., Hill, M., Knott, C., Parish, S., Simpson, D., Sleight, P., Young, A. and Collins, R., SHARP Investigators, (2011), The effects of lowering LDL cholesterol with simvastatin plus ezetimibe in patients with chronic kidney disease (Study of Heart and Renal Protection): A randomised placebo-controlled trial. *Lancet*, Jun; 377(9784): Pp.2181–2192.
- Banel, DK. and Hu, FB., (2009), Effects of walnut consumption on blood lipids and other cardiovascular risk factors: a meta-analysis and systematic review. *Am. J. Clin. Nutr.*, Jul; 90(1): Pp.56-63.
- Bassett, CM., Rodriguez-Leyva, D. and Pierce, GN., (2009), Experimental and clinical research findings on the cardiovascular benefits of consuming flaxseed. *Appl. Physiol. Nutr. Metab.* Oct; 34(5): Pp.965-74.
- Barnes, PM., Patricia, F., Adams, and Eve Powell-Griner, (2008), Health characteristics of the Asian adult population: United States, 2004–2006. *Advance data from vital and health statistics*: No. 394: Jan 22, 2008.
- Barnighausen, T., Welz, T., Hosegood, V., Batzing-Feigenbaum, J., Tanser, F., Herbst, K., Hill, C. and Newell, ML., (2008), Hiding in the shadows of the HIV epidemic: Obesity and hypertension in a rural population with very high HIV prevalence in South Africa. *J. Hum. Hypertens.*, 22(3): Pp.236-239.

- Beaglehole, R. and Bonita, R., (2008), Global public health: A scorecard. *Lancet*, Dec 6; 372(9654): Pp.1988-1996.
- Beilin, L.J. and Puddey, I.B., (2006), Alcohol and hypertension: An update. *Hypertension*, 47(6): Pp.1035-1038.
- Bejot, Y., Ben Salem, D., Osseby, G.V., Couvreur, G., Durier, J., Marie, C., Cottin, Y., Moreau, T. and Giroud, M., (2009), Epidemiology of ischemic stroke from atrial fibrillation in Dijon, France, from 1985 to 2006. *Neurology*, Jan 27; 72(4): Pp.346-53.
- Bela Shah and Prashant Mathur, (2010), Surveillance of cardiovascular disease risk factors in India: The need and scope. *Ind. J. Med. Res.*, Nov; 132(5): Pp.634-642.
- Berry, J.D., Dyer, A., Cai, X., Garside, D.B., Ning, H., Thomas, A., Greenland, P., Van Horn, L., Tracy, R.P. and Lloyd-Jones, D.M., (2012), Lifetime risks of cardiovascular disease. *New Engl. J. Med.*, Jan 26; 366(4): Pp.321-9.
- Bes-Rastrollo, M., Wedick, N.M., Martinez-Gonzalez, M.A., Li, T.Y., Sampson, L. and Hu, F.B., (2009), Prospective study of nut consumption, long-term weight change and obesity risk in women. *Am. J. Clin. Nutr.*, Jun; 89(6): Pp.1913-9.
- Blomhoff, R., Carlsen, M.H., Andersen, L.F. and Jacobs, D.R. Jr., (2007), Health benefits of nuts: potential role of antioxidants. *Brit. J. Nutr.*, Nov; 96 Suppl.2: Pp.S52-60.
- Boffetta, P. and Straif, K., (2009), Use of smokeless tobacco and risk of myocardial infarction and stroke: Systematic review with meta-analysis. *BMJ*, 339: p.b3060.
- Booyse, F.M., Pan, W., Grenett, H.E., Parks, D.A., Darley-Usmar, V.M., Bradley, K.M. and Tabengwa, E.M., (2007), Mechanism by which alcohol and wine polyphenols affect coronary heart disease risk. *Ann. Epidemiol.*, 17(5): Pp.S24-31.
- Brunilda Nazario, on November 02, 2010.
- Bump, J.B., Reich, M.R., Adeyi, O. and Khetrapal, S., (2009), Towards a political economy of tobacco control in low and middle-income countries. Washington, DC: Health Nutrition and Population-Human Development Network, The World Bank.
- Campbell M Gold, (2010), Cholesterol sterols and lecithin. [http://www.campbellmgold.com/archive\\_health/cholesterol\\_sterols\\_lecithin.pdf](http://www.campbellmgold.com/archive_health/cholesterol_sterols_lecithin.pdf)
- Casas-Agustench, P., Lopez-Uriate, P., Bullo, M., Ros, E., Cabre-Vila, J.J. and Salas-Salvado, J., (2011), Effects of one serving of mixed nuts on serum lipids, insulin resistance and inflammatory markers in patients with the metabolic syndrome. *Nutr.Metab.Cardiovasc. Dis.*, 21(2): Pp.126-35.
- Centers for Disease Control and Prevention, (2011), Vital Statistics Public Use Data Files - 2008 Mortality Multiple Cause Files. Available at: [http://www.cdc.gov/nchs/data\\_access/Vitalstatsonline.htm#Mortality\\_Multiple](http://www.cdc.gov/nchs/data_access/Vitalstatsonline.htm#Mortality_Multiple).

- Chandrasekhar, (2002), Food science and applications in Indian cookery, Phoenix publishing house Pvt. Ltd. 01 Jan 2002, 1st ed.
- Chaturvedi, N., Sharma, P., Shukla, K., Singh, R. and Yadav, S., (2011), Cereals nutraceuticals, health ennoblement and diseases obviation: A comprehensive review. *J. Appl. Pharm. Sci.*, Sept; 1(7): Pp.6-12.
- Chew, DP., Aroney, CN., Aylward, PE., Kelly, AM., White, HD., Tideman, PA., Waddell, J., Azadi, L., Wilson, AJ. and Ruta, LA., (2011), Addendum to the National Heart Foundation of Australia/Cardiac Society of Australia and New Zealand Guidelines for the management of acute coronary syndromes (ACS) 2006. *Heart Lung Circ.*, Aug; 20(8): Pp.487–502.
- Chiuve, SE., Fung, TT., Rexrode, KM., Spiegelman, D., Manson, JE., Stampfer, MJ. and Albert, CM., (2011), Adherence to a low-risk, healthy lifestyle and risk of sudden cardiac death among women. *JAMA*, Jul 6; 306(1): Pp.62-9.
- Chow, CK. and Patel, AA., (2012), Cardiovascular healthcare for women in India. *Heart*, Mar; 98(6): Pp.456-9.
- Christensen, K., Doblhammer, G., Rau, R. and Vaupel, JW., (2009), Ageing populations: The challenges ahead. *Lancet*, 374(9696): Pp.1196-1208.
- Chumaeva, N., Hintsanen, M., Hintsala, T., Ravaja, N., Juonala, M. and Raitakari, O., (2010), Early atherosclerosis and cardiac autonomic responses to mental stress: A population-based study of the moderating influence of impaired endothelial function. *BMC. Cardiovasc. Disord.*, 10: p.16.
- Clarke, R., Emberson, J., Fletcher, A., Breeze, E., Marmot, M. and Shipley, MJ., (2009), Life expectancy in relation to cardiovascular risk factors: 38 year follow-up of 19,000 men in the Whitehall study. *BMJ.*, Sep 16; 339: p.b3513.
- Condori, J., Medrano, G., Sivakumar, G., Nair, V., Cramer, C. and Medina-Bolivar, F., (2009), Functional characterization of a stilbene synthase gene using a transient expression system in planta. *Plant Cell. Rep.*, Apr; 28(4): Pp.589-99.
- Cornelis, MC. and El-Soheby, A., (2007), Coffee, caffeine and coronary heart disease. *Curr.Opin. Clin. Nutr. Metab.Care.*, Nov; 10(6):Pp.745-51.
- Cortes, B., Nunez, I., Cofan, M., Gilabert, R., Perez-Heras, A., Casals, E., Deulofeu, R. and Ros, E., (2006), Acute effects of high-fat meals enriched with walnuts or olive oil on postprandial endothelial function. *J. Am. Coll. Cardiol.*, Oct 17; 48(8): Pp.1666-71.
- Dangour, AD. and Uauy, R., (2006), Nutrition challenges for the twenty-first century. *Br. J. Nutr.*, Aug; 96 Suppl 1: Pp.S2-7.
- Das, SK. and Banerjee, TK., (2008), Stroke: Indian scenario. *Circulation*, Dec 16; 118(25): Pp.2719-2724.

- Davidson, KW., Mostofsky, E. and Whang, W., (2010), Don't worry, be happy: Positive affect and reduced 10-year incident coronary heart disease: The Canadian Nova Scotia Health Survey. *Eur. Heart J.*, May; 31(9): Pp.1065-70.
- Davies, AR., Smeeth, L. and Grundy, EM., (2007), Contribution of changes in incidence and mortality to trends in the prevalence of coronary heart disease in the UK: 1996–2005. *Eur. Heart J.*, Sept; 28(17): Pp.2142-7.
- Deedwania, P. and Rajeev Gupta, (2012), Reasons for India's growing cardiovascular disease epidemic pinpointed in largest-ever risk factor study. Data presented for the first time at the world congress of cardiology organized by the world heart federation. *Dubai (20 April 2012)*: [www.worldcardiocongress.org](http://www.worldcardiocongress.org)
- Deedwania, PC. and Gupta, R., (2012), Hypertension in South Asians. 2<sup>nd</sup> ed. Black, HR., Elliott, WJ., editors. Hypertension: A companion textbook to Braunwald's heart disease. New York: WB Saunders.
- Defilippis, AP., Blaha, MJ. and Jacobson, TA., (2010), Omega-3 fatty acids for cardiovascular disease prevention. *Curr. Treat Options Cardiovasc. Med.*, Aug; 12(4): Pp.365-80.
- Deng, R., (2009), Food and food supplements with hypocholesterolemic effects. *Recent Pat. Food Nutr. Agric.*, Jan; 1(1): Pp.15-24.
- Dhandapani, S., Subramanian, VR., Rajagopal, S. and Namasivayam. N., (2002), Hypolipidemic effect of *Cuminum cyminum L.* on alloxan-induced diabetic rats. *Pharmacol. Res.*, Sep; 46(3): Pp.251-5.
- Dietary Guidelines for Indians, (2010), A Manual by ICMR, National Institute of Nutrition, Hyderabad.
- Djousse, L. and Gaziano, JM., (2007), Breakfast cereals and risk of heart failure in the physicians' health study I. *Arch. Intern. Med.*, Oct 22; 167(19): Pp.2080-5.
- Domingo, BK., Chertow, GM., Coxson, PG., Moran, A., Lightwood, JM., Pletcher, MJ. and Goldman, L., (2010), Projected effect of dietary salt reductions on future cardiovascular disease. *N. Engl. J. Med.*, Feb 18; 362(7): Pp.590-599.
- Ebrahim, S., Kinra, S., Bowen, L., Andersen, E., Ben-Shlomo, Y., Lyngdoh, T., Ramakrishnan, L., Ahuja, R. C., Joshi, P., Mohan Das, S., Mohan, M., George Davey Smith, Dorairaj Prabhakaran and K. Srinath Reddy, for the Indian Migration Study group, (2011), The effect of rural-to-urban migration on obesity and diabetes in India: A cross-sectional study. *PLoS Med.*, May, 8(5): p.10.1371.
- Farzadfar, F., Finucane, MM., Danaei, G., Pelizzari, PM., Cowan, MJ., Paciorek, CJ., Singh, GM., Lin, JK., Stevens, GA., Riley, LM. and Ezzati, M., Global burden of metabolic risk factors of chronic diseases collaborating group (Cholesterol), (2011), National, regional and global trends in serum total cholesterol since 1980: Systematic analysis of health examination surveys and epidemiological studies with 321 country-years and 3.0 million participants. *Lancet*, Feb 12; 377(9765): Pp.578-86.

- Feigin, VL., Lawes, CM., Bennett, DA., Barker-Collo, SL. and Parag, V., (2009), Worldwide stroke incidence and early case fatality in 56 population based studies: A systematic review. *Lancet Neurol.*, Apr; 8 (4): Pp.355-69.
- Fereshteh Safarzadeh Markhali, (2013), <http://www.labreports.info/pub/37/Dietary+Fibre+Intake+and+Reduced+Risk+of+Coronary+Heart+Disease>.
- Fernandez, ML. and Webb, D., (2008), The LDL to HDL cholesterol ratio as a valuable tool to evaluate coronary heart disease risk. *J. Am. Coll. Nutr.*, 27(1): Pp. 1-5.
- Filler, G., Weiglein, G., Gharib, MT. and Casier, S., (2012),  $\Omega$ 3 fatty acids may reduce hyperlipidemia in pediatric renal transplant recipients. *Pediatr. Trans.*, Dec; 16(8): Pp.835-9.
- Flegal, KM., Kit, BK., Orpana, H. and Graubard, BI., (2013), Association of all-cause mortality with overweight and obesity using standard body mass index categories: A systematic review and meta-analysis. *JAMA*, 309(1): Pp.71-82.
- Flouris, AD., Vardavas, CI., Metsios, GS., Tsatsakis, AM. and Koutedakis, Y., (2010), Biological evidence for the acute health effects of secondhand smoke exposure. *Am. J. Physiol. Lung Cell Mol. Physiol.*, Jan; 298(1): Pp.L3-L12.
- Ford, ES., Ajani, UA., Croft, JB., Critchley, JA., Labarthe, DR., Kottke, TE., Giles, WH. and Capewell, S., (2007), Explaining the decrease in U.S. deaths from coronary disease, 1980–2000. *N. Engl. J. Med.*, Jun 7; 356(23): Pp.2388–2398.
- Friedewald, W.T., Levy, R.I. and Fredrickson, D.S., (1972), Estimation of the concentration of low-density lipoprotein cholesterol in plasma, without use of the preparative ultracentrifuge. *Clin. Chem.*, 18: Pp.499–502.
- Fukumitsu, S., Aida, K., Shimizu, H. and Toyoda, K., (2010), Flaxseed lignan lowers blood cholesterol and decreases liver disease risk factors in moderately hypercholesterolemic men. *Nutr. Res.* Jul; 30(7): Pp.441-6.
- Fulgoni, VL., O'Neil, CE., Keast, DR. and Nicklas, TA., (2010), Improved diet quality, nutrient intake and health associated with out-of-hand tree nut consumption in U.S. Adults: NHANES 1999–2004. *FASEB. J.*, 24: Pp.324.4.
- Fung, TT., Rexrode, KM., Mantzoros, CS., Manson, JE., Willett, WC. and Hu, FB., (2009), Mediterranean diet and incidence of and mortality from coronary heart disease and stroke in women. *Circulation*, Feb 16; 119(8): Pp.1093-1100.
- Fuster, V. and Kelly, BB. and Board of global health, (2010). Institute of Medicine (US) Committee on preventing the global epidemic of cardiovascular disease: Meeting the Challenges in developing countries; promoting cardiovascular health in the developing world: A critical challenge to achieve global health. Washington (Dc): National academies press (US); 3, development and cardiovascular disease. Available from: <http://www.ncbi.nlm.nih.gov/books/NBK45694/>

- Garrow, J.S. and Webster, J., (1985), Quetelet's Index (W/H<sup>2</sup>) as a measure of fatness. *Int. J. Obesity*, 9: Pp.147-153.
- Gaziano, T. and Kim, G.I., (2009), Background paper commissioned by the committee on preventing the global epidemic of cardiovascular disease. Cost of treating non-optimal blood pressure in select low and middle income countries in comparison to the United States.
- German, J.B., Gibson, R.A., Krauss, R.M., Nestel, P., Lamarche, B., van Staveren, W.A., Steijns, J.M., de Groot, L.C., Lock, A.L. and Destailats, F., (2009), Reappraisal of the impact of dairy foods and milk fat on cardiovascular disease risk. *Eur. J. Nutr.*, Jun; 48(4): Pp.191-203.
- Gersh, B.J., Sliwa, K., Mayosi, B.M. and Yusuf, S., (2010), Novel therapeutic concepts: The epidemic of cardiovascular disease in the developing world: Global Implications. *Eur. Heart J.*, Mar; 31(6): Pp.642-648.
- Global status report on non-communicable diseases 2010. Geneva, World Health Organization, 2011.
- Godhia, M.L., (2011), Dietary Intake Assessment - Methodologies for Fitness Assessment. Pp.47-56 Anne Books Pvt Ltd. ISBN: 978-93-8061-890-6.
- Goldman, D.P., Zheng, Y., Girosi, F., Michaud, P.C., Olshansky, S.J., Cutler, D. and Rowe, J.W., (2009), The benefits of risk factor prevention in Americans aged 51 years and older. *Am. J. Public Health*, Nov; 99(11): Pp.2096-101.
- Gopalan, C., Sastri, B.V.R. and Balasubramanian, S.C., (2012), Nutritive value of Indian Foods. National Institute of Nutrition, Indian Council of Medical Research, Hyderabad.
- Gorinstein, S., Leontowicz, M., Leontowicz, H., Jastrzebski, Z., Drzewiecki, J., Namiesnik, J., Zachwieja, Z., Barton, H., Tashma, Z., Katrich, E. and Trakhtenberg, S., (2006), Dose-dependent influence of commercial garlic (*Allium sativum*) on rats fed cholesterol-containing diet. *J. Agric. Food Chem.*, May 31; 54(11): Pp.4022-7.
- Goyal, A. and Yusuf, S., (2006), Burden of cardiovascular disease in the Indian subcontinent. *Ind. J. Med. Res.*, Sept; 124(3): Pp.235-44.
- Gulliksson, M., Burell, G., Vessby, B., Lundin, L., Toss, H. and Svardsudd, K. (2011), Randomized controlled trial of cognitive behavioural therapy vs standard treatment to prevent recurrent cardiovascular events in patients with coronary heart disease: Secondary prevention in Uppsala Primary Health Care Project (SUPRIM). *Arch. Intern. Med.*, Jan 24; 171(2): Pp.134-40.
- Gupta, R. and Gupta, K.D., (2009), Coronary Heart Disease in low socioeconomic status subjects in India: "An Evolving Epidemic." *Ind. Heart J.*, Jul; 61(4): Pp.358-67.

- Gupta, R., (2009), Coronary heart disease in India: From epidemiology to action. *Fortis Med. J.*, 2: Pp.9-18.
- Gupta, R., Guptha, S., Gupta, VP., Agrawal, A., Gaur, K. and Deedwania, PC., (2012), Twenty-year trends in cardiovascular risk factors in India and influence of educational status. *Eur. J. Prev. Cardiol.*, Dec; 19(6): Pp.1258-71.
- Gupta, R., Guptha, S., Joshi, R. and Xavier, D., (2011), Translating evidence into policy for cardiovascular disease control in India. *Health Res. Policy Syst.*, Feb 9; 9: p.8.
- Gupta, R., Guptha, S., Sharma, KK., Gupta, A. and Deedwania, P., (2012), Regional variations in cardiovascular risk factors in India: India Heart Watch. *World J. Cardiol.*, Apr 26; 4(4): Pp.112-120.
- Gupta, R., Joshi, P., Mohan, V., Reddy, KS. and Yusuf, S., (2008), Epidemiology and causation of coronary heart disease and stroke in India. *Heart*, Jan; 94(1): Pp. 16-26.
- Gupta, S.P., (2010), Statistical Methods. Pp. Sultan Chand & Sons, Educational Publishers, New Delhi, ISBN: 978-81-8054-739-3.
- Guthold, R., Ono, T., Strong, KL., Chatterji, S. and Morabia, A., (2008), Worldwide variability in physical inactivity-a 51-country survey. *Am. J. Prev. Med.*, Jun; 34(6): Pp.486-94.
- Hamblin, M., Smith, HM. and Hill, MF., (2007), Dietary supplementation with vitamin-E ameliorates cardiac failure in type I diabetic cardiomyopathy by suppressing myocardial generation of 8-isoprostaglandin F<sub>2</sub>-alpha and oxidized glutathione. *J. Card. Fail.*, Dec; 13(10): Pp.884-92.
- Hardoon, SL., Whincup, PH., Lennon, LT., Wannamethee, SG., Capewell, S. and Morris, RW., (2008), How much of the recent decline in the incidence of myocardial infarction in British men can be explained by changes in cardiovascular risk factors? Evidence from a prospective population-based study. *Circulation*, Feb 5; 117(5): Pp.598-604.
- Harlan, M. and Krumholz, SM., (2012), Are we ready to stop treating cholesterol levels and start treating risk? 19 Jan 2012.
- Haydar Al-Shalah, (2010), Effect of light and heavy smoking on high density lipoprotein cholesterol level. *Med. J. Babylon.*, Vol. 7, No. 4-3.
- Heidenreich, PA., Justin G. Trogon, Olga, A., Khavjou, Javed Butler, Kathleen Dracup, Michael D. Ezekowitz, Eric Andrew Finkelstein, Yuling Hong, S., Claiborne Johnston, Amit Khera, Donald, M., Lloyd-Jones, Sue, A., Nelson, Graham Nichol, Diane Orenstein, Peter, W.F., Wilson, Y. and Joseph Woo, (2011), Forecasting the future of cardiovascular disease in the United States. A policy statement from the American Heart Association. *Circulation*, 123: Pp.933-944.
- Highlander, P. and Shaw, GP., (2010), Current pharmacotherapeutic concepts for the treatment of cardiovascular disease in diabetics. *Ther. Adv. Cardiovasc. Dis.*, Feb; 4(1): Pp.43-54.

- Hollis, J. and Mattes, R., (2007), Effect of chronic consumption of almonds on body weight in healthy humans. *Br. J. Nutr.*, Sep; 98(3): Pp.651-6.
- Hu, FB., (2008), Globalization of food patterns and cardiovascular disease risk. *Circulation*, Nov 4; 118(19): Pp.1913-4.
- Huffman, MD. and Prabhakaran, D., (2010), Heart failure: Epidemiology and prevention in India. Review article. *Natl. Med. J. India.*, Sept-Oct; 23(5): Pp.283-8.
- Huffman, MD., (2011), Coronary heart disease in India. Jul 14; [http://www.sanecd.org/CHD%20updated%20fact%20sheet%2014July2011%20PDF\[1\].pdf](http://www.sanecd.org/CHD%20updated%20fact%20sheet%2014July2011%20PDF[1].pdf)
- Institute of Medicine, (2010), Committee on secondhand smoke exposure and acute coronary events. Secondhand smoke exposure and cardiovascular effects: Making sense of the evidence. Washington (DC): The National Academies Press.
- Iqbal, R., Anand, S., Ounpuu, S., Islam, S., Zhang, X., Rangarajan, S., Chifamba, J., Al-Hinai, A., Keltai, M. and Yusuf, S., INTERHEART study investigators, (2008), Dietary patterns and the risk of acute myocardial infarction in 52 countries: Results of the INTERHEART study. *Circulation*, Nov 4; 118(19): Pp.1929-37.
- Ivan Berkowitz and Winnipeg, (2010), Cardiovascular diseases are killing us! The official bulletin of the International academy of cardiovascular sciences, Vol.9, No.1, Spring 2010.
- Jackson, G., (2008), Gender differences in cardiovascular disease prevention. *Menopause Int.*, 14(1): Pp.13–17.
- Jagtap, AG. and Patil, PB., (2010), Antihyperglycemic activity and inhibition of advanced glycation end product formation by *Cuminum cyminum* in streptozotocin induced diabetic rats. *Food Chem. Toxicol.*, Aug-Sep; 48(8-9): Pp.2030-6.
- Jalali-Khanabadi, BA., Mozaffari-Khosravi, H. and Parsaeyan, N., (2010), Effects of almond dietary supplementation on coronary heart disease lipid risk factors and serum lipid oxidation parameters in men with mild hyperlipidemia. *J. Altern. Complement Med.*, Dec;16(12): Pp.1279-83.
- Jamieson, DG. and Skliut, M., (2009), Gender considerations in stroke management. *Neurologist*, May; 15(3): Pp.132-41.
- Jeemon, P. and Reddy, KS., (2010), Social determinants of cardiovascular disease outcomes in Indians. Review article. *Ind. J. Med. Res.*, Nov, 132(5): Pp.617-622.
- Jelliffe, DB., (1966), The Assessment of the Nutritional Status of the Community. World Health Organization Monograph, Series No. 53, Geneva, Pp. 50-84.
- Jenkins, DJ., Jones, PJ., Lamarche, B., Kendall, CW., Faulkner, D., Cermakova, L., Gignoux, I., Ramprasath, V., de Souza R, Ireland, C., Patel, D., Srichaikul, K., Abdulnour, S., Bashyam,

- B., Collier, C., Hoshizaki, S., Josse, RG., Leiter, LA., Connelly, PW. and Frohlich, J., (2011), Effect of a dietary portfolio of cholesterol-lowering foods given at 2 levels of intensity of dietary advice on serum lipids in hyperlipidemia: A randomized controlled trial. *JAMA.*, Aug 24; 306(8): Pp.831-9.
- Jenkins, DJ., Kendall, CW., Marchie, A., Parker, TL., Connelly, PW., Qian, W., Haight, JS., Faulkner, D., Vidgen, E., Lapsley, KG. and Spiller, GA., (2002), Dose response of almonds on coronary heart disease risk factors: blood lipids, oxidized low-density lipoproteins, lipoprotein(a), homocysteine and pulmonary nitric oxide: A randomized, controlled, crossover trial. *Circulation*, Sep 10; 106(11): Pp.1327-32.
- Jenkins, DJ., Kendall, CW., Marchie, A., Josse, AR., Nguyen, TH., Faulkner, DA., Lapsley, KG. and Blumberg, J., (2008), Almonds reduce biomarkers of lipid peroxidation in older hyperlipidemic subjects. *J. Nutr.*, May; 138(5): Pp.908-13.
- Jessica Patella, ND (2013). <http://www.naturalhealthresearch.org/flax-seed-in-the-management-of-diabetes/>
- Jiang, Y., Elton-Marshall, T., Fong, GT. and Li, Q., (2010), Quitting smoking in China: findings from the ITC China Survey. *Tob. Control*, Oct; 19 Suppl 2: Pp.i12–7.
- John Vorstermans, (2007), A Study of cardiovascular diseases in ayurveda with special emphasis on the role of Ayurveda as a complementary medicine in selected cardiovascular diseases. A research project completed as a partial requirement for the qualification of the Diploma of Ayurvedic Medicine.
- Jones, DL., Adams, RJ., Brown, TM., Carnethon, M., Dai, S.,Giovanni De Simone, Bruce Ferguson, T., Earl Ford, Karen Furie, Cathleen Gillespie, Alan Go, Kurt Greenlund, Nancy Haase, Susan Hailpern, P., Michael Ho, Virginia Howard, Brett Kissela, Steven Kittner, Daniel Lackland, Lynda Lisabeth, Ariane Marelli, Mary M., McDermott, James Meigs, Dariush Mozaffarian, Michael Mussolino, Graham Nichol, Véronique L. Roger, Wayne Rosamond, Ralph Sacco, Paul Sorlie, Randall Stafford, Thomas Thom, Sylvia Wasserthiel-Smoller, Nathan D. Wong and Judith Wylie-Rosett, (2010), American Heart Association statistics committee and stroke statistics sub-committee. Heart disease and stroke statistics—2010 update: A report from the American Heart Association. *Circulation*; 121: Pp.e46–e215.
- Joshi, SR. and Parikh, RM., (2007), India - Diabetes capital of the World: Now heading towards hypertension. *J. Assoc. Physicians India*, May; 55: Pp.323-4.
- Juan, YS., Hyder, T., Mannikarottu, A., Kogan, B., Schuler, C., Leggett, RE., Lin, WY., Huang, CH. and Levin, RM., (2008), Coenzyme Q10 protect against ischemia/reperfusion induced biochemical and functional changes in rabbit urinary bladder. *Mol. Cell. Biochem.*, Apr; 311(1-2): Pp.73-80.
- Kaczmarczyk, MM., Miller, MJ. and Freund, GG., (2012), The health benefits of dietary fiber: Beyond the usual suspects of type 2 diabetes, cardiovascular disease and colon cancer. *Metabolism*, Aug; 61(8): Pp.1058-66.

- Katcher, HI., Hill, AM., Lanford, JL., Yoo, JS. and Kris-Etherton, PM., (2009), Lifestyle approaches and dietary strategies to lower LDL-cholesterol and triglycerides and raise HDL-cholesterol. *Endocrinol. Metab.Clin. North Am.*, Mar; 38(1): Pp.45-78.
- Katz, DL., Davidhi, A., Ma, Y., Kavak, Y., Bifulco, L. and Njike, VY., (2012), Effects of walnuts on endothelial function in overweight adults with visceral obesity: A randomized, controlled, crossover trial. *J. Am. Coll. Nutr.*, Dec., 31(6): Pp.415-23.
- Katzmarzyk, OT., Mire, E. and Bouchard, C., (2012), Abdominal obesity and mortality: The pennington center longitudinal study. *Nutr. Diabetes.*, Aug; 2(8): p.e42.
- Kelly, JH Jr. and Sabate, J., (2006), Nuts and coronary heart disease: An epidemiological perspective. *Br. J. Nutr.*, Nov; 96 Suppl 2: Pp.S61-7.
- Khan, M. and Mensah, G., (2009), Changing practices to improve dietary outcomes and reduce cardiovascular risk: A food company's perspective. Purchase, NY: Background paper commissioned by the committee.
- Kothari, CR., (2011), Research Methodology – Methods and Techniques. Published by Wishwa Prakashan, 4835/24, Ansari Road, Daryaganj, New Delhi.
- Kounteya Sinha, (2012), 138 million Indian smokers unaware that puff causes stroke, TNN Apr 21, 2012.
- Kris-Etherton, PM., Hu FB., Ros, E. and Sabate, J., (2008), The role of tree nuts and peanuts in the prevention of coronary heart disease: Multiple potential mechanisms. *J. Nutr.*, Sep; 138(9): Pp.1746S-1751S.
- Kristensen, M., Jensen, MG., Aarestrup, J., Petersen, KE., Sondergaard, L., Mikkelsen, MS. and Astrup, A., (2012), Flaxseed dietary fibers lower cholesterol and increase fecal fat excretion, but magnitude of effect depend on food type. *Nutr.Metab. (Lond)*, Feb 3; 9:sp.8.
- Kumar, HNH., Kalra, B. and Goyal, N., (2011), A study on stroke and its outcome in young adults (15-45 Years) from coastal South India. *Ind. J. Comm. Med.*, Jan-Mar; 36(1): Pp. 62-65.
- Kumar, PA., Reddy, PY., Srinivas, PN. and Reddy,GB., (2009), Delay of diabetic cataract in rats by the anti-glycating potential of cumin through modulation of alpha-crystallin chaperone activity. *J. Nutr. Biochem.*, Jul; 20(7): Pp.553-62.
- Kurth, T., Everett, BM., Buring, JE., Kase, CS., Ridker, PM. And Gaziano, JM., (2007), Lipid levels and the risk of ischemic stroke in women. *Neurology*, Feb 20; 68(8): Pp.556-62.
- Kvan, E., Pettersen, KI., Sandvik, L. and Reikvam, A., (2007), High mortality in diabetic patient with acute myocardial infarction: Cardiovascular co-morbidities contribute most to the high risk. *Int. J. Cardiol.*, Oct 1; 121(2): Pp.184-8.

- Lee, K., (2010), Cardiovascular risk prevalence, awareness, treatment and control from 1998 to 2007 in Koreans. *Asia Pac. J. Clin.Nutr.*, 19(2): Pp.261-5.
- Linde vd, D., Konings, EE., Slager, MA., Witsenburg, M., Helbing, WA., Takkenberg, JJ. and Roos-Hesselink, JW., (2011), Birth prevalence of congenital heart disease Worldwide: A systematic review and meta-analysis. *J. Am. Coll. Cardiol.*, Nov 15; 58(21): Pp.2241-7.
- Liu, K., Daviglius, M.L., Loria, C.M., Colangelo, L.A., Spring, B., Moller, A.C. and Lloyd-Jones, D.M., (2012), Healthy lifestyle through young adulthood and the presence of low cardiovascular disease risk profile in middle age: The coronary artery risk development in (Young) adults (CARDIA) study. *Circulation*, Feb 28; 25(8): Pp.996-1004.
- Lloyd-Jones, D., Adams, R.J., Brown, T.M., Carnethon, M., Dai, S., Simone, G.D., Ferguson, T.B., Ford, E., Furie, K., Gillespie, C., Go, A., Greenlund, K., Haase, N., Hailpern, S., Ho, P.M., Howard, V., Kissela, B., Kittner, S., Lackland, D., Lisabeth, L., Marelli, A., McDermott, M.M., Meigs, J., Mozaffarian, D., Mussolino, M., Nichol, G., Roger, V.L., Rosamond, W., Sacco, R., Sorlie, P., Stafford, R., Thom, T., Wasserthiel-Smoller, S., Wong, N.D. and Wylie-Rosett, J., (2010), Executive summary: Heart disease and stroke statistics--2010 update: A report from the American Heart Association. *Circulation*; 121: Pp.948-954.
- Lombard, J.H., (2010), Depression, psychological stress, vascular dysfunction and cardiovascular disease thinking outside the barrel. *J. Appl. Physiol.*, May; 108(5): Pp.1025-6.
- Lopez, A.D., Mathers, C.D., Ezzati, M., Jamison, D.T. and Murray, C.J., (2006), Global and regional burden of disease and risk factors, 2001: Systematic analysis of population health data. *Lancet*, May 27; 367(9524): Pp.1747-57.
- Lynne Peoples, 2011. [link.reuters.com/hup53r](http://link.reuters.com/hup53r) American Heart Journal, January 2011.
- Mackay, D.F., Irfan, M.O., Haw, S. and Pell, J.P., (2010), Meta-analysis of the effect of comprehensive smoke-free legislation on acute coronary events. *Heart*, 96(19): Pp.1525-30.
- Mandalari, G., Faulks, R.M., Rich, G.T., Lo Turco, V., Picout, D.R., Lo Curto, R.B., Bisignano, G., Dugo, G., Waldron, K.W., Ellis, P.R. and Wickham, M.S., (2008), Release of protein, lipid and vitamin-E from almond seeds during digestion. *J. Agric. Food Chem.*, May 14; 56(9): Pp.3409-16.
- Mandaşescu, S., Mocanu, V., Dăscalița, A.M., Haliga, R., Nestian, I., Stitt, P.A. and Luca, V., (2005), Flaxseed supplementation in hyperlipidemic patients. *Rev. Med. Chir. Soc. Med. Nat. Iasi*. Jul-Sep;109(3): Pp.502-6.
- Marcia C de Oliveira Otto, Mozaffarian, D., Kromhout, D., Bertoni, A.G., Sibley, C.T., Jacobs, D.R. Jr. and Nettleton, J.A., (2012), Dietary intake of saturated fat by food source and incident cardiovascular disease: The Multi-Ethnic study of atherosclerosis. *Am. J. Clin. Nutr.*, Aug; 96(2): Pp.397-404.

- Martinez-Gonzalez, MA., Bes-Rastrollo, M., Serra-Majem, L., Lairon, D., Estruch, R. and Trichopoulos, A., (2009), Mediterranean food pattern and the primary prevention of chronic disease: Recent developments. *Nutr. Rev.*, May; 67 Suppl 1: Pp.S111–6.
- Marwaha, RK., Puri, S., Tandon, N., Dhir, S., Agarwal, N., Bhadra, K. and Saini, N., (2011), Effects of sports training and nutrition on bone mineral density in young Indian healthy females. *Ind. J. Med. Res.*, Sept; 134(3): Pp.307-313.
- Mathur P. and Shah B., (2011), Research priorities for prevention and control of non-communicable diseases in India. *Ind. J. Comm. Med.*, Dec; 36(Suppl 1): Pp.72-7.
- Mattes, RD. and Dreher, ML., (2010), Nuts and healthy body weight maintenance mechanisms, *Asia Pac. J. Clin. Nutr.*, 19; Pp.137–141
- May, AL., Kuklina, EV. and Yoon, PW., (2012), Prevalence of cardiovascular disease risk factors among US adolescents, 1999-2008. *Pediatrics*, Jun; 129(6): Pp.1035-41.
- Mayosi, BM., Flisher, AJ., Lalloo, UG., Sitas, F., Tollman, SM. and Bradshaw, D., (2009), The burden of non-communicable diseases in South Africa. *Lancet*, Sep 12; 374(9693): Pp.934-47.
- Medscape General Medicine, (2005), 7(4): p.18.
- Meghwal, M. and Goswami, TK., (2012), Nutritional constituent of black pepper as medicinal molecules: A review. 1: p.129.
- Mendis, S., Puska, P. and Norrving, B., editors, (2011), World Health Organization. Global atlas on cardiovascular disease prevention and control. Geneva (CH): World Health Organization. 2011 [cited 2012 Jan 12]. Available from: [http://whqlibdoc.who.int/publications/2011/9789241564373\\_eng.pdf](http://whqlibdoc.who.int/publications/2011/9789241564373_eng.pdf)
- Mente, A., de Koning, L., Shannon, HS. and Anand, SS., (2009), A systematic review of the evidence supporting a causal link between dietary factors and coronary heart disease. *Arch. Intern. Med.*, Apr 13; 169(7): Pp.659-69.
- Micallef, MA. and Garg, ML., (2008), The lipid-lowering effects of phytosterols and (n-3) polyunsaturated fatty acids are synergistic and complementary in hyperlipidemic men and women. *J. Nutr.*, Jun; 138(6): Pp.1086-90.
- Micallef, MA. and Garg, ML., (2009), Beyond blood lipids: Phytosterols, statins and omega-3 polyunsaturated fatty acid therapy for hyperlipidemia. *J. Nutr. Biochem.*, Dec; 20(12): Pp.927-39.
- Miller, ER., (2010), The benefits of fiber: For your heart, weight and energy. Super foods for lower cholesterol and Heart health.
- Mineharu, Y., Koizumi, A., Wada, Y., Iso, H., Watanabe, Y., Date, C., Yamamoto, A., Kikuchi, S., Inaba, Y., Toyoshima, H., Kondo, T. and Tamakoshi, A., (2011), JACC study Group.

- Coffee, green tea, black tea and oolong tea consumption and risk of mortality from cardiovascular disease in Japanese men and women. *J. Epidemiol. Community Health*, Mar; 65(3): Pp.230-40.
- Mony, P., (2010), Geographic epidemiology of cardiovascular disease in India: An exploratory study. Available from: <https://tspace.library.utoronto.ca/handle/1807/18899>. Accessed 15 July 2010
- Morbidity Mortality Weekly Report, (2011), Prevalence of coronary heart disease-United States, 2006-2010. Oct 14; 60(40): Pp.1377-1381.
- Nagaraja, D., Gururaj, G., Girish, N., Samhita Panda, Roy, A.K., Sarma, G.R.K. and Srinivasa, R., (2009), Feasibility study of stroke surveillance: Data from Bangalore, India. *Ind. J. Med. Res.*, Oct; 130(4): Pp.396-403.
- National Cholesterol Education Program-ATP IV Guidelines (NCEP), (2012).
- National Commission on Population, Government of India, (2010), Available at <http://populationcommission.nic.in/>
- National Health and Nutrition Examination Survey (NHANES), (2013), U.S. Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics. <http://www.cdc.gov/nchs/data/nhanes/databriefs/adultweight.pdf>
- National Heart Foundation of Australia (National Blood Pressure and Vascular Disease Advisory Committee). Guide to management of hypertension 2008. Updated 2010. Melbourne: National Heart Foundation of Australia, 2010.
- National Heart Foundation of Australia and Cardiac Society of Australia and New Zealand (Chronic Heart Failure Guidelines Expert Writing Panel). Guidelines for the prevention, detection and management of chronic heart failure in Australia. Updated July 2011.
- National Heart Foundation of Australia, (2009), Position statement: Dietary fats and dietary sterols for cardiovascular health. Melbourne: National Heart Foundation of Australia.
- National Heart, Lung and Blood Institute, (2009), The seventh report of the Joint National Committee on prevention, detection, evaluation and treatment of high blood pressure. Available at <http://www.nhlbi.nih.gov/guidelines/hypertension>
- Navas-Acien, A., Bleys, J. and Guallar, E., (2008), Selenium intake and cardiovascular risk: What is new? *Curr.Opin.Lipidol.*, Feb; 19(1): Pp.43-9.
- Ng, SW., Norton, EC. and Popkin, BM., (2009), Why have physical activity levels declined among Chinese adults? Findings from the 1991–2006 China health and nutrition surveys. *Soc. Sci. Med.*, Apr; 68(7): Pp.1305-14.

- Nicholls, S.J., Tuzcu, EM. and Nissen, SE., (2007), Atherosclerosis regression: Is low-density lipoprotein or high-density lipoprotein the answer? *Curr. Atheroscler. Rep.*, Oct; 9(4): Pp.266-73.
- Novgorodtseva, TP., Vitkina, TI., Karaman, IuK. and Aminina, VF., (2007), Application of food supplement on the base of potassium and magnesium at experimental cardiopathology. *Vopr. Pitan.*, 76(5): Pp.55-9.
- Nutrition Update, (2007), An Update on the Role of nuts in healthful diets.
- O'Donnell, MJ., Xavier, D., Liu, L., Zhang, H., Chin, SL., Rao-Melacini, P., Rangarajan, S., Islam, S., Pais, P., McQueen, MJ., Mondo, C., Damasceno, A., Lopez-Jaramillo, P., Hankey, GJ., Dans, AL., Yusuf, K., Truelsen, T., Diener, HC., Sacco, RL., Ryglewicz, D., Czlonkowska, A., Weimar, C., Wang, X. and Yusuf, S., INTERSTROKE investigators, (2010), Risk factors for ischaemic and intra-cerebral haemorrhagic stroke in 22 countries (the INTERSTROKE study): a case-control study. *Lancet*, Jul; 376(9735): Pp.112-23.
- Oberg, M., Jaakkola, MS., Woodward, A., Peruga, A., Prüss-Ustün, A. and Prüss-Ustün, A., (2011), Worldwide burden of disease from exposure to second-hand smoke: a retrospective analysis of data from 192 countries. *The Lancet*, Jan; 377(9760): Pp.139-46.
- Panagiotakos, DB., Pitsavos, C., Manios, Y., Polychronopoulos, E., Chrysohoou, CA. and Stefanadis, C., (2005), Socio-economic status in relation to risk factors associated with cardiovascular disease, in healthy individuals from the ATTICA study. *Eur. J. Cardiovasc. Prev. Rehabil.*, Feb; 12(1): Pp.68-74.
- Pandey, CM., Pandey, RM., Gupta, R., Misra, A., Misra, P., Singh, V., Agrawal, A., Dey, S., Rao, S., Menon, VU., Kamalamma, N., Devi, KP., Revathi, K. and Sharma, V., (2013), Determinants of urban-rural differences in cardiovascular risk factors in middle-aged women in India: A cross-sectional study. *Int. J. Cardiol.*, Feb 20; 163(2): Pp.157-62.
- Pasquale Strazzullo, Lanfranco D'Elia, Ngianga-Bakwin Kandala and Francesco P Cappuccio, (2009), Salt intake, stroke and cardiovascular disease: Meta-analysis of prospective studies. *BMJ*, 339: p.b4567.
- Patade, A., Devareddy, L., Lucas, EA., Korlagunta, K., Daggy, BP. and Arjmandi, BH., (2008), Flaxseed reduces total and ldl cholesterol concentrations in Native American postmenopausal women. *J. Womens. Health (Larchmt)*, Apr; 17(3): Pp.355-66.
- Pencina, MJ., D'Agostino, RB Sr., Larson, MG., Massaro, JM. and Vasan, RS., (2009), Predicting the 30-year risk of cardiovascular disease: The Framingham Heart Study. *Circulation*, Jun 23; 119(24): Pp.3078-84.
- Penn State, (2013, May 8). Whole walnuts and their extracted oil improve cardiovascular disease risk. ScienceDaily, from <http://www.sciencedaily.com/release/2013/05/130508123019.htm>

- Peterson, J., Dwyer, J., Adlercreutz, H., Scalbert, A., Jacques, P. and McCullough, ML., (2010), Dietary lignans: physiology and potential for cardiovascular disease risk reduction. *Nutr. Rev.*, Oct; 68(10): Pp.571-603.
- Physical Activity Guidelines Advisory Committee. Physical activity guidelines advisory committee report, 2008. Washington, DC: U.S. Department of Health and Human Services.
- Piano, MR., Benowitz, NL., Fitzgerald, GA., Corbridge, S., Heath, J., Hahn, E., Pechacek, TF. and Howard G., American Heart Association council on cardiovascular nursing, (2010), Impact of smokeless tobacco products on cardiovascular disease: Implications for policy, prevention, and treatment: A policy statement from the American Heart Association. *Circulation*, Oct 12; 122(15): Pp.1520-44.
- Pilote, L., Dasgupta, K., Guru, V., Humphries, KH., McGrath, J., Norris, C., Rabi, D., Tremblay, J., Alamian, A., Barnett, T., Cox, J., Ghali, WA., Grace, S., Hamet, P., Ho, T., Kirkland, S., Lambert, M., Libersan, D., O'Loughlin, J., Paradis, G., Petrovich, M. and Tagalakis, V., (2007), A comprehensive view of sex-specific issues related to cardiovascular disease. *CMAJ*, Mar 13; 176(6): Pp.S1-S44.
- Prabhakaran, D., Jeemon, P., Goenka, S., Lakshmy, R., Thankappan, KR., Ahmed, F., Joshi, PP., Mohan, BV., Meera, R., Das, MS., Ahuja, RC., Saran, RK., Chaturvedi, V. and Reddy, KS., (2009), Impact of a worksite intervention program on cardiovascular risk factors: A demonstration project in an Indian industrial population. *J. Am. Coll. Cardiol.*, 53(18): Pp.1718-1728.
- Prasad, DS., Kabir, Z., Dash, AK. and Das, BC., (2009), Smoking and cardiovascular health: A review of the epidemiology, pathogenesis, prevention and control of tobacco. *Ind. J. Med. Sci.*, Nov; 63(11): Pp.520-33.
- Puri, N., Gupta, PK., Sharma, J. and Puri, D., (2010), Prevalence of atherosclerosis in coronary artery and thoracic artery and its correlation in North-West Indians. *Ind. J. Thorac. Cardiovasc. Surg.*, Dec; 26(4): Pp.243-246.
- Puska, P., Vartiainen, E., Laatikainen, T., Jousilahti, P. and Paavola, M., (2009), The North Karelia project: From North Karelia to national action. Helsinki: Helsinki University Printing House.
- Raj, M. and Kumar, RK., (2010), Obesity in children and adolescents. *Ind. J. Med. Res.*, Nov; 132(5): Pp.598-607.
- Rajaram, S., Haddad, EH., Mejia, A. and Sabate, J., (2009), Walnuts and fatty fish influence different serum lipid fractions in normal to mildly hyperlipidemic individuals: A randomized controlled study. *Am. J. Clin. Nutr.*, May; 89(5): Pp.1657S-1663S
- Rakesh Sharma and Ram B. Singh, (2010), Bioactive foods and nutraceutical supplementation criteria in cardiovascular protection. *Open Nutraceut. J.*, 3: Pp.141-153
- Ram Rohit, V. and Trivedi Atul, V., (2012), Smoking, smokeless tobacco consumption and coronary artery disease – A case control study. *Nat. J. Community Med.*, Apr-Jun; 3(2): Pp.264-268

- Rana, SV., Pal, R., Vaiphei, K. and Singh, K., (2006), Garlic hepatotoxicity: Safe dose of garlic. *Trop. Gastroenterol.*, Jan-Mar; 27(1): Pp.26-30.
- Ray, KK., Cannon, CP. and Ganz, P., (2006), Beyond lipid lowering: What have we learned about the benefits of statins from the acute coronary syndromes trials? *Am. J. Cardiol.*, Dec 4; 98(11A): Pp.18P-25P.
- Ray, KS. and Iqbal, R., (2011), Body Composition-Terms and Techniques – Methodologies for Fitness Assessment. Pp. 5-23. Anne Books Pvt Ltd. ISBN: 978-93-8061-890-6.
- Reddy, KS., Shah, B., Varghese, C. and Ramadoss, A.,(2009), Responding to the challenge of chronic diseases in India. *Lancet* 2005; 366: Pp.1744 -9.
- Reeves, MJ., Bushnell, CD., Howard, G., Gargano, JW., Duncan, PW., Lynch, G., Khatiwoda, A. and Lisabeth, L., (2008), Sex differences in stroke: Epidemiology, clinical presentation, medical care and outcomes. *Lancet Neurology*, Oct; 7(10): Pp.915-26.
- Reuser, M., Bonneux, LG. and Willekens, FJ., (2009), Smoking kills, obesity disables: A multistate approach of the US Health and retirement survey. *Obesity (Silver Spring)*, Apr; 17(4): Pp.783-9.
- Rice, BH.,Cifelli, CJ., Pikosky, MA. and Miller, GD., (2011), Dairy components and risk factors for cardiometabolic syndrome: Recent evidence and opportunities for future research. *Adv Nutr.*, Sept; 2(5): Pp.396-407.
- Rich, MW. and Mensah, GA., (2010), Fifth pivotal research in cardiology in the elderly (price-v) symposium: Preventive cardiology in the elderly—Executive summary. Part II: Afternoon session. *Prev. Cardiol.*, Winter; 13(1): Pp.42-7.
- Ros, E., Nunez, I., Perez-Heras, A., Serra, M., Gilabert, R., Casals, E. and Deulofeu, R., (2004), A walnut diet improves endothelial function in hypercholesterolemic subjects: A randomized crossover trial. *Circulation*, Apr 6; 109(13): Pp.1609-14.
- Ros, E., (2009), Nuts and novel biomarkers of cardiovascular disease. *Am. J. Clin. Nutr.*, May; 89(5): Pp.1649S-56S.
- Ros, E., (2010), Health benefits of nut consumption. *Nutrients.*, Jul; 2(7): Pp.652-82.
- Rossi, S., (Editor) (2012), Australian Medicines Handbook 2012. Adelaide: Australian Medicines Handbook Pvt Ltd, 2012.
- Sabate, J. and Ang, Y., (2009), Nuts and health outcomes: New epidemiologic evidence. *Am. J. Clin. Nutr.*, May; 89(5): Pp.1643S-1648S.
- Sabate, J., Oda, K. and Ros, E., (2010), Nut consumption and blood lipid levels: A pooled analysis of 25 intervention trials. *Arch. Intern. Med.*, May 10; 170(9): Pp.821–7.
- Salas-Salvadó, J., Fernández-Ballart, J., Ros, E., Martínez-González, MA., Fitó, M., Estruch, R., Corella, D., Fiol, M., Gómez-Gracia, E., Arós, F., Flores, G., Lapetra, J., Lamuela-Raventós,

- R., Ruiz-Gutiérrez, V., Bulló, M., Basora J. and Covas, M., (2008), Effect of a Mediterranean diet supplemented with nuts on metabolic syndrome status: one-year results of the PREDIMED randomized trial. PREDIMED Study Investigators, *Arch. Intern. Med.*, 168; Pp. 2449–2458.
- Sattelmair, J., Pertman, J., Ding, EL., Kohl III, HW., Haskell, W. and Lee, IM., (2011), Dose response between physical activity and risk of coronary heart disease: A meta-analysis. *Circulation*, Aug 1; 124:Pp.789-95.
- Satynarayana, V. and Ramanarayana Reddy, V., (2011), A study to focus on the prevalence of hyperlipidemia in master health check-up patients at a multi-specialty hospital. *Int. J. Res. Pharm. Sci.*, 2(3): Pp.434-437.
- Sawant, AM., Shetty, D., Mankeshwar, R. and Ashavaid, TF., (2008), Prevalence of dyslipidemia in young adult Indian population. *J. Assoc. Physicians India*, Feb; 56: Pp.99-102.
- Schiller, JS., Lucas, JW., Ward, BW. and Peregoy, JA., (2012), Summary health statistics for U.S. adults: National Health Interview Survey, 2010. National Center for Health Statistics. *Vital. Health. Stat.*, 10(252).
- Schjerning Olsen, AM., Fosbol, EL., Lindhardsen, J., Folke, F., Charlot, M., Selmer, C., Lamberts, M., Bjerring Olesen, J., Kober, L., Hansen, PR., Torp-Pedersen, C. and Gislason, GH., (2011), Duration of treatment with non-steroidal anti-inflammatory drugs and impact on risk of death and recurrent myocardial infarction in patients with prior myocardial infarction: a nationwide cohort study. *Circulation*, May 24; 123(20): Pp.2226-35.
- Sen, K., Subbulakshmi, G. and Subhadra, M., (2011), Methodologies for fitness assessment. Based on proceedings of workshop organized by NSI Mumbai chapter. Anne Books Pvt. Ltd.,
- Setia, N., Verma, I. C., Khan, B. and Arora, A., (2012), Premature coronary artery disease and familial hypercholesterolemia: Need for early diagnosis and cascade screening in the Indian population. *Cardiol. Res. Pract.*, 2012:658526, 4 pages.
- Sevket Balta, Sait Demirkol and Turgay Celik, (2012), Lifestyle change programs in the management of hyperlipidemia. *Oman Med. J.*, Nov., 27(6): p.511.
- Shafey, O., Eriksen, M., Ross, H. and Mackay, J., (2009), The tobacco atlas. 3rd ed. Atlanta: American Cancer Society.
- Shai, I., Schwarzfuchs, D., Henkin, Y., Shahar, DR., Witkow, S., Greenberg, I., Golan, R., Fraser, D., Bolotin, A., Vardi, H., Tangi-Rozental, O., Zuk-Ramot, R., Sarusi, B., Brickner, D., Schwartz, Z., Sheiner, E., Marko, R., Katorza, E., Thiery, J., Fiedler, GM., Blüher, M., Stumvoll, M. and Stampfer, MJ., (2008), Weight loss with a low-carbohydrate, Mediterranean, or low-fat diet. *N. Engl. J. Med.*, Jul 17; 359(3): Pp.229-41.
- Singh, RB., DeMeester, F., Mechirova, V., Pella, D. and Otsuka, K., (2008), Fatty acids in the causation and therapy of metabolic syndrome. *Wild type food in health promotion and disease prevention*, Pp. 263-84.

- Sinha, N., Kumar, S., Rai, H., Singh, N., Kapoor, A., Tewari, S., Saran, RK., Narain, VS., Bharadwaj, RP., Bansal, RK., Saxena, PC., Sinha, PR., Gupta, PR., Mishra, M., Jain, P., Pandey, CM., Singh, U. and Agarwal, SS., (2012), Patterns and determinants of dyslipidaemia in 'Young' versus 'Not so Young' patients of coronary artery disease: A multicentric, randomised observational study in Northern India. *Ind. Heart J.*, May-Jun;64(3): Pp.229-35.
- Soedamah-Muthu, SS., Ding, EL., Al-Delaimy, WK., Hu, FB., Engberink, MF., Willett, WC. and Geleijnse, JM., (2011), Milk and dairy consumption and incidence of cardiovascular diseases and all-cause mortality: Dose-response meta-analysis of prospective cohort studies. *Am. J. Clin. Nutr.*, Jan; 93(1): Pp.158-71.
- Sofi, F., Abbate, R., Gensini, GF. and Casini, A., (2010), Accruing evidence about benefits of adherence to the Mediterranean diet on health: An updated systematic review and meta-analysis. *Am. J. Clin. Nutr.*, Nov; 92(5): Pp.1189-96.
- Soman, CR., Kutty, VR., Safraj, S., Vijayakumar, K., Rajamohanam, K. and Ajayan, K., (2011), All-cause mortality and cardiovascular mortality in Kerala state of India: Results from a 5-year follow-up of 161,942 rural community dwelling adults. *Asia. Pac. J. Public. Health*, Nov; 23(6): Pp.896-903.
- Srilakshmi (2011), Food Science and Nutrition, 4<sup>th</sup> edition.
- Steyn, NP., Bradshaw, D., Norman, R., Joubert, J., Schneider, M. and Steyn, K., (2006), Dietary changes and the health transition in South Africa: Implications for health policy. Cape Town: South African Medical Research Council.
- Stuckler, D., (2008), Population causes and consequences of leading chronic diseases: a comparative analysis of prevailing explanations. *Milbank Q.*, Jun; 86(2): Pp.273-326.
- Sumeet Gupta, Devesh Chauhan, Kritika Mehla, Preeti Sood and Anroop Nair, (2010), An overview of nutraceuticals: Current scenario. *J. Basic Clin. Pharmacy*, Mar-May; 1(2): Pp.55-62.
- Suzanne Hendrich, Kai Ling Kong, Zhong Ye, Xianai Wu and Sun-Ok Lee, (2010), At the American Society for Nutrition's annual meeting at experimental biology, April 24-28, in Anaheim, CA.
- Technical Report Group (11<sup>th</sup> Five Year Plan: 2007-2012), On estimation of urban housing shortage, Govt. of India, Ministry of Housing and Urban Poverty Alleviation. p.13.
- Tey, SL., Brown, RC., Chisholm, AW., Delahunty, CM., Gray, AR. and Williams, SM., (2011), Effects of different forms of hazelnuts on blood lipids and  $\alpha$ -tocopherol concentrations in mildly hypercholesterolemic individuals. *Eur. J. Clin. Nutr.*, Jan; 65(1): Pp.117-24.
- Thej, MJ., Kalyani, R. and Kiran, J., (2012), Atherosclerosis in coronary artery and aorta in a semi-urban population by applying modified American Heart Association classification of atherosclerosis: An autopsy study. *J. Cardiovasc. Dis. Res.*, Oct; 3(4): Pp.265-71.

- Tran, J., Mirzaei, M., Anderson, L. and Leeder, SR., (2010), The epidemiology of stroke in the Middle East and North Africa. *J. Neurol. Sci.*, Aug 15; 295(1-2): Pp.38-04.
- U.S. Department of Agriculture, (2011), Nutrient Data Base at [http://www.nal.usda.gov/fnic/cgi-bin/nut\\_search.pl](http://www.nal.usda.gov/fnic/cgi-bin/nut_search.pl)
- U.S. Department of Health and Human Services. How tobacco smoke causes disease: the biology and behavioural basis for smoking-attributable disease: A report of the Surgeon General. Rockville (MD): U.S. Department of Health and Human Services, Public Health Service, Office of Surgeon General. 2010 [cited 2011 Nov 30]. Available from: [http://www.surgeongeneral.gov/library/tobaccosmoke/report/full\\_report.pdf](http://www.surgeongeneral.gov/library/tobaccosmoke/report/full_report.pdf)
- United States Department of Agriculture, (2007). USDA National Nutrient Database for Standard Reference: release 20, 2007.
- University of Rochester Medical Center, (2009, June 18). Income, education, important factors in heart disease risk. *ScienceDaily*. from <http://www.sciencedaily.com/releases/2009/06/090616133936.htm>
- US Center for Disease Control, (2010), HealingWithNutrition.com 1-800-943-1123. Cardiovascular disease facts, Disease Nutritional Support Strategies <http://www.healingwithnutrition.com/cdisease/cardiovascular/cardiovascular.html#A2>.
- US Department of Agriculture National Nutrient Database for Standard Reference, (2011), cdc: About cholesterol. "Major Pepper"; good eats; season 10, Episode 11. Article reviewed by GlennK. Last updated on: Jul 11.
- USDA SR-21. Nutrient data for this listing was provided by USDA SR-21 <http://nutritiondata.self.com/facts/nut-and-seed-products/3138/2#ixzz2iuFRJbpG>
- Valdivielso, P., Rioja, J., Garcia-Arias, C., Sanchez-Chaparro, MA. and Gonzalez-Santos, P., (2009), Omega 3 fatty acids induce a marked reduction of apo-lipoprotein B48 when added to fluvastatin in patients with type 2 diabetes and mixed hyperlipidemia: A preliminary report. *Cardiovasc. Diabetol.*, Jan 8; 8: p.1
- Villalpando, S., Shamah-Levy, T., Rojas, R. and Aguilar-Salinas, CA., (2010), Trends of type 2 diabetes and other cardiovascular risk factors in Mexico from 1993-2006. *Salud Publica Mex.*, 52 Suppl 1: Pp.S72-9.
- Vrablík, M., Prusíková, M., Snejdrlova, I. and Zlatohlavek, L., (2009), Omega-3 fatty acids and cardiovascular disease risk: Do we understand the relationship? *Physiol. Res.*, 58 Suppl 1: Pp.S19-26.
- Welborn, TA., Satvinder S. Dhaliwal and Stanley A. Bennett., (2003), Waist-hip ratio is the dominant risk factor predicting cardiovascular death in Australia. *The Med. J. Australia.*, 179 (11/12), Pp. 580-585.

- Wen, CP., Wai, JP., Tsai, MK., Yang, YC., Cheng, TY., Lee, MC., Chan, HT., Tsao, CK., Tsai, SP. and Wu, X.,(2011), Minimum amount of physical activity for reduced mortality and extended life expectancy: A prospective cohort study. *Lancet*, Oct 1; 378(9798): Pp.1244-53.
- West, SG., Krick, AL., Klein, LC., Zhao, G., Wojtowitz, TF., McGuinness, M., Bagshaw, DM., Wagner, P., Ceballos, RM., Holub, BJ. and Kris-Etherton, PM., (2010), Effects of diets high in walnuts and flax oil on hemodynamic responses to stress and vascular endothelial function. *J. Am. Coll. Nutr.*, Dec; 29(6): Pp.595-603.
- WHFoods: Almonds, (2012). <http://www.whfoods.com/genpage.php?tname=foodspice&dbid=20>
- WHFoods: Oats, 2012. <http://www.whfoods.com/genpage.php?tname=foodspice&dbid=54>
- WHFoods: Walnuts, 2012. <http://www.whfoods.com/genpage.php?tname=foodspice&dbid=99>
- WHO Expert Consultation, (2004), Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, Pp.157-163.
- WHO Global status report on Non Communicable diseases, (2010), Geneva (CH): World Health Organization. [cited 2011 Nov 30]. Available from: [http://www.who.int/nmh/publications/ncd\\_report\\_full\\_en.pdf](http://www.who.int/nmh/publications/ncd_report_full_en.pdf)
- WHO, (2008), WHO report on the global tobacco epidemic: The MPOWER package. Geneva: World Health Organization; 2008c.
- WHO, (2009d), Working document for developing a draft global strategy to reduce harmful use of alcohol. Geneva: World Health Organization.
- WHO, (2009e), World health statistics 2009. Geneva: World Health Organization.
- WHO Statistical Information System (WHOSIS), (2009), World health statistics. [www.who.int/whosis/whostat](http://www.who.int/whosis/whostat).
- Woo, MN., Bok, SH., Lee, MK., Kim, HJ., Jeon, SM., Do, GM., Shin, SK., Ha, TY. and Choi, MS., (2008), Anti-obesity and hypolipidemic effects of a proprietary herb and fiber combination (S&S PWH) in rats fed high-fat diets. *J. Med. Food*, Mar; 11(1): Pp.169-78.
- World Development Indicators, World Bank, (2010), [http://data.worldbank.org/data-catalog/world-development-indicators?cid=GPD\\_WDIUS](http://data.worldbank.org/data-catalog/world-development-indicators?cid=GPD_WDIUS)
- World Economic Forum. From burden to “best buys”: reducing the economic impact of non-communicable diseases in low- and middle-income countries. Geneva (CH): World Health Organization, (2011), (cited 2011 Nov 30). Available from: [http://www.who.int/nmh/publications/best\\_buys\\_summary.pdf](http://www.who.int/nmh/publications/best_buys_summary.pdf)
- World Health Organisation, (2005). Preventing chronic diseases: A vital investment. Geneva, Switzerland. 2005.

- World Health Organization (in collaboration with the World Heart Federation and World Stroke Organization), Geneva (2011), Mendis, S., Puska, P. and Norrving, B., editors. Global Atlas on Cardiovascular Disease Prevention and Control.
- World Health Organization, (2008), "Waist circumference and Waist-Hip Ratio, Report of a WHO consultation", 8-11 December 2008.
- World Health Organization, (2008), Cardiovascular Disease Fact Sheet.
- World Health Organization, (2009), Global health risks: Mortality and burden of disease attributable to selected major risks. Geneva (CH): World Health Organization. [cited 2011 Nov 30]. Available from: [http://www.who.int/healthinfo/global\\_burden\\_disease/Global Health Risks\\_report\\_full.pdf](http://www.who.int/healthinfo/global_burden_disease/Global_Health_Risks_report_full.pdf)
- World Health Organization, (2010), Facing the facts. The impact of chronic disease in India. [http://www.who.int/chp/chronic\\_disease\\_report/media/india.pdf](http://www.who.int/chp/chronic_disease_report/media/india.pdf)
- World Health Organization, (2010), The WHO Global InfoBase. Geneva: Switzerland. Available at <https://who.int/infobase>
- World Health Organization, (2011), New WHO report Global atlas on cardiovascular disease prevention and control ([http://www.who.int/cardiovascular\\_diseases/publications/atlas\\_cvd/en/](http://www.who.int/cardiovascular_diseases/publications/atlas_cvd/en/)).
- World Health Organization, (2012), World Health Statistics 2012.
- World Health Organization. Global Status Report of NCD 2010. Geneva: World Health Organization; 2011.
- Xavier, D., O Dommell, M., Pais, P., Sigamani, Joshi, R., Gupta, R., Mathur, N., George, N., Thomas, S. and Yusuf, S., (2012), Inter-stroke study. Method and preliminary results of a large stroke registry from India.
- Yadav, S., Boddula, R., Genitta, G., Bhatia, V., Bansal, B., Kongara, S., Julka, S., Kumar, A., Singh, H.K., Ramesh, V. and Bhatia, E., (2008), Prevalence and risk factors of pre-hypertension and hypertension in an affluent north Indian population. *Ind. J. Med. Res.*, Dec., 128(6): Pp.712-20.
- Yang, G., Kong, L., Zhao, W., Wan, X., Zhai, Y., Chen, LC. and Koplan, JP., (2008), Emergence of chronic non-communicable diseases in China. *Lancet*, Nov; 372(9650): Pp.1697-705.
- Yang, J., Hammond, D., Driezen, P., Fong, GT. and Jiang, Y., (2010), Health knowledge and perception of risks among Chinese smokers and non-smokers: Findings from the Wave 1 ITC China Survey. *Tob. Control*, Oct; 19 Suppl.2: Pp.i18-23.
- Yang, Q., Liu, T., Kuklina, EV., Flanders, WD., Hong, Y., Gillespie, C., Chang, MH., Gwinn, M., Dowling, N., Khoury, MJ. and Hu, FB., (2011), Sodium and potassium intake and mortality among US Adults: Prospective data from the third National Health and Nutrition Examination Survey. *Arch. Inter. Med.*, Jul; 171(13): Pp.1183-91.

- Yathish, TR., Manjula, CG., Srinivas.R.Deshpande and Gayathree, L., (2011), A study on the association of coronary artery disease and smoking by a questionnaire method. *J. Clin. Diagnostic Res.*, Apr; 5(2): Pp.264-268
- Yokoyama, M., Origasa, H., Matsuzaki, M., Matsuzawa, Y., Saito, Y., Ishikawa, Y., Oikawa, S., Sasaki, J., Hishida, H., Itakura, H., Kita, T., Kitabatake, A., Nakaya, N., Sakata, T., Shimada, K. and Shirato, K., Japan EPA lipid intervention study (JELIS) Investigators, (2007), Effects of eicosapentaenoic acid on major coronary events in hypercholesterolaemic patients (JELIS): A randomized open-label, blinded endpoint analysis. *Lancet*, Mar 31; 369(9567): Pp.1090-8.
- Zeng, T., Guo, FF., Zhang, CL., Song, FY., Zhao, XL. and Xie, KQ., (2012), "A meta-analysis of randomized, double-blind, placebo-controlled trials for the effects of garlic on serum lipid profiles." *J. Sci. Food. Agric.*, Jul; 92(9): Pp.1892-902.
- Zhang, LN., Yang, YM., Xu, ZR., Gui, QF. and Hu, QQ., (2010), Chewing substances with or without tobacco and risk of cardiovascular disease in Asia: A meta-analysis. *J. Zhejiang Univ. Sci. B.*, Sept; 11(9): Pp.681-9.
- Zibaeenezhad, MJ., Shamsnia, SJ. and Khorasani, M., (2005), Walnut consumption in hyperlipidemic patients. *Angiology*, Sep-Oct; 56(5): Pp.581-3.
- Zwar, N., Richmond, R., Borland, R Dr., Litt, J Dr., Peters, M., Stillman, S., Bell, J. and Caldwell, B., (2007), Smoking cessation pharmacotherapy: An update for health professionals. Melbourne: Royal Australian College of General Practitioners, 2007. ISBN 978-0-86906-288-3.

## **Website**

- <http://www.mayoclinic.com/health/flaxseed/AN01258>
- <http://www.webmd.com/diet/features/go-nuts-on-your-diet>
- <http://umm.edu/health/medical/altmed/supplement/omega3-fatty-acids>
- <http://www.whfoods.com/genpage.php?tname=foodspice&dbid=81>
- <http://www.nutsforalmonds.com/nutrition.htm>
- <http://myhealthlist.net/2013/03/health-benefits-of-almonds/>