
Bibliography

BIBLIOGRAPHY

- Abdul-Baki, A.A and Anderson, J.D. (1973), Vigour determination in soyabean seed by multiple criteria, *Crop Science*, 3, 630-633.
- Abirami, P., Anjanadevi, N and Thangavel, C. (2005), Pollution abatement of dye industry effluents using aquatic macrophytes, *Journal of Industrial Pollution Control*, 21(2), 309-314.
- Ajmal, M., Rao, R.A.K and Siddiqui, B.A. (1996), Studies on removal and recovery of Cr(VI) from electroplating wastes, *Water Research*, 30(6), 1478-1482.
- Ajmal, M., Mohammad, A., Yousuf, R and Ahmad, A. (1998), Adsorption behavior of cadmium, zinc, nickel and lead from aqueous solution by *Mangifera India* seed shell, *Indian Journal of Environmental Health*, 40, 15-26.
- Ajmal, M., Rao, K.A.R., Ahmad, J and Rao, K.A.L. (2001), Removal and recovery of heavy metals from electroplating wastewater by using kyanite as an adsorbent, *Journal of Hazardous Materials*, 87(1-3), 127-137.
- Ajmal, M., Rao, R.A.K., Anwar, S., Ahmad, J and Ahmad, R. (2003), Adsorption studies on rice husk: removal and recovery of Cd(II) from wastewater, *Bioresource Technology*, 86, 147-149.
- Akhil, A., Mouflih, M and Seloti, S. (2004), Removal of heavy metal ions from water by using calcined phosphate as a new adsorbent, *Journal of Hazardous Materials*, 87(1-3), 127-137.
- Akhtar, M., Bhangar, I.M., Iqbal, S and Hasany, M.S. (2006), Sorption potential of rice husks for the removal of 2,4-dichlorophenol from aqueous solutions, kinetic and thermodynamic investigations, *Journal of Hazardous Materials*, 128(1), 44-52.
- Aksu, Z. (2002), Determination of equilibrium, kinetics and thermodynamic parameters of batch biosorption of nickel(II) onto *Chlorella vulgaris*, *Process Biochemistry*, 38, 89-99.
- Al-Asheh, S., Bana, F., Al-Omari, R and Duvnjak, Z. (2000), Predictions of binary sorption isotherms for the sorption of heavy metals by pine bark using single isotherm data, *Chemosphere*, 41, 659-665.

- Al-Asheh, A., Banat, F and Al-Rousan, D. (2002), Adsorption of copper, zinc and nickel ions from single and binary metal ion mixtures on to chicken feathers, *Adsorption Science and Technology*, 20(9), 849-864.
- Ali, I and Gupta, V.K. (2004), Removal of lead and chromium from wastewater using bagasse fly ash-a sugar industry waste, *Journal of Colloid and Interface Science*, 271, 321-328.
- Alloway, B.J. (1995), *Heavy metals in Soils*, Second Edition, Chapman and Hall, Glasgow, p6-11.
- Anatolaki, C.H and Tsitouridou, R. (2005), Trace metal concentrations in wet and dry atmospheric deposition in Thersalaniki, Greece, *Research Journal of Chemistry and Environment*, 9(2), 26-33.
- Anirudhan, T.S and Sreedhar, M.K. (1999), Mercury(II) adsorption and desorption characteristics of coconut husk based carbon kinetic of self diffusion, *Indian Journal of Environmental Protection*, 19(1), 6-10.
- Ariff, A.B., Mel, M., Hasan, M.A and Karim, M.I.A. (1999), The kinetics of mechanism of lead(II) biosorption by powderized *Rhizopus oligosporus*, *World Journal of Microbiology and Biotechnology*, 15, 255-260.
- Arpa, C., Say, R., Satiroglu, N., Bektas, S., Yurum, Y and Genc, O. (2000), Heavy metal removal from aquatic systems by northern Anatolian smectites, *Turkey Journal of Chemistry*, 24, 209-215.
- Arulanantham, A., Ramakrishna, T.V and Balasubramanian, N. (1992), Studies on fluoride removal by coconut shell carbon, *Indian Journal of Environmental Protection*, 12(7), 531-536.
- Arunkumar, J. (2005), Impact of shrimp farm effluents on the growth of a seaweed, *Gracilaria edulis*, *Journal of Ecotoxicology and Environmental Monitoring*, 15(1), 61-64.
- Ayub, S., Ali, S.I and Khan, N.A. (2001a), Study on the removal of Cr(II) by sugarcane bagasse from waste water, *Pollution Research Journal*, 2(2), 233-237.
- Ayub, S., Ali, S.I and Khan, N.A. (2001b), Efficiency evaluation of neem (*Azadirachta indica*) bark in treatment of industrial wastewater, *Environmental Pollution Control Journal*, 4(4), 34-38.

- Ayub, S., Ali, S.I., Khan, N.A and Rao, R.A.K. (1998), Treatment of wastewater by agricultural waste, *Environmental Protection Control Journal*, 2(1), 5-8.
- Ayub, S., Ali, S.I and Khan, N.A. (2002), Adsorption studies on the low cost adsorbent for the removal of Cr(VI) from electroplating wastewater, *Environmental Pollution Control Journal*, 5(6), 10-20.
- Babel, S and Kurniawan, T.A. (2003), Low cost adsorbents for heavy metals uptake from contaminated water: a review, *Journal of Hazardous Materials*, 97(1-3), 219-243.
- Bailey, S.E., Olin, T.J., Bricka, R.M and Adrian, D.D. (1999), A review of potentially low-cost sorbents for heavy metals, *Water Research*, 33(11), 2469-2479.
- Baisakh, P.C and Patnaik, S.N. (2002), Removal of hexavalent chromium from aqueous solutions by adsorption on coal char, *Indian Journal of Environmental Health*, 44(3), 189-196.
- Bakkaloglu, I., Butter, T.J., Evison, L.M., Holland, F.S and Handcock, I.C. (1998), Screening of various types of biomass for removal and recovery of heavy metals (Zn, Cu, Ni) by biosorption, sedimentation and desorption, *Water Science Technology*, 38, 269-277.
- Banat, F.A and Al-Asheh, S. (2000), Biosorption of phenol by chicken feathers, *Environmental Engineering and Policy*, 2, 85-96.
- Banat, F.A and Al-Asheh, S. (2001), The use of human hair waste as a phenol biosorbent, *Adsorption Science and Technology*, 19(7), 599-608.
- Banat, F.A., Al-Bashir, B., Al-Asheh, S and Hayajneh, O. (2000), Adsorption of phenol by bentonite, *Environmental Pollution*, 107, 391-398.
- Banat, F.A., Al-Asheh, S and Al-Rousan, D. (2002), Comparison between different keratin composed biosorbents for the removal of heavy metal ions from aqueous solution, *Adsorption Science and Technology*, 20(4), 393-416.
- Bansal, O.P. (1996), Heavy metal pollution of soils and plants to sewage irrigation, *Indian Journal of Environmental Health*, 40, 51-57.
- Baral, S.S., Das, S.N., Chaundhury, G.R and Rath, P. (2008), Adsorption of Cr(VI) by treated weed *Salvinia cucullata*: kinetics and mechanism, *Adsorption*, 14, 111-121.

- Bass, D.A., Hickok, D., Quig, D and Urek, K. (2001), Trace element analysis in hair: Factors determining accuracy, precision and reliability, *Alternative Medicine Review*, 6(5), 472-481.
- Bayat, N. (2002), Comparative study of adsorption properties of Turkish fly ashes, the case of nickel(II), copper(II) and zinc(II), *Journal of Hazardous Materials*, 95(3), 251-273.
- Benito, Y and Ruiz, M.L. (2002), Reverse osmosis applied to metal finishing wastewater, *Desalination*, 142(3), 229-234.
- Bose, T.K., Basu, S and Basu, R.N. (1973), Changes in rooting on cutting of *Bougainvillea* and *Hibiscus*, *Indian Journal of Plant Physiology*, 16, 127-139.
- Brady, J.M and Tobin, J.M. (1995), Binding of hard and soft metal ions to *Rhizopus arrhizus* biomass, *Enzyme and Microbial Technology*, 17, 791-796.
- Braukmann, B.M. (1990), Industrial solution amenable to biosorption, In *Biosorption*, CRC Press, Boca Raton, FL, 52-63..
- Brown, P.A., Gill, S.A and Allen, S.J. (2000), Metal removal from wastewater using peat, *Water Research*, 34(16), 3907-3916.
- Canpanella, L., Beone, T., Sammartino, M.P and Tomassetti, S. (1993), Determination of phenol in wastes and water using an enzymes sensor, *Analyst*, 8, 581-585.
- Ceribasi, H.I and Yetis, U. (2001), Biosorption of Ni(II) and Pb(II) by *Phanaerochate chryso sporium* from a binary metal system kinetics, *Water Research*, 27(1), 15-20.
- Chand, S., Aggarwal, V.K and Kumar, P. (1994), Removal of hexavalent chromium from the wastewater by adsorption, *Indian Journal of Environmental Health*, 36(3), 151-158.
- Chandra, P., Sinha, S and Rai, U.N. (1997), Bioremediation of chromium from water and soil by vascular aquatic plants, In: *Phytoremediation of Soil and Water Contaminants*, 274-282.
- Chatwal, R.G and Sharma, H. (2005), *A text book of environmental studies*, First Edition, Himalaya Publishing House, Mumbai, p212.
- Chen, C.Y and Lin, T.H. (1998), Nickel toxicity to human term placenta: *in vitro* study on lipid peroxidation, *Journal of Toxicology and Environmental Health*, 54, 37-47.

- Chen, X.C., Wang, Y.P., Lin, Q., Shi, J.N., Wu, W.X and Chen, Y.X. (2005), Biosorption of zinc(II) and zinc(III) from aqueous solution by *Pseudomonas putida* CZI, Colloids and Surfaces B. Binterfaces, 46, 101-107.
- Cho, H., Oh, D and Kim, K. (2005), A study on removal characteristics of heavy metals from aqueous solution by fly ash, Journal of Hazardous Materials, 127(1-3), 187-195.
- Choy, H.K.K and McKay, G. (2005), Sorption of metal ions from aqueous solution using bone char, Environment International, Soil Contamination and Environmental Health, 31(6), 845-854.
- Chuah, G.T., Jumariah, A., Azhi, I., Katayon, S and Choong, T.Y.S. (2005), Rice husk as a potentially low cost biosorbent for heavy metal and dye removal: an overview, Desalination, 175(3), 305-316.
- Cimino, G., Passerini, A and Toscano, G. (2000), Removal of toxic cations and Cr(VI) from aqueous solution by hazel nut shell, Water Research, 34, 2955-2962.
- Cohen, M.D., Kargacin, B., Klein, C.B and Costa, M. (1993), Mechanisms of chromium carcinogenicity and toxicity, Critical Review of Toxicology, 23(3), 255-281.
- Coleman, J.N., Lee, E.W and Slipper, J.I. (2005), Interactions of aqueous Cu^{2+} , Zn^{2+} , Pb^{2+} ions with crushed concrete fines, Journal of Hazardous Materials, 121(1-3), 203-213.
- Congeevaram, S., Dhanarani, S., Park, J., Dexilin, M and Thamaraiselvi, K. (2007), Biosorption of chromium and nickel by heavy metal resistant fungal and bacterial isolates, Journal of Hazardous Material, 146(1-2), 270-277.
- Conservation Currents. (2005), Heavy metal pollution is more common than you think, Northern Virginia soil and Water Conservation District, (<http://www.fairfaxcountry.gov/nvswcd/newsletter/heavymetal.htm>)
- Costa, M. (2003), Potential hazards of hexavalent chromate in our drinking water, Toxicology and Applied Pharmacy, 188, 1-5.
- Crini, G. (2005), Recent developments in polysaccharide based-materials used as adsorbents in waste water treatment, Progress in Polymer Science, 30(1), 38-70.
- Dadhich, A.S., Beebi, S.K and Kavitha, V. (2004), Adsorption of Ni(II) using agrowaste, rice husk, Journal of Environmental Science and Engineering, 46(3), 179-185.

- Dahbi, S., Azzi, M., Saib, N., Guardia, D.M., Faure, R and Durand, R. (2002), Removal of trivalent chromium from tannery waste waters using bone charcoal, *Analytical and Bioanalytical Chemistry*, 374, 540-546.
- Dara, S.S. (2002a), A text book of Environmental Chemistry, First Edition, S. Chand and Company Ltd., New Delhi, p210.
- Dara, S.S. (2002b), A textbook of Environmental Chemistry and Pollution Control, First Edition, S. Chand & Company Ltd., New Delhi, p209-210.
- Darnell, D.W., Greene, B., Henzl, M.T., Hosea, J.M., McPherson, R.A., Sneddon, J and Alexander, M.D. (1986), Selective Recovery of Gold and Other Metal Ions from an Algal Biomass, *Environmental Science and Technology*, 20(2), 206-208.
- Dean, J.G., Bosqui, F.L and Lanouette, K.H. (1972), Removing heavy metals from waste water, *Environmental Science and Technology*, 6, 518-524.
- Deo, N and Ali, M. (1992), Optimization of a new low cost adsorbent in the removal of Cr(II) from industrial waste water, *Indian Journal of Environmental Protection*, 12(11), 828-834.
- Dhakal, P.R., Ghimire, N.K and Inove, K. (2005), Adsorptive separation of heavy metals from an aquatic environment using orange waste, *Hydrometallurgy*, 79(3-4), 182-190.
- Diels, L., Vanroy, S., Taghavi, S., Doyen, N., Leysen, R and Mergeay, M. (1993), Biohydrometallurgical technologies, TMS Publications, USA, 133-144.
- Disimine, D., Finoli, C., Vecchio, A and Andreoni, V. (1998), Metal ion accumulation by immobilized cells of *Brevibacterium* sp., *Journal of Indian Microbiology and Biotechnology*, 20, 116-120.
- Dolar, S.G., Boyle, J.R and Keeney, A.D. (1972), Paper mill sludge disposal on soils: effect on the yield and mineral nutrition of oats (*Avena sativa*, L), *Journal of Environmental Quality*, 1, 405-409.
- Duncan, J.R., Brady, D and Stoll, A. (1994), Biosorption of heavy metals cations by non-viable yeast biomass, *Environmental Technology*, 15, 429-438.
- Ebenezer, M. (2003), A comparative study of heavy metals in the water of an urban and a rural pond, *Journal of Ecobiology*, 15(6), 407-412.

- Erdei, L., Mezosi, G., Mecs, I., Vass, I., Foglein, F and Bulik, L. (2005), Phytoremediation as a program for decontamination of heavy metal polluted environment, *Acta Biologica Szegediensis*, 49(1-2), 75-76.
- Farlex, Incorporated, (2005), Definition: Environment, The Free Dictionary, Forlex Inc. Publishing, U.S.A. <http://www.forlex.com/dictionary.html>
- Ferner, D.J. (2001), Toxicity, Heavy metals, *Journal of eMedicine*, 2(5), 1
- Fourest, E., Canal, C and Roux, I.C. (1994), Improvement of heavy metal biosorption by mycelial dead biomasses (*Rhizopus arrhizus*, *Mucor miehei* and *Penicillium chrysogenum*): pH control and cationin activation, *FEMS Microbiology Reviews*, 14, 325-332.
- Garg, U.K., Singh, S., Kaur, M.P and Sud, D. (2007), Removal of Ni(II)ions from aqueous solutions by sugarcane bagasse, *Pollution Research*, 26(1), 59-62.
- Ghose, S. (2003), *Environmental Chemistry*, First Edition, Dominant Publishers & Distributors, New Delhi, p251, 265.
- Ghosh, P.C. (1966), Use of paper mill waste as a soil amendment of acid soils, *Science and Culture*, 32, 312-316.
- Gonzo, E.E and Gonzo, L.F. (2005), Kinetics of phenol removal from aqueous solution by adsorption onto pea nut shell acid-activated carbon, *Adsorption Science and Technology*, 23, 289-302.
- Goto, M and Suyama, K. (2000), Occlusion of transition metal ions by new adsorbents synthesized from plant polyphenols and animal fibrous protein, *Applied Biochemistry and Biotechnology*, 84-86, 1021-1038.
- Gourdon, R., Rus, E., Bhende, S and Sofer, S.S. (1990), Mechanism of cadmium uptake by active sludge, *Applied Microbiology and Biotechnology*, 34, 274-278.
- Gunasekaran, G. (1999), Microbial decontamination of heavy metals, *Proceedings of the workshop on bioremediation of polluted habitats*, Tamil Nadu Agricultural University, Coimbatore, India, 1-3.
- Guo, J and Lua, A.C. (2002), Characterization of adsorbent prepared from oil-palm shell by carbon dioxide activation for removal of gaseous pollutants, *Materials Letters*, 55(5), 334-339.

- Gupta, K.V., Mohan, D., Sharma, S and Park, T.K. (1999), Removal of chromium(VI) from electroplating industry waste water using bagasse fly ash a sugar industry waste material, *The Environmentalist*, 19, 129-136.
- Gupta, R., Ahuja, P., Khan, S., Saxena, R.K and Mohapatra, H. (2000), Microbial biosorbents: Meeting challenges of heavy metal pollution in aqueous solutions, *Current Science*, 78(8), 967-973.
- Gupta, S and Singh, R.P. (2004), Comparative adsorption study of toxic metal by waste product, *Indian Journal of Environmental Protection*, 24(11), 863-866.
- Gupta, S and Babu, B.V. (2006), Adsorption of Cr(VI) by a low-cost adsorbent prepared from neem leaves, *Proceedings of National Conference on Environmental Conservation (NCEC-2006)*, Pilani, 175-180.
- Gupta, S and Babu, B.V. (2007), Adsorption of chromium(VI) by a low-cost adsorbent prepared from tamarind seeds, *Chemical Engineering group, Birla Institute of Technology and Science, Pilani, Rajasthan, India*, p1-5.
- Hamadi, N.K., Chen, X.D., Farid, M.M and Lu, M.G.Q. (2001), Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tires and saw dust, *Journal of Chemical Engineering*, 84, 95-105.
- Harsfall, M and Abia, A.A. (2003), Sorption of cadmium(II) and zinc(II) ions from aqueous solutions by cassava waste biomass (*Manihot sculentaranz*), *Water Research*, 37(20), 4913-4923.
- Hassan, S.S.M., Awwad, N.S and Aboterika, A.H.A. (2006), Removal of chromium(VI) from wastewater using sorel's cement, *Journal of Radioanalytical and Nuclear Chemistry*, 269(1), 135-140.
- Hawkes, J.S. (1997), Heavy metals, *Journal of Chemistry and Education*, 74(11), 1374.
- Holum, J.R. (1983), *Elements of general and biological chemistry*, Sixth Edition, John Wiley and Sons, New York, p324,326,353,469.
- Hossain, M.A., Kumita, M., Michigami, Y and Mori, S. (2005), Optimization of parameters for Cr(VI) adsorption on used black tea leaves, *Adsorption*, 11(5-6), 561-568.
- <http://www.edugreen.teri.res.in/explore/bio/bioreem.htm>.
- Hung, C.P and Wu, M.H. (1975), Chromium removal by carbon adsorption, *Journal of Water Pollution Control*, 47, 2437-2446.

- Iman, Y., El-Sherif, A., Ashmawy and Badra, S. (2008), Biosorption of cadmium and nickel by Nile water algae, *Journal of Applied Sciences Research*, 4(4), 391-396.
- Inbaraj, S.B and Sulochana, N. (2004), Carbonized jack fruit peel as an adsorbent for the removal of Cd(II) from aqueous solution, *Bioresource Technology*, 94(1), 49-52.
- Iqbal, M., Saeed, A and Akhtar, N. (2002), Petiolar felt-sheath of palm: a new biosorbent for the removal of heavy metals from contaminated water, *Bioresource Technology*, 81, 151-153.
- ISI. (1984), *Handbook of food analysis*, Indian Standards Institution, New Delhi, p153.
- Jain, C.K., Kumar, A and Izazy, M.H. (2008), Colour removal from paper mill effluent through adsorption technology, *Environmental Monitoring Assessment*, 1-6.
- Jamode, A.V., Chandak, B.S., Jamode, V.S and Parwate, A.V. (2003), Applications of the inexpensive adsorbents for the removal of heavy metals from industrial waste water, *Journal of Industrial Pollution Control*, 19(1), 114-134.
- Jeyanthi, G.P and Shanthi, G. (2007), Remediation of lead from lead electroplating industrial effluent using sago waste, *Journal of Environmental Science*, 49(1), 13-16.
- Johnsons, D.P., Watson, A.M., Brown, J and Jefcoat, A.I. (2002), Peanut hull pellets as a single use sorbent for the capture of Cu(II) from waste water, *Waste Management*, 22(5), 471-480.
- Kadirvelu, K., Kavipriya, M., Karthika, C., Radhika, M., Venilamani, N and Pattabhi, S. (2003), Utilization of various agricultural wastes for activated carbon preparation and application for the removal of dyes and metal ions from aqueous solution, *Bioresource Technology*, 87(1), 129-132.
- Kadirvelu, K., Senthilkumar, P., Thamaraiselvi, K and Subburam, V. (2002), Activated carbon prepared from biomass as adsorbent: elimination of Ni(II) from aqueous solution, *Bioresource Technology*, 81(1), 87-90.
- Kadirvelu, K., Thamaraiselvi, K and Namasivayam, C. (2001a), Removal of heavy metals from industrial waste waters by adsorption onto activated carbon prepared from an agricultural solid waste, *Bioresource Technology*, 76(1), 63-65.
- Kadirvelu, K., Thamaraiselvi, K and Namasivayam, C. (2001b), Adsorption of nickel(II) from aqueous solution onto activated carbon prepared from coirpith, *Separation and Purification Technology*, 24(3), 494-505.

- Kaewsarn, P and Yu, Q. (2001), Cadmium(II) removal from aqueous solutions by pre-treated biomass of marine alga *Padina* sp., *Environmental Pollution*, 112, 209-213.
- Kanan, K. (1991), *Fundamentals of Environmental Pollution*, S. Chand and Corporate Ltd., New Delhi, p3-8.
- Kandah, M. (2001), Zinc adsorption from aqueous solutions using disposal sheep manure, *Chemical Engineering Journal*, 84(3), 542-549.
- Kannan, N and Vanangamudi, A. (1991), A study on the removal of chromium(VI) by adsorption on lignite coal, *Indian Journal of Environmental Protection*, 11(4), 241-245.
- Kapoor, A and Viraraghavan, T. (1995), Fungal biosorption an alternative treatment option for heavy metal bearing waste waters: a review, *Bioresource Technology*, 53, 195-206.
- Kapoor, A., Viraraghavan, T and Cullimore, D.R. (1999), Removal of heavy metals using the fungus *Aspergillus niger*, *Bioresource Technology*, 70, 95-104.
- Kar, P and Misra, M. (2004), Use of keratin fiber for separation of heavy metals from water, *Journal of Chemical Technology and Biotechnology*, 76(11), 1311-1319.
- Karabulut, S., Karabakan, A., Denizli, A and Yarum, Y. (2000), Batch removal of Cu(II) and Zn(II) from aqueous solutions with low rank Turkish coals, *Separation and Purification Technology*, 18(3), 177-184.
- Katyal, K.S., Daga, K and Loonker, S. (2003), Dye removal by low cost adsorbents prepared from *Prosopis cineraria* of thar desert, *Pollution Research*, 22(1), 61-64.
- Katz, S.A and Chatt, A. (1988), The significance of hair analysis, In: *hair analysis: applications in the biomedical and Environmental Sciences*, VCH Publishers, New York, p105-109.
- Kaya, A and Oren, H.A. (2005), Adsorption of zinc from aqueous solutions to bentonite, *Journal of Hazardous Material*, 125(1-3), 183-189.
- Keith, L.H and Telliard, W.A. (1979), Priority pollutants, a perspective view, *Environmental Science and Technology*, 13, 416-423.
- Khalid, N., Ahmad, S., Toheed, S and Ahmad, J. (2000), Potential of rice husks for antimony removal, *Applied Radiation and Isotopes*, 52, 30-38.
- Khan, N.A., Ali, S.I and Ayub, S. (2001), Effect of pH on the removal of chromium (Cr(VI)) by sugar cane bagasse, *Science and Technology*, 6, 13-19.

- Khan, N.A., Ibrahim, S and Subramaniam, P. (2004), Elimination of heavy metals from waste water using agricultural wastes as adsorbents, Malaysian Journal of Science, 23, 43-51.
- Khan, N.A., Shaaban, M.G and Jamil, Z. (2003a), Chromium removal from wastewater through adsorption process, UM Research seminar 2003 organized by Institute of Research Management and Consultancy, University of Malaya, Kuala Lumpur.
- Khan, N.S., Shaaban, M.G and Hassan, M.H.A. (2003b), Removal of heavy metal using an inexpensive adsorbent, UM Research seminar 2003 organized by Institute of Research Management and Consultancy, University of Malaya, Kuala Lumpur.
- Khopkar, S.M. (1995), Environmental Pollution Analysis, Wiley Eastern Ltd., New Delhi, p8-9.
- Khopkar, S.M. (1998), Environmental pollution analysis, New Age International (P) Ltd Publishers, New Delhi, p31.
- Kogej, A and Pavko, A. (2001), Comparison of *Rhizopus nigricans* in a pelleted growth form with some other types of waste microbial biomass as biosorbents for metal ions, World Journal of Microbiology and Biotechnology, 17, 677-685.
- Kokila, S., Bhuvaneshwari, V and Jeyanthi, G.P. (2005), Mutagenicity of zinc electroplating industry effluents and genotoxicity in lymphocytes of zinc electroplating industry workers, Journal of Industrial Pollution Control, 21(2), 243-250.
- Kortenkamp, A., Casadevall, M., Foux, S.P., Jenner, A., Shayer, R.O.J., Woodbridge, N and Obrien, P. (1996), A role for molecular oxygen in the formation of DNA damage during the reduction of the carcinogen chromium(VI) by glutathione, Archives of Biochemistry and Biophysics, 329(2), 199-208.
- Kovacevic, Z.F., Sipos, L and Briski, F. (2000), Biosorption of chromium, copper, nickel and zinc ions onto fungal pellets of *Aspergillus niger* 405 from aqueous solutions, Food Technology and Biotechnology, 38(3), 211-216.
- Kudesia, V.P. (2000), Air pollution, Third Edition, A Pragati Publication, Meerut, p200.
- Kumar, A. (2004), Water Pollution, A.P.H-Published Corporation, New Delhi, p244.
- Kumar, P and Dara, S.S. (1980), Binding heavy metal ions with polymerized onion skin, Nagpur, India, p141-152.

- Kumar, U. (2006), Agricultural products and by-products as a low cost adsorbent for heavy metal removal from water and waste water: A review, *Scientific Research and Essay*, 1(2), 33-37.
- Lapedes, D.N. (1974), *Encyclopedia of Environmental Science*, MC-Graw Hill book company, New York, p259.
- Lau, P.S., Tsang, C.C.K., Tam, N.F.Y and Wong, Y.S. (1999), Effect of metal interference, pH and temperature on copper and nickel biosorption by *Chlorella vulgaris* and *Chlorella miniata*, *Environmental Technology*, 20, 953-961.
- Lee, S.M and Davis, A.P. (2001), Removal of copper and cadmium ions from aqueous solution by sea food processing waste sludge, *Water Research*, 35, 534-540.
- Lenntech. (2004), *Water treatment and Air purification*, Lenntech Publications, Netherlands. <http://www.lenntech.com/index.htm>.
- Liao, M.H and Chen, D.H. (2002), Fast and efficient adsorption/desorption of protein by a novel magnetic nano-adsorbent, *Biotechnology Letters*, 24(22), 1913-1917.
- Lima, L., Olivares, S., Martinez, F., Torres, J., Dela Rosa, D and Sepulveda, C. (1998), Use of immobilized tannin adsorbent for removal of Cr(VI) from water, *Journal of Radioanalytical and Nuclear Chemistry*, 231(1-2), 35-40.
- Lokhande, R.S and Vaidya, S.S. (2004), Physicochemical studies on the industrial effluents from the MIDC area of Kalia-dombivali (Maharashtra), *Journal of Ecotoxicology and Environmental Monitoring*, 14(3), 199-202.
- Lopez, A., Lazrbo, N., Morales, S and Marques, A.M. (2002), Nickel biosorption by free and immobilized cells of *Pseudomonas fluorescens* 4F39: a comparative study, *Water, Air and Soil Pollution*, 135, 157-172.
- Lu, C and Chiu, H. (2006), Adsorption of zinc(II) from water with purified carbon nanotubes, *Chemical Engineering Science*, 61(4), 1138-1145.
- Mahadevaswamy, M., Mall, J.D., Prasad, B and Mishra, I.M. (1998), Sorption characteristics of o-cresol on bagasse fly ash and activated carbon, *Indian Journal of Environmental Health*, 40(1), 67-78.
- Mahvi, A.H., Naghipour, D., Vaezi, F and Nazmara, S. (2005), Teawaste as an adsorbent for heavy metal removal from industrial waste waters, *American Journal of Applied Sciences*, 2(1), 372-375.

- Malkoc, E. (2006), Ni(II) removal from aqueous solutions using cone biomass of *Thuja orientalis*, Journal of Hazardous materials, B87, 127-137.
- Man, A.C., Zheng, Y.H and Mak, P.K. (1996), Trace elements in scalp hair of professional drivers and university teachers in Hong Kong, Biological Trace Element Research, 53, 241-247.
- Maranon, E and Sastre, H. (1991), Heavy metal removal in packed beds using apple wastes, Bioresource Technology, 38, 3943.
- Massa, P.A., Ayude, M.A., Fenoglio, R.J., Gonzalez, J.F and Haure, P.M. (2004), Catalyst systems for the oxidation of phenol, Water Resource Technology, 133-140.
- McCluggage, D. (1991), Heavy metal poisoning, NCS Magazine, The Bird Hospital Publications, USA. (www.cocktails.org/articles/diseases/metals.html).
- McDonald, D.G and Grandt, A.F. (1981), Limestone-Lime treatment of acid mine drainage-full scale, EPA Project Summary.
- Meagher, R.B. (2000), Phytoremediation of toxic elemental and organic pollutants, Current Opinion in Plant Biology, 3(2), 153-162.
- Meena, K.A., Kadirvelu, K., Mishra, G.K., Rajagopal, C and Nagar, P.N. (2008), Adsorptive removal of heavy metals from aqueous solution by treated saw dust (*Acacia Arabica*), 150(3), 604-611.
- Meena, K.A., Misha, K.G., Rai, K.P., Rajagopal, C and Nagar, N.P. (2005), Removal of heavy metal ions from aqueous solutions using carbon aerogel as an adsorbent, Journal of Hazardous Materials, 122(1-2), 161-170.
- Mohan, D and Singh, P.K. (2002), Single and multi component adsorption of cadmium and zinc using activated carbon derived from bagasse as agricultural waste, Water Research, 36(9), 2304-2318.
- Mukherjee, S., Kumar, S., Misra, A.K and Acharya, P.C. (2006), Removal of aqueous nickel(II) using laterite as a low cost adsorbent, Water Environmental Research, 78(11), 2268-2275.
- Munaf, E and Zein, R. (1997), The use of rice husk from removal of toxic metals from wastewater, Environmental Technology, 18, 359-362.

- Nagda, G.K., Diwan, A.M and Ghole, V.S. (2007), Potential of tendu leaf refuse for phenol removal in aqueous systems, *Applied Ecology and Environmental Research*, 5(2), 1-9.
- Namasivayam, C and Kadirvelu, K. (1998), Carbonised coirpith as an adsorbent for the removal of toxic ions, dyes and pesticides from waste waters, *Indian Journal of Chemical Technology*, 5(9), 334-336.
- Neelavathi, A., Chandrasekhar, K.B., Ramesh babu, C and Jayaveera, K.N. (2004), Removal of toxic Cr(VI) by the adsorption of activated carbons prepared from simarouba shells, *Journal of Environmental Science and Engineering*, 46(2), 137-142.
- Neubauer, U., Nowack, B., Furrer, G and Schulin, R. (2000), Heavy metal sorption on clay minerals affected by the siderophore desferrioxamine B, *Environmental Science and Technology*, 34(13), 2749-2755.
- Nolan, K. (2003), Copper toxicity syndrome, *Journal of Orthomol. Psychiatry*, 12(4), 270-282.
- Nomanbhay, S.M and Palanisamy, K. (2005), Removal of heavy metal from industrial wastewater using chitosan coated oil palm shell charcoal, *Electronic Journal of Biotechnology*, 8(1), 43-53.
- Ogwuegbu, M.O.C and Ljioma, M.A. (2003), Effects of certain heavy metals on the population due to mineral exploitation. In: *International conference on scientific and environmental issues in the population, Environment and sustainable development in Nigeria*, Nigerian, p8-10.
- Ogwuegbu, M.O.C and Muhanga, W. (2005), Investigation of lead concentration in the blood of people in the copperbelt province of Zambia, *Journal of Environment*, 1, 66-75.
- Omkar. (2003), *Concepts of Toxicology*, Vishal publishing company, Jalandhar, p352.
- Ozdemir, G., Ceyhan, N., Ozturk, T., Akirmak, F and Cosar, T. (2004), Biosorption of chromium(VI), cadmium(II) and copper(II) by *Pantoea sp.* Tem 18, *Chemical Engineering Journal*, 102(3), 249-253.
- Oze, G., Oze, R., Anunuso, C., Ogukwe, C., Nwanjo, H and Okorie, K. (2006), Heavy metal pollution of fish of Qua-Iboe river estuary: possible implications for neurotoxicity, *The Internet Journal of Toxicology*, 3(1), 23-33.

- Pandey, A., Bera, D., Shukla, A and Ray, L. (2007), Biosorption of Cr(VI), Pb(II) and Cu(II) using calcium alginate beads, *Chemical Specification and Bioavailability*, 19(1), 17-24.
- Park, S and Jung, W.Y. (2001), Removal of chromium by activated carbon fibers plated with copper metal, *Carbon Science*, 2(1), 15-21.
- Parker, P. (1980), *Encyclopedia of Environmental Science*, Second Edition, McGraw Hill, New York, p53.
- Pearson, D. (1970), *The Chemical analysis of food*, Sixth Edition, J and A Publications, Churchill, London, p289, 462.
- Periasamy, K., Srinivasn, K and Murugan, P.K. (1991), Studies on chromium(VI) removal by activated groundnut husk carbon, *Indian Journal of Environmental Health*, 33(4), 433-439.
- Prabhakar, V.K. (2001), *Prevention and Control of Pollution*, First Edition, Anmol Publications Private Ltd., New Delhi, p93.
- Puranik, R.P and Paknikar, M.K. (1997), Biosorption of lead and zinc from solutions using *Streptovercillum cinnamoneus* waste biomass, *Journal of Biotechnology*, 55(2), 113-124.
- Quek, S.Y., Wase, D.A.J and Forster, C.F. (1998), The use of sago waste for the sorption of lead and copper, *Water S. A.* 24(3), 251-256.
- Quintelas, C and Tavares, T. (2001), Removal of chromium(VI) and cadmium(II) from aqueous solution by a bacterial biofilm supported on granular activated carbon, *Biotechnology Letters*, 23, 1349-1353.
- Raghuramulu, N., Nair, K.M and Sundaram, S.K. (1983), *A manual of laboratory techniques*, First Edition, National Institute of Nutrition, ICMR, Hyderabad, India, p31-33.
- Raj, A.S. (2004), Adsorption behavior of nickel on activated carbon, *Indian Journal of Environmental Protection*, 24(7), 530-533.
- Rajula, R.G and Padmadevi, S.N. (2000), Effect of industrial effluents without and with BGA on the growth and biochemical contents of the seedlings of *Helianthus annuus, L*, *Asian Journal of Microbiology, Biotechnology and Environmental Scient*, 2(3-4), 151-154.

- Ramos, R.L., Martinez, A.J and Coronodo, R.M.G. (1994), Adsorption of chromium(VI) from aqueous solutions on activated carbon, *Water Science Technology*, 30(9), 191-197.
- Ramu, A., Kannan, N and Srinivasan, S.A. (1992), Adsorption of carboxylic acids on fly ash and activated carbon, *Indian Journal of Environmental Health*, 34(3), 192-199.
- Rana, S.V.S. (2005), *Essentials of Ecology and Environmental Science*, Second Edition, Printice-Hall of India Private Ltd., New Delhi, p352.
- Randall, J.M., Hautala, E and Waiss, A.C. (1978), Binding of heavy metal ions by formaldehyde polymerized peanut skins, *Journal of Applied Polymer Science*, 22, 379-389.
- Randall, J.M., Hautala, E., Waiss, A.C and Tschernitz. (1974), Modified barks as scavengers for heavy metal ions, *Forest Production Journal*, 26(8), 46-50.
- Ranganathan, K. (2000), Chromium removal by activated carbons prepared from *Casurina equisetifolia* leaves, *Bioresource Technology*, 73, 99-103.
- Rao, M and Bhole, A.G. (2001), Chromium removal adsorption using fly ash and bagasse, *Journal of Indian Water Works Association*, 33(1), 97-100.
- Rao, M., Paswate, V.A and Bhole, A.G. (2003), Heavy metals removal by adsorption using bagasse and modification to Helfferich model, *Environmental Pollution Control Journal*, 69(4), 6-12.
- Rathi, A.K.A and Puranik, S.A. (2002), Mixed streams wastewater treatment using adsorption, *Indian Journal of Environmental Health*, 44(2), 138-152.
- Rengaraj, S., Sivabalan, R., Banumathi, A and Murugesan, V. (2000), Adsorption kinetics of o-cresol on activated carbon from palm seed coat, *Indian Journal of Chemical Technology*, 7(5), 127-131.
- Rengaraj, S., Yeon, K.H and Moon, S.H. (2001), Removal of chromium from water and wastewater by ion exchange resins, *Journal of Hazardous Materials*, 87(1-3), 273-287.
- Rio, G.A.j., Morando, J.P and Cicerone, S.D. (2004), Natural materials for treatment of industrial effluents: Comparative study of the retention of Cd, Zn and Co by calcite and hydroxyapatite, part I: batch experiment, *Journal of Environmental Management*, 71(2), 169-177.

- Robert, E.J and Rowland, S.P. (1973), Removal of mercury from aqueous solutions by nitrogen containing chemically modified cotton, *Environmental Science Technology*, 7, 552-555.
- Roy, D., Greenlaw, P.N and Shane, B.S. (1993), Adsorption of heavy metals by green algae and ground rice hulls, *Journal of Environmental Science Health*, 28(1), 37-50.
- Saeed, A., Akhtar, W.M and Iqbal, M. (2005a), Removal and recovery of heavy metals from aqueous solution using papaya wood as a new biosorbent, *Separation and Purification Technology*, 45(1), 25-31.
- Saeed, A., Iqbal, M and Akhtar, W.M. (2005b), Removal and recovery of lead(II) from single and multi metal (Cd, Cu, Ni, Zn) solutions by crop milling waste (black gram husk), *Journal of Hazardous Materials*, 117(1), 65-73.
- Sarin, V and Pant, K.K. (2005), Removal of chromium from industrial waste by using eucalyptus bark, *Bioresource Technology*, 97(1), 15-20.
- Sathyanarayana, U. (2005), *Biotechnology*, Books & Allied (P) Ltd, Kolkata, p718.
- Satpute, B.D., Shastry, N.P and Dharmadhikari, M.D. (2005), Reduce, reuse, recycle and recover biotechnological approach management of solid waste of fruit and vegetable processing industries, *Biotechnology in Environment Management*, APM Publishing Corporation, New Delhi, 11, 644.
- Sayed, S.A., Saleh, S.M and Hasan, E.E. (2005), Removal of some polluting metals from industrial water using chicken feather, *Desalination*, 181(1-3), 243-255.
- Scott, A and Karanjkar, A. (1995), Adsorption isotherms and diffusion coefficients for metal biosorbed by biofilm coated granular activated carbon, *Biotechnology Letters*, 17, 1267-1270.
- Selvakumari, G., Murugesan, M., Pattabi, S and Sathishkumar, M. (2002), Treatment of electroplating industry effluent using maize cob carbon, *Bulletin of Environmental Contamination and Technology*, 69, 195-202.
- Selvi, K., Pattabhi, S and Kadirvelu, K. (2001), Removal of Cr(VI) from aqueous solution by adsorption onto activated carbon, *Bioresource Technology*, 80, 87-89.
- Seng, C.E., Lee, C.G and Liew, K.Y. (2001), Adsorption of chromium(VI) and nickel(II) ions on acid and heat-activated deoiled spent bleaching clay, *JAOCs*, 78(8), 831-835.

- Sharma, A and Bhattacharyya, K.G. (2004), Adsorption of chromium(VI) on *Azadirachta indica* (neem) leaf powder, *Adsorption*, 10, 327-338.
- Shparyk, Y.S and Parpan, V.I. (2004), Heavy metal pollution and forest health in the UK ranian Carpathians, *Environmental Pollution*, 130, 55-63.
- Shrinivas, P., Benarji, G and Rao, P. (1984), Preliminary observations on the effect of industrial effluents to certain animals, *Indian Journal of Environmental Health*, 26(1), 57-59.
- Shukla, R.S and Pai, S.R. (2005), Adsorption of Cu(II), Ni(II) and Zn(II) on modified jute fibers, *Bioresource Technology*, 96(13), 1430-1438.
- Shukla, R.S., Pai, S.R and Shendarkar, D.A. (2006), Adsorption of Ni(II), Zn(II) and Fe(II) on modified coir fibers, *Separation and Purification Technology*, 47(3), 141-147.
- Shyamala, R and Lalitha, P. (2004), Removal of chromium(VI) from waste water using activated carbon from water hyacinth, *Research Highlights*, 14(4), 199-203.
- Shyamala, R., Sivakamasundari, S and Lalitha, P. (2005), Comparison of the adsorption potential of biosorbents waste-tea leaves and rice husk in the removal of chromium(VI) from waste water, *Journal of Industrial Pollution Control*, 21(1), 31-36.
- Siddiqui, B.A., Sharma, P.P and Sultan, M. (1999), Adsorption studies on phosphate treated saw dust, Separation of Cr(VI) from Zn²⁺, Ni²⁺ and Cu²⁺ and their removal and recovery from electroplating waste, *Indian Journal of Environmental Health*, 40(1), 67-78.
- Siegel, S.M., Galun, M and Siegel, B.Z. (1990), Filamentous fungi as metal biosorbents: a review, *Water, Air and Soil Pollution*, 53, 335-344.
- Singh, D. (2007a), Biosorption of zinc(II) from aqueous solution by non-living *Spirogyra sp.*, *Pollution Research*, 26(2), 297-300.
- Singh, D. (2007b), Removal of Ni(II) from aqueous solution using non-living *Oscillatoria sp.*, *Pollution Research*, 26(2), 301-304.
- Singh, D.K and Lal, J. (1992), Removal of chromium(VI) from aqueous solutions using waste tea leaves carbon, *Indian Journal of Environmental Health*, 34(2), 108-113.
- Singh, K.K., Singh, L.N and Hasan, H.S. (2004), Removal of copper from wastewater by agricultural waste wheat bran, *Indian Journal of Environmental Protection*, 24(7), 499-505.

- Sodhi, G.S. (2006), Fundamental concepts of Environmental Chemistry, Second Edition, Narosa Publishing House, New Delhi, p370.
- Somashekar, R.K., Gowda, M.T.G., Shettigar, S.L.N and Srinath, K.P. (1984), Effect of industrial effluents on crop plants, Indian Journal of Environmental Health, 26(2), 136-146.
- Sponza, D.T. (2002), Necessity of toxicity assessment in Turkish industrial discharges (examples from metal and textile industry effluents), Environmental Monitoring and Assessment, 73, 41-66.
- Srinivasan, K., Balasubramaniam, N and Ramakrishna, T.V. (1998), Studies on chromium removal by rice husk carbon, Indian Journal Environmental Health, 30(4), 376-387.
- Suderman, W and Oskarson, A. (1991), Metals and their compounds in the environment, VCH Publishers Inc., New York, p1101-1116.
- Sun, Y.Q., Lu, P and Yang, Z.L. (2004), The adsorption of lead and copper from aqueous solution on modified peat-resin particles, Environmental Geochemistry and Health, 26, 311-317.
- Swamy, M.M., Mall, I.D., Prasad, B and Mistra, I.M. (1998), Sorption characteristics of o-cresol on bagasse fly ash and activated carbon, Indian Journal of Environmental Health, 40(1), 67-78.
- Tan, W.T., Ooi, S.T and Lee, C.K. (1993), Removal of chromium(VI) from solution by coconut husk and palm pressed fibre, Environmental Technology, 14, 277-282.
- Taniuchi, J., Hemmi, H., Tanahashi, K., Amano, N., Nakayama, T and Nishino, T. (2000), Zinc biosorption by a zinc resistant bacterium, *Brevibacterium sp.* Strain HZM-1, Applied Microbiology and Biotechnology, 54, 851-858.
- Tsezos, M and Volesky, B. (1982), The mechanism of uranium biosorption by *Rhizopus arrhizus*, Biotechnology and Bioengineering, 24, 955-969.
- Tsezos, M. (1988), The performance of a new biological adsorbent for metal recovery, Modeling and experimental results, Bihydrometallurgy, Proceedings of the International Symposium Warwick, Science and Technology Letters, p465-475.
- Ulmanu, M., Maranon, E., Fernandez, Y., Castrillon, L., Anger, I and Dumitiru, Z. (2003), Removal of copper and cadmium ions from diluted aqueous solutions by low cost and waste material adsorbents, Water, Air and Soil Pollution, 142, 357-373.

- United Nations Environmental Protection/Global Program of Action. (2004), Why the marine environment needs protection from heavy metals, UNEP/GPA coordination office, Washington.
- Valdman, E., Erijman, L., Persoa, F.L.P and Leite, S.G.F. (2001), Continuous biosorption of Cu and Zn by immobilized waste biomass *Sargassum* sp., Process Biochemistry, 36, 869-873.
- Valentine, N.B., Bolton, H., Kingsley, M.T., Drake, G.R., Balkwill, D.L and Plymadle, A.E. (1996), Biosorption of cadmium, cobalt, nickel and strontium by a *Bacillus simplex* strain isolated from a vadose zone, Journal of Indian Microbiology, 16, 189-196.
- Veglio, F and Beolchini, F. (1997), Removal of metals by biosorption: a review, Hydrometallurgy, 44, 301-316.
- Veglio, F., Beolchini, F and Prisciandro, M. (2003), Sorption of copper by olivemill residues, Water Research, 37(20), 4895-4903.
- Vijayakumar, S., Thajuddin, N and Manoharan, C. (2005), Role of *cyanobacteria* in the treatment of dye industry effluent, Pollution Research, 24(1), 69-74.
- Vijayaraghavan, K., Jegan, J., Palanivelu, K and Velan, M. (2005), Batch and column removal of zinc from aqueous solution using a brown marine alga *Turbinaria ornate*, Chemical Engineering Journal, 106, 177-184.
- Volesky, B and Holan, I.R. (1995), Biosorption of heavy metal, Biotechnology Program, 11, 235-250.
- Volesky, B. (1990), Biosorption and biosorbents, In biosorption of heavy metals, CRC Press, Boca Raton, p3-5.
- Volesky, B. (1994), Advances in biosorption of metals: selection of biomass types, FEMS Microbiology Review, 14, 291-302.
- Wang, T and Li, Z. (2004), High-temperature reduction of Cr(VI) in solid alkali, Journal of Hazardous Materials, B 112(1-2), 63-69.
- Woodburn, G.M., Yu, Q and Matheickal, J.T. (1999), Biosorption of cadmium(II) from aqueous solutions by pre-treated biomass of marine alga *Durvillaea potatorum*, Water Research, 32, 400-406.
- World Health Organization. (1984), Guidelines for drinking water quality, Recommendations, Volume(1), Geneva, WHO.

- Yan, G and Viraraghavan, T. (2001), Heavy metal removal in a biosorption column by immobilized *M.rouxii* biomass, *Bioresource Technology*, 78, 243-249.
- Yapar, S., Klabre, P and Klumpp, K. (2004), Hydrotalcite as a potential sorbent for the removal of 2,4-dichlorophenol, *Environmental Science*, 28, 41-48.
- Yetis, U., Ozcengiz, G., Filiz, B., Ergen, N., Erbay, A and Dolek, A. (1998), Heavy metal biosorption by white-rot fungi, *Water Science Technology*, 38, 323-330.
- Young, R.A. (2005), Toxicity profiles: Toxicity summary for cadmium risk assessment information system, RAIS, University of Tennessee.
(www.rais.ornl.gov/tox/profiles/cadmium.html).
- Yurlova, L., Kryvoruchko, A and Kornilovich, B. (2002), Removal of Ni(II) ions from waste water by micellar-enhanced ultra filtration, *Desalination*, 144, 255-260.
- Zaccaria, R. (2002), Adsorption of several metal ions onto low-cost biosorbent: kinetic and equilibrium studies, *Environmental Science Technology*, 36, 2067-2073.
- Zayed, A.M and Terry, N. (2003), Chromium in the environment: factors affecting biological remediation, *Plant and Soil*, 249, 139-156.
- Zhang, L., Zhao, L., Yu, Y and Chen, C. (1998), Removal of lead from aqueous solution by non-living *Rhizopus nigricans*, *Water Research*, 32, 1437-1444.