

LIST OF TABLES

TABLE NO.	TITLE	PAGE NO.
I	Types of PMS	25
II	Symptoms of PMS	32
III	Criteria for selection of participants	55
IV	Grades of Malnutrition	60
V	Food items used in the formulation of health mix	64
VI	Ingredients used in the formulation of health mix	66
VII	Sensory evaluation scores of the health mixes	68
VIII	Nutritive value of formulated health mix	69
IX	Amino acids and essential fatty acids profile of the formulated health mixes	70
X	Ingredients used for the preparation of cookies	70
XI	Demographic profile of families of the selected participants	83
XII	Background information of the selected participants	85
XIII	Food expenditure pattern	87
XIV	Consumption of water and beverages	89
XV	Consumption pattern of junk or fast foods	90
XVI	Consumption of iron rich foods	93
XVII	Consumption of Vitamin C rich foods	94
XVIII	Frequency of calcium rich foods consumption	95
XIX	Types and frequency of fats and oils consumption	97
XX	Age at the onset of menarche	98
XXI	Information related to menstrual cycle	100
XXII	Foods included in menarche	102

TABLE NO.	TITLE	PAGE NO.
XXIII	Height of the selected participants	103
XXIV	Weight of the selected participants	104
XXV	Body Mass Index	105
XXVI	Waist/Hip ratio	106
XXVII	Blood Haemoglobin profile	107
XXVIII	Prevalence of Premenstrual Syndrome	108
XXIX	Prevalence of emotional, behavioral and physical PMS symptoms among the selected participants	109
XXX	Level of physical symptoms of PMS	112
XXXI	Level of behavioral symptoms of PMS	113
XXXII	Level of emotional symptoms of PMS	114
XXXIII	Anxiety and Self Esteem level of the selected participants	115
XXXIV	Level of knowledge on PMS	116
XXXV	Distribution of the correct knowledge scores	117
XXXVI	Relationship between demographic characteristics and PMS	118
XXXVII	Relationship between dietary habits and PMS symptom score	121
XXXVIII	Details related to Menarche and Menstrual cycle with PMS	123
XXXIX	Anthropometric measurement and its association with PMS symptom score	125
XL	Correlation between Haemoglobin level and PMS symptom score	126
XLI	Correlation between the psychological factors and PMS symptom score	127
XLII	Relationship between PMS knowledge score and PMS symptom score	128
XLIII	Relationship between dietary indices with individual PMS symptoms	129

TABLE NO.	TITLE	PAGE NO.
XLIV	Correlation of obstetric and gynaecological indices with individual symptoms of PMS	131
XLV	Correlation of Waist-Hip Ratio with individual PMS symptom scores	132
XLVI	Correlation of anxiety level, self-esteem level and PMS knowledge scores on individual symptoms of PMS	133
XLVII	Comparison between the scores of standard and formulated cookies	134
XLVIII	Physical properties of standard and formulated cookies	135
IL	Nutrient content of standard and formulated cookies	136
L	Microbial count of the formulated health mix cookies	137
LI	Cost effectiveness of the Health mix cookies	138
LII	Mean anthropometric measurements	139
LIII	Mean biochemical profile	142
LIV	Per cent prevalence of clinical signs and symptoms	145
LV	Mean nutrient intake	147
LVI	Depression score	151
LVII	Mean PMS score and number of PMS symptoms of the study groups	153
LVIII	Correlation of individual PMS symptom with biochemical parameters	154
LIX	Mean PMS knowledge score	156
LX	Percentage presence of PMS symptoms among the selected participants in the experimental group	157
LXI	Percentage presence of PMS symptoms among the selected participants in the control group	159
LXII	PMS symptoms noticed among experimental and control groups after intervention	161

LIST OF FIGURES

FIGURE NO.	TITLE	PAGE NO.
1	Histology of Menstrual cycle	12
2	Sulur area map	54
3	Ingredients used in the formulation of health mix	65
4	Steps involved in the formulation of health mix	66
5	Educational status of the selected participants	86
6	Occupational status of the selected participants	86
7	Per capita oil consumption per day	96
8	Age at menarche	99
9	Distribution of the selected participants based on height	103
10	Distribution of the selected participants based on their BMI values	105
11	Anaemic status of the selected participants	107
12	Prevalence of PMS among the selected participants	108
13	Prevalence of physical, behavioral and emotional symptoms of PMS among the selected participants	110
14	Mean anthropometric measurements of the selected participants	140
15	Per cent prevalence of clinical signs and symptoms among the selected participants	146
16	Level of depression scores of the selected participants	152
17	Overall Mean PMS knowledge score for each aspect of PMS among the selected participants	156

LIST OF PLATES

PLATE NO.	TITLE	PAGE NO.
1	Recording anthropometric measurements	58
2	Physical measurements of the cookies	72
3	Collection of blood for intervention study	74
4	Distribution of the formulated health mix cookies to the selected participants	76
5	Nutrition and health education on PMS	78

LIST OF APPENDICES

APPENDIX NO.	TITLE	PAGE NO.
1	ACOG Diagnostic Criteria for PMS	
2	Questionnaire for the Phase-II (English and Tamil)	
3	Questionnaire for the Phase-IV (English and Tamil)	
4	Score card for the sensory evaluation of the formulated health mix	
5	Nutrition and health education module	
6a	Hand book on PMS (English)	
6b	Hand book on PMS (Tamil)	
7a	Power point presentation for nutrition education on PMS	
7b	Poster for nutrition education	
8	Hand out on PMS	
9	Anthropometric measurements of the selected participants	
10	Haemoglobin levels of the selected participants	
11	Anxiety and self esteem scores of the selected participants	
12	PMS symptom scores and PMS knowledge scores of the selected participants	
13	Anthropometric measurements of control group	
14	Anthropometric measurements of experimental group	
15	Biochemical profile of the control group before and after intervention	
16	Biochemical profile of the experimental group before and after intervention	
17	Mean nutrient intake of the control group before and after intervention	
18	Mean nutrient intake of the experimental group before and after intervention	