



Bibliography

BIBLIOGRAPHY

- Abdolmohammadi, M.H., Fouladdel, S.H., Shafiee, A., Amin, G.H., Ghaffari, S.M. and Azizi, E. (2008) Anticancer effects and cell cycle analysis on human breast cancer T47D cells treated with extracts of *Astrodaucus persicus* (Boiss.) Drude in comparison to doxorubicin, *Daru: J. Faculty Pharm.*, 16, 112-118.
- Abreu, P., Melthew, S., Gonzalez, T., Costa, D., Segindo, M.A. and Fernandes, E. (2006) Anti-inflammatory and antioxidant activity of a medical tincture from *Pedilanchus tithymaloides*, *Life Sci.*, 78, 1578-1580.
- Aeschlach, R., Loliger, J., Scott, B.C., Murcia, A., Butler, J., Halliwell, B. and Aruoma, O.I. (1994) Antioxidant actions in thymol, cerarecol, 6-gingerol, zingerone and hydroxy tyrosol, *Food Chem. Toxicol.*, 32, 31-36.
- Agarwal, A. and Prabakaran, S.A. (2005) Oxidative stress and antioxidants in male fertility: a difficult balance, *Iranian J. Reprod. Med.*, 3, 1-8.
- Agarwal, A., Gupta, S. and Sharma, R. (2005) Oxidative stress and its implications in female fertility – a clinicians perspective, *Reprod. Biomed. online*, 11, 641-650.
- Ajith, T.A., Harikumar, K.B., Thasna, H., Sabu, M.C. and Babitha, N.V. (2006) Proapoptotic and antitumor activities of the HMG-CoA reductase inhibitor, lovastatin against Dalton's lymphoma ascites tumor in mice, *Clin. Chim. Acta.*, 366, 322-328.
- Ak, T. and Gulcin, I. (2008) Antioxidant and radical scavenging properties of curcumin, *Chem. Bio. Interact.*, 174, 27-37.
- Ali, S. S., Kasoju, N., Luthra, A., Singh, A., Sharanabasava, H., Sahu, A. and Bora, U. (2008) Indian medicinal herbs as sources of antioxidants, *Food Res. Int.*, 41, 1-15.
- Allen, D.D., Caviedes, R., Cardenas, A.M., Shimahara, T., Segura-Aguilar, J. and Caviedes, P.A. (2008) Cell lines as *in vitro* models for drug screening and toxicity studies, *Drug Dev. Ind. Pharm.*, 31, 757-768.
- Andersen, J. K. (2004) Oxidative stress in neurodegeneration: Cause or consequence? *Nat. Rev. Neurosci.*, 5, S18-S25.
- Anilakumar, K.R., Khanum, F. and Santhanam, K. (2006) Amelioration of hexachlorocyclohexane-induced oxidative stress by amaranth leaves in rats, *Plant Foods Hum. Nutr.*, 61, 169-173.
- Arden, N. and Betenbaugh, M.J. (2004) Life and death in mammalian cell culture: strategies for apoptosis inhibition, *Trends Biotech.*, 22, 174-180.
- Ardestani, A. and Yazdanparast, R. (2007) Antioxidant and free radical scavenging potential of *Achillea santolina* extracts, *Food Chem.*, 104, 21-29.
- Arulselvan, P. and Subramanian, S. P. (2006) Beneficial effects of *Murraya Koenigii* leaves on antioxidant defense system and ultra structural changes of pancreatic beta-cells in experimental diabetic rats, *Chem. Biol. Interact.*, 165, 155-164.
- Arulselvan, P., Senthilkumar, G.P., Sathish Kumar, D. and Subramanian, S. (2006) Anti-diabetic effect of *Murraya Koenigii* leaves on streptozotocin induced diabetic rats, *Pharmazie*, 61, 874-877.
- Aruoma, O.I. (1998) Free radicals, oxidative stress, and antioxidants in human health and disease, *J. Am. Oil. Chem. Soc.*, 75, 199-212.
- Arya, R., Mallik, M. and Lakhota, S.C. (2007) Heat shock gene integrating cell survival and Death, *J. Biosci.*, 32, 595-610.
- Ashburner, M., Golic, K.G. and Hawley, R.S. (2005) *Drosophila: A laboratory Hand Book: 2nd Ed.*, Cold Spring Harbor Laboratory Press, 162-164, ISBN : 0879697067.
- Awah, F.M., Uzoegwu, P.N., Oyugi, J.O., Rutherford, J., Ifeonu, P., Yao, X., Fowke, K.R. and Eze, M.O. (2010) Free radical scavenging activity and immunomodulatory effect of *Stachytarpheta angustifolia* leaf extract, *Food Chem.*, 119, 1409-1416.
- Badami, S., Rai, S.R. and Suresh, B. (2005) Antioxidant activity of *Aporosa lindleyana* root, *J. Ethnopharmacol.*, 101, 180-184.

- Bae, J., Jang, K., Yim, H. and Jin, H. (2005) Polysaccharides isolated from *Phellinus gilvus* inhibit melanoma growth in mice, *Cancer Lett.*, 218, 43-52.
- Bae, S and Suh, H. (2007) Antioxidant activities of five different mulberry cultivars in Korea, *LWT-Food Sci. Tech.*, 40, 955-962.
- Bafna, A. R. and Mishra, S.H. (2005) *In vitro* antioxidant activity of methanol extract of rhizomes of *Curculigo orchoides* Gaertn, *Ars. Pharm.*, 46, 125-138.
- Bahadorani, S. and Hilliker, A.J. (2008) Cocoa confers life span extension in *Drosophila melanogaster*, *Nutr. Res.*, 28, 377-382.
- Balaban, R.S., Nemato, S. and Finkel, T. (2005) Mitochondria oxidants and aging, *Cell*, 120, 483-495.
- Balasubramanian, V., Shukla, R., Murugaiyan, G., Bhonde, R.R. and Nalini, N. (2007) Mouse recombinant leptin protects human hepatoma HepG2 against apoptosis, TNF- α response and oxidative stress induced by the hepatotoxin-ethanol, *Biochim. Biophys. Acta*, 1770, 1136-1144.
- Balls, M. (2009) Animal experiments and alternatives: Time to confront truth and uncertainty, and to combine idealism with realism, *Altern. Anim. Test. Exp.*, 14, 821-827.
- Balsano, C. and Alisi, A. (2009) Antioxidant effects of natural bioactive compounds, *Curr. Pharm. Des.*, 15, 3063-3073.
- Bansal, A.K., Bansal, M., Soni, G. and Bhatnagar, D. (2005) Protective role of Vitamin E pre-treatment on N-nitrosodiethylamine induced oxidative stress in rat liver, *Chem. Biol. Interact.*, 56, 101-111.
- Bao, H., Ren, H., Endo, H., Takagi, Y. and Hayashi, T. (2004) Effects of heating and the addition of seasonings of the antimutagenic and antioxidative activities of polyphenols, *Food chem.*, 86, 517-524.
- Baskar, R., Rajeswari, V. and Kumar, S.T. (2007) *In vitro* antioxidant studies in leaves of *Annona* species, *Indian. J. Exp. Biol.*, 45, 480-485.
- Baskic, D., Papovic, S., Ristic, P. and Arsenijevic, N.N. (2006) Analysis of cycloheximide-induced apoptosis in human leukocytes: Fluorescence microscopy using annexin V/PI versus Acridine orange/EtBr, *Cell Bio. Int.*, 30, 924-932.
- Baydar, N.G., Ozkan, G. and Yasar, S. (2007) Evaluation of the antiradical and antioxidant potential of grape extracts, *Food Ctrl.*, 18, 1131-1136.
- Bayfield, R.F. and Cole, E.R. (1980) Colorimetric estimation of vitamin A with trichloroacetic acid, *Meth. Enzymol.*, 67, 189-195.
- Behrend, L., Henderson, G. and Zwacka, R.M. (2003) Reactive oxygen species in oncogenic transformation, *Biochem. Soc. Trans.*, 31, 1441-1444.
- Bendich, A., Machlin, L.J., Scandurra, O., Burton, G.W. and Wayner, D.D.M. (1986) The antioxidant role of vitamin C, *Adv. Free Rad. Biol. Med.*, 2, 419-444.
- Bensassi, F., Golli-Bennour, E.E., Abid-Essefi, S., Bouaziz, C., Hajlaoui, M.R. and Bacha, H. (2009) Pathway of deoxynivalenol-induced apoptosis in human colon carcinoma cells, *Toxicol.*, 264, 104-109.
- Bhatia, K., Kaur, M., Atif, F., Ali, M., Rehman, H., Rahman, S. and Raisuddin, S. (2006) Aqueous extract of *Trigonella foenum-graecum* L. ameliorates additive urotoxicity of buthionine sulfoximine and cyclophosphamide in mice, *Food Chem. Toxicol.*, 44, 1744-1750.
- Bhattacharjee, S. (2005) Reactive oxygen species and oxidative burst: Roles in stress, senescence and signal transduction in plants, *Curr. Sci.*, 89, 1113-1121.
- Blair, I. A. (2008) DNA adducts with lipid peroxidation products, *J. Biol. Chem.*, 283, 15545-15549.
- Blanco, G.A., Bustamante, J., Garcia, M. and Hajos, S. E. (2005) Hydrogen peroxide induces apoptotic-like cell death in coelomocytes of *Themiste petricola* (Sipuncula), *Biol. Bull.*, 209, 168-183.
- Bock, U., Flototto, T. and Haltner E. (2004) Validation of cell culture models for the intestine and the blood-brain barrier and comparison of drug permeation, *ALTEX*, 21, 57-64.
- Bokov, A., Chaudhuri, A. and Richardson, A. (2004) Role of oxidative damage and stress in aging, *Mech. Ageing Dev.* 125, 811-826.

- Bongiovanni, G., Cantero, J., Eynard, A. and Goleniowski, M. (2008) Organic extracts of *Larrea divaricata* cav. Induced apoptosis on tumoral MCF7 cells with a high cytotoxicity than nodi hydroquairarectic acid or paclitaxel, *J. Exp. Thermocol.*, 7, 1-7.
- BouDET, A. (2007) Evolution and current status of research in phenolic compounds, *Phytochem.*, 68, 2722-2735.
- Bouhel, I., Kilani, S., Skandrani, I., Amar, R.B., Nefatti, A., Laporte, F., Hininger-Favier, I., Ghedira, K and Chekir-Ghedira, L. (2008) *Acacia salicina* extracts protect against DNA damage and mutagenesis in bacteria and human lymphoblast cell K562 cultures. *Nutr. Res.*, 28, 190-197.
- Bouhleb, I., Mansour, H., Limem, I., Ben Sghaier, M., Mahmoud, A., Chibani, J., Ghedira, K. and Chekir-Ghedira, L. (2007) Screening of antimutagenicity via antioxidant activity in different extracts from the leaves of *Acacia salicina* from the center of Tunisia, *Environ. Toxicol. Pharmacol.*, 23, 56-63.
- Bracesco, N., Dell, M., Rocha, A., Behtash, S., Menini, T., Gugliucci, A. and Nunes, E. (2003) Antioxidant activity of a botanical extract preparation of *Ilex paraguariensis*: prevention of DNA double-strand breaks in *Saccharomyces cerevisiae* and human low-density lipoprotein oxidation, *J. Altern. Complem. Med.*, 9, 379-387.
- Brambilla, D., Mancuso, C., Scuderi, M.R., Bosco, P., Cantarella, G., Laurence, L., Benedetto, G.D., Pezzino, S. and Bernardini, R. (2008) The role of antioxidant supplement in immune system, neoplastic, and neurodegenerative disorders: a point of view for an assessment of the risk/benefit profile, *Nutr. J.*, 7, 29, doi:10.1186/1475-2891-7-29.
- Brown, J.E., Khodr, H., Hider, R.C. and Rice-Evans, C.A. (1998) Structural dependence of flavonoid interactions with Cu²⁺ ions: implications for their antioxidant properties, *Biochem. J.*, 330, 1173-1178.
- Cadenas, E. and Sies, H. (1998) The lag phase, *Free. Radic. Res.*, 28, 601-609.
- Cai, J., Razzak, A., Hering, J., Saed, A., Babcock, T.A., Helton, S. and Espot, N.J. (2008) Feasibility evaluation of emodin (rhubarb extract) as an inhibitor of pancreatic cancer cell proliferation *in vitro*, *J. Parenter. Enteral Nutr.*, 32, 190-196.
- Cameron, G.R., Milton, R.F. and Allen, J.W. (1943) Measurement of flavonoids in plant samples, *Lancet*, p.179.
- Campos-da-Paz, M., Pereira, L.O., Bicalho, L.S., Dorea, J.G., Pocas-Fonseca, M.J. and Almeida Santos, M.M. (2008) Interaction of bracken-fern extract with vitamin C in human submandibular gland and oral epithelium cell lines, *Mutat. Res.*, 652, 158-163.
- Canakci, C.F., Cicek, Y., Yildirim, A., Sezer, U. and Canakci, V. (2009) Increased levels of 8-hydroxydeoxyguanosine and malondialdehyde and its relationship with antioxidant enzymes in saliva of Periodontitis patients, *Eur. J. Dent.*, 3, 100-106.
- Cano, A., Hernandez-Ruiz, J. and Arnao, M.B. (2006) Changes in hydrophilic antioxidant activity in *Avena sativa* and *Triticum aestivum* leaves of different age during de-etiolation and high-light treatment, *J. Plant Res.*, 119, 321-327.
- Cantarella, G., Uberti, D., Carsana, T., Lombardo, G., Bernardini, R. and Memo, M. (2003) Neutralization of TRAIL death pathway protects human neuronal cell line from β -amyloid toxicity, *Cell Death Differ.*, 10, 134-141.
- Cappai, R. and Barnham, K.J. (2008) Delineating the mechanism of Alzheimer's disease - A beta peptide neurotoxicity, *Neurochem. Res.*, 3, 526-532.
- Carballo, D.D., Hler, M.F., Malak, S., Bardenheuer, W. and Reusch, H.P. (2008), Mucronulatol from *Caribbean propolis* exerts cytotoxic effects on human tumor cell lines, *Int. J. Clin. Pharmacol. Ther.*, 46, 226-235.
- Carini, M., Aldini, G. and Facino, R.M. (2004) Mass spectrometry for detection of 4-hydroxy-trans-2-nonenal (HNE) adducts with peptides and proteins, *Mass Spectrom. Rev.*, 4, 281-305.
- Carino-Cortes, R., Hernandez-Ceruelos, A., Torres-Valencia, J.M., Gonzalez-Avila, M., Arriaga-Alba, M. and Madrigal-Bujaidar, E. (2007) Antimutagenicity of *Stevia pilosa* and *Stevia eupatoria* evaluated with the Ames test, *Toxicol. In vitro.*, 21, 691-697.

- Carpenter, R., O'Callaghan, Y.C., O'Grady, M.N., Kerry, J.P. and O'brien, N.M. (2006) Modulatory effects of resveratrol, citroflavan-3-Ol and plant-derived extracts on oxidative stress in U937 cells, *J. Med. Food.*, 9, 187-195.
- Caruso, F., Villa, R., Rossi, M., Pettinari, C., Paduano, F., Pennati, M., Daidone, M.G. and Zaffaroni, N. (2007) Mitochondria are primary targets in apoptosis induced by the mixed phosphine gold species chlorotriphenylphosphine-1, 3-bis(diphenylphosphino) propanegold(I) in melanoma cell lines, *Biochem. Pharmacol.*, 73, 773-781.
- Cecarini, V., Gee, J., Fioretti, E., Amici, M., Angeletti, M., Eleuteri, A. M. and Keller, J.N. (2007) Protein oxidation and cellular homeostasis: Emphasis on metabolism, *Biochim. Biophys. Acta.*, 1773, 93-104.
- Cemeli, E., Baumgartner, A. and Anderson, D. (2009) Antioxidants and the Comet assay, *Mutat. Res.*, 81, 51-67.
- Ceschini, L. and Campos, E.G. (2006) Cytotoxic effects of *Cochlospermum regium* (Mart and Schrank) Pilger aqueous root extract on mammalian cells, *J. Ethnopharmacol.*, 103, 302-305.
- Chakravarti, B. and Chakravarti, D.N. (2007) Oxidative modification of proteins: age related changes, *Gerontology*, 3, 128-139.
- Chan, W., Wu, H. and Chang, W.H. (2006) Dosage effects of curcumin on cell death types in a human osteoblast cell line, *Food Chem. Toxicol.*, 44, 1362-1371.
- Chang, M.C., Vang, B.J., Wu, H.L., Lee, J.J., Hahn, L.J. and Jeng, J.H. (2002) Inducing the cell cycle arrest and apoptosis of rat KB carcinoma cells by hydroxychavicol : roles of glutathione and reactive oxygen species, *Br. J. Pharmacol.*, 135, 619-630.
- Chen, C., Hsu, M., Huang, L., Yamori, T., Chung, J., Lee, F., Teng, C. and Kuo, S. (2007) Anticancer mechanisms of YC-1 in human lung cancer cell line, NCI-H226, *Biochem. Pharmacol.*, 75, 360-368.
- Chen, H. and Yen, G. (2007) Antioxidant activity and free radical-scavenging capacity of extracts from guava (*Psidium guajava* L.) leaves, *Food Chem.*, 101, 686-694.
- Chen, N.Y., Lai, H.H., Hsu, T.H., Lin, F.Y., Chen, J.Z. and Lo, H.C. (2008) Induction of apoptosis in human lung carcinoma A549 epithelial cells with an ethanol extract of *Tremella mesenterica*, *Biosci. Biotechnol. Biochem.*, 72, 1283-1289.
- Chen, P.S., Wang, C.C., Bortner, C.D., Peng, G.S., Wu, X., Pang, H., Lu, R.B., Gean, P.W., Chuang, D.M. and Hong, J.S. (2007) Valproic acid and other histone deacetylase inhibitors induce microglial apoptosis and attenuate lipopolysaccharide-induced dopaminergic neurotoxicity, *Neurosci.*, 149, 203-212.
- Chen, Y., Wang, M., Rosen, R.T. and Ho, C.T. (1999) DPPH radical scavenging active components from *Polygonum multiflorum* Thunb, *J Agric. Food Chem.*, 47, 2226-2228.
- Chen, Z.C., Li, R.B., Shao, J., Lii, J., You, Y., Zhong, Z.D. and Zou, P. (2006) Proliferation inhibiting and apoptosis inducing effects of parthenolide on human multiple myeloma cells, Article in Chinese, *Zhonghua Yi Xue Za Zhi*, 28, 1993-1996.
- Chih, H.W., Chill, H.F., Tang, K.S., Chang, F.R. and Wu, Y.C. (2001) Bullatacin a potent antitumour annonaceous acetogenin, inhibits proliferation of human hepatocarcinoma cell line 2.2.15 by apoptosis induction, *Life Sci.*, 69, 1321-1331.
- Choden, D., Ramamurthy, W. and Sakthi Sekaran, D. (2007) Preliminary studies on induction of apoptosis of genistein on Hep G2 cell line, *Toxicol. In vitro*, 21, 887-891.
- Choi, Y., Lee, S. M., Chun, J., Lee, H. B. and Lee, J. (2006) Influence of heat treatment on the antioxidant activities and polyphenolic compounds of Shiitake (*Lentinus edodes*) mushroom, *Food Chem.*, 99, 381-387.
- Chotimarkorn, C. and Ushio, H. (2008) The effect of trans-ferulic acid and gamma-oryzanol on ethanol-induced liver injury in C57BL mouse, *Phytomed.*, 15, 951-958.
- Cianchetti, S., Fioxtino, A.D., Colognato, R., Stefano, R.D., Franzoni, F. and Pedrinelli, R. (2008) Anti-inflammatory and anti-oxidant properties of telmisartan in cultured human umbilical vein endothelial cells, *Atherosclerosis*, 198, 22-28.

- Cikala, M., Wilm, B., Hobmayer, E., Bottger, A. and David, C.N. (1999) Identification of caspases and apoptosis in the simple metazoan Hydra, *Curr. Biol.*, 9, 959-962.
- Coban, T. and Konuklugil, B. (2005) Free radical scavenging activity of *Linum arboreum*, *Pharma. Biolo.*, 43, 370-372.
- Coughlan, C.M. and Brodsky, J.E. (2005) Use of yeast as a model system to investigate protein conformational Disease, *Mol. Biotechnol.*, 30, 171-179.
- Custodio, J.B.A., Cardoso, C.M.P. and Almeida, L.M. (2002) Thiol protecting agents and antioxidants inhibit the mitochondrial permeability transition promoted by etoposide: implications in the prevention of etoposide-induced apoptosis, *Chem. Biol. Interact.*, 140, 169-184.
- Dall'Acqua, S., Cervellati, R., Loi, M. and Innocenti, G. (2008) Evaluation of *in vitro* antioxidant properties of some traditional Sardinian medicinal plants: Investigation of the high antioxidant capacity of *Rubus umifolius*, *Food Chem.*, 106, 745-749.
- Dalle-Donne, I., Rossi, R., Colombo, R., Giustarini, D. and Milzani, A. (2006) Biomarkers of oxidative damage in human disease, *Clin. Chem.*, 4, 601-623.
- Dandamudi, S. and Campbell, R.B. (2007) The drug loading, cytotoxicity and tumor vascular targeting characteristics of magnetite in magnetic drug targeting, *Biomaterials*, 28, 4673-4683.
- Dash, D.K., Yeligar, V.C., Nayak, S.S., Ghosh, T., Rajalingam, D., Sengupta, P., Maiti, B.C. and Maity, T.K. (2007) Evaluation of hepatoprotective and antioxidant activity of *Ichnocarpus frutescens* (Linn), on Paracetamol-induced hepatotoxicity in rats, *Trop. J. Pharm. Res.*, 6, 755-765.
- Dastmalchi, K., Dorman, H.J.D., Laakso, I. and Hiltunen, R. (2007) Chemical composition and antioxidative activity of Moldavian balm (*Dracocephalum moldavica* L.) extracts, *LWT-Food Sci.Tech.*, 40,1655-1663.
- David, H. and Richard, J.S. (1983) In: *Methods of enzymatic analysis*, Bergmeyer, J. and Grab, M. (Eds.), Verlag Chemie Weinheim Deer Field, Beach Floride, p. 358.
- Davydova, O.K., Deryabin, D.G. and El-Registan, G.I. (2005) Influence of chemical analogues of microbial autoregulators on the sensitivity of DNA to UV radiation, *Microbiol.*, 75, 568-574.
- de Grey, A. D. (2004) Mitochondrial mutations in mammalian aging: an overhasty about-turn? *Rejuvenation Res.*, 7, 171-174.
- de Mejia, E.G., Song, Y.S., Heck, C.I. and Ramirez-Mares, M. (2010) Yerba mate tea (*Ilex paraguariensis*): Phenolics, antioxidant capacity and *in vitro* inhibition of colon cancer cell proliferation, *J. Funct. Foods*, In Press, Corrected Proof.
- de Oliveira, J.S., Bezerra, D.P., de Freitas, C.D.T., Filho, J.D.B.M., de Moraes, M.O., Pessoa, C., Costa-Lotufo, L.V. and Rasmos, M.V. (2007) *In vitro* cytotoxicity against different human cancer cell lines of laticifer proteins of *Calotropis procera* (Ait.) R. Br, *Toxicol. In vitro.*, 21, 1563-1573.
- de Rezende, A.A., Graf, U., Guterres, Z.R., Kerr, W.E. and Spano, M.A. (2009) Protective effects of proanthocyanidins of grape (*Vitis vinifera* L.) seeds on DNA damage induced by Doxorubicin in somatic cells of *Drosophila melanogaster*, *Food Chem Toxicol.*, 47, 1466-1472.
- Dede, S., Mert, H., Mert, N., Yur, F., Ertekin, A. and Deger, Y. (2006) Effects of alpha-tocopherol on serum trace and major elements in rats with bleomycin-induced pulmonary fibrosis, *Biol. Trace Elem. Res.*, 114, 175-184.
- Demir, E., Kocaoglu, S. and Kaya, B. (2008) Genotoxicity testing of four benzyl derivatives in the *Drosophila* wing spot test, *Food Chem. Toxicol.*, 46, 1034-1041.
- Demirci, B., Kosar, M., Demirci, F., Dinc, M. and Baser, K.H.C. (2007) Antimicrobial and antioxidant activities of the essential oil of *Chaerophyllum libanoticum* Boiss. et Kotschy, *Food Chem.*, 105, 1512-1517.
- Desai, N., Sabanegh Jr, E., Kim, T. and Agarwal, A. (2010) Free radical theory of aging: Implications in male infertility, *Urol.*, 75, 14-19.
- Devasagayam, T.P.A., Tilak, J.C., Bloor, K.K., Sane K.S., Ghaskadbi, S.S. and Lele, R.D. (2004) Free radicals and antioxidants in human health: current status and future prospects, *J. Assoc. Physicians India*, 52, 794-804.

- Devi, P.K., Suganthy, N., Kesika, P. and Pandian, S.K. (2008) Bioprotective properties of sea weeds: *In vitro* evaluation of antioxidant activity and antimicrobial activity against food borne bacteria in relation to polyphenolic content, *BMC Complement Altern. Med.*, 8, 8-38.
- Djeridane, A., Yousfi, M., Nadjemi, B., Boutassouna, D., Stocker, P. and Vidal, N. (2006) Antioxidant activity of some algerian medicinal plants extracts containing phenolic compounds, *Food Chem.*, 97, 654-660.
- Dodge, J.T., Mitchel, C. and Hanghan, V. (1963) The preparation and chemical characteristics of haemoglobin free erythrocytes, *Arch. Biochem. Biophys.*, 100, 119-130.
- Domazou, A.S., Koppenol, W.H. and Gebicki, J.M. (2009) Efficient repair of protein radicals by ascorbate, *Free Rad. Biol. Med.*, 46, 1049-1057.
- Duh, P. D., Tu, Y. Y. and Yen, G. C. (1999) Antioxidant activity of water extract of Hamg Jyur (*Chrysanthemum morifolium* Ramat), *Lebensmittel Wissenschaft und Technologie*, 32, 269-277.
- Duke, J. A. and Ayensu, E. S. (1985) *Medicinal Plants of China* Reference Publications Inc., 2, pp.501, ISBN 0-917256-20-4.
- Durackova, Z. (2009) Some current insights into oxidative stress, *Physiol. Res.*, [Epub ahead of print], PMID: 19929132.
- Eiberger, W., Volkmer, B., Amouroux, R., Dherin, C., Radicella, J.P. and Epe, B. (2008) Oxidative stress impairs the repair of oxidative DNA base modifications in human skin fibroblasts and melanoma cells, *DNA Repair (Amst)*, 7, 912-921.
- El-Demerdash, F.M., Yousef, M.I. and Radwan, F.M.E. (2009) Ameliorating effect of curcumin on sodium arsenite-induced oxidative damage and lipid peroxidation in different rat organs, *Food Chem. Toxicol.*, 47, 249-254.
- Elizabeth, K. and Rao, H.N.A. (1990) Oxygen radical scavenging activity of curcumin, *Int. J. Pharm.*, 58, 237-240.
- El-Shenawy, N.S., El-Salmy, F., Al-Eisa, R.A. and El-Ahmary, B. (2010) Amelioratory effect of vitamin E on organophosphorus insecticide diazinon-induced oxidative stress in mice liver, *Pesticide Biochem. Physiol.*, 96, 101-107.
- Erdman Jr, J.W., Ford, N.A. and Lindshield, B.L. (2009) Are the health attributes of lycopene related to its antioxidant function? *Arch. Biochem. Biophys.*, 483, 229-235.
- Es-Safi, N., Kollmann, A., Khelifi, S. and Ducrot, P. (2007) Antioxidative effect of compounds isolated from *Globularia alypum* L. structure-activity relationship, *LWT- Food Sci.Tech.*, 40, 1246-1252.
- Evans M.D., Dizdaroglu, M. and Cooke. M.S. (2004) Oxidative DNA damage and disease: induction, repair and significance, *Mutat. Res.*, 567, 1-61.
- Fang, J., Seki, T. and Maeda, H. (2009) Therapeutic strategies by modulating oxygen stress in cancer and inflammation, *Adv. Drug Deliv. Rev.*, 61, 290-302.
- Fang, R., Houghton, P.J. and Hylands, P.J. (2008) Cytotoxic effects of compounds from *Iris tectorum* on human cancer cell lines, *J. Ethnopharmacol.*, 118, 257-263.
- Fernandes, F., Valentao, P., Sousa, C., Pereira, J.A., Seabra, R.M. and Andrade, P.B. (2007) Chemical and antioxidative assessment of dietary turnip (*Brassica rapa* var. *rapa* L.), *Food Chem.*, 105, 1003-1010.
- Ferrigno, L., Aldigeri, R., Rosmini, F., Sperduto, R.D. and Maraini, G. (2005) The Italian-American Cataract Study Group, Associations between plasma levels of vitamins and cataract in the Italian-American clinical trial of nutritional supplements and age-related cataract (CTNS): CTNS report #2, *Ophthalmic Epidemiol.*, 12, 71-80.
- Ferruzzi, M.G. and Blakeslee, J. (2007) Digestion, absorption and cancer preventative activity of dietary chlorophyll derivatives, *Nutr. Res.*, 27, 1-12.
- Fornelli, A., Leone, A., Verdesca, I., Minervini, F. and Zacheo, G. (2007) The influence of lycopene on the proliferation of human breast cell line (MCF-7), *Toxicol. In vitro*, 21, 217-223.

- Fritzer-Szekeres, M., Salamon, A., Grusch, M., Horvath, Z., Hochtl, T., Steinbrugger, R., Krupitza, G., Elford, H.L. and Szekeres, T. (2002) Trimidox, an inhibitor of ribonucleotide reductase, synergistically enhances the inhibition of colony formation by Ara-C in HL-60 human promyelocytic leukemia cells, *Biochem. Pharmacol.*, 64, 481-485.
- Frohlich, K., Fussi, H. and Ruckenstuhl, C. (2007) Yeast apoptosis-From genes to pathways, *Semin. Cancer Biol.*, 17, 112-121.
- Fu, M., He, Z., Zhao, Y., Yang, J. and Mao, L. (2009) Antioxidant properties and involved compounds of daylily flowers in relation to maturity, *Food Chem.*, 114, 1192-1197.
- Fu, X., Wang, L., Zhao, H., Xiang, H. and Cao, J. (2008) Synthesis of genistein derivative and determination of their protective effects against vascular endothelial cell damage caused by hydrogen peroxide, *Bioorg. Med. Chem. Lett.*, 18, 513-517.
- Fukumasu, H., Avanzo, J.L., Heidor, R., Silva, T.C., Atroch, A., Moreno, F.S. and Dagli, M.L.Z. (2006) Protective effects of guarana (*Paullinia cupana* Mart. var. *Sorbilis*) against DEN-induced DNA damage on mouse liver, *Food Chem. Toxicol.*, 44, 862-867.
- Gao, H., Shupe, T.F., Eberhardt, T.L. and Hse, C.Y. (2007a) Antioxidant activity of extracts from the wood and bark of Port Orford cedar, *J. Wood Sci.*, 53, 147-152.
- Gao, R.J., Liang, Y.X., Li, D.D., Zhang, H.Y. and Zhen, Y.S. (2007b) Effect of lidamycin on telomerase activity in human hepatoma BEL-7402 cells, *Biomed. Environ. Sci.*, 20, 189-197.
- Garcia, L.S. (1999) Practical guide to diagnostic parasitology, American Society Microbiology, Washington, D.C, Library of Congress cataloging in publication data, pp.151-160.
- Geetha, T., Malhotra, V., Chopra, K. and Kaur, L.P. (2005) Antimutagenic and antioxidant / prooxidant activity of quercetin, *Indian. J. Exp. Biol.*, 43, 61-67.
- Genestra, M. (2007) Oxyl radicals, redox-sensitive signalling cascades and antioxidants, *Cell. Signal*, 19, 1807-1819.
- Giral, H., Villa-Bellosta, R., Catalan, J. and Sorribas, V. (2007) Cytotoxicity of peroxisome proliferator-activated receptor α and γ agonists in renal proximal tubular cell lines, *Toxicol. In vitro.*, 21, 1066-1076.
- Gong, G., Qin, Y., Huang, W., Zhou, S., Yang, X. and Li, D. (2010) Rutin inhibits hydrogen peroxide-induced apoptosis through regulating reactive oxygen species mediated mitochondrial dysfunction pathway in human umbilical vein endothelial cells, *Eur. J. Pharmacol.*, 628, 27-35.
- Gordon, M. H. (1990) The mechanism of antioxidant action *in vitro*. In: B.J.F. Hudson (ED.). Food antioxidants Elsevier Applied Science, London, pp 1-18.
- Green, L.C., Wagner, D.A., Glogowski, J., Skipper, P.L., Wishnok, J.S. and Tannenbaum, S.R. (1982) Analysis of nitrate, nitrite and (15N) nitrate in biological fluid, *Anal. Biochem.*, 126, 131-138.
- Gu, Y.H. and Belury, M.A. (2005) Selective induction of apoptosis in murine skin carcinoma cells (CH72) by an ethanol extract of *Lentinula edodes*, *Cancer Lett.*, 220, 21-28.
- Gugliucci, A. and Menni, T. (2002) Three different pathways for human LDL oxidation are inhibited *in vitro* by water extracts of the medicinal herb *Achyrocline satureoides*, *Life Sci.*, 71, 693-705.
- Gulcin, I. (2006) Antioxidant activity of caffeic acid (3,4-dihydroxycinnamic acid), *Toxicol.*, 217, 213-220.
- Gulcin, I. (2007) Comparison of *in vitro* antioxidant and antiradical activities of L-tyrosine and L-Dopa, *Aminoacids*, 32, 431-438.
- Gulcin, I., Berashvili, D. and Gepdiremen, A. (2005) Antiradical and antioxidant activity of total anthocyanins from *Perilla pankinensis* decne, *J. Ethnopharmacol.*, 101, 287-293.
- Gulcin, I., Mshvildadze, V., Gepdiremen, A. and Elias, R. (2006) Screening of antiradical and antioxidant activity of monodesmosides and crude extract from *Leontice smirnowii* tuber, *Phytomed.*, 13, 343-351.

Gumaraes, C.M., Giao, M.S., Martinez, S.S., Pintado, A.I., Pintado, M.E., Bento, L.S. and Malcata, F.X. (2007) Antioxidant activity of sugar molasses, including protective effect against DNA oxidative damage, *J. Food Sci.*, 72, C39-C43.

Habig, W.H., Pabst, M.J. and Jakoby, W.B. (1974) Glutathione transferase : A first enzymatic step in mercapturic acid formation, *J. Biol. Chem.*, 249, 7130-7139.

Hai, J., Lin, Q., Lu, Y., Zhang, H and Yi, J. (2007) Induction of apoptosis in rat C6 glioma cells by panaxydol, *Cell Biol. Int.*, 31, 711-715.

Hail, N. Jr., Cortes, M., Drake, E.N. and Spallholz, J.E. (2008) Cancer chemoprevention: a radical perspective, *Free Radic. Biol. Med.*, 45, 97-110.

Hakim, J.A., Chow, H.H.S. and Harris, R.B. (2008) Green tea consumption is associated with decreased DNA damage among GSTM1-positive smokers regardless of their hOGG1 genotype, *J. Nutr.*, 138, 1567S-1571S.

Halliwell B. (2006) Reactive species and antioxidants. Redox biology is a fundamental theme of aerobic life, *Plant Physiol.*, 141, 312-322.

Halliwell, B. and Gutteridge, J. M. C. (1990) Role of free radicals and catalytic metal ions in human disease: an overview, *Methods Enzymol.*, 186, 1-85.

Han, M.H., Yoo, Y.H. and Choi, Y.H. (2008) Sanguinarine-induced apoptosis in human leukemia U937 cells via Bcl-2 downregulation and caspase-3 activation, *Chemotherapy*, 54, 157-165.

Hariparsad, N., Sane, R.S., Strom, S.C. and Desai, P.B. (2006) *In vitro* methods in human drug biotransformation research: implications for cancer chemotherapy, *Toxicol. In vitro*, 2, 135-153.

Hashim, M.S., Lincy, S., Remya, V., Teena, M. and Anila, L. (2005) Effect of polyphenolic compounds from *Coriandrum sativum* on H₂O₂-induced oxidative stress in human lymphocytes, *Food Chem.*, 92, 653-660.

Hayes, J., Flanagan, J. and Jowsey, I. (2005) Glutathione transferases, *Ann. Rev. Pharmacol. Toxicol.*, 45, 51-88.

Hazra, B., Das Sarma, M., Kumar, B., Basu, S., Das, K., Panday, B.N. and Mishra, K.P. (2007) Cytotoxicity of Diospyrin and its derivatives in relation to the generation of reactive oxygen species in tumour cells *in vitro* and *in vivo*, *Chemother.*, 53, 173-176.

Heber, D. (2004) Vegetables, fruits and phytoestrogens in the prevention of diseases, *J. Postgrad. Med.*, 50, 145-149.

Hellman B.R., Argy, D. and Ullberg, S. (1985) The *in vivo* uptake of tritiated thymidine as a potential short term test of toxic effects of polycyclic aromatic hydrocarbons in different organs, *Toxicol.*, 29, 183-194.

Heo, H. J., Kim, Y. J., Chung, D. and Kim, D. (2007) Antioxidant capacities of individual and combined phenolics in a model system, *Food Chem.*, 104, 87-92.

Hichem, H., Mounir, D. and Naceur, E. (2009) Differential responses of two maize (*Zea mays* L.) varieties to salt stress: Changes on polyphenols composition of foliage and oxidative damages, *Industrial Crops and Products*, 30, 144-151.

Ho, T., Yang, Y., Chen, S., Kuo, P., Sytwu, H., Cheng, H. and Tsao, Y. (2007) Pigment epithelium-derived factor induces THP-1 macrophage apoptosis and necrosis by the induction of the peroxisome proliferator-activated receptor gamma, *Mol. Immunol.*, 45, 898-909.

Hofseth, L.J. (2008) Nitric oxide as a target of complementary and alternative medicines to prevent and treat inflammation and cancer, *Cancer Lett.*, 268, 10-30.

HongBo, S., ZongSuo, L. and Mingan, S. (2005) Changes of anti-oxidative enzymes and MDA content under soil water deficits among 10 wheat (*Triticum aestivum* L.) genotypes at maturation stage, *Colloids Surf. B Biointerfaces*, 45, 7-13.

Hortensteiner, S. and Matile, P. (2004) How leaves turn yellow: Catabolism of chlorophyll. In plant cell death processes, L.D. Nooden, ed (San Diego, CA: Academic Press), pp. 189-202.

Hosamani, R. and Muralidhara. (2009) Neuroprotective efficacy of *Bacopa monnieri* against rotenone induced oxidative stress and neurotoxicity in *Drosophila melanogaster*, *Neurotoxicology*, 30, 977-985.

- Hsu, Y., Chang, W., Chen, C., Liao, J., Huang, C., Lu, F., Chia, Y., Hsu, H., Wu, J. and Yang, H. (2008) Antioxidant activities of *Toona Sinensis* leaves extracts using different antioxidant models, *Food Chem Toxicol.*, 46, 105-114.
- Hsu, C. (2008) Antioxidant activity of *Pyrrosia petiolosa*, *Fitoterapia* 79, 64-66.
- Hsu, S.C., Kuo, C.L., Lin, J.P., Lee, J.H., Lin, C.C., Su, C.C., Lin, H.J. and Chung, J.G. (2007) Crude extracts of *Euchresta formosana* radix induce cytotoxicity and apoptosis in human hepatocellular carcinoma cell line (Hep3B), *Anticancer Res.*, 27, 2415-2425.
- Hsu, S.C., Lu, J.H., Kuo, C.L., Yang, J.S., Lin, M.W., Chen, G.W., Su, C.C., Lu, H.F. and Chung, J.G. (2008) Crude extracts of *Solanum lyratum* induced cytotoxicity and apoptosis in a human colon adenocarcinoma cell line (Colo 205), *Anticancer Res.*, 28, 1045-1054.
- Hua, Z., Yan, G., Du, G. and Chen, J. (2007) Study and improvement of the conditions for production of a novel alkali stable catalase, *Biotechnol. J.*, 2, 326-333.
- Humphrey, M.L., Cole, M.P., Pendergrass, J.C. and Kiningham, K.K. (2005) Mitochondrial mediated thimerosal-induced apoptosis in a human neuroblastoma cell line (SK-N-SH), *Neurotoxicol.*, 26, 407-416.
- Iannitti, T. and Palmieri, B. (2009) Antioxidant therapy effectiveness: an up to date, *Eur. Rev. Med. Pharmacol. Sci.*, 13, 245-278.
- Igarashi, M. and Miyazawa, T. (2001) The growth inhibitory effect of conjugated linoleic acid on a hepatoma cell line Hep G2, is induced by a change in fatty acid in cells, *Biochem. Biophys. Acta / Molecular and Cell Biology of Lipids*, 1530, 162-171.
- Isaac, M.G., Quinn, R. and Tabet, N. (2008) Vitamin E for Alzheimer's disease and mild cognitive impairment (Review), *Cochrane Database Syst Rev.*, 16, CD002854.
- Ismail, H.I., Chan, K.W., Mariod, A.A. and Ismail, M. (2010) Phenolic content and antioxidant activity of cantaloupe (cucumis melo) methanolic extracts, *Food Chem.*, 119, 643-647.
- Jacques, P.F., Taylor, A., Moeller, S., Hankinson, S.E., Rogers, G., Tung, W., Ludovico, J., Willett, W.C. and Chylack Jr. L.T. (2005) Long-term nutrient intake and 5-year change in nuclear lens opacities, *Arch. Ophthalmol.*, 123, 517-526.
- Jakopec, S., Dubravcic, K., Polanc, S., Kosmrlj, J. and Osmak, M. (2006), Diazene JK-279 induces apoptosis-like cell death in human cervical carcinoma cells, *Toxicol. In vitro*, 20, 217-226.
- Jia, J., Zhang, X., Hu, Y., Wu, Y., Wang, Q., Li, N., Guo, Q. and Dong, X. (2009) Evaluation of *in vivo* antioxidant activities of *Ganoderma lucidum* polysaccharides in STZ-diabetic rats, *Food Chem.*, 115, 32-36.
- Jodynys-Liebert, J., Adamska, T., Ewertowska, M., Bylka, W. and Matlawska, I. (2009) *Aquilegia vulgaris* extract attenuates carbon tetrachloride-induced liver fibrosis in rats, *Exp. Toxicol. Pathol.*, 61, 443-451.
- Jodynys-Liebert, J., Matlawska, I., Bylka, W. and Murias, M. (2005) Protective effect of *Aquilegia vulgaris* (L.) on APAP-induced oxidative stress in rats, *J. Ethnopharmacol.*, 97, 351-358.
- Johnson, M.K. and Loo, G. (2000) Effects of epigallocatechin gallate and quercetin on oxidative damage to cellular DNA, *Mutat. Res.* 459, 211-218.
- Jones, D.P. (2006) Redefining oxidative stress, *Antioxid. Redox Signal.*, 9-10, 1865-1879.
- Kakani, V.G., Reddy, K.R., Zhao, O. and Gao, W. (2004) Senescence and hyperspectral reflectance of cotton leaves exposed to ultraviolet-B radiation and carbon dioxide, *Physiol. Plant*, 121, 250-257.
- Kalaivani, T. and Mathew, L. (2010) Free radical scavenging activity from leaves of *Acacia nilotica* (L.) Wild. ex Delile, an Indian medicinal tree, *Food Chem. Toxicol.*, 48, 298-305.
- Kamalakkannan, N. and Prince, P.S. (2006) Rutin improves the antioxidant status in streptozotocin-induced diabetic rat tissues, *Mol. Cell Biochem.*, 293, 211-219.
- Kannan, K. and Jain, S.K. (2000) Oxidative stress and apoptosis, *Pathophysiol.*, 7, 153-163.
- Kapiszewska, M., Cierniak, A., Elas, M. and Lankoff, A. (2007) Lifespan of etoposide-treated human neutrophils is affected by antioxidant ability of quercetin, *Toxicol. In vitro*, 21, 1020-1030.

- Karmakar, S., Banik, N.L., Patel, S.J. and Ray, S. (2007) Garlic compounds induced calpain and intrinsic caspase cascade for apoptosis in human malignant neuroblastoma SH-SY5Y cells, *Apop.*, 12, 671-684.
- Kawaguchi-Niida, M., Shibata, N., Morikawa, S., Uchida, K., Yamamoto, T., Sawada, T. and Kobayashi, M. (2006) Crotonaldehyde accumulates in glial cells of Alzheimer's disease brain, *Acta Neuropathol.*, 5, 422-429.
- Kerr, J.F., Wyllie, A.H. and Currie, A.R. (1972) Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics, *Br. J. Cancer*, 26, 239-257.
- Khan, P.K. and Sinha, S.P. (2008) Antimutagenic profile of antioxidant vitamins in *Drosophila mutation* test, *Biomed. Environ. Sci.*, 21, 163-166.
- Khandelwal, K.R. (2002) Practical pharmacognosy-techniques and experiments, IX edition, Nirali Prakashan Publishers, Pune, pp. 149-157.
- Kim, M., Lee, H., Kim, E., Won, N., Chi, Y., Kim, B. and Lee, K. (2007a) Protective effect of aqueous extract of *Perilla frutescens* on tert-butyl hydroperoxide-induced oxidative hepatotoxicity in rats, *Food Chem. Toxicol.*, 45, 1738-1744.
- Kim, S., Cui, C., Kang, I., Kim, S.Y. and Ham, S. (2007b) Cytotoxic Effect of Buckwheat (*Fagopyrum esculentum Moench*) Hull Against Cancer Cells, *J. Med. Food*, 10, 232-238.
- Kirkova, M., Alexandova, A., Kesiova, M., Tsvetanova, E., Georgieva, A. and Todorov, S. (2007) Potential antioxidant activity of celecoxib and amlolmetin guacyl: *in vitro* studies, *Auton. Autacoid. Pharmacol.*, 27, 13-18.
- Kiruthika, B., Raghavendra, V., Sathisha, U.V, Anil, T., Vishweshwara, A. and Shylaja, M. D. (2009) Galectin-3 in urine of cancer patients: stage and tissue specificity, *J. Cancer Res. Clin. Oncol.*, 135, 355-363.
- Kitagaki, H., Arakia, Y., Funato, K. and Shimoi, H. (2007) Ethanol-induced death in yeast exhibits features of apoptosis mediated by mitochondrial fission pathway, *FEBS Lett.*, 581, 2935-2942.
- Klatt, P. and Lamas, S. (2000) Regulation of protein function by glutathiolation in response to oxidative and nitrosative stress, *Eur. J. Biochem.*, 267, 4928-4944.
- Kniewald, J., Kmetie, I., Gaurina-sreek, V. and Kniewald, Z. (2005) Alternative models for toxicity testing of xenobiotics, *Arh. Hig. Rada. Toksikol.*, 56, 195-204.
- Knorre, D.A., Smirnora, E.A. and Severen, F.F. (2005) Natural condition inducing programmed cell death in the yeast *Saccharomyces cerevisiae*, *Biochem.*, 70, 264-266.
- Konduri, S., Schwarz, M.A., Cafasso, D. and Schwarz, R.E. (2007) Androgen receptor blockade in experimental combination therapy of pancreatic cancer, *J. Surg. Res.*, 142, 378-386.
- Kopsell, D.A. and Kopsell, D.E. (2009) Carotenoids in Vegetables: Biosynthesis, occurrence, impacts on human health, and potential for manipulation, In: R. Ross and V.R. Preedy (eds.). *Bioactive foods in promoting health, fruits and vegetables*, Elsevier, St. Louis, Mo, pp. 645-662.
- Koren, A. (2006) Is *Saccharomyces cerevisiae* apoptotic cell death associated with gene transfer? *IUBMB Life*, 58, 203-207.
- Koshland, D. E. (1992) The molecule of the year, *Science*, 258, 1861-1861.
- Kovacic, P., Pozos, R. S., Somanathan, R., Shangari, N., and O'Brien, P. J. (2005) Mechanism of mitochondrial uncouplers, inhibitors, and toxins: Focus on electron transfer, free radicals, and structure-activity relationships, *Curr. Med. Chem.*, 12, 2601-2623.
- Koyama, S., Cobb, L.J., Mehta, H.H., Seeram, N.P., Heber, D., Pantuck, A.J. and Cohen, P. (2010) Pomegranate extract induces apoptosis in human prostate cancer cells by modulation of the IGF-IGFBP axis, *Growth Horm. IGF Res.*, 20, 55-62.
- Krinsky, N.I. and Johnson, E.J. (2005) Carotenoid actions and their relation to health and disease, *Mol. Aspects Med.*, 26, 459-516.

- Kujoth, G. C., Hiona, A., Pugh, T. D., Someya, S., Panzer, K., Wohlgenuth, S. E., Hofer, T., Seo, A. Y., Sullivan, R., Jobling, W. A., Morrow, J. D., Van Remmen, H., Sedivy, J. M., Yamasoba, T., Tanokura, M., Weindruch, R., Leeuwenburgh, C. and Prolla, T. A. (2005) Mitochondrial DNA mutations, oxidative stress, and apoptosis in mammalian aging, *Science*, 309, 481-484.
- Kukic, J., Petrovic, S. and Niketic, M. (2006) Antioxidant activity of four endemic stachs taxa, *Biol. Pharma. Bull.*, 29, 725-729,
- Kulkarni, S.D., Tilak, J.C., Acharya, R., Rajurkar, N.S., Devasagayam, T.P. and Reddy, A.V. (2006) Evaluation of the antioxidant activity of wheatgrass (*Triticum aestivum* L.) as a function of growth under different conditions, *Phytother. Res.*, 20, 218-227.
- Kumar, G., Banu, G.S. and Murugesan, A.G. (2008) Effect of *Helicteres isora* bark extracts on heart antioxidants status and lipid peroxidation in streptozotocin diabetic rats, *J. Appl. Biomed.*, 6, 89-95.
- Kumaran, K. and Karunakaran, R.J. (2007) *In vitro* antioxidant activities of methanol extracts of five phyllanthus species from India, *LWT-Food Sci. Technol.*, 40, 344-352.
- Kundu, R., Dasgupta, S., Biswas, A., Bhattacharya, A., Pal, B.C., Bandyopadhyay, D., Bhattacharya, S. and Bhattacharya, S. (2008) *Cajanus cajan* Linn. (Leguminosae) prevents alcohol-induced rat liver damage and augments cytoprotective function, *J.Ethnopharmacol.*, 118, 440-447.
- Landis, G.N. and Tower, J. (2005) Superoxide dismutase evolution and life span regulation, *Mech. Ageing Dev.*, 126, 365-379.
- Lau, A.T., Wang, Y. and Chiu, J.F. (2008) Reactive oxygen species: current knowledge and applications in cancer research and therapeutic, *J. Cell. Biochem.*, 104, 657-667.
- Lee, B.B., Cha, M.R., Kim, S.Y., Park, E., Park, H.R. and Lee, S.C. (2007a) Antioxidative and anticancer activity of extracts of cherry blossoms (*Prunus serrulata* var. spontanea), *Plant Foods Hum. Nutr.*, 62, 79-84.
- Lee, S., Lee, M. and Kim, S. (2008) Eupatilin inhibits H₂O₂-induced apoptotic cell death through inhibition of mitogen-activated protein kinases and nuclear factor-Kb, *Food Chem. Toxicol.*, 46, 2865-2870.
- Lee, G.Y.H. and Lim, C.T. (2006) Biomechanics approaches to studying human diseases, *Trends Biotech.*, 25, 111-118.
- Lee, J., Koo, N. and Min, D.B. (2004) Reactive oxygen species, aging, and antioxidative nutraceuticals, *Comp. Rev. Food Sci. Food safety*, 3, 21-33.
- Lee, K.J. and Jeong, H.G. (2007) Protective effects of kahweol and cafestol against hydrogen peroxide-induced oxidative stress and DNA damage, *Toxicol. Lett.*, 173, 80-87.
- Lee, K.J., Choi, J.H. and Jeong, H. (2007d) Hepatoprotective and antioxidant effects of the coffee diterpenes kahweol and cafestol on carbon tetrachloride-induced liver damage in mice, *Food Chem. Toxicol.*, 45, 2118-2125.
- Lee, Y., Huang, G., Liang, Z and Mau, J. (2007c) Antioxidant properties of three extracts from *Pleurotus citrinopileatus*, *LWT – Food Sci. Technol.*, 40,823-833.
- Lee, Y., Yen, M and Mau, J. (2007b) Antioxidant properties of various extracts from *Hypsizigus marmoreus*, *Food Chem.*, 104, 1-9.
- Lerche-Langrand, C. and Toutain, H.J. (2000) Precision-cut liver slices: characteristics and use for *in vitro* pharmaco-toxicology, *Toxicol.*, 153, 221–253.
- Levander, O. A. (1987) A global view of human selenium nutrition, *Ann. Rev. Nutr.*, 7, 227-250.
- Li, S., Wang, T., Rice, G., Yu, J., Liang, S. and Hu, X. (2007a) Apoptosis in Hela cells induced by extract from *Cremanthodium humila*, *Food Chem. Toxicol.*, 45, 2040-2046.
- Li, Y., Chang, J.W.C., Chou, W., Liaw, C., Wang, H., Huang, J., Wang, C. and Yeh, K. (2007b) Zoledronic acid is unable to induce apoptosis, but slows tumor growth and prolongs survival for non-small-cell lung cancers, *Lung Cancer*, 59, 180-191.
- Lin, P., Lin, C., Huang, C., Chuang, M. and Lin, P. (2007) 2, 3, 7, 8-Tetrachlorodibenzo-p-dioxin (TCDD) induces oxidative stress, DNA strand breaks, and poly (ADP-ribose) polymerase-I activation in human breast carcinoma cell lines, *Toxicol. Lett.*, 172, 146-158.

- Liu, C., Zheng, Y., Lu, J., Zhang, Z., Fan, S., Wu, D. and Ma, J. (2010) Quercetin protects rat liver against lead-induced oxidative stress and apoptosis, *Environ. Toxicol. Pharmacol.*, doi:10.1016/j.etap.2009.12.006.
- Liu, Q.A. and Hengartner, M.O. (1999) The molecular mechanism of programmed cell death in *C. elegans*, *Ann. N. Y. Acad. Sci.*, 887, 92-104.
- Liu, S.Q., Yu, J.P., Chen, H.L., Luo, H.S., Chen, S.M. and Yu, H.G. (2006b) Therapeutic effects of molecular mechanisms of Ginkgo biloba extracts on liver fibrosis in rats, *Am. J. Clin. Med.*, 34, 99-114.
- Liu, S.Q., Yu, J.P., Yu, H.G., Lv, P. and Chen, H.L. (2006a) Activation of Akt and ERK signalling pathways induced by etoposide confer chemoresistance in gastric cancer cells, *Dig. Liver Dis.*, 38, 310-318.
- Lodovici, H., Menichetti, S., Viglianisi, C., Caldini, S. and Giuliani, E. (2006) Polyhydroxylated 4-thiaflavans as multipotent antioxidants: protective effect on oxidative DNA damage *in vitro*, *Bioorg. Med. Chem. Lett.*, 16, 1957-1960.
- Loke, W., Proudfoot, J., McKinley, A. and Croft, K. (2005) Augmentation of monocyte intracellular ascorbate *in vitro* protects cells from oxidative damage and inflammatory responses, *Biochem. Biophys. Res. Commun.*, 345, 1039-1043.
- Luck, H. (1974) In: *Methods in enzymatic analysis*, II Edn., Bergmeyer Academic Press, New York, p. 805.
- Ludovico, P., Madeo, F. and Silva, M.T. (2005) Yeast programmed cell death – An intricate puzzle, *IUBMB Life*, 57, 129-135.
- Lunec, J., Holloway, K.A., Cooke, M.S., Faux, S., Griffiths, H.R. and Evans, M.D. (2002) Urinary 8-oxo-2'-deoxyguanosine: redox regulation of DNA repair *in vivo*, *Free Rad. Biol. Med.*, 33, 875-885.
- Madeo, F., Herker, K., Wisensing, S., Jung Wirth, H., Eisenberg, T. and Frohlich, K.U. (2004) Apoptosis in yeast, *Curr. Opin. Microbiol.*, 7, 655-660.
- Madrigal, J.C., Olivenza, R., Moro, M.A., Lizasoain, L., Lorenzo, P., Rodrigo, L. and Leza, J.L. (2001) GSH depletion lipid peroxidation and mitochondrial dysfunction are involved by chronic stress in rat brain, *Neuropsychopharmacol.*, 24, 420-429.
- Mallick, C.P. and Singh, M.B. (1980) *Plant enzymology and plant histoenzymology*, Kalyani Publishers, New Delhi, p. 286.
- Mandal, S.K., Biswas, R., Bhattacharyya, S.S., Paul, S., Dutta, S., Pathak, S. and Khuda-Bukhsh, A.R. (2010) Lycopodium from *Lycopodium clavatum* extract inhibits proliferation of HeLa cells through induction of apoptosis via caspase-3 activation, *Eur. J. Pharmacol.*, 626, 115-122.
- Manian, R., Anusuya, N., Siddhuraju, P. and Manian, S. (2008) The antioxidant activity and free radical scavenging potential of two different solvent extracts of *Camellia sinensis* (L.), *Olkuntz*, *Ficus Bengalenis* L. and *Ficus Racemosa* L., *Food Chem.*, 107, 1000-1007.
- Manna, P., Sinha, M. and Sil, P.C. (2006) Aqueous extract of *Terminalia arjuna* prevents carbon tetrachloride induced hepatic and renal disorders, *BMC Comp and Alt Med.*, 6, 33.
- Manonmani, G., Bhavapriya, V., Kalpana, S., Govindasamy, S. and Apparathanam, T. (2005) Antioxidant activity of *Cassia fistula* (Linn.) flowers in alloxan induced diabetic rats, *J. Ethnopharmacol.*, 97, 39-42.
- Mansour, H.B., Boubaker, J., Bouhlef, I., Mahmoud, A., Bernillon, S., Chibani, J.B., Ghedira, K. and Chokir-Ghedira, L. (2007) Antigenotoxic activities of crude extracts from *Acacia salicina* leaves, *Environ. Mol. Mutagen.*, 48, 58-66.
- Marin, I., and Vallejo, J. (2005) Parkinson Disease: From Cellular and Animal Models to Genomics, *Curr. Genom.*, 6, 241-250.
- Marnett, L.J. (2000) Oxyradicals and DNA damage, *Carcinogenesis*, 21, 361-370.
- Martignoni, M., Monshouwer, M., de Kanter, R., Pezzetta, D., Moscone, A. and Grossi, P. (2004) Phase I and phase II metabolic activities are retained in liver slices from mouse, rat, dog, monkey and human after cryopreservation, *Toxicol. In vitro*, 18, 121-128.

- Masella, R., Di Benedetto, R., Vari, R., Filesi, C. and Giovannini, C. (2005) Novel mechanisms of natural antioxidant compounds in biological systems: Involvement of glutathione and glutathione related enzymes, *J. Nutr. Biochem.*, 16, 577-586.
- Matkovics, B., Kiss, I. and Kiss, S.A. (1997) The activation of magnesium treatment of antioxidants eliminating the oxygen free radicals in *Drosophila melanogaster*, *Magnes. Res.*, 10, 33-38.
- Mau, J., Chang, C., Huang, S. and Chen, C. (2004a) Antioxidant properties of methanolic extracts from two kinds of *Antrodia camphorate* mycelia, *Food Chem.*, 86, 25-31.
- Mau, J., Chang, C., Huang, S. and Chen, C. (2004b) Antioxidant properties of methanolic extracts from *Grifola frondosa*, *Morchella esculenta* and *Termitomyces albuminosus* mycelia, *Food Chem.*, 87, 111-118.
- McCord, J.M. and Fridovich, I. (1969) Superoxide dismutase an enzymic function for erythrocyte hemocuprein, *J. Biol. Chem.*, 244, 60409-60455.
- Mensor, L.L., Menezes, F.S., Leitae, G.C., Resi, A.S., Dossantos, T.C., Coube, C.S. and Leitaos, G. (2001) Screening of Brazilian plant extract for antioxidant activity by the use of DPPH free radical method, *Phytother. Res.*, 15, 127-130.
- Mercille, S. and Massie, B. (1994) Induction of apoptosis in nutrient-deprived cultures of hybridoma and myeloma cells, *Biotech. Bioengn.*, 44, 1140-1154.
- Min, K. and Ebeler, S.E. (2008) Flavonoid effects on DNA oxidation at low concentrations relevant to physiological levels, *Food Chem. Toxicol.*, 46, 96-104.
- Mishra, K.P., Padwad, Y.S., Dutta, A., Ganju, L., Sairam, M., Banerjee, P.K. and Sawhney, R.C. (2007) Aqueous extract of *Rhodiola imbricata* rhizome inhibits proliferation of an erythroleukemic cell line K-562 by inducing apoptosis and cell cycle arrest at G2/M phase, *Immunobiol.*, 213, 125-131.
- Mishra, N.C. and Kumar, S. (2005), Apoptosis: A mitochondrial perspective on cell death, *Indian J. Exp. Biol.*, 43, 25-34.
- Misra, H.P. and Fridovich, I. (1972) The role of superoxide anion in the antioxidation of epinephrine and a simple assay for superoxide dismutase, *J. Biol. Chem.*, 247, 3170-3175.
- Mondal, S.K., Chakraborty, G., Gupta, M. and Mazumder, U.K. (2005) Hepatoprotective activity of *diospyros malabarica* bark in carbon tetrachloride intoxicated rats, *Eur. Bull. Drug Res.*, 13, 25-30.
- Monteiro, R., Faria, A., Azevedo, I. and Calhau, C. (2007) Modulation of breast cancer cell survival by aromatase inhibiting hop (*Humulus lupulus* L.) flavonoids, *J. Steroid Biochem. Mol. Biol.*, 105, 124-130.
- Moon, Y.J., Wang, X. and Morris, M.E. (2006) Dietary flavonoids: Effects on xenobiotic and carcinogen metabolism, *Toxicol. in vitro.*, 20, 187-210.
- Moor, E., Shohami, E., Kanevski, E., Grigoriadis, N., Symeonidou, C. and Kohen, R. (2006) Impairment of the ability of the injured aged brain in elevating urate and ascorbate, *Exp. Gerontol.*, 41, 303-311.
- Moron, M.S., Depierre, J.N. and Mannervik, V.C. (1979) Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver, *Biochem. Biophys. Acta.*, 582, 67-68.
- Moronvalle-Halley, V., Sacre-Salem, B., Sallez, V., Labbe, G. and Gautier, J. (2005) Evaluation of cultured, precision-cut rat liver slices as a model to study drug-induced liver apoptosis, *Toxicol.*, 207, 203-214.
- Muller, F.L., Lustgarten, M.S., Jang, Y., Richardson, A. and Remmen, H.V. (2007) Trends in oxidative aging theories, *Free Rad. Biol. Med.*, 43, 477-503.
- Murphy, M. P. (2009) How mitochondria produce reactive oxygen species, *J. Biochem.*, 417, 1-13.
- Murugan, P. and Pari, L. (2006) Antioxidant effect of tetrahydrocurcumin in streptozotocin-nicotinamide induced diabetic rats, *Life Sci.*, 79, 1720-1728.
- Muruges, K.S., Yeligar, V.C., Malti, B.M. and Maity, T.K. (2005) Hepato protective and antioxidant role of *Berberis tinctoria* Lesch leaves on paracetamol induced hepatic damage in rats, *Iranian J. Pharmacol. Therapeutics.*, 4, 64-69.

- Naik, G.H., Priyadarsini, K.I., Satav, J.G., Banavalikar, M.M., Sohoni, D.P., Biyani, M.K. and Mohan, H.(2003) Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine, *Phytochem.*, 63, 97-104.
- Naik, R. S., Mujumdar, A. M. and Ghaskadbi, S. (2004) Protection of liver cells from ethanol cytotoxicity by curcumin in liver slice culture *in vitro*, *J. Ethnopharmacol.*, 95, 31-37.
- Nevin, K.G. and Vijayammal, P.L. (2005) Effect of *Aerva lanata* against hepatotoxicity of carbon tetrachloride in rats, *Environ. Toxicol. Pharmacol.*, 20, 471-477.
- Nichans, W.G. and Samuelson, B. (1968), Formation of malondialdehyde from phospholipids arachidonate during microsomal lipid peroxidation, *Eur. J. Biochem.*, 6, 126-130.
- Niedowicz, D.M. and Daleke, D.L. (2005) The role of oxidative stress in diabetic complications, *Cell. Biochem. Biophys.*, 43, 289-330.
- Niki, E. (2009), Lipid peroxidation: Physiological levels and dual biological effects, *Free Rad. Biol. Med.*, 47, 469- 484.
- Ningappa, M.B., Dinesha, R. and Srinivas, L. (2008) Antioxidant and free radical scavenging activities of polyphenol-enriched curry leaf (*Murraya Koeningii* L.) extracts, *Food Chem.*, 106, 720-728.
- Nirmaladevi, R. (2008) Antioxidant responses evoked by *Rhinacanthus nasutus* leaf extracts in oxidatively stressed *in vitro* systems, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Nishizawa, M., Kohno, M., Nishimura, M., Kitagawa, A. and Niwano, Y. (2005) Presence of peroxyradicals in cigarette smoke and the scavenging effect of shikonin, a naphthoquinone pigment, *Chem. Pharm. Bull.*, 53, 796-799.
- Nogueira, C.W., Zeni, G. and Rocha, J. B. T. (2004) Organoselenium and organotellurium compounds: Toxicology and pharmacology, *Chem. Rev.*, 104, 6255-6285.
- Nozik-Grayck, E., Suliman, H. and Piantadosi, C. (2005) Extracellular superoxide dismutase, *Int. J. Biochem. Cell Biol.*, 37, 2466-2471.
- Nsimba, R., Kikuzaki, H. and Konishi, Y. (2008) Antioxidant activity of various extracts and fractions of *Chenopodium quinoa* and *Amaranthus* spp. Seeds, *Food Chem.*, 106, 760-766.
- Nuengchamnong, N., Krittasilp, K. and Ingkaninan, K. (2009) Rapid screening and identification of antioxidants in aqueous extracts of *Houttuynia cordata* using LC-ESI-MS coupled with DPPH assay, *Food Chem.*, 117, 750-756.
- Okhawa, H., Ohishi, N. and Yagi, K. (1979) Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction, *Anal. Biochem.*, 95, 351-355.
- Omoni, A.O. and Aluko, R.E. (2005) The anti-carcinogenic and anti-atherogenic effects of lycopene: a review, *Trends Food Sci. Technol.*, 16, 344-350.
- Onderwater, R.C., Commandeur, J.N. and Vermeulen, N.P. (2004) Comparative cytotoxicity of N-substituted N-(4-imidazoleethyl) thiourea in precision-cut rat liver slices, *Toxicol.*, 197, 81-91.
- Orsolic, N., Knezevic, A.H., Sver, L., Teric, S. and Basic, I. (2004) Immunomodulatory and antimetastatic action of propolis and related polyphenolic compounds, *J. Ethnopharmacol.*, 94, 307-315.
- Oyaizu, M. (1986) Studies on products of browning reactions: antioxidative activities of products of browning reaction prepared from glucosamine, *Japanese J. Nutr.*, 44, 307- 315.
- Pan, M.H. and Ho, C.T. (2008) Chemopreventive effects of natural dietary compounds on cancer development, *Chem. Soc. Rev.*, 37, 2558-2574.
- Park, H.J., Kim, Y.J., Leem, K., Park, S.J., Seo, J.C., Kim, H.K. and Chung, J.H. (2005) *Coptis japonica* root extract induces apoptosis through caspase3 activation in SNU-668 human gastric cancer cells, *Phytother. Res.*, 19, 189-192.
- Parks, D.R., Bryan, V.M., Oi, V.M., Oi, V.T. and Herzenberg, L.A. (1979) Antigen-specific identification and cloning of hybridomas with a Fluorescence Activated Cell Sorter (FACS), *PNAS*, 76, 1962-1966.

- Pastor, N., Weinstein, H., Jamison, E. and Brenowitz, M. (2000) A detailed interpretation of OH radical footprints in a TBPDNA complex reveals the role of dynamics in the mechanism of sequence specific binding, *J. Mol. Biol.*, 304, 55-68.
- Patenkovic, A., Stamenkovic-Radak, M., Banjanac, T. and Andjelkovic, M. (2009) Antimutagenic effect of sage tea in the wing spot test of *Drosophila melanogaster*, *Food Chem. Toxicol.*, 47, 180-183.
- Pazdzioch-Czochra, M. and Widenska, A. (2002) Spectrofluorimetric determination of hydrogen peroxide scavenging activity, *Anal. Chim. Acta*, 452, 177-184.
- Peng, C., Chan, H.Y.E., Li, Y.M., Huang, Y. and Chen, Z.Y. (2009) Black tea the aflavins extend the lifespan of fruit flies, *Exp. Gerontol.*, 44, 773-783.
- Peng, J., Xu, Q., Xu, Y., Qi, Y., Han, X. and Xu, L. (2007) A new anticancer dihydroflavonoid from the root of *Spiranthes australis* (R.Brown) Lindl, *Nat. Prod. Res.*, 21, 641-645.
- Perry, J.J.P., Shin, D.S., Getzoff, E.D. and Tainer, J.A. (2010) The structural biochemistry of the superoxide dismutases, *Biochim. Biophys. Acta*, 1804, 245-262.
- Pezzuto, J. M. and Park, E. J. (2002) Autoxidation and antioxidants. In: J. Swarbrick and J. C. Boylan (Eds.), *Encyclopedia of pharmaceutical technology*, New York: Marcel Dekker. Inc, pp. 97-113.
- Pinmai, K., Chunlaratthanabhorn, S., Ngamkitidechakul, C., Soonthornchareon, N. and Hahnvajanawong, C. (2008) Synergistic growth inhibitory effects of *Phyllanthus emblica* and *Terminalia bellerica* extracts with conventional cytotoxic agents: doxorubicin and cisplatin against human hepatocellular carcinoma and lung cancer cells, *World J. Gastroenterol.*, 14, 1491-1497.
- Prakasam, A., Sethupathy, S. and Pugalendi, K.V. (2005) Antiperoxidative and antioxidant effects of *Casearia esculenta* root extract in streptozotocin-induced diabetic rats, *Yale, J. Biol. Med.*, 78, 15-23.
- Prasanth, K.V.H., Dharmesh, S.M., Rao, K.S.J. and Tharanathan, R.N. (2007) Free radical-induced chitosan depolymerized products protect calf thymus DNA from oxidative damage, *Carbohydr. Res.*, 342, 190-195.
- Pratico, D. (2008) Evidence of oxidative stress in Alzheimer's disease brain and antioxidant therapy: lights and shadows, *Ann. N. Y. Acad. Sci.*, 1147, 70-78.
- Pryor, W.A. (1986) Only-radicals and related species, their formation, life times and reactions, *Ann. Rev. Physiol.*, 48, 657-663.
- Puttonen, K.A., Lehtonen, S., Lampela, P., Mannisto, P.T. and Raasmaja, A. (2007) Different viabilities and toxicity types after 6-OHDA and Ara-C exposure evaluated by four assays in five cell lines, *Toxicol. In vitro.*, 22, 182-189.
- Qian, J., Jiang, F., Wang, B., Yu, Y., Zhang, X., Yin, Z. and Liu, C. (2010) Ophiopogonin D prevents H₂O₂-induced injury in primary human umbilical vein endothelial cells, *J. Ethnopharmacol.*, In Press, Uncorrected Proof.
- Raghavan, B. and Kumari, S.K. (2006), Effect of *Terminalia arjuna* stem bark on antioxidant status in liver and kidney of alloxan diabetic rats, *Indian. J. Physiol. Pharmacol.*, 50, 133-142
- Rahman; I. (2009) *Reactive Oxygen Species and Antioxidant Therapeutic Approaches*, Asthma and COPD (Second Edition), 293-312.
- Rahman, M.S., Sadhu, S.K. and Hasan, C.M. (2007) Preliminary antinociceptive, antioxidant and cytotoxic activities of *Leucas aspera* root, *Fitoterapia*, 78, 552-555.
- Raja, S., Ahamed, K.F., Kumar, V., Mukherjee, K., Bandyopadhyay, A. and Mukherjee, P.K. (2007) Antioxidant effect of *Cystisus scoparius* against carbon tetrachloride treated liver injury in rats, *J. Ethnopharmacol.*, 109, 41-47.
- Rajabalian, S. (2008) Antiproliferative activity and apoptosis induced by 6-bromo-2 (morpholin-1-yl)-4-anilinoguanazoline on cells of leukemia lines, *Exp. Oncol.*, 30, 133-138.
- Ramasarma, T. (1990) H₂O₂ has a role in cellular regulation, *Indian J. Biochem. Biophysics.*, 27, 269-274.
- Randhir, R and Shetty, K. (2005) Developmental stimulation of total phenolics and related antioxidant activity in light- and dark-germinated corn by natural elicitors, 40, 1721-1732.

- Ranga, R. S., Sowmyalakshmi, S., Burikhanor, R., Akbarsha, H.A. and Chandil, D. (2005) A herbal medicine for the treatment of lung cancer, *Mol. Cell. Biochem.*, 280, 125-133.
- Rao, S.K., Chaudhury, P.K. and Pradhan, A. (2010) Evaluation of anti-oxidant activities and total phenolic content of *Chromolaena odorata*, *Food Chem. Toxicol.*, 48, 729-732.
- Rashmi, R., Kumar, S.T.R. and Karunagaran, D. (2003) Human colon cancer cells differ in their sensitivity to curcumin-induced apoptosis and heat shock protects them by inhibiting the release of apoptosis-inducing factor and caspases, *FEBS Lett.*, 538, 19-24.
- Reddy, B.S., Reddy, R.K.K., Naidu, V.G.M., Madhusudhana, K., Agwane, S.B., Ramakrishna, S. and Diwan, P.V. (2008) Evaluation of antimicrobial, antioxidant and wound-healing potentials of *Holoptelea integrifolia*, *J. Ethnopharmacol.*, 115, 249-256.
- Reddy, K.P., Subhani, S.M., Khan, P.A. and Kumar, K.B. (1985) Effect of light and benzyladenine on dark treated growing rice (*Oryza sativa*) leaves II. Changes in peroxidase activity, *Plant Cell Physiol.*, 26, 987-994.
- Reiter, J., Herker, E., Madeo, F. and Schmitt, M.J. (2005) Viral killer toxins induce caspase-mediated apoptosis in yeast, *J. Cell. Biol.*, 168, 353-358.
- Ren, D., Peng, G., Huang, H., Wang, H. and Zhang, S. (2006) Effect of rhodoxanthin from *Potamogeton crispus* L. on cell apoptosis in Hela cells, *Toxicol. In vitro*, 20, 1411-1418.
- Reyes, F.J., Centelles, J.J., Lupianez, J.A. and Cascante, M. (2006) (2a,3b)-2,3-Dihydroxyolean-12-en-28-oic acid, a new natural triterpene from *Olea europea*, induces caspase dependent apoptosis selectively in colon adenocarcinoma cells, *FEBS Lett.*, 580, 6302-6310.
- Reyes-Gordillo, K., Segovia, J., Shibayama, M., Vergara, P., Moreno, M.G. and Muriel, P. (2007) Curcumin protects against acute liver damage in the rat by inhibiting NF- κ B, proinflammatory cytokines production and oxidative stress, *Biochim. Biophys. Acta.*, 1770, 989-996.
- Richardson, H. and Kumar, S. (2002) Death to flies: *Drosophila* as a model system to study programmed cell death, *J. Immunol. Methods*, 265, 21-38.
- Ridnour, L. A., Thomas, D. D., Mancardi, D., Espey, M. G., Miranda, K. M., Paolocci, N., Feelisch, M., Fukuto, J. and Wink, D.A. (2004) The chemistry of nitrosative stress induced by nitric oxide and reactive nitrogen oxide species. Putting perspective on stressful biological situations, *Biol. Chem.*, 385, 1-10.
- Roe, J.H. and Keuther, C.A. (1943) The determination of ascorbic acid in whole blood and urine through 2,4-dinitrophenylhydrazine derivative dehydro ascorbic acid, *J. Biol. Chem.*, 147, 399-407.
- Rose, G.D., Derek, F., Richard, P. and Michelle, H. (2009) Planning for reduction, *Altern. Lab Anim.*, 37, 27-32.
- Rosenberg, H.R. (1992) Chemistry and physiology of the vitamins, Interscience Publisher, New York, pp. 452-453.
- Rozenblat, S., Grossman, S., Bergman, M., Gottlieb, H., Cohen, T. and Dovrat, S. (2007) Induction of G2/M arrest and apoptosis by sesquiterpene lactones in human melanoma cell lines, *Biochem. Pharmacol.*, 75, 369-382.
- Ruch, R.J., Cheng, S. and Klaunig, J.E. (1989) Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea, *Carcinogenesis*, 10, 1003-1008.
- Rudnicki, M., Silveira, M.M., Pereira, T.V., Oliveira, M.R., Reginatto, F.H., Dal-Pizzol, F., Dal-Pizzol, F. and Moreira, J.C.F. (2006) Protective effects of *Passiflora alata* extract pretreatment on carbon tetrachloride induced oxidative damage in rats, *Food Chem. Toxicol.*, 45, 656-661.
- Russo, A., Izzo, A., Cardile, V., Borrelli, F. and Vanella, A. (2001) Indian medicinal plants as antiradicals and DNA cleavage protectors, *Phytomed.*, 8, 125-132.
- Saito, Y., Nishio, K., Ogawa, Y., Kimata, J., Kinum, T., Yoshida, Y., Noguchi, N. and Niki, E. (2006) Turning point in apoptosis / necrosis induced by hydrogen peroxide, *Free Rad. Res.*, 40, 619-630.

- Samarth, R.M., Panwar, M., Kumar, M., Soni, A., Kumar, M. and Kumar, A. (2008) Evaluation of antioxidant and radical-scavenging activities of certain radioprotective plant extracts, *Food Chem.*, 106, 868-873.
- Sampaio, A. R. D., Chagas, C. E. A., Ong, T. P. and Moreno, F. S. (2007) Vitamin A and β -carotene inhibitory effect during 1,2-dimethylhydrazine induced hepatocarcinogenesis potentiated by 5-azacytidine, *Food Chem. Toxicol.*, 45, 563-567.
- Sanchez-Moreno, C., Larrauri, J.A. and Saura-Calixto, F. (1999) Free-radical scavenging capacity of selected red, rose and white wines, *J. Sci. Food Agri.* 79, 1301-1304.
- Saraswathy, U. (2006) Antioxidant response evoked by *Piper betel* and its effect on oxidant induced molecular events in simulated *in vitro* systems, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Saravanan, R. and Pugalendi, V. (2006) Impact of ursolic acid on chronic ethanol-induced oxidative stress in the rat heart, *Pharmacol. Rep.*, 58, 41-47.
- Sarker, K.P., Obara, S., Nakata, M., Kitajima, I. and Maruyama, I. (2000) Anandamide induces apoptosis of PC-12 cells: involvement of superoxide and caspase-3, *FEBS Lett.*, 472, 39-44.
- Sathishsekar, D. and Subramanian, S. (2005) Antioxidant properties of *Momordica Charantia* (bitter gourd) seeds on streptozotocin induced diabetic rats, *Asia Pac. J. Clin. Nutr.*, 14, 153-158.
- Schild, L., Chen, B.H., Makarov, P., Kattengell, K., Heinitz, K. and Keilhoff, G. (2010) Selective induction of apoptosis in glioma tumour cells by a *Gynostemma pentaphyllum* extract, *Phytomed.*, In Press, Corrected Proof.
- Sebastian, K.S. and Thampan, R.V. (2007) Differential effects of soybean and fenugreek extracts on the growth of MCF-7 cells, *Chem. Biol. Interact.*, 170, 135-143.
- Sermeus, A., Cosse, J., Crespin, M., Mainfroid, V., de Longueville, F., Ninane, N., Raes, M., Remacle, J. and Michiels, C. (2008) Hypoxia induces protection against etoposide-induced apoptosis: molecular profiling of changes in gene expression and transcription factor activity, *Mol. Cancer*, 7, 7-27.
- Severino, J.F., Stich, K. and Soja, G. (2007) Ozone stress and antioxidant substances in *Trifolium repens* and *Centaurea jacea* leaves, *Environ. Pollut.*, 146, 707-714.
- Sfahlan, A.J., Mahmoodzadeh, A., Hasanzadeh, A., Heidari, R. and Jamei, R. (2009) Antioxidants and antiradicals in almond hull and shell (*Amygdalus communis* L.) as a function of genotype, *Food Chem.*, 115, 529-533.
- Sharma, M., Agrawal, S.K., Sharma, P.R., Chadha, B.S., Khosla, M.K. and Saxena, A.K. (2010) Cytotoxic and apoptotic activity of essential oil from *Ocimum viride* towards COLO 205 cells, *Food Chem. Toxicol.*, 48, 336-344.
- Sharma, P.K. and Hall, D.D. (1996) Effect of photoinhibition and temperature on carotenoids in sorghum leaves, *Indian J. Biochem. Biophys.*, 33, 471-477.
- Sharma, V. and McNeill, J.H. (2006) Diabetic cardiomyopathy: Where are we 40 years later? *Can. J. Cardiol.*, 22, 305-308.
- Sheu, M.J., Huang, G.J., Wu, C.H., Chen, J.S., Chang, S.J. and Chung, J.G. (2008) Ethanol extract of *Dunaliella salina* induces cell cycle arrest and apoptosis in A549 human non-small cell lung cancer cells, *In vivo*, 22, 369-378.
- Shi, Z., Feng, P., Jiang, D. and Wang, X. (2006) Mistletoe alkali inhibits peroxidation in rat liver and kidney, *World J Gastroenterol.*, 12, 4052-4055.
- Shim, J., Kim, M., Kim, H., Ahn, J., Yun, Y. and Song, J. (2010) Protective action of the immunomodulator ginsan against carbon tetrachloride-induced liver injury via control of oxidative stress and the inflammatory response, *Toxicol. Appl. Pharmacol.*, 242, 318-325.
- Shimada, K., Fujikawa, K., Yahara, K. and Nakamura, T. (1992) Antioxidative properties of xanthan on the autoxidation of soybean oil in cyclodextrin emulsion, *J. Agric. Food Chem.*, 40, 945-948.

- Shin, J.W., Son, J.Y., Kang, J.K., Han, S.H., Cho, C.K. and Son, C.G. (2008) *Trichosanthes kirilowii* tuber extract induces G2/M phase arrest via inhibition of tubulin polymerization in HepG2 cells, *J. Ethnopharmacol.*, 115, 209-216.
- Shirwaikar, A., Ram, H.N.A. and Mohanpatra, P. (2006) Antioxidant and antiulcer activity of aqueous extract of a polyherbal formulation, *Indian J. Exp. Biol.*, 44, 474-480.
- Siddhuraju, P. (2007) Antioxidant activity of polyphenolic compounds extracted from defatted raw and dry heated *Tamarindus indica* seed coat, *Food Sci. Tech.*, 40, 982-990.
- Siitonen, T., Alarukka, P., Mantymaa, P., Savolainen, E.R., Kavanagh, T.J., Krejsa, C.M., Franklin, C.C., Kinnula, V. and Koistinen, P. (1999) Protection of acute myeloblastic leukemia cells against apoptotic cell death by high glutathione and gamma-glutamylcysteine synthetase levels during etoposide-induced oxidative stress, *Ann. Oncol.*, 10, 1361-1367.
- Silva, A.F.A., de Andrado, J.P., Machads, K.R.B., Rocha, D.B., Apcl, M.A., Sobrel, M.E.G., Henriques, A.T. and Zuanazzi, J.A.S. (2008a) Screening for cytotoxic activity of extracts and isolated alkaloids from bulks of *Hippeashum vittatum*, *Phytomed.*, 15, 882-885.
- Silva, J.P., Gomes, A.C. and Coutinho, O.P. (2008b) Oxidative DNA damage protection and repair by polyphenolic compounds in PC12 cells, *Eur. J. Pharmacol.*, 601, 50-60.
- Singanan, V., Singanan, M. and Begum, H. (2007) The hepatoprotective effect of Bael leaves (*Aegle Marmelos*) in alcohol induced liver injury in Albino rats, *Int. J. Sci Technol.*, 2, 83-92.
- Singh, B., Cook, K.R., Vincent, L., Hall, C.S., Berry, J.A., Multani, A.S. and Lucci, A. (2008) Cyclooxygenase-2 induces genomic instability, Bcl-2 expression, doxorubicin resistance, and altered cancer-initiating cell phenotype in MCF-7 breast cancer cells, *J Surg. Res.*, 147, 240-246.
- Singh, B.N., Singh, B.R., Singh, R.L., Prakash, D., Sarma, B.K. and Singh, H.B. (2009) Antioxidant and anti-quorum sensing activities of green pod of *Acacia nilotica* L., *Food Chem. Toxicol.*, 47, 778-786.
- Singh, M., Sandhir, R. and Kiran, R. (2010) Effects on antioxidant status of liver following atrazine exposure and its attenuation by vitamin E, *Exp. Toxicol. Pathol.*, In press.
- Singh, N. (2007) Apoptosis in health and disease and modulation of apoptosis for therapy: An overview, *Indian J. Clin. Biochem.*, 22, 6-16.
- Singh, N.P., McCoy, M.T., Tice, R.R. and Schneider, E.L. (1988) A simple technique for quantification of low levels of DNA damage in individual cells, *Exp. Cell Res.*, 175, 184 -196.
- Singh, R., Singh, S., Kumar, S and Arora, S. (2007) Evaluation of antioxidant potential of ethyl acetate extract/fractions of *Acacia auriculiformis* A. Cunn, *Food Chem. Toxicol.*, 45, 1216-1223.
- Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S. and Boyd, M.R. (1990) New colorimetric cytotoxicity assay for anticancer drug screening, *J. Natl. Cancer Inst.*, 82, 1107-1112.
- Skrzydłewska, E., Sulkowski, S., Koda, M., Zalewski, B., Kanczuga-Koda, L. and Sulkowska, M. (2005) Lipid peroxidation and antioxidant status in colorectal cancer, *World J. Gastroenterol.*, 11, 403-406.
- Son, T.G., Camandola, S. and Mattson, M.P. (2008) Hormetic dietary phytochemicals, *Neuromolecular Med.*, 10, 236-246.
- Song, W.L., Lawson, J.A., Reilly, D., Rokach, J., Chang, C.T., Giasson, B. and Fitzgerald, G.A. (2008) Neurofurans, novel indices of oxidant stress derived from docosahexaenoic acid, *J. Biol. Chem.*, 1, 6-16.
- Song, X. and Zhang, W. (2006) Growth inhibition effect of parthenolide on hepatocellular carcinoma cell line BEL-7402, *Chem. Res.*, 22, 173-176.
- Song, Y., Manson, J.E., Buring, J.E., Sesso, H.D. and Liu, S. (2005) Associations of dietary flavonoids with risk of type 2 diabetes, and markers of insulin resistance and systemic inflammation in women: a prospective study and cross-sectional analysis, *J. Am. Coll. Nutr.* 24, 376-384.
- Soussi, A., Croute, F., Soleiharouf, J.P., Kammoun, A. and El-Feki, A. (2006) Impact of green tea on oxidative stress induced by ammonium metavanadate exposure in male rats, *C.R. Biol.*, 329, 775-784.

- Spardling, A., Ganetsky, B., Hieter, P., Johnston, M., Olson, M., Orr-Weaver, T., Rossant, J., Sanchez, A. and Waterston, R. (2006) New roles for model genetic organisms in understanding and treating human disease: report from the 2006 genetics society of america meeting, *Genetics*, 172, 2025-2032.
- Srinivasan, R., Chandrasekar, M.J.N., Nanjan, M.J. and Suresh, B. (2007) Antioxidant activity of *Caesalpinia digyna* root, *J. Ethnopharmacol.*, 113, 284-291.
- Srivastava, A., Harish, S.R. and Shivanandappa, T. (2006) Antioxidant activity of the roots of *Decalepis hamiltonii* (Wight & Arn.), *LWT- Food Sci. Technol.*, 39, 1059-1065.
- Stadtman, E. R. (2004) Role of oxidant species in aging, *Curr. Med. Chem.*, 11, 1105-1112.
- Stahl, W. and Sies, H. (2003) Antioxidant activity of carotenoids, *Mol. Aspects Med.*, 24, 345-351.
- Stief, T.W. (2003) The physiology and pharmacology of singlet oxygen, *Med. Hypoth.*, 60, 567-572.
- Storz, P. (2005) Reactive oxygen species in tumor progression, *Front. Biosci.*, 10, 1881-1896.
- Su, L., Yin, J., Charles, D., Zhou, K., Moore, J. and Yu, L. (2007) Total phenolic contents, chelating capacities and radical-scavenging properties of black peppercorn, nutmeg, rosehip, cinnamon and oregano leaf, *Food Chem.*, 100, 990-997.
- Subhashini, J., Mahipal, S.V.K. and Reddanna, P. (2005) Anti-proliferative and apoptotic effects of celecoxib on human chronic myeloid leukemia *in vitro*, *Cancer Lett.*, 224, 31-43.
- Sultana, R., Perluigi, M. and Butterfield, D.A. (2006) Protein oxidation and lipid peroxidation in brain of subjects with Alzheimer's disease: insights into mechanism of neurodegeneration from redox proteomics, *Antioxid. Redox Signal.*, 11-12, 2021-2037.
- Sumathi, S. (2007) Antioxidative responses evoked by *Withania somnifera* against oxidative stress-induced molecular events *in vitro* and *in vivo*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Sumathi, S. and Padma, P.R. (2008), Antioxidant status of different parts of *Withania somnifera*, *Plant. Archi.*, 8, 69-71.
- Sumitra, M., Manikandan, P. and Sugun, L. (2005) Efficacy of *Butea monosperma* on dermal wound healing in rats, *Int. J. Biochem. Cell Biol.*, 37, 566-573.
- Sun, X., Seeberger, J., Alberico, T., Wang, C., Wheeler, C.T., Schauss, A.G. and Zou, S. (2010) Acai palm fruit (*Euterpe oleracea* Mart.) pulp improves survival of flies on a high fat diet, *Exp. Gerontol.*, [Epub ahead of print].
- Takayama, F., Egashira, T. and Yamanaka, Y. (2001) Singlet oxygen generation from phosphatidylcholine hydroperoxide in the presence of copper, *Life Sci*, 68, 1807-1815.
- Tandon, V. and Gupta, B.M. (2005) Free Radicals / Reactive Oxygen Species, *JK-Practitioner*, 12, 143-148.
- Taylor, J. and Adler, P. N. (2008) Cell rearrangement and cell division during the tissue level morphogenesis of evaginating *Drosophila* imaginal discs, *Dev. Biol.*, 313, 739-751.
- Teel, R. W. and Castonguay, A. (1992) Antimutagenic effects of polyphenolic compounds, *Cancer Lett.*, 66, 107-113.
- Tepe, B and Sokemen, A. (2007) Screening of the antioxidative properties and total phenolic contents of three endemic *Tanacetum* subspecies from Turkish flora, *Bioresour. Technol.*, 98, 3076-3079.
- Tepe, B. (2007) Antioxidant potentials and rosmarinic acid levels of the methanolic extracts of *Salvia virgata* (Jacq), *Salvia staminea* (Montbret and Aucher ex Bentham) and *Salvia verbenaca* (L.) from Turkey, *Bioresour. Technol.*, 452, 177-184.
- Thabrew, M.I., Mitry, R.R., Morsy, M.A. and Hughes, R.D. (2005) Cytotoxic effects of a decoction of *Nigella sativa*, *Hemidesmus indicus* and *Smilax glabra* on human hepatoma Hep G2 Cells, *Life Sci.*, 77, 1319-1330.
- Tham, C.L., Liew, C.Y., Lam, K.W., Mohamad, A., Kim, M.K., Cheah, Y.K., Zakaria, Z., Sulaiman, M., Lajis, N.H. and Israf, D.A. (2010) A synthetic curcuminoid derivative inhibits nitric oxide and proinflammatory cytokine synthesis, *Eur. J. Pharmacol.*, 628, 247-254.

- Thatte, U., Bagadey, S. and Dahanukar, S. (2000) Modulation of programmed cell death by medicinal plants, *Cell Mol Biol.*, 46, 199-214.
- Thuan, N.D., Ha, D.T., Thoung, P.T., Na, M.K., Bae, K., Lee, J.P., Lee, J., Seo, H., Min, B. and Kim, J. (2008) A phenylpropanoid glycoside with antioxidant activity from *Picris tel-ferae*, *Arch. Pharm. Res.*, 30, 1062-1066.
- Thuong, P.T., Kang, H. J., Na, M., Jin, W., Youn, U, J., Seong, Y.H., Song, K., Min, B. and Bae, K. (2007) Anti-oxidant constituents from *Sedum takesimense*, *Phytochem.*, 68, 2432-2438.
- Tian, Z., Si, J., Chang, Q., Zhou, L., Chen, S., Xiao, P. and Wu, E. (2007) Antitumor activity and mechanisms of action of total glycosides from aerial part of *Cimicifuga dahurica* targeted against hepatoma, *BMC Cancer*, 7, 237, doi:10.1186/1471-2407-7-237.
- Tirkey, N., Pilkhwai, S., Kuhad, A. and Chopra, K. (2005) Hesperidin, a citrus bioflavonoid, decreases the oxidative stress produced by carbon tetrachloride in rat liver and kidney, *BMC Pharmacol.*, doi:10.1186/1471-2210-5-2.
- Tittel, J.N. and Steller, H. (2000) A comparison of programmed cell death between species, *Genome Biol.*, 1, REVIEWS0003. (Reviews0003.1-0003.6, Print ISSN 1465-6906; Online ISSN 1465-6914)
- Tiwari, A.K. (2004) Antioxidants: New-generation therapeutic base for treatment of polygenic disorders, *Curr. Sci.*, 86, 1092 -1102.
- Trabelsi, N., Megdiche, W., Ksouri, R., Falleh, H., Oueslati, S., Soumaya, B., Hajlaoui, H. and Abdelly, C. (2010) Solvent effects on phenolic contents and biological activities of the halophyte *Limoniastrum monopetalum* leaves, *LWT - Food Sci. Technol.*, 43,632-639.
- Tretter, L., Sipos, I. and Adam-Vizi, V. (2004) Initiation of neuronal damage by complex I deficiency and oxidative stress in Parkinson's disease, *Neurochem. Res.*, 29, 569-577.
- Tripathi, R., Mohan, H. and Kamat, J.P. (2007) Modulation of oxidative damage by natural products, *Food Chem.*, 100, 81-90.
- Truscott, R.J. (2005) Age-related nuclear cataract-oxidation is the key, *Exp. Eye Res.*, 80, 709-725.
- Tsai, S., Suk, F., Wang, C., Liu, D., Hou, W., Lin, P., Hung, L. and Liang, Y. (2007) Anti-tumor potential of 15,16-dihydrotanshinone I against breast adenocarcinoma through inducing G1 arrest and apoptosis, *Biochem. Pharmacol.*, 74, 1575-1586.
- Tu, J.B., Lan, H.L., Yang, Z.Q., Zhang, T.L., Song, Y. and Xing, Z. (2006) Compare the effect of lipo- and normal prepared Sodium Morrhuate on ECV-304 cell line, *Hua Xi Kou Qiang Yi Xue Za Zhi.*, 24, 491-494.
- Tweats, D.J., Scott, A.D., Westmoreland, C. and Carmichael, P.L. (2007) Determination of genetic toxicity and potential carcinogenicity *in vitro* - challenges post the seventh amendment to the European cosmetics directive, *Mutagenesis*, 22, 5-13.
- Uchida, K., (2003a.) Histidine and lysine as targets of oxidative modification, *Amino Acids*, 3-4, 249-257.
- Uchida, K., (2003b.) 4-Hydroxy-2-nonenal: a product and mediator of oxidative Stress, *Prog. Lipid Res.*, 4, 318-343.
- Uneri, C., Sari, M., Akboga, J. and Yuksel, M. (2006) Vitamin E-coated tympanostomy tube insertion decrease the quantity of free radicals in tympanic membrane, *Laryngoscope*, 116, 140-143.
- Valko, M., Leibfritz, D., Moncol, J., Cronin, M. T. D., Mazur, M. and Telser, J. (2007) Free radicals and antioxidants in normal physiological functions and human disease, *Int. J. Biochem. Cell Biol.*, 39, 44-84.
- Valko, M., Morris, H. and Cronin, M. T. D. (2005) Metals, toxicity and oxidative stress, *Curr. Med. Chem.*, 12, 1161-1208.
- Valko, M., Rhodes, C. J., Moncol, J., Izakovic, M. and Mazur, M. (2006) Free radicals, metals and antioxidants in oxidative stress-induced cancer, *Chem. Biol. Interact.*, 160, 1-40.
- Van Breemen, E. and Pajkovic, N. (2008) Multitargeted therapy of cancer by lycopene, *Cancer Lett.*, 269, 339-351.

- Van de Bovenkamp, M., Groothuis, G. M., Meijer, D. K. and Olinga, P. (2007) Liver fibrosis *in vitro*: cell culture models and precision-cut liver slices, *Toxicol. In vitro*, 21, 545-57.
- Vandana, S., Ilavazhagan, R.M., Kumar, G. D. and Banerjee, P.K. (2006) Comparative cytoprotective activity of vitamin C, E and beta-carotene against chromium induced oxidative stress in murine macrophages, *Biomed. Pharmacother.*, 60, 71-76.
- Vanella, A., Renis, M., Borrelli, F. and Izzo, A.A. (2003) Free radical scavenging capacity and protective effect of *Bacopa monniera* L. on DNA damage, *Phytother Res.*, 17, 870-875
- Varier, A.R. (2002) Effects of *Bacopa monnieri* and *Alternanthera sessilis* on oxidant-induced events *in vitro*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Master of Science in Biochemistry.
- Vasudevan, C., Fursov, N., Maunder, P., Cong, M., Federici, M., Haskins, J.R., Livelli, T. and Zhong Z. (2005) Improving high-content-screening assay performance by using division-arrested cells, *Assay Drug Dev. Technol.*, 3, 515-23.
- Veigas, J.M., Shrivastava, R. and Neelwarne, B. (2008) Efficient amelioration of carbon tetrachloride induced toxicity in isolated rat hepatocytes by *Syzygium cumini* Skeels extract, *Toxicol. In vitro.*, 22, 1440-1446.
- Venukumar, M. R. and Latha, M. S. (2004). Effect of *Coscinium fenestratum* on hepatotoxicity in rats, *Indian J. Exp. Biol.*, 42, 792-797.
- Vermeir, M., Annaert, P., Mamidi, R. N., Roymans, D., Meuldermans, W. and Mannens, G. (2005) Cell-based models to study hepatic drug metabolism and enzyme induction in humans, *Expert Opin. Drug Metab. Toxicol.*, 1, 75-90.
- Vickers, A. E. M. and Fisher, R. L. (2004) Organ slices for the evaluation of human drug toxicity, *Chem. Biol. Interact.*, 150, 87-96.
- Vidal, M. and Cagan, R.L. (2006) Drosophila models for cancer research, *Curr. Opin. Genet. Dev.*, 16, 10-16.
- Vidya, M. (2007) Antioxidant effects evoked by *Triticum aestivum* leaves on oxidant induced damage *in vitro* and *in vivo*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Vinson, J.A. (2006) Oxidative stress in cataracts, *Pathophysiol.*, 13, 151-162.
- Visconti, R. and Grieco, D. (2009) New insights on oxidative stress in cancer, *Curr. Opin. Drug Discov. Devel.*, 12, 240-245.
- Vistica, D.T., Scudiero, D., Skehan, P., Monks, A. and Boyd, M.R. (1990) New carbondioxide-independent basal growth medium for culture of diverse tumor and non-tumor cells of human and non-human origin, *J. Natl. Cancer Inst.*, 82, 1055-1061.
- Wada, A., Fukui, K., Sawai, Y., Imanaka, K., Kiso, S., Tamura, S., Shimomura, I. and Hayashi, N. (2006) Pamidronate induced anti-proliferative, apoptotic, and anti-migratory effects in hepatocellular carcinoma, *J. Hepatol.*, 44, 142-150.
- Wang, C., Wu, X., Chen, M., Duan, W., Sun, L., Yan, M. and Zhang, L. (2007) Emodin induces apoptosis through caspase 3-dependent pathway in HK-2 cells, *Toxicol.*, 231, 120-128.
- Wang, L., Unehara, N. and Kitanaka, S. (2005) Lignans from the roots of *Wikstroemia indica* and their DPPH radical scavenging and nitric oxide inhibitory activities, *Chem. Pharm. Bull.*, 53, 1348-1351.
- Wang, S.Y. and Ballington, J.R. (2007) Free radical scavenging capacity and antioxidant enzyme activity in deerberry (*Vaccinium stamineum* L.), *LWT- Food Sci. Tech.*, 40, 1352-1361.
- Wang, T., Sun, L., Zhang, W., Li, H., Lu, G., Yuan, B., Jiang, H., She, J. and Zhang, C. (2008a) Protective effects of dehydrocavidine on carbon tetrachloride-induced acute hepatotoxicity in rats, *J. Ethnopharmacol.*, 117, 300-308.
- Wang, T.S., Liang, S.J., Lii, C.K. and Liu, S.Y. (2004) Protective effect of waste yam (*Dioscorea alata* L.) extract on the copper-driven fenton reaction and x-ray induced DNA damage *in vitro*, *Phytother. Res.*, 18, 325-328.

- Wang, T., Wei, J., Qian, X., Ding, Y., Yu, L. and Liu, B. (2008b) Gambogic acid, a potent inhibitor of survivin, reverses docetaxel resistance in gastric cancer cells, *Cancer Lett.*, 262, 214-222.
- Wei, Q., Zhou, B., Cai, Y., Yang, L and Liu, Z. (2006) Synergistic effect of green tea polyphenols with trolox on free radical-induced oxidative DNA damage, *Food Chem.*, 96, 90-95.
- Wickens, A.P. (2001) Ageing and the free radical theory, *Respir. Physiol.*, 128, 379-391.
- Williams, R. J., Spencer, J. P. E. and Rice-Evans, C. (2004) Flavonoids: antioxidants or signalling molecules? *Free Rad. Biol. Med.*, 36, 838-849.
- Wills, P.J. and Asha, V.V. (2006) Protective effect of *Lygodium flexuosum* (L.) Sw. extract against carbon tetrachloride-induced acute liver injury in rats, *J Ethnopharmacol.*, 108, 320-326.
- Winterbourn, C.C., Hawkins, R.W., Brain, M. and Carrell, R.W. (1975) The estimation of red cell superoxide dismutase activity, *J. Lab. Clin. Med.*, 85, 337-341.
- Witham, F.H., Blaydes, B.F. and Derlin, R.M. (1971) *Experiments in plant physiology*, Van Nostrand, New York, p. 245
- Wood, G.E., Norris, E.H., Waters, E., Stoldt, J.T. and McEwen, B.S. (2008) Chronic immobilization stress alters aspects of emotionality and associative learning in the rat, *Behav. Neurosci.*, 122, 282-292.
- Xu, J., Guo, Y.Q., Li, X., Wei, K. and Zhao, X.J. (2008) Cytotoxic sesquiterpenoids from the ethanol extract of fruits of *Celastrus orbiculatus*, *J. Ethnopharmacol.*, 117, 175-177.
- Yang, M.C., Seo, D.S., Choi, S.U., Park, Y.H. and Lee, K.R. (2008) Polyacetylenes from the roots of cultivated-wild ginseng and their cytotoxicity *in vitro*, *Arch. Pharm. Res.*, 31, 154-159.
- Yao, P., Li, K., Song, F., Zhou, S., Sun, X., Zhang, X., Nussler, A.K. and Liu, L. (2007) Heme oxygenase-1 upregulated by *Ginkgo biloba* extract: Potential protection against ethanol-induced oxidative liver damage, *Food Chem. Toxicol.*, 45, 1333-1342.
- Yasuda, T., Inaba, A., Ohmori, M., Endo, T., Kubo, S. and Ohsawa, K. (2000) Urinary metabolites of gallic acid in rats and their radical scavenging effect on DPPH, *J. Nat. Prod.*, 63, 1444-1446.
- Ye, M., Liu, J.K., Lu, Z.X., Zhao, Y., Liu, S.F., Li, L.L., Tan, M., Weng, X.X., Li, W. and Cao, Y. (2005) Grifolin, a potential antitumor natural product from the mushroom *Albatrellus confluens*, inhibits tumor cell growth by inducing apoptosis *in vitro*, *FEBS Lett.*, 579, 3437-3743.
- Yerushalmi, R., Nordenberg, J., Beery, E., Uziel, O., Lahav, M., Luria, D. and Fenig, E. (2007) Combined antiproliferative activity of imatinib mesylate (STI-571) with radiation or cisplatin *in vitro*, *Exp. Oncol.*, 29, 126-131.
- Yi, W., Fischer, J. and Akoh, C. C. (2005) Study of anticancer activities of Muscadine grape phenolics *in vitro*, *J. Agric. Food Chem.*, 53, 8804-8812.
- Yoshioka, K., Yoshioka, Y. and Hsieh, P. (2006) ATR Kinase Activation Mediated by MutSa and MutLa in Response to Cytotoxic O6-Methylguanine Adducts, *Mol. Cell.*, 22, 501-510.
- Young, S.C., Wang, C.J., Lin, J.J., Peng, P.L., Hsu, J.L. and Chou, F.P. (2006), Protective effect of *Piper betel* leaf extracts against carbon tetrachloride- induced liver fibrosis in rats, *Arch. Toxicol.*, 81, 45-85.
- Yousef, M.I., Saad, A.A. and El-Shennawy, L.K. (2009) Protective effect of grape seed proanthocyanidin extract against oxidative stress induced by cisplatin in rats, *Food Chem. Toxicol.*, 47, 1176-1183.
- Yu, B.P. (1994) Cellular defenses against damage from reactive oxygen species, *Physiol. Rev.*, 74, 139-162.
- Zakaria, H., Simpson, K., Brown, R.R. and Krotwarie, A. (1979) Use of reversed phase HPLC analysis for the determination of provitamin A, carotene in tomatoes, *J. Chromatography*, 176, 109-117.
- Zhang, D., Al-Hendy, M., Richard-Davis, G., Montgomery-Rice, V., Sharan, C., Rajaratnam, V., Khurana, A. and Al-Hendy, A. (2010b) Green tea extract inhibits proliferation of uterine leiomyoma cells *in vitro* and in nude mice, *Am. J. Obstet. Gynecol.*, [Epub ahead of print].

- Zhang, K., Guo, Q., You, Q., Yang, Y., Zhang, H., Yang, L., Gu, H., Qi, Q., Tan, Z and Wang, X. (2008b) Wogonin induces the granulocytic differentiation of human NB4 promyelocytic leukemia cells and up-regulates phospholipid scramblase 1 gene expression, *Cancer Sci.*, 99, 689-695.
- Zhang, L., Gao, Y., Zhang, Y., Liu, J. and Yu, J. (2010a) Changes in bioactive compounds and antioxidant activities in pomegranate leaves, *Scientia Horticulturae*, 123, 543-546.
- Zhang, W. and Poporich, D.G. (2008) Effects of soya-sapogenol A and soya-sapogenol B concentrated extracts on HepG2 cell proliferation and apoptosis, *J. Agric. Food Chem.*, 56, 2603-2608.
- Zhang, X.K. (2002) Vitamin A and apoptosis in prostate cancer, *Endocr. Relat. Cancer.*, 9, 87-102.
- Zhang, Y., Chen, A.Y., Li, M., Chen, C. and Yao, Q. (2008a) *Ginkgo biloba* extract kaempferol inhibits cell proliferation and induces apoptosis in pancreatic cancer cells, *J.Surg. Res.*, 148, 17-23.
- Zhao, G., Xiang, Z., Ye, T., Yuan, Y. and Guo, Z. (2006) Antioxidant activities of *Salvia miltiorrhiza* and *Panax notoginseng*, *Food Chem.*, 99, 767-774.
- Zhao, T., Zhang, Q., Qi, H., Liu, X. and Li, Z. (2008) Extension of life span and improvement of vitality of *Drosophila melanogaster* by long-term supplementation with different molecular weight polysaccharides from *Porphyra haitanensis*, *Pharmacol. Res.*, 57, 67-72.
- Zheng, L., Zheng, J., Wu, L.J. and Zhao, Y.Y. (2006) Julibroside J8-induced HeLa cell apoptosis through caspase pathway, *J. Asian Nat. Prod. Res.*, 8, 457-465.
- Zhou, G.B., Kang, H., Wang, L., Gao, L., Liu, P., Xie, J., Zhang, F.X., Weng, X.Q., Shen, Z.X., Chen, J., Gu, L.J., Yan, M., Zhang, D.E., Chen, S.J., Wang, Z.Y. and Chen, Z. (2007) Oridonin, a diterpenoid extracted from medicinal herbs, targets AML1-ETO fusion protein and shows potent antitumor activity with low adverse effects on t(8;21) leukemia *in vitro* and *in vivo*, *Blood*, 109, 3441-3450.
- Zhu, Q. Y., Hackman, R. M., Ensuna, J. L., Holt, R. R. and Keen, C. L. J. (2002) Antioxidative activities of oolong tea, *Agric. Food Chem.*, 50, 6929-6934.
- Zhu, X., Su, B., Wang, X., Smith, M.A. and Perry, G. (2007) Causes of oxidative stress in Alzheimer disease, *Cell Mol. Life Sci.*, 17, 2202-2222.