

REFERENCES

REFERENCES

- Abdel-Fattah, M. and EL-Sayed (1994) Evaluation of soybean meal, *Spirulina* meal and chicken offal meal as a protein sources for silver seabream (*Rhabdosargas sarba*) fingerlings, *Aquaculture*, 127: 169 -176.
- Abraham, T., Manley, J.R., Palaniappan, R. and Devendran, K. (1997) Pathogenisity and antibiotic sensitivity of luminous *Vibrio harveyi* isolated from diseased Penaeid shrimp, *Journal of Aquaculture Tropics*, 12: 1 - 8.
- Al-Salahy, M.B. (2002) Some physiological studies on the effect of onion and garlic juices on the fish, *Clarias lazera*, *Fish Physiology and Biochemistry*, 27: 129 -142.
- Aly, S.M., Rahman, A.M., John, G. and Mohamed, M.F. (2008) Characterization of some bacteria isolated from *Oreochromis niloticus* and their potential use as probiotics, *Aquaculture*, 277 (1-2): 1 - 6.
- Anwar, M.F. and Jafri, A.K. (1995) Effect of dietary lipid levels on growth, feed conversion and muscle composition of walking catfish, *Clarias batrachus*, *Journal of Applied Aquaculture*, 5: 61 - 71.
- A.O.A.C. (1975) Official methods of analysis. W. Harwitz *et al.*, (eds), 12th Edition, Association of Official Analytical Chemists, Washington D.C.
- Ardo, L., Yin, G., Varadi, X.L., Szigeti, G., Jeney, Z. and Jeney, G. (2008) Chinese herbs (*Astragalus membranaceus*) and *Lonicera japonica* and Boron enhance the non specific immune response of Nile tilapia (*Oreochromis niloticus*) and resistance against *Aeromonas hydrophila*, *Aquaculture*, 275 (1-4): 26 - 33.
- Ashraf, A.S. and Goda, A.M. (2007) Effect of dietary Ginseng herb (Ginsana® G115) supplementation on growth, feed utilization and hematological indices of Nile tilapia, *Oreochromis niloticus* (L.) fingerlings, *Journal of World Aquaculture Society*, 39(2): 205 - 214.
- Auddy, B., Ferreira, M., Blasina, F., Lafon, L., Arredondo, F., Dajas, F., Tripathi, P.C., Seal, T. and Mukherjee, B. (2003) Screening of antioxidant activity of three Indian medicinal plants, traditionally used for the management of neurodegenerative diseases, *Journal of Ethanopharmacol*, 84 (2-3): 131 - 138.

Ayyappan, S. and Jena, J.K. (2008) Grow out production of carps in India, *Journal of Applied Aquaculture*, 13: 251 - 282.

Bahurmiz, O.M. and Keong, W. (2007) Effects of dietary palm oil source on growth, tissue fatty acid composition and nutrient digestibility of red hybrid tilapia, *Oreochromis* sp. raised from stocking to marketable size, *Aquaculture*, 263 (1-4): 15 -19.

Bairagi, A., Ghosh, S., Sen, S.K. and Ray, A.K. (2004) Evaluation of the nutritive value of *Leucaena leucocephala* leaf meal, inoculated with fish intestinal bacteria *Bacillus subtilis* and *Bacillus circulans* in formulated diets for rohu, *Labeo rohita* fingerlings, *Aquaculture Research*, 35: 436 - 446.

Balasubramanian, G., Sarathi, M., Kumar, S.R. and Hameed, A.S.S. (2007) Screening the antiviral activity of Indian medicinal plants against white spot syndrome virus in shrimp, *Aquaculture*, 263 (1-4): 15 -19.

Balasubramanian, G., Sarathi, M., Venkatesan, C., Thomas, J. and Hameed, A.S.S. (2008) Oral administration of antiviral plant extract of *Cynodon dactylon* on a large scale production against white spot syndrome virus (WSSV) in *Penaeus monodon*, *Aquaculture*, 279 (1-4): 2 - 5.

Balcazar, J.L. (2003) Evaluation of probiotic bacterial strains in *Litopenaeus vannamei*. Final Report, National center for marine aquaculture research, Guayaquir, Ecuador, pp- 23..

Balcazar, J.L., Vendrell, D., Blas, I., Zarzuela, I.R., Mazquiz, J.L. and Girones, O. (2008) Characterization of probiotic properties of lactic acid bacteria isolated from intestinal microbiota of fish, *Aquaculture*, 278 (1-4): 188 - 191.

Bandyopadhyay, P. and Kumar, A. (2006) Improvement of nutritional indices and immunity of Indian major carps through probiotic feed supplement, *Indian Journal of Environment and Ecoplanning*, 12 (1): 1 - 8.

Barnes, M.E., Durben, D.J., Reeves, S.G. and Sanders, R. (2007) Dietary yeast culture supplementation improves initial rearing of McCaughy strain rainbow trout, *Aquaculture Nutrition*, 12(5): 388 - 394.

Barrows, F.T., Gaylord, T.G., Sealey, W.M., Porter, L. and Smith, C.E. (2008) The effect of vitamin premix in extruded plant based and fish meal based diets on growth efficiency and health of rainbow trout, *Oncorhynchus mykiss*, *Aquaculture*, 283 (1-4): 148 -155.

Bei-Ping, T., Kang – Sen, M. and Zhi-Guo, L. (2002) Dietary phosphorous requirement of young abalone, *Haliotis discus hannai*, *INO Chinese Journal of Oceanology and Limnology*, 20 (1): 22 - 31.

Bogut, I., Milakovic, Z., Brkic, S., Novoselic, D. and Bukvic, Z. (2000) Effects of *Enterococcus faecium* on the growth rate and content of intestinal microflora in sheet fish (*Silurus glanis*), *Veterinary Medicine*, 145: 107 - 109.

Bogut, I., Milakovic, Z., Bukvic, Z., Brkic, S. and Zimmer, R. (1998) Influence of probiotic (*Streptococcus faecium* M74) on growth and content of intestinal microflora in carp, *Cyprinus carpio*, *Czech Journal of Animal Science*, 43: 231 - 235.

Bomba, A., Jonecova, Z., Koscova, J., Nemcova, R., Gancarcikova, S., Mudronova, D., Scirankova, L., Buleca, V., Lazar, G., Posivak, J., Kastel, R. and Marekova, M. (2006) The improvement of probiotics efficacy by synergistically acting components of natural origin, a review, *Biologia, Bratislava*, 61 (6): 729 - 734.

Bonaldo, A., Roem, A.J., Pecchini, A., Grilli, E. and Gatta, P.P. (2006) Influence of dietary soybean meal levels on growth, feed utilization and gut histology of Egyptian sole (*Solea aegyptiaca*) juveniles, *Aquaculture*, 261 (2): 580 - 586.

Borgeson, T.L., Racz, V.J., Wilkie, D.C., White, L.J. and Drew, M.D. (2006) Effects of replacing fishmeal and oil with simple or complex mixtures of vegetable ingredients in diets fed to Nile tilapia (*Oreochromis niloticus*), *Aquaculture Nutrition*, 12 (2): 141 - 149.

Borolongen, I.G., Eusebio, P., Welsh, T. (2002) Potential of feed peas (*Pisum sativum*) as alternative protein source in practical diets for milkfish (*Chanos chanos*), 10th International Symposium on Nutrition and Feeding in Fish. Book of abstract, 2-7, Rhodes, Greece, p- 122.

Brody, S. (1945) Bio-energetics and Growth. Reinhold, Newyork, p-1023.

Bureau, D.P., Gibson, J. and El – Mowafi, A. (2002) Review: Use of animal fats in aquaculture feeds, Advances in Nutrition Acuicola VI. Quintana Roo, Mexico.

Bureau, D.P., Kirklandm, J.B. and Cho, C.Y. (1995) The effects of dietary chromium supplementation on performance, carcass yield and blood glucose of rainbow trout (*Oncorhynchus mykiss*) fed two practical diets. Journal of Animal Sciences, 73 (Supplement 1.1): 194.

Caers, M., Coutlean, P. and Sorgeloos, P. (1999) Dietary impact of algal and artificial diets, fed at different feeding rations, on the growth and fatty acid composition of *Tapes philipinarum* (L.) spat, Aquaculture, 170 (3-4): 307 - 322.

Cain, K.D. and Garling, D.L. (1995) Pretreatment of soybean meal with phytase for salmonid diets to reduce phosphorus concentrations in hatchery effluents, Progress in Fish Culture, 57: 114 -119.

Camacho, A.P., Albentosa, M., Reiriz, F. and Labarta, U. (1998) Effects of microalgal and inert (Cornmeal and Cornstarch) diets on growth performance and biochemical composition of *Ruditapes decussatus* seed, Aquaculture, 160 (1-2): 89 - 102.

Campano-Torres, A.C., Cordova, L.R.M., Colmenares, H.V. and Cerecedo, R.C. (2005) *In vivo* dry matter and protein digestibility of three plant derived and four animal derived feedstuffs diets for juvenile Australian redclaw, *Cherax quadricarinatus*, Aquaculture, 250 (3-4): 748 - 754.

Chamundeswari, D., Shantha, V. and Srinivasulu (1999) Effect of Soyabean meal (*Glycine max*) feeding on the biochemical composition of *Labeo rohita* fingerlings, Journal of Aquaculture Tropics, 14: 181 - 185.

Charula, S., Sharma, L.L. and Sharma, B.K. (2007) The herb Kaunch (*Mucuna pruriens*) as growth promoter in supplementary diet of common carp fingerlings, Fishing Chimes, 26: (10): 69 - 71.

Chitra (1995) Effect of feeding of supplemented stresstol bioencapsulated *Artemia franciscana* on growth and stress tolerance in *Penaeus indicus* post larvae, MPhil.Dissertation, MS University, Tirunelveli.

Christybapita, D., Divyagnaneswari, M. and Michael, R.D. (2007) Oral administration of *Eclipta alba* leaf aqueous extract enhances the non-specific immune responses and disease resistance of *Oreochromis mossambicus*, *Fish and Shellfish Immunology*, 23 (4) : 840 - 852.

Citarasu, T. (2009) Herbal biomedicines: a new opportunity for aquaculture industry, *Aquaculture International*, doi: 10.1007/s10499-009-9253-7.

Citarasu, T., Immanuel, G., Marian, M.P. (1998) Effect of feeding *Artemia* enriched with stresstol and cod liver oil on growth and stress resistance in the Indian white shrimp, *Penaeus indicus* post larvae, *Journal of Asian Fisheries Science*, 12: 65 - 75.

Citarasu, T., Sekar, R.R., Babu, M.M. and Marian, M.P. (2002) Developing *Artemia* enriched herbal diet for producing quality larvae in *Penaeus monodon*, *Asian Fish Science*, 15: 21 - 32.

Citarasu, T., Sivaram, V., Immanuel, G., Rout, N., Murugan, V. (2006) Influence of selected Indian immunostimulant herbs against white spot syndrome virus (WSSV) infection in black tiger shrimp, *Penaeus monodon* with reference to haematological, biochemical and immunological changes, *Fish and Shellfish Immunology*, 21 : 372 - 384.

Citarasu, T., Venkatramalingam, K., Sekar, R.J., Babu, M.M. and Marian, M.P. (2003) Influence of the antibacterial herbs *Solanum trilobatum*, *Andrographis paniculata* and *Psoralea cordyfolia* on the survival, growth and bacterial load of *Penaeus monodon* post larvae, *Aquaculture International*, 11: 583 - 595.

Coote, T.A, Hoone, P.W. and Kenyon, R. (1996) The effect of different combinations of dietary calcium and phosphorus on the growth of juvenile *Halotis laevigata*, *Aquaculture*, 145: 267 - 279.

Dato-Cajegas, C.R.S. and Yakupitiyage, A. (1996) The need for dietary mineral supplementation for Nile tilapia, *Oreochromis niloticus* cultured in a semi-intensive system, *Aquaculture*, 144: 227 - 237.

Davies, S.J., Gouveia, A. and Tekinay, A.A. (2002) Rapeseed and cotton seed meal as component ingredients in diets for fingerlings African catfish, *Clarias gariepinus*, 10th International Symposium on Nutrition and Feeding in Fish. Book of Abstract, 2-7, Rhodes, Greece, p- 121.

Davis, D.A., Arnold, C.R., Mucallum, I. (2002) Nutritional value of feed peas (*Pisum sativum*) in practical diet formulations for *Litopenaeus vannamei*, *Aquaculture Nutrition*, 8(2): 87 - 94.

Deng, J., Mai, K., Ai, Q., Zheng, Q., Wang, X., Xu, W. and Liu-Fu, Z. (2006) Effects of replacing fish meal with soy protein concentrate on feed intake and growth of juvenile Japanese flounder, *Paralichthys olivaceus*, *Aquaculture*, 258 (1-4): 503 - 513.

Deschrijver, R. and Ollevier, F. (2000) Protein digestion in juvenile turbot (*Scophthalmus maximus*) and effects of dietary administration of *Vibrio proteolyticus*, *Aquaculture*, 186: 107 - 116.

Devasagayam, T.P.A. and Sainis, K.B. (2002) Immune system and antioxidants, especially those derived from Indian medicinal plants, *Indian Journal of Experimental Biology*, 40: 639.

Domingues, P.M., Dimarco, P.F., Andrade, J.P. and Lee, P.G. (2005) Effects of artificial diets on growth, survival and condition of adult cuttlefish, *Sepia officinalis* Linnaeus, *Aquaculture*, 13(5): 423 - 440.

Dongmenza, E., Siddhuraju, P., Francis, G. and Becker, K. (2006) Effects of dehydrated methanol extracts of moringa (*Moringa oleifera* Lam.) leaves and feed nutrient assimilation in Nile tilapia (*Oreochromis niloticus* L.), *Aquaculture*, 261 (1): 407 - 422.

Du, L. and Niu, C.J. (2007) Effects of dietary substitution of soyabean meal for fish meal on consumption, growth and metabolism of juvenile giant freshwater prawn, *Macrobrachium rosenbergii*, *Aquaculture Nutrition*, 9(2): 139 - 143.

Dugenci, S.K, Ardar, N. and Candan, K. (2003) Some medicinal plants as immunostimulant for fish, *Journal of Ethanopharmacol*, 88: 99 -106.

Eid, A.E. and Ghonim, S.I. (1994) Dietary zinc requirement of fingerlings, *Oreochromis niloticus*, Aquaculture, 119: 259 - 264.

El-Haroun, E.R., Goda, A.M. and Chowdhury, M.A.K. (2007) Effect of dietary probiotic Biogen[®] supplementation as promoter on growth performance and feed utilization of Nile tilapia *Oreochromis niloticus*, Aquaculture Research, 77 (14): 1473 - 1480.

EL-Sayed, A.F. (2008) Effects of substituting fish meal with *Azolla pinnata* in practical diets for fingerlings and adult Nile tilapia, *Oreochromis niloticus* (L), Aquaculture Research, 23(2): 167 - 173.

Eusebio, P. and Coloso, R.M. (1998) Evaluation of leguminous seed meals and leaf meals as plant protein sources in diets of juvenile *Penaeus indicus*, Israeli Journal of Aquaculture (Bamidgeh), 50: 46 - 54.

Eya, J.C. and Lovell, R.T. (1998) Effects of dietary phosphorus on resistance of channel catfish to *Edwardsiella ictaluri* challenge, Journal of Aquatic Animal Health, 10: 28 - 34.

Fagbenro, O.A. (1999) Comparative evaluation of heat-processed winged bean (*Psophocarpus tetragonolobus*) meals as partial replacement for fish meal in diets for the African catfish (*Clarias gariepinus*), Aquaculture, 170 (3-4): 297 - 305.

Folch, J.M., Lees, A. and Stanley, G.W. (1957) A simple method for isolation and purification of total lipids from animal tissues, Journal of Biological Chemistry, 226: 497 - 508.

Forster, I.P., Doming, W., Obaldo, L. and Tacon, A.G.J. (2003) Rendered meat and bone meal as ingredients of diets for shrimp, *Litopenaeus vannamei* (Boone, 1931), Aquaculture, 219: 655 - 670.

Fotedar, R. (2004) Effects of dietary protein and lipid source on the growth, survival, condition indices and body composition of marron, *Cherax tenuimanus* (Smith), Aquaculture, 230 (1-4): 439 - 455.

Fournier, V., Huelvan, C. and Desbruyeres, E. (2004) Incorporation of a mixture of plant feed stuffs as substitute for fishmeal in diets of juvenile turbot (*Psette maxima*), Aquaculture, 236 (1-4): 451 - 465.

Fowler, L.G. (1991) Poultry by-product meal as a dietary protein source in fall Chinook salmon diets, *Aquaculture*, 9(3-4): 309 - 321.

Francis, G. Makkar, H. and Becker, K. (2005) Saponins - a natural growth promoter for fish, *Animal Science and Technology*, 121 (1-2): 147 - 157.

Furuichi, M., Furusho, Y., Matsui, S. and Kitajima, C. (1997) Essential of mineral mixture supplement to white fish meal diet for tiger puffer, *Journal of Faculty of Agriculture, Kyushu University*, 42: 77 - 85.

Gallagher, M.L. and LaDouceur, M. (1995) The use of blood meal and poultry products as partial replacements for fish meal in diets for juvenile palmetto bass (*Morone saxatilis* X *M.chrysops*), *Journal of Applied Aquaculture*, 5: 57 - 65.

Gangadhar, B., Nandeesh, M.C., Vargheese, T.J. and Keshavanath, P. (1997) Effect of varying protein levels on the growth of rohu, *Labeo rohita*, *Asian Fish Society*, 1: 139 - 147.

Gatesoupe, F.J. (1991) The effect of three strains of lactic acid bacteria on the production rate of rotifers, *Brachionus plicatilis* and their dietary value for larval turbot, *Scophthalmus maximus*, *Aquaculture*, 96: 335 - 342.

Gatesoupe, F.J. (1994) Lactic acid bacteria increase the resistance in turbot larvae, *Scophthalmus maximus* against pathogenic *Vibrio*, *Aquaculture Living Resources*, 7: 277 - 282.

Gaylord, T.G., Rawles, S.D. and Gatlin, D.M. (2004) Amino acid availability from animal, blended and plant feed stuffs for hybrid striped bass (*Morone chrysops* X *Morone saxatilis*), *Aquaculture Nutrition*, 10: 345 - 352.

Ghosh, S., Sinha, A. and Sahu, C. (2007) Effect of probiotic on reproductive performance in female live bearing ornamental fish, *Aquaculture Research*, 38: 518 - 526.

Gilberg, A. and Mikkelsen, H. (1998) Effects of supplementing the seed to Atlantic cod (*Gadus morhua*) fry with lactic acid bacteria and immuno-stimulated peptides during a challenge trial with *Vibrio anguillarum*, *Aquaculture*, 167: 103 - 113.

Gilberg, A., Johanson, A. and Bogwald, J. (1995) Growth and survival of Atlantic salmon, *Salmo salar* fry given diets supplemented with fish protein hydrolysate and lactic acid bacteria during a challenge trial with *Aeromonas salmonicida*, *Aquaculture*, 138: 23 - 24.

Gilberg, A., Mikkelsen, H., Sudhakaran, E. and Ringo, E. (1997) Probiotic effect of lactic acid bacteria in the feed on growth and survival of fry of Atlantic cod (*Gadus morhua*), *Hydrobiology*, 352: 279 - 285.

Goda, A.M., Haroun, E.R.E. and Chowdhury, M.A.K. (2007) Effect of totally or partially replacing fish meal by alternative protein sources on growth of African catfish, *Clarias gariepinus* (Burchell, 1822) reared in concrete tanks, *Aquaculture Research*, 38 (3): 279.

Gomes, E.F., Rema, P. and Kaushik, S.J. (1995) Replacement of fish meal by plant protein in the diet of rainbow trout (*Oncorhynchus mykiss*): digestibility and growth performance, *Aquaculture*, 130 (2 -3): 177-186.

Gomes, G.B., Roque, A. and Turnbull, J.F. (2000) The use and selection of probiotic bacteria for use in the culture of larval aquatic organisms, *Aquaculture*, 191: 259 - 270.

Gonzalez-Felix, M.L., Lawrence, A.L., Gatlin, D.M. and Perez-velazquez, M. (2002) Growth, survival and fatty acid composition of juvenile *Litopenaeus vannamei* fed different oils in the presence and absence of phospholipids, *Aquaculture*, 205: 325 - 343.

Gopal, V., Sugath, S., Prabakaran and Blasubramanian, P.R. (1997) Effect of dietary inclusion of low ingredients, biogas plant-effluent in the muscle, brain and liver tissue composition of rohu (*Labeo rohita*) fingerlings, *Proceedings of the National Science Academy*, 67 (Part-2): 121 - 126.

Guo, J., Wang, Y. and Bureau, D.B. (2007) Inclusion of rendered animal ingredients as fish meal substitutes in practical diets for cuneate drum, *Nibea michthioides*, *Aquaculture Nutrition*, 13(2): 81.

Guo, R., Liu, Y.J, Tian, L.X. and Huang, J.T. (2006) Effect of dietary cornstarch levels on growth performance, digestibility and microscopic structure in the white shrimp, *Litopenaeus vannamei* reared in brackish water, *Aquaculture Nutrition*, 12: 83 - 88.

Hamre, K. and Lie, O. (1995) Minimum requirement of Vitamin E for Atlantic salmon, *Salmo salar* L. at first feeding, *Aquaculture Research*, 26: 175 -184.

Hardie, L.J., Fletcher, T.C. and Secombes, C.J. (1991) The effect of dietary vitamin C on the immune response of the Atlantic salmon (*Salmo salar* L.), *Aquaculture*, 95: 201 - 214.

Hari, B. and Kurup, B.M. (2003) Comparative evaluation of dietary protein levels and plant-animal ratios in *M.rosenbergii*, *Aquaculture Nutrition*, 9: 131 - 137.

Harzevili, S., Duffel, V., Dhert, P., Swings, J. and Sorgeloos, P. (1998) Use of a potential probiotic *Lactococcus lactis* AR 21 strain for the enhancement of growth in the rotifer *Brachionus plicatilis*, *Aquaculture Research*, 29: 411 - 417.

Hodge, J.E. and Hofreiter, B.T. (1962) Determination of reducing sugars, methods in carbohydrate chemistry, M.L. Academy Press, New York, 1: pp- 388 - 389.

Heikkinen, J., Vielma, J., Kemilainen, O., Tirola, M., Eskelinen, P., Kiuru, T., Paldanius, D.N. and Wright, A.V. (2006) Effects of soybean meal based diet on growth performance, gut histopathology and intestinal microbiota of juvenile rainbow trout (*Oncorhynchus mykiss*), *Aquaculture*, 261 (1): 428 - 434.

Helland, S., Refsith, S., Espmark, A., Hjelede, K. and Baeverfjord, G. (2005) Mineral balance and bone formation in fast growing Atlantic salmon (*Salmo salar*) in response to phosphorus supply, *Aquaculture*, 250: 364 - 376.

Hemre, G., Deng, D.F., Wilson, R. and Berntssen, M. (2004) Vitamin A metabolism and early biological responses in juvenile sea bass (*Morone chrysops* x *Morone saxatilis*) fed graded levels of vitamin A, *Aquaculture*, 235: 645 - 658.

Hernandez, M.D., Martinez, F.J., Jover, M. and Garcia, B.G. (2007) Effects of partial replacement of fish meal by soybean meal in sharpsnout seabream (*Diplodus puntazzo*) diet, *Aquaculture*, 263 (1-4): 159 - 167.

Hidalgo, M.C., Skalli, A., Abellan, E., Arizcun, M. and Cardente, G. (2006) Dietary intake of probiotics and muslinic acid in juvenile dentex (*Dentex dentex* L.) Effects on growth performance, survival and liver proteolytic activities, *Aquaculture*, 12: 256 - 266.

Hosan, M.R., Ali, M.A., Akand, A.M., Ali, M.M. (1996) Nutritional requirements of Indian major carps, *Labeo rohita*: Effect of dietary lipid on growth, food conversion and body composition, Bangladesh Journal of Aquaculture, 18: 24 - 31.

Hossain, M.A., and Furuichi, M. (1999a) Calcium requirement of tiger puffer fed a semi-purified diet, Aquaculture International, 7: 287 - 293.

Hossain, M.A. and Furuichi, M. (1999b) Dietary calcium requirement of giant croaker *Nibea japonica*, Journal of Faculty of Agriculture, Kyushu University, 44: 99 - 104.

Hossain, M.A. Focker, U., and Becker, K. (2001) Effect of soaking followed by autoclaving of *Sesbania* seeds on growth and feed utilization on common carp, *Cyprinus carpio* L., Aquaculture, 203 (1 -2): 133 - 148.

Hu, M., Wang, Y., Wang, Q., Zhao, M., Xiong, B., Qian, X., Zhao, Y. and Luo, Z. (2008) Replacement of fish meal by rendered animal protein ingredients with lysine and methionine supplementation to practical diets for gibel carp *Carassius auratus gibelio*, Aquaculture, 275 (1-4): 260 - 265.

Huai, M.Y., Liu, Y.J., Tian, L.X., Deng, S.X., Xu, A.I., Gao, W. and Yang, H.J. (2009) Effect of dietary protein reduction with synthetic amino acids supplementation on growth performance, digestibility and body composition of juvenile pacific white shrimp, *Litopenaeus vannamei*, Aquaculture International, doi: 10.1007/S10499-009- 9241-y.

Immanuel, G., Citarasu, T., Sivaram, V., Babu, M.M. and Palavesam, A. (2007) Dietary HUFA, probionts and biomedicine through bioencapsulated *Artemia* as a means to enhance the growth and survival and reduce the pathogenesis in shrimp, *Penaeus monodon* post larvae, Aquaculture International, 15: 137 - 152.

Immanuel, G., Vincybai, V.C., Sivaram, V., Palavesam, A. and Marian, M.P. (2004) Effect of butanolic extracts from terrestrial herbs and sea weeds on the survival, growth, pathogen (*Vibrio parahaemolyticus*) load on shrimp, *Penaeus indicus* juveniles, Aquaculture, 236: 53 - 65.

Irianto, A. and Austin, B. (2002) Probiotics in aquaculture, *Fish Disease*, 25: 633 - 642.

Itami, T., Asano, M., Tokushige, K., Kubono, K., Nakagawa, A., Takeno, N., Nishimura, H., Maeda, M., Kondo, M. and Takahashi, Y. (1998) Enhancement of disease resistance of Kuruma shrimp, *Penaeus japonicus* after oral administration of peptidoglycan derived from *Bifidobacterium thermophilus*, *Aquaculture*, 164: 277 - 288.

Jafri, A.K., Anwar, M.F., Usmani, N., Samad, R. and Alvi, A.S. (1995) Influence of dietary lipid levels on growth and body composition of fingerlings of an Indian major carp, *Cirrhinus mrigala* (Ham.), *Journal of Aquaculture Tropics*, 10: 151 - 157.

Jayaprakash, V. and Eupharsia, J. (1996) Growth performance of *Labeo rohita* fed Livol (IHF-1000), an herbal product, *Proceedings of Indian National Science Academy*, 63(2): 1 - 10.

Ji, S.C., Jeong, G.S., Im, G.S., Lee, S.W., Yoo, J.H. and Takii, K. (2007) Dietary medicinal herbs improve growth performance, fatty acid utilization and stress recovery of Japanese flounder, *Fisheries Science*, 73: 70 - 76.

Ji, S.C., Takaoka, O., Jeong, G.S., Lee, S.W., Ishimaru, K., Seoka, M. and Takii, K. (2007) Dietary medicinal herbs improve growth and some non specific immunity of red sea bream, *Pagrus major*, *Fisheries Science*, 73: 63 - 69.

Jian, J. and Wu, Z. (2003) Effects of traditional Chinese medicine on non-specific immunity and disease resistance of large yellow croaker, *Pseudoscianena crocea* (Richardson), *Aquaculture*, 218: 1 - 9.

Johnson, C. and Banerji, A. (2007) Influence of extract isolated from the plant *Sesuvium portulacastrum* on growth and metabolism in fresh water teleost, *L.rohita* (rohu), *Fishery Technology*, 44(2): 229 -234.

Jose, S., Mohan, M.V., Shyama, S., Ramachandran Nair, K.G. and Mathew, P.T. (2006) Effect of soyabean meal based diets on the growth and survival rate of the Indian major carp, *Cirrhinus mrigala* (Ham.), *Aquaculture Nutrition*, 12: 275 - 279.

Joseman, P.K., Haniffa, M.A., Sethuramalingam, T.A. and Arulselvan, S. (1994) Chicken intestine as a supplementary protein source for potential murrel culture. In proceedings of the National Symposium on Aquaculture for 2000 AD. pp: 263 - 267.

Jung, S.H., Lee, J.S., Han, M.K., Jun, C.Y. and Lee, H.Y. (2002) Effects of medicinal herbs extract on non-specific immune responses, haematology and disease resistance on olive flounder, *Paralichthys olivaceus* by oral administration, Journal of Fish Pathology, 15: 25 - 35.

Kaur, V.I. and Saxena, P.K. (2005) Incorporation of maize gluten in supplementary feed and its impact on growth and flesh quality of some carps, Aquaculture International, 13: 555 - 573.

Kaushik, S.J., Coves, D., Dutto, G. and Blanc, D. (2004) Almost total replacement of fish meal by plant protein sources in the diet of a marine teleost, European seabass, *Dicentrarchus labrax*, Aquaculture, 230 (1-4): 391 - 404.

Keembiyehetty, C.N. and Desilva, S.S. (1993) Performance of juvenile *Oreochromis niloticus* reared on diets containing cowpea, *Vigna catianga* and black gram, *Phaseolus mungo* seeds, Aquaculture, 112 (1-2): 207 -215.

Keshavanath, P. and Jegadese, B.R. (2002) Evaluation of carbohydrate rich diets through common carp culture in manured tanks, Aquaculture Nutrition, 8(3): 169 - 174.

Khan, M.N. and Jafri, A.K. (2003) Growth and body composition of rohu (*Labeo rohita*) fed diets containing oilseed meals; partial or total replacement of fish meal with soybean meal, Aquaculture Nutrition, 9(6): 396.

Kharatmol, B.R., Sahu, N.P. and Sadawarte, R.K. (2006) Optimization of energy to protein ratio in feed for post larvae of *Macrobrachium rosenbergii*, Ecology Environment and Conservation, 12(1): 101 -104.

Kim, D.S., Kim, J.H., Jeong, C.H., Lee, S.Y., Lee and Moon, Y.B. (1998) Utilization of Oboson (dietary herbs) Effects on survival, growth, feed conversion ratio and condition factor in live flounder, *Paralichthys olivaceus*, Aquaculture, 1: 213 - 221.

Kim, D.S., Noh, C.H., Jung, S.W. and Ji, Y. (1998) Effect of Oboson supplemented diet on growth, feed conversion ratio and body composition of Nile tilapia *Oreochromis niloticus*, *Aquaculture*, 11: 83 - 90.

Kim, J.H., Lee, S.M., Baek, J.M., Cho, J.K. and Kim, D.S. (2003) Effect of dietary lipid level and herb mixture on growth of parrot fish, *Oplegnathus fasciatus*, *Journal of Korean Fish Society*, 36: 113 - 119.

Kwon, M.G., Kim, Y.C., Shon, Y.C. and Park, S.I. (1999) The dietary supplementing effects of Kugija, *Lycium chinese* on immune responses of Nile tilapia, *Oreochromis niloticus* to *Edwardsiella tarda*, *Journal of Fish Pathology*, 1: 73 - 81.

Krishnankutty, N. (2005) Plant proteins in fish feed: An additional analysis, *Current science*, 89(6): 934 - 935.

Kucubay, F.Z., Yazlak, H., Sahin, N. and Cakmak, M.N. (2006) Effects of dietary chromium picolinate supplementation on serum glucose, cholesterol and minerals of rainbow trout (*Oncorhynchus mykiss*), *Aquaculture International*, 14: 259 - 266.

Kuhle, V.A., Skovgaard, K. and Jespersen, L. (2005) *In vitro* screening of probiotic properties of *Saccharomyces cerevisiae* var. *boulardii* and food borne *Saccharomyces cerevisiae* strains, *International Journal of Food Microbiology*, 101: 29 - 39.

Kumar, R., Dhananjay, S., kumar, A. and Pandey, B.N. (1995) Studies on biochemical composition in relation to body weight in an air breathing fish *Anabas testudineus* (Bloch), *Journal of Environmental Zoology*, 8: 45 - 46.

Kumar, R., Mukherjee, S., Prasad, K.P., Pal, A.K. (2006) Evaluation of *Bacillus subtilis* as a probiotic to Indian major carp, *Labeo rohita* (Ham.), *Aquaculture Research*, 37: 1215 - 1221.

Kumari, J., Sahoo, P.K. and Giri, S.S. (2007) Effects of polyherbal formulation 'Immuplus' on immunity and disease resistance of Indian major carp, *Labeo rohita* at different stages of growth, *Indian Journal of Experimental Biology*, 45: 291 -298.

Lall, S.P. and Oliver, G. (1993) Role of micronutrients in immune response and disease resistance in fish, *Fish Nutritional Practice*, 61: 101 - 118.

Lara-Flores, L.M., Novoa, O.M., Mendez, G. and Madrid, L.W. (2003) Use of the bacteria, *Streptococcus faecium* and *Lactobacillus acidophilus* and the yeast, *Saccharomyces cerevisiae* as growth promoters in Nile tilapia (*Oreochromis niloticus*), *Aquaculture*, 216: 193 - 201.

Lee, S.M., Park, C.S. and Kim, D.S. (2001) Effects of dietary herbs on growth and body composition of juvenile abalone, *Haliotis discus hannai*, *Journal of Korean Fisheries Society*, 34: 570 - 575.

Lim, P.K., Boey, P.L. and Ng, W.K. (2001) Dietary palm oil affects growth performance, protein retention and tissue vitamin E concentration of African catfish, *Clarias gariepinus*, *Aquaculture*, 202: 101 - 112.

Lin, H.Z., Li, Z.J., Chen, Y.Q., Zheng, W.H. and Yang, K. (2006) Effect of dietary medicinal herbs on apparent digestibility coefficients of nutrients for white shrimp, *Litopenaeus vannamei* Boone, *Aquaculture*, 253: 495 - 501.

Lin, J.H., Yibo, C., Silas, S.O.H. and Shiau, S.Y. (1997) Effect of feeding strategy and carbohydrate source on carbohydrate utilisation by white sturgeon on (*Acipense transmontanus*) and hybrid tilapia (*Oreochromis niloticus* X *O.aureus*), *Aquaculture*, 148: 201 - 211.

Lin, Y., Shie, Y. and Shiau, S. (2008a) Dietary copper requirements of juvenile grouper, *Epinephelus malabaricus*, *Aquaculture*, 274 (1): 161 - 165.

Lin, Y., Shie, Y. and Shiau, S. (2008b) Dietary manganese requirements of juvenile tilapia, *Oreochromis niloticus* X *O.aureus*, *Aquaculture*, 284 (1-4): 207 - 210.

Lin, Y.H. and Shiau, S.Y. (2005) Dietary vitamin E requirement of grouper, *Epinephelus malabaricus* at two lipid levels and their effects on immune responses, *Aquaculture*, 248: 235 - 244.

Liti, D.M., Mugo, R.M., Munguti, J.M. and Waidbacher, H. (2006) Growth and economic performance of Nile tilapia (*Oreochromis niloticus* L.) fed on three brans (maize, wheat and rice) in fertilized ponds, *Aquaculture Nutrition*, 12(3): 239 - 245.

Liu, H.B., Zhang, Y., Yang, Y.H., Lu, T.Y. and Ye, J.D. (2004) Effects of five Chinese herb medicines as additive in feed on growth and intestinal microflora in common carp, *Cyprinus carpio*, Journal of Dalian Fish University, 19: 16 - 20.

Liu, K.K.M., Barrows, F.T., Hardy, R.W. and Dong, F.M. (2002) Body composition, growth performance and product quality of rainbow trout (*Oncorhynchus mykiss*) fed diets containing poultry fat, soybean/corn lecithin or menhaden oil, Aquaculture, 214 (1-4): 289 -305.

Lowry, O.H., Rosenberg, N.H., Farr, A. and Randall, K.S.L. (1951) Protein measurement with Folinphenol reagent, Journal of Biological Chemistry, 193: 263 -275.

Lunger, A.N., Mclean, E. and Craisy, S.R. (2007) The effects of organic protein supplementation upon growth, feed conversion and texture quality parameters of juvenile cobia (*Rachycentron canadum*), Aquaculture, 264 (1-4): 342 - 352.

Luo, L., Xue, M., Wu, X., Cao, H. and Liang, Y. (2006) Partial or total replacement of fishmeal by solvent extracted cottonseed meal in diets for juvenile rainbow trout (*Oncorhynchus mykiss*), Aquaculture Research, (12): 418.

Macey, B.M. and Coyne, V.E. (2005) Improved growth rate and disease resistance in farmed *Haliotis midae* through probiotic treatment, Aquaculture, 245: 249 - 261.

Maheshappa, K., Ramesha, T.R., Gangadhar, B. and Varghese, T.S. (2002) Effect of feeding livol incorporated diet on nutrient digestibility, body indices and organoleptic quality of rohu, *Labeo rohita*, Indian Journal of Fisheries, 49(4): 447 - 450.

Mai, K. (1998) Comparative studies on the nutrition of two species of abalone, *Haliotis tuberculata* L. and *H. discus hannai*: Effects of dietary vitamin C on survival, growth and tissue concentration of ascorbic acid, Aquaculture, 161: 383 - 392.

Makkar, H.P.S. and Becker, K. (1999) Nutritional studies on rats and fish (carp, *Cyprinus carpio*) fed diets containing unheated and heated *Jatropha curcas* meal of a non-toxic provenance, Plant Foods for Human Nutrition, 53: 183 - 192.

Makridis, P., Fjellheim, A.J., Skjermo, J. and Vadstein, O. (2000) Colonization of the gut in turbot by bacterial strains added to the water or bioencapsulated in rotifers, *Aquaculture International*, 8: 367 - 380.

Maranesi, M., Marchetti, M., Bochicchio, D. and Cabrini, L. (2005) Vitamin B6 supplementation increases the docosahexaenoic acid concentration of muscle lipids of rainbow trout (*Oncorhynchus mykiss*), *Aquaculture Research*, 36(5): 431.

Mbahinzireki, A., Dabrowski, R., Lee, S., Saidy, E. and Wisner (2001) Growth, feed utilization and body composition of tilapia (*Oreochromis* sp.) fed with cotton seedmeal based diets in a recirculating system, *Aquaculture Nutrition*, 7(3): 189.

Millamena, O.M. (2002) Replacement of fish meal by animal by-product meals in a practical diet for grow out culture of grouper, *Epinephelus coioides*, *Aquaculture*, 204 (1-2): 75 - 84.

Minomol, M. (2005) Culture of gold fish, *Carrasius auratus* using medicinal plants having immunostimulant characteristics. M.Phil. Dissertation, MS University, India.

Misra, C.K., Das, B.K., Mukerjee, S.C. and Pradhan, J. (2007) Effects of dietary vitamin C on immunity, growth and survival of Indian major carp, *Labeo rohita* fingerlings, *Aquaculture Nutrition*, 13 (1): 35.

Mitra, G. and Mukhopadhyay, P.K. (2003) Growth, nutrient utilization and tissue biochemical changes in *Labeo rohita*, fed with natural and prepared diet, *Journal of Applied Aquaculture*, 12(3): 65 - 80.

Mohamed, J.S., Ravishankar, B. and Ibrahim, A. (2000) Quantifying the dietary biotin requirement of the catfish, *Clarias batrachus*, *Aquaculture International*, 8: 9 - 18.

Mukhopadhyay, N. and Ray, A.K. (1996) The potential of deoiled sal (*Shorea robusta*) seed meal as a feedstuff in pelleted feed for Indian major carp, rohu, *Labeo rohita* (Hamilton) fingerlings, *Aquaculture Nutrition*, 214 - 221.

Mukhopadhyay, N. and Ray, A.K. (1999) Effects of fermentation on the nutritive value of sesame seed meal in the diets for rohu, *Labeo rohita* (Hamilton) fingerlings, *Aquaculture Nutrition*, 5: 229 - 236.

Mukhopadhyay, N. and Ray, A.K. (2001) Improvement of quality of sesame, *Seasamum indicum* seed meal protein with supplemental amino acid in feeds for *Labeo rohita* (Hamilton) fingerlings, *Aquaculture Research*, 30 (8): 549 - 557.

Munilla-Moran, R., Stark, J.R. and Barbour, A. (1990) The role of exogenous enzymes in digestion in cultures of turbot larvae *Scophthalmus maximus*, *Aquaculture*, 88: 337 – 350.

Muzinic, L.A., Thompson, K.R., Morris, A., Webster, C.D., Rose, D.B. and Manomaitis, L. (2004) Partial and total replacement of fish meal with soybean meal and brewer's grains with yeast in practical diets for Australian red claw crayfish *Cherax quadricarinatus*, *Aquaculture*, 230 (1-4): 359 - 376.

Muzinic, L.A., Thompson, K.R., Metts, L.S., Dasgupta, S. and Webster, C.D. (2006) Use of turkey meal as partial and total replacement of fish meal in practical diets for sunshine bass (*Morone chrysops* X *Morone saxatilis*) grown in tanks, *Aquaculture Nutrition*, 12 (1): 71 - 81 .

Naggar, E.L.O.G. and Lovell, R.T. (1991) Effect of sources and dietary concentration of ascorbic acid on tissue concentrations of ascorbic acid in channel catfish, *Journal of World Aquaculture Society*, 22: 201 - 206.

Naik, A.T.R., Murthy, H.S. and Ramesha, T.J. (1999) Effects of graded levels of G-probiotic on growth, survival and feed conversion of tilapia, *Oreochromis mossambicus*, *Fishery Technology*, 36: 63 -66.

Nandeesh, M.C., Gangadhar, B., Maniserry, J.K. and Venkatraman, L.V. (2001) Growth performance of two Indian major carps, catla (*Catla catla*) and rohu (*Labeo rohita*) fed diets containing different levels of *Spirulina plantensi*, *Bioresource Technology*, 80: 117 - 120.

Navarro, V., Villarreal, L.A.M. and Zozoya, R.G.X. (1996) Antimicrobial evaluation of some plants used in Mexican traditional medicine or the treatment of infectious diseases, *Journal of Ethnopharmacol*, 53 (3): 143 -147.

Nengas, I., Alexis, M.N. and Davies, S.J. (1999) High inclusion levels of poultry meals and related by-products in diets for gilthead sea bream, *Sparus aurata*, *Aquaculture*, 179 (1-4): 13 - 23.

Ng, W.K. and Ang, L.Y. and Liew, F.L. (2001) An evaluation of mineral supplementation of fish meal – based diets for African catfish, *Aquaculture International*, 9: 277 - 282.

Nikoskelainen, S., Ouwehand, A.C., Bylund, G., Salminen, S. and Lilius, E.M. (2003) Immune enhancement in rainbow trout *Oncorhynchus mykiss* by potential probiotic bacteria, *Lactobacillus rhamnosus*, *Fish and Shellfish Immunology*, 15: 443 - 452.

Noh, S.H., Han, K., Won, T.H. and Choi, Y.U. (1994) Effects of antibiotics, enzyme, yeast culture and probiotics on the growth performance of Israeli carp, *Korean Animal Science*, 36: 480 - 486.

Nwanna, L.C., Eisenreich, R. and Schwarz, F.J. (2007) Effect of wet incubation of dietary plant feed stuffs with phytases on growth and mineral digestibility by common carp (*Cyprinus carpio*), *Aquaculture*, 271(1-4): 461 - 468.

Olivera-Novoa, M.A., Martinez-Palacios, C.A. and Olivera-Castillo, L. (2002) Utilization of torula yeast (*Candida utilis*) as a protein source in diets for tilapia (*Oreochromis mossambicus*) fry, *Aquaculture Nutrition*, 8 (4): 257 - 264.

Pan, Q., Liu, S., Tan, Y.G. and Bi, Y.Z. (2003) The effect of chromium picolinate on growth and carbohydrate utilization in tilapia *Oreochromis niloticus* x *O.aureus*, *Aquaculture*, 225: 421 - 429.

Penaflorida, V.D. (1995) Growth and survival of juvenile tiger shrimp fed diets where fish meal is partially replaced with papaya (*Carcia papaya* L.) or camote (*Lipomea batatas*) leaf meal, *Israeli Journal of Aquaculture (Bamidgeh)*, 47: 25 - 33.

Peng, L. and Gatlin, D.M. (2004) Dietary brewers yeast and the prebiotic Grobiotic™ influence growth performance, immuneresponses and resistance of hybrid striped bass, *Morone chrysops* x *M.saxatilis* to *Streptococcus iniae* infection, *Aquaculture*, 231: 445 - 456.

Peng, S., Chen, L., Quin, J., Hou, J., Yu, N., Long, Z., Ye, J. and Sun, X. (2008) Effects of replacement of dietary fish oil by soybean oil on growth performance and liver biochemical composition in juvenile black seabream, *Acanthopagrus schleglie*, *Aquaculture*, 276 (1-4): 154 - 161.

Piedecausa, M.A., Mazon, M.J., Garcia, B.G. and Hernandez, M.D. (2007) Effects of total replacement of fish oil by vegetable oils in the diets of sharpsnout seabream (*Diplodus puntazzo*), Aquaculture, 263 (1-4): 211 - 219.

Pilet, M.F., Dousset, X., Barre, R., Novel, G., Desmazeaud, M. and Piard, J.C. (1995) Evidence for two bacteriocins produced by *Carnobacterium piscicola* and *C.divergens* isolated from fish and active against *Listeria monocytogens*, Journal of Food Protects, 58: 256 - 262.

Punitha, S.M.J., Babu, M.M., Sivaram, V., Shankar, V.S., Dhas, S.A., Mahesh, T.C., Immanuel, G. and Citarasu, T. (2008) Immunostimulating influence of herbal biomedicines on nonspecific immunity in grouper *Epinephelus tauvina* against *Vibrio harveyi* infection, Aquaculture International, 10: 9162 - 9166.

Qinghui, A., Mai, k., Tan, B., Xu, W., Duan, Q., Hongming, M. and Zhang, L. (2006) Replacement of fish meal by meat and bone meal in diets for large yellow croaker, *Pseudosciaena crocea*, Aquaculture, 260 (1-4): 255 - 263.

Raida, M.K., Larsen, J.L., Nielson, M.E. and Buchmann, K. (2003) Enhanced resistance of rainbow trout, *Oncorhynchus mykiss* against *Yersinia ruckeri* challenge following oral administration of *Bacillus subtilis* and *B.licheniformis*, Journal of Fish Disease, 26: 495 - 498.

Rani, T.V.J. (1999) Fourth year annual report (CSIR Research Associateship) submitted to Council of Scientific and Industrial Research, New Delhi.

Raso, S. and Anderson, T. (2002) Effects of dietary fish oil replacement on growth and carcass proximate composition of juvenile barramundi (*Lates calcarifer*), Aquaculture Research, 34: 813 - 819.

Refsite, S., Storebakken, T., Baeverfjord, G. and Roem, A.J. (2001) Long term protein and lipid growth of Atlantic salmon (*Salmo salar*) fed diets with partial replacement of fish meal by soy protein products at medium or high lipid levels, Aquaculture, 193: 91 - 106.

Remseyer, L., Garling, G., Ju, K., Hill, G. and Link, J. (1999) Effect of dietary zinc supplementation and phytase pre-treatment of soyabean meal or corn gluten meal on growth, zinc status and zinc – related metabolism in rainbow trout, *Oncorhynchus mykiss*, Fish Physiology and Biochemistry, 20: 251 - 261.

Remya, S.R., Ramesh, M., Sajwan, K.S. and Kumar, K.S. (2008) Influence of zinc on cadmium induced haematological and biochemical responses in a freshwater teleost fish, *Catla calta*, Fish Physiology and Biochemistry, 34: 169 - 174.

Rengpipat, S., Rukpratanporn, S., Piyatiratitivorakul, S., Menasveta, P. (2000) Immunity enhancement in black tiger shrimp, *Penaeus monodon* by a probiont bacterium *Bacillus* S 11, Aquaculture (191): 271 - 288.

Riche, M. and Brown, P.B. (1996) Availability of phosphorus from feedstuffs fed to rainbow trout, *Oncorhynchus mykiss*, Aquaculture, 142: 269 - 282.

Robertson, P., O'Dowd, C., Burrels, C., Williams, P. and Austin, B. (2000) Use of *Carnobacterium* sp. as a probiotic for Atlantic salmon (*Salmo salar* L.) and rainbow trout (*O. mykiss*), Aquaculture, 185: 235 - 243.

Roem, A.J., Kohler, C.C. and Stickney, R.R. (1990) Vitamin E requirements of the blue tilapia, *Oreochromis aureus* (Steindachner) in relation to dietary lipid level, Aquaculture, 87: 155 - 164.

Rougier, F., Troutand, D., Ndoeye, A. and Deschux, P. (1994) Non-specific immune response of Zebra fish, *Brachydanio rerio* (Hamilton – Buchanan) following copper and zinc exposure, Fish and Shellfish Immunology, 4: 115 - 127.

Ruff, N., Lavens, P., Huo, J.Z., Sorgeloos, P., Nelis, H.J. and Leenheer, A.D. (2001) Antioxidant effect of dietary tocopherol and ascorbic acid on growth and survival of *Litopenaeus vannamei* post larvae, Aquaculture International, 9: 115 - 126.

Saeed, Z.N., Mehran, H.R., Ghobad, A.T., Donald, L.L., Ali-Reza, M. and Mehdi, S. (2006) The effect of *Bacillus* sp. bacteria used as probiotics on digestive enzyme activity, survival and growth in the Indian White shrimp, *Fenneropenaeus indicus*, Aquaculture, 252: 516 - 524.

Sahadevan, P. (1992) Protein requirements of the post larvae and juveniles of *Macrobrachium rosenbergii*, M.Sc., Dissertation, University of Cochin.

Sahoo, P.K. and Mukherjee, S.C. (2003) Immunomodulation by dietary Vitamin C in healthy and alphatoxin B1 – induced immunocompromised rohu *Labeo rohita*, Journal of Fish Diseases, 26: 65 - 76,

Sahoo, P.K., Mohanty, J. and Mukherjee, S.C. (1999) The three immunomodulators on haematological parameters and immunity level in rohu, *Labeo rohita* fingerlings, Journal of Aquaculture Tropics, 14: 127 - 135.

Sahu, M.K., Swarnakumar, N.S., Sivakumar, K., Thangaradjou, T. and Kannan, L. (2008) Probiotics in aquaculture: Importance and future perspectives, Indian Journal of Microbiology, 48: 299 - 308.

Sahzadi, T., Salim, M., Kalsoom, U.E. and Shahzad, K. (2006) Growth performance and feed conversion ratio (FCR) of hybrid fingerlings (*C.catla* X *L.rohita*) fed on cotton seed meal, sunflower meal and bone meal, Pakistan Veterinary Journal, 26 (4): 163 - 166.

Sarkar, S.A., Satoh, S. and Kiron, V. (2007) Inclusion of citric acid and amino acid-chelated elements in alternate plant protein source diets on growth and excretion of nitrogen and phosphorus in red sea bream, *Pagrus major*, Aquaculture, 262 (2-4): 463 - 443.

Schaefer, A., Koope, W.M., Meyer-Burgdorff, K.H. and Guenthe, K.D. (1995) Effects of P-supply on growth and mineralization in mirror carp (*Cyprinus carpio* L.), Journal of Applied Ichthyology, 11: 397 - 400.

Scholz, U., Diaz, G.G., Ricque, D., Suarez, L.E., Albores, V.F. and Latchford, J. (1999) Enhancement of vibriosis resistance in juvenile, *Penaeus vannamei* by supplementation of diets with different yeast products, Aquaculture, 176: 271 - 283.

Schwarz, S., Kehrenberg, C. and Walsh, T.R. (2001) Use of antimicrobial agents in veterinary medicine and food animal production, International Journal of Antimicrobial Agents, 17: 431 -437.

Selcuk, Z., Tiril, S.U., Alagil, F., Belen, V., Salman, M., Cenesiz, S., Mugali, O.H. and Yagci, F.B. (2009) Effects of dietary L-carnitine and chromium picolinate supplementations on performance and some serum parameters in rainbow trout (*Oncorhynchus mykiss*), Aquaculture International, doi: 10.1007/s 10499 -008-9237-z.

Senok, A.C., Ismael, A.Y. and Botta, G.A. (2005) Probiotics: facts and myths, Clinical Microbiology and Infection, 11(12): 958 - 966.

Stephan, G., Guilaume, J. and Lamour, J. (1995) Lipid peroxidation in turbot (*Scophthalmus maximus*) tissue: Effect of dietary Vitamin E and dietary n-6 or n-3 polyunsaturated fatty acid, Aquaculture, 130: 251 - 258.

Shadakshari, G.S. (1993) Effect of Bioboost forte, Livol and Amchemin AQ on growth and body composition of common carp, *Cyprinus carpio* (Lin), M.F.Sc. thesis, University of Agriculture Sciences , Bangalore , India.

Shamsi, L., Hamza, W. and Sayed, A.F. (2006) Effects of food sources on growth rates and survival of Nile tilapia (*Oreochromis niloticus*) fry, Aquatic Ecosystem Health and Management, 9(4): 447 - 455.

Sharma, O.P. and Bhukhar, S.K.S. (2000) Effects of Aquazyn-TM-1000, a probiotics on the water quality and growth of *Cyprinus carpio* var. Communis (L.), Indian Journal of Fish, 47(3): 209 - 213.

Shiau, S.Y. and Chin, Y.H. (1999) Estimation of the dietary biotin requirement of juvenile hybrid tilapia, *Oreochromis niloticus* x *O.aureus*, Aquaculture, 170: 71 - 78.

Shiau, S.Y. and Lin, S.F. (1993) Effect of supplemental dietary chromium and vanadium on the utilization of different carbohydrates in tilapia, *Oreochromis niloticus* X *O.aureus*, Aquaculture, 110: 321 -330.

Sicuro, B., Dapra, F., Gai, F., Palmegiano, G.B., Schiavone, R., Zilli, L. and Vitella, S. (2009) Olive oil by-product as a natural antioxidant in gilthead sea bream (*Sparus aurata*) nutrition, Aquaculture International, doi: 10.1007/s 10499 -009-9262 -6.

Siddhuraju, P. and Becker, K. (2001) Preliminary nutritional evaluation of mucuna seed meal (*Mucuna pruriens* var. *utilis*) in common carp (*Cyprinus carpio* L.): an assessment by growth performance and feed utilization, *Aquaculture*, 196: 105 - 123.

Sivaraman, V., Babu, M.M., Citarasu, T., Immanuel, G., Murugadass, S. and Marian, M.P. (2004) Growth and immune response of juvenile greasy grouper (*Epinephelus tauvina*) with herbal antibacterial active principles supplemented diets against *Vibrio harveyi* infections, *Aquaculture*, 237: 9 - 20.

Siwicki, A.K., Anderson, D.P. and Dixon, O.W. (1990) *In vitro* immunostimulation of rainbow trout (*O. mykiss*) spleen cells with lavamisole, *Dev Comp Immunology*, 14: 231 - 237.

Son, V.M., Chang, C.C., Wu, M.C., Guo, Y.K., Chin, C.H. and Cheng, W. (2009) Dietary administration of the probiotic, *Lactobacillus plantarum* enhanced the growth, innate immune responses and disease resistance of the grouper, *Epinephelus coioides*, *Fish and Shellfish Immunology*, 26(5): 691 - 698.

Subhadra, B., Lochmann, R., Rawles, S. and Chen, R. (2006) Effects of fish meal replacement with poultry by-product meal on the growth, tissue composition and hematological parameters of largemouth bass (*Micropterus salmoides*) fed diets containing different lipids, *Aquaculture*, 260 (1-4): 221 - 231.

Sudhakaran, D.S., Sirekha, P., Devasree, L.D., Premsingh, S. and Michael, R.D. (2006) Immunostimulatory effect of *Tinospora cordifolia* Miers leas extract in *Oreochromis mossambicus*, *Indian Journal of Experimental Biology*, 44: 726 - 732.

Sugita, H., Miyajima, C. and Degunchi, Y. (1990) The vitamin B12-producing ability of intestinal bacteria isolated from tilapia and channel catfish, *Nippon Suisan Gakkaishi*, 56: 701.

Sugira, S.H., Dong, F.M. and Hardy, R.W. (2000) Primary responses of rainbow trout to dietary phosphorus concentration, *Aquaculture Nutrition*, 6: 235 - 245.

Sukumaran, K., Pal, A.K., Sahu, N.P., Dalvi, R.S. and Debnath, D. (2008) Haemato – biochemical responses and induction of HSP70 to dietary phosphorous in *Catla catla* (Ham.) fingerlings, *Fish Physiology and Biochemistry*, 34: 299 - 306.

Suralikar, V. and Sahu, N.P. (2001) Effect of feeding probiotic (*Lactobacillus cremoris*) on growth and survival of *Macrobrachium rosenbergii* postlarvae, Journal of Applied Animal Research, 20: 117 - 124.

Suyanandana, P., Budhaka, P., Sassanarakkit, S., Saman, P., Disayaboot, P., Cai, Y. and Benno, Y. (1998) New probiotic *Lactobacilli* and *Enterococci* from fish intestine and their effect on fish production. In proceeding of International Conference on Asian Network on Microbial Mesearch, Yogyakarta, Indonesia.

Tan, B., Mai, K., Zheng, S., Zhou, Q., Liu, L. and Yu, Y. (2005) Replacement of fish meal by meat and bone meal in practical diets for the white shrimp *Litopenaeus vannamei* (Boone), Aquaculture Research, 36(5): 439.

Taoka, Y., Maeda, H., Jo, J., Kim, S., Park, S., Yoshikawa, T. and Sakata, T. (2006) Use of live and dead probiotic cells in tilapia *Oreochromis niloticus*, Fisheries Science, 72: 755 - 766.

Tewary, A. and Patra, B.C. (2008) Use of Vitamin C as an immune stimulant: Effect on growth, nutritional quality and immune response of *Labeo rohita* (Ham.), Fish Physiology and Biochemistry, 34: 251 - 259.

Thiessen, D.L., Campbell, G.L. and Adelizi, P.D. (2004) Digestibility and growth performance of juvenile rainbow trout (*Oncorhynchus mykiss*) fed with pea and canola products, Aquaculture Nutrition, 9 (2): 67 - 75.

Thirunavukkarasu, A.R. (2008) Sustainable Brackishwater Aquaculture, Seminar on Sustainable Aquaculture and Rural Development, Bharathiar University, pp: 1 - 4.

Toko, I.I., Fiogbe, D. and Kestemont, P. (2008) Mineral status of African catfish (*Clarias gariepinus*) fed diets containing graded levels of soybean or cottonseed meals, Aquaculture, 275 (1-4): 298 - 305.

Tran-Duy, A., Smit, B., Dam, A. and Scharama, J.W. (2008) Effects of dietary starch and energy levels on maximum feed intake, growth and metabolism of Nile tilapia, *Oreochromis niloticus*, Aquaculture, 277 (3-4): 213 - 219.

Unnikrishnan, G. (1995) Effect of livol on growth, food utilization and body composition of the Indian major carp, *Catla catla* (Ham.) MSc., Thesis, University of Kerala, India.

Usman, I., Rachmansyah, M., Lante, S., Kamaruddin and Ahmad, T. (2005) Replacement of fish meal with poultry offal meal (Viscera) ingredients for grow –out of humpback grouper *Cromileptes altivelis*, World Aquaculture 2005 – Meeting Abstract, pp - 99 - 204.

Vaseeharan, B., Lin, J. and Ramasamy, P. (2004) Effect of probiotics, antibiotic sensitivity, pathogenicity, and plasmid profiles of *Listonella anguillarum* like bacteria isolated from *Penaeus monodon* culture systems, Aquaculture, 241: 77 - 91.

Venkat, H.K., Sahu, N.P. and Jain, K.K. (2004) Effect of feeding *Lactobacillus* based probiotics on the gut microflora, growth and survival of post larvae of *Macrobrachium rosenbergii*, Aquaculture Research, 35: 501 - 507.

Venkatramalingam, K., Christopher, J.G. and Citarasu, T. (2007) *Zingiber officinalis* an herbal appetizer in the tiger shrimp, *Penaeus monodon* (Fabricus) larviculture, Aquaculture Nutrition, 13(6): 439 -443.

Verlhac, V.N., Doye, A., Gobandan, J., Troutand, D. and Deschaux, P. (1993) Vitamin nutrition and fish immunity influence of antioxidant vitamins (C and E) on immune response of rainbow trout (*Oncorhynchus mykiss*), In: INRA (Ed) Fish nutrition in practice, pp - 167 - 177.

Verschuere, L., Rombaut, G., Sorgeloos, P. and Verstraete, W. (2000) Probiotic bacteria as biocontrol agents, Microbiology and Molecular Biology Reviews, 64: 655 - 671.

Vielma, J., Ruohonen, K. and Peisker, M. (2002) Dephytinization of two soy protein increases phosphorus and protein utilization by rainbow trout, *Oncorhynchus mykiss*, Aquaculture, 204 (2-1): 145 -156.

Villamil, L., Figueras, A. and Novoa, B. (2003) Immuromodulatory effects of Nisin in turbot, *Scophthalmus maximus* L. Fish and Shellfish Immunology. 14: 157 - 169.

Viswanathan, S. and Narayanan, K.R. (2007) Probiotics - an eco friendly tool for aquaculture, Journal of Ecobiology, 20 (3): 255 - 258.

Waagbo, R., Gilette, J., Nielson, E.R. and Sandes, K. (1993) Dietary vitamin C on immunity and disease resistance in Atlantic salmon (*Salmo salar*), Journal of Fish Physiology and Biochemistry, 12: 61 -73.

Wang, J.Q., Sun, Y.X. and Zhang, J.C. (2006) Effects of Chinese herb additives on growth, digestive activity and non-specific immunity in flounder, *Paralichthys olivaceus*, Journal of Fishing Chimes, 30: 90 - 96.

Wang, X., Kim, K., Bai, S.C., Huh, M. and Cho, B. (2003) Effects of the different levels of dietary Vitamin C on growth and tissue ascorbic acid changes in parrot fish (*Oplegnathus fasciatus*), Aquaculture, 215 (1-4): 203 - 211.

Wang, Y., Li, K., Han, H., Zheng, Z.X. and Bureau, D. (2008) Potential of using a blend of rendered animal protein ingredients to replace fish meal in practical diets for Malabar grouper (*Epinephelus malabaricus*), Aquaculture, 281 (1-4): 113 - 117.

Wang, Y.B., Tian, Z.Q., Yao, J.T. and Wei-Fen, L. (2008) Effects of probiotics, *Enterococcus faecium*, on tilapia (*Oreochromis niloticus*) growth performance and immune response, Aquaculture, 277 (3-4): 203 - 207.

Wang, Y.B., Xu, Z.R. and Xia, M.S. (2005) The effectiveness of commercial probiotics in northern White shrimp, *Penaeus vannamei* ponds, Fisheries Science, 71: 1036 - 1041.

Wassef, E.A., Saleh, N.E. and El-Sayed, H.A. (2009) Vegetable oil blend as an alternative lipid resources on diets for gilthead seabream, *Sparus aurata*, Aquaculture International, doi: 10.1007/s10499-008-9213-7.

Watanabe, T., Kiran, V. and Satoh, S. (1997) Trace minerals in fish nutrition, Aquaculture, 151: 185 - 207.

Watson, A.K., Kaspar, H., Lategan, M.J. and Gibson, L. (2008) Probiotics in aquaculture. The need, principles and mechanisms of action and screening processes, Aquaculture, 274: 1 - 14.

Weatherup, R.N., Mccracken, K.J., Foy, R., Rice, D., Mckendry, J., Mairs, R.J. and Hoey, R. (2003) The effects of dietary fat content on growth performance and body composition of farmed rainbow trout (*Oncorhynchus mykiss*), Aquaculture, 151: 173 -184.

Webster, C.D., Thompson, K.R., Morgan, A.M., Grisby, E.J. and Gannam, A.L. (2000) Use of hempseed meal, poultry meal and canola meal in practical diets without fish meal for sunshine bass (*Morone saxatilis* X *M.chrysops*, Aquaculture, 188 (3-4): 299 - 309.

Webster, C.D., Tiu, L.G., Tidwell, J.H. and Grizzle, J.M. (1997) Growth and body composition of channel catfish (*Ictalurus punctatus*) fed diets containing various percentages of canola meal, Aquaculture, 150 (1-2): 103 -112.

White, A., Fletcher, T.C., Secombes, C.T. and Houlihan, D.F. (1993) The effect of different dietary levels of Vitamin C and E on their tissue levels in the Atlantic Salmon, *Salmo salar* L. In: INRA (Ed), Fish Nutrition in Practice, pp- 203 - 207.

Williams, K.C., Barlow, C.G., Rodgers, L. and Ruscoe, I. (2003) Potential of meat meal to replace fish meal in extruded dry diets for barramundi, *Lates calcarifer* (Bloch): Growth performance, Aquaculture Research, 34: 23 - 32.

Yang, G.P. (1998) Study on the biological property of *Clostridium butyricum*, Chinese Journal of Microbiology, 5 (5): 306 - 308.

Yang, S., Lin, T., Liu, F. and Liou, C. (2006) Influence of dietary phosphorus levels on growth, metabolic response and body composition of juvenile silver perch (*Bidyanus bidyanus*), Aquaculture, 253: 592 - 601.

Ye, C., Liu, Y., Tian, L., Mai, K., Du, Z., Yang, H. and Nin, J.M. (2006) Effect of dietary calcium and phosphorus on growth, feed efficiency, mineral content and body composition of juvenile grouper, *Epinephelus coioides*, Aquaculture, 255: 263 - 271.

Yu, M., Li, Z., Lin, H., Wen, G. and Ma, S. (2007) Effects of dietary *Bacillus* and medicinal herbs on the growth, digestive enzyme activity and serum biochemical parameters of the shrimp, *Litopenaeus vannamei*, Aquaculture International, 11: 159 -161.

Yu, M., Li, Z., Lin, H., Wen, G. and Ma, S. (2008) Effects of dietary medicinal herbs and *Bacillus* on survival, growth, body composition and digestive enzyme activity of the white shrimp, *Litopenaeus vannamei*, Aquaculture International, doi: 10.1007/s10499-008-9209-3.

Zakes, Z., Kowsalska, A., Demska-Zakes, K., Jeney, G. and Jeney, Z. (2008) Effect of two medicinal herbs *Astragalus radix* and *Lonicera japonica* on the growth performance and body composition of juvenile pikeperch (*Sandar luciperca L.*), *Aquaculture Research*, 39 (11): 1149 - 1160.

Song, Z., WU, T., Cai, L., Zhang, L. and Zheng, X. (2006) Effects of dietary supplementation with *Clostridium butyricum* on the growth performance and humoral immune response in *Miichthys miiuy*, *Journal of Zheng University Science*, 7(7): 596 – 602.

Zhang, S., Xie, S., Zhu, X., Lei, W., Yang, Y. and Zhao, M. (2006) Meat and bone meal replacement in diets for juvenile gibel carp (*Carassius auratus gibelio*) effects on growth performance, phosphorus and nitrogen loading, *Aquaculture Nutrition*, 12 (5): 353.

Zhou, Q.C., Mai, K.S., Tan, B.P. and Liu, Y.J. (2005) Partial replacement of fishmeal by soybean meal in diets for juvenile cobia (*Rachycentron canadum*), *Aquaculture Nutrition*, 11(3): 175 - 182.

Zhou, X., Wang, Y., Li, W. (2008) Effect of feeding apidaecin on common carp (*Cyprinus carpio*) growth performances and immune function, *Aquaculture*, 279 (1-4): 108 -112.

Ziaei-Nejad, S., Rezaei, M.H., Takami, G.A., Lovett, D.L., Mirvaghefi, A.R. and Shakouri, M. (2006) The effect of *Bacillus* sp. bacteria used as probiotics on digestive enzyme activity, survival and growth in the Indian white shrimp, *Fenneropenaeus indicus*, *Aquaculture*, 252: 516 - 524.