
BIBLIOGRAPHY

- Aarathi, N. and Murugan, K. 2010. Larvicidal and repellent activity of *Vetiveria zizonioides* L. *Ocimum basilicum* Linn and the microbial pesticide spinosad against malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). ***Journal of Biopesticides***. 3(1): 199-204.
- Abdel-Rahman, A., Shetty, A.K and. Abou-Donia, M.B. 2001. Subchronic dermal application of N, N-diethyl-m-toluamide (DEET) and permethrin to adult rats, alone or in combination, causes diffuse neuronal cell death and cytoskeletal abnormalities in the cerebral cortex and the hippocampus, and purkinje neuron loss in the cerebellum. ***Experimental Neurology***. 172(1): 153-171.
- Abirami, P. and Rajendran, A. 2011a. GC-MS determination of bioactive compounds of *Indigofera aspalathoides*. ***Journal of Natural Product and Plant Resources***. 1(4): 126-130.
- Abirami, P and. Rajendran, A. 2011b. GC-MS analysis of some bioactive constituents of *Solanum surattense*. ***International Journal of Pharma World Research***. 2(4): 1-7.
- Abubakar, B.A., Aliyu, M.M., Mikhail, S.A., Hamisu, I. and Adebayo, O.O. 2011. Phytochemical screening and antibacterial activities of *Vernonia ambigua*, *Vernonia blumeoides* and *Vernonia oocephala* (Asteraceae). ***Acta Poloniae Pharmaceutica - Drug Research***. 68(1):67-73.
- Affonso, R.S., Guimaraes, A.P., Oliveira, A.A, Slana, G.B.C. and Franca, T.C.C. 2013. Applications of molecular modeling in the design of new insect repellents targeting the odorant binding protein of *Anopheles gambiae*. ***Journal of Brazilian Chemical Society***. 24(3): 473-482.
- Agnese, A.M., Perez, C. and Cabrera, J.L. 2001. *Adesmia aegicera*: antimicrobial activity and chemical study. ***Phytochemistry***. 8(5): 389-394.

- Aidaross, M., Kokob, W. and Galalb, M. 2005. Evaluation of repellent and larvicidal activity of *Ocimum basilicum* L and *Cymbopogon citratus* DC against *Culex quinquefasciatus*. ***International Chemical, Pharmaceutical and Medical Journal***. 2(2): 243-246.
- Aiyelaagbe, O.O. and Osamudiamen, M.P. 2009. Phytochemical screening for active compounds in *Mangifera indica* leaves from Ibadan, Oyo State. ***Plant Sciences Research***. 2(1): 11-13.
- Alkofahi, A., Rupprecht, J.K., Anderson, J.E., McLaughlin, J.L., Mikolajczak, K.L. and Scott, B.A. 1989. Search for new pesticides from higher plants. In: Arnason, J.T. Philogene, B.J.R and Morand, P (eds.) *Insecticides of plant origin*. American Chemical Society, Washington DC: Oxford University Press: 25- 43.
- Alonso, H., Bliznyuk, A.A. and Gready, J.E. 2006. Combining docking and molecular dynamic simulations in drug design. ***Medicinal Research Reviews***. 26(5): 531-568.
- Amer, A. and Mehlhorn, H. 2006. Larvicidal effects of various essential oils against *Aedes*, *Anopheles* and *Culex* larvae (Diptera: Culicidae). ***Parasitology Research***. 99(4): 466-472.
- Annapoorani, C.A. and Manimegalai, K. 2013. Evaluation of biological activity and qualitative analysis of 2, 5-dihydroxybenzoic acid from *Momordica charantia* fruit. ***International Journal of Pharmaceutical Sciences Review and Research***. 22(2): 89-95.
- Ansari, M.A. and Razdan, R.K. 1995. Relative efficacy of various oils in repelling mosquitoes. ***Indian Journal of Malariology***. 32(3): 104-111.
- Ansari, M.A., Vasudevan, P., Tandon, M. and Razdan, R.K. 2000. Larvicidal and mosquito repellent action of peppermint (*Mentha piperita*) oil. ***Bioresource Technology***. 71(3): 267-271.

- Ansari, M.A., Mittal, P.K., Razdan, R.K. and Sreehari, U. 2005. Larvicidal and mosquito repellent activities of Pine (*Pinus longifolia*, Family: Pinaceae) oil. **Journal of Vector Borne Disease**. 42(3): 95-99.
- Arivoli, S., Narendran, T. and Ignacimuthu, S. 1999. Larvicidal activity of some botanicals against *Culex quinquefasciatus* Say. **Journal of Advanced Zoology**. 20(2): 19-23.
- Azhaguraj, R., Lenin, E.A., Viswanathan, C., Sangeetha, B. and Selvanayagam, M. 2010. Predication of biological activity of algal antitumor drugs using PASS. **Pharmacologyonline**. 3: 22-34.
- Babu, R. and Murugan, K. 1998. Interactive effect of neem seed kernel and neem gum extracts on the control of *Culex quinquefasciatus* say. **Neem News Letters**. 15(2):9-11.
- Baker, J.T., Borris, R.P., Carte, B., Cordell, G.A., Soejarto, D.D., Cragg, G.M., Gupta, M.P., Iwu, M.M., Madulid, D.R. and Tyler, V.E. 1995. Natural product drug discovery and development: new perspective on international collaboration. **Journal of Natural Product**. 58(9): 1325-1357.
- Bakkali, F., Averbeck, S., Averbeck, D. and Idaomar, M. 2008. Biological effects of essential oils - a review. **Food and Chemical Toxicology**. 46(2): 446-475.
- Baluselvakumar., Gokulakrishnan, J., Elumalai, K., Dhanasekaran, S., Anandan, A. and Krishnappa, K. 2012. Mosquito ovicidal and repellent activity of *Melothria maderaspatana* plant leaf extracts against *Aedes aegypti* (Diptera: Culicidae). **International Journal of Recent Scientific Research**. 3(5): 325-328.
- Barnard, D.R. 2000. Repellents and toxicants for personal protection a WHO position paper: Global collaboration for development of pesticide for public health, World Health Organization, Geneva, Switzerland.
- Barnard, D.R. and Xue, R.D. 2004. Laboratory evaluation of mosquito repellents against *Aedes albopictus*, *Culex nigripalpus* and *Ochierotatus triseriatus* (Diptera: Culicidae). **Journal of Medical Entomology**. 41(4): 726-730.

- Bartholomew, O.I., Maxwell, E. and Bitrus, H.J. 2013. Phytochemical constituents and *in vitro* antioxidant capacity of methanolic leaf extract of *Oxytenanthera abyssinica* (A. Rich Murno). **European Journal of Medicinal Plants**. 3(2): 206-217.
- Barton, V.M. 2003. Trypsin Modulating Oostatic Factor (TMOF) and nonpeptidic analogs as novel insecticides and arthropod repellents. M.Sc. Thesis, North Carolina State University, Canada.
- Bassole, I.H., Guelbeogo, W.M., Nebie, R., Costantini, C., Sagnon, N., Kabore, Z.I. and Traore, S.A. 2003. Ovicidal and larvicidal activity against *Aedes aegypti* and *Anopheles gambiae* complex mosquitoes of essential oils extracted from three spontaneous plants of Burkina Faso. **Parassitologia**. 45(1):23-26.
- Biessmann, H., Andronopoulou, E., Biessmann, M.R., Douris, V. and Dimitratos, S.D., Eliopoulos, E., Guerin, P.M., Latrou, K., Justice, R.W., Krober, T., Marinotti, O., Tsitoura, P., Woods, D.F and Walter Mail, M.F. 2010. The *Anopheles gambiae* odorant binding protein 1 (AgamOBP1) mediates indole recognition in the antennae of female mosquitoes. **PLoS ONE**. 5(3): e9471.
- Blomquist, G.J. and Vogt, R.G. 2003. Insect pheromone biochemistry and molecular biology. Chapter 14. Biochemical diversity of odor detection: OBPs, ODEs and SNMPs. London: **Elsevier**.
- Blum, M.S., Warter, S.L. and Traynham, J.G. 1966. Chemical releasers of social behaviour-VI. The relation of structure of activity of ketones as releasers of alarm for *Iridomyrmex pruinosus* (Roger). **Journal of Insect Physiology**. 12(4): 419-427.
- Boukamcha, H., Ben Jannet, H., Chriaa, J. and Mighri, Z. 2004. Etudes biologique et chimique de la plante *Cardopatum amethystinum* poussant en tunisie structures de deux derives benzaldehydiques Identification de constituants de fractions apolaires par CPG/SM. **Journal de la Societe Algerienne de Chimie**. 14(1): 65-78.
- Boyle, S.M., McInally, S. and Ray, A. 2013. Expanding the olfactory code by *in silico* decoding of odor receptor chemical space. **eLife**. 2: e01120.

- Bream, A.S., Hassan, M.I., Fouda, M.A. and El-Sheikh, T.M. 2009. Toxicity and repellent activity of *Phragmites australis* extracts against the mosquito vector, *Culex pipiens*. ***Tunisian Journal of Plant Protection***. 4: 157-172.
- Bream, A.S. El-Sheikh, T.M., Fouda, M.A. and Hassan, M.I. 2010. Larvicidal and repellent activity of extracts derived from aquatic plant *Echinochloa stagninum* against *Culex pipiens*. ***Tunisian Journal of Plant Protection***. 5: 107-124.
- Briassoulis, G., Narlioglou, M. and Hatzis, T. 2001. Toxic encephalopathy associated with use of DEET insect repellents: a case analysis of its toxicity in children. ***Human and Experimental Toxicology***. 20(1): 8-14.
- Brijesh, T., Rohit, B., Suresh, W. and Birendra, K. 2012. Chemical composition and evaluation of *Tagetes erecta* (Var. Pusa Narangi Genda) essential oil for its antioxidant and antimicrobial activity. ***Biopesticides International***. 8(2): 138-146.
- Broussalis, A.M., Ferraro, G.E., Martino, V.S., Pinzon, R., Coussio, J.D and Alvarez, J.C. 1999. Argentine plants as potential source of insecticidal compounds. ***Journal of Ethnopharmacology***. 67(2): 219-223.
- Burov, Yu.V., Poroikov, V.V. and Korolchenko, L.V. 1990. National system for registration and biological testing of chemical compounds: facilities for new drugs search. ***Bulletin of National Center for Biologically Active Compounds (Rus.)***. 1: 4-25.
- Candan, F., Unlu, M., Tepe, B., Daferera, D., Polissiou, M., Sokmen, A. and Akapulat, H.A. 2003. Antioxidant and antimicrobial activity of the essential oil and methanol extracts of *Achillea millefolium* subsp. *Millefolium afan.* (Asteraceae). ***Journal of Ethnopharmacology***. 87(2-3): 215–20.
- Castello, M.C., Phatak, A., Chandra, N. and Sharon, M. 2002. Antimicrobial activity of crude extracts from plant parts and corresponding calli of *Bixa orellana* L. ***Indian Journal of Experimental Biology***. 40(12): 1378-1381.

- Ceva-Antunes, P.M., Bizzo, H.R., Alves, S.M. and Antunes, O.A. 2003. Analysis of volatile compounds of Tapereba´ (*Spondias mombin* L.) and Caja (*Spondias mombin* L.) by simultaneous distillation and extraction (SDE) and Solid Phase Microextraction (SPME). ***Journal of Agricultural and Food Chemistry***. 51(5):1387-1392.
- Charles, A., Stanly, L.A Joseph, M. and Ramani, A.V. 2011. GC-MS analysis of bioactive components on the bark extract of *Alseodaphne semecarpifolia* Nees (Lauraceae). ***Asian Journal of Plant Science and Research***. 1(4): 25-32.
- Chavan, S.R. and Nikam, S.T. 1982. Mosquito larvicidal activity of *Ocimum basilicum* Linn. ***Indian Journal of Medical Research***. 75: 220-222.
- Chibani, S., Boudouda, B.H., Kabouche, A., Aburjai, T. and Kabouche, Z. 2011. Analysis of the essential oil of *Ferula communis* L. from Constantine, Algeria. ***International Journal of Medicinal and Aromatic Plants***. 1(2): 41-44.
- Chin, Y.W., Balunas, M.J., Chai, H.B. and Kinghorn, A.D. 2006. Drug discovery from natural sources. ***American Association of Pharmaceutical Scientists Journal***. 8(2): E239-E253.
- Choochote, W., Tuetun, B., Kanjanapothi, D., Rattanachanpichai, E, Chaithong, U., Chaiwong, P., Jitpakdi, A., Tippawangkosol, P., Riyong, D. and Pitasawat, B. 2004. Potential of crude seed extracts of celery, *Apium graveolens* L., against the mosquito, *Aedes aegypti* (L) (Diptera: Culicidae). ***Journal of Vector Ecology***. 29(2): 340-346.
- Choudhury, D., Chakraborty, N., Chetia, P., Choudhury, M.D. and Sharma, G.D. 2011. Comparative efficacy of few triazolopyrimidines as potential antimalarial drugs: An *in silico* screening. ***Assam University Journal of Science and Technology: Biological and Environmental Sciences***. 7(1): 126-131.

- Ciccia, G., Coussio, J. and Mongelli, E. 2000. Insecticidal activity against *Aedes aegypti* larvae of some medicinal South American plants. ***Journal of Ethnopharmacology***. 72(1-2): 185-189.
- Collins, D.A. and Brady, J.N and Curtis, C.F. 1993. Assessment of the efficacy of quowenling as a mosquito repellent. ***Phytotherapy Research***. 7(1): 17-20.
- Collins, L.E. and Blackwell, A. 2000. The biology of *Toxorhynchites* mosquitoes and their potential as biocontrol agents. ***Biocontrol News and Information***. 21(4):105-116.
- Copeland, R.S., Walker, T.W., Robert, L.L., Githure, J.I., Wirtz, R.A. and Klein, T.A. 1995. Response of wild *Anopheles funestus* to repellent protected volunteers is unaffected by malaria infection of the vector. ***Journal of American Mosquito Control Association***. 11(4): 438-440.
- Corbel, V., Duchon, S., Zaim, M. and Hougard, J.M. 2004. Dinotefuran: a potential neonicotinoid insecticide against resistant mosquitoes. ***Journal of Medical Entomology***. 41(4): 712-717.
- Coria, C., Almiron, W., Valladares, G., Carpinella, C., Luduena, F., Defago, M. and Palacios, S. 2008. Larvicide and oviposition deterrent effects of fruit and leaf extracts from *Melia azedarach* L. on *Aedes aegypti* (L.) (Diptera: Culicidae). ***Bioresource Technology***. 99(8): 3066-3070.
- Cosimi, S., Rossi, E., Cioni, P.L. and Canale, A. 2009. Bioactivity and qualitative analysis of some essential oils from Mediterranean plants against stored product pests: Evaluation of repellency against *Sitophilus zeamais* Motschulsky, *Cryptolestes ferrugineus* (Stephens) and *Tenebrio molitor* (L.). ***Journal of Stored Products Research***. 45: 125-132.
- Cragg, G.M. Newman, D.J. and Snader, K.M. 1997. Natural products in drug discovery and development. ***Journal of Natural Products***. 60(1): 52-60.
- Das, N.G., Nath, D.R., Baruah, I., Talukdar, P.K. and Das, S.C. 1999. Field evaluation of herbal mosquito repellents. ***Journal of Communicable Diseases***. 31(4): 241-245.

- Das, N.G., Baruah, I., Talukdar, P.K. and Das, S.C. 2003. Evaluation of botanicals as repellents against mosquitoes. ***Journal of Vector Borne Diseases***. 40(1-2): 49-53.
- De Britto, A.J., Raj, T.L.S. and Abiya C.D. 2001. Prediction of biological activity spectra for few anticancer drugs derived from plant sources. ***Ethnobotanical Leaflets***. 12: 801-810.
- Derwich, E., Benziane, Z. and Taouil, R. 2010. GC-MS analysis of volatile compounds of the essential oil of the leaves of *Mentha pulegium* growing in Morocco. ***Chemical Bulletin of POLITEHNICA, University of Timisoara***. 55(69): 103-106.
- Devendran, G. and Balasubramanian, U. 2011. Qualitative phytochemical screening and GC-MS analysis of *Ocimum sanctum* L. leaves. ***Asian Journal of Plant Science and Research***. 1(4):44-48.
- Dua, V.K., Gupta, N.C., Pandey, A.C. and Sharma, V.P. 1996. Repellency of *Lantana camara* (Verbenaceae) flowers against *Aedes* mosquitoes. ***Journal of American Mosquito Control Association***. 12(3 Pt 1): 406-408.
- Edeoga, H.O., Okwu, D.E. and Mbaebie, B.O. 2005. Phytochemical constituents of some Nigerian medicinal plants. ***African Journal of Biotechnology***. 4(7): 685-688.
- Elango, G., Bagavan, A., Kamaraj, C., Zahir, A.A. and Rahuman, A.A. 2009. Oviposition-deterrent, ovicidal, and repellent activities of indigenous plant extracts against *Anopheles subpictus* Grassi (Diptera: Culicidae). ***Parasitology Research***. 105(6): 1567-1576.
- Elango, G., Rahuman, A.A., Bagavan, A., Kamaraj, C., Zahir, A.A., Rajakumar, G., Marimuthu, S. and Santhoshkumar, T. 2010. Studies on effects of indigenous plant extracts on malarial vector, *Anopheles subpictus* Grassi (Diptera: Culicidae). ***Tropical Biomedicine***. 27(2): 143-154.

- Elango, G., Zahir, A.A., Bagavan, A., Kamaraj, C., Rajakumar, G., Santhoshkumar, T., Marimuthu, S. and Rahuman, A.A. 2011. Efficacy of indigenous plant extracts on the malaria vector, *Anopheles subpictus* Grassi (Diptera: Culicidae). **Indian Journal of Medical Research**. 134(3): 375-383.
- Elimam, A.M., Elmalik, K.H. and Ali, F.S. 2009. Efficacy of leaves extract of *Calotropis procera* Ait. (Asclepiadaceae) in controlling *Anopheles arabiensis* and *Culex quinquefasciatus* mosquitoes. **Squadi Journal of Biological Science**. 16: 95-100.
- El-Sheikh, T.M.Y., Bosly, H.A.M. and Shalaby, N.M. 2012. Insecticidal and repellent activities of methanolic extract of *Tribulus terrestris* L. (Zygophyllaceae) against the malarial vector, *Anopheles arabiensis* (Diptera: Culicidae). **Egyptian Academic Journal of Biological Sciences**. 5(2): 13-22
- Elumalai, K., Dhanasekaran, S., Anandan, A., Krishnappa, K., Gokulakrishnan, J. and Elangovan, A. 2012. Larvicidal, ovicidal and pupicidal activity of *Eranthemum roseum* (Vahl) R. Br. against malarial vector mosquito, *Anopheles stephensi* (Liston) (Diptera: Culicidae). **International Journal of Current Life Sciences**. 2(7): 31-38.
- Erler, F., Ulug, I. and Yalcinkaya, B. 2006. Repellent activity of five essential oils against *Culex pipiens*. **Fitoterapia**. 77(7-8): 491-494.
- Erturk, O., Kati, H., Yayli, N. and Demirbag, Z. 2006. Antimicrobial properties of *Silene multifida* (Adams) Rohrb plant extracts. **Turkish Journal of Biology**. 30(1): 17-21.
- Filimonov, D.A. 1995. Comparison of algorithms for computer prediction of biological activity spectra for chemical compounds on the basis of their structural formulae. **II Russian National Congress**. "Man and Drugs", Abstracts, (April 10-15, Moscow): 62-63.
- Finney, D.J. 1971. Probit Analysis, Cambridge University Press. London, U.K. 68-72.

- Fischer, P.R. and Bialek, R. 2002. Prevention of malaria in children. ***Clinical Infectious Diseases***. 34(4): 493-498.
- Fradin, M.S. and Day, J.F. 2002. Comparative efficacy of insect repellents against mosquito bites. ***New England Journal of Medicine***. 347: 13-18.
- Gaddaguti, V., Mounika, S.J., Sowjanya, K., Rao, T., MSR Krishna Chakravarthy, R. and Rao, A.P. 2012. GC-MS analysis and *in silico* molecular docking studies of mosquito repellent compounds from *Hyptis suaveolens* L. ***International Journal of Bioassays***. 1(9): 36-41.
- Gerige, S.J., Gerige, M.K.Y., Rao, M. and Ramanjaneyulu. 2009. GC-MS analysis of *Nigella sativa* seeds and antimicrobial activity of its volatile oil. ***Brazilian Archives of Biology and Technology***. 52(5): 1189-1192.
- Ghannadi, A. and Dezfuly N. 2011. Essential oil analysis of the leaves of Persian True Myrtle. ***International Journal of Medicinal and Aromatic Plants***. 1(2): 48-50.
- Gikonyo, N.K., Hassanali, A., Njagi, P.G., Gitu, P.M. and Midiwo, J.O. 2002. Odour composition of preferred (Buffalo and Ox) and Non-preferred (Waterbuck) hosts of some Savanna tsetse flies. ***Journal of Chemical Ecology***. 28(5): 969-981.
- Gokulakrishnan, J., Baluselvakumar., Elumalai, K. and Krishnappa, K. 2012. Mosquito larvicidal and ovicidal efficacy of *Aristolochia indica* Linn (Aristolochiaceae) leaf extracts against malarial vector mosquito, *Anopheles stephensi* Liston (Diptera: Culicidae). ***International Journal Current Life Sciences***. 2(10): 48-52.
- Govindarajan, M., Jebanesan, A., Pushpanathan, T. and Samidurai, K. 2008a. Studies on effect of *Acalypha indica* L. (Euphorbiaceae) leaf extracts on the malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). ***Parasitology Research***. 103(3): 691-695.
- Govindarajan, M., Jebanesan, A. and Pushpanathan, T. 2008b. Larvicidal and ovicidal activity of *Cassia fistula* Linn. leaf extract against filarial and malarial vector mosquitoes. ***Parasitology Research***. 102(2): 289-292.

- Govindarajan, M. 2009. Bioefficacy of *Cassia fistula* Linn. (Leguminosae) leaf extract against Chikungunya vector, *Aedes aegypti* (Diptera: Culicidae). ***European Review of Medical and Pharmacological Sciences***. 13(2): 99-103.
- Govindarajan, M. 2010. Chemical composition and larvicidal activity of leaf essential oil from *Clausena anisata* (Willd.) Hook. f. ex Benth (Rutaceae) against three mosquito species. ***Asian Pacific Journal of Tropical Medicine***. 3(11): 874-877.
- Govindarajan, M. 2011a. Evaluation of indigenous plant extracts against the malarial vector, *Anopheles stephensi* (Liston) (Diptera: Culicidae). ***Parasitology Research***. 109(1): 93-103.
- Govindarajan, M. 2011b. Mosquito larvicidal and ovicidal activity of *Cardiospermum halicacabum* Linn. (Family: Sapindaceae) leaf extract against *Culex quinquefasciatus* (Say.) and *Aedes aegypti* (Linn.) (Diptera: Culicidae). ***European Review of Medical and Pharmacological Sciences***. 15(7): 787-794.
- Govindarajan M. 2011c. Ovicidal and repellent properties of *Coccinia indica* Wight and Arn. (Family: Cucurbitaceae) against three important vector mosquitoes. ***European Review of Medical and Pharmacological Sciences***. 15(9):1010-1019.
- Govindarajan, M. and Karuppanan, P. 2011. Mosquito larvicidal and ovicidal properties of *Eclipta alba* (L.) Hassk (Asteraceae) against chikungunya vector, *Aedes aegypti* (Linn.) (Diptera: Culicidae). ***Asian Pacific Journal of Tropical Medicine***. 4(1): 24-28.
- Govindarajan, M., Mathivanan, T., Elumalai, K., Krishnappa, K. and Anandan, A. 2011a. Ovicidal and repellent activities of botanical extracts against *Culex quinquefasciatus*, *Aedes aegypti* and *Anopheles stephensi* (Diptera: Culicidae). ***Asian Pacific Journal of Tropical Biomedicine***. 1(1): 43-48.
- Govindarajan, M., Mathivanan, T., Elumalai, K., Krishnappa, K. and Anandan, A. 2011b. Mosquito larvicidal, ovicidal and repellent properties of botanical

- extracts against *Anopheles stephensi*, *Aedes aegypti*, and *Culex quinquefasciatus* (Diptera: Culicidae). ***Parasitology Research***. 109(2): 353-367.
- Govindarajan, M., Sivakumar, R., Rajeswari, M. and Yogalakshmi, K. 2012. Chemical composition and larvicidal activity of essential oil from *Mentha spicata* (Linn.) against three mosquito species. ***Parasitology Research***. 110(5): 2020-2032.
- Granett, P. 1940. Studies of mosquito repellents II Relative performance of certain chemicals and commercially available mixtures as mosquito repellent. ***Journal of Economic Entomology***. 33(3): 566-572.
- Gupta, R.K. and Rutledge, L.C. 1989. Laboratory evaluation of controlled release repellent formulations on human volunteers under three climatic regimens. ***Journal of American Mosquito Control Association***. 5(1): 52-55.
- Gupta R.K. and Rutledge L.C. 1994. Role of repellents in vector control and disease prevention. ***American Journal of Tropical Medicine and Hygiene***. 50(6 Suppl): 82-86.
- Ha, T.S. and Smith, D.P. 2009. Odorant and pheromone receptors in insects. ***Frontiers in Cellular Neuroscience***. 3: 10.
- Habeeb, S.K.M., Anuradha, V. and Praveena, A. 2011. Comparative molecular modeling of insect glutathione S-transferases. ***International Journal of Computer Applications***. 14(5): 16-12.
- Hallem, E.A., Ho, M.G. and Carlson, J.R. 2004. The molecular basis of odor coding in the *Drosophila* antenna. ***Cell***. 117(7): 965-979.
- Hallem, E.A. and Carlson, J.R. 2006. Coding of odors by a receptor repertoire. ***Cell***. 125(1): 143-160.
- Haraguchi, H., Kataoka, S., Okamoto, S., Hanafi, M. and Shibata, K. 1999. Antimicrobial triterpenes from *Ilex integra* and the mechanism of antifungal action. ***Phytotherapia Research***. 13(2): 151-156.

- Harbourne, J.B. 1973. *Phytochemical Methods*. Chapman and Hall, Ltd, London: 49-188.
- Hashemi, S.R., Zulkifli, I., Hair Belo, M., Farida, A. and Somchit, M.N. 2008. Acute toxicity study and phytochemical screening of selected herbal aqueous extract in broiler chickens. *International Journal of Pharmacology*. 4(5): 352-360.
- Hetal, P.K., Ratna, T.A. and Pratibha, D.B. 2013. Docking studies of components of Tulsi and Mamejavo against *Plasmodium* lactate dehydrogenase. *International Research Journal of Biological Sciences*. 2(2): 8-12.
- Huang, S.Y. and Zou, X. 2010. Advances and challenges in protein-ligand docking. *International Journal of Molecular Science*. 11(8): 3016-3034.
- Innocent, E., Gikonyo, N.K and Nkunya, M.H. 2008. Repellency property of long chain aliphatic methyl ketones against *Anopheles gambiae*. *Tanzania Journal of Health Research*. 10(1): 50-54.
- lordache, A., Culea, M., Gherman, C and Cozar, O. 2009. Characterization of some plant extracts by GC-MS. *Elsevier*. 267(2): 338-342.
- Isman, M.B. 1995. Leads and prospects for the development of new botanical insecticides. In: *Reviews of Pesticide Toxicology*, Roe, R.M. and Kuhr, R.J (Eds.) Toxicology Communications Inc., Raleigh, N.C. 3: 1-20.
- Isman, M.B. 2006. Botanical insecticides, deterrents and repellents in modern agriculture and an increasingly regulated World. *Annual Review of Entomology*. 51: 45-66.
- Jacques, R.A., Santos, J.G., Dariva, C., Oliveira, J.V. and Caramao, E.B. 2007. GC/MS characterization of mate tea leaves extracts obtained from high-pressure CO₂ extraction. *Journal of Supercritical Fluids*. 40(3): 354-359.
- Jacquin-Joly, E. and Merlin, C. 2004. Insect olfactory receptors: Contributions of molecular biology to chemical ecology. *Journal of Chemical Ecology*. 30(12): 2359-2397.

- Jaenson, T.G., Palsson, K. and Borg-Karlson, A.K. 2006. Evaluation of extracts and oils of mosquito (Diptera: *Culicidae*) repellent plants from Sweden and Guinea-Bissau. ***Journal of Medical Entomology***. 43(1): 113-119.
- Janakiraman, N., Johnson, M. and Sathish, S.S. 2012. GC-MS analysis of bioactive constituents of *Peristrophe bicalyculata* (Retz.) Nees. (Acanthaceae). ***Asian Pacific Journal of Tropical Biomedicine***. 2(1): S46-S49.
- Jemaa, J.M.B., Tersim, N. and Khouja, M.L. 2011. Composition and repellent efficacy of essential oil from *Laurus nobilis* against adults of the cigarette beetle *Lasioderma serricorne* (Coleoptera: Anobiidae). ***Tunisian Journal of Plant Protection***. 6: 29-41.
- Jeyabalan, D., Arul, N. and Thangamathi, P. 2003. Studies on effects of *Pelargonium citrosa* leaf extracts on malarial vector, *Anopheles stephensi* Liston. ***Bioresource Technology***. 89(2): 185-189.
- Jeyakumar, J.J., Kamaraj, M., Nandagopalan, V., Anburaja, V. and Thiruvengadam, M. 2013. A study of phytochemical constituents in *Caralluma umbellata* by GC-MS analysis. ***International Journal of Pharmaceutical Science Invention***. 2(4): 37-41.
- Josephine, M.R. 2012. Molecular docking study of natural compounds against chikungunya virus. ***International Journal of Research in Pharmaceutical and Biomedical Sciences***. 3(2): 539-540.
- Kalaivani, C.S., Sathish, S.S., Janakiraman, N. and Johnson, M. 2012. GC-MS studies on *Andrographis paniculata* (Burm.f.) Wall. ex. Nees-A medicinally important plant. ***International Journal of Medicinal and Aromatic Plants***. 2(1): 69-74.
- Kale, A.A., Gadkari, T.V., Devare, S.M., Deshpande, N.R. and Salvekar, J.P. 2012. GC-MS study of stem bark extract of *Juglans regia* L. ***Research Journals of Pharmaceutical, Biological and Chemical Sciences***. 3(1): 740-743.
- Kalyanasundram, M. and Das, P.K. 1985. Larvicidal and synergic activity of plant extracts for mosquito control. ***Indian Journal of Medical Research***. 82: 19-23.

- Karthishwaran, K., Mirunalini, S., Dhamodharan, G., Krishnaveni, M. and Arulmozhi, V. 2010. Phytochemical Investigation of methanolic extract of the leaves of *Pergularia daemia*. **Journal of Biological Sciences**. 10(3): 242-246.
- Kasturi, T.R., Thomas, M. and Abraham, E.M. 1973. Essential oil of *Ageratum conyzoides* isolation and structure of 2 new constituents. **Indian Journal of Chemistry**. 11(2): 91-95.
- Kaufman, P.E., Mann, R.S. and Butler, J.F. 2010. Evaluation of semiochemical toxicity to *Aedes aegypti*, *Aedes albopictus*, and *Anopheles quadrimaculatus* (Diptera: Culicidae). **Pest Management Science**. 66(5): 497-504.
- Kavit, M., Patel B.N. and Jain B.K. 2013. Phytochemical analysis of leaf extract of *Phyllanthus fraternus*. **Research Journal of Recent Sciences**. 2(ISC-2012): 12-15.
- Kee, Y.L., Tan, S.K., Wahab, H.A., Yusof, R. and Rahman, N.A. 2007. *Non substrate based inhibitors of dengue virus serine protease: A molecular docking approach to study binding interactions between protease and inhibitors*. **Asian Pacific Journal of Molecular Biology and Biotechnology**. 15(2): 53-59.
- Khan, A.A., Maibach, H. and Skidmore, D. 1975. Addition of vanillin to mosquito repellents to increase protection time. **Mosquito News**. 35: 223-225.
- Khanikor, B., Parida, P., Yadav, R.N.S. and Bora, D. 2013. Comparative mode of action of some terpene compounds against octopamine receptor and acetyl cholinesterase of mosquito and human system by the help of homology modeling and docking studies. **Journal of Applied Pharmaceutical Science**.3(02):006-012.
- Kirton, L.G. 2005. Laboratory and field tests of the effectiveness of the lemon-eucalyptus extract, Citridiol, as a repellent against land leeches of the genus *Haemadipsa* (Haemadipsidae). **Annals of Tropical Medicine and Parasitology**. 99(7): 695-714.

- Knio, K.M., Usta, J., Dagher, S., Zournajian, H. and Kreydiyyen, S. 2008. Larvicidal activity of essential oils extracted from commonly used herbs in Lebanon against the seaside mosquito, *Ochleratatus caspius*. **Bioresource Technology**. 99(4): 763-768.
- Knudsen, J.T., Eriksson, R., Gershenzon, J. and Stahl, B. 2006. Diversity and distribution of floral scent. **Botanical Review**. 72(1): 1-120.
- Kovendan, K., Murugan, K., Vincent, S., Donald, R. and Barnard, D.R. 2012. Efficacy of larvicidal and pupicidal properties of *Acalypha alnifolia* Klein ex Willd. (Euphorbiaceae) leaf extract and *Metarhizium anisopliae* (Metsch.) against *Culex quinquefasciatus* Say. (Diptera: Culicidae). **Journal of Biopesticides**. 5(suppl): 170-176.
- Kovendan, K., Murugan, K., Mahesh, K.P., Thiyagarajan, P. and William S.J. 2013. Ovicidal, repellent, adulticidal and field evaluations of plant extract against dengue, malaria and filarial vectors. **Parasitology Research**. 112(3): 1205-1219.
- Krishnappa, K. and Elumalai, K. 2012. *Abutilon indicum* and *Diplocyclos palmatus* botanical extracts against ovicidal, pupicidal and repellent activities of *Aedes aegypti*, *Anopheles stephensi* and *Culex quinquefasciatus* (Diptera: Culicidae). **Asian Pacific Journal of Tropical Biomedicine**. 1: 1-7.
- Krishnappa, K., Dhanasekaran, S. and Elumalai, K. 2012a. Larvicidal, ovicidal and pupicidal activities of *Gliricidia sepium* (Jacq.) (Leguminosae) against the malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). **Asian Pacific Journal of Tropical Medicine**. 5(8): 598-604.
- Krishnappa, K., Elumalai, K., Dhanasekaran, S. and Gokulakrishnan, J. 2012b. Larvicidal and repellent properties of *Adansonia digitata* against medically important human malarial vector mosquito, *Anopheles stephensi* (Diptera: Culicidae). **Journal of Vector Borne Diseases**. 49(2): 86-90.
- Krishnappa, K. and Elumalai, K. 2013. Mosquitocidal properties of *Basella rubra* and *Cleome viscosa* against *Aedes aegypti* (Linn.) (Diptera: Culicidae). **European Review of Medical and Pharmacological Sciences**. 17(9): 1273-1277.

- Krishnappa, K., Mathivanan, T., Elumalai, A., Jeyasankar, A., Dhanasekaran, S. and Elumalai, K. 2013. Evaluation of *Cissus quadrangularis* and *Combretum ovalifolium* medicinal plants extracts against medically important human malarial vector mosquito, *Anopheles stephensi* Liston (Diptera: Culicidae). ***International Journal of Interdisciplinary Research and Reviews***. 1(4):11-18.
- Kumar, A.R., Subburathinam, K.M. and Prabakar, G. 2007. Phytochemical screening of selected medicinal plants of Asclepiadaceae family. ***Asian Journal of Microbiology Biotechnology and Environmental Sciences***. 9(1): 177-180.
- Kumar, R.B., Shanmugapriya, B., Thiyagesan, K., Raj Kumar, S. and Xavier, S.M. 2010. A search for mosquito larvicidal compounds by blocking the sterol carrying protein, AeSCP-2, through computational screening and docking strategies. ***Pharmacognosy Research***. 2(4): 247–253.
- Kumar, B.P., Kannan, M.M., Lavanya, B., Suthakaran, R. and Quine, D.S. 2011. GC-MS analysis of methanolic extract of *Litsea decanensis* gamble and its free radical scavenging activity. ***Journal of Pharmacy Research***. 4(1): 100-103.
- Kumar, S., Wahab, N. and Warikoo, R. 2011. Bioefficacy of *Mentha piperita* essential oil against dengue fever mosquito *Aedes aegypti* L. ***Asian Pacific Journal of Tropical Biomedicine***. 1(2): 85-88.
- Kumar, G., Karthik, L., Venkata, B.R.K., Kirthi, A.V., Jayaseelan, C. and Rahuman, A.A. 2012. Phytochemical composition, mosquito larvicidal, ovicidal and repellent activity of *Calotropis procera* (Ait.) R.Br. against *Culex tritaeniorhynchus* and *Culex gelidus* (Diptera: Culicidae). ***Bangladesh Journal of Pharmacology***. 7(1): 63-69.
- Kumaresan, M., Palanisamy, P.N. and Kumar, P.E. 2011. Chemical investigation of flower of *Spathodea campanulata* by GC-MS. ***Journal of Natural Product and Plant Resources***. 1(2): 14-17.

- Kuppusamy, C. and Murugan, K. 2008. Mosquitocidal effect of *Euphorbia heterophylla* Linn. against the *Bancroftian filariasis* vector, *Culex quinquefasciatus* say (Diptera: Culicidae). **International Journal of Integrative Biology**. 4(1): 34-39.
- Lagunin, A., Stepanchikova, A., Filimonov, D. and Poroikov, V. 2000. PASS: prediction of activity spectra for biologically active substances, **Bioinformatics Applications Notes**. 16(8): 747-748.
- Lalchandama, K. 2011. Mosquitocidal activity of *Millettia pachycarpa* on the larvae and eggs of *Aedes aegypti*. **Annals of Biological Research**. 2(3): 217-222.
- Lawal, H.O., Adewuyi, G.O., Fawehinmi, A.B., Adeogun, A.O. and Etatuvie, S.O. 2012. Bioassay of herbal mosquito repellent formulated from the essential oil of plants. **Journal of Natural Products**. 5: 109-115.
- Lertkiatmongkol, P., Jenwitheesuk, E. and Rongnoparut, P. 2011. Homology modeling of mosquito cytochrome P450 enzymes involved in pyrethroid metabolism: insights into differences in substrate selectivity. **BMC Research Notes**. 4: 321.
- Liu, Z.L., Yu, M., Li, X.M., Wan, T. and Chu, S.S. 2011. Repellent activity of eight essential oils of Chinese medicinal herbs to *Blattella germanica* L. **Records of Natural Products**. 5(3): 176-183.
- Macedo, M.E., Consoli, R.A., Grandi, T.S., dos Anjos, A.M., de Oliveira, A.B. and Mendes, N.M., Queiroz, R.O and Zani, C.L. 1997. Screening of Asteraceae (Compositae) plant extracts for larvicidal activity against *Aedes fluviatilis* (Diptera: Culicidae). **Memorias Instituto Oswaldo Cruz**. 92(4): 565-570.
- Madhumathy, A.P., Aivazi, A.A. and Vijayan, V.A. 2007. Larvicidal efficacy of *Capsicum annum* against *Anopheles stephensi* and *Culex quinquefasciatus*. **Journal of Vector Borne Diseases**. 44(3): 223-226.

- Maheswaran, R., Sathish, S. and Ignacimuthu, S. 2008. Larvicidal activity of *Leucas aspera* (Willd.) against the larvae of *Culex quinquefasciatus* say and *Aedes aegypti* L. **International Journal of Integrative Biology**. 2(3): 214-217.
- Malnic, B., Hirono, J., Sato, T. and Buck, L.B. 1999. Combinatorial receptor codes for odors. **Cell**. 96(5): 713-723.
- Manjamalai, A., Narala, Y., Haridas, A. and Grace, B.V.M. 2011. Antifungal, anti-inflammatory and GC-MS analysis of methanolic extracts of *Plectranthus amboinicus* leaf. **International Journal of Current Pharmaceutical Research**. 3(2): 129-136.
- Manoharan, M. 2011. Genomic, structural and functional characterization of odorant binding proteins in olfaction of mosquitoes involved in infectious disease transmission. Ph. D Synopsis: 4-6.
- Marimuthu, G., Rajamohan, S., Mohan, R. and Krishnamoorthy, Y. 2012. Larvicidal and ovicidal properties of leaf and seed extracts of *Delonix elata* (L.) Gamble (Family: Fabaceae) against malaria (*Anopheles stephensi* Liston) and dengue (*Aedes aegypti* Linn.) (Diptera: Culicidae) vector mosquitoes. **Parasitology Research**. 111(1): 65-77.
- Markouk, M., Bekkouche, K., Larhsini, M., Bousaid, H., Lazrek, H.B. and Jana, M. 2000. Evaluation of some Moroccan medicinal plant extracts for larvicidal activity. **Journal of Ethanopharmacology**. 73(1-2): 293-297.
- Martin, J.P., Beyerlein, A., Dacks, A.M., Reisenman, C.E Riffell, J.A., Lei, H. and Hildebrand, J.G. 2011. The neurobiology of insect olfaction: Sensory processing in a comparative context. **Progress in Neurobiology**. 95(3): 427-447.
- Martinez, R., Diaz, B., Vasquez, L., Compagnone, R.S., Tillett, S., Canelon, D. J., Torrico, F. and Suarez, A. I. 2009. Chemical composition of essential oils and toxicological evaluation of *Tagetes erecta* and *Tagetes patula* from Venezuela. **Journal of Essential Oil Bearing Plants**. 12(4): 476-481.

- Mathivanan, T., Govindarajan, M., Elumalai, K., Krishnappa, K. and Ananthan, A. 2010. Mosquito larvicidal and phytochemical properties of *Ervatamia coronaria* Stapf. (Family: Apocynaceae). **Journal of Vector Borne Disease**. 47(3): 178-180.
- Matsuda, B.M., Surgeoner, G.A., Heal, J.D., Tucker, A.O. and Maciarelo, M.J. 1996. Essential oil analysis and field evaluation of the citrosa plant, *Pelargonium citrosum* as a repellent against populations of *Aedes* mosquitoes. **Journal of American Mosquito Control Association**. 12(1): 69-74.
- MDLI. 2012. Medical Information system. <http://www.mdli.com>.
- Mirghani, M.E.S., Liyana, Y. and Parveen, J. 2012. Bioactivity analysis of lemongrass (*Cymbopogon citratus*) essential oil. **International Food Research Journal**. 19(2): 569-575.
- Misni, N., Sulaiman, S. and Othman, H. 2008. The repellent activity of *Piper aduncum* Linn (Family: Piperaceae) essential oil against *Aedes aegypti* using human volunteers. **Journal of Tropical Medicine and Parasitology**. 31(2): 63-69.
- Mitchell, R.N. and Cotran, R.S. 2000. In: Robinson basis pathology, edition 7, Harcourt Pvt. Ltd., New Delhi, India: 33-42.
- Miura, T., Schaefer, C.H., Takahashi, R.M. and Mulligan, F.S. 1976. Effects of the insect growth inhibitor, Dimilin, on hatching of mosquito eggs. **Journal of Economic Entomology**. 69(5): 655-658.
- Mordi, J.C. and Akanji, M.A. 2012. Phytochemical screening of the dried leaf extract of *Cnidioscolus aconitifolius* and associated changes in liver enzymes induced by its administration in wistar rats. **Current Research Journal of Biological Sciences**. 4(2): 153-158.

- Mullai, K. and Jebanesan, A. 2007. Larvicidal, ovicidal and repellent activities of the leaf extract of two cucurbitaceous plants against filarial vector, *Culex quinquefasciatus* (Say) (Diptera: Culicidae). **Tropical Biomedicine**. 24(1): 1-6.
- Mullai, K., Jebanesan, A. and Pushpanathan, T. 2008. Effect of bioactive fractions of *Citrullus vulgaris* Schrad leaf extract against *Anopheles stephensi* and *Aedes aegypti*. **Parasitology Research**. 102(5):951-955.
- Murugan, K. and Jeyabalan, D. 1999. Mosquitocidal effect of certain plants extracts against the mosquito, *Anopheles stephensi* Liston. **Current Science**. 76: 631-633.
- Murugan, K., Vahitha, R., Baruah, I. and Das, S.C. 2003. Integration of botanical and microbial pesticides for the control of filarial vector, *Culex quinquefasciatus* Say Diptera: Culicidae. **Annals of Medical Entomology**. 12(1 & 2) 12-23.
- Muthukrishnan, J. and Pushpalatha, E. 2001. Effects of plant extracts on fecundity and fertility of mosquitoes. **Journal of Applied Entomology**. 125(1-2): 31-35.
- Naik, G.H., Priyadarsini, K.I., Satav, J.G., Banavalikar, M.M., Sohoni, D.P., Biyani, M.K. and Mohan, M. 2003. Comparative antioxidant activity of individual herbal components used in Ayurvedic medicine. **Phytochemistry**. 63(1): 97-104.
- Narayanan, S. and Velmurugan, D. 2013. Molecular modeling studies and ADME screening on HIV-1 integrase inhibitors as anti-viral agents. **International Journal of Sciences**. 2: 1-12.
- Natarajan, N., Cork, A., Boomathi, N., Pandi, R., Velavan, S. and Dhakshnamoorthy, G. 2006. Cold aqueous extracts of African marigold, *Tagetes erecta* for control tomato root knot nematode, *Meloidogyne incognita*. **Crop Protection**. 25(11): 1210-1213.

- Naters, W.V.G. and Carlson, J.R. 2006. Insects as chemosensors of humans and crops. **Nature**. 444: 302-307
- Nathan, S.S., Savitha, G., George, D.K., Narmadha, A., Suganya, L. and Chung, P.G. 2006. Efficacy of *Melia azedarach* L. extract on the malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). **Bioresource Technology**. 97(11): 1316-1323.
- Ndungu, M., Lwande, W., Hassaali, A., Moreka, L. and Chhabra, S.C. 1995. *Cleome monophylla* essential oil and its constituents as tick (*Rhipicephalus appendiculatus*) and maize weevil (*Sitophilus zeamais*) repellent. **Entomology and Experimental Application**.76: 217-222.
- Ngoh, S.P., Choo, L.E.W., Pang, F.Y., Huang, Y., Kini, M.R. and Ho, S.H. 1998. Insecticidal and repellent properties of nine volatile constituents of essential oils against the American cockroach, *Periplaneta americana* (L.). **Pesticide Science**. 54(3): 261-268.
- NICD, 1990. Proceeding of the national seminar on operation research on vector control in filariasis. New Delhi.
- Nino, J., Narvaez, D.M., Mosquera, O.M. and Correa, Y.M. 2006. Antibacterial, antifungal and cytotoxic activities of eight Asteraceae and two Rubiaceae plants from Colombian biodiversity. **Brazilian Journal of Microbiology**. 37(4):566-570.
- Nisha, K., Darshana, M., Madhu, G. and Bhupendra, K.M. 2011. GC-MS analysis and anti-microbial activity of *Psidium guajava* (leaves) grown in Malva region of India. **International Journal of Drug Development and Research**. 3(4): 237-245.
- Nishaa, S., Vishnupriya, M., Sasikumar, J.M. and Gopalakrishnan, V.K. 2013. Phytochemical screening and GC-MS analysis of ethanolic extract of rhizomes of *Maranta arundinacea* L. **Research Journal of Pharmaceutical, Biological and Chemical Sciences**. 4(2): 52-59.

- Nurbaiti, S., Nagao, H., Saito, H., Hertiadi, R. and Martoprawiro, M.A and Akhmaloka. 2010. Domain motions of Klenow-like DNA polymerase I ITB-1 in the absence of substrate. ***International Journal of Integrative Biology***. 9(2): 104-110.
- Obeng-Ofori, D., Reichmuth, C., Bekele, J. and Hassanali, A. 1997. Biological activity of 1,8-cineole, a major component of essential oil of *Ocimum kenyense* (Ayobangira) against stored product beetles. ***Journal of Applied Entomology***. 121(1-5): 237-243.
- Ogunlesi, M., Okiei, W. Ofor, E. and Osibote, .A.E. 2009. Analysis of the essential oil from the dried leaves of *Euphorbia hirta* Linn (Euphorbiaceae), a potential medication for asthma. ***Africa Journal of Biotechnology***. 8(24): 7042-7050.
- Oliferenko, P.V., Oliferenko, A.A., Poda, G.I., Osolodkin, D.I., Pillai, G.G., Bernier, U.R., Tsikolia, M., Agramonte, N.M., Clark, G.G., Linthicum, K.J. and Katritzky, A.R. 2013. Promising *Aedes aegypti* repellent chemotypes identified through integrated QSAR, virtual screening, synthesis, and bioassay. ***PLoS ONE***. 899: e64547.
- Ongsakul, M., Jundarat, A. and Rojanaworant, C. 2009. Antibacterial effect of crude alcoholic and aqueous extracts of six medicinal plants against, *Staphylococcus aureus* and *Escherichia coli*. ***Journal of Health Research***. 23(30):153-156.
- Oparaocha, E.T., Iwu, I. and Ahanakuc, J.E. 2010. Preliminary study on mosquito repellent and mosquitocidal activities of *Ocimum gratissimum* (L) grown in Eastern Nigeria. ***Journal of Vector Borne Diseases***. 47(1): 45-50.
- Oshaghi, M.A., Ghalandari, R., Vatandoost, H., Shayeghi, M., Nesad, K.M., Khaledi, T.H., Abolhassani, M. and Hashemzadeh, M. 2003. Repellent effect of extracts and essential oils of *Citrus limon* (Rutaceae) and *Melissa officinalis* (Labiatae) against main malaria vector, *Anopheles stephensi* (Diptera: Culicidae). ***Iranian Journal of Public Health***. 32(4): 47-52.

- Ouda, N.A., Al-Chalabi, B.M., Al-Charchafchi, F.M.R. and Mohsen, Z.H. 1998. Insecticidal and ovicidal effects of the seed extract of *Atriplex canescens* against *Culex quinquefasciatus*. ***Pharmaceutical Biology***. 36(1): 69-71.
- Oueslati, M.H., Ben Jannet, H., Abreu, P.J.M. and Mighri, Z. 2004. Alcohols tetrahydropyraniques antintibateriens de la plante, *Rhantherium suaveolens* poussant dans le sud tunisien. ***Journal de la Societe Algerienne de Chimie***. 14: 245-258.
- Palsson, K. and Jaenson, T.G. 1999. Plant products used as mosquito repellents in Guinea Bissau, West Africa. ***Acta Tropica***. 72(1): 39-52.
- Pannerselvam, C., Murugan, K., Kovendan, K. and Mahesh Kumar, P. 2012. Mosquito larvicidal, pupicidal, adulticidal, and repellent activity of *Artemisia nilagirica* (Family: Compositae) against *Anopheles stephensi* and *Aedes aegypti*. ***Parasitology Research***. 111(6): 2241-2251.
- Pannerselvam, C. and Murugan, K. 2013. Adulticidal, repellent, and ovicidal properties of indigenous plant extracts against the malarial vector, *Anopheles stephensi* (Diptera: Culicidae). ***Parasitology Research***. 112(2):679-692.
- Panase, V.G. and Sukhatme, P.V. 1985. Statistical methods for agricultural workers, 4th edition, ICAR, New Delhi, p. 359.
- Papachristos, D.P. and Stamopoulos, D.C. 2002. Repellent, toxic and reproduction inhibitory effects of essential oil vapours on *Acanthoscelides obtectus* (Say) (Coleoptera: Bruchidae). ***Journal of Stored Products Research***. 38(2): 117-128.
- PASS. 2013. PASS Online. <http://pass.ibmh.msk.su/>.
- Patel, S.K., Jasrai, Y.T., George, L.B. and Highland, H.N. 2012. Virtual screening of xanthenes in combating malaria targeting *Plasmodium falciparum* erythrocyte membrane protein 1 (PfEMP1). ***Asian Journal of Biomedical and Pharmaceutical Sciences***. 1(6): 01-05.

- Patil, B. and Rajput, A. 2012. GC-MS analysis of biologically active compounds of chloroform extract of leaves of *Butea monosperma*. **Journal of Pharmacy Research**. 5(2): 1228-1230.
- Pavela, R. 2002. Repellent activity of ethanol extracts from *Leuzea carthamoides* seeds against *Leptinotarsa decemlineata*. **National Academy Science Letters**. 25: 40-42.
- Pavela, R. 2009. Larvicidal property of essential oils against *Culex quinquefasciatus* say (Diptera: Culicidae). **Industrial Crops and Products**. 30(2): 311-315.
- Pelletier, J. and Leal, W.S. 2009. Genome analysis and expression patterns of odorant-binding proteins from the Southern house mosquito, *Culex pipiens quinquefasciatus*. **PLoS one**. 4(7): e6237.
- Pelosi, P., Cereda, M., Foti, G., Giacomini, M. and Pesenti, A. 1995. Alterations of lung and chest wall mechanics in patients with acute lung injury: effects of positive end-expiratory pressure. **American Journal of Respiratory and Critical Care Medicine**. 152(2): 531–537.
- Pennetier, C., Corbel, V. and Hougard, J.M. 2005. Combination of a non-pyrethroid insecticide and a repellent: a new approach for controlling knockdown-resistant mosquitoes. **American Journal of Tropical Medicine and Hygiene**. 72(6): 739-744.
- Perumalsamy, R. and Gopalakrishnakone, P. 2007. Current status of herbal and their future perspectives. **Nature Proceedings**. 1: 1176-1188.
- Phasomkusolsil, S. and Soonwera, M. 2010. Insect repellent activity of medicinal plant oils against *Aedes aegypti* (Linn), *Anopheles minimus* (Theobald) and *Culex quinquefasciatus* say based on protection time and biting rate. **Southeast Asian Journal of Tropical Medicine and Public Health**. 41(4): 831-840.

- Prabhu, K., Murugan, K., Nareshkumar, A., Ramasubramanian, N. and Bragadeeswaran, S. 2011. Larvicidal and repellent potential of *Moringa oleifera* against malarial vector, *Anopheles stephensi* Liston (Diptera: Culicidae). **Asian Pacific Journal of Tropical Biomedicine**. 1(2): 124-129.
- Prajapati, V., Tripathi, A.K., Aggarwal, K.K. and Khanuja, S.P.S. 2005. Insecticidal, repellent and oviposition-deterrent activity of selected essential oils against *Anopheles stephensi*, *Aedes aegypti* and *Culex quinquefasciatus*. **Bioresource Technology**. 96(16): 1749-1757.
- Prakash, A. 1992. Ovicidal action of certain chitin synthesis inhibitors in mosquitoes. **Entomon**. 17: 15-19.
- Prakash, N., Shivani, P., Faldu, N.J., Ranjan, R. and Sudheer, D.V.N. 2010. Molecular docking studies of antimalarial drugs for malaria. **Journal of Computer Science and Systems Biology**. 3(3): 070-073.
- Pratheepa M. 2012. GC-MS and *in silico* analysis of *Cleistanthus collinus* for its activity against cancer. **Drug discovery**. 1(1): 23-26.
- Pushpalatha, G. and Muthukrishnan, J. 1999. Efficacy of two tropical plant extracts for the control of mosquitoes. **Journal of Applied Entomology**. 123(6): 369-373.
- Pushpanathan, T., Jebanesan, A. and Govindarajan, M. 2006. Larvicidal, ovicidal and repellent activities of *Cymbopogon citratus* Stapf (Graminae) essential oil against the filarial mosquito, *Culex quinquefasciatus* (Say) (Diptera: Culicidae). **Tropical Biomedicine**. 23(2): 208-212.
- Pushpanathan, T., Jebanesan, A. and Govindarajan, M. 2008. The essential oil of *Zingiber officinalis* Linn (Zingiberaceae) as a mosquito larvicidal and repellent agent against the filarial vector, *Culex quinquefasciatus* Say (Diptera: Culicidae). **Parasitology Research**. 102(6): 1289-1291.
- Quinn, B.P., Bernier, U.R. and Booth, M.M. 2007. Identification of compounds from *Etonia rosemary* (*Conradina etonia*). **Journal of Chromatography A**. 1160(1-2): 306-310.

- Rajarajeshwari, R. and Chitra, P.S. 2013. Molecular docking studies of phytochemical compounds with viral proteases. ***International Journal of Pharmaceutical Sciences and Research***. 4(1): 475-482.
- Rajeswari, S. and Kriushnapriya, S. 2011. Anticancer activities of phytochemicals from a wood rot mushroom, *Phellinus adamantinus* - *in silico* and *in vitro* approach. ***International Conference on Bioscience, Biochemistry and Bioinformatics***. 5: 198-202.
- Rajkumar, S. and Jebanesan, A. 2004a. Mosquitocidal activities of octacosane from *Moschosma polystachyum* Linn (Lamiaceae). ***Journal of Ethnopharmacology***. 90(1): 87-89.
- Rajkumar, S. and Jebanesan, A. 2004b. Ovicidal activity of *Solanum trilobatum* L. (Solanaceae) leaf extract against *Culex quinquefasciatus* Say and *Culex tritaeniorhynchus* Giles (Diptera: Culicidae). ***International Journal of Tropical Insect Science***. 24(4): 340-342.
- Rajkumar, S. and Jebanesan, A. 2005. Oviposition deterrent and skin repellent activities of *Solanum trilobatum* leaf extract against the malarial vector, *Anopheles stephensi*. ***Journal of Insect Science***. 5: 11-15.
- Rajkumar, S. and Jebanesan, A. 2007. Repellent activity of selected plant essential oils against the malarial fever mosquito, *Anopheles stephensi*. ***Tropical Biomedicine***. 24(2): 71-75.
- Rajkumar, S. and Jebanesan, A. 2010. Prevention of dengue fever through plant based mosquito repellent *Clausena dentata* (Willd.) M. Roem (Family: Rutaceae) essential oil against *Aedes aegypti* L. (Diptera: Culicidae) mosquito. ***European Review of Medical and Pharmacological Sciences***. 14(3): 231-234.
- Rajkumar, S., Jebanesan, A. and Nagarajan, R. 2011. Effect of leaf essential oil of *Coccinia indica* on egg hatchability and different larval instars of malarial mosquito *Anopheles stephensi*. ***Asian Pacific Journal of Tropical Medicine***. 4(12): 948-951.

- Raman, N. 2006. Phytochemical techniques. New India Publishing Agency, New Delhi. pp. 19-24.
- Ramasubramaniam, R. 2011. Pharmacognostical, phytochemical including GC-MS investigation of ethanolic leaf extracts of *Abutilon indicum* (Linn). ***Asian Journal of Pharmaceutical Analysis***. 1(4): 88-92.
- Rani, J.M.J., Chandramohan, G. and Renganathan, R. 2012. Antioxidant activity, preliminary phytochemical investigation and GC-MS study of *Bougainvillea glabra* choicy leaves. ***International Journal of Pharmacy and Pharmaceutical Sciences***. 4(Suppl 2): 12-16.
- Ranson, H., Rossiter, L., Ortel, F., Jensen, B., Wang, X., Roth, C.W., Collins, F.H. and Hemingway, J. 2001. Identification of novel class of insect glutathione S-transferases involved in resistance to DDT in the malaria vector *Anopheles gambiae*. ***Biochemical Journal***. 359(Pt 2): 295-304.
- Richon, A.B. 1994. An introduction to molecular modeling. ***Mathematech***. 1: 83.
- Rivero, A., Vezilier, J., Weill, M., Read, A.F. and Gandon, S. 2010. Insecticide control of vector-borne diseases: When is insecticide resistance a problem? ***PLOS Pathogen***. 6(8): e1001000.
- Roberts, J.R. and Reigart, J.R. 2004. Does anything beat DEET? ***Pediatric Annals***. 33: 443-453.
- Roe, R.M. 2004. Method of repelling insects. United States Patent Application 20040242703, Kind Code A1.
- Roni, M., Murugan, K., Christina Mary, S., Sivapriyajothi, S., Suganya, N.A., Dinesh, D. and Vivek, S. 2013. Ovicidal and adulticidal activity of *Nerium oleander* extract against *Anopheles stephensi* Liston (Diptera: Culicidae). ***International Journal of Innovation Research***. 1(1): 012-018.
- Roy, S., Rao, K., Bhuvaneshwari, C.H., Giri, A. and Mangamoori, L.N. 2010. Phytochemical analysis of *Andrographis paniculata* extract and its antimicrobial activity. ***World Journal of Microbiology and Biotechnology***. 26(1): 85-91.

- Rutledge, L.C., Collister, D.M., Meixsell, V.E. and Eisenberg, G.H.C. 1983. Comparative sensitivity of representative mosquitoes (Diptera: Culicidae) to repellents. ***Journal of Medical Entomology***. 20(5): 506-510.
- Ryan, M.F. and Byrne, O. 1988. Plant insect coevolution and inhibition of acetylcholinesterase. ***Journal of Chemical Ecology***. 14(10): 1965–1975.
- Samidurai, K., Jebanesan, A., Saravanakumar, A., Govindarajan, M. and Pushpanathan, T. 2009. Larvicidal, ovicidal and repellent activities of *Pemphis acidula* Forst. (Lythraceae) against filarial and dengue vector mosquitoes. ***Academic Journal of Entomology***. 2(2): 62-66.
- Samidurai, K. 2012. Mosquito larvicidal and ovicidal properties of *Pemphis acidula* Frost. (Lythraceae) against *Culex tritaeniorhynchus* Giles and *Anopheles subpictus* Grassi (Diptera:Culicidae). ***Asian Pacific Journal of Tropical Biomedicine***. 2(3): S1862-S1866.
- Sampathkumar, S. and Ramakrishnan, N. 2011. Phytochemical and GC-MS analysis of *Naringi crenulata* (Roxb) Nicols stem. ***Botany Research International***. 4(1): 9-12.
- Sangeetha, J. and Vijayalakshmi, K. 2011. Determination of bioactive components of ethyl acetate fraction of *Punica granatum* Rind extract. ***International Journal of Pharmaceutical Sciences and Drug Research***. 3(2): 116-122.
- Saraf, S., Pathak, A.K. and Dixit, V.K. 1991. Hair growth promoting activity of *Tridax procumbens*. ***Fitoterapia***. 62(6): 495-498.
- Sashikumar, J.M., Remya. M and Janardhanan, K. 2003. Antimicrobial of ethano medicinal plants of Nilgiri biosphere reserve and Western Ghats. ***Asian Journal of Microbiology, Biotechnology and Environmental Science***. 5: 183-185.
- Sati, S.C., Sati, N., Rawat, U and Sati, O.P. 2010. Medicinal plants as a source of antioxidants. ***Research Journal of Phytochemistry***. 4: 213-224.
- Sato, K and Touhara, K. 2009. Insect olfaction: Receptors, signal transduction and behaviour. ***Results and Problems in Cell Differentiation***. 47: 203-220.

- Satpathy, R., Satpathy, G.R and Rout, P.R. 2011. Molecular docking study of HIV NS3 protease inhibitors on dengue virus. ***Biotechnology Bioinformatics and Bioengineering***. 1(2): 179-182.
- Saxena, S.C. and Yadav, R.S. 1983. A new plant extract to suppress the population of yellow fever and dengue fever vector, *Aedes aegypti* L. (Diptera: Culicidae). ***Current Science***. 52(15): 713-715.
- Saxena, R.C., Harshan, V., Saxena, A., Sukumaran, P., Sharma, M.C. and Kumar, M.L. 1993. Larvicidal and chemosterilant activity of *Annona squamosa* alkaloids against *Anopheles stephensi*. ***Journal of American Mosquito Control Association***. 9(1): 84-87.
- Schmidt, C.W. 2005. Outsmarting olfaction: The next generation of mosquito repellents. ***Environmental Health Perspectives***. 113(7): A468–A471.
- Selvi. V.S. and Anusha, B. 2012. Phytochemical analysis and GC-MS profiling in the leaves of *Sauropus androgynus* (L.) Merr. ***International Journal of Drug Development and Research***. 4(1):162-167.
- Seniya, C. and Vyas, V. 2013. A molecular docking approach to study binding molecular interactions between herbal compound balanitin-6 and *Plasmodium vivax* dihydrofolate reductase. ***International Journal of Pharma and Bio Sciences***. 4(4): (B) 698-710.
- Senthil Kumar, M., Vinoth Kumar, D., Saravana Kumar, A., Aslam, A. and Shajahan, A. 2011. The phytochemical constituents of *Withania somnifera* and *Withania obtusifolia* by GC-MS analysis. ***International Journal of Pharmacognosy and Phytochemical Research***. 3(3): 31-34.
- Serrentino, J. 1991. How Natural Remedies Work. Point Robert, W.A. Harley and Marks Publishers: 20-22.
- Sharma, V.P., Ansari, M.A. and Razdan, R.K. 1993. Mosquito repellent action of neem (*Azadirachta indica*) oil. ***Journal of American Mosquito Control Association***. 9(3): 359-60.

- Sharp, B.L. 1983. *Anopheles merus* (Donitz): its biting cycle in relation to environmental parameters. ***Journal of Entomological Society of South Africa***. 46: 367-374.
- Shekinah, S.P. and Rajadurai, M. 2008. A study of *in silico* drug docking for triosephosphate isomerase in *Plasmodium falciparum*. ***Advanced Biotech***: 10-13.
- Shinde, P., Savakare, V.S., Sarang, D. and Patil, K. 2013. *In silico* drug docking of phyto inhibitors against triosephosphate isomerase in *Plasmodium falciparum*. ***International Journal of Pharmaceutical Sciences and Research***. 4(7): 2812-2816.
- Singh, S., Mahour, K. and Prakash, S. 2009. Evaluation of mosquito repellent efficacy of *Ocimum sanctum* plant extract. ***Journal of Herbal Medicine and Toxicology***. 3(1): 87-90.
- Skariyachan, S., Ashwini, M.P., Hina, C.H.A., Jain, D.M. and Abhilash, M. 2010. Design and discovery of novel therapeutic drugs against *Helicobacter pylori* gastroduodenal cancer by *in silico* approach. ***Research Journal of Pharmaceutical, Biological and Chemical Sciences***. 1(4):1005-1016.
- Smith, E.H. and Salkeld, E.H. 1966. The use and action of ovicides. ***Annual Review of Entomology***. 11: 331-368.
- Sritabutra, D., Soonwera, M., Waltanachanobon, S. and Pongjai, S. 2011. Evaluation of herbal essential oil as repellents against *Aedes aegypti* (L.) and *Anopheles dirus* Peyton and Harrion. ***Asian Pacific Journal of Tropical Biomedicine***. 1(1): S124–S128.
- Stuffness, M. and Douros, J. 1982. Current status of the NCI plant and animal product program. ***Journal of Natural Product***. 45(1): 1-14.
- Su, T. and Mulla, M.S. 1998. Ovicidal activity of neem products (*Azadirachtin*) against *Culex tarsalis* and *Culex quinquefasciatus* (Diptera: Culicidae). ***Journal of American Mosquito Control Association***. 14: 201-209.

- Sukumar, K., Perich, M.J. and Boobar, L.R. 1991. Botanical derivatives in mosquito control: a review. ***Journal of American Mosquito Control Association***. 7(2): 210-237.
- Sumathi, P. and Parvathi, A. 2010. Antimicrobial activity of some medicinal plants. ***Journal of Medicinal Plant Research***. 4(4): 316-321.
- Sumroiphon, S., Yuwaree, C., Arunlertaree, C., Komalamisra, N. and Rongsriyam, Y. 2006. Bioactivity of citrus seed for mosquito borne diseases larval control. ***Southeast Asian Journal of Tropical Medicine and Public Health***. 37(3): 123-127.
- Sun, H.D., Ding, J.K., Ding, L.S. and Yi, Y.F. 1985. The chemical constituents of *Eucalyptus* oil. ***Acta Botanica Yunnanica***. 7: 351-354.
- Suresh, K.P., Chezhan, A., Raja, P.S. and Sathiyapriya, J. 2012. Computational selections of terpenes present in the plant, *Calotropis gigantea* as mosquito larvicides by blocking the sterol carrying protein, AeSCP-2. ***Bangladesh Journal of Pharmacology***. 7: 1-5.
- Suresh, K.P., Suresh, E. and Kalavathy, S. 2013. Review on a potential herb *Calotropis gigantea* (L.) R. Br. ***Scholars Academic Journal of Pharmacy***. 2(2):135-143.
- Sureshkumar, P. 2013. Phytochemical assessment on various extracts of *Calotropis gigantea* (L.) R. BR. through GC-MS. ***International Journal of Pharma and Bio Sciences***. 4(2): 803-810.
- Tasdemir, D., Demirci, B., Demirci, F., Donmez, A.A., Baser, K.H. and Ruedi, P. 2003. Analysis of the volatile components of five Turkish *Rhododendron* species by Headspace Solid-phase Micro extraction and GC-MS (HS-SPME-GC-MS). ***Zeitschrift fur Naturforschung***. 58 (11-12): 797-803.
- Tawatsin, A., Wratten, S.D, Scott, R.R., Thavara, U. and Techadamrongsin, Y. 2001. Repellency of volatile oils from plants against three mosquito vectors. ***Journal of Vector Ecology***. 26(1): 76-82.

- Tewtrakul, S., Nakamura, N., Hattori, M., Fujiwara, T. and Supavita, T. 2002. Flavanone and flavonol glycosides from the leaves of *Thevetia peruviana* and their HIV-1 reverse transcriptase and HIV-1 integrase inhibitory activities. ***Chemical and Pharmaceutical Bulletin***. 50(5): 630-635.
- Thakong, K. 1999. A study on the antimalarial constituents and chemical composition of *Eupatorium odoratum* (L.). Thesis M.Sc. (Pharmaceutical chemistry and Phytochemistry) Faculty of Graduate studies, Mahidol University.
- Thavara, U., Tawatsin, A. and Chompoosri, J. 2002. Phytochemicals as repellents against mosquitoes in Thailand. ***Proceedings of International conference on Biopesticide-3***, April 21-26. 2002: 244-250.
- Thorsell, W., Mikiver, A., Malander, I. and Tunon, H. 1998. Efficacy of plant extracts and oils as mosquito repellents. ***Phytomedicine***. 5(4): 311-323.
- Torr, S.J., Mangwiro, T.N.C. and Hall, D.R. 1996. Response of *Glossinia pallidipes* (Diptera: Glossinidae) to synthetic repellents in the field. ***Bulletin of Entomological Research***. 86: 609-616.
- Traboulsi, A.F., El-Haj, S., Tueni, M., Taoubi, K., Nader, N.A. and Mrad, A. 2005. Repellency and toxicity of aromatic plant extracts against the mosquito *Culex pipiens molestus* (Diptera: Culicidae). ***Pest Management Science***. 61(6): 597-604.
- Valarmathy, D., Govindaraju, M. and Elumalai, K. 2011. Studies on ovicidal activity of plant essential oil formulation against the eggs of important vector mosquitoes, *Anopheles stephensi* (Liston), *Culex quinquefasciatus* (Say) and *Aedes aegypti* (L.) at laboratory condition. ***International Journal of Current Research***. 3(6):378-381.
- .Vasudevan, P., Madan, N. and Sharma, S. 1989. Ovicidal property of castor. ***Pesticides***. 2: 36-39.

- Velanganni, J., Kadamban, D. and Ramamoorthy, D. 2011. GC-MS analysis of ethanol extract of root of *Mallotus philippensis* (Lam.) Muell. Arg. Var. *Philippensis*. **International Journal of Pharmaceutical Research and Development**. 3(7): 63-67.
- Velmurugan, P., Kamaraj, M. and Prema, D. 2010. Phytochemical constituents of *Cadaba trifoliata* Roxb. root extract. **International Journal of Phytomedicine**. 2(4): 379-384.
- Venkatachalam, M.R. and Jebanesan, A. 2001. Repellent activity of *Ferronia elephantum* Corr. (Rutaceae) leaf extract against *Aedes aegypti* (L.). **Bioresource Technology**. 76(3): 287-288.
- Vijaya Kumar, S., Arun Kumar, R., Mani, P., John Bastin, T.M.M. and Ravikumar, G. 2011a. Mosquito larvicidal, oviposition deterrent and repellent properties of *Vitex negundo* L. extracts against *Aedes aegypti*, *Anopheles stephensi* and *Culex quinquefasciatus*. **Journal of Pharmacy Research**. 4(7): 2060-2063.
- Vijaya Kumar, S., Mani, P., John Bastin, T.M.M., Arun Kumar, R. and Ravikumar, G. 2011b. Larvicidal, oviposition deterrent and repellent activity of *Annona squamosa* extracts against hazardous mosquito vectors. **International Journal of Pharmacy and Technology**. 3(3): 3143-3155.
- Visweswari, G., Rita, C. and Rajendra, W. 2013. Phytochemical screening of active secondary metabolites present in *Withania somnifera* root: role in traditional medicine. **International Journal of Pharmaceutical Sciences and Research**. 4(7): 2770-2776.
- Vogel, A.I. 1978. Text book of practical organic chemistry. The English language book society and Longman, London: 1368.
- Vogt, R.G. and Riddiford, L.M. 1981. Pheromone binding and inactivation by moth antennae. **Nature**. 293: 161-163.
- Vogt, R.G., Callahan, F.E., Rogers, M.E. and Dickens, J.C. 1999. Odorant binding protein diversity and distribution among the insect orders, as indicated by

- LAP, an OBP related protein of the true bug *Lygus lineolaris* (Hemiptera: Heteroptera). **Chemical Senses**. 24(5): 481–495.
- Vohra, A. and Kaur, H. 2011. Chemical investigation of medicinal plant *Ajuga bracteosa*. **Journal of Natural Product and Plant Resources**. 1(1): 37-45.
- Walker, K. 2002. A review of control methods for African malaria vectors. Environmental health Project Activity Report 108: 1-42.
- Wang, G., Carey, A.F., Carlson, J.R. and Zwiebel, L.J. 2010. Molecular basis of odor coding in the malaria vector mosquito, *Anopheles gambiae*. **Proceedings of National Academy of Sciences of United States of America**. 107(9): 4418-4423.
- WHO. 1984. Lymphatic filariasis. Technical report series, 702, World Health Organization, Geneva.
- WHO. 1996. Report of the WHO informal consultation on the evaluation and testing of insecticides. CTD/WHOPES /IC /96.1.WHO, Switzerland: 69.
- WHO. 2005. Guidelines for laboratory and field testing of mosquito larvicides. WHO/CDS/WHOPES/GCDPP/2005.13.
- Worku, M., Franco, R. and Miller, J.H. 2009. Evaluation of the activity of plant extracts in Boer goats. **American Journal of Animal and Veterinary Sciences**. 4(4): 72-79.
- Wu, L.Y., Gao H.Z., Wang X.L., Ye J.H., Lu J.L. and Liang Y.R. 2010. Analysis of chemical composition of *Chrysanthemum indicum* flowers by GC/MS and HPLC. **Journal of Medicinal Plants Research**. 4(5): 421-426.
- Xu, W., Cornel, A.J. and Leal, W.S. 2010. Odorant binding proteins of the malaria mosquito *Anopheles funestus* sensu stricto. **PLoS ONE**. 5(10): e15403.
- Yang, Y.C., Lee, E.H., Lee, H.S. Lee, D.K. and Ahn, Y.J. 2004. Repellency of aromatic medicinal plant extracts and a steam distillate to *Aedes aegypti*. **Journal of American Mosquito Control Association**. 20(2): 146-149.

- Yoon, C., Kang, S.H., Jang, S.A., Kim, Y.J. and Kim, G.H. 2007. Repellent efficacy of caraway and grapefruit oils for *Sitophilus oryzae* (Coleoptera: Curculionidae). ***Journal of Asia-Pacific Entomology***. 10(3): 263-267.
- Zaidan, M.R., Rain, N.A., Badrul, A.R., Adlin, A., Norazah, A. and Zakiah, I. 2005. *In vitro* screening of five local medicinal plants for antibacterial activity using disc diffusion method. ***Tropical Biomedicine***. 22(2): 165-170.
- Zaridah, M.Z., Azah, N.M.A. and Rohani, A. 2006. Mosquitocidal activities of Malaysian Plants. ***Journal of Tropical Forest Science***. 18(1): 74-80.
- Zeeshan, M., Rizvi, S.M.D., Khan, M.S. and Kumar, A. 2012. Isolation, partial purification and evaluation of bioactive compounds from leaves of *Ageratum houstonianum*. ***EXCLI Journal***. 11: 78-88.
- Zhao, X.M., Zhou, P.D. and Xia, L.Q. 2012. Homology modeling of mosquitocidal Cry30Ca2 of *Bacillus thuringiensis* and its molecular docking with N-acetylgalactosamine. ***Biomedical and Environmental Sciences***. 25(5): 590-596.
- Zibbu, G. and Batra, A. 2011. GC-MS analysis of the desert plants of Apocynaceae family: *Nerium oleander* L. and *Thevetia peruviana* (Pers.) Schum. ***International Journal of Pharmaceutical Research and Development***. 3(10): 49-62.