



## *CONTENTS*



<b>S.No.</b>	<b>CONTENTS</b>	<b>Page No.</b>
<b>CHAPTER-I</b>		
1	<b>INTRODUCTION</b>	1
1.1	Importance of corrosion studies	1
1.2	Classification of corrosion	2
1.3	Electrochemical theory of corrosion	2
1.4	Forms of corrosion	3
1.5	Corrosion in industries	5
1.6	Economic consequences of corrosion	7
1.7	Corrosion control methods	8
1.8	Plant description	12
1.9	Objectives	15
<b>CHAPTER-II</b>		
2	<b>REVIEW OF LITERATURE</b>	17
2.1	Natural products as corrosion inhibitors	17
2.2	Different methods of extraction	32
2.3	Phenolic compounds as corrosion inhibitors	33
2.4	Mechanism of action of green inhibitors	34
2.5	Quantum chemical studies and corrosion inhibition studies	35
<b>CHAPTER-III</b>		
3	<b>MATERIALS AND METHODS</b>	39
3.1	Selection of Metal, Inhibitors and Acid medium	39
3.2	Characterization of CN and BF extracts	42
3.3	Techniques Adopted	44
3.4	Work Plan	51
3.5	Instruments used	52

<b>CHAPTER-IV</b>		
4	<b>RESULTS AND DISCUSSION</b>	53
4.1	Characterization of CN and BF extracts	54
4.2	Mass Loss Method	64
4.3	Adsorption Phenomena	91
4.4	Corrosion Kinetic Parameters	110
4.5	Thermodynamic Adsorption Parameters	117
4.6	Electrochemical Measurements	121
4.7	Surface Analytical Techniques	148
4.8	Quantum Chemical Calculation	158
4.9	Mechanism of Inhibition Process	170
<b>CHAPTER-V</b>		
5	<b>SUMMARY AND CONCLUSION</b>	175
<b>CHAPTER-VI</b>		
6	<b>SCOPE FOR FUTURE STUDY</b>	178
<b>CHAPTER-VII</b>		
7	<b>BIBLIOGRAPHY</b>	179
8	<b>PUBLICATIONS</b>	194

## LIST OF TABLES

TABLE No.	TABLE DESCRIPTION	PAGE No.
1	Amount of aqueous extract obtained using 250 g of CN and BF	42
2	List of software Tools	44
3	Phytochemical constituents identified in the aqueous distillate of CNS extract by GC - MS analysis	55
4	Phytochemical constituents identified in the aqueous distillate of CNLS extract by GC - MS analysis.	56
5	FT-IR spectral data of CNS, CNLS and CNP extracts	57
6	Phytochemical constituents identified in the aqueous distillate of CNP extract by GC - MS analysis	58
7	Phytochemical constituents identified in the aqueous distillate of BFS extract by GC - MS analysis	60
8	Phytochemical constituents identified in the aqueous distillate of BFLS extract by GC - MS analysis	61
9	Phytochemical constituents identified in the aqueous distillate of BFP extract by GC - MS analysis	62
10	FT-IR spectral data of BFS, BFLS and BFP extracts	63
11	Inhibition efficiency as a function of immersion time and concentration of CNS extract on MS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	65
12	Inhibition efficiency as a function of immersion time and concentration of CNLS extract on MS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	65
13	Inhibition efficiency as a function of immersion time and concentration of CNP extract on MS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	67
14	Inhibition efficiency as a function of immersion time and concentration of BFS extract on MS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	68
15	Inhibition efficiency as a function of immersion time and concentration of BFLS extract on MS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	70
16	Inhibition efficiency as a function of immersion time and concentration of BFP extract on MS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	71
17	Influence of temperature on the inhibition efficiency of CNS extract on MS corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl medium	78
18	Influence of temperature on the inhibition efficiency of CNLS extract on MS corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl medium	80
19	Influence of temperature on the inhibition efficiency of CNP extract on MS corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl medium	81
20	Influence of temperature on the inhibition efficiency of BFS extract on MS corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl medium	82
21	Influence of temperature on the inhibition efficiency of BFLS extract on MS corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl medium	83
22	Influence of temperature on the inhibition efficiency of BFP extract on MS corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl medium	84

23	Strength of the inhibitive action of 4.0%v/v concentration of CN/BF extracts in 3 h immersion period in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl at room temperature and at refrigerator condition	90
24	Adsorption parameters deduced from various adsorption isotherms - CNS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl on MS corrosion	97
25	Adsorption parameters deduced from various adsorption isotherms - CNLS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl on MS corrosion	98
26	Adsorption parameters deduced from various adsorption isotherms - CNP in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl on MS corrosion	99
27	Adsorption parameters deduced from various adsorption isotherms - BFS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl on MS corrosion	100
28	Adsorption parameters deduced from various adsorption isotherms - BFLS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl on MS corrosion	101
29	Adsorption parameters deduced from various adsorption isotherms - BFP in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl on MS corrosion	102
30	The results of Statistical SPSS 12 package on adsorption isotherms and the various adsorption models obeyed by the investigated inhibitors and their highest F values	103
31	Deduced adsorption parameters using El-Awady kinetic thermodynamic adsorption isotherm – CN/BF extract on the MS surface in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	105
32	Deduced adsorption parameters using Frumkin adsorption isotherm for CN/BF extract on the MS surface in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	106 &107
33	Activation energy for mild steel corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl in the absence and presence of different concentrations of CN/ BF extracts.	110
34	Average value of activation parameters for MS/ inhibitors in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl systems at different temperatures	114
35	Thermodynamic adsorption parameters for mild steel/inhibitors in systems at different temperatures in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl of CN/BF extracts	119
36	Electrochemical parameters for the corrosion of MS in the presence of CNS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	122
37	Electrochemical parameters for the corrosion of MS in the presence of CNLS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	123
38	Electrochemical parameters for the corrosion of MS in the presence of CNP in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	124
39	Electrochemical parameters for the corrosion of MS in the presence of BFS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	125
40	Electrochemical parameters for the corrosion of MS in the presence of BFLS in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	126
41	Electrochemical parameters for the corrosion of MS in the presence of BFP in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	127
42	Linear Polarization Resistance parameters of MS in the	130

	presence of CNS, CNLS and CNP in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	
43	Linear Polarization Resistance parameters of MS in the presence of BFS, BFLS and BFP in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	130
44	Electrochemical impedance of MS in CNS extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	135
45	Electrochemical impedance of MS in CNLS extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	136
46	Electrochemical Impedance of MS in CNP extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	137
47	Electrochemical impedance of MS in BFS extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	139
48	Electrochemical impedance of MS in BFLS extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	140
49	Electrochemical impedance of MS in BFP extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	140
50	FT-IR peak values for corrosion product of CN extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	150
51	FT-IR peak values for corrosion product of BF extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	153
52	Quantum chemical parameters for the selected phenolic derivatives using Gaussian 03 code of programs using B3LYP hybrid functional and the 6-31 G (d) basis set	165
53	Calculated Quantum chemical parameters for the selected phenolic derivatives using Gaussian 03 code of programs using B3LYP hybrid functional and the 6-31 G (d) basis set	166

## LIST OF FIGURES

FIGURE No.	FIGURE DESCRIPTION	PAGE No.
1	Schematic representation of corrosion process	1
2	Schematic representation of electrochemical corrosion process	2
3	Forms of corrosion	4
4	Factors affecting corrosion	4
5	Corrosion in various industries	6
6	Illustration of economic impact of corrosion in various industries	6
7	Losses due to corrosion	7
8	Corrosion Control Methods	8
9	Classifications of Inhibitors	9
10	<i>Cocos nucifera</i> L. plant parts	13
11	<i>Borassus flabellifer</i> L. plant parts	15
12	Chemical Composition of Mild Steel Specimen	40
13	The Selected Inhibitor System	41
14	Preparation of CN and BF extract	42
15	Work Plan	51
16	Sophisticated Instruments handled	52
17	Characterization of CNS extract by (a) FT-IR and (b) GC-MS Techniques	55
18	Characterization of CNLS extract by (a) FT-IR and (b) GC-MS Techniques	56
19	Characterization of CNP extract by (a) FT-IR and (b) GC-MS Techniques	58
20	Characterization of BFS extract by (a) FT-IR and (b) GC-MS Techniques	60
21	Characterization of BFLS extract by (a) FT-IR and (b) GC-MS Techniques	61
22	Characterization of BFP extract by (a) FT-IR and (b) GC-MS Techniques	62
23 & 24	The relationship between IE (%) and Concentration of CN/BF in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	66 & 69
25	Variation of inhibition efficiencies of extracts of shell, leaf stalk and peduncle of CN and BF with 4.0 %v/v concentrations at 24 h immersion on MS corrosion.	72

26 & 27	The relationship between IE (%) and Time of CN/BF in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl on MS corrosion	73 &75
28	Effect of Temperature on IE of the CNS extracts in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl at various concentrations	79
29	Effect of Temperature on IE of the CNLS extracts in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl at various concentrations	79
30	Effect of Temperatures on IE of the CNP extracts in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl at various concentrations	81
31	Effect of Temperature on IE of the BFS extracts in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl at various concentrations	82
32	Effect of Temperature on IE of the BFLS extracts (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl at various concentrations	83
33	Effect of Temperature on IE of the BFP extracts in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl at various concentrations	85
34 & 35	Graph representing the effect of temperature on mild steel corrosion in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl in the presence of CN/BF extract	85 &86
36	Strength of the inhibitive action at 6 <sup>th</sup> month of CN and BF extracts in 3 h immersion period in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl at RC and at RT	89
37	EI-Awady kinetic thermodynamic isotherm for adsorption of obeyed inhibitor on the mild steel surface in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	104
38 & 39	Frumkin isotherm for adsorption of CN and BF extract on the mild steel surface in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	108 &109
40.	Arrhenius plot for mild steel corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl in the absence and presence of different concentration of CN/BF extracts	111 &112
41	Transition state plot for mild steel corrosion in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl in the absence and presence of different concentrations of CN/BF extracts	115 &116
42	Best fit curves of -ΔG Vs T for (a) CN and (b) BF in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1M HCl	118
43	Potentiodynamic polarization of mild steel in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl in presence or absence of CNS extract	121
44	Potentiodynamic polarization of mild steel in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl in presence or absence of CNLS extract.	123
45	Potentiodynamic polarization of mild steel in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl in presence or absence of CNP extract.	124

46	Potentiodynamic polarization of mild steel in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl in presence or absence of BFS extract.	125
47	Potentiodynamic polarization of mild steel in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl in presence or absence of BFLS extract	126
48	Potentiodynamic polarization of mild steel in (a) 0.5 M H <sub>2</sub> SO <sub>4</sub> and (b) 1 M HCl in presence or absence of BFP extract	127
49	Inhibitor efficiency of (a) CN and (b) BF inhibitors in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	128
50	Plot of $I_{corr}$ and $R_p$ with respect to concentrations of CN/BF extracts	131 &132
51 & 52	Impedance diagram for mild steel in the presence of CN/BF extract in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	134 &138
53	Variation of $R_{ct}$ and $C_{dl}$ values against the various concentration of CN / BF extract.	142 &143
54	Variation of $C_{dl}$ versus surface coverage of MS for CN/BF extracts in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl.	145 &146
55	Comparison of inhibition efficiencies obtained from different methods for (a) CN and (b) BF extracts in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	147
56 & 57	FT-IR spectra of CN/BF extract and corrosion product of CN/BF extract on mild steel surface in 0.5 M H <sub>2</sub> SO <sub>4</sub> and 1 M HCl	149 &152
58 & 59	SEM micrograph of MS in 1 M HCl and in the presence of CN/BF extracts	155 &157
60	Optimized structure and Frontier Molecular orbital density distribution of 2-Methoxy 4 methyl phenol	161
61	Optimized structure and Frontier Molecular orbital density distribution of 2, 6 -Dimethoxy phenol	162
62	Optimized structure and Frontier Molecular orbital density distribution of 2- Methoxy phenol	163
63	Optimized structure and Frontier Molecular orbital density distribution of Phenol	164
64	Relation between frontier molecular orbitals of I, II, III & IV and their gap energy	167
65	Adsorption model of MS in the presence of CN/BF extracts	174