



References

- Alicke and Govorun, (2005). The better-than-average effect. The self in social judgement, Krueger, Joachim I (Ed), 85-106.
- Amarasuriya, S.D. ,Jorm, A.F. and Reavley, N.J. (2015). Prevalence of depression and its correlates among undergraduates in Sri Lanka. *Asian Journal of Psychiatry*, 15, 32-37.
- Annalakshmi, N. (2008). Construction and Validation of Resilience Scale. Paper presented at XXXIV National Annual Conference of Indian Association of the Clinical Psychologists held at Kolkata from 7th to 9th January 2008.
- Annalakshmi, N. (2009). Bharathiar University Resilience Scale. In Harish Purohit and Ajay Wagh (Ed.), *Research Methodology Tools and Techniques* (pp.105-121). New Delhi: Sri Publishers.
- Askeland, K.G., Hysing, M. and Aarø, L.E. (2015). Mental health problems and resilience in international adoptees: Results from a population-based study of Norwegian adolescents aged 16-19 years. *Journal of Adolescence*, 44, 48-56.
- Baagchae, K. (2003). *Music, mind and mental health: Society for Gerontological Research*. New Delhi.
- Balasubramaniam, M., Telles, S., and Doraiswamy, P.M., (2012). Yoga on our minds: a systematic review of yoga for neuropsychiatric disorders. *Front. Psychiatry* 3,117.
- Banerjee, B., (2007). Effects of an integrated yoga program in modulating psychological stress and radiation-induced genotoxic stress in breast cancer patients undergoing radiotherapy. *Integr. Cancer Ther.* 6 (3), 242-250.

- Baumeister, R. F., Smart, L. and Boden, J. (1996). Relation of threatened egotism to violence and aggression: The dark side of self-esteem. *Psychological Review*. Vol. 103 (1): 5–33.
- Beck, A. T., Steer, R.A., and Garbin, M.G. (1988). Psychometric properties of the Beck Depression Inventory: Twenty-five years of evaluation. *Clinical Psychology Review*, 8(1), 77-100.
- Beck, A.T., Ward, C. H., Mendelson, M., Mock, J., and Erbaugh, J. (1961). An inventory for measuring depression. *Archives of General Psychiatry*, 4, 561-571.
- Benenzon, R.O., (2007). The benenzon model. *International archives-on theorybuilding in music therapy*. *Nordic Journal of Music Therapy* 16 (2), 148–159.
- Bernatzky, G., Presch, M., Anderson, M. and Panksepp, J. (2011). Emotional foundations of music as a non-pharmacological pain management tool in modern medicine. *Neuroscience and Biobehavioural Reviews*.
- Bhagyalakshmi, S. (2015). *SangeethaChikitsa- Ariyendathellam* (Malayalam). Litmus Publishers, DC Books.
- Bidabadi, S.S. and Mehryar, A. (2015). Music therapy as an adjunct to standard treatment for obsessive compulsive disorder and co-morbid anxiety and depression: A randomized clinical trial. *Journal of Affective Disorders*, 184, 13-17.
- Blood, A.J., Zatorre, R.J., Bermudez, P., Evans, A.C., (1999). Emotional responses to pleasant and unpleasant music correlate with activity in paralimbic brain regions. *Nature Neuroscience* 2, 382–387.
- Bomyea, J., Lang, A., Craske, M.G., and Chavira, D.A., (2015). Course of symptom change during anxiety treatment: Reduction in anxiety and depression in patients completing Coordinated Anxiety Learning and Management program. *Psychiatry Research*, 229, 133-142.
- Bonanno, G.A., (2004). Loss, trauma, and human resilience: Have we underestimated the human capacity to thrive after extremely aversive events? *American Psychologist*, *APAPsycNET*, 59(1), 20-28.

- Bonny, H.L., (1990). Music and change. Annual Journal of the New Zealand Society for Music Therapy 12 (3), 5–10.
- Bost, J. M. (2013). Courtesy UT Counseling and Mental Health Center, The University of Texas at Austin.<http://cmhc.utexas.edu/selfesteem.html>.
- Branden, N. (1969). The Psychology of Self-Esteem. Bantam Books. New York. 104.
- Brockmeyer, T., Kulesa, D., Hautzinger, M., Bents, H. and Backenstrass, M. (2015). Mood-incongruent processing during the recall of a sad life event predicts the course and severity of depression. Journal of Affective Disorders, 187, 91-96.
- Brown, S., Martinez, M., Parsons, L.M., (2004). Passive music listening spontaneously engages limbic and paralimbic systems. Neuroreport Auditory and Vestibular Systems 15 (13), 2033–2037.
- Bruscia, K.E., (1998). Defining Music Therapy, second ed. Barcelona Publishers, Gilsum, NH.
- Butler, L.D., et al., (2008). Meditation with yoga, group therapy with hypnosis, and psychoeducation for long-term depressed mood: a randomized pilot trial. J. Clin. Psychol. 64 (7), 806-820.
- Carter, J.D., Luty, S.E. and McKenzie, J.M. (2011). Patient predictors of response to cognitive behaviour therapy and interpersonal psychotherapy in a randomised clinical trial for depression. Journal of Affective Disorders ,128, 252-261.
- Caspi, A., and Mc Clay, J. (2003). Role of genotype in the cycle of violence in maltreated children. PubMed.gov. 297(5582), 851-854.
- Cha, N.H. (2014). Depression, self-esteem and anger expression patterns of Korean Nursing students. International Nursing Review, 61(1), 109-115.
- Chen, K.W. (2012). Meditative therapies for reducing anxiety: a systematic review and meta-analysis of randomized controlled trials. Depress. Anxiety 29(7), 545-562.
- Chih-Che Lin (2015). Gratitude and depression in young adults: The meaning role of self-esteem and well-being. Personality and Individual differences, 85, 134.

- Chiu, P. and Kumar, A (2003). Music Therapy: Loud Noise or soothing notes. *Int. Pediatr*, 18, 204-208.
- Conklin, L.R. and Strunk, D.R. (2015). A session-to-session examination of homework engagement in cognitive therapy for depression: Do patients experience immediate benefits. *Behaviour Research and Therapy* , 72, 56-62.
- Cook, J. (1986). Music as an intervention in the oncology setting. *Cancer Nursing Journal*. 8, 43-47.
- Cooper, A.A., Strunk, D.R. and Ryan, E.T. (2016). The therapeutic alliance and therapist adherence as predictors of dropout from cognitive therapy for depression when combined with antidepressant medication. *Journal of Behavior Therapy and Experimental Psychiatry*, 50, 113-119.
- Cramer, H. (2013). Yoga for depression: a systematic review and meta-analysis. *Depress. Anxiety* 30 (11), 1068-1083.
- Crocker, J., Luhtanen, R.K., Cooper, M.L., and Bouvrette (2003). Level of self-esteem and contingencies of self-worth: unique effects of academic, social and financial problems in college students. *Journal of Personality and social psychology* , 85(5).
- Cuijpers, P., Beurs, D.P. and Spijker, B.A. (2013). The effects of psychotherapy for adult depression on suicidality and hopelessness: A systematic review and meta-analysis. *Journal of Affective Disorders* , 144, 183-190.
- Cuijpers, P., Huibers, M. and Ebert, D.D. (2013). How much psychotherapy is needed to treat depression? A metaregression analysis. *Journal of Affective Disorders*, 149, 1-13.
- Cummings, J.L. (1993). Sectioned. *Mood Disorders*. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Davidson, J.R. and Payne, V.M. (2005). Trauma, resilience and saliostasis: effects of treatment in post-traumatic stress disorder. *PubMed.gov*, 20(1): 43-48.

- Desai, R., Tailor, A. and Bhatt, T. (2015). Effects of yoga on brain waves and structural activation: A review. *Complementary Therapies in Clinical Practice*, 21, 112-118.
- Doron, J., Ollivier, V.T. and Vachon, H. (2013). Relationships between cognitive coping, self-esteem, anxiety and depression: A cluster-analysis approach. *Personality and Individual Differences*, 55, 515-520.
- Erkkila, J., Punkanen, M., Fachner, J., Pontio, E. I., Tervaniemi, M., Vanhala, M. and Gold, C. (2011). Individual music therapy for depression: randomised controlled trial. *The British Journal of Psychiatry*, 199, 132–139.
- Etkin, P., (1999). The use of creative improvisation and psychodynamic insights in music therapy with an abused child. In: Wigram, T., Backer, J.D. (Eds.), *Clinical Applications of Music Therapy in Developmental Disability, Paediatrics and Neurology*. Jessica Kingsley Publishers, London
- Fredrickson, Tugade, M.M, Waugh, and Larkin, E.R. (2003). What good are positive emotions in crisis? A prospective study of resilience and emotions following the terrorist attacks on the United States on September 11th 2001. *Journal of personality and social psychology*, 84(2), 365-376.
- Gardner- Gordon, Joy. (1993). *The Healing Voice, Traditional & contemporary Toning, Chanting & Singing*. The Crossing Press.
- Gaus, V., Kiep, H. and Holtkamp, M. (2015). Gender differences in depression, but not in anxiety in people with epilepsy, *Seizure*, 32, 37-42.
- Ghooi, C. (2003). *Bhakthi and Health*. Sri Sathya Sai Books & Publications Trust, Andhra Pradesh.
- Ghooi, C. (2007). *Human values and Health*. Sri Sathya Sai Books & Publications Trust, Andhra Pradesh.
- Gold, C., Solli, H.P., Kruger, V., Lie, S.A., (2009). Dose-response relationship in music therapy for people with serious mental disorders: systematic review and metaanalysis. *Clinical Psychology Review* 29, 193–207.

- Gold, C., Wigram, T., Elefant, C., (2006). Music therapy for autistic spectrum disorder. Cochrane Database of Systematic Reviews, No.: CD004381.
- Grover, S., Kumar, V., Chakrabarti, S. and Hollikatti, P. (2012). Explanatory models in patients with first episode depression: A study from North India. *Asian journal of Psychiatry*, 5, 251-257.
- Gue'tin, S., Soua, B., Voirirot, G., Picot, M.C. and He'risson, C. (2009) .The effect of music therapy on mood and anxiety–depression:An observational study in institutionalized patients with traumatic brain injury. *Annals of Physical and Rehabilitation Medicine*, 52, 30–40.
- Harris, T.O. (1992). Section ed. Mood Disorders. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Henderson, A.S. (1992). Section ed. Mood Disorders. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Hiyoshi, A., Udumyan, R. and Osika,W. (2015). Stress resilience in adolescence and subsequent antidepressant and anxiolytic medication in middle aged men: Swedish cohort study. *Social Science & Medicine*, 134, 43-49.
- Holvast, F., Burger, H., Waal, M.M., Marwijk, H.W.J., Comijs, H.C. and Verhaak, P.F.M. (2015). Loneliness is associated with poor prognosis in late-life depression: Longitudinal of the Netherlands study of depression in older persons. *Journal of Affective Disorders*, 185, 1-7.
- Hsu, K.J., Beard, C., Rifkin, L., Dillon, D. G., Pizzagalli, D. A. and Bjorgvinsson, T. (2015). Transdiagnostic mechanism in depression and anxiety: The role of rumination and attentional control. *Journal of Affective Disorders*, 188, 22-27.
- Huang, X., Huang. P. and Li, D. (2014).Early brain changes associated with psychotherapy in major depressive disorder revealed by resting-state fMRI: Evidence for the top-down regulation theory. *International Journal of Psychophysiology*, 94, 437-444.

- James, A., Wotton, C.J., Duffy, A., Hoang, U. and Goldacre, M. (2015). Conversion from depression to bipolar disorder in a cohort of young people in England, 1999-2011: A national record linkage study. *Journal of Affective Disorders*, 185, 123-128.
- Jang, J.M., Park, J.I. and Oh, K.Y. (2014). Predictors of suicidal ideation in a community sample: Roles of anger, self-esteem, and depression. *Psychiatry Research*, 216, 74-81.
- Jerath, R., Edry, J.W., Barnes, V.A. and Jerath, V. (2006). Physiology of long pranayamic breathing: Neural respiratory elements may provide a mechanism that explains how slow deep breathing shifts the autonomic nervous system. *Medical Hypotheses*, 67, 566–571.
- John, P.J., et al., (2007). Effectiveness of yoga therapy in the treatment of migrainewithout aura: a randomized controlled trial. *Headache* 47 (5), 654-661.
- Kendler, K.S., Heath, A., Martin,N.G., and Eaves, L.J. (1986). Symptoms of anxiety and depression in a volunteer twin population: the etiologic role of genetic and environmental factors. *Archives of General Psychiatry*, 43, 213-221.
- Kernis, M.H.,(2005). Measuring self-esteem in context: The importance of stability of self-esteem in psychological functioning. *Journal of Personality*, 73(6), 1569-1605.
- Kesebir, S., Gundogar, D. and Kucuksubas, Y. (2013). The relation between affective temperament and resilience in depression: A controlled study. *Journal of Affective Disorders*, 148, 352-356.
- Kim,Y.K., Na, K.S., Myint, A.M, (2016). The role of pro-inflammatory cytokines in neuroinflammation, neurogenesis and the neuroendocrine system in major depression. *Progress in Neuro-Psychopharmacology & Biological Psychiatry*, 64, 277-284.
- Kinser, P.A., Bourguignon,C., Whaley, D., Hauenstein, E. and Taylor, A.G. (2013). Feasibility, Acceptability, and Effects of Gentle Hatha Yoga for Women with Major Depression: Findings from a Randomized Controlled Mixed-Methods Study. *Archives of Psychiatric Nursing*, 27, 137-147.

- Kjellgren, A. (2007). Wellness through a comprehensive yogic breathing programme a controlled pilot trial. *BMC Complement. Altern. Med.* 7, 43.
- Klein, J.P., Becker, B. and Hurlmann, R. (2014). Effect of specific psychotherapy for chronic depression on neural Responses to emotional faces. *Journal of Affective Disorders*, 166, 93-97.
- Klein, S.A. and Winkelstein, M.L. (1996). Enhancing Pediatric Health Care with Music. *Journal of Pediatric Health Care*, vol 10(2): 74-81.
- Krishna, M., Lepping, P. and Jones, S. (2015). Systematic review and meta-analysis of group cognitive behavioural psychotherapy treatment for sub-clinical depression. *Asian Journal of Psychiatry*, 16, 7-16.
- Kulesza, M.,Raguram, R. and Rao, D. (2014). Perceived mental health related stigma, gender, and depressive symptom severity in a psychiatric facility in South India. *Asian Journal of Psychiatry*, 9, 73-77.
- Kumar, A. (2008). *Pranayama and Health*. Khel Sahitya Kendra, New Delhi.
- Kwon, M., Gang, M., and Oh, K. (2013). Effect of the Group Music Therapy on Brain Wave, Behavior, and Cognitive Function among Patients with Chronic Schizophrenia. *Asian Nursing Research*, 7, 168- 174.
- Lee, J.I. and Yen, C.F. (2014). Associations between body weight and depression, social phobia, insomnia, and self-esteem among Taiwanese adolescents. *Science Direct*, 30, 625-630.
- Lee, J.S. and Koo, H.J. (2015). The relationship between adult attachment and depression in Korean mothers during the first 2 years postpartum: A moderated mediation model of self-esteem and maternal efficacy. *Personality and Individual Differences*, 79, 50-56.
- Lee, K.L., Kim, J.I., and N, R. (2015). Relating Factors for Depression in Korean Working Women: Secondary Analysis of the Fifth Korean National Health and Nutrition Examination Survey (KNHANES V). *Asian Nursing Research*, XXX, 1-6.

- Lewinsohn, P.M. (1995). Section ed. Mood Disorders. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Li, J., Theng, Y.L. and Foo, S. (2015). Does psychological resilience mediate the impact of social support on geriatric depression? An exploratory study among Chinese older adults in Singapore. *Asian Journal of Psychiatry*, 14, 22-27.
- Li, J.B., Delvecchio, E. and Riso, D.D. (2015). Self-esteem and its association with depression among Chinese, Italian, and Costa Rican adolescents: A cross-cultural study. *Personality and Individual Differences*, 82, 20-25.
- Liu, J.C., Chang, L.Y. and Wu, S.Y. (2015). Resilience mediates the relationship between depression and psychological health status in patients with heart failure: A cross-sectional study. *International Journal of Nursing Studies*, 42, 34-37.
- Lojko, D., Buzuk, G., Owecki, M., Ruchala, M. and Rybakowski, J.K. (2015). Atypical features in depression: Association with obesity and bipolar disorder. *Journal of Affective Disorders*, 185, 76-80.
- Lopes, R.T., Gonçalves, M.M. and Fassnacht, D.B. (2014). Long-term effects of psychotherapy on moderate depression: A comparative study of narrative therapy and cognitive-behavioral therapy. *Journal of Affective Disorders*, 167, 64-73.
- Lopes, R.T., Goncalves, M.M. and Sinai, D. (2015). Predictors of dropout in a controlled clinical trial of psychotherapy for moderate depression. *International Journal of Clinical and Health Psychology*, 15, 76-80.
- Luthar, S.S. and Cicchetti, D. (2000). The construct of Resilience: A Critical Evaluation and Guidelines for Future Work. *Child Development*, Wiley Online Library, 71(3).
- Madsen, C.K., Cotter, V., and Madsen, C.H., (1968). A behavioural approach to music therapy. *Journal of Music Therapy* 5 (3), 69–71.
- Malloch and Tresarthus, (2009). *Musicality: Communicating the vitality and interests of life*. researchgate.net.

- Masten, A.S.,(2007). Resilience in developing systems: Progress and promise as the fourth wave rises. *Development and Psychopathology*, Cambridge University Press.
- Mathew, M.,Antony, A. and AnuKuriakose, A. (2013). Predictors of depression among patients with diabetes mellitus in Southern India. *Asian Journal of Psychiatry*, 6, 313-317.
- Miller, S., Dell’Osso, B. and Ketter, T.A. (2014). The prevalence and burden of bipolar depression. *Journal of Affective Disorders*, 169 S1, S3-S11.
- Millings, A., Buck, R. and Montgomery, A. (2012). School connectedness, peer attachment, and self-esteem as predictors of adolescent depression. *Journal of Adolescence*, 35, 1061-1067.
- Min, J.A., Lee, C.U. and Chae, J.H. (2015). Resilience moderates the risk of depression and anxiety symptoms on suicidal ideation in patients with depression and/or anxiety disorders. *Science Direct*, 56, 103-111.
- Moayedoddin, B.,Rubovszky, G.and Mammana, L.(2013). Prevalence and clinical characteristics of the DSM IV major depression among general internal medicine patients. *European Journal of Internal Medicine*, 24, 763-766.
- Morgan, J.K., Ambrosia, M., Forbes, E.E., Cyranowski, J.M., Amole, M.C., Silk, J.S., Elliot,R.D. and Swartz, H. A. (2015). Maternal response to child affect: Role of maternal depression and relationship quality. *Journal of Affective Disorders*, 187, 106-113.
- Morley, A.H., Young, B., Waheed, W., Small, N. and Bower, P. (2015). Factors affecting recruitment into depression trials: Systematic Review, Meta-synthesis and Conceptual framework. *Journal of Affective Disorders*, 172, 274-290.
- Moroz, M., M, D. and Dunkley, D.M. (2015). Self-critical perfectionism and depressive symptoms: Low self-esteem and experiential avoidance as mediators. *Personality and Individual Differences*, 87, 174-179.

- Mosqueiro, B.P., Rocha, N.S. and Fleck, M.P. (2015). Intrinsic religiosity, resilience, quality of life, and suicide risk in depressed inpatients. *Journal of Affective Disorders*, 179, 128-133.
- Mossler, K. and Assmus, J. (2012). Music therapy techniques as predictors of change in mental health care. *The Arts in Psychotherapy*, 39(4), 331-341.
- Mruk, C.J. (2009). Self-esteem. *The Corsini Encyclopedia of Psychology*, Wiley online Library.
- Nalappat, S. (2003). *Without a stumble: A book on the spirituality of music*, D.C. Press (P) Ltd.
- Neimeyer, R.A. (2000). Searching for the meaning of meaning: Grief therapy and the process of reconstruction. *Death studies*, 24(6), 541-558.
- Nordoff, P., and Robbins, C. (1977). *Creative Music Therapy*. Harper and Row, New York.
- Nowak, L.K. (2015). Music, text, music-and-text and psychophysiological responses: A randomized controlled trial, *The Arts in Psychotherapy*, 42, 51-62.
- Olsson, C.A., Bond, L., and Burns, J.M. (2003). Adolescent Resilience: a concept analysis. *Pubmed. Gov* 26(1), 1-11.
- Pascoe, M.C. and Bauer, I.E. (2015). A systematic review of randomised control trials on the effects of yoga on stress measures and mood. *Journal of Psychiatric Research*, 68, 270-282.
- Pattanayak, R.P. and Sagar, R. (2014). Depressive Disorders in Indian Context: A Review and Clinical Update for Physicians. *Journal of the association of physicians of India*, vol 62.
- Paykel, E.S. (1985). Section ed. Mood Disorders. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Pérez, S.C. and Pérez, V.G. (2010). Effects of music therapy on depression compared with psychotherapy. *The Arts in Psychotherapy*, 37, 387-390.

- Pilkington, K. and Kirkwood, G. (2005). Yoga for Depression: The research evidence. *Journal of affective disorders*, 89, 13-24.
- Priestley, M., (1994). *Essays on Analytical Music Therapy*. Barcelona Publishers, Phoenixville.
- Prigerson, H.G. (1999). Section ed. *Mood Disorders*. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Priyadarsini, A.C. and Rohini, N.S. (2015). Effect of Carnatic music and Pranayama on Depression and Resilience in Mild Depressives. *Indian Journal of Health and Well-being* , 6(9), 849-853.
- Rainey, E.E., S, M. and Petrey (2014). Psychological factors predicting outcome after traumatic injury: the role of resilience. *The American Journal of Surgery*, 208, 517-523.
- Rawson, R.A., Chudzynski, J. and Gonzales, R. (2015). The Impact of Exercise on Depression and Anxiety Symptoms Among Abstinent Methamphetamine-Dependent Individuals in A Residential Treatment Setting. *Journal of Substance Abuse Treatment*, 57, 36-40.
- Roseman, R.H. (1975). Section ed. *Mood Disorders*. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Rosenberg, M., Schooler, C., Schoenbach, C. and Rosenberg, F. (1995). Global self-esteem and specific self-esteem: Different concepts, different outcomes. *American psychological Review*, 60 (1), 141-156.
- Rosenberg, M. (1965). *Society and adolescent self-image*. Princeton, Nj: Princeton University Press.
- Rush, A.J. (1998). Section ed. *Mood Disorders*. In: Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.

- Sadock B.J., Sadock, V.A. (2003). Kaplan and Sadock's Synopsis of Psychiatry: Behavioral sciences and Clinical Psychiatry. 9th ed. Lippincot Williams & Wilkins.
- Sairam, T.V. (2004). Raaga Therapy. Chennai. Nada Centre for Music Therapy.
- Salve, H., Goswami, K., Nongkynrih, B., Sagar, R., & Sreenivas, V. (2012). Prevalence of psychiatric morbidity at Mobile Health Clinic in an urban community in North India. *General Hospital Psychiatry*, 34, 121-126.
- Sarason, I.G. and Sarason, B.R. (2002). *Abnormal Psychology: The problem of maladaptive behavior*. 10th ed. Pearson Education, Inc.
- Saraswati, S.N. (2009). *Prana and Pranayama*. Bihar School of Yoga, Yoga Publications Trust, Bihar.
- Saraswati, S.S. (2008). *Asana Pranayama Mudra Bandha*. Bihar School of Yoga, Yoga Publications Trust, Bihar.
- Satyapriya, M., Nagarathna*, R., Padmalatha, V.V. and Nagendra, H.R.R.** (2013). Effect of integrated yoga on anxiety, depression & well-being in normal pregnancy. *Complementary Therapies in Clinical Practice*, 19, 230-236.
- Schramm, E., Zobel, I. and Dykierck, P. (2011). Cognitive behavioral analysis system of psychotherapy versus interpersonal psychotherapy for early-onset chronic depression: A randomized pilot study. *Journal of Affective Disorders*, 129, 109-116.
- Sedikides, C. and Gregg, A.P. (2008). *Self-Enhancement: Food For Thought*. Perspectives on Psychological Science. Sage Journals.
- Sharma, V.K., et al., (2006). Effect of Sahaj Yoga on neuro-cognitive functions in patients suffering from major depression. *Indian J. Physiol. Pharmacol.* 50 (4), 375-383.
- Silva, T.L., Ravindran, L.N. and Ravindran, A. V. (2009). Yoga in the treatment of mood and anxiety disorders: A review. *Asian Journal of Psychiatry*, 2, 6-16.

- Silverman, M.J. (2010). Perceptions of music therapy interventions from inpatients with severe mental illness: A mixed-methods approach. *The Arts in Psychotherapy*, 37, 264-268.
- Silverman, M.J. (2011). Effects of music therapy on psychiatric patients' proactive coping skills: Two pilot studies. *The Arts in Psychotherapy*, 38, 125-129.
- Silverman, M.J. and Rosenow, S. (2013). Immediate quantitative effects of recreational music therapy on mood and perceived helpfulness in acute psychiatric inpatients: An exploratory investigation. *The Arts in Psychotherapy*, 40, 269-274.
- Singh, S.M. and Sharma, A., (2013). The prevalence and correlates of guilt in depression: A study from North India. *Asian Journal of Psychiatry*, 6, 622-623.
- Solanki, S.M., Zafar, M. and Rastogi, R. (2013). Music as a therapy: Role in psychiatry. *Asian Journal of Psychiatry*, 6, 193-199.
- Southwick, S.N., and Bonanno, G.A. (2014). Resilience definition, theory and challenges: interdisciplinary perspectives. *European Journal of Psychotraumatology*, 16, 102-106.
- Steinert, C., Hofmann, M. and Kruse, J. (2014). Relapse rates after psychotherapy for depression – stable long-term effects? A meta-analysis. *Journal of Affective Disorders*, 168, 107-118.
- Sundar, S. (2007). Traditional healing systems and modern music therapy in India. *Music Therapy Today*, Vol. VII (3).
- Sundar, S., (2007). Traditional healing systems and modern music therapy in India. *Music Therapy Today (Online)* VIII (3) Available at: <http://musictherapyworld.net>.
- Swan, J.S., MacVicar, R. and Christmas, D. (2014). Cognitive Behavioural Analysis System of Psychotherapy (CBASP) for chronic depression: Clinical characteristics and six month clinical outcomes in an open case series. *Journal of Affective Disorders*, 152-154, 268-276.

- Taspinar, C., Aslan, U.B., Agbuga, B. and Taspinar, F.(2014). A comparison of the effects of hatha yoga and resistance exercise on mental health and well-being in sedentary adults: A pilot study. *Complementary Therapies in Medicine*, 22, 433-440.
- Topuzoglu, A., Binbay, T., Ullas, H., Elbi, H., Tanik, F.A., Zagli, N. and Alptekin, K. (2015). The epidemiology of major depressive disorder and subthreshold depression in Izmir, Turkey: Prevalence, socioeconomic differences, impairment and help-seeking. *Journal of Affective Disorders*, 181, 78-86.
- Tuijl, L.A., Jong, P.J. and Sportel, B.E., (2014). Implicit and explicit self-esteem and their reciprocal relationship with symptoms of depression and social anxiety: A longitudinal study in adolescents. *Journal of Behavior Therapy and Experimental Psychiatry*, 45, 113-121.
- Uebelacker, L.A., et al., (2010). Hatha yoga for depression: critical review of the evidence for efficacy, plausible mechanisms of action, and directions for future research. *J. Psychiatr. Pract.* 16 (1), 22-33.
- Varambally, S. and Gangadhar, B.N. (2012). Yoga: A spiritual practice with therapeutic value in psychiatry. *Asian Journal of Psychiatry*, 5, 186-189.
- Vedamurthachar, V.A., Nimmagaddai, J. and Hegde, J.M.(2006). Antidepressant efficacy and hormonal effects of Sudarshana Kriya Yoga (SKY) in alcohol dependent individuals. *Journal of Affective Disorders*, 94, 249 – 253.
- Velehorsch, C., Bleau, P. and Vermani, M. (2014). Understanding the role of adjunctive nonpharmacological therapies in management of the multiple pathways to depression. *Psychiatry Research*, 220 S1, S34-S44.
- Waldie, K.E., Peterson, E.R., D'Souza, S., Underwood, L., Pryor, J.E., Carr, P.A., Grant, C. and Morton, S.M.B. (2015). Depression symptoms during pregnancy: Evidence from Growing Up in New Zealand. *Journal of Affective Disorders*, 186, 66-73.
- Walser, R.D., Garvert, D.W. and Karlin, B.E. (2015). Effectiveness of Acceptance and Commitment Therapy in treating depression and suicidal ideation in Veterans. *Behaviour Research and Therapy*, 74, 25-31.

- Wang, C.F., Sun, Y.L. and Zang, H.X. (2014). Music therapy improves sleep quality in acute and chronic sleep disorders: A meta-analysis of 10 randomized studies. *International Journal of Nursing Studies*, 51, 51-62.
- Wang, P.W., Yang, P.C. and Yeh, Y.C. (2013). Self-esteem in adolescent aggression perpetrators, victims and perpetrator-victims, and the moderating effects of depression and family support, Kaohsiung. *Journal of Medical Sciences*, 29, 221-228.
- Waugh, C.E. and Koster, E.H. (2014). A resilience framework for promoting stable remission from depression. *Clinical Psychology Review*.
- Wegener, I., Geiser, F. and Alfter, S. (2015). Changes of explicitly and implicitly measured self-esteem in the treatment of major depression: Evidence for implicit self-esteem compensation. *ScienceDirect*, 58, 57-67.
- Weissman, M.M. and Markowitz, J.C. (2004). *Interpersonal Psychotherapy: principles and applications*. *World Psychiatry*, 3(3), 136-139.
- Wigram, T., Pederson, I.N. and Bonde, L.O. (2002). *A Comprehensive Guide to Music Therapy: Theory, Clinical Practice, Research and Training*, Jessica Kingsley Publishers.
- Wingo, A.P., Wrenn, G. and Pelletier, T. (2010). Moderating effects of resilience on depression in individuals with a history of childhood abuse or trauma exposure. *Journal of Affective Disorders*, 126, 411-414.
- Woolery, A., et al., (2004). A yoga intervention for young adults with elevated symptoms of depression. *Altern. Ther. Health Med.* 10 (2), 60-63.
- World Federation of Music Therapy, (1996). *Definition of Music Therapy*. www.musictherapyworld.de.
- World Health Organization (WHO). (2013). <http://www.euro.who.int/en/what-we-do/health-topics/noncommunicable-diseases/mental-health/news/news/2012/10/depression-in-europe/depression-definition>

- Xu, Z.Y., Zu, S. and Xiang, Y.T. (2013). Associations of self-esteem, dysfunctional beliefs and coping style with depression in patients with schizophrenia: A preliminary survey. *Psychiatry Research*, 209, 340-345.
- Xu,Y.,Chi,X.,Chen.S, (2014). Prevalence and correlates of depression among college nursing students in China. *Nurse Education Today* , 34, e7-e12.
- Yaka, E., Keskinoglu,P. , Ucku,R., Yener, G,I. and Tunca, Z. (2014).Prevalence and risk factors of depression among community dwelling elderly.Archives of Gerontology and Geriatrics, 59, 150-154.
- Zeeck, A., Wietersheim, J., Wei, H., Scheidt, C.E., Volker, A., Helesic, A., Henn, A.E., Beutel, M., Endorf, K., Knoblauch, J., Rochlitz, P. and Hartmann, A. (2015). Symptoms course in in-patient and day-clinic treatment of depression: Results from the INNDDEP-study. *Journal of Affective Disorders*, 187, 35-44.
- Zubala, A. and MacIntyre, D.J. (2014). Description of arts therapies practice with adults suffering from depression in the UK: Qualitative findings from the nationwide survey. *The Arts in Psychotherapy*, 41, 535-544.