



REFERENCES

- Abu, El- Asrar AM, Dralands L, Missotten L, Geoboes K., (2004), Inducible nitric oxide synthase and vascular endothelial growth factor are colocalized in the retinas of human subjects with diabetes. *Eye* 18:306-313
- ACC/SCN, (2000), *Fourth Report on the World Nutrition Situation.*, Geneva: ACC/SCN in collaboration with International Food Policy Research Institute (IFPRI)
- Aditi.M, (2009), Health status of an indigenous population in India receiving preventive and curative health care services, Association for Health Welfare in the Nilgiris, Post Box.20, Thottamoola, Gudalur.
- Aiyappan, A.(1948), Report on the socioeconomic Conditions of the Aboriginal Tribes of the province of Madras, Government press, Madras.
- Amirtha .A (2008), Nitrate and nitrite in biology, nutrition and therapeutics, *Nature chemical biology*, Vol.5, Pp. 865-869.
- Anangamathi .E and R. Varalakshmi, (2014), Impact of Food Based Approach to Improve Frequency and Nutrient Consumption among Tribal Women, *International Journal of Science and Research (IJSR)*, ISSN (Online): 2319-7064, Volume 3 Issue 4.
- Anderson M A. (1979) Comparison of anthropometric measures of nutritional status in preschool children in five developing countries. *Am J Clin Nutr*; 32: 2339-45.
- Annual Report, Regional Medical Research Centre for Tribals, (1993 – 94)Jabalpur, p.34.
- AOAC.(1990), Association of Official Analytical Chemists. Official methods of analysis. 14th edition. Arlington:
- Arlappa, N., N. Balakrishna, G. N. Brahmam & K. Vijayaraghavan (2005). Nutritional status of the tribal elderly in India. *Journal of Nutrition for the Elderly* 25(2): 23–39.
- Arroyave, G., O. Pineda, and C. de Funes, (1974). Enriquecimiento de Azúcar con Vitamina A. Método Rápido para la Fácil Inspección del Proceso. *Arch. Latinoamer. Nutr.* 24: 155-159.
- Bailey and Hedlund, (2012), The impact of cash transfers on nutrition in emergency and transitional contexts, A review of evidence, ISBN number: 978-1-907288-62-3
- Balgir R.S. (1998), Health of Tribal Population in India; Results of Some ICMR Studies. Indian Council of Medical Research, New Delhi, p.1.
- Balgir R.S. and B.P. Dash, (2004), Studies on Tribal Health, Annual Report 2003-2004, p. 60
- Balgir RS, Kerketta AS, Murmu B, Dash BP, (2002), Clinical assessment of health and nutritional status of Gond children in Kalahandi district of Orissa. *Indian J Nutr Diet*; 39: 31-7.

- Balgir RS, Sharma SK. (1988). Distribution of sickle cell hemoglobin in India. *Indian J Hemat.* Vol. 6: pp 1-14.
- Balgir RS. (1996b). Genetic epidemiology of the three predominant abnormal hemoglobins in India. *J Asscn Phys India.* Vol. 44: pp 25-28.
- Balgir RS. (1997). Khonds – health status. In: Madhava Menon T, Sivathanu C, Prasanth KP, Sasikumar M, Mathur PRG (Eds.). *Encyclopedia of Dravidian Tribes.* Trivendrum: The International School of Dravidian Linguistics. pp. 21-29.
- Balgir RS. (1999a). the prevalence of colour impairment disorders in India. *Indian Practr.* Vol. 52: pp 256-268.
- Balgir RS. (1999b). Control and prevention of genetic load of hemoglobinopathies in India. *Natl Med J India.* Vol.12: 234-238.
- Balgir RS. (2000a). Human genetics, health and tribal development in Orissa. In: P Dash Sharma (Ed.). *Environment, Health and Development: An Anthropological Perspective.* Ranchi: S.C.Roy Institute of Anthropological Studies. pp. 87-104.2
- Balgir RS. (2000b). The Burden of hemoglobinopathies in India and the challenges ahead. *Curr Sci.* Vol. 79: 1536-1547.
- Balgir RS. (2004a). Dimensions of rural tribal health, nutritional status of Kondh tribe and tribal welfare in Orissa: a biotechnological approach. *Proceedings of the UGC Sponsored National Conference on Human Health and Nutrition: A Biotechnological Approach (Lead Lecture), 12-13th December 2004.* Thane. pp. 47-57.
- Balgir RS. (2004b). Health care strategies, genetic load, and prevention of hemoglobinopathies in tribal communities in India. *South Asian Anthropologist.* Vol. 4: pp 189-198. 6
- Balgir RS. (2004c). Medical genetics in Orissa: an urgency in health and disease. *Proceedings of the 8th Orissa Bigyan Congress on Science for Sustenance held during 11-12th December 2004, Bhubaneswar.* pp. 20-23.
- Balgir RS. (2004d). Genetic diversity and epidemiology of the major scheduled tribes of Orissa. In: Hema Prasad M and Reddy P P (Eds). *Health and Environment.* Hyderabad: Institute of Genetics. pp 67-91.
- Balgir RS. (2005a). Biomedical anthropology in contemporary tribal society of India. In: Behera, Deepak Kumar & Pfeffer, Georg (Eds). *Contemporary Society: Tribal Studies*
- Balgir RS. (2005b). Emergence of medical genetics in Orissa. *J Indian Inst Pub Admn (Orissa Regional Branch).* Vol.13: pp 285-293.
- Balgir RS. (2005c). The spectrum of hemoglobin variants in two scheduled tribes of Sundargarh district in North-Western Orissa, India. *Ann Hum Biol.* Vol.32: pp 560-573.
- Balgir RS.(2005a). Biomedical anthropology in contemporary tribal society of India. In: Behera, Deepak Kumar & Pfeffer, Georg (Eds). *Contemporary Society: Tribal Studies (Tribal Situation in India).* New Delhi: Concept Publishing Company. Vol. (6). pp 292-301.

- Balgir, (2007), A monozygotic twin pair with β -thalassemia carrier status in a Dudh Kharia tribal family of Orissa, Indian J Hum Genet. Jan;13(1):21-5. doi: 10.4103/0971-6866.32030.
- Basu, (2000), A semiparametric Bayesian model for capture- recapture with heterogenous capture probabilities, Technical Report, Northern Illinois University
- Basu, S.K, (1994), Health problems and health care of the tribal population of India. In: Tribal Economy, Health and Wasteland Development. Ed. N. Mahanti, Inter-India Publications, New Delhi, p.137.
- Becker EW. (1984). Nutritional properties of microalgal potentials and constraints. In: Richmond A, editor. Handbook of microalgal mass culture. Boca Raton, Fla.: CRC Press, Inc. p 339–408.
- Becker, E.W.; Jakober, B.; Luft, D.; Schumuling, R.M.; (1986), Clinical and biochemical evaluations of the alga *Spirulina* with regard of its application in the treatment of obesity: Nutr. Rep. Int. 33, 565-574.
- Begum, S.S, M.J., Munishanappa, H.V. and Devi. R.G. (2011). Impact of Nutrition Counselling on Knowledge, Attitude and Practice (KAP) scores, International Conference on Food and Nutraceuticals for Nutrition and Health: Technology
- Belay A. (1997). Mass culture of *Spirulina* outdoors. The Earthrise Farms experience. In: Vonshak A, editor. *Spirulina platensis* (Arthrospira): physiology, cell biology and biotechnology. London: Taylor and Francis. p131–58.
- Belay.A, (2002), The potential application of spirulina (Arthrospira) as a nutritional and therapeutic supplement in health management, Journal of the American Nutraceutical Association 5,27-48.
- Belch J.J.F., Chopra, M., Hutchison, S. (1988), J.Free Rad.Biol.Med.27,426-430.
- Berkman and Kawachi, (2000); Social epidemiology, New York, Oxford University press.
- Bhasin MK, Walter H. (2001). Genetics of castes and tribes of India. Delhi: Kamla-Raj Enterprises. pp. 26-78.
- Bhasin S.K. Sing V, Sood V.P and Gaur D.R.(1990) — Height and weight of 'well -to – do' school children in Haryana Indian paediatrics. **27**: 1089-1093.
- Bhasin, M.K. and Singh, L.P, (1992), A study of anthropometric somatotype in two high altitude populations- Bodhs and Baltis of Ladakh, Jammu and Kashmir, India. *J.*
- Bhasin, M.K. and Singh, L.P.:(1991 a) Somatotype changes during adolescence in Gujjars and Tibetans of J&K, India. *J. Hum. Ecol.*, **2(1)**: 81-84.
- Bhasin, M.K., and Jain, S. (2007). Biology of the tribal groups of Rajasthan, India: Age changes in somatotype. *Anthropologist*. 9(4):257-265.
- Bhasin.M.K and Sweta Jain, (2007), Biology of the Tribal Groups of Rajasthan, India: 4. Age Changes in Somatotype, *Anthropologist*, 9(4): 257-265, p. 259

- Bhat, V.B.; Madyastha, M. (2001), scavenging of Peroxynitrite by phycocyanin and phycocyanobilin from *Spirulina platensis*: protection against oxidative damage to DNA: *Biochemical and Biophysical Research Communications* 285, 262-266.
- Bisai S, Bose K, Ghosh T, De GK, Khongsdier R, Koziel S (2012), Nutritional status based on anthropometry of tribal preschool children in Paschim Medinipur district of West Bengal, India. *Int J Innovative Res Dev*;1:61-79.
- Biswas.S, K Bose, A Mukhopadhyay, (2008), *High prevalence of stunting among Integrated Child Development Services (ICDS) Scheme Children aged 1-5 years of Chapra Block, Nadia District, West Bengal, India..* The Internet Journal of Biological Anthropology. Volume 3 Number 2.
- BMZ: 2012,10-Punkte Programm des BMZ zur ländlichen Entwicklung und Ernährungssicherung.
- Borowitzka Michael A., (1988), *Micro-algal Biotechnology*, published by Cambridge University Press, ISBN0521323495, 9780521323499
- Bose, Kaushik, Falguni Chakraborty, Samiran Bisai, Argina Khatun & Hironmoy Bauri. (2006). Body mass index and nutritional status of adult Savar tribals of Keonjhar District, Orissa, India. *Asia Pacific Journal of Public Health* 18(3): 3–7.
- Bose. K and Chakraborty. F, (2005). Anthropometric characteristics and nutritional Status based on body mass index of adult Bathudis: a tribal population of Keonjhar District, Orissa, India. *Asia Pacific Journal of Clinical Nutrition* 14(1): 80–2.
- Branley D, Hebert P, Tuzzio L, Chassin M (2005) Disparities in indigenous health: A cross-country comparison between New Zealand and the United States. *Am. J Public Health* 95: 844-850.
- Branger B, Cadudal JL, Delobel M, Ouoba H, Yameogo P, Ouedraogo D (2003). Spiruline as a food supplement in case of infant malnutrition in Burkina-Faso. *Arch. Pediatr.*, 10(5): 424-431.
- Branley D, Hebert P, Jackson R, Chassin M (2004) Indigenous disparities in disease specific mortality, a cross-country comparison: New Zealand, Australia, Canada, and the United States. *N Z Med J* 117: U1215.
- Bredie (2011), Development of Five point Hedonic Child Friendly Scale
- Bristow, C.S., 2003, Ground Penetrating Radar in Sediments. *Geological Society Special Publication* 211. pp.330.
- Bujard-E, U. Braco-U, Mauron-J, Mottu-F, Nabholz-A, Wuhmann-JJ & Clément-G (1970) "Composition and Nutritive Value of Blue Green Algae (*Spirulina*) and their Possible Use in Food Formulations." 3rd. International Congress of Food Science and Technology, Washington 1970.
- Bulliya, G., Mohapatra, S.S.S., Kerketta, A.S. and Nayak, R.N, (2000), Assessment of health and nutritional profile among elderly population of Orissa primitive tribes. Annual Report, Regional Medical Research Centre, Bhubaneswar, p.40.
- Carmichael W. (1994), "The Toxins of Cyanobacteria" *Sci. Am. Jan*, 64-72. carotene and algae extracts." *J-Oral-Maxillofac-Surg.* 1987 Jun; 45(6): 510-5. Center (MCRC) Madras, India.

- Carney. Cuddy, Amy J.C., Caroline A. Wilmuth, and Dana R.(2012), "The Benefit of Power Posing Before a High-Stakes Social Evaluation." Harvard Business School Working Paper, No. 13-027.
- Census of India, (2011): Provisional Population Totals-India-Data Sheet [Internet][accessed on 2012 AUG 12] Available from: [www- educationforallinindia.com/ india-data-sheet 2011-census.pdf](http://www-educationforallinindia.com/india-data-sheet-2011-census.pdf)
- Census of India (1891) - General Reports (by J. A.Baines F.S.S), Eyre and Spottiswood, London, 1893.
- Census of India, (2001), Provisional population totals (Orissa),Paper-1, Series 22.
- Census of India. (2001): Final Population Totals. Registrar General and Census Commissioner. India. New Delhi : Controller of Publications.
- Chakma T, Meshram P, Kavishwar A*, Vinay Rao P and Rakesh Babu, (2014), Regional Medical Research Centre for Tribals (Indian Council of Medical Research) Jabalpur, Madhya Pradesh, India, Nutritional Status of Baiga Tribe of Baihar, District Balaghat, Madhya Pradesh, Nutrition and Food Sciences, Chakma et al., J Nutr Food Sci, 4:3
- Chakma T, Rao PV, Meshram PK, Singh SB., (2006), Health and Nutrition Profile of Tribals of Madhya Pradesh and Chhattisgarh. Proceeding of National Symposium on Tribal Health. Available from: [http://www.rmrc.org/files_rmrc_web /centre's_publications/NSTH_06/NSTH06_26.T.Chakma.pdf](http://www.rmrc.org/files_rmrc_web/centre's_publications/NSTH_06/NSTH06_26.T.Chakma.pdf). [Last cited on 2012 Jan 14].
- Challem-JJ, Passwater-RA, & Mindell-EM (1981), "Spirulina" Keats Publishing, Inc.
- Chamorro.G, S. Salazar, L. Favila-Castillo, C. Steele, and M. Salazar, (1997), "Reproductive and peri- and postnatal evaluation of *Spirulina maxima* in mice," *Journal of Applied Phycology*, vol. 9, no. 2, pp. 107–112.
- Chauhan DA,(2012). Simultaneous cultivation of *Spirulina plantesis* and the toxigenic cyanobacteria *microcystis aeruginosa*. *Naturforsch.*, 61(1-2): 105-110.
- Chhotray GP, (2003), Health status of primitive tribes of Orissa. *ICMR Bull*; 33: 40-7.
- Child Fund India- NAWA (2009-2010), Nilgiris Adivasi Welfare Association Report.
- Child Nutritional Status in the Democratic Republic of Congo.(2009)" Paper presented at the D FID: The neglected crisis of undernutrition. DFID's strategy. Evidence for action.
- Child Survival Collaborations and Resources Group, Nutrition Working Group, (2003). Nutrition Working Group, Child Survival Collaborations and Resources Group (CORE), Positive Deviance / Hearth: A Resource Guide for Sustainably Rehabilitating Malnourished Children, Washington, D.C: December 2002.
- Chowdhury MSH, Biswas S, Halim MA, Haque SMS, Muhammed N, Koike M. (2007a).Comparative analysis of some selected macronutrients of soil in orange orchard and degradedforests in Chittagong Hill Tracts, Bangladesh. *Journal of Forestry Research*, 18(1): 27–30.
- Chowdhury SD, Chakraborty T, Ghosh T, (2008), Prevalence of undernutrition in Santal children of Puruliya district, West Bengal. *Indian Pediatr*; 45:43 - 6.
- Ciferri O. (1983). *Spirulina*, the edible microorganism. *Microbiol Rev*47:551–78.

- Clements F.E., 1975. Primitive concepts of disease. "University of California Publications in American Archaeology and Ethnology", 32 (2): 185-252.
- Clements E.M.B and Pickett K.G., (1957), stature and weight of men from England and Wales in 1941, British Journal of Preventive and social medicine 11: 51-60
- Cohen Z. (1997). The chemicals of *Spirulina*. In: Vonshak A, editor. *Spirulina platensis* (Arthrospira): physiology, cell-biology and biotechnology. London: Taylor and Francis. p 175–204.
- CORE PD Hearth Essential Elements, (2005). Judiann McNulty, CORE Group, Positive Deviance / Hearth Essential Elements: A Resource Guide for Sustainably Rehabilitating Malnourished Children (Addendum), Washington, D.C: August 2005.
- Coutsoudis A, P Keipiela, H.Coovadia *et al.*, (1992), Vitamin A supplement enhances specific 1gc antibody levels and total lymphocyte numbers while improving morbidity in measles, Pediatric infectious Disease 1: 203-209
- Daniel M. Bartels (2010), "The Costs and Benefits of Calculation and Moral Rules," *Perspectives on Psychological Science*, 5, 187-202.
- Dasgupta, Dipa Sinha, Sachin Kumar Jain and Vandana Prasad, (2013) *Centre of Social Medicine and Community Health Jawaharlal Nehru University, Delhi 110 067, India*, Indian Pediatrics, volume 50.
- De Caire GZ, Parada JL, Zaccaro MC, de Cano MMS. (2000). Effect of *Spirulina platensis* biomass on the growth of lactic acid bacteria in milk. *World J Microbiol Biotechnol* 16:563–5.
- Demographic and Health Surveys 1994-2001*. DHS Comparative Report No. 10. Calverton, MD, USA: ORC Macro.
- Deshpande, R., and Mishra, M. (2001), Nutrition education improves dietary pattern of pregnant women, *Journal of nutrition*, Vol.53, Pp 149.
- DFID, 2009 UK Department for International Development (DFID) 2009 White Paper
- DGPEI / Research Institute for development, L. Charpy ; M-J Langlade ; R.Alliod.
- Dietary Guidelines for Americans, (2005). Nutrition and Your Health: 6th ed.* Washington, DC: US Government Printing Office.
- Dietary Supplement Health and Education Act of (1994). Public L No. 103-417 (codified at 42 USC 287C-11).
- Dillon JC, Phan PA. (1993). *Spirulina* as a source of proteins in human nutrition. In: Doumengue F, Durand-Chastel H, Toulemont A, editors. *Spiruline* algue de vie. Musée Océanographique. Bulletin de l'Institut Océanographique Monaco. Numéro special 12:103–7.
- Dillon J.C, A. P. Phuc, and J. P. Dubacq, (1995), "Nutritional value of the alga *Spirulina*," *World Review of Nutrition and Dietetics*, vol. 77, pp. 32–46.
- Divakar SV, Balaji PA, Poornima S, Varne SR, Ali SS, Puttaswamy M, (2015), A comparative assessment of nutritional and health status between tribal and nontribal under five children of Mysore, India. *Muller J Med Sci Res* 2013;4:82-5.

- Dolla CK, Meshram P, Varma A, Shrivastav P, Karforma C, et al. (2006) Health and Morbidity Profile of Bharias – A Primitive Tribe of Madhya Pradesh. *J Hum Ecol* 19: 139-141.
- Duan M, Ma WX, Li L, Sun XT,(2001), Determination of micro-elements in natural spirulina using FAAS, Loess Plateau Agricultural Testing Center, Shanxi Academy, Yangling 712100 Indian Academy of Pediatrics.(1972) Classification suggested by the Nutrition Subcommittee of the Indian Academy of Pediatrics, 1971-72. *Ind Pediatr* 1972;6:360.
- E.I.D. PARRY (INDIA) LIMITED, Parry Nutraceuticals Division, Dare House, 4th Floor, # 234, N.S.C. Bose Road, Parrys Corner, Chennai – 600001, India, www.parrynutraceuticals.com
- Earthrise Farms Spirulina, (1986), “Product Typical Analysis”, San Rafael, USA.
- El-Baz, F.K., El-Senousy, W.M., El-Sayed, A.B., Kamel, M.M., Amal, A. Mohamed.(2013) In vitro antiviral and antimicrobial activities of algal extract of *Spirulina platensis*. *J App Pharm Sci*; 3 (12): 052-056.
- Emina, J.B., N.B. Kandala, J. Inugu, and Y. Ye. (2009). “The Effect of Maternal Education on
- Escobar-Henriques M, et al. (2001) Proteome analysis and morphological studies reveal multiple effects of the immunosuppressive drug mycophenolic acid specifically resulting from guanylic nucleotide depletion. *J Biol Chem* 276(49):46237-42
- Evets L., et al. (1994), “Means to normalise the levels of immunoglobulin E, using the food supplement Spirulina.” Grodenski State Medical University Russian Federation Committee of Patents and Trade. Patent (19) RU (11) 2005486. Russia. extracts of spirulina-dunaliella algae.” *Nutr. Cancer* 11, 127-134.
- FAO and the FMFH Partners, (2006), Hunger and Malnutrition, http://www.feedingminds.org/info/info_level.htm
- FAO,(2005), Voluntary Guidelines to support the progressive realization of the right to adequate food in the context of national food security.
- FAO.(2010).*NutritionCountryProfiles,IndiaSummary*.http://www.fao.org/ag/agn/nutrition/ind_en.stm. Accessed on 28 February 2012.
- FAO/WHO Codex Alimentarius Commission (1991): General Principles for the Addition of Essential Nutrients to Foods, CAC/GL 09-1987 (amended 1989, 1991)
- Farquharson S M, (1976), Growth patterns and nutrition in Nepali children. *Arch Dis Child*;- 51: 3-12.
- Fathima Kauser, Salma Parveen, (2001), Effect of *Spirulina* as a Nutritional Supplement on malnourished children. *Ind. J. Nutr.Dietet*; 38:269-273
- Fentiman A, Hall A, Bundy D., (2001), Health and cultural factors associated with enrolment in basic education: a study in rural Ghana. *Soc Sci Med*; 52: 429 - 39.
- Finger C (2003) Health care in indigenous populations: The Xingu Indian park. *Lancet* 362: S38-S39.
- Fox RD. (1986). *Algaculture: la Spirulina, UN espoir pour le monde de lafaim*, Edisude, France.

- Fox, R. G. (1999) "Criminal Sanctions at the Other End", paper presented at the 3rd National Outlook Symposium on Crime in Australia, convened by Australian Institute of Criminology, Canberra, 22-23 March.
- Francis.W,(1908), Madras District Gazetteers: The Nilgiris, Logos press, New Delhi
- Frank JW, Moore RS, Ames GM (2000) Historical and cultural roots of drinking problems among American Indians. *Am. J Public Health* 90: 344-35 1.
- Frieden , T.A., Sowell, K.Henning., (1992), Vitamin A levels and severity of measles, *American Journal of Diseases of children* 146: 182-186
- Friedman MS, Somani J (2002) Health conditions in the tribal villages of South Bihar: An epidemiologic survey. *J Assoc Physicians India* 50: 1376-1380.
- Frost, M.B., R. Forste, and D.W. Haas. (2005). "Maternal Education and Child Nutritional Status in Bolivia: Finding the Links." *Social Sciences and Medicine* 60(2): 395-407.
- Fuller R. (1989). Probiotics in man and animals. *J Appl Bacteriol* 66:365–78.
- Gahalawat and Sehgal (1993), Impact of a Community Gardening Project on Vegetable Intake, Food Security and Family Relationships: A Community-based Participatory Research Study, *J Community Health*. Aug; 37(4): 874–881.
- Gaiser J (1984) Smoking among Maoris and other minorities in New Zealand. *World Smoking Health* 9: 7-1 8.
- Gakhar, I. and Malik, S.L, (2001), Relationship between physical fitness tests and biological variables among the Jats of Delhi. *Anthropologist*, **3 (1)**: 43-50.
- George S.M. Sister, D.G. Latham, M.C & Benjanin, T.P.(1994). Home gardening: experience from South India XVI report of IVACG, two decades of progress linking knowledge of action, Thailand, p. 76.
- Ghosh, Arnab, Kaushik Bose, Chaudhuri Das & Baran Asit. (2001). Age and sex variations in adiposity and central fat distribution among elderly Bengalee Hindus of Calcutta, India. *Annals of Human Biology* 28(6): 616–23
- Gibney, J.M. Barrie Margetts, M. John Kearney, M. Lenore Arab (2005), *Public Health Nutrition*, Germany, Black Well Science Publications, P.44.
- Gomez, F., Ramos, G.R.,Frenk, S., Cravioto, J, Chavez, R.,Vazquez, J.(1956) Mortality in second and third degree malnutrition, *J.Trop.Pediatr*: 2:77-83.
- Gondim, Sheila Sherezaide Rocha et al., (2012), Relationship among hemoglobin levels, serum retinol level and nutritional status in children aged 6 to 59 months from the state of Paraíba, Brazil. *Rev. Nutr.* [online], vol.25, n.4, pp. 441-449. ISSN 1415-5273. <http://dx.doi.org/10.1590/S1415-52732012000400002>.
- Gopalan.C, B. V. Rama Sastri, S. C. Balasubramanian (2009), *Nutritive value of Indian Foods*, National Institute of Nutrition, India

- Granich R, Cantwell MF, Long K, Maldonado Y, Parsonnet J (1999) Patterns of health seeking behavior during episodes of childhood diarrhea: A study of Totzil-speaking Mayans in the highlands of Chiapas, Mexico. *Soc Sci Med* 48: 489-495.
- Grant K, Stone T. (1986) Maternal comprehension of home-based growth charts and its effect on growth. *J Trop Pediatr*;32:255-57.
- Guyton A.C. (1986), "Textbook of Medical Physiology", 7th. edition W.B. Saunders Company.
- Gyenis B, Szigeti J, Molnár N, Varga L. (2005). Use of dried microalgal biomasses to stimulate acid production and growth of *Lactobacillus plantarum* and *Enterococcus faecium* in milk. *Acta Agraria Kaposváriensis* 9(2):53–9.
- Hadenshog G, Hofsten A (1979). The ultra structure of *Spirulina plantensis*. A new source of microbial protein. *Physiol. Plant.*, 23:209-216.
- Hamdy.M, M. M. Abdel Aleem and A. A. El-Shazly,(2013), Maternal Vitamin A Deficiency during Pregnancy and Its Relation with Maternal and Neonatal Hemoglobin Concentrations among Poor Egyptian Families, *ISRN Pediatrics*, Volume 2013, Article ID 652148, 6 pages
- Hamill PVV, Drized TA, Johnson CL, Reed RB, Roche AF, et al. (1979) Physical growth, National Centre for Health Statistics percentiles. *Am J Clin Nutr* 32: 607-629.
- Hand S S, Yusuf S, Jacobs R, Davis AD, Yio, et al. (2001) Risk factors, atherosclerosis, and cardiovascular disease among aboriginal people in Canada: The Study of Health Assessment and Risk Evaluation in Aboriginal Peoples (SHAREAP). *Lancet* 358: 1147-1 153.
- Hanumantha Rao D, Brahmam G.NV, Mallikharjuna Rao K, Gall Reddy C H, Prahllad Rao N (1996) Nutrition Profile of Certain Indian Tribes. Proceedings of a National seminar on Tribal Development options. PK Samal eat GB Pant Institute of Himalayan Environment and Development, Almora India.
- Harriman-GR; Smith-PD; Horne-MK; Fox-CH; Koenig-S; Lack-EE; Lane-HC & Fauci-AS (1989), "Vitamin B12 malabsorption in patients with acquired immunodeficiency syndrome", *Arch-Intern-Med.* 149(9): 2039-41.
- Hayashi T, Hayashi K, Maeda M, Kojima I.(1996), Calcium spirulan, an inhibitor of enveloped virus replication, from a blue-green alga *Spirulina platensis*. *J Nat Prod.*;59(1):83–87.
- Health and Family Welfare Department. Orissa Vision (2010): A Health Strategy- Orissa State Integrated Health Policy. Strategies and Action Points. Government of Orissa, 2003.
- Helegson, (2006). *Psychology of Gender* 2nd Edition, New Delhi, Dorling.
- Henrikson R. (1994). *Microalga Spirulina, superalimento del futuro*. Ronore Enterprises. 2nd ed. Barcelona, Spain: Ediciones Urano. p 222
- Hetzel, (2001); ~etzel DM (2001) Death, disease and diversity in Australia, 1951 to 2000. *Med J AUS*~ 174: 21-24.
- Hirahashi T, Matsumoto M, Hazeki K, Saeki Y, Ui M, Seya T.(2002), Activation of the human innate immune system by *Spirulina*: augmentation of interferon production and NK cytotoxicity by oral administration of hot water extract of *Spirulina platensis*. *Int Immunopharmacol.*;2(4):423–434.

- Hockings.P. (1989) *Blue Mountains: the ethnography and biogeography of a South Indian region*. Oxford University Press, New Delhi.
- Horrobin D.F, (1983), Muscular dystrophies and thymic deficiency In: Fabris, N.; Garachi, E.; Hadden, J.; Mitchison, N.A. (Eds.) *Immunoregulation*. Plenum, NY: 373-383.
- Horton et al., (2009), Copenhagen Consensus Center: Micronutrient supplements for child survival. Best Practice Paper. http://www.fao.org/ag/agn/nutrition/household_gardens_en.stm.2013 (FAO) in cobalt- and iodine-enriched media." *J-Appl-Bacteriol* 76(2): 149-54 international
- Hsu HJ (1990) Incidence of tuberculosis in the hunting tribe E-Lun-Chun in Northeast China. *Pneumologie* 44: 453-454.
- Huang.T, Anna Farmer, Ellen Goddard, Noreen Willows, Oliver King, Siick Abubacker, John Pattison (2014),perceptions of the value of the kitchen garden initiative in kolli hills (tamil nadu, india)
- HUDCO (2007), Housing finance publishing division, Patiala house, new Delhi, P.232
- HUDCO, (2010), Housing finance publishing division, Patiala house, new Delhi, P.232, *Hum. Ecol.*, (1): 35-38 (1992b).
- Hurbo.T, (2008), *acta medica lituanica*. 2008. Vol. 15. No. 4. P. 222–228
- ICMR (1990), Health Status of primitive tribes of Orissa, ISSN 0377-4910, Vol.33, No.10
- ICMR (1993), Indian Council of Medical Research, Growth and physical development of the Indian infants and children.Tech Rep Ser No.18
- ICMR (2003),Indian Council of Medical Research, Hyderabad, India
- ICMR Bulletein, (2003), Health Status of primitive tribes of Orissa, ISSN 0377-4910, Vol.33, No.10 October.
- ICMR Report. (1984). Growth and physical development of the Indian infants and children.Tech Rep Ser No.18. New Delhi: Indian Council of Medical Research.
- India Ministry of Tribal Affairs (2004) *The national tribal policy (draft)* New Delhi: India Ministry of Tribal Affairs. Available:<http://tribal.nic.in/JfinalConkntpX> Accessed 26 September 2006.
- India Netzone. (2012). *Indian Tribes*. http://www.indianetzone.com/37/indian_tribes.htm. Accessed on 19 April 2011.
- Indian Council of Medical Research (ICMR),(2010) *Nutrient Requirements and Recommended Dietary Allowances for Indians*. National Institute of Nutrition, Hyderabad.
- Indian Council of Medical Research (ICMR),2009, *Nutrient Requirements and Recommended Dietary Allowances for Indians*. National Institute of Nutrition, Hyderabad.
- Innovation Project, Sophie GESQUIER. 4th June (2008), Institut Polytechnique Lasalle Beauvais.
- Irula Tribe Women's Welfare Society, (2007),Thursday, January 13, 2011.

- Jelliffe D B, Jelliffe E F P. (1990) The arm circumference as a public health index of protein-calorie malnutrition of early childhood. Monograph 8. J Trop Pediatr; 15: 177-88.
- Jelliffe D B, Jelliffe E F P.(1969) The arm circumference as a public health index of protein-calorie malnutrition of early childhood. Monograph 8. J Trop Pediatr; 15: 177-88.
- Jelliffe D B,(1966), The assessment of the nutritional status of the community. Monograph No 53. Geneva: WHO.
- Jelliffe, D.B. and Jelliffe, P.E.P. (1991), Community Nutritional Assessment, Oxford University Press Publishing, London, Pp.13 - 16.
- Jian, F., Ye, X., Liu, X., Fincher, L., McKearin, D., Liu, Q. (2005). Dicer-1 and R3D1-L catalyze microRNA maturation in Drosophila. Genes Dev. 19(14): 1674--1679.
- John RM (2005) Tobacco consumption patterns and its health implications in India. Health Policy 71 : 213-222.
- Johnson P. & Shubert E. (1986), "Availability of iron to rats from spirulina, a blue-green ." Nutrition Research6, Pp.85-94
- Johnston T, Coory M (2005) Reducing perinatal mortality among indigenous babies in Queensland: Should the first priority be better primary health care or better access to hospital care during confinement? Aust New Zealand Health Policy 2: 11.
- Kabubo-Mariara, J., G.K. Ndenge, and D.K. Mwabu. (2009). "Determinants of Children's
- Kaeda JS, Chhotray GP, Ranjit MR, Bautista JM, Reddy PH, Stevens D, Naidu JM, Britt RP, Vulliamy TJ, Luzzatto L, Mason PJ. (1995). A new glucose-6-phosphate dehydrogenase variant, G6PD Orissa (44 Ala >Gly), is the major polymorphic variant in tribal populations in India. Am J Hum Genet. Vol. 57: pp 1335-1341.
- Kalyani K.C. Chandrasekhara Rao and TGK, Murthy (2013), Impact Analysis of Empowerment Programmes of Tribal Community in East Godavari, Andhra Pradesh, India, Asian Journal of Agricultural Extension, Economics & Sociology 2(2): XX-XX; Article no. AJAEES.2013.003 SCIENCE DOMAIN
- Kamalam.S,(2005), Esesentials in community health nursing practices , JP Brothers publishers.
- Kapil U, Sachdev HP. (2004), Status of micronutrient malnutrition in India and intervention strategies to combat them. Indian Journal of Pediatrics, 69 :585-587.
- Kapoor-R & Mehta-U (1993), "Utilization of beta-carotene from Spirulina platensis by rats." Plant-Foods-Hum-Nutr. Jan, 43(1): 1-7.
- Kapp.Dieter Bernd (1985), The Kurumbas Relationship to the Megalithic Cult of the Nilgiri hills (South India), Anthropos:80.993-5345.
- Kate SL (2001) Health problems of tribal population groups from the state of Maharashtra. Indian J Med Sci 55: 99-1 08.

- Kay.R.A, (1991), "Microalgae as food and supplement," *Critical Reviews in Food Science and Nutrition*, vol. 30, no. 6, pp. 555–573.
- Kazuya Masu, Daisuke Yamane (2014) introduced on "The Chemical Daily (Kagaku Kogyo Nippou)".
- Kendler, K., Heath, A., Martin, N., (1987) Symptoms of anxiety and symptoms of depression. *Archives of General Psychiatry*, 122, 451 -457.
- Khongsdier, Romendra. (2001). Body mass index of adult males in 12 populations of Northeast India. *Annals of Human Biology* 28(4): 374–83.
- Khongsdier, Romendra. (2005). BMI and morbidity in relation to body composition: a cross-sectional study of a rural community in North-East India. *British Journal of Nutrition* 93(1): 101–7.
- Kothari (2006), Research methodology and Techniques, New Delhi, New international, Pp 101-103.
- Kulshreshtha, A., Zacharia, J., Jarouliya, U., Bhadauriya, P., Prasad, G.B.K.S., & Bisen, P.S. (2008). "Spirulina in Health Care Management". *Current Pharmaceutical Biotechnology* 9 (5): 400-405. doi:10.2174/138920108785915111.PMID 18855693.
- Kumari Sunita, Inderjit Singh and Rita Jain (2003), Functional Foods, American Journal of Clinical Nutrition, Vol. 50 (1), Pp.61.
- Lakshminaryana, G. (2006). *Drauidian Studies (A Quarterly Research Journal)*, Dravidian University, Kuppam, Vol. IV, No.1-4. Pp.6-9.
- Lancet, (2008), Maternal and Child Undernutrition Series, launched in London 2008
- Lu, H.K., Hsieh, C.C. Hsu, J.J., Yang, Y.K., & Chou, H.N. (2006). "Preventative effects of *Spirulina platensis* on skeletal muscle damage under exercise induced oxidative stress". *European Journal of Applied Physiology* 98 (2): 220–226. doi:10.1007/s00421-006-0263-0. PMID 16944194.
- Luiz.A.A.D, (1962), Tribes of Kerala, Bharatiya Admjati Sevak Sang, New Delhi
- Mandal, Hrisikesh, Sumit Mukherjee & Archana Datta. (2002). *India– An Illustrated Atlas of Tribal World. Kolkata: Anthropological Survey of India.*
- Mandal C, Md Mizanur Rahman and Alo Nag (2015), An update of Bone Morphogenetic Proteins as Biomarker and Therapy for Cancer, *Journal of Carcinogenesis and Mutagenesis* 6:e114. doi: 10.4172/2157-2518.1000e114
- Mandal.N and Bose.S (2008), How does the erosion processes control the sequential thrusting in orogens? – a view from analogue experiments. In *Frontier Of Science Meeting (organized by Royal Society of London and INSA, India)*, Hyderabad.
- Mandelbaum, (1989), *The Nilgiris as Region, Blue Mountains*, ed by Paul Kockings, Oxford University press, Delhi.
- Maurya SP, Jaya N, (1997) Prevalence of malnutrition among tribal children. *Indian J Nutr Diet*; 34: 214 - 20.

- Meijuru et al (2010) Nutrition education among adolescent girls in Korea, *Nutrition Research*, 102, 67-74.
- Miller, J.E., and Y.V. Rodgers.(2009). "Mothers' Education and Children's Nutritional Status: New Evidence from Cambodia." *Asian Development Review* 26(1): 131-65.
- Ministry of Health and Family Welfare. (2002). National Health Policy. Online.Minority Rights Group (1999) The Adivasis of India. International Report 98/1 London: Minority Rights Group. Available: <http://www.minorityrights.org/Profiles/~?ID=2>. Accessed 26 September 2006.
- Minority Rights Group (1999), Government of India. Scheduled Tribes, Scheduled Areas and Tribal Areas in India. Ministry of Social Justice and Empowerment (Tribal Division).
- Mishima T, Murata J, Toyoshima M, et al.(1998), Inhibition of tumor invasion and metastasis by calcium spirulan (Ca-SP), a novel sulfated polysaccharide derived from a blue-green alga, *Spirulina platensis*. *Clin Exp Metastasis*.;16(6):541-550.
- Mitchell-GV; Grundel-E; Jenkins-M & Blakely-SR (1990), "Effects of graded dietary levels of *Spirulina maxima* on Vitamins A and E in male rats." *J-Nutr*. Oct; 120(10): 1235-40
- Mitra, Asok, (1985). The nutrition situation in India. In: Margaret R. Biswas & Per Pinstrup-Andersen (eds.), *Nutrition and Development*. Oxford: Oxford University Press, pp. 142-62.
- Mittal PC, Srivasatava S, (2006), Diet, nutritional status and food related traditions of Oraon tribes of New Mal (West Bengal), India. *Rural Remote Health*; 6: 385.
- Molnár N, Sipos-Kozma Zs, Tóth A, Ásványi B, Varga L. (2009). Development of a functional dairy food enriched with *Spirulina (Arthrospira platensis)*. *Tejgazdaság* 69(2):15-22
- Mukhrjee, K.L. (2004), *Medical Lab Technology*, New York; Mc Graw Hill Publishing company, Pp-237.
- Mukuria, A., J. Cushing, and J. Sangha. (2005). *Nutritional Status of Children: Results from the New Canaan, Connecticut*. 22
- Nagaoka, S.; Shimizu, K.; Kaneko, H.; Shibayama, F.; Morikawa, K.; Kanamaru, Y.; Otsuka, A.; Hirahashi, T.; Kato, T. (2005). A novel protein Cphycocyanin plays a crucial role in the hypocholesterolemic action of *Spirulina platensis* concentrate in rats: *Journal of Nutrition*, 135, 2425-2430.
- Nair.G.C (1911), *Malabar Series, Wayanad- its people and traditions*, published by Madras Higginbotham and co., Pages: 292
- Nakaya, N.; Honma, Y.; Goto, Y. (1988), Cholesterol lowering effect of *Spirulina*. *Nutr. Rep. Int.*, 37, 1329-1337.
- Narayan MS, Manoj GP, Vatchravelo K, Bhagralakshmi N, Mahadevaswamy M (2005). Utilization of glycerol as carbon source on the growth, pigment and lipid production in *Spirulina platensis*. *Int. J. Food Sci. Nutr.*, 56(7): 521-528.
- National Nutrition Monitoring Bureau (2000-01), Family Health International Institute of Population Sciences.

- National Agro foundation, (2011), Food Safety and Standards Division, Anna University, Taramani campus, Chennai.
- National Family Health Survey (NFHS-3), (2007), International Institute for Population Sciences (IIPS) and Macro International, 2005-06: India. Vol. I. Mumbai: IIPS.
- National Nutrition Monitoring Bureau Technical Report No.26, (2012), Diet and Nutritional Status of Rural Population, Prevalence of Hypertension & Diabetes among Adults and Infants & Young Child Feeding Practices- Report of Third Repeat Survey, NIN (ICMR).
- Neufeld KJ, Peters DH, Rani M, Bonu S, Brooner RK (2005) Regular use of alcohol and tobacco use in India and its association with age, gender and poverty. *Drug Alcohol Depend* 77: 283-291.
- Neuringer M, Connor WE. (1986). N-3(W3) fatty acids in the brain and retina. Evidence for their essentiality. *Nutr Rev* 44(9):285–94.
- NFHS (National Family Health Survey II, 1998-1999 (2000), Government of India, 2000.
- Nikulsinh M. Chauhan, (2012), impact and constraints faced by tribal farm women in kitchen gardening, *Raj. J. Extn. Edu.* 20 : 87-91, 2012
- NIN (2009), Nutrient Requirement and Recommended Dietary Allowances for Indians, National Institute of Nutrition, ICMR, Hyderabad, India
- NIN, (1998), Dietary guidelines for Indians A Manual, National Institute of Nutrition, ICMR, Hyderabad, India
- Nippon Ink & Chemicals (1977), “Spirulina”.
- NNMB (2002), National Nutrition Monitoring Bureau, Technical Report No. 21- Diet and Nutritional status of Rural Population, Hyderabad.
- Nutrition sub-committee of Indian Academy of Paediatrics.(1972) Classification of protein calorie malnutrition. *Indian Paediat*,9:360.
- Nutritional Status in Kenya: Evidence from Demographic and Health Surveys.” *Journal of African Economies* 18(3): 363–87.
- Office of the Registrar General & Census Commissioner of India. (2004). Census of India, 2001. Online. Accessed 30 June 2007. [www.censusindia.net/results/2001census_data_index.html].
- Othes S, Pire R. 2001. Fatty acid composition of Chlorella and Spirulina microalgae species. *J AOAC Int* 84:1708–14.
- Padmavathi.C and V. Saradha Ramadas,(2012) Impact of Education Programme among the Irula Tribals at Neelampathy October-December.
- Palla-JC & Busson-F (1969), “Etude des caroténoïdes de *Spirulina platensis* (Gom.) Geitler (Cyanophycées).” *C.R. Acad. Sc. Paris*, t.269 p.1704-1707.
- Park, (1998). Lactic acid bacteria growth promoters from *Spirulina platensis*. *Int J Food Microbiol* 45:225–8.

- Parthasarathy.J. (2003), Kurumbas of Nilgiris District, Tamilnadu HADP Publication, Ooty
- Parveen.S. (2002) *Spirulina* as a nutritional supplement on malnourished children and its impact on their physical and cognitive development. *Ph.D. Thesis. University of Madras*, December.
- Patnaik.A (2004). Nutritional Education, Chairman Enterprises, P.26.
- Positive Deviance/Hearth: A Resource Guide for Sustainably Rehabilitating Malnourished Children, (2003) Child Survival Collaborations and Resources Group Nutrition Working Group.rta
- Prabhakar.S.C and Gangadhar (2009), Prevalance of Anaemia in Jenukuruba Primitive Tribal Children of Mysore District, Karnataka, *Anthropologist*, Vol.11(1):Pp 49-51.
- Premakumari.S, Sylvia Subapriya.M, Thilakavathy.S, Pavitra Krishna.K.U,(2011), *Spirulina* Action Research Project
- Pugh N, Ross SA, Elsohly HN, Elsohly MA, Pasco DS. (2001). Isolation of three weight polysaccharide preparations with potent immunostimulatory activity from *Spirulina platensis*, *Aphanizomenon flos-aguae* and *Chlorella pyrenoidosa*. *Planta Med* 67:737–42.
- Raghu,R.(2002), Nutrition, NIN publishing, Pp-18.
- Raghuramulu, N., Madhavan Nair, K. and Kalyanasundaran, S. (2003) A manual of Laboratory techniques, National Institute of Nutrition, Indian Council of Medical Research, Hyderabad, Pp. 68, 165-167.
- Rahman, H and Rao, J,(2002),socioeconomic status and income, *Indian pediatrics*,87,Pp-812.
- Rajbir Sachdeva, Ravinder Kaur and Jasvinder Kaur Sangha (2004), Effect of Supplementation of *Spirulina* on the Haematological Profile and Intellectual Status of School Girls (7-9 years) *J. Hum. Ecol.*, 15(2): 105-108.
- Ramamurthy, A.; Premakumari, S. (1996), Effect of supplementations of *Spirulina* on hypercholesterolemic patients. *J. Food Sci.Technol*, 33 (2), 124-128.
- Rao KM, Laxmaiah A, Venkaiah K, Brahmam GN, (2006), Diet and nutritional status of adolescent tribal population in nine states of India. *Asia Pac J Clin Nutr*; 15: 64-71.
- Rao TVRK, Vijay T, (2006), Malnutrition and anemia in tribal pediatric population of Purnia district (Bihar). *Indian Pediatr*; 43: 181-182.
- Rao V. G., Rajeev Yadav, C.K. Dolla, Surendra Kumar, M.K. Bhondeley & Mahendra Ukey,(2004), Undernutrition & childhood morbidities among tribal preschool children, Regional Medical Research Centre for Tribals (ICMR), Jabalpur, India Received July 22.
- Rao V.G, A.P.Sugan and S.C.Sehgal, (2002), Nutritional Status of some tribes of Andaman and Nicobar islands, *Tribal Health Bulletin*, ISSN 0971-4677, vol.8, no.2, Regional Medical Research Centre for Tribals, Jabalpur, p 24-32
- Rao VG, Yadav R, Dolla CK, Kumar S, Bhondeley MK, Ukey M, (2005), Undernutrition and childhood morbidities among tribal preschool children. *Indian J Med Res*; 122: 43-47.

- Rao.A. (2009), *The caste question: Dalitis and the Politics of Modern India*, Berkeley: University of California Press.
- Rao.K, R.Hari Kumar, K.Sreerama Krishna, V.Bhaskar, D.P.R.Vittal, A.Laxmaiah,(2013), *Nutritional Profile of Chenchu- a primitive tribe of Andhra Pradesh*, NIN (ICMR).
- Recommended Dietary Allowances (2010), P.40
- Reddy P.H., Bhattacharjee, P.J and Venugopala Rao, M.R. (1983), *Tribes in Karnataka - A study of socio-Economic and Demographic Characteristics of the Soligas*, Population Centre, Bangalore.
- Reddy, Rami v (1987) "Tribal Health : Socio-cultural and Biological." Paper Presented at the National Workshop on Anthropology of Tribal Health and Medicine in Forest Environment. Dept, of KIRTADS, Kozhikode, Kerala.
- Reddy. K.N,(1988), *A study of Food systems among five tribes of Nilgiris*, Tribal Research centre Tamil University, (27).
- Regional Medical Research Centre for Tribals (1984-95) *Progress of Research Activities*. Regional, Jabalpur, p.3.
- Regional Medical Research Centre, Bhubaneswar,(1998 – 1999).Balgir, R S. *Physical growth, health and nutritional status of Ashram school children*. Annual Report, p.37.
- Rekha (2012), *Polymers for gene delivery: current status and future perspectives*, Recent patents on DNA and gene sequences 6(2), Pp.68-107.
- Rekha Sinha and Bindu Sharma, (2013), *Impact of Nutritional Intervention on the Selected Tribes in Jharkhand*, Indian Res. J. Ext. Edu. Vol.13 (1), pp. 123
- Renuka M, Rakesh A, Babu NM, Santosh.KA,(2011), *Nutritional status of Jenukuruba preschool children in Mysore district, Karnataka*, IJRRMS | vol-1 | no.1 | oct - dec, - 2011
- Richmond A, (1984). *Spirulina*. In: Borowitzka MA, Borowitzka LJ, editors.*Micro-algal biotechnology*. Cambridge, UK: University Press. p85–121.
- RMRC (2003-2004) Bulliyya G. *Micronutrient malnutrition with reference to iron deficiency anaemia status in Orissa*. *Man in India*, 84 (1): 33-50 (2004).
- RMRC for Tribals, (1995) Regional Medical Research Centre. *Glimpses of Tribal Health 1995-96*: 1-27.
- Robinson, S.J., Deroo, C.S. & Yocum, C.F. (2003) *Photosynthetic electron transfer in preparations of the Cyanobacterium Spirulina platensis*. *Plant Physiology*, 70:154–161.
- Rodgers A, Ezzati M, Vander Hoorn S, Lopez AD, Lin R-B, et al. (2004) *Distribution of Major Health Risks: Findings from the Global Burden of Disease Study*. *PLoS Med* 1(1): e27. doi:10.1371/journal.pmed.0010027
- Rolfes, S.R, De Bruyne, L.K., and Whitney, E.N (1998), *Life span nutrition*, USA: Wadsworth publishing company, Pp-22.

- Ross-E & Dominy-W (1990), "The nutritional value of dehydrated, blue-green algae (*Spirulina platensis*) for poultry." *Poult-Sci.* May; 69(5): 794-800.
- Rule-SA; Hooker-M; Costello-C; Luck-W& Hoffbrand-AV (1994), "Serum Vitamin B12 and transcobalamin levels in early HIV disease." *Am-J-Hematol.* 47(3): 167-71.
- Sánchez M, Bernal-Castillo J, Rozo C, Rodríguez I. (2003). *Spirulina* (*Arthrospira*): an edible microorganism. *Revista Universitas Scientiarum*8:7–24.
- Saaisutharshan ,(2012). delivery NGO Consultant--Nilgiris District Tamilnadu Health Systems Projects,Tribal Patient Counselors In public health systems A milestone in Health service delivery
- Salazar M, Chamorro GA, Salazar S, Steele CE (1996). Effects of *Spirulina maxima* consumption on reproduction and peri and post natal development in rats. *Food Chem. Toxicol.*, 34(4): 353-359.
- Salazar.M, E. Martínez, E. Madrigal, L. E. Ruiz, and G. A. Chamorro,(1998), "Subchronic toxicity study in mice fed *Spirulina*," *Journal of Ethnopharmacology*, vol. 62, no. 3, pp. 235–241.
- Salazar.M, G. Chamorro, S. Salazar, and C. Steele,(1996) "Effect of *Spirulina maxima* consumption on reproductive and peri- and postnatal development in rats," *Food and Chemical Toxicology*,pp. 353–359.
- Samaj, (2000) Plot No.191, Mahanadivihar, Nayabazar, Cuttak, Orissa, Promotion of Sustainable Agricultural Practices among Tribal women in Cuttack and Jaipur District of Orissa,
- Samiran Bisai, Kaushik Bose, Tarapada Ghosh Goutam Kumar De, R. Khongsdier, Slawomir Koziel, Dilip Mahalanabis, Panchali Mallick ,*International journal of innovative research & development*, issn: 227 – 0211
- Samuels J, Eaton WW, Bienvenu OJ 3rd, Brown CH, Costa PT Jr, Nestadt G.(2002) Prevalence and correlates of personality disorders in a community sample. *J Psychiatry.* ;180:536-42.,
- Sarah Bailey and Kerren Hedlund, (2012), BMZ/ODI: The impact of cash transfers on nutrition in emergency and transitional contexts. A review of evidence.
- Sasicoumar.K Brumotl, T.S. Naidu,V. Amuthavalluvan,Tobacco, culture am), (2006), health problems: a study among the Paniya tribes of Nilgiri hills, Department of Anthropology, Pondicherry University.
- Sati Vandana and Dahiya Saroj (2012), Nutritional Assessment of Rural School-Going Children (7-9 Years) of Hisar District, Haryana, OMICS Publishing Group, An Open Access Publisher and Scientific Events Organizer for the Advancement of Science & Technology.we+
- Sautier C, Tremolieres J (1975). Food value of the *Spirulina* algae to man. *Annals Nutr. Aliment.*, 29(6): 517-534.
- Seale JP, Shellenberger S, Rodriguez C, Seale JD, Alvarado M (2002) Alcohol use and cultural change in an indigenous population: A case study from Venezuela. *Alcohol Alcohol* 37: 603-608.

- Semba, R. D., Yuniar, Y., Gamble, M. V., Natadisastra, G. & Muhilal, (1994) Assessment of vitamin A status of preschool children in Indonesia using plasma retinol-binding protein. *J. Trop. Pediatr.* **48**:84-87.
- Sen A (1999) *Development as freedom* New York: Knopf. Pp.366.
- Seshadri C.V. (1993), "Large scale nutritional supplementation with spirulinaalga." All India Coordinated Project on Spirulina. Shri Amm Murugappa Chettiar Research, *Monograph Series on Engineering of Photosynthetic Systems, Vol. 36* 1991-93
- Sethi V, Kashyap S, Seth V, (2003), Effect of nutrition education of mothers on infant feeding practices, *Indian J Pediatr.* Vol;70(6):463-466.
- Shakir A and Morley. D, (1975), Arm circumference in the surveillance of protein-calorie malnutrition in Baghdad. *Am J Clin Nutr*; 28: 661-5.6
- Shakir A, Morley D.(1974) Letter: Measuring malnutrition.*Lancet*; i: 758-9.
- Sharma B and Nagar,(2006), Nutritional status of pre-school children of Raj Gond- a tribal population in Madhya Pradesh, India. *Malays J Nutr*;12:147-155
- Sharma B, Mitra M, Chakrabarthy S, Bharathi P.(2006) Nutritional status of pre-school children of Raj Gond- a tribal population in Madhya Pradesh, India. *Malays J Nutr*;12:147-155..
- Sharma, S. and Prakashan, J. (2006) *Human Nutrition and meal planning*, New Age International (P) Ltd Publishers, Chennai, Pp.270 – 284.
- Shekharam K, Ventakaraman L, Salimath P. (1987). Carbohydrate composition and characterization of two unusual sugars from the blue-green algae *Spirulina platensis*. *Phytochemistry* 26:2267–9.
- Shimamatsu H. (2004). Mass production of *Spirulina*, an edible microalga. *Hydrobiologia* 512:39–44.
- Shimkhada R, Peabody JW (2003) Tobacco control in India. *Bull World Health Organ* 81: 48-52.
- Simpore J, Kabore F, Zongo F, Dansou D, Bere A (2006). Nutrition rehabilitation of undernourished children utilizing *Spirulina and misola*. *Nutr. J.*, 23(5): 3-9.
- Simpore J, Zongo F, Kabore F, Dansou D, Bere A, Nikiema JB, Pignatelli S, Biondi DM, Ruberto G, Musumecis S (2005). Nutrition rehabilitation of HIV-infected and HIV-negative undernourished children utilizing *Spirulina*. *Annals. Nutr. Metabol.*, 49(6): 373-380.
- Sindhu V. (1999) Effect of Supplementation of *Spirulina* on serum betacarotene levels of preschool children. *M.Sc Thesis, Nagarjuna University, Andhra Pradesh*.
- Singh LP, Gupta SD, (2012), Health Seeking Behaviour and Healthcare Services in Rajasthan, India: A Tribal Community's Perspective. Available from:<http://www.jaipur.iihmr.org/Research/publication%20files/Workingp/1.pdf>. [Last accessed on 2012 Oct 06].
- Singh, L.P. and Bhasin, M.K, (1990), Somatotype changes in adolescence among Dogras of Jammu and Kashmir. *J. Hum. Ecol.*, 1(2): 169-174 (1990).

- Singh, L.P. and Singh, S.P, (1991), physical growth and anthropometric somatotype of Rajput and Brahmin of Chamba district, Himachal Pradesh. *J.Hum. Ecol.*,2(2):121-126 (1991).
- Singh, S.P. and Sidhu, L.S, (1980), Changes in somatotypes during 4 to 20 years in Gaddi Rajput boys. *Z. Morph. Anthrop.*, 71(3): 285-293.
- Singh.R.J (1999), Nutritional Status and Dietary Intake in Tribal Children of Bihar , *Indian Pediatrics* ; 36:37-42
- Singh-Y & Kumar-HD (1994), "Adaptation of a strain of *Spirulina platensis* to grow
- Sinha and Sharma (2013), *Afforestation in India: dimensions of evaluation*, New Delhi
- Smith LC, Ruel MT, Ndiaye A.(2005) Why is child malnutrition lower in urban than in rural areas? Evidence from 36 developing countries. *World Dev*;33:1285-05.
- Smith MF, Paulsen SK, Fougères W, Ritchey SJ, (1983), Socioeconomic, education and health factors influencing growth of rural Haitian children. *Ecol Food Nutr* ;13:99-109.
- Sommer A, Davidson FR, (2002), Assessment and control of vitamin A deficiency: the Anney Accords. *Journal of Nutrition*, 132: 2845S–2850S.
- Sommer, A, and West, K.R.,(1980) *Vitamin A deficiency, Health survival and vision*, New York, Oxford university press, Pp-140.
- Spear, B.A. (2002). *Adolescent Growth and Development*, J.Am.Diet Assoc., Vol.102, P.23.
- Spears, Arabinda Ghosh and Oliver Cumming (2013), *Evaluation Study on Total Sanitation Campaign*, HUNGaMA report, PLoS One, Web edition
- Spears.(2012). "Height and cognitive achievement among Indian children." *Economics and Human Biology*
- Spolaore P, Joannis-Cassan C, Duran E, Isambert A. (2006). Commercial applications of microalgae. *J Biosci Bioen* 101(2):87–96.
- Srinivasan S. (1987). Health care in rural India: Problems and challenges. In: Kalla AK and Singh KS (eds.). *Anthropology Development and Nation Building*. New Delhi: Concept Publishing Company. pp. 211-220.
- Stahl.W and Sies. H, (2005), Bioactivity and protective effects of natural carotenoids, *Biochim Biophys Acta*. May 30;1740(2):101-7.
- Stephens C, Nettleton C, Porter J, Willis R, Clark S (2005) Indigenous peoples' health-Why are they behind everyone, everywhere? *Lancet* 366: 10-13.
- Stephens C, Porter J, Nettleton C, Willis R (2006) Disappearing, displaced, and undervalued: A call to action for indigenous health worldwide. *Lancet* 367: 2019- 2028.
- Subramanian SV, Nandy S, Irving M, Gordon D, Davey Smith G (2005) Role of socioeconomic markers and state prohibition policy in predicting alcohol consumption amongst men and women in India: A multilevel analysis of the 1998- 99 National Family Health Survey. *Bull World Health Organ* 83: 829-836.

- Subramanian SV, Nandy S, Kelly M, Gordon D, Davey Smith G (2004) Patterns and distribution of tobacco consumption in India: Cross-sectional multilevel evidence from the 1998-99 National Family Health Survey. *BMJ* 328: 801-806.
- Sudarsan Mandal, Ram Prabhakar V, Jayita Pal, R. Parthasarathi, Rahul Biswas,(2014) An assessment of nutritional status of children aged 0-14 years in a slum area of Kolkata, *International Journal of Medicine and Public Health* | Apr-Jun 2014 | Vol 4 | Issue 2
- Sudha Ramalingam1, 3, Murali A2, Seethalakshmi A, Deepa R3, Meera R1, Rajendiran G4,(2012) Cardiovascular Disease Risk Factors in a Tribal Population of Nilgiris, Date of Submission: 15.03.2012 Date of Acceptance: 27.03.2012 Nat.J.Res.Com.Med .,1(2), 2012.90, ISSN - Print: 2277 – 1522, Online: 2277 – 3517*
- Sundaram.K.R, Vimallesh seth, T.K.Jana and D.K. shukla,(1995), Age at which cc overtakes HC in children, the Indian journal of pediatrics ,Jan.1995, Vol62, (1) pp. 89-94.
- Survey 2, (1998-99). Online. Accessed 30 June 2007.[www.nfhsindia.org/india2.html].
- Sutanu Dutta Chowdhury, Tarun Chakraborty and Tusharkanti Ghosh (2007), Prevalence of Undernutrition in Santal Children of Puruliya District, West Bengal, *Indian Pediatrics* 2008; 45:43-46
- Swaminathan MC, Krishnamurthi D, Iyengar L, Rao DH.(20010 Health survey of the Onge tribe of Little Andamans. *Indian Journal of Medical Research*, 59 : 1136-1147.
- Switzer,L. (1980). *Spirulina, the whole food revolution*, Proteus Corporation, USA:1-69.
- Tamil Nadu Health Systems Project.(2007) Tribal Health Development Plan. Online. Accessed 30 June 2007. [www.tnhealth.org/notification/tdp.pdf].
- Tarantino.L.M, (2003), "Agency Response Letter GRAS Notice No. GRN000127," FDA Home page.
- Taskeen S and Subapriya M.S (2010) Effect of Spirulina Supplementation on Nutritional Status and Physical Performance of Female Athletes, Thesis submitted to Avinashilingam University for women in partial fulfillment of requirement for M.Sc degree.
- TECHNAP projects in Africa: [http://www.technap-spiruline.org/content/view/7/](http://www.technap-spiruline.org/content/view/7/.). 30/ 072009. *Technology* 55(11):46–53.
- Tekale NS, (2012), Health and Nutrition Status of Warli Tribal Children in Thane District of Maharashtra. Available from: http://www.rmrct.org/files_rmrct_web/.../NSTH06_28.NS.Tekale.pdf. [Last accessed on 2012 Oct 06].
- Tewari DN (1984) Primitive tribe of Madhya Pradesh: Strategy for development Govt. of Home affairs, Tribal Development Division, New Delhi.
- Thapar RA (1990) *A History of India* New Delhi: Penguin. 384 p
- Tranquille N, Emeis JJ, Chambure D, Binot R, Tamponnet C (1994). Spirulina acceptability trials in rats. A study for the "Melissa" lifesupport system. *Adv. Space Res.*, 14(11): 167-170.
- Tribal Research Centre, 2007, Palada, Ooty, The Nilgiris.

- Tribal surveys,(2007-2009), National workshop on dissemination of findings of NNMB Tribal surveys
Scientific Staff, Division of Community Studies, NIN
- Tungu P, Magesa S, Maxwell C (1994), Evaluation of Permanet 3.0 a deltamethrin-PBO combination net against *Anopheles gambiae* and pyrethroid resistant *Culex quinquefasciatus* mosquitoes: an experimental hut trial in Tanzania. *Malar J* ; 9: 21.
- UNICEF (1990) Strategy for improved nutrition of children and women in developing countries, New York.
- United Nations Standing Committee on Nutrition (2010) 6th report on the world nutrition situation – Progress in nutrition.
- United Nations Standing Committee on Nutrition (2011) Fact Sheet Micronutrient Malnutrition.
- Van den Boom (1994), The influence of temperament and mothering on attachment and exploration: An experimental Manipulation of sensitive responsiveness among lower- class mothers with irritable infants, *Child Development*, Vol.65 (5),Pp. 1457-1477
- Varalakshmi and Anangamathi (2013) Effect of Spirulina (Candies) Supplementation on Pre-School Children, *International Journal of Science and Research (IJSR) ISSN (Online): 2319-7064.*
- Varghese.I (1969), The Kota, *Bulletin of the Anthropological Survey of India*, Vo XVIII, No.2, April, Calcutta.
- Vasanthakumari, N; Alshrari, ASD; Ghaznavi-Rad, E; Moghaddam, HG; van Belkum, A;Alreshidi,MA; Selamat, N and NorShamsudin, M (2005). Highly dynamictransient colonization by *Staphylococcus aureus* in healthy Malaysian students. *J. Med.Microbiol.*, 58: 1531-1532.
- Vasanthamani and Julie (2011), Identification of causative agents of cancer in selected coastal villages of Tamil Nadu, *The Indian Journal of Nutrition and Dietetics*, Vol.49 (2).
- Voltarelli FA, Marcondes MCG, Voltarelli VA, Ribeiro C, Mota CSA,, Stevanato E, Mello MAR (2008). Muscle protein in growing rats fed , Spirulina as the sole dietary protein source. *Med. Sci. Sports Exerc.*, 40: S101-S102.
- Walia BNS, Gambhir SK.(1975) The relationship between childhood malnutrition and maternal knowledge and beliefs regarding nutrition. *Ind Pediatr*; 12: 563-68.
- WHO (1990), World Health Organization, Numerical list of EHCs. Deltamethrin. WHO Environmental Health Criteria No 97. Geneva: WHO, 1990: 133 pp. [Cited 2014 Apr 4]. Available from: URL: www.who.int/ipcs/publications/ehc/ehc.../en/
- WHO (2002) Alcohol in developing societies: A public health approach Geneva:
- WHO Child Growth Standards, (2006), Length/height-for-age, weight-for-age, weight-forlength, weight-for-height and body mass index-for-age:Methods and development. Geneva, World Health Organization.
- WHO Tobacco or Health Programme, (1997); World Health Organization. 263 p. World Health Organization Tobacco or Health Programme, Tobacco or health: A global status report Geneva: World Health Organization. Available: <http://www.cdc.~ovltobaccoIWHOiindex.htm> Accessed 26 September 2006.

- WHO, (1995), Physical status: The use and interpretation of Anthropometry. WHO Technical report series, 854, WHO, Geneva.
- WHO, (2006), Child Growth Standards: Length/height-for-age, weight-for-age, weight-for-length, weight-for-height and body mass index-for-age: Methods and development. Geneva, World Health Organization.
- WHO, (2007), Iron deficiency anaemia: assessment, prevention and control. A guide for programme managers. Third Edition. Geneva.
- WHO, (2008), Worldwide prevalence of anaemia 1993–2005 *WHO Global Database on Anaemia*, 20 Avenue Appia, 1211 Geneva 27, Switzerland
- WHO, 1982 *World Health Organ* 1982;60:441-6.
- WHO. (2001) Assessment, Prevention and Control – A Guide for Programme Managers. WHO/FAO. Diet, nutrition and the prevention of chronic diseases: Report of a Joint WHO/FAO, 2003 Expert Consultation. TRS 916, Geneva .
- WHO/FAO(2002): *Report of the Joint WHO/FAO Expert Consultation on Diet, Nutrition and the Prevention of Chronic Diseases*. Geneva: World Health Organisation; 2002.
- WHO-FAO: (2006), Guidelines on food fortification with micronutrients. By Allen Benoist /Dary/ Hurrall, Wilkinson, (1999), Primitive Tribes and Monuments of the Nilgiris, Cultural Publishing House ,Delhi
- Willis R, Stephens C, Nettleton C (2004) The right to health of indigenous peoples. Report of a conference held at the London School of Hygiene and Tropical Medicine London: Health Unlimited.
- Wilson K, Rosenberg MW (2002) Exploring the determinants of health for First Nations peoples in Canada: Can existing frameworks accommodate traditional activities? *Soc Sci Med* 55: 2017-2031.
- World Bank (2001): World Development Report, 2000-01.
- World Bank: (2006), Repositioning Nutrition as Central to Development. A strategy for large-scale action. *Directions in Development*, pp. 27-29 and 132-133
- World Gazetteer. (2012). *India: largest cities and towns and statistics of their population*. <http://worldgazetteer.com/wg.php?x=&men=gcis&lng=en&des=wg&srt=npan&col=abcdefghijklmnoq&msz=1500&geo=-104>. Accessed on 3 August 2012. Bredie .W.L.P., 2011, The use of scales in sensory and consumer research, The Nordic workshop in sensory science, Denmark.
- Yusoff.A.L, Ebrahimi.M, Goh.Y.M, Samsudin .A.A, Idris, (2012), In vitro Digestibility of Diets containing different parts of *Andrographis paniculata* using Rumen Fluid from Goats, *Journal of Animal and Veterinary Advances* 11(21): 3921-3927, ISSN: 1680-5593
- Zhang H.Q, Lin A.P, Sun Y, and Deng Y.M,(2001) Chemo- and radio-protective effects of polysaccharide of *Spirulina platensis* on hemopoietic system of mice and dogs. *Acta Pharmacol. Sin.*, 22(12):1121- 4, (Dec.

Web References

Wikipedia.(2012).List of Scheduled Tribes in India. http://en.wikipedia.org/wiki/List_of_Scheduled_Tribes_in_India. Accessed on 18th April 2011.

www.unscn.org. Geneva: 5th Report on the World Nutrition Situation: Nutrition for Improved Development Outcomes - March 2004. Available from: <http://www.unscn.org/layout/modules/resources/files/rwns5.pdf>. [Last cited on 2012 Mar 18].

<http://agriculture.gouv.fr/sections/publications/etudes/spiruline-peut-elle-etre1808>

<http://dx.doi.org/10.1155/2013/652148>

<http://www.tihf.in/scdcenter.pdf>

http://mospi.nic.in/mospi_new/upload/Children_in_India_2012.pdf

www.gujhealth.gov.in/pdf/PresentationofGSN_MmadetoHonorableCM.ppt

mohfw.nic.in/np_2002.htm

www.tnhealth.org/notification/tdp.pdf

www.indianetzone.com