

BIBLIOGRAPHY

- Abdali, N. H., Al-Rubaye, S. H., Rabee, B. H., & Abass, K. H. (2021). Electrochemical Performance Enhancement Zinc Cobaltite-Reduced Graphene Oxide for Next Generation Energy Storage Applications. *Journal of Physics: Conference Series*, 1818(1). <https://doi.org/10.1088/1742-6596/1818/1/012012>
- Abioye, A. M., & Ani, F. N. (2015). Recent development in the production of activated carbon electrodes from agricultural waste biomass for supercapacitors: A review. *Renewable and Sustainable Energy Reviews*, 52, 1282–1293. <https://doi.org/10.1016/j.rser.2015.07.129>
- Ahirrao, D. J., Tambat, S., Pandit, A. B., & Jha, N. (2019). Sweet-Lime-Peels-Derived Activated-Carbon-Based Electrode for Highly Efficient Supercapacitor and Flow-Through Water Desalination. *ChemistrySelect*, 4(9), 2610–2625. <https://doi.org/10.1002/slct.201803417>
- Ahmed, S., Rafat, M., & Ahmed, A. (2018). Nitrogen doped activated carbon derived from orange peel for supercapacitor application. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 9(3). <https://doi.org/10.1088/2043-6254/aad5d4>
- Ahsan, M. T., Usman, M., Ali, Z., Javed, S., Ali, R., Farooq, M. U., Akram, M. A., & Mahmood, A. (2020). 3D Hierarchically Mesoporous Zinc-Nickel-Cobalt Ternary Oxide ($Zn_{0.6}Ni_{0.8}Co_{1.6}O_4$) Nanowires for High-Performance Asymmetric Supercapacitors. *Frontiers in Chemistry*, 8, 1–11. <https://doi.org/10.3389/fchem.2020.00487>
- Awasthi, G. P., Bhattarai, D. P., Maharjan, B., Kim, K. S., Park, C. H., & Kim, C. S. (2019). Synthesis and characterizations of activated carbon from Wisteria sinensis seeds biomass for energy storage applications. *Journal of Industrial and Engineering Chemistry*, 72, 265–272. <https://doi.org/10.1016/j.jiec.2018.12.027>
- Baughman, R. H., Zakhidov, A. A., & De Heer, W. A. (2002). Carbon nanotubes - The route toward applications. *Science*, 297(5582), 787–792. <https://doi.org/10.1126/science.1060928>
- Bhagwan, J., Khaja Hussain, S., & Yu, J. S. (2020). Aqueous asymmetric supercapacitors based on $ZnCo_2O_4$ nanoparticles via facile combustion method. *Journal of Alloys and Compounds*, 815, 152456. <https://doi.org/10.1016/j.jallcom.2019.152456>
- Bhagwan, J., Nagaraju, G., Ramulu, B., & Yu, J. S. (2019). Promotive Effect of MWCNT on $ZnCo_2O_4$ Hexagonal Plates and Their Application in Aqueous Asymmetric Supercapacitor. *Journal of The Electrochemical Society*, 166(2), A217–A224. <https://doi.org/10.1149/2.0631902jes>
- Bhat, M. Y., Yadav, N., & Hashmi, S. A. (2019). Pinecone-derived porous activated carbon for high performance all-solid-state electrical double layer capacitors fabricated with flexible gel polymer electrolytes. *Electrochimica Acta*, 304, 94–108. <https://doi.org/10.1016/j.electacta.2019.02.092>
- Bitla, Y., Chin, Y. Y., Lin, J. C., Van, C. N., Liu, R., Zhu, Y., Liu, H. J., Zhan, Q., Lin, H. J., Chen, C. Te, Chu, Y. H., & He, Q. (2015). Origin of metallic behavior in $NiCo_2O_4$ ferrimagnet. *Scientific Reports*, 5, 1–8. <https://doi.org/10.1038/srep15201>
- Bo, X., Xiang, K., Zhang, Y., Shen, Y., Chen, S., Wang, Y., Xie, M., & Guo, X. (2019). Microwave-assisted conversion of biomass wastes to pseudocapacitive mesoporous carbon for high-performance supercapacitor. *Journal of Energy Chemistry*, 39, 1–7. <https://doi.org/10.1016/j.jechem.2019.01.006>
- Bouchelta, C., Medjram, M. S., Bertrand, O., & Bellat, J. P. (2008). Preparation and characterization of activated carbon from date stones by physical activation with steam. *Journal of Analytical and Applied Pyrolysis*, 82(1), 70–77. <https://doi.org/10.1016/j.jaap.2007.12.009>

- Chaisit, S., Chanlek, N., Khajonrit, J., Sichumsaeng, T., & Maensiri, S. (2020). Preparation, characterization, and electrochemical properties of KOH-activated carbon from cassava root. *Materials Research Express*, 7(10), 105605. <https://doi.org/10.1088/2053-1591/abbf84>
- Chang, X., Zang, L., Liu, S., Wang, M., Guo, H., Wang, C., & Wang, Y. (2018). In situ construction of yolk-shell zinc cobaltite with uniform carbon doping for high performance asymmetric supercapacitors. *Journal of Materials Chemistry A*, 6(19), 9109–9115. <https://doi.org/10.1039/c8ta01759j>
- Chen, Hui, Yu, F., Wang, G., Chen, L., Dai, B., & Peng, S. (2018). Nitrogen and Sulfur Self-Doped Activated Carbon Directly Derived from Elm Flower for High-Performance Supercapacitors. *ACS Omega*, 3(4), 4724–4732. <https://doi.org/10.1021/acsomega.8b00210>
- Chen, Huiyu, Du, X., Sun, J., Mao, H., Wu, R., & Xu, C. (2020). Simple preparation of ZnCo₂O₄ porous quasi-cubes for high performance asymmetric supercapacitors. *Applied Surface Science*, 515, 146008. <https://doi.org/10.1016/j.apsusc.2020.146008>
- Chen, Huiyu, Wang, J., Han, X., Liao, F., Zhang, Y., Gao, L., & Xu, C. (2019). Facile synthesis of mesoporous ZnCo₂O₄ hierarchical microspheres and their excellent supercapacitor performance. *Ceramics International*, 45(7), 8577–8584. <https://doi.org/10.1016/j.ceramint.2019.01.176>
- Cheng, L., Xu, M., Zhang, Q., Li, G., Chen, J., & Lou, Y. (2019). NH₄F assisted and morphology-controlled fabrication of ZnCo₂O₄ nanostructures on Ni-foam for enhanced energy storage devices. *Journal of Alloys and Compounds*, 781, 245–254. <https://doi.org/10.1016/j.jallcom.2018.11.402>
- Chiu, Y. H., & Lin, L. Y. (2019). Effect of activating agents for producing activated carbon using a facile one-step synthesis with waste coffee grounds for symmetric supercapacitors. *Journal of the Taiwan Institute of Chemical Engineers*, 101, 177–185. <https://doi.org/10.1016/j.jtice.2019.04.050>
- Cho, Y., Lee, S., Lee, Y., Hong, T., & Cho, J. (2011). Spinel-layered core-shell cathode materials for Li-ion batteries. *Advanced Energy Materials*, 1(5), 821–828. <https://doi.org/10.1002/aenm.201100239>
- Das, S., Ghosh, C. K., Sarkar, C. K., & Roy, S. (2018). Facile synthesis of multi-layer graphene by electrochemical exfoliation using organic solvent. *Nanotechnology Reviews*, 7(6), 497–508. <https://doi.org/10.1515/ntrev-2018-0094>
- Deng, J., Yu, X., Qin, X., Liu, B., He, Y. B., Li, B., & Kang, F. (2018). Controlled synthesis of anisotropic hollow ZnCo₂O₄ octahedrons for high-performance lithium storage. *Energy Storage Materials*, 11, 184–190. <https://doi.org/10.1016/j.ensm.2017.06.014>
- Dong, X., Cao, Y., Wang, J., Chan-Park, M. B., Wang, L., Huang, W., & Chen, P. (2012). Hybrid structure of zinc oxide nanorods and three dimensional graphene foam for supercapacitor and electrochemical sensor applications. *RSC Advances*, 2(10), 4364–4369. <https://doi.org/10.1039/c2ra01295b>
- Du, C., Han, E., Sun, L., Qiao, S., & Li, L. (2020). Template agent for assisting in the synthesis of ZnCo₂O₄ on Ni foam for high-performance supercapacitors. *Ionics*, 26(1), 383–391. <https://doi.org/10.1007/s11581-019-03189-w>
- Du, W., Zhang, Z., Du, L., Fan, X., Shen, Z., Ren, X., Zhao, Y., Wei, C., & Wei, S. (2019). Designing synthesis of porous biomass carbon from wheat straw and the functionalizing application in flexible, all-solid-state supercapacitors. *Journal of Alloys and Compounds*, 797, 1031–1040. <https://doi.org/10.1016/j.jallcom.2019.05.207>

- Durairaj, A., Sakthivel, T., Ramanathan, S., Obadiah, A., & Vasanthkumar, S. (2019). Conversion of laboratory paper waste into useful activated carbon: a potential supercapacitor material and a good adsorbent for organic pollutant and heavy metals. *Cellulose*, *26*(5), 3313–3324. <https://doi.org/10.1007/s10570-019-02277-4>
- Elaiyappillai, E., Srinivasan, R., Johnbosco, Y., Devakumar, P., Murugesan, K., Kesavan, K., & Johnson, P. M. (2019). Low cost activated carbon derived from Cucumis melo fruit peel for electrochemical supercapacitor application. *Applied Surface Science*, *486*, 527–538. <https://doi.org/10.1016/j.apsusc.2019.05.004>
- Elanthamilan, E., Sriram, B., Rajkumar, S., Dhaneshwaran, C., Nagaraj, N., Princy Merlin, J., Vijayan, A., & Wang, S. F. (2019). Couroupita guianensis dead flower derived porous activated carbon as efficient supercapacitor electrode material. *Materials Research Bulletin*, *112*, 390–398. <https://doi.org/10.1016/j.materresbull.2018.12.028>
- Fasakin, O., Dangbegnon, J. K., Momodu, D. Y., Madito, M. J., Oyedotun, K. O., Eleruja, M. A., & Manyala, N. (2018). Synthesis and characterization of porous carbon derived from activated banana peels with hierarchical porosity for improved electrochemical performance. *Electrochimica Acta*, *262*, 187–196. <https://doi.org/10.1016/j.electacta.2018.01.028>
- Feng, C., Chen, Y. A., Yu, C. P., & Hou, C. H. (2018). Highly porous activated carbon with multi-channelled structure derived from loofa sponge as a capacitive electrode material for the deionization of brackish water. *Chemosphere*, *208*, 285–293. <https://doi.org/10.1016/j.chemosphere.2018.05.174>
- Foerster, M., Iliev, M., Dix, N., Martí, X., Barchuk, M., Sánchez, F., & Fontcuberta, J. (2012). The poisson ratio in CoFe_2O_4 spinel thin films. *Advanced Functional Materials*, *22*(20), 4344–4351. <https://doi.org/10.1002/adfm.201200257>
- Fu, W., Li, X., Zhao, C., Liu, Y., Zhang, P., Zhou, J., Pan, X., & Xie, E. (2015). Facile hydrothermal synthesis of flowerlike ZnCo_2O_4 microspheres as binder-free electrodes for supercapacitors. *Materials Letters*, *149*, 1–4. <https://doi.org/10.1016/j.matlet.2015.02.092>
- Fu, W., Wang, Y., Han, W., Zhang, Z., Zha, H., & Xie, E. (2015). Construction of hierarchical $\text{ZnCo}_2\text{O}_4@ \text{Ni}_x\text{Co}_{2-x}(\text{OH})_{6x}$ core/shell nanowire arrays for high-performance supercapacitors. *Journal of Materials Chemistry A*, *4*(1), 173–182. <https://doi.org/10.1039/c5ta07965a>
- Gai, Y., Shang, Y., Gong, L., Su, L., Hao, L., Dong, F., & Li, J. (2017). A self-template synthesis of porous ZnCo_2O_4 microspheres for high-performance quasi-solid-state asymmetric supercapacitors. *RSC Advances*, *7*(2), 1038–1044. <https://doi.org/10.1039/c6ra25950b>
- Goodenough, J. B., & Loeb, A. L. (1955). Theory of ionic ordering, crystal distortion, and magnetic exchange due to covalent forces in spinels. *Physical Review*, *98*(2), 391–408. <https://doi.org/10.1103/PhysRev.98.391>
- Grimes, R. W., Anderson, A. B., & Heuerg, A. H. (1989). *Chemical*. *11*(6).
- Gurten Inal, I. I., Holmes, S. M., Yagmur, E., Ermumcu, N., Banford, A., & Aktas, Z. (2018). The supercapacitor performance of hierarchical porous activated carbon electrodes synthesised from demineralised (waste) cumin plant by microwave pretreatment. *Journal of Industrial and Engineering Chemistry*, *61*, 124–132. <https://doi.org/10.1016/j.jiec.2017.12.009>
- Han, J., Lee, K., Choi, M. S., Park, H. S., Kim, W., & Roh, K. C. (2019). Chlorella-derived activated carbon with hierarchical pore structure for energy storage materials and adsorbents. *Carbon Letters*, *29*(2), 167–175. <https://doi.org/10.1007/s42823-019-00018-y>
- Han, S., Wu, D., Li, S., Zhang, F., & Feng, X. (2014). Porous graphene materials for advanced electrochemical energy storage and conversion devices. *Advanced Materials*, *26*(6), 849–864. <https://doi.org/10.1002/adma.201303115>

- Han, Xingrong, Liao, F., Zhang, Y., Han, X., Xu, C., & Chen, H. (2019). Solvothermal preparation of zinc cobaltite mesoporous microspheres for high-performance electrochemical supercapacitors. *Journal of Alloys and Compounds*, 781, 425–432. <https://doi.org/10.1016/j.jallcom.2018.12.079>
- Han, Xiuli, Jiang, H., Zhou, Y., Hong, W., Zhou, Y., Gao, P., Ding, R., & Liu, E. (2018). A high performance nitrogen-doped porous activated carbon for supercapacitor derived from pueraria. *Journal of Alloys and Compounds*, 744, 544–551. <https://doi.org/10.1016/j.jallcom.2018.02.078>
- Heidarinejad, Z., Dehghani, M. H., Heidari, M., Javedan, G., Ali, I., & Sillanpää, M. (2020). Methods for preparation and activation of activated carbon: a review. *Environmental Chemistry Letters*, 18(2), 393–415. <https://doi.org/10.1007/s10311-019-00955-0>
- Heydari, H., & Gholivand, M. B. (2017). Novel synthesis and characterization of ZnCo₂O₄ nanoflakes grown on nickel foam as efficient electrode materials for electrochemical supercapacitors. *Ionics*, 23(6), 1489–1498. <https://doi.org/10.1007/s11581-016-1959-8>
- Hu, X., Li, J., Zhang, Y., Wu, Q., & Xia, G. (2019). Heteroatoms (N-, Si-) self-doped spongy carbon derived from wild fungus sharia bambusicola as electrode materials for supercapacitors. *Chemical Physics*, 525. <https://doi.org/10.1016/j.chemphys.2019.05.010>
- Issa, B., Obaidat, I. M., Albiss, B. A., & Haik, Y. (2013). Magnetic nanoparticles: Surface effects and properties related to biomedicine applications. *International Journal of Molecular Sciences*, 14(11), 21266–21305. <https://doi.org/10.3390/ijms141121266>
- Jain, A., Ghosh, M., Krajewski, M., Kurungot, S., & Michalska, M. (2021). Biomass-derived activated carbon material from native European deciduous trees as an inexpensive and sustainable energy material for supercapacitor application. *Journal of Energy Storage*, 34, 102178. <https://doi.org/10.1016/j.est.2020.102178>
- Jain, D., Kanungo, J., & Tripathi, S. K. (2019). Performance enhancement approach for supercapacitor by using mango kernels derived activated carbon electrode with p-hydroxyaniline based redox additive electrolyte. *Materials Chemistry and Physics*, 229, 66–77. <https://doi.org/10.1016/j.matchemphys.2019.02.060>
- Jakubec, P., Bartusek, S., Dvořáček, J. J., Šedajová, V., Kupka, V., & Otyepka, M. (2021). Flax-derived carbon: A highly durable electrode material for electrochemical double-layer supercapacitors. *Nanomaterials*, 11(9), 1–13. <https://doi.org/10.3390/nano11092229>
- Javed, M. S., Lei, H., Shah, H. U., Asim, S., Raza, R., & Mai, W. (2019). Achieving high rate and high energy density in an all-solid-state flexible asymmetric pseudocapacitor through the synergistic design of binder-free 3D ZnCo₂O₄ nano polyhedra and 2D layered Ti₃C₂T_x MXenes. *Journal of Materials Chemistry A*, 7(42), 24543–24556. <https://doi.org/10.1039/c9ta08227a>
- Jiménez-Cordero, D., Heras, F., Gilarranz, M. A., & Raymundo-Piñero, E. (2014). Grape seed carbons for studying the influence of texture on supercapacitor behaviour in aqueous electrolytes. *Carbon*, 71, 127–138. <https://doi.org/10.1016/j.carbon.2014.01.021>
- Jow, T. R., & Zheng, J. P. (1995). Amorphous thin film ruthenium oxide as an electrode material for electrochemical capacitors. *Materials Research Society Symposium - Proceedings*, 393(8), 433–438. <https://doi.org/10.1557/proc-393-433>
- Jung, N., Kwon, S., Lee, D., Yoon, D. M., Park, Y. M., Benayad, A., Choi, J. Y., & Park, J. S. (2013). Synthesis of chemically bonded graphene/carbon nanotube composites and their application in large volumetric capacitance supercapacitors. *Advanced Materials*, 25(47), 6854–6858. <https://doi.org/10.1002/adma.201302788>

- Kaczmarczyk, J., Zasada, F., Janas, J., Indyka, P., Piskorz, W., Kotarba, A., & Sojka, Z. (2016). Thermodynamic Stability, Redox Properties, and Reactivity of Mn_3O_4 , Fe_3O_4 , and Co_3O_4 Model Catalysts for N_2O Decomposition: Resolving the Origins of Steady Turnover. *ACS Catalysis*, 6(2), 1235–1246. <https://doi.org/10.1021/acscatal.5b02642>
- Kaliwoda, M., Giordano, D., Kruger, M. E., Uysal, I., Akmaz, M. R., Hoffmann, V., Hochleitner, R., & Schmahl, W. W. (2021). Raman spectroscopy as a tool for the quantitative estimation of chromium aluminum oxide content in chromite. *Spectroscopy (Santa Monica)*, 36(2), 17–23. <https://www.spectroscopyonline.com/view/raman-spectroscopy-as-a-tool-for-the-quantitative-estimation-of-chromium-aluminum-oxide-content-in-chromite>
- Kamble, G. P., Kashale, A. A., Kolekar, S. S., Chen, I. W. P., Sathe, B. R., & Ghule, A. V. (2021). Reflux temperature-dependent zinc cobaltite nanostructures for asymmetric supercapacitors. *Journal of Materials Science: Materials in Electronics*, 32(5), 5859–5869. <https://doi.org/10.1007/s10854-021-05306-w>
- Kawashima, Y., & Katagiri, G. (1995). Fundamentals, overtones, and combinations in the Raman spectrum of graphite. *Physical Review B*, 52(14), 10053–10059. <https://doi.org/10.1103/PhysRevB.52.10053>
- Kesavan, T., Partheeban, T., Vivekanantha, M., Kundu, M., Maduraiveeran, G., & Sasidharan, M. (2019). Hierarchical nanoporous activated carbon as potential electrode materials for high performance electrochemical supercapacitor. *Microporous and Mesoporous Materials*, 274, 236–244. <https://doi.org/10.1016/j.micromeso.2018.08.006>
- Kim, T., Reis, L., Rajan, K., & Shima, M. (2005). Magnetic behavior of iron oxide nanoparticle-biomolecule assembly. *Journal of Magnetism and Magnetic Materials*, 295(2), 132–138. <https://doi.org/10.1016/j.jmmm.2005.01.004>
- Kondrat, S., Pérez, C. R., Presser, V., Gogotsi, Y., & Kornyshev, A. A. (2012). Effect of pore size and its dispersity on the energy storage in nanoporous supercapacitors. *Energy and Environmental Science*, 5(4), 6474–6479. <https://doi.org/10.1039/c2ee03092f>
- Koyyada, G., Kumar, N. S., Ibrahim, I. H., Boumaza, M., Kim, J. H., & Mallikarjuna, K. (2021). In situ microwave-assisted solvothermal synthesis via morphological transformation of $ZnCo_2O_4$ 3D nanoflowers and nanopetals to 1D nanowires for hybrid supercapacitors. *RSC Advances*, 11(11), 5928–5937. <https://doi.org/10.1039/d0ra09507a>
- Kumar, V., Mariappan, C. R., Azmi, R., Moock, D., Indris, S., Bruns, M., Ehrenberg, H., & Vijaya Prakash, G. (2017). Pseudocapacitance of Mesoporous Spinel-Type MCo_2O_4 (M = Co, Zn, and Ni) Rods Fabricated by a Facile Solvothermal Route. *ACS Omega*, 2(9), 6003–6013. <https://doi.org/10.1021/acsomega.7b00709>
- Kumbhar, V. S., & Kim, D. H. (2018). Hierarchical coating of MnO_2 nanosheets on $ZnCo_2O_4$ nanoflakes for enhanced electrochemical performance of asymmetric supercapacitors. *Electrochimica Acta*, 271, 284–296. <https://doi.org/10.1016/j.electacta.2018.03.147>
- Kushwaha, A. K., Uğur, Akbudak, S., & Uğur, G. (2017). Investigation of structural, elastic, electronic, optical and vibrational properties of silver chromate spinels: Normal ($CrAg_2O_4$) and inverse (Ag_2CrO_4). *Journal of Alloys and Compounds*, 704, 101–108. <https://doi.org/10.1016/j.jallcom.2017.02.055>
- Lan, D., Chen, M., Liu, Y., Liang, Q., Tu, W., Chen, Y., Liang, J., & Qiu, F. (2020). Preparation and characterization of high value-added activated carbon derived from biowaste walnut shell by KOH activation for supercapacitor electrode. *Journal of Materials Science: Materials in Electronics*, 31(21), 18541–18553. <https://doi.org/10.1007/s10854-020-04398-0>

- Lazarević, Z. Ž., Jovalekić, Č., Milutinović, A., Rošević, M. J., & Romčević, N. Ž. (2012). Preparation and characterization of nano ferrites. *Acta Physica Polonica A*, *121*(3), 682–686. <https://doi.org/10.12693/APhysPolA.121.682>
- Lazzarini, A., Piovano, A., Pellegrini, R., Leofanti, G., Agostini, G., Rudić, S., Chierotti, M. R., Gobetto, R., Battiato, A., Spoto, G., Zecchina, A., Lamberti, C., & Groppo, E. (2016). A comprehensive approach to investigate the structural and surface properties of activated carbons and related Pd-based catalysts. *Catalysis Science and Technology*, *6*(13), 4910–4922. <https://doi.org/10.1039/c6cy00159a>
- Lei, Y., Huang, Z. H., Yang, Y., Shen, W., Zheng, Y., Sun, H., & Kang, F. (2013). Porous mesocarbon microbeads with graphitic shells: Constructing a high-rate, high-capacity cathode for hybrid supercapacitor. *Scientific Reports*, *3*, 1–6. <https://doi.org/10.1038/srep02477>
- Li, X., Zhang, M., Wu, L., Fu, Q., & Gao, H. (2019). Annealing temperature dependent ZnCo₂O₄ nanosheet arrays supported on Ni foam for high-performance asymmetric supercapacitor. *Journal of Alloys and Compounds*, *773*, 367–375. <https://doi.org/10.1016/j.jallcom.2018.09.197>
- Li, Zhaojin, Liu, Q., Sun, L., Li, N., Wang, X., Wang, Q., Zhang, D., & Wang, B. (2021). Nitrogen and oxygen Co-doped porous carbon derived from yam waste for high-performance supercapacitors. *RSC Advances*, *11*(53), 33208–33218. <https://doi.org/10.1039/d1ra06154b>
- Li, Zhiqian, Yang, Y., Yao, R., Gao, H., Song, K., Chen, W., Wang, G., & Shi, G. (2021). Preparation of Activated Carbon Derived from Tobacco and its Electrochemical Properties. *International Journal of Electrochemical Science*, *16*, 1–9. <https://doi.org/10.20964/2021.10.26>
- Liang, Y., Li, Y., Wang, H., Zhou, J., Wang, J., Regier, T., & Dai, H. (2011). Co₃O₄ nanocrystals on graphene as a synergistic catalyst for oxygen reduction reaction. *Nature Materials*, *10*(10), 780–786. <https://doi.org/10.1038/nmat3087>
- Lin, X. Q., Lü, Q. F., Li, Q., Wu, M., & Liu, R. (2018). Fabrication of Low-Cost and Ecofriendly Porous Biocarbon Using Konjaku Flour as the Raw Material for High-Performance Supercapacitor Application. *ACS Omega*, *3*(10), 13283–13289. <https://doi.org/10.1021/acsomega.8b01718>
- Liu, B., Liu, Y., Chen, H., Yang, M., & Li, H. (2017). Oxygen and nitrogen co-doped porous carbon nanosheets derived from *Perilla frutescens* for high volumetric performance supercapacitors. *Journal of Power Sources*, *341*, 309–317. <https://doi.org/10.1016/j.jpowsour.2016.12.022>
- Liu, T. (2020). Overlooking Issues and Prospective Resolutions Behind the Prosperity of Three-Dimensional Porous Carbon Supercapacitor Electrodes. *Frontiers in Energy Research*, *8*(June), 1–6. <https://doi.org/10.3389/fenrg.2020.00125>
- Liu, Y., Chang, Z., Yao, L., Yan, S., Lin, J., Chen, J., Lian, J., Lin, H., & Han, S. (2019). Nitrogen/sulfur dual-doped sponge-like porous carbon materials derived from pomelo peel synthesized at comparatively low temperatures for superior-performance supercapacitors. In *Journal of Electroanalytical Chemistry* (Vol. 847). Elsevier B.V. <https://doi.org/10.1016/j.jelechem.2019.04.071>
- Lokhande, C. D., Dubal, D. P., & Joo, O. S. (2011). Metal oxide thin film based supercapacitors. *Current Applied Physics*, *11*(3), 255–270. <https://doi.org/10.1016/j.cap.2010.12.001>
- Lu, Q., Zhou, S., Li, B., Wei, H., Zhang, D., Hu, J., Zhang, L., Zhang, J., & Liu, Q. (2020). Mesopore-rich carbon flakes derived from lotus leaves and its ultrahigh performance for supercapacitors. *Electrochimica Acta*, *333*. <https://doi.org/10.1016/j.electacta.2019.135481>

- Lu, W., Cao, X., Hao, L., Zhou, Y., & Wang, Y. (2020). Activated carbon derived from pitaya peel for supercapacitor applications with high capacitance performance. *Materials Letters*, 264, 127339. <https://doi.org/10.1016/j.matlet.2020.127339>
- Majumdar, D. (2018). An Overview on Ruthenium Oxide Composites – Challenging Material for Energy Storage Applications. *Material Science Research India*, 15(1), 30–40. <https://doi.org/10.13005/msri/150104>
- Marco, J. F., Gancedo, J. R., Gracia, M., Gautier, J. L., Ríos, E. I., Palmer, H. M., Greaves, C., & Berry, F. J. (2001). Cation distribution and magnetic structure of the ferrimagnetic spinel NiCo_2O_4 . *Journal of Materials Chemistry*, 11(12), 3087–3093. <https://doi.org/10.1039/b103135j>
- Martínez-Casillas, D. C., Mascorro-Gutiérrez, I., Arreola-Ramos, C. E., Villafán-Vidales, H. I., Arancibia-Bulnes, C. A., Ramos-Sánchez, V. H., & Cuentas-Gallegos, A. K. (2019). A sustainable approach to produce activated carbons from pecan nutshell waste for environmentally friendly supercapacitors. *Carbon*, 148, 403–412. <https://doi.org/10.1016/j.carbon.2019.04.017>
- Mary, A. J. C., & Bose, A. C. (2017). Hydrothermal synthesis of Mn-doped ZnCo_2O_4 electrode material for high-performance supercapacitor. *Applied Surface Science*, 425, 201–211. <https://doi.org/10.1016/j.apsusc.2017.06.313>
- Mary, A. J. C., & Bose, A. C. (2018). Surfactant assisted ZnCo_2O_4 nanomaterial for supercapacitor application. *Applied Surface Science*, 449, 105–112. <https://doi.org/10.1016/j.apsusc.2018.01.117>
- Mehare, M. D., Deshmukh, A. D., & Dhoble, S. J. (2020). Preparation of porous agro-waste-derived carbon from onion peel for supercapacitor application. *Journal of Materials Science*, 55(10), 4213–4224. <https://doi.org/10.1007/s10853-019-04236-7>
- Meng, Y., Yu, D., Teng, Y., Liu, X., & Liu, X. (2020). A high-performance electrode based on the $\text{ZnCo}_2\text{O}_4@\text{CoMoO}_4$ core-shell nanosheet arrays on nickel foam and their application in battery-supercapacitor hybrid device. *Electrochimica Acta*, 347, 136278. <https://doi.org/10.1016/j.electacta.2020.136278>
- Merabet, L., Rida, K., & Boukmouche, N. (2018). Sol-gel synthesis, characterization, and supercapacitor applications of MCo_2O_4 (M = Ni, Mn, Cu, Zn) cobaltite spinels. *Ceramics International*, 44(10), 11265–11273. <https://doi.org/10.1016/j.ceramint.2018.03.171>
- Mitravinda, T., Nanaji, K., Anandan, S., Jyothirmayi, A., Chakravadhanula, V. S. K., Sharma, C. S., & Rao, T. N. (2018). Facile Synthesis of Corn Silk Derived Nanoporous Carbon for an Improved Supercapacitor Performance. *Journal of The Electrochemical Society*, 165(14), A3369–A3379. <https://doi.org/10.1149/2.0621814jes>
- Mohamed, S. G., Attia, S. Y., & Allam, N. K. (2017). One-step, calcination-free synthesis of zinc cobaltite nanospheres for high-performance supercapacitors. *Materials Today Energy*, 4, 97–104. <https://doi.org/10.1016/j.mtener.2017.04.003>
- Mohammed, A. A., Chen, C., & Zhu, Z. (2019). Low-cost, high-performance supercapacitor based on activated carbon electrode materials derived from baobab fruit shells. *Journal of Colloid and Interface Science*, 538, 308–319. <https://doi.org/10.1016/j.jcis.2018.11.103>
- Molla, A. R., Kesavulu, C. R., Chakradhar, R. P. S., Tarafder, A., Mohanty, S. K., Rao, J. L., Karmakar, B., & Biswas, S. K. (2014). Microstructure, mechanical, thermal, EPR, and optical properties of $\text{MgAl}_2\text{O}_4:\text{Cr}^{3+}$ spinel glass-ceramic nanocomposites. *Journal of Alloys and Compounds*, 583, 498–509. <https://doi.org/10.1016/j.jallcom.2013.08.122>
- Moon, I. K., Yoon, S., Ki, B., Choi, K., & Oh, J. (2018). Remarkable Enhancement of Electrochemical Performance by the Oxygen Vacancy and Nitrogen Doping in ZnCo_2O_4 Nanowire Arrays. *ACS Applied Energy Materials*, 1(9), 4804–4813. <https://doi.org/10.1021/acsaem.8b00892>

- Naveen, A. N., Manimaran, P., & Selladurai, S. (2015). Cobalt oxide (Co₃O₄)/graphene nanosheets (GNS) composite prepared by novel route for supercapacitor application. *Journal of Materials Science: Materials in Electronics*, 26(11), 8988–9000. <https://doi.org/10.1007/s10854-015-3582-2>
- Obreja, V. V. N. (2008). On the performance of supercapacitors with electrodes based on carbon nanotubes and carbon activated material-A review. *Physica E: Low-Dimensional Systems and Nanostructures*, 40(7), 2596–2605. <https://doi.org/10.1016/j.physe.2007.09.044>
- Ochai-Ejeh, F. O., Bello, A., Dangbegnon, J., Khaleed, A. A., Madito, M. J., Bazegar, F., & Manyala, N. (2017). High electrochemical performance of hierarchical porous activated carbon derived from lightweight cork (*Quercus suber*). *Journal of Materials Science*, 52(17), 10600–10613. <https://doi.org/10.1007/s10853-017-1205-4>
- Ojha, K., Kumar, B., & Ganguli, A. K. (2017). Biomass derived graphene-like activated and non-activated porous carbon for advanced supercapacitors. *Journal of Chemical Sciences*, 129(3), 397–404. <https://doi.org/10.1007/s12039-017-1248-8>
- Omar, F. S., Numan, A., Duraisamy, N., Bashir, S., Ramesh, K., & Ramesh, S. (2017). A promising binary nanocomposite of zinc cobaltite intercalated with polyaniline for supercapacitor and hydrazine sensor. *Journal of Alloys and Compounds*, 716, 96–105. <https://doi.org/10.1016/j.jallcom.2017.05.039>
- Omokafe, S. M., Adeniyi, A. A., Igbafen, E. O., Oke, S. R., & Olubambi, P. A. (2020). Fabrication of Activated Carbon from Coconut Shells and its Electrochemical Properties for Supercapacitors. *International Journal of Electrochemical Science*, 15(11), 10854–10865. <https://doi.org/10.20964/2020.11.10>
- Ounnunkad, K., & Phanichphant, S. (2012). Cellulose-precursor synthesis of nanocrystalline Co_{0.5}Cu_{0.5}Fe₂O₄ spinel ferrites. *Materials Research Bulletin*, 47(2), 473–477. <https://doi.org/10.1016/j.materresbull.2011.10.012>
- Pal, B., Yang, S., Ramesh, S., Thangadurai, V., & Jose, R. (2019). Electrolyte selection for supercapacitive devices: A critical review. *Nanoscale Advances*, 1(10), 3807–3835. <https://doi.org/10.1039/c9na00374f>
- Pan, Y., Gao, H., Zhang, M., Li, L., & Wang, Z. (2017). Facile synthesis of ZnCo₂O₄ micro-flowers and micro-sheets on Ni foam for pseudocapacitor electrodes. *Journal of Alloys and Compounds*, 702, 381–387. <https://doi.org/10.1016/j.jallcom.2017.01.136>
- Parveen, S., Nguyen, H. H., Premkumar, T., Puschmann, H., & Govindarajan, S. (2020). Nano spinel cobaltites and their catalytic and electrochemical properties: facile synthesis of metal (Co, Ni, and Zn) and mixed metal (Co–Ni and Co–Zn) complexes of Schiff bases prepared from α -ketoglutaric acid and ethyl carbazate. *New Journal of Chemistry*, 44(29), 12729–12740. <https://doi.org/10.1039/d0nj01016b>
- Patil, S. J., Park, J., & Lee, D. W. (2017). Facial synthesis of nanostructured ZnCo₂O₄ on carbon cloth for supercapacitor application. *IOP Conference Series: Materials Science and Engineering*, 282(1). <https://doi.org/10.1088/1757-899X/282/1/012004>
- Pérez-Madrigal, M. M., Edo, M. G., & Alemán, C. (2016). Powering the future: Application of cellulose-based materials for supercapacitors. *Green Chemistry*, 18(22), 5930–5956. <https://doi.org/10.1039/c6gc02086k>
- Perricone, E., Chamas, M., Cointeaux, L., Leprêtre, J. C., Judeinstein, P., Azais, P., Béguin, F., & Alloin, F. (2013). Investigation of methoxypropionitrile as co-solvent for ethylene carbonate based electrolyte in supercapacitors. A safe and wide temperature range electrolyte. *Electrochimica Acta*, 93, 1–7. <https://doi.org/10.1016/j.electacta.2013.01.084>

- Priya, M., Premkumar, V. K., Vasantharani, P., & Sivakumar, G. (2019). Structural and electrochemical properties of ZnCo₂O₄ nanoparticles synthesized by hydrothermal method. *Vacuum*, *167*, 307–312. <https://doi.org/10.1016/j.vacuum.2019.06.020>
- Rafik, F., Gualous, H., Gallay, R., Crausaz, A., & Berthon, A. (2007). Frequency, thermal and voltage supercapacitor characterization and modeling. *Journal of Power Sources*, *165*(2), 928–934. <https://doi.org/10.1016/j.jpowsour.2006.12.021>
- Rajesh, J. A., Min, B.-K., Kim, J.-H., Kim, H., & Ahn, K.-S. (2016). Cubic Spinel AB₂O₄ Type Porous ZnCo₂O₄ Microspheres: Facile Hydrothermal Synthesis and Their Electrochemical Performances in Pseudocapacitor. *Journal of The Electrochemical Society*, *163*(10), A2418–A2427. <https://doi.org/10.1149/2.0071613jes>
- Rajesh, J. A., Min, B. K., Kim, J. H., Kang, S. H., Kim, H., & Ahn, K. S. (2017). Facile hydrothermal synthesis and electrochemical supercapacitor performance of hierarchical coral-like ZnCo₂O₄ nanowires. *Journal of Electroanalytical Chemistry*, *785*, 48–57. <https://doi.org/10.1016/j.jelechem.2016.12.027>
- Rani, B. J., Ravi, G., Yuvakkumar, R., Ganesh, V., Ravichandran, S., Thambidurai, M., Rajalakshmi, A. P., & Sakunthala, A. (2018). Pure and cobalt-substituted zinc-ferrite magnetic ceramics for supercapacitor applications. *Applied Physics A: Materials Science and Processing*, *124*(7), 1–12. <https://doi.org/10.1007/s00339-018-1936-3>
- Ratha, S., Khare, R. T., More, M. A., Thapa, R., Late, D. J., & Rout, C. S. (2015). Field emission properties of spinel ZnCo₂O₄ microflowers. *RSC Advances*, *5*(7), 5372–5378. <https://doi.org/10.1039/c4ra10246k>
- Raut, S. S., & Sankapal, B. R. (2017). Porous zinc cobaltite (ZnCo₂O₄) film by successive ionic layer adsorption and reaction towards solid-state symmetric supercapacitive device. *Journal of Colloid and Interface Science*, *487*, 201–208. <https://doi.org/10.1016/j.jcis.2016.10.025>
- Rawal, S., Joshi, B., & Kumar, Y. (2018). Synthesis and characterization of activated carbon from the biomass of Saccharum bengalense for electrochemical supercapacitors. *Journal of Energy Storage*, *20*, 418–426. <https://doi.org/10.1016/j.est.2018.10.009>
- Reddy, G. R., Kumar, N. S., Raju, B. D. P., Shanmugam, G., Al-Ghurabi, E. H., & Asif, M. (2020). Enhanced supercapacitive performance of higher-ordered 3d-hierarchical structures of hydrothermally obtained ZnCo₂O₄ for energy storage devices. *Nanomaterials*, *10*(6), 1–13. <https://doi.org/10.3390/nano10061206>
- Sahoo, M. K., & Rao, G. R. (2021). A high energy flexible symmetric supercapacitor fabricated using N-doped activated carbon derived from palm flowers. *Nanoscale Advances*, *3*(18), 5417–5429. <https://doi.org/10.1039/d1na00261a>
- Sahoo, S., & Shim, J. J. (2017). Nanostructured 3D zinc cobaltite/nitrogen-doped reduced graphene oxide composite electrode for supercapacitor applications. *Journal of Industrial and Engineering Chemistry*, *54*, 205–217. <https://doi.org/10.1016/j.jiec.2017.05.035>
- Samiei, E., Mohammadi, S., Torkzadeh-Mahani, M., & Askari, M. B. (2021). Preparation and Characterization of ZnCo₂O₄ as a Binary Transitional Metal Oxide Towards Pseudocapacitor Electrode Materials. *Brazilian Journal of Physics*, *51*(3), 420–428. <https://doi.org/10.1007/s13538-020-00845-9>
- Saravanakumar, B., Ravi, G., Yuvakkumar, R., Ganesh, V., Ravichandran, S., Thambidurai, M., & Sakunthala, A. (2019). Hydrothermal synthesis and electrochemical properties of ZnCo₂O₄ microspheres. *Ionics*, *25*(1), 353–360. <https://doi.org/10.1007/s11581-018-2766-1>

- Seko, A., Yuge, K., Oba, F., Kuwabara, A., & Tanaka, I. (2006). Prediction of ground-state structures and order-disorder phase transitions in II-III spinel oxides: A combined cluster-expansion method and first-principles study. *Physical Review B - Condensed Matter and Materials Physics*, *73*(18), 1–5. <https://doi.org/10.1103/PhysRevB.73.184117>
- Selvaraj, A. R., Kim, H. J., Senthil, K., & Prabakar, K. (2020). Cation intercalated one-dimensional manganese hydroxide nanorods and hierarchical mesoporous activated carbon nanosheets with ultrahigh capacitance retention asymmetric supercapacitors. *Journal of Colloid and Interface Science*, *566*, 485–494. <https://doi.org/10.1016/j.jcis.2020.01.117>
- Selvaraj, A. R., Muthusamy, A., Inho-Cho, Kim, H. J., Senthil, K., & Prabakar, K. (2021). Ultrahigh surface area biomass derived 3D hierarchical porous carbon nanosheet electrodes for high energy density supercapacitors. *Carbon*, *174*, 463–474. <https://doi.org/10.1016/j.carbon.2020.12.052>
- Sennu, P., Choi, H. J., Baek, S. G., Aravindan, V., & Lee, Y. S. (2016). Tube-like carbon for Li-ion capacitors derived from the environmentally undesirable plant: *Prosopis juliflora*. *Carbon*, *98*, 58–66. <https://doi.org/10.1016/j.carbon.2015.10.087>
- Shang, Y., Xie, T., Gai, Y., Su, L., Gong, L., Lv, H., & Dong, F. (2017). Self-assembled hierarchical peony-like $ZnCo_2O_4$ for high-performance asymmetric supercapacitors. *Electrochimica Acta*, *253*, 281–290. <https://doi.org/10.1016/j.electacta.2017.09.042>
- Shang, Y., Xie, T., Ma, C., Su, L., Gai, Y., Liu, J., & Gong, L. (2018). Synthesis of hollow $ZnCo_2O_4$ microspheres with enhanced electrochemical performance for asymmetric supercapacitor. *Electrochimica Acta*, *286*, 103–113. <https://doi.org/10.1016/j.electacta.2018.08.025>
- Shang, Z., An, X., Zhang, H., Shen, M., Baker, F., Liu, Y., Liu, L., Yang, J., Cao, H., Xu, Q., Liu, H., & Ni, Y. (2020). Houttuynia-derived nitrogen-doped hierarchically porous carbon for high-performance supercapacitor. *Carbon*, *161*, 62–70. <https://doi.org/10.1016/j.carbon.2020.01.020>
- Shanmugapriya, S., Surendran, S., Lee, Y. S., & Selvan, R. K. (2019). Improved surface charge storage properties of *Prosopis juliflora* (pods) derived onion-like porous carbon through redox-mediated reactions for electric double layer capacitors. *Applied Surface Science*, *492*, 896–908. <https://doi.org/10.1016/j.apsusc.2019.06.147>
- Shanmugavalli, V., Saravanan, O. V., Vishista, K., & Saravanan, R. (2019). A study of charge density distribution and enhanced electrochemical properties of zinc cobaltite/polyaniline nanocomposite for supercapacitor application. *Ionics*, *25*(9), 4393–4408. <https://doi.org/10.1007/s11581-019-02997-4>
- Shanmugavani, A., & Selvan, R. K. (2016). Improved electrochemical performances of $CuCo_2O_4/CuO$ nanocomposites for asymmetric supercapacitors. *Electrochimica Acta*, *188*, 852–862. <https://doi.org/10.1016/j.electacta.2015.12.077>
- Sharma, P., & Bhatti, T. S. (2010). A review on electrochemical double-layer capacitors. *Energy Conversion and Management*, *51*(12), 2901–2912. <https://doi.org/10.1016/j.enconman.2010.06.031>
- Shen, H., Xia, X., Ouyang, Y., Jiao, X., Mutahir, S., Mandler, D., & Hao, Q. (2019). Preparation of Biomass-Based Porous Carbons with High Specific Capacitance for Applications in Supercapacitors. *ChemElectroChem*, *6*(14), 3599–3605. <https://doi.org/10.1002/celec.201900395>
- Shrestha, D., & Rajbhandari, A. (2021). The effects of different activating agents on the physical and electrochemical properties of activated carbon electrodes fabricated from wood-dust of *Shorea robusta*. *Heliyon*, *7*(9), e07917. <https://doi.org/10.1016/j.heliyon.2021.e07917>

- Silambarasan, M., Ramesh, P. S., Geetha, D., Ravikumar, K., Ali, H. E., Algarni, H., Soundhirarajan, P., Chandekar, K. V., & Shkir, M. (2021). A Facile Preparation of Zinc Cobaltite (ZnCo_2O_4) Nanostructures for Promising Supercapacitor Applications. *Journal of Inorganic and Organometallic Polymers and Materials*, 31(10), 3905–3920. <https://doi.org/10.1007/s10904-021-02077-z>
- Singh, R. K., Kumar, R., & Singh, D. P. (2016). Graphene oxide: Strategies for synthesis, reduction and frontier applications. *RSC Advances*, 6(69), 64993–65011. <https://doi.org/10.1039/c6ra07626b>
- Sodtipinta, J., Amornsakchai, T., & Pakawatpanurut, P. (2017). Nanoporous carbon derived from agro-waste pineapple leaves for supercapacitor electrode. *Advances in Natural Sciences: Nanoscience and Nanotechnology*, 8(3). <https://doi.org/10.1088/2043-6254/aa7233>
- Sole, C., Drewett, N. E., & Hardwick, L. J. (2014). In situ Raman study of lithium-ion intercalation into microcrystalline graphite. *Faraday Discussions*, 172, 223–237. <https://doi.org/10.1039/c4fd00079j>
- Song, D., Zhu, J., Li, J., Pu, T., Huang, B., Zhao, C., Xie, L., & Chen, L. (2017). Free-standing Two-dimensional Mesoporous ZnCo_2O_4 Thin Sheets Consisting of 3D Ultrathin Nanoflake Array Frameworks for High Performance Asymmetric Supercapacitor. *Electrochimica Acta*, 257, 455–464. <https://doi.org/10.1016/j.electacta.2017.10.116>
- Sonoyama, N., Kawamura, K., Yamada, A., & Kanno, R. (2006). Electrochemical Luminescence of Rare Earth Metal Ion Doped MgIn_2O_4 Electrodes. *Journal of The Electrochemical Society*, 153(3), H45. <https://doi.org/10.1149/1.2158574>
- Su, X. L., Cheng, M. Y., Fu, L., Yang, J. H., Zheng, X. C., & Guan, X. X. (2017). Superior supercapacitive performance of hollow activated carbon nanomesh with hierarchical structure derived from poplar catkins. *Journal of Power Sources*, 362, 27–38. <https://doi.org/10.1016/j.jpowsour.2017.07.021>
- Sun, J., Zan, P., Ye, L., Yang, X., & Zhao, L. (2017). Superior performance of $\text{ZnCo}_2\text{O}_4/\text{ZnO}$ @multiwall carbon nanotubes with laminated shape assembled as highly practical all-solid-state asymmetric supercapacitors. *Journal of Materials Chemistry A*, 5(20), 9815–9823. <https://doi.org/10.1039/c7ta01618b>
- Sur, U. K. (2012). Graphene: A Rising Star on the Horizon of Materials Science. *International Journal of Electrochemistry*, 2012, 1–12. <https://doi.org/10.1155/2012/237689>
- Szubzda, B., Szmaja, A., Ozimek, M., & Mazurkiewicz, S. (2014). Polymer membranes as separators for supercapacitors. *Applied Physics A: Materials Science and Processing*, 117(4), 1801–1809. <https://doi.org/10.1007/s00339-014-8674-y>
- Tian, Q., Wang, X., Xu, X., Zhang, M., Wang, L., Zhao, X., An, Z., Yao, H., & Gao, J. (2018). A novel porous carbon material made from wild rice stem and its application in supercapacitors. *Materials Chemistry and Physics*, 213, 267–276. <https://doi.org/10.1016/j.matchemphys.2018.04.026>
- Tian, X., Ma, H., Li, Z., Yan, S., Ma, L., Yu, F., Wang, G., Guo, X., Ma, Y., & Wong, C. (2017). Flute type micropores activated carbon from cotton stalk for high performance supercapacitors. *Journal of Power Sources*, 359, 88–96. <https://doi.org/10.1016/j.jpowsour.2017.05.054>
- Tomboc, G. M., Jadhav, H. S., & Kim, H. (2016). ZnCo_2O_4 nanoparticles for high-performance pseudocapacitor. *Chemical Engineering Journal*, 308, 202–213. <http://dx.doi.org/10.1016/j.cej.2016.09.056>

- Varalakshmi, N., Narayana, A. L., Rekha, D., Hussain, O. M., & Sreedhar, N. Y. (2019). Sodium dodecyl sulphate assisted hydrothermally synthesized hexagonal prismatic nanocrystalline zinc cobaltite for high performance supercapacitors. *Ionics*, 25(8), 3897–3905. <https://doi.org/10.1007/s11581-019-02949-y>
- Vijayakumar, S., Nagamuthu, S., Lee, S. H., & Ryu, K. S. (2017). Porous thin layered nanosheets assembled ZnCo₂O₄ grown on Ni-foam as an efficient electrode material for hybrid supercapacitor applications. *International Journal of Hydrogen Energy*, 42(5), 3122–3129. <https://doi.org/10.1016/j.ijhydene.2016.09.159>
- Vomir, M., Turnbull, R., Birced, I., Parreira, P., Maclaren, D. A., Lee, S. L., André, P., & Bigot, J. Y. (2016). Dynamical Torque in Co_xFe_{3-x}O₄ Nanocube Thin Films Characterized by Femtosecond Magneto-Optics: A π -Shift Control of the Magnetization Precession. *Nano Letters*, 16(8), 5291–5297. <https://doi.org/10.1021/acs.nanolett.6b02618>
- Wang, C., Wang, J., Wu, W., Qian, J., Song, S., & Yue, Z. (2019). Feasibility of activated carbon derived from anaerobic digester residues for supercapacitors. *Journal of Power Sources*, 412, 683–688. <https://doi.org/10.1016/j.jpowsour.2018.11.092>
- Wang, K., Song, Y., Yan, R., Zhao, N., Tian, X., Li, X., Guo, Q., & Liu, Z. (2017). High capacitive performance of hollow activated carbon fibers derived from willow catkins. *Applied Surface Science*, 394, 569–577. <https://doi.org/10.1016/j.apsusc.2016.10.161>
- Wang, P., Wang, Q., Zhang, G., Jiao, H., Deng, X., & Liu, L. (2016). Promising activated carbons derived from cabbage leaves and their application in high-performance supercapacitors electrodes. *Journal of Solid State Electrochemistry*, 20(2), 319–325. <https://doi.org/10.1007/s10008-015-3042-1>
- Wang, S., Pu, J., Tong, Y., Cheng, Y., Gao, Y., & Wang, Z. (2014). ZnCo₂O₄ nanowire arrays grown on nickel foam for high-performance pseudocapacitors. *Journal of Materials Chemistry A*, 2(15), 5434–5440. <https://doi.org/10.1039/c3ta14941b>
- Wang, X., Yun, S., Fang, W., Zhang, C., Liang, X., Lei, Z., & Liu, Z. (2018). Layer-Stacking Activated Carbon Derived from Sunflower Stalk as Electrode Materials for High-Performance Supercapacitors. *ACS Sustainable Chemistry and Engineering*, 6(9), 11397–11407. <https://doi.org/10.1021/acssuschemeng.8b01334>
- Wang, Z., Tan, Y., Yang, Y., Zhao, X., Liu, Y., Niu, L., Tichnell, B., Kong, L., Kang, L., Liu, Z., & Ran, F. (2018). Pomelo peels-derived porous activated carbon microsheets dual-doped with nitrogen and phosphorus for high performance electrochemical capacitors. *Journal of Power Sources*, 378(August 2017), 499–510. <https://doi.org/10.1016/j.jpowsour.2017.12.076>
- Wei, C., Feng, Z., Baisariyev, M., Yu, L., Zeng, L., Wu, T., Zhao, H., Huang, Y., Bedzyk, M. J., Sritharan, T., & Xu, Z. J. (2016). Valence Change Ability and Geometrical Occupation of Substitution Cations Determine the Pseudocapacitance of Spinel Ferrite XFe₂O₄ (X = Mn, Co, Ni, Fe). *Chemistry of Materials*, 28(12), 4129–4133. <https://doi.org/10.1021/acs.chemmater.6b00713>
- Wei, H., Wang, Y., Guo, J., Yan, X., O'Connor, R., Zhang, X., Shen, N. Z., Weeks, B. L., Huang, X., Wei, S., & Guo, Z. (2015). Electropolymerized Polypyrrole Nanocoatings on Carbon Paper for Electrochemical Energy Storage. *ChemElectroChem*, 2(1), 119–126. <https://doi.org/10.1002/celec.201402258>
- Whittingham, M. S. (2004). Lithium batteries and cathode materials. *Chemical Reviews*, 104(10), 4271–4301. <https://doi.org/10.1021/cr020731c>

- Wu, C., Cai, J., Zhang, Q., Zhou, X., Zhu, Y., Li, L., Shen, P., & Zhang, K. (2015). Direct growth of urchin-like ZnCo_2O_4 microspheres assembled from nanowires on nickel foam as high-performance electrodes for supercapacitors. *Electrochimica Acta*, *169*, 202–209. <https://doi.org/10.1016/j.electacta.2015.04.079>
- Xiao, X., Wang, G., Zhang, M., Wang, Z., Zhao, R., & Wang, Y. (2018). Electrochemical performance of mesoporous ZnCo_2O_4 nanosheets as an electrode material for supercapacitor. *Ionics*, *24*(8), 2435–2443. <https://doi.org/10.1007/s11581-017-2354-9>
- Xie, L., Liu, Y., Bai, H., Li, C., Mao, B., Sun, L., & Shi, W. (2018). Core-shell structured $\text{ZnCo}_2\text{O}_4@ \text{ZnWO}_4$ nanowire arrays on nickel foam for advanced asymmetric supercapacitors. *Journal of Colloid and Interface Science*, *531*, 64–73. <https://doi.org/10.1016/j.jcis.2018.07.049>
- Xu, L., Zhao, Y., Lian, J., Xu, Y., Bao, J., Qiu, J., Xu, L., Xu, H., Hua, M., & Li, H. (2017). Morphology controlled preparation of ZnCo_2O_4 nanostructures for asymmetric supercapacitor with ultrahigh energy density. *Energy*, *123*, 296–304. <https://doi.org/10.1016/j.energy.2017.02.018>
- Xu, Z., Li, Y., Li, D., Wang, D., Zhao, J., Wang, Z., Banis, M. N., Hu, Y., & Zhang, H. (2018). N-enriched multilayered porous carbon derived from natural casings for high-performance supercapacitors. *Applied Surface Science*, *444*, 661–671. <https://doi.org/10.1016/j.apsusc.2018.03.100>
- Yang, Y., Yang, C., Tao, K., Ma, Q., & Han, L. (2020). Construction of S-doped ZnCo_2O_4 microspindles with enhanced electrochemical performance for supercapacitors. *Vacuum*, *181*(June), 109740. <https://doi.org/10.1016/j.vacuum.2020.109740>
- Yin, J., Zhang, W., Alhebshi, N. A., Salah, N., & Alshareef, H. N. (2020). Synthesis Strategies of Porous Carbon for Supercapacitor Applications. *Small Methods*, *4*(3), 1–31. <https://doi.org/10.1002/smt.201900853>
- Yin, Z., Sun, Z., Wu, J., Liu, R., Zhang, S., Qian, Y., & Min, Y. (2018). Facile synthesis of hexagonal single-crystalline ZnCo_2O_4 nanosheet arrays assembled by mesoporous nanosheets as electrodes for high-performance electrochemical capacitors and gas sensors. *Applied Surface Science*, *457*, 1103–1109. <https://doi.org/10.1016/j.apsusc.2018.06.297>
- Yu, D., Zhang, Z., Meng, Y., Teng, Y., Wu, Y., Zhang, X., Sun, Q., Tong, W., Zhao, X., & Liu, X. (2018). The synthesis of hierarchical $\text{ZnCo}_2\text{O}_4@ \text{MnO}_2$ core-shell nanosheet arrays on Ni foam for high-performance all-solid-state asymmetric supercapacitors. *Inorganic Chemistry Frontiers*, *5*(3), 597–604. <https://doi.org/10.1039/c7qi00706j>
- Yu, K., Zhu, H., Qi, H., & Liang, C. (2018). High surface area carbon materials derived from corn stalk core as electrode for supercapacitor. *Diamond and Related Materials*, *88*, 18–22. <https://doi.org/10.1016/j.diamond.2018.06.018>
- Yu, X. Y., Yao, X. Z., Luo, T., Jia, Y., Liu, J. H., & Huang, X. J. (2014). Facile synthesis of urchin-like NiCo_2O_4 hollow microspheres with enhanced electrochemical properties in energy and environmentally related applications. *ACS Applied Materials and Interfaces*, *6*(5), 3689–3695. <https://doi.org/10.1021/am4060707>
- Zeng, L., Lou, X., Zhang, J., Wu, C., Liu, J., & Jia, C. (2019). Carbonaceous mudstone and lignin-derived activated carbon and its application for supercapacitor electrode. *Surface and Coatings Technology*, *357*, 580–586. <https://doi.org/10.1016/j.surfcoat.2018.10.041>
- Zhang, J., Jiang, J., Li, H., & Zhao, X. S. (2011). A high-performance asymmetric supercapacitor fabricated with graphene-based electrodes. *Energy and Environmental Science*, *4*(10), 4009–4015. <https://doi.org/10.1039/c1ee01354h>

- Zhang, L., & Zhao, X. S. (2009). Carbon-based materials as supercapacitor electrodes. *Chemical Society Reviews*, 38(9), 2520–2531. <https://doi.org/10.1039/b813846j>
- Zhang, M., & Li, J. (2009). Carbon nanotube in different shapes. *Materials Today*, 12(6), 12–18. [https://doi.org/10.1016/S1369-7021\(09\)70176-2](https://doi.org/10.1016/S1369-7021(09)70176-2)
- Zhang, Y. L., Li, S. Y., Tang, Z. S., Song, Z. xing, & Sun, J. (2019). Xanthoceras sorbifolia seed coats derived porous carbon with unique architecture for high rate performance supercapacitors. *Diamond and Related Materials*, 91(October 2018), 119–126. <https://doi.org/10.1016/j.diamond.2018.11.013>
- Zhao, Q., Yan, Z., Chen, C., & Chen, J. (2017). Spinels: Controlled Preparation, Oxygen Reduction/Evolution Reaction Application, and beyond. *Chemical Reviews*, 117(15), 10121–10211. <https://doi.org/10.1021/acs.chemrev.7b00051>
- zhou, Y., Chen, L., Jiao, Y. T., Li, Z., & Gao, Y. (2019). Controllable fabrication of ZnCo₂O₄ ultra-thin curved sheets on Ni foam for high-performance asymmetric supercapacitors. *Electrochimica Acta*, 299, 388–394. <https://doi.org/10.1016/j.electacta.2018.12.186>
- Zhu, B., Liu, B., Qu, C., Zhang, H., Guo, W., Liang, Z., Chen, F., & Zou, R. (2018). Tailoring biomass-derived carbon for high-performance supercapacitors from controllably cultivated algae microspheres. *Journal of Materials Chemistry A*, 6(4), 1523–1530. <https://doi.org/10.1039/c7ta09608a>
- Zhu, J., Song, D., Pu, T., Li, J., Huang, B., Wang, W., Zhao, C., Xie, L., & Chen, L. (2018). Two-dimensional porous ZnCo₂O₄ thin sheets assembled by 3D nanoflake array with enhanced performance for aqueous asymmetric supercapacitor. *Chemical Engineering Journal*, 336, 679–689. <https://doi.org/10.1016/j.cej.2017.12.035>