

# *CONTENTS*

---

# CONTENTS

---

CHAPTER	TITLE	PAGE NO.
	LIST OF TABLES	i
	LIST OF FIGURES	ii-iii
I	INTRODUCTION	1-15
	1.1 Nuclear physics	
	1.2 Radioactivity	
	1.3 Basic decay modes	
	1.3.1 Alpha decay	
	1.3.2 Beta decay	
	1.3.3 Gamma decay	
	1.4 Nuclear Reaction.	
	1.4.1 Types of Nuclear Reaction	
	1.4.2 Compound Nucleus formed in the heavy-ion reactions	
	1.5 Nuclear Models	
	1.5.1 Liquid drop model	
	1.5.2 Independent particle model or shell Model	
	1.6 Fission Models:	
	1.6.1 Unified Fission Model	
	1.6.2 Numerical Super Asymmetric Fission Model	
	1.6.3 Analytical Super Asymmetric Fission Model	

- 1.7 Cluster models.
  - 1.7.1 Preformed Cluster Model
  - 1.7.2 Dynamical Cluster decay Model
- 1.8 Applications of nuclear reactions
- 1.9 Applications of nuclear models
- 2.0 Applications of Alpha decay
- 2.1 Applications of Nuclear Physics
- 2.2 Objectives

**II REVIEW OF LITERATURE 16-27**

- 2.1 Review on Alpha decay
  - 2.1.1 Review on theoretical studies on Alpha decay
  - 2.1.2 Review on experimental studies on Alpha decay
- 2.2 Review on dynamic cluster decay model
  - 2.2.1 Review of theoretical studies on DCM model
  - 2.2.2 Review of experimental studies on Chromium

**III METHODOLOGY 28-39**

- 3.1 Unified Fission Model
  - 3.1.1 Introduction
  - 3.1.2 Gamow's theory of alpha decay
  - 3.1.3 Q- value of the reaction
  - 3.1.4 Theoretical frame work on the UFM
  - 3.1.5 Coulomb potential

**3.1.6 Nuclear Proximity potential ( $V_p(R)$ )**

**3.2 Dynamical cluster decay model**

**3.2.1 Preformation probability ( $P_0$ )**

**3.2.2 Fragmentation potential  $V(\eta)$**

**3.2.3 Temperature dependent binding energies**

**3.2.4 Penetration Probability ( $P$ )**

<b>IV</b>	<b>RESULTS AND DISCUSSION</b>	<b>40-77</b>
	<b>4.1 Characteristics of alpha decay of even-even nuclei</b>	
	<b>4.2 Characteristics of alpha decay of even-odd nuclei</b>	
	<b>4.3 Characteristics of alpha decay of odd-even nuclei</b>	
	<b>4.4 Dynamical cluster decay model</b>	
	<b>4.5 Fragmentation potential</b>	
<b>V</b>	<b>SUMMARY AND CONCLUSION</b>	<b>78-79</b>
	<b>REFERENCES</b>	<b>80-82</b>

## LIST OF TABLES

TABLE NO	TITLE	PAGE NO
3.1	Liquid drop and droplet co-efficient of Guet's temperature dependent mass formula	39
4.1	Characteristic quantities for alpha decay of 34 even-even nuclei $208 \leq A \leq 288$	46
4.2	Characteristic quantities for alpha decay of 40 even-odd nuclei $210 \leq A \leq 290$	48
4.3	Characteristic quantities for alpha decay of 47 odd-even nuclei $211 \leq A \leq 289$	50

## LIST OF FIGURES

FIGURE NO	TITLE	PAGE NO
4.1	Potential Barrier for the parent nucleus for $^{230}\text{Th}$ alpha decay.	52
4.2	Preformation probability of 34 even-even nuclei with respect to the parent Neutron Number N	53
4.3	Calculated decimal logarithmic values of penetrability values for 34 even-even nuclei relative to parent neutron number N.	54
4.4(a)	Calculated $\log T_{1/2}$ values relative to $1/Q^{-1/2}$ for 34 even-even nuclei.	55
4.4 (b)	Calculated $\log T_{1/2}$ values relative to $1/Q^{-1/2}$ for 34 even-even nuclei.	56
4.5(a)	Calculated $\log T_{1/2}$ against $-\log P_0$ for neutron around N =126	57
4.5(b)	Calculated $\log T_{1/2}$ against $-\log P_0$ for neutron around N =152	58
4.6	Potential Barrier for the parent nucleus for $^{210}\text{Bi}$ alpha decay.	59
4.7	Preformation probability of 40 even odd nuclei with respect to the parent Neutron Number N	60
4.8	Calculated decimal logarithmic values of penetrability values relative to parent neutron number N, for 40 even-odd nuclei	61
4.9 (a)	Calculated $\log T_{1/2}$ values relative to $1/Q^{-1/2}$ for 40 even-odd nuclei.	62
4.9 (b)	Calculated $\log T_{1/2}$ values relative to $1/Q^{-1/2}$ for 40 even-odd nuclei.	63
4.10 (a)	Calculated $\log T_{1/2}$ against $-\log P_0$ for neutron around N =126	64

4.10(b)	Calculated $\log T_{1/2}$ against $-\log P_0$ for neutron around $N = 152$	65
4.11	Potential barrier for the parent nucleus $^{235}\text{U}$ for alpha decay	66
4.12	Preformation probability of 47 odd-even nuclei with respect to the parent Neutron Number $N$	67
4.13	Calculated decimal logarithmic values of penetrability values relative to parent neutron number ( $N$ ) of 47 odd-even nuclei	68
4.14 (a)	Calculated $\log T_{1/2}$ values relative to $1/Q-1/2$ for 47 odd-even nuclei.	69
4.14(b)	Calculated $\log T_{1/2}$ values relative to $1/Q-1/2$ for 47 odd-even nuclei.	70
4.15 (a)	Calculated $\log T_{1/2}$ against $-\log P_0$ for neutron around $N = 126$	71
4.15 (b)	Calculated $\log T_{1/2}$ against $-\log P_0$ for neutron around $N = 152$	72
4.16	Fragmentation potential for the decay of hot and rotating $^{48}\text{Cr}^*$ formed in $^{24}\text{Mg} + ^{24}\text{Mg}$ reaction	73
4.17	Fragmentation potential at $T = 3.43$ MeV with $R = R_t + 1$ fm for different angular momentum values.	74
4.18	The fragment preformation probability ( $P_0$ ) as a function of angular momentum $\ell$ for the $^{48}\text{Cr}^*$ compound system calculated by Guet et al.'s formula at $T = 3.43$ MeV and $E_{c.m.} = 44.4$ MeV	75
4.19	The fragment penetration probability $P$ as a function of angular momentum $\ell$ for the $^{48}\text{Cr}^*$ compound system is calculated Guet et al.'s formula at $T = 3.43$ MeV and $E_{c.m.} = 44.4$ MeV.	76
4.20	Light particle cross sections $\sigma_{LP}$ (solid line), intermediate mass fragment cross sections $\sigma_{IMF}$ (dashed line), and their sum $\sigma_{Total}$ (dotted line) calculated for $^{48}\text{Cr}^*$ at $T = 3.43$ MeV using Guet et al.'s formula.	77