



References

REFERENCES

- Abeyasinghe, S. (2007). Induced systemic resistance (ISR) in bean (*Phaseolus vulgaris* L.) mediated by rhizobacteria against bean rust caused by *Uromyces appendiculatus* under greenhouse and field conditions. Arch. Phytopathol. Plant Prot., 1-9.
- Ahmadzadeh, M. and Tehrani, A. S. (2009). Evaluation of fluorescent pseudomonads for plant growth promotion, antifungal activity against *Rhizoctonia solani* on common bean and biocontrol potential. Biol. Control., 48:101-107.
- Ali, B., Sabri, A. N., Ljung, K. and Hasnain, S. (2009). Quantification of indole-3-acetic acid from plant associated *Bacillus* spp. and their phytostimulatory effect on *Vigna radiata* (L.). World J. Microbiol. Biotechnol., 25:519-526.
- Anand, T., Chandrasekaran, A., Raguchander, T., Prakasam, V. and Samiyappan, R. (2009a). Chemical and biological treatments for enhancing resistance in chilli against *Colletotrichum capsici* and *Leveillula taurica*. Arch. Phytopathol. Plant Prot., 42(6):533-551.
- Anand, T., Chandrasekaran, A., Kuttalam, S., Raguchander, T. and Samiyappan, R. (2009b). Management of cucumber (*Cucumis sativus* L.) mildews through azoxystrobin-tolerant *Pseudomonas fluorescens*. J. Agric. Sci. Technol., 11:211-226.
- Avenot, H., Morgan, D. P. and Michailides, T. J. (2008). Resistance to pyraclostrobin, boscalid and multiple resistance to pristine® (pyraclostrobin+-oscalid) fungicide in *Alternaria alternata* causing alternaria late blight of pistachios in California. Plant Pathol., 57(1):135-140.
- Bakker, P. A. H. M., Pieterse, M. J. and van Loon, L. C. (2007). Induced systemic resistance by fluorescent pseudomonads. Phytopathol., 97:239-243.
- Bakker, P. A. H. M., Ran, L. X., Pieterse, C. M. J. and van Loon, L. C. (2003). Understanding the involvement of rhizobacteria mediated induction of systemic resistance in biocontrol of plant diseases. Can. J. Plant Pathol., 25:5-9.
- Bashan, Y. and Hernandez-Saavedra, N. Y. (1992). Alternaria-blight of cotton: epidemiology and transmission. In 'Alternaria biology, plant diseases and metabolites. Topics in secondary metabolism. Vol.3'. (Eds J Chelkowski, A Visconti) (Elsevier Scientific Publishers: Amsterdam, the Netherlands). pp. 233-266.
- Bennett, J. H. and Wallsgrove, R. M. (1994). Secondary metabolites in plant defense mechanisms. New Phytol., 127:617-634.
- Bloemberg, G. V. and Lugtenberg, B. J. J. (2001). Molecular basis of plant growth promotion and biocontrol by rhizobacteria. Curr. Opin. Plant Biol., 4:343-350.
- Blystone, C. R., Furr, J., Lambright, C. S., Howdeshell, K. L., Ryan, B. C., Wilson, V. S., LeBlanc, G. A. and Gray, L. E. Jr. (2007). Prochloraz inhibits testosterone production at dosages below those that affect androgen-dependent organ weights or the onset of puberty in the male sprague dawley rat. Toxicol Sci., 97:65-74.
- Bradford, M. M. (1976). A rapid and sensitive method for quantification of microgram quantities of protein utilizing the principle of protein dye binding. Ann. Biochem., 72:248-254.

- 📖 Brimmer, T. A. and Boland, G. J. (2003). A review of the non-target effects of fungi used to biologically control plant diseases. *Agric. Ecosyst. Environ.*, 100: 3-16.
- 📖 Bruce, R. J. and West, C. A. (1989). Elicitation of lignin biosynthesis and isoperoxidase activity by pectic fragments in suspension cultures of castor bean. *Plant Physiol.*, 91:889-897.
- 📖 Cahill, D. M. and Mc Comb, J. A. (1992). A comparison of changes in PAL activity, lignin and phenolic synthesis in the roots of *Eucalyptus caryophylla* and *E. marginata* when infected with *Phytophthora cinnamomi*. *Physiol. Mol. Plant Pathol.*, 41:307-316.
- 📖 Chen, C., Belanger, R. R., Benhamou, N. and Paulitz, T. C. (2000). Defense enzymes induced in cucumber roots by treatment with plant growth-promoting rhizobacteria (PGPR) and *Pythium aphanidermatum*. *Physiol. Mol. Plant Pathol.*, 56:13-23.
- 📖 Chitra, K., Ragupathi, N., Dhanalakshmi, K., Mareeshwari, P., Indra, N., Kamalakannan, A., Sankaralingam, A. and Rabindran, R. (2008). Salicylic acid induced systemic resistant on peanut against *Alternaria alternata*. *Arch. Phytopathol. Plant Prot.*, 41(1):50-56.
- 📖 Chitra, K., Ragupathi, N., Dhanalakshmi, K., Mareeshwari, P., Indra, N., Kamalakannan, A. and Sankaralingam, A. (2006). Induction of peroxidase and polyphenol oxidase in *Arachis hypogaea* in response to treatment with *Pseudomonas fluorescens* and inoculation with *Alternaria alternata*. *Arch. Phytopathol. Plant Prot.*, 39(4):315-321.
- 📖 Choudhary, D. K., Prakash, A. and Johri, B. N. (2007). Induced systemic resistance (ISR) in plants: mechanism of action. *Ind. J. Microbiol.* 47:289-297.
- 📖 Clos, J. F., DuBois, G. E. and Prakash, I. (2008). Photostability of rebaudioside A and stevioside in beverages. *J. Agric. Food Chem.*, 56:8507-8513.
- 📖 Couillerot, O., Prigent-Combaret, C., Caballero-Mellado, J. and Moenne-Loccoz, Y. (2009). *Pseudomonas fluorescens* and closely-related fluorescent pseudomonads as biocontrol agents of soil-borne phytopathogens. *Lett. Appl. Microbiol.*, 48(5):505-512.
- 📖 Daayf, F., Bel-Rhliid, R. and Belanger, R. R. (1997). Methyl ester of p-coumaric acid: A phytoalexin like compound from long english cucumber leaves. *J. Chem. Ecol.*, 29:1517-1526.
- 📖 Dalisay, R. F and Kuc, J. A. (1995). Persistence of reduced penetration by *Colletotrichum lagenarium* into cucumber leaves with induced systemic resistance and its relation to enhanced peroxidase and chitinase activity. *Physiol. Mol. Plant Pathol.*, 47:329-338.
- 📖 Dean, R. A. and Kuc, J. (1985). Induced systemic protection in plants. *Trends BioTechnol.*, 3:125-129.
- 📖 Dickerson, D. P., Pascholati, S. F., Hagerman, A. E., Butler, L. G. and Niholson, R. L. (1984). Phenylalanine ammonia lyase and hydroxyl cinnamate. *Phytopathol.*, 73:23-27.
- 📖 Domenech, J., Ramos, S. B., Probanza, A., Lucas, G. J. A. and Gutierrez, M. F. J. (2007). Elicitation of systemic resistance and growth promotion of *Arabidopsis thaliana* by PGPRs from *Nicotiana glauca*: a study of the putative induction pathway. *Plant Soil*, 290:43-50.
- 📖 Dutta, S., Mishra, A. K. and Dileep Kumar, B. S. (2008). Induction of systemic resistance against Fusarial wilt in pigeon pea through interaction of plant growth promoting rhizobacteria and rhizobia. *Soil Biol. Biochem.*, 40(2):452-461

- Ellis, R. J., Timmswilson, T. M. and Bailey, M. J. (2000). Identification of conserved traits in fluorescent *Pseudomonas* with antifungal activity. *Appl. Environ. Microbiol.*, 2(3):274-284.
- Esmailzadeh, M., Soleimani, M. J. and Rouhani, H. (2008). Exogenous applications of salicylic acid for inducing systemic acquired resistance against tomato stem canker disease. *J. Biol. Sci.*, 8(6):1039-1044.
- Fernando, W. G. D., Nakkeeran, S., Zhang, Y. and Savchuk, S. (2007a). Biological control of *Sclerotinia sclerotiorum* (Lib.) de Bary by *Pseudomonas* and *Bacillus* species on canola petals. *Crop Prot.*, 26:100-107.
- Fernando, W. G. D., Ramarathnam, R. and De Kievit, T. (2007b). Bacterial weapons of fungal destruction: phyllosphere-targeted biological control of plant diseases, with emphasis on sclerotinia stem rot and blackleg diseases in canola (*Brassica napus* L.). In: Kubicek CP, Druzhinina IS (eds) *The Mycota, environmental and microbial relationships vol IV*, 2nd edn. Springer, Berlin, pp. 189-199.
- Ghanta, S., Banerjee, A., Poddar, A. and Chattopadhyay, S. (2007). Oxidative DNA damage preventive activity and antioxidant potential of *Stevia rebaudiana* (Bertoni), a natural sweetener. *J. Agric. Food Chem.*, 55(26):10962-10967.
- Girish, N. and Umesha, S. (2005). Effect of plant growth promoting rhizobacteria on bacterial canker of tomato. *Arch. Phytopathol. Plant Prot.*, 38(3):235-243.
- Glick, B. R., Todorovic, B., Czamy, J., Cheng, Z., Duan, J. and McConkey, B. (2007). Promotion of plant growth by bacterial ACC deaminase. *Crit. Rev. Plant Sci.*, 26:227-242.
- Gomez, K. A. and Gomez, A. A. (1984). *Statistical procedures for agricultural research*. John Wiley and Sons, New York, pp. 680.
- Gorden, S. A. and Paleg, L. G. (1957). Quantitative measurement of indole acetic acid. *Physiol. Plant Pathol.*, 10:347-348.
- Gregersen, S., Jeppesen, P. B., Holst, J. J. and Hermansen, K. (2004). Anti hyperglycemic effects of stevioside in type 2 diabetic subjects. *Metabol.*, 53(1):73.
- Gross, G.G. (1980). The biochemistry of lignification. *Adv. Bot. Res.*, 8:25-63.
- Gupta, C. P., Dubey, R. C. and Maheshwari, D. K. (2002). Plant growth enhancement and suppression of *Macrophomina phaseolina* causing charcoal rot of peanut by fluorescent *Pseudomonas*. *Biol. Fertil. Soils*, 35:399-405.
- Gupta, V. P., Bochow, H., Dolej, S. and Fischer, I. (2000). Plant growth promoting *Bacillus subtilis* strain as potential inducer of systemic resistance in tomato against *Fusarium* wilt. *J. Pl. Dis. Protect.*, 107:145-154.
- Haas, D. and Defago, G. (2005). Biological control of soilborne pathogens by fluorescent pseudomonads. *Nature Rev. Microbiol.*, 4:1-13.
- Hammerschmidt, R. and Kuc, J. A. (1982). Lignification as a mechanism for induced systemic resistance in cucumber. *Physiol. Plant Pathol.*, 20:61-71.
- Hariprasad, P. and Niranjana, S. R. (2009). Isolation and characterization of phosphate solubilizing rhizobacteria to improve plant health of tomato. *Plant Soil*, 316:13-24.

- Hebbar, P., Berge, O., Heulin, T. and Singh, S. P. (1991). Bacterial antagonists of sunflower (*Helianthus annuus*) fungal pathogens. *Plant and Soil*, 133:131-140.
- Hoekstra, B. and Schaneberg, B. (2007). An improved HPLC method for the analysis of diterpenoid glycosides in *Stevia rebaudiana*. *Planta Medica.*, 73:9.
- Hoffland, E., Hakulinem, J. and Van Pelt, J. A. (1996). Comparison of systemic resistance induced by avirulent and nonpathogenic *Pseudomonas* species. *Phytopathol.*, 86:757-762.
- Hou, X., Boyetchko, S. M., Brkic, M., Olson, D., Ross, A. and Hegedus, D. (2006). Characterization of the anti-fungal activity of a *Bacillus* spp. associated with sclerotia from *Sclerotinia sclerotiorum*. *Appl. Microbiol. Biotechnol.*, 72: 644-653.
- <http://www.ianrp.ubs.unl.edu/epublic/pages/publicationD>
- http://www.nabard.org/newsletter/the_sweet_secrets_of_stevia
- Ibraheem, S. A., Okesha, A. M. and Mhathem, K. T. (1987). Interrelationship between protein and oil content of soybean seed with some associated fungi. *J. Agric. Water Res. Plant Prod.*, 6:53-66.
- Ibrahim, N. A., Gengaihi, S. El., Motawe, H. and Riad, S. A. (2007). Phytochemical and biological investigation of *Stevia rebaudiana* Bertoni; 1-labdane-type diterpene. *Eur. Food Res. Technol.*, 224:483-488.
- Idris, A., Labuschagne, N. and Korsten, L. (2009). Efficacy of rhizobacteria for growth promotion in sorghum under greenhouse conditions and selected modes of action studies. *J. Agri. Sci.*, 147:17-30.
- Idris, E. E., Iglesias, E. J., Talon, M. and Borriss, R. (2007). Tryptophan-dependent production of indole-3-acetic acid (IAA) affects level of plant growth promotion by *Bacillus amyloliquefaciens* FZB42. *Mol. Plant Microbe. Int.*, 20:619-626.
- Indira, S., Muthusubramanian, V., Tonapi, V. A., Varanavasiappan, S. and Seetharama, N. (2006). Utility of biocontrol agents in the suppression of seed borne pathogenic mycoflora and their effect on seed quality in sorghum (*Sorghum bicolor* (L.) Moench). *Arch. Phytopathol. Plant Prot.*, 39:379-387.
- Ishiba, C., Yokoyama, T. and Tani, T. (1982). Black spot disease of *Steviae* caused by *Alternaria steviae*, new species. *Ann. Phytopathol. Soc. Jpn.*, 48:44.
- Jamali, F., Sharifi-Tehrani, A., Lutz, M. P. and Maurhofer, M. (2009). Influence of host plant genotype, presence of a pathogen, and coinoculation with *Pseudomonas fluorescens* strains on the rhizosphere expression of hydrogen cyanide and 2, 4-diacetylphloroglucinol biosynthetic genes in *P. fluorescens* biocontrol strain CHA0. *Microb. Ecol.*, 57:267-275.
- Jayaraj, J., Radhakrishnan, N. V., Kannan, R., Sakthivel, K., Suganya, D., Venkatesan, S. and Velazhahan, R. (2005). Development of new formulations of *Bacillus subtilis* for management of tomato damping-off caused by *Pythium aphanidermatum*. *Biocontrol Sci. Technol.*, 15(1):55-65.
- Jayaraman, K. S., Ramanuja, M. N., Vijayaraghavan, P. K. and Vaisyanathan, C. S. (1987). Oxidative enzyme in pearl millet. *Food Chem.*, 24:203.

- Joseph, L. M., Tan, T. K. and Wong, S. M. (1998). Antifungal effect of hydrogen peroxide and peroxidase on spore germination and mycelial growth of *Pseudocercospora* species. *Can. J. Bot.*, 76:2119-2124.
- Joshi, F., Archana, G. and Desai, A. (2006). Siderophore cross-utilization amongst rhizospheric bacteria and the role of their differential affinities for Fe³⁺ on growth stimulation under iron-limited conditions. *Curr. Microbiol.*, 53:141-147.
- Kamalakaran, A., Gopalakrishnan, C., Renuka, R., Kalpana, K., Ladha Lakshmi, D. and Valluvaparidasan, V. (2008). First report of *Alternaria alternata* causing leaf spot on *Aloe barbadensis* in India. *Plant Disease Notes*, 3(1):110-111.
- Kamalakaran, A., Valluvaparidasan, V., Chitra, K., Rajeswari, E., Salah Eddin, K., Ladhakshmi, D. and Chandrasekaran, A. (2006). First report of root rot of stevia caused by *Sclerotium rolfsii* in India. *New Disease Reports* 13, <http://www.bspp.org.uk/ndr/july2006/2006-36.asp>.
- Kamalakaran, A., Mohan, L., Harish, S., Radjacommare, R., Amutha, G., Chitra, K., Karuppiyah, R., Mareeswari, P., Rajinimala, N. and Angayarkanni, T. (2004). Biocontrol agents induce disease resistance in *Phyllanthus niruri* Linn against damping-off disease caused by *Rhizoctonia solani*. *Phytopathol. Mediterr.*, 43:187-194.
- Kamalakaran, A., Mohan, L., Kavitha, K., Harish, S., Radjacommare, R., Nakkeeran, S., Parthiban, V. K., Karuppiyah, R. and Angayarkanni, T. (2003). Enhancing resistance to stem and stolon rot of peppermint (*Mentha piperita* Linn.) using biocontrol agent, *Acta Phytopathol. et Entomol. Hung.*, 38(3-4):293-305.
- Karnwal, A. (2009). Production of indole acetic acid by fluorescent *Pseudomonas* in the presence of L-tryptophan and rice root exudates. *J. Plant Pathol.*, 91:61-63.
- Karthikadevi, T. P. N. (2004). Status of secondary metabolites of *P. fluorescens* isolates and their impact on soil borne fungal pathogens *Macrophomina phaseolina* and *Rhizoctonia solani*. Unpub. M.Sc. (Biotechnology) Thesis, Avinashilingam University for Women, Coimbatore, India. pp. 24-35.
- Karthikeyan, M., Radhika, K., Bhaskaran, R., Mathiyazhagan, S., Sandoskumar, R., Velazhahan, R. and Alice, D. (2008). Biological control of onion leaf blight disease by bulb and foliar application of powder formulation of antagonist mixture. *Arch. Phytopathol. Plant Prot.*, 41(6):407-417.
- Karthikeyan, V., Sankaralingam, A. and Nakkeeran, S. (2006a). Biological control of groundnut stem rot caused by *Sclerotium rolfsii* (Sacc.). *Arch. Phytopathol. Plant Prot.*, 39(3):239-246.
- Karthikeyan, M., Radhika, K., Mathiyazhagan, S., Bhaskaran, R., Samiyappan, R. and Velazhahan, R. (2006b). Induction of phenolics and defense-related enzymes in coconut (*Cocos nucifera* L.) roots treated with biocontrol agents. *Braz. J. Plant Physiol.*, 18(3):367-377.

- 📖 Kavino, M., Harish, S., Kumar, N., Saravanakumar, D., Domodaran, T., Soorianasundaram, K. and Samiyappan, R. (2007). Rhizosphere and endophytic bacteria for induction of systemic resistance of banana plantlets against bunchy top virus. *Soil Biol. Biochem.*, 39:1087-1098.
- 📖 Kavitha, K. (2004). Molecular and biochemical approaches for the selection of biocontrol agents for the ecofriendly management of turmeric rhizome rot. Unpub. Ph.D.Thesis, Tamil Nadu Agricultural University, Coimbatore. India, pp. 70-90.
- 📖 Kavitha, K., Mathiyazhagan, S., Senthilvel, V., Nakkeeran, S. and Chandrasekar, G. (2005). Development of bioformulations of antagonistic bacteria for the management of damping off of chilli (*Capsicum annum* L). *Arch. Phytopathol. Plant Prot.*, 38(1):19-30.
- 📖 Khamna, S., Yokota, A. and Lumyong, S. (2009). Actinomycetes isolated from medicinal plant rhizosphere soils: diversity and screening of antifungal compounds, indole-3-acetic acid and siderophore production. *World J. Microbiol. Biotechnol.*, 25:649-655.
- 📖 Kinghorn, A. D. and Soejarto, D. D. (1985). Current status of stevioside as a sweetening agent for human use. In: Wagner, H., Hikino, H. and Farnsworth, N. R. (eds.), *Economic and medicinal plant research*, vol. 1. Academic Press, New York, pp 1-52.
- 📖 King's, B., Ward, M. K. and Raney, D. E. (1954). Two simple media for the demonstration of pyocyanin and fluorescin. *J. Lab. Clin. Med.*, 44:301-307.
- 📖 Kloepper, J. W., Ryu, C. M. and Zhang, S. (2004). Induced systemic resistance and promotion of plant growth by *Bacillus* species. *Phytopathol.*, 94:1259-1266.
- 📖 Kloepper, J. W., Tuzun, S. and Kuc, J. A. (1992). Proposed definitions related to induced disease resistance. *Biocontrol Sci Technol.*, 2:349-351
- 📖 Knowles, C. J. and Bunch, A. W. (1986). Microbial cyanide metabolism. *Adv. Microbial Physiol.*, 27:73-111.
- 📖 Kraepiel, A. M. L., Bellenger, J. P., Wichard, T. and Morel, F. M. M. (2009). Multiple roles of siderophores in free-living nitrogen-fixing bacteria. *Biometals.*, 22:573-581.
- 📖 Laemmli, H.K. 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T₄. *Nature*, 227:680-685.
- 📖 Lailerd, N., Saengsirisuwan, V., Sloniger, J. A., Toskulkao, C. and Henriksen, E. I. (2004). Effects of stevioside on glucose transport activity in insulin sensitive and insulin resistant rat skeletal muscle. *Metabol.*, 53(1):101.
- 📖 Lamba, P., Sharma, S., Munshi, G. D. and Munshi. S. K. (2008). Biochemical changes in sunflower plants due to seed treatment/spray application with biocontrol agents. *Phytopathol.*, 36:388-399.
- 📖 Lambrecht, M., Okon, Y., Broek, A. V. and Vanderleyden, J. (2000). Indole-3-acetic acid: a reciprocal signalling molecule in bacteria-plant interactions. *Trends Microbiol.*, 8:298-300.
- 📖 Latha, P., Anand, T., Ragupathi, N., Prakasam, V. and Samiyappan, R. (2009). Antimicrobial activity of plant extracts and induction of systemic resistance in tomato plants by mixtures of PGPR strains and zimmu leaf extract against *Alternaria solani*. *Biol. Control.*, 50(2):85-93.

- Lee, K. J., Kamala-kannan, S., Sub. H.S., Seong, C. K. and Lee, G.W. (2007). Biological control of *Phytophthora* blight in red pepper (*Capsicum annum* L.) using *Bacillus subtilis*. World J. Microbiol. Biotechnol., doi: 10.1007/s11274-007-9585-2.
- Liu, J. C., Kao, P. K., Chan, P., Hsu, Y. H., Hou, C. C., Lien, G. S., Hsieh, M. H., Chen, Y. J. and Cheng, J. T. (2003). Mechanism of the antihypertensive effect of stevioside in anesthetized dogs. Pharmacol., 67(1):14.
- Lovering, N. M. and Reeleder, R. D. (1996). First report *Septoria steviae* on Stevia (*Stevia rebaudia*) in North america. Plant Dis., 80:959.
- M'Piga, P., Belanger, R. R., Paulitz, T. C. and Benhamou, N. (1997). Increased resistance to *Fusarium oxysporum* f. sp. *radicis – lycopersici* in tomato plants treated with endophytic bacterium *Pseudomonas fluorescens* strain 63-28. Physiol. Mol. Plant Pathol., 50:301-320.
- Maiti, C. K., Sen, S., Acharya, R. and Acharya, K. (2007a). First report of *Alternaria alternata* causing leaf spot on *Stevia rebaudiana*. Plant Pathol., 56(4):723.
- Maiti, C. K., Sen, S., Paul, A. K. and Acharya, K. (2007b). First report of leaf blight disease of *Gloriosa superba* L. caused by *Alternaria alternata* (Fr.) Keissler in India. J. Gen. Plant Pathol., 73:377-378.
- Mandhare, V. K., Suryawanshi, A. V. and Gawade, S. B. (2008). Studies on *Alternaria* blight of chickpea. Agric. Sci. Digest, 28(3).
- Mansfield, J. W. (1983). Antimicrobial compounds. In Biochemical Plant Pathology (Callow, J. Ed.) John Wiley and Sons Ltd., UK, pp. 237-265.
- Manwar, A. V., Vaigankar, P. D., Bhonge, L. S. and Chincholkar, S. B. (2000). *In vitro* suppression of plant pathogens by siderophores of fluorescent pseudomonads. Ind. J. Microbiol., 40:109-112.
- Masunaka, A., Ohtani, K., Peever, T. L., Timmer, L. W., Tsuge, T., Yamamoto, M., Yamamoto, H. and Akimitsu, K. (2005). An isolate of *Alternaria alternata* that is pathogenic to both tangerines and rough lemon and produces two host-selective toxins, ACT-and ACR-toxins. Ame. Phytopathol. Soc., 95(3):241-247.
- Mathiyazhagan, S., Kavitha, K., Nakkeeran, S., Chandrasekar, G., Manian, K., Renukadevi, P., Krishnamoorthy, A. S. and Fernando, W. G. D. (2004). PGPR mediated management of stem blight of *Phyllanthus amarus* (schum and thonn) caused by *Corynespora cassiicola* (berk and curt) wei. Arch. Phytopathol. Plant Prot., 37:183-199.
- Maurhofer, M., Hase, C., Maurwly, D., Metranx, J. P. and Defago, G. (1994). Induction of systemic resistance of tobacco to tobacco necrosis virus by the root colonizing *Pseudomonas fluorescence* strain CHA0: influence of the *gac* A gene and of pyoverdine production. Phytopathol., 84:136-146.
- Mayer, A. M. (1987). Polyphenoloxidases in plants - Recents progress. Phytochem., 26(1):11-20.
- Mayer, A. M., Harel, E. and Shaul, R. B. (1965). Assay of catechol oxidase a critical comparison of methods. Phytochem., 5:783-789.

- Meena, B., Radhajeyalakshmi, R., Marimuthu, T., Vidhyasekaran, P. and Velazhahan, R. (2002). Biological control of groundnut late leaf spot and rust by seed and foliar applications of a powder formulation of *Pseudomonas fluorescens*. *Biocontrol Sci. Technol.*, 12:195-204.
- Meena, B., Marimuthu, T. and Velazhahan, R. (2001). Salicylic acid induces systemic resistance in groundnut against late leaf spot caused by *Cercosporidium personatum*. *J. Mycol. Plant Pathol.*, 31:139-45.
- Menaka, V. (2006). Management of leaf spot of sugarbeet caused by *Alternaria alternata* (Fr.) Keissler. Unpub. M.Sc., Thesis, Tamil Nadu Agricultural University, Coimbatore, India, pp. 67-77.
- Meyer, J. M., Azelvandre, P. and Georges, C. (1992). Iron metabolism in *Pseudomonas*. Salicylic acid, a siderophore of *Pseudomonas fluorescens* CHA0. *Biofactors*, 4:23-27.
- Miller, R. L. and Higgins, V. J. (1970). Association of cyanide with infection of birds foot trefoil by *Stemphylium* rot. *Phytopathol.*, 60:104-110.
- Mogra, R. and Dashora, V. (2009). Exploring the use of *Stevia rebaudiana* as a sweetener in comparison with other sweeteners. *J. Hum. Ecol.*, 25(2):17-120.
- Mohammadi, M. and Kazemi, H. (2002). Changes in peroxidase and polyphenoloxidase activities in susceptible and resistant wheat heads inoculated with *Fusarium graminearum* and induced resistance. *Plant Sci.*, 162:491-498.
- Nakkeeran, S., Kavitha, K., Chandrasekar, G., Renukadevi, P. and Fernando, W. G. D. (2006). Induction of plant defense compounds by *Pseudomonas chlororaphis* PA23 and *Bacillus subtilis* BSCBE4 in controlling damping-off of hot pepper caused by *Pythium aphanidermatum*. *Biocontrol Sci. Technol.*, 16(4):403-416.
- Nandakumar, R., Babu, S., Viswanathan, R., Raguchander, T. and Samiyappan, R. (2001). Induction of systemic resistance in rice against sheath blight disease by plant growth promoting rhizobacteria. *Soil Biol. Biochem.*, 33:603-612.
- Nandini, M. (2007). Identification and Bioprospecting of novel antimicrobial compounds from *Bacillus subtilis* against *Macrophomina phaseolina* and *Rhizoctonia solani*. Unpub. M.Sc. (Biotechnology) Thesis, Avinashilingam University for Women, Coimbatore, India. pp. 30-60.
- Nadlony, L. and Sequira, L. (1980). Increase in peroxidase activities are not directly involved in induced resistance in tobacco. *Physiol. Plant Pathol.*, 16:1-8.
- Nishimura, S. (1980). Host specific toxins from *Alternaria alternata*, problems and prospects. *Proc. Jpn. Acad.*, 56(B):362-366.
- Pal, K. K. and Gardener, B. S. (2006). Biological control of plant pathogens. The plant health instructor .doi:10.1094/PHI-A-2006-1117-02.

- Patil, P. K., Sharma, M., Salar, R. K., Sharma, A., Gupta, A. P. and Singh, B. (2008). Studies on leaf spot disease of *Withania somnifera* and its impact on secondary metabolites. *Ind. J. Microbiol.*, 48:432-437.
- Radjacommar, R., Kandan, A., Nandakumar, R. and Samiyappan, R. (2004a). Association of the hydrolytic enzyme chitinase against *Rhizoctonia solani* in rhizobacteria-treated rice plants. *J. Phytopathol.*, 152:365-370.
- Radjacommar, R., Ramanathan, A., Kandan, A., Harish, S., Thambidurai, G., Sible, G. V., Ragupathi, N. and Samiyappan, R. (2004b). PGPR mediates induction of pathogenesis-related (PR) proteins against the infection of blast pathogen in resistant and susceptible ragi [*Eleusine coracana* (L.) Gaertner] cultivars. *Plant and Soil*, 266:165-176.
- Rajendran, L., Samiyappan, R., Raguchander, T., and Saravanakumar, D. (2007). Endophytic bacteria mediate plant resistance against cotton bollworm. *J. Plant Int.*, 2:1-10.
- Ramamoorthy, V., Raguchander, T. and Samiyappan, R. (2002). Induction of defense related proteins in tomato roots treated with *Pseudomonas fluorescens* Pfl and *Fusarium oxysporum* f. sp. *lycopersici*. *Plant Soil*, 239:55-68.
- Ramanathan, A., Samiyappan, R. and Vidhyasekaran, P. (2000). Induction of defense mechanisms in greengram leaves and suspension-cultured cells by *Macrophomina phaseolina* and its elicitors. *J. Pl. Dis. Protect.*, 107:245-257.
- Reeves, M., Pine, L., Neilands, J. B. and Bullows, A. (1983). Absence of siderophore activity in *Legionella* spp. Grown in iron deficient media. *J. Bacteriol.*, 154:324-329.
- Renuka, R., Prakasam, V. and Sundravada, S. (2008). Studies on the activity of defense enzymes against *Alternaria chlamydospora* the incitant of leaf blight of chrysanthemum (*Dendranthema grandiflorum* Tzelvev). *Arch. Phytopathol. Plant Prot.*, 1-7.
- Reva, O. N., Dixelius, C., Meijer, J. and Priest, F. G. (2004). Taxonomic characterization and plant colonizing abilities of some bacteria related to *Bacillus amyloliquefaciens* and *Bacillus subtilis*. *FEMS. Microbiol. Ecol.*, 48: 249-259.
- Revathi, T. (2004). Enhancing plant defense mechanism against damping-off disease in Black nightshade (*Solanum nigrum* Linn.) using *Pseudomonas fluorescens*. Unpub. M. Phil., Thesis, Avinashilingam University for Women, Coimbatore, India, pp. 141-142.
- Riker, A. J. and Riker, R. S. (1936). Introduction to research on plant diseases, John Swift, New York. pp. 117.
- Sadasivam, S. and Manickam, A. (1992). Biochemical methods for agricultural Sciences. Wiley Eastern Ltd, New Delhi, pp. 246.
- Santhini, E., Pradeepa, D., Angayarkanni, T. and Kamalakannan, A. (2005). Identification of biochemical markers for the selection of effective strains of *P. fluorescens* against *Phythium* spp. Asian Conference on Emerging Trends in Plant- Microbe Interaction, Dec 8-10, 295-303.
- Sapna, S., Avinash, K., Mukul, T. and Pathak, A. K. (2008). Pharmacognostic and phytochemical investigation of *Stevia rebaudiana*. *Phcog. Mag.*, 4(13):89-94.

- 📖 Saravanakumar, D., Lavanya, N., Muthumeena, K., Raguchander, T. and Samiyappan, R. (2009). Fluorescent pseudomonad mixtures mediate disease resistance in rice plants against sheath rot (*Sarocladium oryzae*) disease. *BioControl*, 54:273-286.
- 📖 Saravanakumar, D. and Samiyappan, R. (2007). ACC deaminase from *Pseudomonas fluorescens* mediated saline resistance in groundnut (*Arachis hypogea*) plants. *J. Appl. Microbiol.*, 102:1283-1292.
- 📖 Saravanakumar, D., Vijayakumar, C., Kumar, N. and Samiyappan, R. (2007a). PGPR-induced defense responses in the tea plant against blister blight disease. *Crop Prot.*, 26:556-565.
- 📖 Saravanakumar, D., Harish, S., Loganathan, M., Vivekananthan, R., Rajendran, L. and Samiyappan, R. (2007b). Rhizobacterial bioformulation for the effective management of *Macrophomina* root rot in mungbean. *Arch. Phytopathol. Plant Prot.*, 40(5):323-337.
- 📖 Sari, E., Etebarian, H. R. and Aminian, H. (2007). The Effects of *Bacillus pumilus*, isolated from wheat rhizosphere, on resistance in wheat seedling roots against the take-all fungus, *Gaeumannomyces graminis* var. *tritici*, *J. Phytopathol.*, 155:720-727.
- 📖 Sari, E., Etebarian, H. R., Roustaei, A. and Aminian, H. (2006). Biological control of *Gaeumannomyces graminis* on wheat with *Bacillus* spp., *Plant Pathol. J.*, 5:307-314.
- 📖 Sayyed, R. Z. and Chincholkar, S. B. (2009). Siderophore-producing *Alcaligenes faecalis* exhibited more biocontrol potential vis-a`-vis chemical fungicide. *Curr. Microbiol.*, 58:47-51.
- 📖 Schisler, D. A., Slininger, P. J., Miller, J. S., Woodell, L. K., Clayson, S. and Olsen, N. (2009). Bacterial antagonists, zoospore inoculum retention time and potato cultivar influence pink rot disease development. *Am. J. Pot. Res.*, 86:102-111.
- 📖 Schneider, S. and Ullrich, W. R. (1994). Differential induction of resistance and enhanced enzyme activities in cucumber and tobacco caused by treatment with various abiotic and biotic inducers. *Physiol. Mol. Plant Pathol.*, 45:291-304.
- 📖 Schuegger, R., Ihring, A., Gantner, S., Bahnweg, G., Knappe, C., Vogge, G., Hutzler, P., Schmid, M., Breusegem, F. V., Eberl, L., Hartmann, A. and Langebartels, C. (2006). Induction of systemic resistance in tomato by *N*-acyl-L-homoserine lactone-producing rhizosphere bacteria. *Plant Cell Environ.*, 29(5):909-918.
- 📖 Schwyn, B. and Neilands, J. B. (1987). Universal chemical assay for the detection and determination of siderophore. *Anal. Biochem.*, 169:47-56.
- 📖 Scott-craiz, J. S., Kerby, K. B., Stein, B. D. and Somerville, S. C. (1995). Expression of an extracellular peroxidase that is induced in barley (*Hordeum vulgare*) by the powdery mildew pathogen (*Erysiphe graminis* f.sp *hordei*). *Physiol. Mol. Plant Pathol.*, 47:407-418.
- 📖 Senthilkumar, M., Swarnalakshmi, K., Govindasamy, V., Lee, Y. K. and Annapurna, K. (2009). Biocontrol potential of soybean bacterial endophytes against charcoal rot fungus, *Rhizoctonia bataticola*. *Curr. Microbiol.*, 58:288-293.
- 📖 Sequeira, J. O. Nair, M. G., Hammerschmidt, R. and Satir, G. R. (1991). Significance of phenolic compounds in plant soil microbe system. *Crit. Rev. Plant Sci.*, 10:63-121.

- ☞ Siasou, E., Standing, D., Killham, K. and Johnson, D. (2009). Mycorrhizal fungi increase biocontrol potential of *Pseudomonas fluorescens*. *Soil Biol. Biochem.*, 41:1341-1343.
- ☞ Sid, A., Ezziyyani, M., Egea-Gilabert, C. and Candela, M. E. (2003). Selecting bacterial strains for use in the biocontrol of diseases caused by *Phytophthora capsici* and *Alternaria alternata* in sweet pepper plants. *Biologia. Plantarum.*, 47(4):569-574.
- ☞ Siddiqui, Z. A. (2007). Biocontrol of *Alternaria triticina* by plant growth promoting rhizobacteria on wheat. *Arch. Phytopathol. Plant Prot.*, 40(4):301-308.
- ☞ Siddiqui, Z. A. (2006). PGPR: Prospective biocontrol agents of plant pathogens. In: Siddiqui ZA, editor. *PGPR: Biocontrol and Biofertilization*. The Netherlands: Springer. pp. 111-142.
- ☞ Singh, N., Pandey, P., Dubey, R.C. and Maheshwari, D. K. (2008). Biological control of root rot fungus *Macrophomina phaseolina* and growth enhancement of *Pinus roxburghii* (Sarg.) by rhizosphere competent *Bacillus subtilis* BN1. *World J. Microbiol. Biotechnol.*, 24:1669-1679.
- ☞ Singh, S. P., Soni, R. K. and Kumar, R. (2007). History, characteristics and chemistry of a nature's sweetener, Stevia (*Stevia rebaudiana* Bertoni). *Ind. J. Crop Sci.*, 2:2.
- ☞ Snow, G. A. (1984). Mycobactin. A growth factor for *Mycobacterium johnei* II degradation and identification of fragments. *J. Chem. Soc.*, 25:2588-2596.
- ☞ Southerton, S. G. and Deverall, B. J. (1990). Changes in phenylalanine ammonia lyase and peroxidase activity in wheat cultivars expressing resistance to the leaf rust fungus. *Plant Physiol.*, 39:223-230.
- ☞ Spurr, H. W. J. R. and Knudsen, G. R. (1985). Biological control of leaf diseases with bacteria. St. Paul. MN: Am. Phytopathol. Soc., pp. 45-62.
- ☞ Swiecicka, I., Bideshi, D. K. and Federici, B. A. (2008). Novel isolate of *Bacillus thuringiensis* subsp. *thuringiensis* that produces a quasicuboidal crystal of Cry1Ab21 toxic to larvae of *Trichoplusia ni*. *Appl. Environ. Microbiol.*, 74:923-930.
- ☞ Taba, S., Takara, A., Nasu, K., Miyahira, N., Takushi, T. and Moromizato, Z. (2009). *Alternaria* leaf spot of basil caused by *Alternaria alternata* in Japan. *J. Gen. Plant Pathol.*, 75:160-162.
- ☞ Thilagavathi, R., Saravanakumar, D., Ragupathi, N. and Samiyappan, R. (2007). A combination of biocontrol agents improves the management of dry root rot (*Macrophomina phaseolina*) in greengram. *Phytopathol. Mediterr.*, 46(2):157-167.
- ☞ Thompson, D. C. (1996). Evaluation of bacterial antagonist for reduction in summer patch symptoms in Kentucky blue grass. *Plant Dis.*, 80:856-862.
- ☞ Tokala, R. K., Strap, J. L., Jung, C. M., Crawford, D. L., Salove, M. H., Deobald, L. A., Bailey, J. F. and Morra, M. J. (2002). Novel plant microbe rhizosphere interaction involving *Streptomyces lydicus* WYEC108 and the pea plant (*Pisum sativum*). *Appl. Environ. Microbiol.*, 68:2161-2171.
- ☞ Trebst, A. and Depka, B. (1995) Polyphenoloxidase and photosynthesis research. *Photosynth. Res.*, 46:41-44.
- ☞ Tsavkelova, E. A., Cherdyntseva, T. A., Botina, S. G., Netrusov, A. I. (2007). Bacteria associated with orchid roots and microbial production of auxin. *Microbiol. Res.*, 162:69-76.

- Umamaheswari, C., Sankaralingam, A. and Nallathambi, P. (2007). Induced systemic resistance in watermelon by biocontrol agents against *Alternaria alternata*. Arch. Phytopathol. Plant Prot., 1- 9.
- van Loon, L. C. and Bakker, P. A. H. M. (2005). Induced systemic resistance as a mechanism of disease suppression by rhizobacteria. In: Siddiqui, Z. A. (ed) PGPR: biocontrol and biofertilization. Springer, Dordrecht, The Netherlands, pp. 39-66.
- van Loon, L. C. and Glick, B. R. (2004). Increased plant fitness by rhizobacteria. In: Molecular ecotoxicology of plants (Sandermann H eds.) Springer-Verlag, Berlin: Heidelberg, pp. 177-205.
- van Loon, L.C. (2000). Systemic induced resistance. In: Mechanisms of resistance to plant diseases (Slusarenko AJ, Fraser RSS and van Loon LC eds.) Kluwer: Dordrecht, pp. 521-574.
- Veerasamy, K., (1997). Studies on the management of leaf blight disease of brinjal caused by *Alternaria solani* and *Alternaria alternata* (Fr.) Keissler. Unpub. Ph.D. Thesis. Tamil Nadu Agricultural University, Coimbatore, India, pp. 144.
- Vidhyasekaran P. (1997). Fungal pathogenesis in plants and crops. In: Molecular biology and host defense mechanisms. New York: Marcel Dekker. pp. 553.
- Vidhyasekaran, P. (1988). Physiology of disease resistance in plants. Vol. I. CRC. Press. Boca Raton, FL. pp.149.
- Vidhyasekaran, P. and Muthamilan, M. (1999). Evaluation of powder formulation of *Pseudomonas fluorescens* Pfl for control of rice sheath blight. Biocontrol Sci. Technol., 9:67-74.
- Vidhyasekaran, P. and Muthamilan, M. (1995). Development of formulations of *Pseudomonas fluorescens* for control of chickpea wilt. Plant Dis., 79: 782-786.
- Vidhyasekaran, P., Rabindran, R., Muthamilan, M., Nayar, K., Rajappan, K., Subramanian, N. and Vasumathi, K. (1997a). Development of a powder formulation of *Pseudomonas fluorescens* for control of rice blast. Plant Pathol., 46:291-297.
- Vidhyasekaran, P., Sethuraman, K., Rajappan, K. and Vasumathi, K. (1997b) Powder formulations of *Pseudomonas fluorescens* to control pigeonpea wilt. Biol. Control, 8:166-171.
- Vining, L. C. (1990). Functions of secondary metabolites. Ann. Rev. Microbiol., 44:395-427.
- Vleeschauwer, D. D., Djavaheri, M., Bakker, P. A. H. M. and Hofte, M. (2008). *Pseudomonas fluorescens* WCS374r-induced systemic resistance in rice against *Magnaporthe oryzae* is based on pseudobactin-mediated priming for a salicylic acid-repressible multifaceted defense response. Plant Physiol., 148(4):1996-2012.
- Vogel, A. E. (1987). Class reactions (reactions for functional groups) In: Elementary Practical Organic Chemistry, CBS publisher, New Delhi, pp. 190-194.
- Wei, L., Kloepper, J. W. and Tuzun, S. (1996). Induced systemic resistance to cucumber diseases and increased plant growth promoting rhizobacteria under field conditions. Phytopathol., 86:221-224.
- Weisskopf, L., Fromin, N., Tomasi, N., Aragno, M. and Martinoia, E. (2005). Secretion activity of white lupin's cluster roots influences bacterial abundance, function and community structure. Plant Soil, 268:181-194.

- 📖 Xue, L., Charest, P. M. and Jabajihare, S. H. (1998). Systemic induction of peroxidases, β -1, 3-glucanases, chitinases and resistance in bean plants by binucleate *Rhizoctonia* species. *Phytopathol.*, 88:359-365.
- 📖 Zieslin, N. and Ben-Zaken, R. (1993). Peroxidase activity and presence of phenolic substances in peduncles of rose flower. *Plant Physiol. Biochem.*, 31:333-339.
- 📖 Zodor, R. E. and Anderson, A. J. (1992). Influence of root colonizing bacteria on the defense responses in bean. *Plant and Soil*, 140:99-107.