

---

## Bibliography

- Aazami, M.A., Torabi, M. and Shekari, F. (2010), Response of some tomato cultivars to sodium chloride stress under in vitro culture condition, *African Journal of Agricultural Research*, 5, 2589-2592.
- Abd-El Baki, G.K., Siefert, F., Man, H.M., Weiner, H., Kaldenhoff, R. and Kaiser, W.M. (2000), Nitrate reductase in *Zea mays* L. under salinity, *Plant Cell Environment*, 23, 515-521.
- Abdul, C.J., Gopi, R., Manivannan, P. and Panneerselvam, R. (2007), Antioxidative potentials as a protective mechanism in *Catharanthus roseus* (L.), *Turkish Journal of Botany*, 31, 245-251.
- Abdul-Baki. and Anderson. (1973), Vigour determination in soybean and seed multiple criteria, *Crop Science*, 13, 630-633.
- Achilea, O. (2002), Alleviation of salinity induced stress in cash crops by multi-K (potassium nitrate), five cases typifying the underlying pattern, *Acta Horticulturae*, 573, 43– 48.
- Adiku, G., Renger, M., Wessolek, G., Facklam, M. and Hech-Bischoltz, C. (2001), Simulation of dry matter production and seed yield of common beans under varying soil water and salinity conditions, *Agricultural Water Management*, 47, 55–68.
- Afzal, I., Basara, S.M.A., Faoq, M. and Nawaz, A. (2006), Alleviation of salinity stress in spring wheat by hormonal priming with abscisic acid, salicylic acid and ascorbic acid, *International Journal of Agricultural Biology*, 8, 23-28.
- Afzal, I., Basra, S. and Iqbal, A. (2005), The effect of seed soaking with plant growth regulators on seedling vigor of wheat under salinity stress, *Journal of Stress Physiology and Biochemistry*, 1, 6-14.
- Aghaleh, M. and Niknam, V. (2009), Effect of salinity on some physiological and biochemical parameters in explants of two cultivars of soybean (*Glycine max* L.), *Journal of Phytology*, 1, 86–94.
- Ahmad, B. and Ebrahimian, E. (2011), Effect of salinity stress on activity of enzymes involved in nitrogen and phosphorus metabolism case study: Canola (*Brassica napus* L.), *Asian Journal of Agricultural Research*, 5, 208-214.
- Ahmed, M.S.H. and Mohamed, S.M.S. (2009), Improvement of groundnut (*Arachis hypogaea* L.) productivity under saline condition through mutation induction, *World Journal of Agricultural Sciences*, 5, 680-685.

- 
- Akbarimoghaddam, H., Galavi, M., Ghanbari, A. and Panjehkeh, N. (2011), Salinity effects on seed germination and seedling growth of bread wheat cultivars, *Trakia Journal of Sciences*, 9, 43-50.
- Al-aghabary, K., Zhu, Z. and Shi, Q. (2004), Influence of silicon supply on chlorophyll content, chlorophyll fluorescence and antioxidative enzyme activities in tomato plants under salt stress, *Journal of Plant Nutrition*, 27, 2101-2115.
- Alamgir, A.N.M. and Ali, M.Y. (2006), Effects of NaCl salinity on leaf characters and physiological growth attributes of different genotypes of rice (*Oryza sativa* L.), *Bangladesh Journal of Botany*, 35, 99-107.
- Albassam, B.A. (2001), Effect of nitrate nutrition on growth and nitrogen assimilation of pearl millet exposed to sodium chloride stress, *Journal of Plant Nutrition*, 24, 1325-1335.
- Ali, R.M., Kamal, R.K. and Abbas, H.M. (2007), The effects of treatment with polyamines on dry matter, oil and flavonoid contents in salinity stressed chamomile and sweet marjoram, *Plant Soil and Environment*, 53, 529-543.
- Al-Karaki, G.N. (2000), Growth, water use efficiency and sodium and potassium acquisition by tomato cultivars grown under salt stress, *Journal of Plant Nutrition*, 23, 1–8.
- Al-Karaki, G.N. (2006), Nursery inoculation of tomato with arbuscular mycorrhizal fungi and subsequent performance under irrigation with saline water, *Science and Horticulture*, 109, 1–7.
- Allard, R.W. (1999), Principles of plant breeding, John Wiley and Sons, New York, 120-123.
- Alscher, R.G., Erturk, N. and Heath, L.S. (2002), Role of superoxide dismutases in controlling oxidative stress in plants, *Journal of Experimental Botany*, 53, 1331- 1341.
- Alshammary, S.F., Qian, Y.L. and Wallner, S.J. (2004), Growth response of four turfgrass species to salinity, *Agriculture and Water Management*, 66, 97-111.
- Al-Sobhi, O.A., Al-Zaharani, H.S., Al-Ahmadi, S.B. (2006), Effect of salinity on chlorophyll and carbohydrate contents of *Calotropis procera* seedlings, *Scientific Journal of King Faisal University*, 17, 105-115.
- Aluyor, E.O., Aluyor, P. and Ozigagu, C.E. (2009), Effect of refining on the quality and composition of groundnut oil, *African Journal of Food Science*, 3, 201-205.
- Aluyor, E.O., Ozigagu, C.E., Oboh, O.I. and Aluyor, P. (2009), Chromatographic analysis of vegetable oils: A review, *Scientific Resarch and Essays*, 4, 191-197.
- Amador, B. M., Yamada, S., Yamaguchi, T., Puente, E.R., Serrano, N.A.V., Hernandez, J.L.G., Aguilar, R.L., Dieguez, E.T. and Garibay, A.N. (2007), Influence of calcium silicate on growth, physiological parameters and mineral nutrition in two legume species under salt stress, *Journal of Agronomy and Crop Science*, 193, 413-421.

- 
- Amirjani, M.R. (2010), Effect of salinity stress on growth, mineral composition, proline content, antioxidant enzymes of soybean, *American Journal of Plant Physiology*, 5, 350-360.
- Amirjani, M.R. (2011), Effect of salinity on growth, sugar content, pigments and enzyme activity of rice, *International Journal of Botany*, 7, 73-81.
- An, P., Inanaga, S., Li, X., Schimizu, H. and Tanimoto, E. (2003), Root characteristics in salt tolerance, *Root Research*, 12, 125-132.
- Angelini, R., Manes, F. and Federico, R. (1990), Spatial and functional correlation between diamine oxidase and peroxidase activities and their dependence upon de etiolation and wounding in chick pea stems, *Planta*, 182, 89-96.
- Anuradha, S. and Rao, S. (2003), Application of brassinosteroids to rice seeds (*Oryza sativa* L.) reduced the impact of salt stress on growth, prevented photosynthetic pigment loss and increased nitrate reductase activity, *Plant Growth Regulators*, 40, 29-32.
- Anuradha, S. and Rao, S.S.R. (2001), Effect of brassinosteroids on salinity stress induced inhibition of seed germination and seedling growth of rice (*Oryza sativa* L.), *Plant Growth Regulators*, 33, 151-153.
- Apel, K. and Hirt, H. (2004), Reactive oxygen species: Metabolism, oxidative stress and signal transduction, *Annual Review of Plant Biology*, 55, 373-399.
- Arab, L. and Ehsanpour, A.A. (2006), The effects of ascorbic acid on salt induced alfalfa (*Medicago sativa* L.) in *in vitro* culture, *Biochemistry*, 18, 63-69.
- Arschi, A., Abdin, M.Z. and Iqbal, M. (2002), Growth and metabolism of senna as affected by salt stress, *Biologia Plantarum*, 45, 295-298.
- Ashraf, M. and Foolad, M.R. (2006), Roles of glycine betaine and proline in improving plant abiotic stress resistance, *Environmental and Experimental Botany*, 59, 206-216.
- Ashraf, M. and McNeilly, T. (2004), Salinity tolerance in *Brassica* oilseeds, *Critical Reviews in Plant Sciences*, 23, 157-174.
- Ashraf, M.Y. and Bhatti, A.S. (2000), Effect of salinity on growth and chlorophyll content of Rice, *Pakistan Journal of Science and Industrial Research*, 43, 130-131.
- Asif, A.K., Sajjad, A.R. and McNeilly, T. (2003), Assessment of salinity tolerance based upon seedling root growth response functions in maize (*Zea mays* L.), *Euphytica*, 131, 81-89.
- Azooz, M.M. (2009), Salt stress instigation by seed priming with salicylic acid in two faba bean genotypes differing in salt tolerant, *International Journal of Agricultural Biology*, 11, 343-350.

- 
- Azooz, M.M., Shaddad, M.A. and Abdel-latef, A.A. (2004), The accumulation and compartmentation of proline in relation to salt tolerance of three sorghum cultivars, *Indian Journal of Plant Physiology*, 9, 1–8.
- Badawi, G.H., Kawano, N., Yamauchi, Y., Shimada, E., Sasaki, R., Kubo, A. and Tanaka, K. (2004), Enhanced tolerance to salt stress and water deficit by overexpressing superoxide dismutase in tobacco chloroplasts, *Plant Science*, 166, 919-928.
- Bagdi, D.L. and Afria, B.S. (2008), Alleviation of salinity effects using plant growth regulators in wheat, *Indian Journal of Plant Physiology*, 13, 272-277.
- Bandeh-Hagh, A., Toorchi, M., Mohammadi, A., Chaparzadeh, N., Salekdeh, G.H. and Kazemnia, H. (2008), Growth and osmotic adjustment of canola genotypes in response to salinity, *Journal of Food and Agricultural Environment*, 6, 201- 208.
- Barrett-Lennard, E.G., Robson, A.D. and Greenway, H. (1982), Effect of phosphorus deficiency and water deficit on phosphatase activities from wheat leaves, *Journal of Experimental Botany*, 33, 682-693.
- Bateman, D.F. and Daly, J.M. (1967), The respiratory pattern of Rhizoctonia injected bean hypocotyls in relation to lesion maturation, *Phytopathology*, 57, 127-131.
- Bates, L.B., Waldren, R.P. and Teare, I.D. (1973), Rapid determination of free proline for water stress studies, *Plant and Soil*, 39, 205- 207.
- Beak, K. H. and Skinner, D.Z. (2003), Alteration of antioxidant enzyme gene expression during cold acclimation of near-isogenic wheat lines, *Plant Science*, 165, 1221-1227.
- Beatriz, G.N. and Bernstein, N.(2005), Salinity induced changes in the nutritional status of expanding cells may impact leaf growth inhibition in maize, *Functional Plant Biology*, 32, 141-152.
- Beckman, C., Cante, C. and Ferreira, L. (2008), Growth and water consumption of two bean species under irrigation with saline water, *Scientia Agraria Curitiba*, 9, 349-355.
- Behnamnia, M., Kalantari, K.M. and Rezanejad, F. (2009), Exogenous application of brassinosteroid alleviates drought induced oxidative stress in *Lycopersicon esculentum* L., *General and Applied Plant Physiology*, 35, 22–34.
- Belcher, W.M. (2008), Method for refining vegetable oils and byproduct, *American Oil Chemist's Society*, 110- 115.
- Belkhdja, R., Morales, F., Abadia, A., Aparisi, C.J. and Abadia, J. (1994), Chlorophyll fluorescence as a possible tool for salinity tolerance screening in barley (*Hordeum vulgare*), *Plant Physiology*, 104, 667-673.

- 
- Benavides, M.P., Marconi, P.L., Gallego, S.M., Coma, M.E. and Tomara, M.L. (2002), Relationship between antioxidant defense system and salt tolerance in *Solanum tuberosum*, *Australian Journal of Plant Physiology*, 27, 273-278.
- Bera, A.K., Pati, M.K. and Bera, A. (2006), Brassinolide ameliorates adverse effects of salt stress on germination and seedling growth of rice, *Indian Journal of Plant Physiology*, 11, 182-189.
- Bernstein, L. and Ayers, A.D. (1953), Salt tolerance of five varieties of carrots, *Proceedings of American Society of Horticultural Science*, 61, 360-366.
- Bishop, G.J. and Yokota, T. (2001), Plants steroid hormones, brassinosteroids: Current highlights of molecular aspects on their synthesis/metabolism, transport, perception and response, *Plant Cell Physiology*, 42, 114–120.
- Blumwald, E., Aharon, G.S. and Apse, M.P. (2000) Sodium transport in plant cells, *Biochimica et Biophysica Acta* 1465, 140-151.
- Blumwald, E., Cragoe, E.J. and Poole, R.J. (1987), Inhibition of Na<sup>+</sup>/H<sup>+</sup> antiport activity in Sugar Beet tonoplast by analogs of Amiloride, *Plant Physiology*, 85, 30–33.
- Bohnert, H.J., Nelson, D.E. and Jensen, R.G. (2005), Adaptations to environmental stresses, *Plant Cell*, 7, 1099-1111.
- Bor, M., Ozdemir, F. and Turkan, I. (2003), The effect of salt stress on lipid peroxidation and antioxidants in leaves of sugar beet *Beta vulgaris* L. and will beet *Beta maritima* L., *Plant Science*, 64,77-84.
- Boston, R.S. (1996), Molecular chaperones and protein folding in plants, *Plant Molecular Biology*, 32, 191–222.
- Bray, S. and Reid, D.M. (2002), The effect of salinity and CO<sub>2</sub> enrichment on the growth and anatomy of the second trifoliolate leaf of *Phaseolus vulgaris*, *Canadian Journal of Botany*, 80, 349-359.
- Burke, J.J. (2000), Isolation of Arabidopsis mutants lacking components of acquired thermotolerance, *Plant Physiology*, 123, 575–587.
- Burke, J.J. (2001), Identification of genetic diversity and mutations in higher plant acquired thermotolerance, *Physiology of Plant*, 112, 167–170.
- Burman, U., Garg, B.K. and Kathju, S. (2002), Interactive effects of saline water irrigation and nitrogen fertilization on growth and metabolism of isabgol (*Plantago ovata* Forsk), *Journal of Plant Biology*, 29, 249-255.

- 
- Burman, U.G. and Kathju, S. (2001), Genotypic variations in growth, mineral composition, photosynthesis and leaf metabolism of Indian mustard under sodicity stress, *Indian Journal of Plant Physiology*, 6, 374-380.
- Bustin, S.A. (2000), Absolute quantification of mRNA using real-time reverse transcription polymerase chain reaction assays, *Journal of Molecular Endocrinology*, 25, 169–193.
- Bybordi, A. (2010), The influence of salt stress on seed germination, growth and yield of canola cultivars, *Notulae Botanicae Horti Agrobotanici Cluj*, 38, 128-133.
- Bybordi, A. and Ebrahimian, E. (2011), Effect of salinity stress on activity of enzymes involved in nitrogen and phosphorus metabolism case study (*Brassica napus* L.), *Asian Journal of Agricultural Research*, 5, 208-214.
- Campos- Mondragon, M.G., Calderon, A.M., Dela Barca, A., Duran-Prado, Campos-Reyes, L.C., Oliart-Ros, R.M., Ortega-Garcia, J., Medina-Juarez, L.A. and Angulo, O. (2009), Nutritional composition of new peanut (*Arachis hypogaea* L.) cultivars, *Grasos Y Aceites*, 60, 161-167.
- Candan, N. and Tarhan, L. (2003), The correlation between antioxidant enzyme activities and lipid peroxidation levels in *Mentha pulegium* organs grown in  $\text{Ca}^{2+}$ ,  $\text{Mg}^{2+}$ ,  $\text{Cu}^{2+}$ ,  $\text{Zn}^{2+}$  and  $\text{Mn}^{2+}$  stress conditions, *Plant Science*, 163, 769-779.
- Cantrell, I.C. and Linderman, R.G. (2001), Preinoculation of lettuce and onion with VA mycorrhizal fungi reduces deleterious effects of soil salinity, *Plant and Soil*, 233, 269–281.
- Castillo, E.G., Tuong, T.P., Ismail, A.M. and Inubushi, K. (2007), Response to salinity in rice: Comparative effects of osmotic and ionic stresses, *Plant Production Science*, 10, 159-170.
- Cattivelli, L., Baldi, P., Crosatti, C., Di Fonzo, N., Faccioli, P., Grossi, M., Mastrangelo, A.M., Pecchioni, N. and Stanca, A.M. (2002), Chromosome regions and stress-related sequences involved in resistance to abiotic stress in *Triticeae*, *Plant Molecular Biology*, 48, 649–665.
- Cert, A., Moreda, W. and Perez, C. (2000), Chromatographic analysis of minor constituents in vegetable oils, *Journal of Chromatography A*, 881, 131 – 148.
- Centritto, M., Loreto, F. and Chartzoulakis, K. (2003), The use of low concentration  $\text{CO}_2$  to estimate diffusional and non-diffusional limitations of photosynthetic capacity of salt-stressed olive saplings, *Plant, Cell and Environment*, 26, 585–594.
- Chakraborty, S., Santra, S.C. and Bhattacharya, T. (2010), Seasonal variation of enzyme activity and stress metabolites in eight benthic macro algae with fluctuations in salinity of Sunderban estuary, India, *Indian Journal of Marine Sciences*, 39, 429-433.

- 
- Chandrasekaran, R., Somasundaram, E., Amanullah, M. M., Thirukumaran, K. and Sathyamoorthi, K. (2008), Effect of foliar application of DAP and ZnSO<sub>4</sub> on groundnut productivity, *International Journal of Agricultural Science*, 4, 548-550.
- Chauhan, M.P. and Singh, I.S. (2000), Variability estimates and identifying chick pea genotypes for yield attributes in salt affected soil, *Legumes Research*, 23, 199-200.
- Cha-um, S. and Kirdmanee, C. (2009), Effect of salt stress on proline accumulation, photosynthetic ability and growth characters in two maize cultivars, *Pakistan Journal of Botany*, 41, 87-98.
- Cha-um, S., Vejchasarn, P. and Kirdmanee, C. (2007), An effective defensive response in Thai aromatic rice varieties (*Oryza sativa* L. spp. *indica*) to salinity, *Journal of Crop Science and Biotechnology*, 10, 257-264.
- Chaves, M.M., Flexas, J. and Pinheiro, C. (2009), Photosynthesis under drought and salt stress: regulation mechanisms from whole plant to cell, *Annals of Botany*, 103, 551–560.
- Chaves, M.M., Maroco, J.P. and Pereira, J.S. (2003), Understanding plant responses to drought – from genes to the whole plant, *Functional Plant Biology*, 30, 239–264.
- Christie, W.W. (1993), Preparation of derivatives of fatty acids for chromatographic analysis. In: Christie, W.W. (ed) *Advances in lipid methodology—Two*, The Oily Press, Dundee, 69–111.
- Cicek, N. and Cakirlar, H. (2002), The effect of salinity on some physiological parameters in two maize cultivars, *Bulgarian Journal of Plant Physiology*, 28, 66- 74.
- Clouse, S.D. and Sasse, J.M. (1998), Brassinosteroids: Essential regulators of plant growth and development, *Annual Review of Plant Physiology and Plant Molecular Biology*, 49, 427–451.
- Colla, G., Roupahel, Y. and Cardarelli, M. (2006), Effect of salinity on yield, fruit quality, leaf gas exchange and mineral composition of grafted watermelon plants, *Horticultural Science*, 41, 622-627.
- Cosgrove, D.J. (2005), Growth of the plant cell wall, *National Review of Molecular Cell Biology*, 6, 850-856.
- Cox, H.E. and Pearson, D. (1962), *The chemical analysis of foods*, Chemical Publishing Company Incorporated, New York, 420.
- Cramer, G.R., Ergu, I. A., Grimplet, J., Tillett, R.L., Tattersall, E.A.R. and Bohlman, M.C. (2007), Water and salinity stress in grapevines: early and late changes in transcript and metabolite profiles, *Functional and Integrative Genomics*, 7, 111–134.

- 
- Cramer, G.R., Lauchli, A. and Polito, V.S. (1985), Displacement of  $\text{Ca}^{2+}$  by  $\text{Na}^+$  from the plasmalemma of root cell. A primary response to salt stress?, *Plant Physiology*, 79, 207-211.
- Dagar, J.C., Bhagwan, H. and Kumar, Y. (2004), Effect on growth performance and biochemical contents of *Savadora persica* when irrigated with water of different salinity, *Indian Journal of Plant Physiology*, 9, 234-238.
- Dai, J., Huff, D.R. and Schlossberg, M.J. (2009), Salinity effects on seed germination and vegetative growth of greens-type *Poa annua* relative to other cool-season turfgrass species, *Crop Science*, 49, 696-703.
- Dajic, Z. (2006), Salt stress, In: Physiology and Molecular Biology of stress tolerance in plants, 1<sup>st</sup> edition, *Springer*, Netherland, 41-99.
- Datta, S.K. (1972), A study of salt tolerance of twelve varieties of rice, *Current Science*, 41, 456-457.
- Davenport, R., James, R.A., Zakrisson-Plogander, A., Tester, M. and Munns, R. (2005), Control of sodium transport in durum wheat, *Plant Physiology*, 137, 807-818.
- David, W. and Inayatullah, R. (2000), An assessment of the relative effects of adverse physical and chemical properties of sodic soil on the growth and yield of wheat (*Triticum aestivum* L.), *Plant and Soil*, 223, 279-287.
- De Pascale, S., Ruggiero, C., Barbieri, G. and Maggio, A. (2003), Physiological responses of pepper to salinity and drought, *Journal of American Society for Horticultural Science*, 128, 48 - 54.
- Del Rio, L.A., Corpas, F.J., Sandalio, L.M., Palma, J.M., Gomez, M. and Barroso, J.B. (2002), Reactive oxygen species, antioxidant systems and nitric oxide in peroxisomes, *Journal of Experimental Botany*, 53, 1255-1272.
- Delauney, A.J. and Verma, D.P.S. (1993), Proline biosynthesis and osmo regulation in plants, *Plant Journal*, 4, 215-223.
- Demidchik, V., Davenport, R.J. and Tester, M. (2002), Nonselective cation channels in plants, *Annual Review of Plant Biology*, 53, 67-107.
- Demir, Y. and Kocacaliskan, I. (2001), Effects of NaCl and proline on polyphenol oxidase activity in bean seedlings, *Biologia Plantarum*, 44, 607-609.
- Demiral, T. and Turkan, I. (2006), Exogenous glycinebetaine affects growth and proline accumulation and retards senescence in two rice cultivars under NaCl stress, *Environment and Experimental Botany*, 56, 72-79.

- 
- Demiroglu, G., Mand, K. and Avcioglu, R. (2001), Effect of different salt concentrations on the resistance of maize cultivars: some physiological characteristics and ion accumulation in early growth, *Turkish Journal of Field Crops*, 6, 55-56.
- Deotale, R.D. and Dhopte, A.M. (2005), Nutritional disorders in mustard (*Brassica juncea* L.), *Journal of Soils and Crops*, 15, 52-53.
- Desire, T.V., Liliane, M.T., Leprince, M.N., Jonas, I.P. and Akoa, A.(2010), Mineral nutrient status, some quality and morphological characteristic changes in peanut (*Arachis hypogaea* L.) cultivars under salt stress, *African Journal of Environmental Science and Technology*, 4, 471-479.
- Dhanapackiam, S. and Ilyas, M.M.H. (2010), Effect of salinity on chlorophyll and carbohydrate contents of *Sesbania grandiflora* seedlings, *Indian Journal of Science and Technology*, 3,561 – 563.
- Dhopte, A.M. and Livera, M. (1989), Few tests for various stresses in crop plants; Seed germination tests for drought tolerance. In: Useful techniques for plant scientists. Ed. A.M. Dhopte and M. Livera, Forum for plant physiologists, Akola, India, 95-96.
- Djanaguiraman, M., Ramadass, R. and Devi, D. D. (2003), Effect of salt stress on germination and seedling growth in rice genotypes, *Madras Agricultural Journal*, 90, 50-53.
- Doganlar, Z.B., Demir, K., Basak, H. and Gul, I. (2010), Effects of salt stress on pigment and total soluble protein contents of three different tomato cultivars, *African Journal of Agricultural Research*, 5, 2056-2065.
- Dolatabadian, A., Mohammad, S.A., Sanavy, M. and Ghanati, F. (2011), Effect of salinity on growth, xylem structure and anatomical characteristics of Soybean, *Notulae Scientia Biologicae*, 3, 41- 45.
- Drew, M.C., Hole, P.S. and Picchioni, G.A. (1990), Inhibition by NaCl of net CO<sub>2</sub> fixation and yield of cucumber, *Journal of American Society and Horticultural Science*, 115, 472-477.
- Drozdowicz, Y.M. and Rea, P.A. (2001), Vacuolar H(+) pyrophosphatases: from the evolutionary backwaters into the mainstream, *Trends in Plant Science*, 6, 206-11.
- Dubcovsky, J., Ramakrishna, W. and Miguel, S.P.J. (2001), Comparative sequence analysis of collinear barley and rice bacterial artificial chromosomes, *Plant Physiology*, 125, 1342-1353.
- Dunwell, J.M. (2000), Transgenic approaches to crop improvement, *Journal of Experimental Botany*, 51, 487–496.

- 
- Egamberdieva, D. (2009), Alleviation of salt stress by plant growth regulators and indole acetic acid producing bacteria in wheat, *Acta Physiology of Plant*, 31,861-864.
- Ehsanpour, A.A. and Amini, F. (2003), Effect of salt and drought stress on acid phosphatase activities in alfalfa (*Medicago sativa* L.) explants under in vitro culture, *African Journal of Biotechnology*, 2, 133-135.
- Eker, S., Cömertpay, G., Konuşkan, O., Ülger, A.C., Öztürk, L. and Çakmak.I. (2006), Effect of salinity on dry matter production and ion accumulation in hybrid maize varieties, *Turkish Journal of Agriculture and Forest*, 30, 365-373.
- El-Baz, F.K., Mohamed, A.A. and Aly, A.A. (2003), Development of biochemical markers for salt stress tolerance in cucumber plants, *Pakistan Journal of Biological Sciences*, 6, 16-22.
- Eleiwa, M.E., Bafeel, S.O. and Ibrahim, S.A. (2011), Influence of brassinosteroids on wheat plant (*Triticum aestivum* L.) production under salinity stress conditions, growth parameters and photosynthetic pigments, *Australian Journal of Basic and Applied Sciences*, 5, 58-65.
- Ennahli, S. and Earl, H.J. (2005), Physiological limitations to photosynthetic carbon assimilation in cotton under water stress, *Crop Science*, 45, 2374–2382.
- Esfandiari, E., Shekari, F., Shekari, F. and Esfandiari, M. (2007), The effect of salt stress on antioxidant enzymes activity and lipid peroxidation on the wheat seedling, *Notulae Botanicae Horti Agrobotanici Cluj*, 35.
- Essa, T.A. (2002), Effect of salinity stress on growth and nutrient composition of three soybeans (*Glycine max* (L.) Merrill cultivars, *Journal of Agro and Crop Science*, 188, 86-93.
- Essah, P. A., Davenport, R. and Tester, M. (2003), Sodium influx and accumulation in Arabidopsis, *Plant Physiology*, 133, 307-318.
- Essemine, J., Ammar, S. and Bouzid, S. (2010), Impact of heat stress on germination and growth in higher plants: Physiological, biochemical and molecular repercussions and mechanisms of defence, *Journal of Biological Sciences*, 10, 565-572.
- FAO. (2003), FAO Production Year Book 2003, Rome, Italy, 45-48.
- FAO. (2008), FAO Land and Plant Nutrition Management Service. <http://www.fao.org/ag/agl/agll/spush> (October 29, 2010).
- Farouk, S. ( 2011), Osmotic adjustment in wheat flag leaf in relation to flag leaf area and grain yield per plant, *Journal of Stress Physiology and Biochemistry*, 7, 117-138.
- Fedina, I.S., Georgieva, K. and Grigorova, I. (2002), Light-dark changes in proline content of barley leaves under salt stress, *Biologia Plantarum*, 45, 59-63.

- 
- Feng, G., Zhang, F.S., Li, X.I., Tian, C.Y., Tang, C. and Rengel, Z. (2002), Improved tolerance of maize plants to salt stress by arbuscular mycorrhiza is related to higher accumulation of soluble sugars in roots, *Mycorrhiza*, 12, 185–190.
- Fidalgo, F., Santos, A., Santos, I. and Salema, R. (2004), Effects of long-term salt stress on antioxidant defence systems, leaf water relations and chloroplast ultrastructure of potato plants, *Annals of Applied Biology*, 145, 185-192.
- Flexas, J., Bota, J., Escalona, J.M., Sampol, B. and Medrano, H. (2002), Effects of drought on photosynthesis in grapevines under field conditions: an evaluation of stomatal and mesophyll limitations, *Functional Plant Biology*, 29, 461–471.
- Flexas, J., Bota, J., Loreto, F., Cornic, G. and Sharkey, T.D. (2004), Diffusive and metabolic limitations to photosynthesis under drought and salinity in C3 plants, *Plant Biology*, 6, 269–279.
- Flexas, J., Diaz-Espejo, A., Galme's, J., Kaldenhoff, R., Medrano, H. and Ribas-Carbo, M. (2007), Rapid variations of mesophyll conductance in response to changes in CO<sub>2</sub> concentration around leaves, *Plant, Cell and Environment*, 30, 1284–1298.
- Flexas, J., Ribas-Carbo, M. and Bota, J. (2006), Decreased Rubisco activity during water stress is not induced by decreased relative water content but related to conditions of low stomatal conductance and chloroplast CO<sub>2</sub> concentration, *New Phytologist*, 172, 73–82.
- Flexas, J., Ribas-Carbo, M., Diaz-Espejo, A., Galme's, J. and Medrano, H. (2008), Mesophyll conductance to CO<sub>2</sub>: current knowledge and future prospects, *Plant, Cell and Environment*, 31, 602–612.
- Flowers, T.J. (1985), Physiology of halophytes, *Plant and Soil*, 89, 41–56.
- Flowers, T.J. and Flowers, S.A. (2005), Why does salinity pose such a difficult problem for plant breeders? *Agriculture and Water Management*, 78,15–24.
- Flowers, T.J. and Yeo, A.R. (1981), Variability in the resistance of sodium chloride salinity within rice (*Oryza sativa* L.) varieties, *New Phytology*, 88, 363-373.
- Flowers, T.J., Hajibagheri, M.A. and Clipson, N.T.W. (1986), Halophytes, *Quarterly Review of Biology*, 61, 313–337.
- Fracheboud, Y., Jompuk, C., Ribaut, J.M., Stamp, P. and Leipner, J. (2004), Genetic analysis of cold tolerance of photosynthesis in maize, *Plant Molecular Biology*, 56, 241-253.
- Francois, L.E. and Maas, E.V. (1994), Crop response and management on salt-affected soils. In: Pessarakli, M. (Ed.), *Handbook of Plant and Crop Stress*, Marcel Dekker, 270 Madison Ave/New York, 149–181.

- 
- Fronhoffs, S., Totzke, G., Stier, S., Wernert, N., Rothe, M., Bruning, T., Koch, B., Sachinidis, A., Vetter, H. and Ko, Y. (2002), A method for the rapid construction of cRNA standard curves in quantitative real-time reverse transcription polymerase chain reaction, *Molecular Cell Probes*, 16, 99–110.
- Fujii, S. and Saka, H. (2001), Distribution of assimilates to each organ in rice plants exposed to low temperature at ripening stage and effect of brassinolide on the distribution, *Plant Production Science*, 4, 136-143.
- Fusun, Y., Banu Porgali, Z. and Turkan, I. (2004), Variations in abscisic acid, indole-3-acetic acid, gibberellic acid and zeatin concentrations in two bean species subjected to salt stress, *Acta Biologica Cracoviensia*, 46, 201-212.
- Gale, M. (2003), Applications of molecular biology and genomics to genetic enhancement of crop tolerance to abiotic stress - A discussion document, *Food and Agriculture Organization of the United Nations*, 1-26.
- Galme's, J., Flexas, J., Save, R. and Medrano, H. (2007), Water relations and stomatal characteristics of Mediterranean plants with different growth forms and leaf habits: responses to water stress and recovery, *Plant and Soil*, 290, 139–155.
- Gara, L. D., Pinto, M.C. and Tommasi, F. (2003), The antioxidant systems vis-à-vis reactive oxygen species during plant-pathogen interaction, *Plant Physiology and Biochemistry*, 41, 863-870.
- Garg, B.K., Burman, U. and Kathju, S. (2006), Alleviation of salinity stress effects on photosynthesis, nitrogen metabolism and yield of Indian mustard by nitrogen fertilization, *Indian Journal of Plant Physiology*, 11, 145-151.
- Garg, B.K., Kathju, Vyas, S.P. and Lahiri, A.N. (2001), Salinity- fertility interaction on physiology of pearl millet. In: Stress and Environmental plant physiology. Ed. K.K. Bora, K. Singh and Arvind Kumar. *Pointer Publishers*, Jaipur, 135-144.
- Garg, N. and Chawla, J. (2002), Variable response of legume species and their cultivars to salinity stress during various stages of growth and metabolism, *Advanced Plant Physiology*, 4, 133-164.
- Garg, N. and Singla, R. (2007), Germination index, growth rate, photosynthetic pigments and ammonia assimilating enzymes of desi and kabuli chickpea under salinity stress, *Legume Research*, 30, 157- 165.
- Ghazi, N. and Al-Karaki, G.N. (2006), Nursery inoculation of tomato with arbuscular mycorrhizal fungi and subsequent performance under irrigation with saline water, *Science and Horticulture*, 109, 1-7.
- Gholipoor, M., Ghasemi-golezani, K., Khoole, F.R. and Moghaddam, M. (2000), Effects of salinity on initial seedling growth of chickpea (*Cicer arietinum* L.), *Acta Agronomica Hungarica*, 48, 337-343.

- 
- Gholizadeh, A., Faizi, M.H. and Kohnehrouz, B.B. (2009), Molecular detection of a drought stress inducible D-amino acid oxidase gene from *Zea mays* L., *Asian Journal of Plant Science*, 8, 224-229.
- Ghoulam, C. and Fares, K. (2001), Effect of salinity on seed germination and early seedling growth of sugar beet, *Seed Science and Technology*, 29, 357–364.
- Ghoulam, C. and Foursy, A.(2002), Effects of salt stress on growth, inorganic ions and proline accumulation in relation to osmotic adjustment in five sugar beet cultivars, *Environment and Experimental Botany*, 47, 39-50.
- Girdhar, I.K. (2004), Management of soil and water salinity for groundnut production. In: Groundnut Research in India, Ed. M.S. Basu and N.B. Singh, National Research Centre for Groundnut, Junagadh, Gujarat, India, 260-272.
- Girdhar, I.K., Devidayal, K.K., Pal and Singh, Y.V. (2003), Studies on traditional Rabi/ summer/ spring groundnut based cropping systems, Annual Report 2002-2003, 40-42.
- Giri, B., Kapoor, R. and Mukerji, K.G. (2003), Influence of arbuscular mycorrhizal fungi and salinity on growth, biomass and mineral nutrition of *Acacia auriculiformis*, *Biology and Fertility of Soils*, 38, 170–175.
- Girija, C., Smith, B.N. and Swamy, P.M. (2002), Interactive effects of sodium chloride and calcium chloride on the accumulation of proline and glycinebetaine in peanut (*Arachis hypogaea* L.), *Environmental and Experimental Botany*, 47, 1-10.
- Gitelson, A.A., Buschmann, C. and Lichtenthaler, H.K. (1998), Leaf chlorophyll fluorescence corrected for reabsorption by means of absorption and reflectance measurements, *Journal of Plant Physiology*, 152, 283-289.
- Giulietti, A., Overbergh, L., Valckx, D., Decallonne, B., Bouillon, R. and Mathieu, C. (2001), An Overview of real-time quantitative PCR: Applications to quantify cytokine gene expression, *Methods*, 25, 386-401.
- Gopalachari, N.C. (1963), Changes in the activities of certain oxidizing enzymes during germination and seedling development of *Phaseolus mungo* and *Sorghum vulgare*, *Indian Journal of Experimental Biology*, 1, 98-100.
- Grattan, S.R. and Grieve, C.M. (1999), Mineral nutrient acquisition and response by plants grown in saline environments, In Handbook of Plant Crop Stress, Ed.M. Pessarakli, Marcel Dekker, New York, 203-229.
- Green, J.M. (1996), A practical guide to analytical method validation, *Analytical Chemistry*, News & Features, 305A/309A, 14.
- Greenway, H. (1962), Plant response to saline substrates.I.Growth and ion uptake of several varieties of *Hordeum* during and after sodium chloride treatment, *Australian Journal of Biological Sciences*, 15, 16-38.

- 
- Greenway, H. and Gibbs, J. (2003), Maintenance of anoxia tolerance in plants, Energy requirements for maintenance and energy distribution to essential processes, *Functional Plant Biology*, 30, 999-1036.
- Grosso, N.R., Nepote, V. and Guzman, C.A. (2000), Chemical composition of some wild peanut species (*Arachis*) seeds, *Journal of Agricultural Food Chemistry*, 48, 806-809.
- Guang-cheng, S., Rui-qi, G., Na, L., Shuang-en, Y. and Wenggang, X. (2011), Photosynthetic, chlorophyll fluorescence and growth changes in hot pepper under deficit irrigation and partial root zone drying, *African Journal of Agricultural Research*, 6, 4671-4679.
- Gul, B., Khan, M.A. and Weber, D.J. (2000), Alleviation salinity and dark-enforced dormancy in *Allenrolfea occidentalis* seeds under various thermoperiods, *Australian Journal of Botany*, 48, 745-752.
- Gunes, A., Inal, A., Alpaslam, M., Erslan, F., Bagsi, E.G. and Cicek, N. (2007), Salicylic acid induced changes on some physiological parameters symptomatic for oxidative stress and mineral nutrition in maize (*Zea mays* L.) grown under salinity, *Journal of Plant Physiology*, 164, 728-736.
- Guo, P. and Li, R. (2000), Effects of high nocturnal temperature on photosynthetic organization in rice leaves, *Acta Botanica Sinica*, 42, 13-18.
- Guo, Y., Halfter, U., Ishitani, M. and Zhu, J.K. (2001), Molecular characterization of functional domains in the protein kinase SOS2 that is required for plant salt tolerance, *Plant Cell*, 13, 1383-400.
- Gurmani, A.R., Bano, A., Khan, S.U., Din, J. and Zhang, J.L. (2011), Alleviation of salt stress treatment with abscisic acid (ABA), 6-benzylaminopurine (BA) and chloromequat chloride (CCC) optimizes ion and organic matter accumulation and increases yield of rice (*Oryza sativa* L.), *African Journal of Crop Science*, 5, 1278-1285.
- Halmer, P. (2004), Methods to improve seed performance in the field, *In: Benech-Arnold, R.L. and R.A. Sanchez (eds.), Handbook of Seed Physiology, Application to Agriculture*, The Haworth Press, New York, 125-65.
- Harinasut, P., Poonsopa, D., Roengmongkol, K. and Charensataporn, K. (2003), Salinity effect on antioxidant enzyme in mulberry cultivar, *Science Asia*, 29, 109-113.
- Hasegawa, P.M., Bressan, R.A., Zhu, J.K. and Bohnert, H.J. (2000), Plant cellular and molecular response to high salinity, *Annual Review of Plant Physiology and Plant Molecular Biology*, 51, 463-499.
- Hayat, Q., Hayat, S., Irfan, M. and Ahmad, A. (2010), Effect of exogenous salicylic acid under changing environment: A review- *Environment and Experimental Botany*, 68, 14-25.

- 
- Hayat, S., Ahmad, A., Mobin, M., Faricluddin, Q. and Azam, Z.M. (2001), Carbonic anhydrase, photosynthesis and seed yield in mustard plants treated with phytohormones, *Photosynthetica*, 39, 111-114.
- Hayat, S., Hasan, S.A., Yusuf, M., Hayat, Q. and Ahmad, A. (2010), Effect of 28-homobrassinolide on photosynthesis, fluorescence and antioxidant system in the presence or absence of salinity and temperature in *Vigna radiata*, *Environment and Experimental Botany*, 69, 105-112.
- Hernandez, J.A., Ferrer, M.A., Jimenez, A., Barcelo, A.R. and Sevilla, F. (2001), Antioxidant systems and  $O_2^-/H_2O_2$  production in the apoplast of pea leaves. Its relation with salt-induced necrotic lesions in minor veins, *Plant Physiology*, 127, 817-831.
- Hernandez, J.A., Mullineaux, P. and Sevilla, F. (2000), Tolerance of pea (*Pisum sativum* L.) to long term stress is associated with induction of antioxidant defences, *Plant Cell Environment*, 23, 853-862.
- Heuer, B., Ravina, I. and Davidov, S. (2005), Seed yield, oil content and fatty acid composition of stock (*Matthiola incana*) under saline irrigation, *Australian Journal of Agricultural Research*, 56, 45-47.
- Hong, S. and Vierling, E. (2000), Mutants of *Arabidopsis thaliana* defective in the acquisition of tolerance to high temperature stress, *Proceedings of the National Academy of Sciences, USA*, 97, 4392-4397.
- Hong, S. and Vierling, E. (2001), Hsp101 is necessary for heat tolerance but dispensable for development and germination in the absence of stress, *Plant Journal*, 27, 24-35.
- Hong, S., Lee, U. and Vierling, E. (2003), Arabidopsis hot mutants define multiple functions required for acclimation to high temperatures, *Plant Physiology*, 132, 757-767.
- Hong, Z., Lakkineni, K., Zhang, F. and Verma, D.P.S. (2000), Removal of feed back inhibition of  $\alpha$ -pyrroline-5-carboxylate synthetase results in increased proline accumulation and protection of plant from osmotic stress, *Plant Physiology*, 122, 1129-1136.
- Hong-Xia Zhang, Hodson, N., Williams, P. and Blumwald, E. (2001), Engineering salt-tolerant Brassica plants: Characterization of yield and seed oil quality in transgenic plants with increased vacuolar sodium accumulation, *Proceedings of the National Academy of Sciences*, 98, 12832-12836.
- Hossain, M.M., Miah, M.N.A., Rahman, M.A., Islam, M.A. and Islam, M.T. (2008), Effect of salt stress on growth and yield attributes of mungbean, *Bangladesh Research Publication Journal*, 1, 324-336.
- Houimli, M.I.S., Denden, M. and Mouhandes, B.D. (2010), Effects of 24-epibrassinolide on growth, chlorophyll, electrolyte leakage and proline by pepper plants under NaCl stress, *Eurasian Journal of BioSciences*, 4, 96-104.

- 
- Houimli, S.I.M., Denden, M. and Hadj, S.B.E. (2008), Induction of salt tolerance in pepper (*Capsicum annum*) by 24- epibrassinolide, *Eurasian Journal of Biological Sciences*, 2, 83-90.
- Hu, H., Dai, M., Yao, J., Xiao, B., Li, X. and Zhang, Q. (2006), Over expressing a NAM, ATAF, and CUC (NAC) transcription factor enhances drought resistance and salt tolerance in rice, *Proceedings of National Academy of Science, USA*, 103, 12987–12992.
- Hu, Y. and Schmidhalter, U. (2001), Reduced cellular cross-sectional area in the leaf elongation zone of wheat causes a decrease in dry weight deposition under saline conditions, *Australian Journal of Plant Physiology*, 28, 165–170.
- Humphries, E.C. (1956), Mineral components and ash analysis, In : *Modern Methods of Plant Analysis*, 1<sup>st</sup> edition, V., Springer, verlag Berlin, 468-502.
- Hussain, K., Nisar, F.M., Majeed, A., Nawaz, K., Bhatti, K.H., Afghan, S., Shahazad, A. and Zia-ul-Hussnain, S. (2010), What molecular mechanism is adapted by plants during salt stress tolerance?, *African Journal of Biotechnology*, 9, 416-422.
- Hussein, M.M., Balbaa, L.K. and Gaballah, M.S. (2007), Salicylic acid and salinity effects on growth of maize plants, *Research Journal of Agriculture and Biological Sciences*, 3, 321-328.
- Iba, K. (2002), Acclimative response to temperature stress in higher plants: approaches of gene engineering for temperature tolerance, *Annual Review of Plant Biology*, 53, 225-245.
- Imlay, J.A. (2003), Pathways of oxidative damage, *Annual Review of Microbiology*, 57, 395-418.
- Ingale, S. and Shrivastava, S.K. (2011), Nutritional study of new variety of groundnut (*Arachis hypogaea* L.), *African Journal of Food Science*, 5, 490 – 498.
- Iqbal, M. and Ashraf, M. (2006), Wheat seed priming in relation to salt tolerance: growth yield and levels of free salicylic acid and polyamines, *Annals of Botany Fennici*, 43, 250-259.
- Ishitani, M., Liu, J., Halfter, U., Kim, C.S., Shi, W. and Zhu, J.K. (2000), SOS3 function in plant salt tolerance requires N- myristoylation and calcium binding, *Plant Cell*, 12, 1667-1677.
- Ishitani, M., Xiong, L., Stevenson, B. and Zhu, J.K. (1997), Genetic analysis of osmotic and cold stress signal transduction in *Arabidopsis*: Interactions and convergence of abscisic acid dependent and abscisic acid independent pathways, *Plant Cell*, 9, 1395-1949.
- Isleib, T.G., Rice, P.W., Mazingo, R.W., Copeland, S.C., Graeber, J.B., Pattee, H.E., Sanders, T.H., Mazingo, R.W. and Coker, D.L. (2006), Registration of 'Phillips' peanut, *Crop Science*, 46, 2308-2309.
- Jackson, M.L. (1973), Soil chemical analysis, 1<sup>st</sup> edition, Prentice Hall of India Pvt. Ltd., New Delhi, 95-98.

- 
- Jahromi, F., Aroca, R., Porcel, R. and Ruiz-Lozano, J.M. (2008), Influence of salinity on the in vitro development of *Glomus intraradices* and on the in vivo physiological and molecular responses of mycorrhizal lettuce plants, *Microbial Ecology*, 55, 45–53.
- Jain, M., Mathur, G., Koul, S. and Sarin, N.B. (2001), Ameliorative effects of proline on salt stress – induced lipid peroxidation in cell lines of groundnut (*Arachis hypogaea* L.), *Plant Cell Reports*, 20, 463 - 468.
- Jaleel, C.A., Gopi, R., Gomathinayagam, M. and Panneerselvam, R. (2008), Effects of calcium chloride on metabolism of salt stressed *Dioscorea rotundata*, *Acta Biologica Cracoviensia Series Botanica*, 50, 63–67.
- Jamil, M., Lee, D., Jung, K.Y., Ashraf, M., Lee, S.C. and Rha, E.S. (2006), Effect of salt stress on germination and early seedling growth of four vegetables species, *Journal of Central European Agriculture*, 7, 273-282.
- Javid, M. G., A., Sorooshzadeh, F., Moradi, S. A., Sanavy, M.M. and Allahdadi, I. (2011), The role of phytohormones in alleviating salt stress in crop plants, *Australian Journal of Crop Science*, 5, 726-734.
- Jebara, S., Jebara, M., Limam, F. and Aouani, M.E. (2005), Changes in ascorbate peroxidase, catalase, guaiacol peroxidase and superoxide dismutase activities in common bean (*Phaseolus vulgaris*) nodules under salt stress, *Journal of Plant Physiology*, 162, 929-936.
- Jha, P., Ali, A. and Raghuram, N. (2007), Nitrate induction of nitrate reductase and its inhibition by nitrite and ammonium ions in *Spirulina platensis*, *Physiology and Molecular Biology of Plants*, 13, 163- 167.
- Johnson, H.W., Robinson, H.F. and Comstock, R.E. (1955), Estimates of genetic and environmental variability in Soyabean, *Agronomy Journal*, 47, 14-18.
- Jumali, S.S., Said, I.M., Ismail, I. and Zainal, Z. (2011), Genes induced by high concentration of salicylic acid in *Mitragyna speciosa*, *Australian Journal of Crop Science*, 5, 296- 303.
- Jumberi, A., Oka, M. and Fujiyama, H. (2002), Response of vegetable crops to salinity and sodicity in relation to ionic balance and ability to absorb micro elements, *Soil Science and Plant Nutrition*, 48, 203-209.
- Junko, T., Fujihara, S., Goto, S. and Yoneyama, T. (2005), Systematic effect of a brassinosteroid on root nodule formation in soybean as revealed by the application of brassinolide and brassinazole, *Soil Science and Plant Nutrition*, 51, 389- 395.
- Kao, W.Y., Tsai, T.T. and Shih, C.N. (2003), Photosynthetic gas exchange and chlorophyll a fluorescence of three wild soybean species in response to NaCl treatments, *Photosynthetica*, 41, 415-419.

- 
- Kashiwagi, J., Krishnamurthy, L., Singh, S. and Upadhyaya, H.D. (2006), Variation of SPAD Chlorophyll Meter Readings (SCMR) in the Mini-Core Germplasm Collection of Chickpea, *ejournal.icrisat.org*, 2, 1.
- Kausale, P.S., Patel, C.L., Kote, G.M., Lomte, D.M. and Awasarmal, V.B. (2007), Influence of different levels and sources of phosphorus, pressmud and phosphorus solubilising microorganisms on nodulation, yield and quality of groundnut, *Legume Research*, 30,113-117.
- Kawasaki, S., Borchert, C., Deyholos, M., Wang, H., Brazille, S., Kawai, K., Galbraith, D. and Bohnert, H.J. (2001), Gene expression profiles during the initial phase of salt stress in rice, *The Plant Cell*, 13, 889-905.
- Kaya, C., Kirnak, H., Higgs, D. and Saltali, K. (2002), Supplementary calcium enhances plant growth and fruit yield in strawberry cultivars grown at high (NaCl) salinity, *Scientia Horticulture*, 93, 65-74.
- Kaymakanova, M. (2009), Effect of salinity on germination and seed physiology in bean (*Phaseolus vulgaris* L.), XI Anniversary Scientific Conference, *Biotechnology and Biotechnology*, *Grasas y Aceites*, 23, 326 – 329.
- Kaymakanova, M. and Stoeva, N.(2008), Physiological reaction of bean plants (*Phaseolus vulg.* L.) to salt stress, *General Applied Plant Physiology*, 34,177-188.
- Kerstiens, G., Tych, W., Robinson, M.F. and Mansfield, T.A. (2002), Sodium related partial stomatal closure and salt tolerance of *Aster tripolium*, *New Phytology*, 153, 509-515.
- Khan, A.A., McNeilly, T. and Azar, F.M. (2001), Stress tolerance in crop plants, *International Journal of Agriculture and Biology*, 3, 250-55.
- Khan, A.A., Sajjad, A.R. and McNeilly, T. (2003), Assessment of salinity tolerance based upon seedling root growth response functions in maize (*Zea mays* L.), *Plant Physiology*, 131, 81-89.
- Khan, M.A., Gul, B. and Weber, D.J. (2004), Action of plant growth regulators and salinity on seed germination of *Ceratoides lanata*, *Canadian Journal of Botany*, 82, 37-42.
- Khan, M.G. and Srivastava, H.S. (2000), Nitrate application improves plant growth and nitrate reductase activity in maize under saline conditions, *Indian Journal of Plant Physiology*, 5, 154-158.
- Khan, M.H. and Panda, S.K. (2008), Alterations in root lipid peroxidation and antioxidative responses in two rice cultivars under NaCl-salinity stress, *Acta Physiologiae Plantarum*, 30, 91-89.
- Khan, M.H., Singha, L.B. and Panda, S.K. (2002), Changes in antioxidant levels in *Oriza sativa* L. roots subjected to NaCl-salinity stress, *Acta Physiologiae Plantarum*, 24, 145-148.

- 
- Khatkar, D. and Kuhad, M. S. (2000), Short-term salinity induced changes in two wheat cultivars at different growth stages, *Biology of Plant*, 43, 629-632.
- Khedr, A.H.A., Abbas, M.A., Wahid, A.A.A., Quick, W.P. and Abogadallah, G.M. (2003), Proline induces the expression of salt stress responsive proteins and may improve the adaptation of *Pancratium maritimum* L. to salt stress, *Journal of Experimental Botany*, 54, 2553-2562.
- Kilic, S., Çavusoglu, K. and Kabar, K. (2007), Effects of 24- epibrassinolide on salinity stress induced inhibition of seed germination, seedling growth and leaf anatomy of barley, *Suleyman Demiral University, Faculty of Arts and Science Journal*, 2, 41-52.
- Klein, D. (2002), Quantification using real time PCR technology: applications and limitations, *Trends in Molecular Methods*, 8, 257-260.
- Kopczak, S.D., Haas, N.A., Hussey, P.J., Silflow, C.D. and Snustad, D.P. (1992), *The small genome of Arabidopsis contains at least six expressed  $\alpha$ -tubulin genes*, *Plant Cell*, 4, 539–547.
- Krause, G.H. and Weis, E. (1991), Chlorophyll fluorescence and photosynthesis: The basics, *Annual Review of Plant Physiology and Molecular Biology*, 42, 313-349.
- Krishnan, R.R. and Kumari, B.D.R. (2008), Effect of N-triacontanol on the growth of salt stressed soybean plants, *Journal of Bioscience*, 19, 53–62.
- Ku, H.M., Vision, T., Liu, J. and Tanksley, S.D. (2000), Comparing sequenced segments of tomato and *Arabidopsis* genomes: large scale duplication followed by selective gene loss creates a network of synteny, *Proceedings of National Academy of Science*, 97, 9121-9126.
- Kusvuran, S., Yasar, F., Ellialtioglu. and Abak, K. (2007), Utilizing some of screening methods in order to determine tolerance of salt stress in the melon (*Cucumis melo* L.), *Research Journal of Agriculture and Biological Sciences*, 3, 40-45.
- Larkindale, J. and Huang, B. (2004), Thermotolerance and antioxidants systems in *Agrotis stolonifera*: Involvement of salicylic acid, abscisic acid, calcium, hydrogen peroxide and ethylene, *Journal of Plant Physiology*, 161, 405-413.
- Lawlor, D.W. and Cornic, G. (2002), Photosynthetic carbon assimilation and associated metabolism in relation to water deficits in higher plants, *Plant, Cell and Environment*, 25, 275–294.
- Lazof, D. B. and Bernstein, N. (1999), Effects of salinization on nutrient transport to lettuce leaves: consideration of leaf developmental stage, *New Phytologist*, 144, 85–94.
- Leach, R.P., Wheeler, K.P., Flowers, T.J. and Yeo, A.R. (1990), Molecular markers for ion compartmentation in cells of higher plants, Isolation of vacuoles of high purity, *Journal of Experimental Botany*, 41, 1079 - 1087.

- 
- Lee, G.J. and Vierling, E. (2000), A small heat shock protein cooperates with heat shock protein 70 systems to reactivate a heat denatured protein, *Plant Physiology*, 122, 189-198.
- Li, X., An, P., Inanaga, S., Eneji, A.E. and Tanabe, K. (2006), Salinity and defoliation effects on soybean growth, *Journal of Plant Nutrition*, 29, 1499-1508.
- Liu, H. J., Wang, J. H. and Yang, Z. H. (2005), The saline soil was improved by engineering techniques, *Chinese Agricultural Science Bulletin*, 21, 329–333.
- Liu, J., Ishitani, M., Halfter, U., Kim, C.S. and Zhu, J.K. (2000), The *Arabidopsis thaliana* SOS2 gene encodes a protein kinase that is required for salt tolerance, *Proceedings of National Academy of Science, USA*, 97, 3730-3734.
- Liu, W. and Saint, D.A.(2002), A new quantitative method of real-time reverse transcription polymerase chain reaction assay based on simulation of polymerase chain reaction kinetics, *Analytical Biochemistry*, 302, 52-59.
- Lowry, O.H., Rosenbrough, N.H., Farr, A.L. and Randall, R.J. (1951), Protein measurement with Folin phenol reagent, *Journal of Biological Chemistry*, 193, 265-275.
- Lu, C. and Zhang, J. (1998), Modifications in photosystem II. Photochemistry in senescence leaves of maize plants, *Journal of Experimental Botany*, 49, 1671-1679.
- Lu, C., Liu, Q., Zhang, J. and Kuang, T. (2001), Characterization of photosynthetic pigment composition, photosystem II photochemistry and thermal energy dissipation during leaf senescence of wheat plants grown in the field, *Journal of Experimental Botany*, 52, 1805-1810.
- Ludlow, M.M. and Mu-Chow, R.C. (1990), A critical evaluation of traits for improving crop yields in water-limited environments, *Advances in Agronomy*, 43, 107-152.
- Maass, E.V. and Hoffman, G.J. (1977), Crop salt tolerance-current assessment, *Journal of Irrigation Drainage Division of American Civil Engineering*, 103, 115-134.
- Maeda, Y., Yoshiba, M. and Tadano, T. (2005), Comparison of Ca effect on the salt tolerance of suspension cells and intact plants of Tobacco (*Nicotiana tabacum* L., cv. Bright Yellow - 2), *Soil Science and Plant Nutrition*, 51, 485 –490.
- Maeshima, M. (2000), Vacuolar H(+)-pyrophosphatase, *Biochemistry Biophysics Acta*, 1465, 37-51.
- Maeshima, M. (2001), Tonoplast transporters: Organization and function, *Annual Review of Plant Physiology and Plant Molecular Biology*, 52, 469-497.
- Maggio, A., Miyazaki, S., Veronese, P., Fujita, T., Ibeas, J.I., Damsz, B., Narasimhan, M.L., Hasegawa, P.M., Joly, R.J. and Bressan, R.A. (2002), Does proline accumulation play an active role in stress-induced growth reduction?, *Plant Journal*, 31,699–712.

- 
- Maibangsa, S., Thangaraj, M. and Roy Stephen. (2000), Effect of brassinosteroid and salicylic acid on rice (*Oryza sativa* L.) grown under low irradiance condition, *Indian Journal of Agricultural Research*, 34, 258-260.
- Mani, A.K., Santhi, R. and Sellamuthu, K.M. (2007), A Handbook of Laboratory Analysis, 1<sup>st</sup> edition, A.E.Publications, Coimbatore, 55-60.
- Mansour, M.M., Salama, F.Z., Ali, M. and Hadid, A.F.A. (2005), Cell and plant responses to NaCl in *Zea mays* L. cultivars differing in salt tolerance, *General Applied Plant Physiology*, 31, 29-41.
- Martin, I. and Dopica, B. (2005), In vivo expression of a *Cicer arietinum* beta galactosidase in potato tubers leads to reduction of the galactan side chains in cell wall pectin, *Plant Cell Physiology*, 46, 1613-1622.
- Martinez, J.P., Lutts, S., Schanck, A., Bajji, M. and Kinet, J.-M. (2004), Is osmotic adjustment required for water stress resistance in the Mediterranean shrub *Atriplex halimus* L.?", *Journal of Plant Physiology*, 161, 1041–1051.
- Martinez-Beltran, J. and Manzur, C.L. (2005), Overview of salinity problems in the world and FAO strategies to address the problem, *In Proceedings of the International Salinity Forum*, Riverside Publishing, Riverside, California, 311–315.
- Maser, P., Eckelman, B., Vaidyanathan, R., Horie, T., Fairbairn, D.J., Kubo, M., Yamagami, M., Yamaguchi, K., Nishimura, M. and Uozumi, N. (2002), Altered shoot/root Na<sup>+</sup> distribution and bifurcating salt sensitivity in *Arabidopsis* by genetic disruption of the Na<sup>+</sup> transporter *AtHKT1*, *Federation of European Biochemical Societies Letters*, 531, 157–161.
- Mathur, N., Singh, J., Bohra, S. and Vyas, A. (2007), Arbuscular mycorrhizal status of medicinal halophytes in saline areas of Indian Thar Desert, *International Journal of Soil Science*, 2, 119–127.
- Matsumoto, T.K., Ellsmore, A.J., Cessna, S.G., Slow, P., Pardo, J.M., Bressan, R.A. and Hasegawa, P.M. (2001), An osmotically induced cytosolic Ca<sup>2+</sup> transient activates calcineurin signaling to mediate ion homeostasis and salt tolerance of *Saccharomyces cerevisiae*, *Journal of Biological Chemistry*, 277, 33075-33080.
- Maurizio, T., Roberto, M. and Paolo, C. (2008), Multiple roles of proline in plant stress tolerance and development, *Rendiconti Lincei*. 19: 325-346.
- Maxwell, K. and Johnson, G.N. (2000), Chlorophyll fluorescence-a practical guide, *Journal of Experimental Botany*, 51, 659-668.
- Mc Laughlin, M. (2002), Improving crop fertilizer phosphorus efficiency in highly alkaline soils through understanding soil phosphate behavior, Grain Research and Development Corporation, CSIRRO, Land and Water, Glen Osmond, 41-45.

- 
- Melgar, J.C., Benlloch, M. and Escobar, R.F. (2006), Calcium increases sodium exclusion in olive plant, *Scientia Horticulturae*, 109, 303-305.
- Meloni, D.A., Oliva, M.A., Martinez, C.A. and Cambraia, J. (2003), Photosynthesis and activity of superoxide dismutase, peroxidase and glutathione reductase in cotton under salt stress, *Environment and Experimental Botany*, 49, 69-79.
- Mensah, J. K., Akomeah, P.A., Ikhajiagbe, B. and Ekpekurede, E.O. (2006), Effects of salinity on germination, growth and yield of five groundnut genotypes, *African Journal of Biotechnology*, 5, 1973-1979.
- Mer, R.K., Prajith, P.K., Pandya, D.H. and Pandey, A.N.(2000), Effect of salts on germination of seeds and growth of young plants of *Hordeum vulgare*, *Triticum aestivum*, *Cicer arietinum* and *Brassica juncea*, *Journal of Agronomy and Crop Science*, 185, 209-217.
- Mezni, M., Albouchi, A., Bizid, E. and Hamza, M. (2010), Minerals uptake, organic osmotica contents and water balance in alfalfa under salt stress, *Journal of Phytology*, 2, 1-12.
- Mikolajczyk, M., Awotunde, O.S., Muszynska, G., Klessig, D.F. and Dobrowolska, G. (2000), Osmotic stress induces rapid activation of a salicylic acid induced protein kinase and a homolog of protein kinase ASK1 in tobacco cells, *Plant Cell*, 12, 165-178.
- Miled, D.D.B., Zarrouk, M. and Cherif, A. (2000), Sodium chloride effects on lipase activity in germinating rape seeds. In: 14<sup>th</sup> International Symposium on plant lipids, Cardiff University, Wales, United Kingdom, 23-28.
- Minic, Z. and Jouanin, L. (2006), Plant glycoside hydrolases involved in cell wall polysaccharide degradation, *Plant Physiology and Biochemistry*, 44, 435-449.
- Mittler, R. (2002), Oxidative stress, antioxidants and stress tolerance, *Trends in Plant Science*, 7, 405-410.
- Mittova, V., Guy, M., Tal, M and Volokita, M. (2002), Response of the cultivated tomato and its wild salt tolerant relative *Lycopersicon pennellii* to salt dependant oxidative stress: Increased activities of antioxidant enzymes in root plastids, *Free Radical Research*, 36, 195-202.
- Mittova, V., Guy, M., Tal, M. and Volokita, M. (2003), Salinity up-regulates the antioxidative system in root mitochondria and peroxisomes of the wild salt tolerant tomato species *Lycopersicon pennellii*, *Journal of Experimental Botany*, 55, 1105-1113.
- Molazem, D., Qurbanov, E.M. and Dunyamaliyev, S.A. (2010), Role of proline, sodium and chlorophyll content in salt tolerance of corn (*Zea mays* L.), *American-Eurasian Journal of Agriculture and Environmental Science*, 9, 319-324.
- Morlock, Gertrud, E., Claudia Oellig, Louis, W., Bezuidenhout, Michael, J., Brett. and Schwack, W. (2010), Miniaturized planar chromatography using office peripherals, *Analytical Chemistry*, 82, 2940–2946.

- 
- Morris, P., Robbins, M., Gallagher, J. and Winters, A. (2005), Identification and manipulation of plant quality traits. IGER Innovations, *Plant Cell Biology*, 30-33.
- Morsomme, P. and Boutry, M. (2000), The plant plasma membrane H(+)-ATPase: structure, function and regulation, *Biochemistry Biophysics Acta*, 1465, 1-16.
- Mouk, B.O. and Ishii, T. (2006), Effect of arbuscular mycorrhizal fungi on tree growth and nutrient uptake of *Sclerocarya birrea* under water stress, salt stress and flooding, *Journal of the Japanese Society for Horticultural Science*, 75, 26–31.
- Moussa, H.R. (2004), Amelioration of salinity-induced metabolic changes in soybean by weed exudates, *International Journal of Agriculture and Biology*, 3, 499-503.
- Mudgal, V. (2004), Physiological studies on growth and nitrogen metabolism in *Cicer arietinum* L. under saline conditions. Unpublished Ph.D. Thesis, Rohilkhand University, India.
- Mudgal, V., Madaan, N. and Mudgal, A. (2010), Biochemical mechanisms of salt tolerance in plants: A review, *International Journal of Botany*, 6, 136-143.
- Mudgal, V., Madaan, N., Mudgal, A and Mishra, S. (2009), Changes in growth and metabolic profile of chickpea under salt stress, *Journal of Applied Biosciences*, 23, 1436-1446.
- Munns, R. (2002), Comparative physiology of salt and water stress, *Plant Cell Environment*, 25, 239-250.
- Munns, R. and James, A.R. (2003), Screening methods for salinity tolerance: a case study with tetraploid wheat, *Plant and Soil*, 253, 201–218.
- Munns, R. and Tester, M. (2008), Mechanism of salinity tolerance, *Annual Review of Plant Biology*, 59, 651–681.
- Munns, R., Husain, S., Rivelli, A.R., James, R.A., Condon, A.G., Lindsay, M.P., Lagudah, E.S., Schachtman, D.P. and Hare, R.A. (2002), Avenues for increasing salt tolerance of crops and the role of physiologically based selection traits, *Plant and Soil*, 247, 93–105.
- Munns, R., James, K.A. and Lauchli, A. (2006), Approaches to increasing the salt tolerance of wheat and other cereals, *Journal of Experimental Botany*, 57, 1025-1043.
- Murata, Y., Katsura, S., Obi, I. and Kakutani, T. (2000), Alterations in Ca<sup>2+</sup> binding on plasma membrane after adaptation to salt stress of tobacco cells in suspension, *Plant Cell Physiology*, 41, 1286-1292.
- Murkute, A.A., Sharma, S. and Singh, S.K. (2006), Studies on salt stress tolerance of citrus rootstock genotypes with arbuscular mycorrhizal fungi, *Horticultural Science*, 33, 70–76.
- Muthukumarasamy, M. and Panneerselvam, R. (1997), Amelioration of NaCl stress by triadimefon in peanut seedlings, *Plant Growth Regulators*, 22, 157-162.

- 
- Muthukumarasamy, M., Gupta, D. and Panneerselvam, R. (2000), Enhancement of peroxidase, polyphenol oxidase and superoxide dismutase activities by triadimefon in NaCl stressed *Raphanus sativus* L., *Biology Plantarum*, 43, 317-320.
- Najafian, S., Rahemi, M. and Tavallali, V. (2008), Effect of salinity on tolerance of two bitter almond rootstocks, *American- Eurasian Journal of Agriculture and Environmental Science*, 3, 264-268.
- Nathalie, V. and Christian, H. (2008), Proline accumulation in plants: A review, *Amino Acids*, 35, 753-759.
- Neill, S., Desikan, R. and Hancock, J. (2002), Hydrogen peroxide signaling, *Current Opinion in Plant Biological*, 5, 388-395.
- Neto, A.A.D. and Tabosa, J.N. (2000), Salt stress in maize seedlings: I. Growth analysis, *Revista Brasileirade Engenharia Agricola e Ambiental*, 4, 159-164.
- Neto, A.A.D., Prisco, J.T., Eneas-Filho, J., Medeiros, J.V.R. and Gomes-Filho, E. (2005), Hydrogen peroxide pretreatment induces salt stress acclimation in maize plants, *Journal of Plant Physiology*, 162, 1114-1122.
- Nguyen, V.T., Burow, M.D., Nguyen, H.T., Le, B.T. and Paterson, A.H. (2001), Molecular mapping of genes conferring aluminium tolerance in rice, *Theory and Applied Genetics*, 102, 1002-1010.
- Nicholas, J.C., Harper, J.E. and Hageman, R.H. (1976), Nitrate reductase activity in soybeans. I. Effect of light and temperature, *Plant Physiology*, 58, 731-735.
- Niknam, V., Razavi, N., Ebrahimzadeh, H. and Sharifzadeh, B. (2006), Effect of NaCl on biomass, protein and proline contents and antioxidant enzymes in seedlings and calli of two *Trigonella spicies*, *Biology of Plants*, 50, 591-596.
- Niu, X., Bressan, R.A., Hasegawa, P.M. and Pardo, J.M. (2005), Ion homeostasis in NaCl stress environments, *Plant Physiology*, 109, 735-742.
- Nizam, I. (2011), Effects of salinity stress on water uptake, germination and early seedling growth of perennial ryegrass, *African Journal of Biotechnology*, 10, 10418-10424.
- Noctor, G. and Foyer, C.H. (1998), Ascorbate and glutathione: Keeping active oxygen under control, *Annual Review of Plant Physiology and Plant Molecular Biology*, 49, 249-279.
- Ochiai, K. and Match, T. (2002), Characterization of the Na<sup>+</sup> delivery from roots to shoots in rice under saline stress: Excessive salt enhances apoplastic transport in rice plants, *Soil Science and Plant Nutrition*, 48, 371-378.

- 
- Olsen, S.R., Cole, C.V., Watanable, F.S. and Dean, D.A. (1954), Estimation of available phosphorus in soil by the extraction with sodium bicarbonates, United States Department of Agriculture, Circular No. 939.
- Ort, D.R. (2001), When there is too much light, *Plant Physiology*, 125: 29–32.
- Ozcan, M. and Seven, S.(2003), Physical and chemical analysis and fatty acid composition of peanut, peanut oil and peanut butter from COM and NC-7 cultivars, *Grasas y Aceites*, 54, 12-18.
- Pagter, M., Bragato, C., Malagori, M. and Brix, H. (2009), Osmotic and ionic effects of NaCl and Na<sub>2</sub>SO<sub>4</sub> salinity on *Phragmites australis*, *Aquatica Botany*, 90, 43-51.
- Pal, M., Singh, D.K., Rao, L.S. and Singh, K.P. (2004), Photosynthetic characteristics and activity of antioxidant enzymes in salinity tolerant and sensitive rice cultivars, *Indian Journal of Plant Physiology*, 9, 407- 412.
- Pan, L., Yang, O., Zhao, Z., Luo, D. and Hu, X. (2010), Identification of *AhAQ1* encoding a putative aquaporin whose expression is regulated by salt stress in peanut (*Arachis hypogaea* L.), *Legume Genomics and Genetics*, 1, 5-11.
- Pareek, A., Sopor, K.S., Bohnert, J.H. and Govindjee, (2010), Abiotic stress adaptation in plants – Physiological, molecular and genomic foundation, *Springer*, 15-21.
- Parida, A.K. and Das, A.B. (2005), Salt tolerance and salinity effects on plants: a review, *Ecotoxicology and Environmental Safety*, 60, 324-349.
- Parthasarathy, K., Balu, D.R.C. and Rao, P.S. (1970), Studies on sandal spur. VIII. Polyphenol oxidase activity and metabolism of sandal (*Santalum album*) in healthy and diseased, *Proceedings of Indian Academic Science*, 72, 277-284.
- Parvaiz, A. and Riffat, J. (2005), Effect of salt stress on growth and biochemical parameters of *Pisum sativum* L., *Archives of Agronomy and Soil Science*, 51, 665-672.
- Parvaiz, A. and Satyavati, S. (2008), Salt stress and phyto-biochemical responses of plants- a review, *Plant and Soil Environment*, 54, 89-99.
- Pastori, G.M. and Foyer, C.H. (2002), Common components, networks and pathways of cross-tolerance to stress, The central role of redox and abscisic acid mediated controls, *Plant Physiology*, 129, 460-468.
- Pearce, R.B., Brown, R.H. and Blaster, R.E. (1968), Photosynthesis of alfalfa leaves as influenced by age and environment, *Crop Science*, 8, 677-680.
- Peng, S., Garcia, F.V., Laza, R.C. and Cassman, K.G. (1993), Adjustment for specific leaf weight improves chlorophyll meter's estimate of rice leaf nitrogen concentration, *Agronomy Journal*, 85, 987 – 990.
- Perur, N.G. (1962), Measurement of peroxidase activity in plant tissue, *Current Science*, 31, 17-18.

- 
- Petronia, C., Gabriella, M., Francesco, N. and Amodia, F. (2005), Nitrate reductase in durum wheat seedlings as affected by nitrate nutrition and salinity, *Functions of Plant Biology*, 32, 209-219.
- Pimmongkol, A., Terapongtanakhon, S. and Udonsirichakhon, K. (2002), Anatomy of salt and non-salt tolerant rice treated with NaCl. In: 28<sup>th</sup> Congress for Science and Technology, Thailand, Bangkok.
- Pinheiro, H.A., Silva, J.V., Endres, L., Ferreira, V.M., Camara, C.A., Cabral, F.F., Oliveira, J.F., de Carvalho, L.W.T., dos Santos, J.M. and dos Santos Filho, B.G. (2008), Leaf gas exchange, chloroplastic pigments and dry matter accumulation in castor bean (*Ricinus communis* L.) seedlings subjected to salt stress conditions, *Indian Crop Production*, 27, 385-392.
- Piper, B.S. (1966), *Soil and plant analysis*, 1<sup>st</sup> edition, Hans publishers, Bombay, 45-52.
- Porgali, Z.B. and Yurekli, F. (2005), Salt stress induced alterations in proline accumulation, relative water content and superoxide dismutase (SOD) activity in salt sensitive *Lycopersicon esculentum* and salt tolerant *L. pennellii*, *Acta Botanica Hungarica*, 47, 173-182.
- Power, J.E., Wills, W.O., Granes, D.L. and Reichman, G.A. (1967), Effect of soil temperature, phosphorus and plant age on growth analysis of barley, *Agronomy Journal*, 59, 231-234.
- Prakash, M., Saravanan, K., Kumar, B. S. and Ganesan, J.(2003), Effect of brassinosteroids on certain biochemical parameters in groundnut (*Arachis hypogae* L.), *Indian Journal of Plant Physiology*, 8, 313-315.
- Prochazkova, D., Sairam, R.K., Srivastava, G.C. and Singh, D.V. (2001), Oxidative stress and antioxidant activity as the basis of senescence in maize leaves, *Plant Science*, 161, 765-771.
- Pushpam, R. and Rangasamy, S.R.S. (2000), Variations in chlorophyll contents of rice in relation to salinity, *Crop Research*, 20, 197-200.
- Quintero, J.M., Fournier, J.M. and Benlloch, M. (2007), Na<sup>+</sup> accumulation in shoot is related to water transport in K<sup>+</sup>-starved sunflower plants but not in plants with a normal K<sup>+</sup> status, *Journal of Plant Physiology*, 164, 60-67.
- Rabie, G.H. and Almadini, A.M. (2005), Role of bioinoculants in development of salt tolerance of *Vicia faba* plants under salinity stress, *African Journal of Biotechnology*, 4, 210-222.
- Radonic, A., Thulke, S., Mackay, I.M., Landt, O., Siegert, W. and Nitsche, A. (2004), Guideline to reference gene selection for quantitative real-time PCR, *Biochemical and Biophysical Research Communications*, 313, 856–862.
- Raj, A., Oudenaarden, V. and Alexander. (2008), Nature, Nurture, or Chance: Stochastic Gene Expression and Its Consequences, *Cell*, 135, 216–226.

- 
- Rajpar, I., Khanif, Y.M., Soomro, F.M. and Soomro, F.M. (2006), Effect of NaCl salinity on the growth and yield of inqlab wheat (*Triticum aestivum* L.) variety, *American Journal of Plant Physiology*, 1, 34- 40.
- Ramajulu, S. and Sudhakar, C. (2001), Alliviation of NaCl salinity stress by calcium is partly related to increased proline accumulation in mulberry (*Morus alba* L.) callus, *Journal of Plant Biology*, 28, 203– 206.
- Rameeh, V., Rezai, A. and Saeidi, G. (2004), Study of salinity tolerance, *Canola communications in soil science and plant analysis*, 35, 2849-2866.
- Ramoliya, P.J. and Pandey, A.N. (2003), Effect of salinization of soil on emergence, growth and survival of seedlings of *Cordia rothii*, *Forest Ecology and Management*, 176, 185-194.
- Ranjbar, G.H. (2010), Salt sensitivity of two wheat cultivars at different growth stages, *World Applied Sciences*, 11, 309-314.
- Rao, M.K.V., Raghavendra, A.S. and Reddy, J.K. (2006), Physiology and Molecular Biology of stress tolerance in plants, 1<sup>st</sup> edition, *Springer*, Netherland, 41-99.
- Ratajczak, R. (2000), Structure, function and regulation of the plant vacuolar H(+)-translocating ATPase, *Biochemistry Biophysics Acta*, 1465, 17-36.
- Rathinasabapathy, B. (2000), Metabolic Engineering for stress tolerance: installing osmoprotectant synthesis pathways, *Annals of Botany*, 86,709-716.
- Richardt, S., Timmerhaus, G., Lang, D. and Qudeimat, E. (2010), Microarray analysis of the moss *Physcomitrella patens* reveals evolutionarily conserved transcriptional regulation of salt stress and abscisic acid signalling, *Plant Molecular Biology*, 72, 27-45.
- Rio, D.L.A., Corpas, F.J., Sandalio, L.M., Palma, J.M., Gomez, M. and Barroso, J.B. (2002), Reactive oxygen species, antioxidant systems and nitric oxide in peroxisomes, *Journal of Experimental Botany*, 53, 1255-1272.
- Rout, N.P. and Shaw, B.P. (2001), Salt tolerance in aquatic macrophytic possible involvement of the antioxidative enzymes, *Plant Science*, 160, 415-423.
- Roxas, V.P., Lodhi, S.A., Garrett, D.K., Mahan, J.R. and Allen, R.D. (2000), Stress tolerance in transgenic tobacco seedlings that over express glutathione S-transferase/ glutathione peroxidase, *Plant Cell Physiology*, 41, 1229-1234.
- Roychoudury, A., Basu, S., Sarkar, S.N. and Sengupta, D.N. (2008), Comparative physiological and molecular responses of a common aromatic indica rice cultivar to high salinity with non-aromatic indica rice cultivars, *Plant Cell Reporter*, 27, 1395-1410.
- Ruiz-Lozano, J.M., Collados, C., Barea, J.M. and Azco'n, R. (2001), Arbuscular mycorrhizal symbiosis can alleviate drought induced nodule senescence in soybean plants, *Plant Physiology*, 82, 346–350.

- 
- Ruzin, S.E. (1999), *Plant Microtechnique and Microscopy*, Oxford University Press, New York, 322.
- Saboora, A. and Kiarostami, K. (2006), Salinity tolerance of wheat genotype at germination and early seedling growth, *Pakistan Journal of Biological Sciences*, 9, 2009-202.
- Sahoo, R., Kumar, S. and Ahuja, P.S. (2001), Induction of a new isozyme superoxide dismutase at low temperature in *Potentilla astrisanguineai* Lodd. Variety *argyrophylla* (Wall.ex. Lehm) Griens, *Journal of Plant Physiology*, 158, 1093-1097.
- Sairam, R.K. and Srivastava, G.C. (2002), Changes in antioxidant activity in subcellular fractions of tolerant and susceptible wheat genotypes in response to long-term salt stress, *Plant Science*, 162, 897–904.
- Sairam, R.K. and Tyagi, A. (2004), Physiology and molecular biology of salinity stress tolerance in plants, *Current Science*, 86, 407-421.
- Salama, Z.A. (2001), Mineral content in shoots and roots of maize and soybean seedlings as affected by NaCl and their relation to changes in chlorophylls and catalase activity, *Egyptian Journal of Plant Physiology and Science*, 23, 317-333.
- Sampayo, J.N., Gill, M.S. and Lithgow, G.J. (2003), Oxidative stress and aging – the use of superoxide dismutase/catalase mimetics to extend lifespan, *Biochemical Society Transactions*, 31, 1305-1307.
- Sanan-Mishra, N., Pham, X.H., Sopori, S.K. and Tuteja, N. (2005), Pea DNA helicase 45 over expression in tobacco confers high salinity tolerance without affecting yield, *Proceedings of National Academy of Sciences of the USA*, 102, 509–514.
- Sanchez, D.H., Siahpoosh, M.R., Roessner, U., Udvardi, M. and Kopka, J. (2007), Plant metabolomics reveals conserved and divergent metabolic responses to salinity, *Physiologia Plantarum*, 132, 209–219.
- Sanders, D. (2000), The salty tale of *Arabidopsis*, *Plant Biology*, 10, 486-488.
- Santos, C.V., Falcao, I.P., Pinto, G.C., Oliveira, H. and Loureiro, J. (2002), Nutrient responses and glutamate and proline metabolism in sunflower plants and calli under Na<sub>2</sub>SO<sub>4</sub> stress, *Journal of Plant Nutrition and Soil Science*, 65, 366-372.
- Sasse, J.M. (1997), Recent Progress in Brassinosteroid Research, *Physiology of Plant*, 100, 696-701.
- Sayed, H.E. and Sayed, A.E. (2011), Influence of salinity (NaCl and Na<sub>2</sub> SO<sub>4</sub>) treatments on growth development of broad bean (*Vicia faba* L.) plant, *American Eurasian Journal of Agriculture and Environmental Science*, 10, 600- 610.

- 
- Schleiff, U. (2008), Analysis of water supply of plants under saline soil conditions and conclusions for research on crop salt tolerance, *Journal of Agronomy and Crop Science*, 194, 1-8.
- Schseiber, U., Hormann, H., Neubauer, C. and Klughammer, C. (1995), Assessment of photosystem II photochemical quantum yield by chlorophyll fluorescence quenching analysis, *Australian Journal of Plant Physiology*, 22, 209-220.
- Sengar, R.S., Gautam, M., Garg, S.K., Chaudhary, R. and Sengar, K. (2008), Effect of lead on seed germination, seedling growth, chlorophyll content and nitrate reductase activity in mung bean (*Vigna radiata*), *Research Journal of Phytochemistry*, 2, 61 -68.
- Senthil, A., Djanaguiraman, M. and Vijayalakshmi, C. (2005), Influence of seed treatment of growth regulators on some enzyme activity in groundnut under salinity, *Agricultura Tropica et Subtropica*, 38,88-90.
- Senthil, A., Pathmanaban, G. and Srinivasan, P.S. (2003), Effect of bioregulators on some physiological and biochemical parameters of soybean (*Glycine max* L.), *Legume Research*, 26, 54-56.
- Sepehr, M.F. and Ghorbanli, M. (2006), Physiological responses of *Zea mays* seedlings to interactions between cadmium and salinity, *Journal of Integrated Plant Biology*, 48, 807-813.
- Serrano, R. (1999), A glimpse of the mechanisms of ion homeostasis during salt stress, *Journal of Experimental Botany*, 50, 1023-1036.
- Sethi, P.D. (1997), Quantitative Analysis of Drugs in Pharmaceutical formulations, *Unique Publisher*, 11.
- Shabala, S. and Cuin, T.A. (2008), Potassium transport and plant salt tolerance, *Physiology of Plant*, 133, 651–669.
- Shakeel, S. and Mansoor, S. (2012), Pretreatment effect of salicylic acid on protein and hydrolytic enzymes in salt stressed mung bean seedlings, *Asian Journal of Agricultural Sciences*, 4, 122-125.
- Shakirova, F.M., Sakhabutdinova, A.R., Bezrukova, M.V., Fatkhutdinova, R.A. and Fatkhutdinova, D.R. (2003), Changes in the hormonal status of wheat seedlings induced by salicylic acid and salinity, *Plant Science*, 164, 317-322.
- Sharma, C. Y., Tiwari, B.L., Verma and Singhanian, R.A. (2003), Effect of mixing of saline and canal water on yield of groundnut and wheat, *Crop Research*, 26, 249-253.
- Sharma, N., Abrams, S.R. and Waterer, D.R. (2005), Uptake, movement, activity, and persistence of an abscisic acid analog (80 acetylene ABA methyl ester) in marigold and tomato, *Journal of Plant Growth Regulators*, 24, 28-35.

- 
- Shaterian, J., Waterer, D., De Jong, H. and Tanino, K.K. (2005) Differential stress responses to NaCl salt application in early- and late maturing diploid potato (*Solanum* sp.) clones, *Environment and Experimental Botany*, 54, 202-212.
- Sheela, A. and Gehlot, H.S. (2000), An update on Brassinosteroids, *Advanced Plant Physiology*, 3, 149-178.
- Sheng, M., Tang, M., Chan, H., Yang, B., Zhang, F. and Huang, Y. (2008), Influence of *arbuscular mycorrhizae* on photosynthesis and water status of maize plants under salt stress, *Mycorrhiza*, 18, 287–296.
- Shereen, A., Mumtaz, S., Raza, S., Khan, M.A. and Solangi, S. (2005), Salinity effects on seedling growth and yield components of different inbred rice lines, *Pakistan Journal of Botany*, 37, 131-139.
- Shim, I.S., Momose, H.Y. and Yamamoto, A.A. (2003), Inhibition of catalase activity by oxidative stress and its relationship to salicylic acid accumulation in plant, *Plant Growth Regulation*, 39, 285–292.
- Shinozaki, K. and Shinozaki-Yamaguchi, K. (1996), Molecular responses to drought and cold stress, *Current Opinion in Biotechnology*, 7, 161-167.
- Shoba, D., Manivannan, N. and Vindhyavarman, P. (2009), Studies on Variability, Heritability and Genetic Advance in Groundnut (*Arachis hypogaea* L.), *Electronic Journal of Plant Breeding*, 1, 74-77.
- Siddiqi, E.H, Ashraf, M., Hussain, M. and Jamil, A. (2009), Assessment of intercultivar variation for salt tolerance in safflower (*Carthamus tinctorius* L.) using gas exchange characteristics as selection criteria, *Pakistan Journal of Botany*, 41, 2251-2559.
- Silke, L., Dietmar, F., Laszlo, S. and Doris, R. (2010), Proline metabolism and transport in plant development, *Amino Acids*, 1, 949-962.
- Silveria, J.A.G., Melo, A.R.B., Viegas, R.A. and Oliveria, J.T.A. (2001), Salinity induced effects on nitrogen assimilation related to growth in cowpea plants, *Environment and Experimental Botany*, 46, 171-179.
- Singh, A.L., Hariprasanna, K. and Basu, M.S. (2007), Identification of salinity tolerant groundnut germplasm lines, In: Extended Summaries: National seminar on changing global vegetable oils scenario: Issues and Challenges before India, Indian Society of Oilseeds Research, Hyderabad, India, 367-368.
- Singh, N.B. and Basu, M.S. (2004), Groundnut research in India: An overview. In: Basu MS and Singh NB (eds). Groundnut Research in India, National Research Centre for Groundnut, Junagadh, Gujarat, India, 1-6.

- 
- Singh, A. and Prasad, R. (2009), Salt stress affects growth and cell wall bound enzymes in *Arachis hypogaea* L. seedlings, *International Journal of Integrative Biology*, 7, 117.
- Singla, R. and Garg, N. (2005), Influence of salinity on growth and yield attributes in chickpea cultivars, *Turkish Journal of Agriculture and Forest*, 29, 231- 235.
- Siringam, K., Juntawong, N., Cha-um, S. and Kirdmanee, C. (2009), Relationships between sodium ion accumulation and physiological characteristics in rice (*Oryza sativa* L. spp. *indica*) seedlings grown under iso-osmotic salinity stress, *Pakistan Journal of Botany*, 41, 1837-1850.
- Siringam, K., Juntawong, N., Cha-um, S. and Kirdmanee, C. (2011), Salt stress induced ion accumulation, ion homeostasis, membrane injury and sugar contents in salt sensitive rice (*Oryza sativa* L. spp. *Indica*) roots under isoosmotic conditions, *African Journal of Biotechnology*, 10, 1340-1346.
- Sivakumar, R., Pathamanaban, G., Kalarani, M.K., Vanangamudi, M. and Srinivasan, P.S. (2002), Effect of foliar application of growth regulators on biochemical attributes and grain yield in pearl millet, *Indian Journal of Plant Physiology*, 7, 79-82.
- Sivasankaramoorthy, S., Balasubramanian, T., Amuthavalli, P. and Sivaraman, P. (2011), Effect of NaCl on growth, ion accumulation and oxidative enzymes of *Suaeda nudiflora* Moq., *Recent Research in Science and Technology*, 3, 123-127.
- Snustad, D.P., Haas, N.A., Kopczak, S.D. and Silflow, C.D. (1992), *The small genome of Arabidopsis contains at least nine expressed  $\beta$ -tubulin genes*, *Plant Cell*, 4, 549–556.
- Soussi, M.M., Sartamaria, A., Ocana and Liuch, C. (2001), Effect of salinity on protein and lipopolysaccharide pattern in a salt tolerant strain of *Mesorhizobium ciceri*, *Journal of Applied Microbiology*, 90, 476-81.
- Sreenivasulu, N., Grimm, B., Wobus, U. and Weschke, W. (2000), Differential response of antioxidant compounds to salinity stress in salt tolerance and salt sensitive seedlings of fox-tail millet (*Setaria italica*), *Physiology of Plants*, 109, 435-442.
- Stanford, S. and English, L. (1949), Use of flame photometer for analysis of Na, K and Ca, *Agronomy Journal*, 41, 446–447.
- Subbiah, B.V. and Asija, C. (1956), Rapid procedure for estimation of nitrogen in soils, *Current Science*, 65, 259-260.
- Sulochana, C.H., Sreenivasa Rao, T.J.V. and Savithramma, N. (2002), Effect of calcium on water stress amelioration through calmodulin and scavenging enzymes in groundnut, *Indian Journal of Plant Physiology*, 7, 151–158.
- Summart, J., Thanonkeo, P., Panichajakul, S., Prathepha, P. and McManus, M. T. (2010), Effect of salt stress on growth, inorganic ion and proline accumulation in Thai aromatic rice, Khao Dawk Mali 105, callus culture, *African Journal of Biotechnology*, 9, 145-152.

- 
- Surekha, K.A., Verslues, P. and Zhu, J.K. (2005), Mechanisms of salt tolerance in plants. In: Plant Nutrition for Food Security, Human Health and Environmental Protection, Li, C.J.(Ed.), Tsinghua University Press, China, 44-45.
- Suwa, R., Nguyen, N.T., Saneoka, H., Moghaieb, R. and Fujita, K. (2006), Effect of salinity stress on photosynthesis and vegetative sink in tobacco plants, *Soil Science and Plant Nutrition*, 52, 243-250.
- Taffouo, V.D., Djotie, N.L., Kenne, M., Din, N., Priso, J.R., Dibong, S. and Akoa, A. (2008), Effect of salt stress on physiological and agronomic characteristics of three tropical cucurbit species, *Journal of Applied Biosciences*, 10, 434-441.
- Taffouo, V.D., Wamba, F.O., Youmbi, E., Nono, G.N. and Akoa, A. (2010), Growth, yield, water status and ionic distribution response of three bambara groundnut (*Vigna subterranea* (L.) Verdc.) landraces grown under saline conditions, *International Journal of Botany*, 6, 53-58.
- Tamarin, R.H. (2002), Principles of Genetics, 7th Edition, McGraw Hill Publishers, 541- 545.
- Tang, W., Peng, X. and Newton, R.J.(2005), Enhanced salt tolerance in transgenic loblolly pine simultaneously expressing two genes encoding mannitol-1- phosphate dehydrogenase and glucitol-6-phosphate dehydrogenase, *Plant Physiology and Biochemistry*, 43, 139-146.
- Tani, C. and Sasakawa, H. (2006), Proline accumulates in *Casuarina equisetifolia* seedlings under salt stress, *Soil Science & Plant Nutrition*, 52, 21-25.
- Tari, I., Csisaa, J., Szalai, G., Horath, F., Kiss, G., Szepesi, G., Szabl, M. and Erdei, L. (2002), Acclimation of tomato plants to salinity stress after a salicylic acid pretreatment, *Acta Biologica Szegediensis*, 46, 55-56.
- Tawfik, M.M, Abd El Lateef, E.M., Amany, A. Bahr and Hozayen, M.( 2011), Prospect of biofertilizer inoculation for increasing saline irrigation efficiency, *Research Journal of Agriculture and Biological Sciences*, 7, 182-189.
- Tester, M. and Davenport, R.(2003), Na<sup>+</sup> tolerance and Na<sup>+</sup> transport in higher plants, *Annals of Botany*, 91, 503-527.
- Thakare, V.P., Chaudhari, S.U., Makha, S.M., Deshmukh, P.V. and Kurkoti, R.R. (2010), Secondary structure prediction and phylogenetic analysis of salt tolerant proteins, *Global Journal of Molecular Sciences*, 5, 30-36.
- Tischner, R. (2000), Nitrate uptake and reduction in higher and lower plants, *Plant Cell Environment*, 23, 1005-1024.
- Tobe, K., Zhang, L., Qui, G.Y., Schimizu, H. and Omasa, K. (2001), Characteristics of seed germination in five non halophytic Chinese desert shrub species, *Journal of Arid Environment*, 47,191-201.

- 
- Tominaga, A. and Takeshi, U. (1974), A sulphate dependent acid phosphatase of *Thiobacillus thiooxidans*, *Journal of Biochemistry*, 76, 397 – 406.
- Torres, P.E., Paredes, M., Polanco, V. and Becerra, V. (2009), *Gene expression analysis: a way to study tolerance to abiotic stresses in crops species*, *Chilean Journal of Agricultural Research*, 69, 260-269.
- Tsai, Y., Hong, C., Liu, L. and Kao, C.H. (2005), Expression of ascorbate peroxidase and glutathione reductase in roots of rice seedlings in response to NaCl and H<sub>2</sub>O<sub>2</sub>, *Journal of Plant Physiology*, 162, 291-299.
- Tunçturk, M., Tunçturk, R. and Yasar, F.(2008), Changes in micronutrients, dry weight and plant growth of soybean (*Glycine max* L. Merrill) cultivars under salt stress, *African Journal of Biotechnology*, 7, 1650-1654.
- Tunçturk, M., Tunçturk, R., Yildirim, B. and Ciftci, V. (2011), Effect of salinity stress on plant fresh weight and nutrient composition of some Canola (*Brassica napus* L.) cultivars, *African Journal of Biotechnology*, 10, 1827-1832.
- Turan, M.A., Turkmen, N. and Taban, N. (2007), Effect of NaCl on stomatal resistance and proline, chlorophyll, sodium, chloride and potassium concentrations of lentil plants, *Journal of Agronomy*, 6, 378- 381.
- Turkoglu, N., Erez, M.E. and Battal, P. (2011), Determination of physiological responses on hyacinth (*Hyacinthus orientalis*) plant exposed to different salt concentrations, *African Journal of Biotechnology*, 10, 6045-6051.
- Tzortzakis, N.G.(2010), Potassium and calcium enrichment alleviate salinity induced stress in hydroponically grown endives, *Horticultural Science*, 37, 155–162.
- Uchida, A., Jagendorf, A.T., Hibino, T. and Takabe, T. (2002), Effects of hydrogen peroxide and nitric oxide on both salt and heat stress tolerance in rice, *Plant Science*, 163, 515-523.
- Vadez, V., Srivastava, N., Krishnamurthy, L., Aruna, R. and Nigam, S.N. (2005), Standardization of a protocol to screen for salinity tolerance in groundnut, *International Arachis Newsletter*, 25, 42-47.
- Vadivel, A., Singaram, P., Rajarajan, A., Savathiry, P. and Thiyagarajan, T.M. (2001), Saline soil and land management, Dept. of Soil and Agricultural Chemistry and Crop Management Center, Tamil Nadu Agricultural University, Coimbatore, 44-52.
- Vaidyanathan, H., Sivakumar, P., Chakrabarsty, R. and Thomas, G. (2003), Scavenging of reactive oxygen species in NaCl stressed rice (*Oryza sativa* L.) differential response in salt tolerant and sensitive varieties, *Plant Science*, 165, 1411 – 1418.
- van de Graaff, R. and Patterson, R. (2001), Explaining the mysteries of salinity, SAR, and ESP in on-site practice, on-site 01, <http://www.lanfixlabs.com.au/papers/p47-mysteries.pdf>.

- 
- Van Kooten, O. and Snell, J.F.H. (1990), The use of chlorophyll senescence nomenclature in plant stress physiology, *Photosynthesis Research*, 25, 147-150.
- Vidyavardhini, B. (2012), Effect of brassinolide on certain enzymes of sorghum grown in saline soils of Karaikal, *Journal of Phytology*, 4, 30-33.
- Vierling, E. (1991), The roles of heat shock proteins in plants, *Annual Review of Plant Physiology and Plant Molecular Biology*, 42, 579–620.
- Vijayalakshmi, D. and Srinivasan, P.S. (2001), Altering the enzyme activities for enhancing yield in 'off' year mango (cv. Alphonso) through chemicals and growth regulators, *Orissa Journal of Horticulture*, 29, 89-92.
- Vitart, V., Baxter, I., Doerner, P. and Harper, J.F. (2001), Evidence for a role in growth and salt resistance of a plasma membrane H<sup>+</sup>-ATPase in the root endodermis, *Plant Journal*, 27, 191-201.
- Vranova, E., Inze, D. and Van Breusegem, F. (2002), Signal transduction during oxidative stress, *Journal of Experimental Botany*, 53, 1227-1236.
- Wang, B., Luttag, U. and Ratajczak, R. (2004), Specific regulation of SOD isoforms by NaCl and osmotic stress in leaves of the C3 halophyte *Suaeda salsa* L., *Journal of Plant Physiology*, 166, 285 – 293.
- Wang, K., Liu, Y., Dong, K., Dong, J., Kang, J., Yang, Q., Zhou, H. and Sun, Y. (2011), The effect of NaCl on proline metabolism in *Saussurea amara* seedlings, *African Journal of Biotechnology*, 10, 2886-2893.
- Wang, W., Vinocur, B. and Altman, A. (2003), Plant responses to drought, salinity and extreme temperatures: Toward genetic engineering for stress tolerance, *Planta*, 218, 1–14.
- Wang, W., Vinocur, B., Shoseyov, O. and Altman, A. (2004), Role of plant heat-shock proteins and molecular chaperones in the abiotic stress response, *Trends in Plant Science*, 9, 5.
- Wang, X.S. and Han, J.G. (2007), Effects of NaCl and silicon on ion distribution in the roots, shoots and leaves of two alfalfa cultivars with different salt tolerance, *Soil Science and Plant Nutrition*, 53, 278-285.
- Wang, Y. and Nil, N. (2000), Changes in chlorophyll, ribulose biphosphate carboxylase-oxygenase, glycine betaine content, photosynthesis and transpiration in *Amaranthus tricolor* leaves during salt stress, *Journal of Horticultural Science and Biotechnology*, 75, 623-627.
- Wang, Y., Mopper, S. and Hasentein, K.H. (2001), Effects of salinity on endogenous ABA, IAA, JA, and SA in *Iris hexagona*, *Journal of Chemical Ecology*, 27, 327-342.
- Wang, Z.Y., Seto, H., Fujioka, S., Yoshida, S. and Chory, J. (2001), BRI1 is a critical component of a plasma-membrane receptor for plant steroids, *Nature*, 410, 380-383.

- 
- Warren, C.R. (2006), Estimating the internal conductance to CO<sub>2</sub> movement, *Functional Plant Biology*, 33, 431–442.
- Waters, E.R., Lee, G.J. and Vierling, E. (1996), Evolution, structure and function of the small heat shock proteins in plants, *Journal of Experimental Botany*, 47, 325–338.
- Wei-Feng, X.U., Wei-Ming, S.H.I., Ueda, A. and Takabe, T. (2008), Mechanisms of salt tolerance in transgenic *Arabidopsis thaliana* carrying a peroxisomal ascorbate peroxidase gene from barley, *Pedosphere*, 4, 486–495.
- Westgate, M.E. and Boyer, J.S. (1985), Osmotic adjustment and the inhibition of leaf, root, stem, and silk growth at low water potentials in maize, *Planta*, 164, 540-549.
- Williams, R.E. (1946), The physiology of plant growth with special reference to the concept of net assimilation rate, *Annals of Botany*, 10, 41-71.
- Wu, Y.Y., Chen, Q.J., Chen, M., Chen, J. and Wang, X.C. (2005), Salt-tolerant transgenic perennial ryegrass (*Lolium perenne* L.) obtained by *Agrobacterium tumefaciens*-mediated transformation of the vacuolar Na<sup>+</sup>/H<sup>+</sup> antiporter gene, *Plant Science*, 169, 65–73.
- Yamazaki, J., Ohashi, A., Hashimoto, Y., Negishi, E., Kumagai, S., Kubo, T., Oikawa, T., Maruta, E. and Kamimura, Y. (2003), Effects of high light and low temperature during harsh winter on needle photodamage of *Abies mariesii* growing at the forest limit on Mt. Norikura in Central Japan, *Plant Science*, 165, 257-264.
- Yasar, F., Uzal, O., Tufenkci, S. and Yildiz, K. (2006), Ion accumulation in different organs of green bean genotypes grown under salt stress, *Plant Soil Environment*, 52, 476-480.
- Yokoi, S., Bressan, A.R. and Hasegawa, M.P. (2002), Salt stress tolerance of plants, *Japan International Research Center for Agricultural Sciences Working Report*, 25-33.
- Yoshida, S., Farno, D.A., Cock, J.H. and Gomez, K.A. (1971), Laboratory manual for physiological studies of rice, *International Rice Research Newsletter*, 70.
- Yu, J.Q., Huang, L.F., Hu, W.H., Zhou, Y.H., Mao, W.H., Ye, S.F. and Noguez, S. (2004), A role for brassinosteroids in the regulation of photosynthesis in *Cucumis sativus*, *Journal of Experimental Botany*, 55, 1135-1143.
- Yu, Q. and Rengel, Z. (1999), Drought and salinity differentially influence activities of superoxide dismutases in narrow-leafed lupins, *Plant Science*, 142, 1- 11
- Yurekli, F., Porgali, Z.B. and Turkan, I. (2004), Variations in abscisic acid, indole-3-acetic acid, gibberellic acid and zeatin concentrations in two bean species subjected to salt stress, *Acta Biologica Cracov Botany*, 46, 201-212.

- 
- Zeynalabedin, H.S. and Jafari, M. (2002), Investigation on effect of salinity stress on germination of three accessions of tall wheatgrass (*Agropyron elongatum*), 17<sup>th</sup> World Congress of Soil Sciences (Symposium no. 33) Paper no. 2289. Thailand.
- Zhang, H.X. and Blumwald, E. (2001), Transgenic salt-tolerant tomato plants accumulate salt in foliage but not in fruit, *Nature Biotechnology*, 19, 765–768.
- Zheng, Y., Jia, A., Ning, T., Xu, J., Li, Z. and Jiang, G. (2008), Potassium nitrate application alleviates sodium chloride stress in winter wheat cultivars differing in salt tolerance, *Journal of Plant Physiology*, 165, 1455-1465.
- Zheng, Y., Wang, Z., Sun, X., Jia, A., Jiang, G. and Li, Z. (2008), Higher salinity tolerance cultivars of winter wheat relieved senescence at reproductive stage, *Environmental and Experimental Botany*, 62, 129–138.
- Zhifang, G. and Loescher, W.H. (2003), Expression of a celery mannose 6 phosphate reductase in *Arabidopsis thaliana* enhances salt tolerance and induces biosynthesis of both mannitol and a glucosyl-mannitol dimer, *Plant cell environment*, 26, 275-283.
- Zhu, Bie, Z.L. and Li, Y.N. (2008), Physiological and growth responses of two different salt sensitive cucumber cultivars to sodium chloride stress, *Soil Science and Plant Nutrition*, 54, 400-407.
- Zhu, J. (2002), Salt and drought stress signal transduction in plants, *Annual Review of Plant Biology*, 53, 247-273.
- Zhu, J.K. (2000), Genetic analysis of plant salt tolerance using *Arabidopsis*, *Plant Physiology*, 124, 941-948.
- Zhu, J.K. (2001), Plant salt tolerance, *Trends in Plant Science*, 6, 66-71.
- Zhu, J.K. (2003), Regulation of ion homeostasis under salt stress, *Current Opinion on Plant Biology*, 6, 441–445.
- Zurek, D.M., Rajile, D.L., McMorris, T.C. and Cloure, S.D. (1994), Investigation of gene expression, growth kinetics and wall extensibility during brassinosteroid regulated stem elongation, *Plant Physiology*, 104, 505-513.