

BIBLIOGRAPHY

- Abdelahi, A., Salehnia, M., Allameh, A.A. and Davoodi, D. (2010) Sodium selenite improves the *in vitro* follicular development by reducing the reactive oxygen species level and increasing the total antioxidant capacity and glutathione peroxide activity, *Human Reprod.*, 25, 977-985.
- Abreu, P., Mathew, S., Gonzalez, T., Costa, D., Segundo, M.A. and Fernandes, E. (2006) Anti-inflammatory and antioxidant activity of a medicinal tincture from *Pedilanthus tithymaloides*, *Life Sci.*, 78, 1578-1585.
- Abreu, P.M., Mathew, S., Gonzalez, T., Vanickova, L., Costa, D., Gomes, A., Segundo, M.A. and Fernandes, E. (2008) Isolation and identification of antioxidants from *Pedilanthus tithymaloides*, *J. Nat. Med.*, 62, 67-70.
- Abu-Rizq, H.A., Mansour, M.H., Safer, A.M. and Afzal, M. (2008) Cyto-protective and immunomodulating effect of *Curcuma longa* in wistar rats subjected to carbon tetrachloride-induced oxidative stress, *Inflammopharmacology*, 16, 87-95.
- Adebisi, A.P., Adebisi, A.O., Yamashita, J., Ogawa, T. and Muramoto, K. (2009) Purification and characterization of antioxidative peptides derived from rice bran protein hydrolysates, *Eur. Food Res. Technol.*, 228, 553-563.
- Adedapo, A.A., Jimoh, F.O., Koduru, S., Afolayan, A.J. and Masika, P.J. (2008a) Antimicrobial and antioxidant properties of the methanol extracts of the leaves and stems of *Calpurnia aurea*, *BMC Complement. Altern. Med.*, 8, doi: 10.1186/1472-6882-8-53.
- Adedapo, A.A., Jimoh, F.O., Afolayan, A.J. and Masika, P.J. (2009) Antioxidant properties of the methanol extracts of the leaves and stems of *Celtis africana*, *Rec. Nat. Prod.*, 3, 23-31.
- Adedapo, A.A., Jimoh, F.O., Afolayan, A.J. and Masika, P.J. (2008b) Antioxidant activities and phenolic contents of the methanol extracts of the stems of *Acokanthera oppositifolia* and *Adenia gummifera*, *BMC Complement. Altern. Med.*, 8, doi: 10.1186/1472-6882-8-54.
- Adeolu, A.A., Florence, O.J., Srinivas, K., Masika, P. and Anthony, J.A (2009) Assessment of the medicinal potential of the methanol extracts of the leaves and stems of *Buddleja saligna*, *Complement. Altern. Med.*, 9, 21-28.
- Adewole, S.O. and Caxton-Martins, E.A. (2006) Morphological changes and hypoglycemic effects of *Annona muricata* Linn. (Annonaceae) leaf aqueous extract on pancreatic B-cells of streptozotocin-treated rats, *Afr. J. Biomed. Res.*, 9, 173-187.
- Adhikari, S., Priyadarsini, I.K. and Mukherjee, T. (2007) Physico-chemical studies on the evaluation of the antioxidant activity of herbal extracts and active principles of some Indian medicinal plants, *J. Clin. Biochem. Nutr.*, 40, 174-183.
- Aeschlach, R., Loliger, J., Scott, B.C., Murcia, A., Butler, J., Halliwell, B. and Aruoma, O.I. (1994) Antioxidant actions in thymol, cerarcecol, 6-gingerol, zingerone and hydroxyl tyrosol, *Food Chem. Toxicol.*, 32, 31-36.
- Afonso, V., Champy, R., Mitrovic, D., Collin, P. and Lomri, A. (2007) Reactive oxygen species and superoxide dismutases: role in joint diseases, *Joint Bone Spine*, 74, 324-29.
- Aiyegoro, O.A. and Okoh, A.I. (2009) Phytochemical screening and polyphenolic antioxidant activity of aqueous crude leaf extract of *Helichrysum pedunculatum*, *Int. J. Mol. Sci.*, 10, 4990-5001.
- Ajith, T.A. (2010) Ameliorating reactive oxygen species-induced *in vitro* lipid peroxidation in brain, liver, mitochondria and DNA damage by *Zingiber officinale* roscow, *Indian J. Clin. Biochem.*, 25, 67-73.
- Akinmoladun, A.C., Ibukun, E.O. and Dan-Ologe, I.A. (2007b) Phytochemical constituents and antioxidant properties of extracts from the leaves of *Chromolaena odorata*, *Sci. Res. Essay*, 2, 191-194.
- Akinmoladun, A.C., Ibukun, E.O., Afor, E., Obuofor, E.M. and Farombi, E.O. (2007a) Phytochemical constituents and antioxidant activity of the extract from the leaves of *Ocimum gratissimum*, *Sci. Res. Essay*, 2, 163-166.
- Al-Duais, M., Müller, L., Böhm, V. and Jetschke, G. (2009) Antioxidant capacity and total phenolics of *Cyphostemma digitatum* before and after processing: use of different assays, *Eur. Food Res. Technol.*, 228, 813-821.
- Ali, S., Choudhary, M.I. and Rahman, A.U. (2008b) Superoxide anion radical, an important target for the discovery of antioxidants, *Athero. Suppl.*, 9, 268.
- Ali, S.S., Kasaju, N., Luthra, A., Singh, A., Sharanabasava, H., Sahu, A. and Bora, U. (2008a) Indian medicinal herbs as sources of antioxidants, *Food Res. Int.*, 41, 1-15.
- Al-Zubairi, A.S., Abdul, A.B., Abdelwahab, S.I., Peng, C.Y., Mohan, S. and Elhassan, M.M. (2009) *Eleusine indica* possesses antioxidant, antibacterial and cytotoxic properties, *eCAM*, 6 doi:10.1093/ecam/nep091.

- Anandjiwala, S., Srinivasa, H., Kalola, J. and Rajani, M. (2007) Free-radical scavenging activity of *Bergia suffruticosa* (Delile) Fenzl, J. Nat. Med., 61, 59-62.
- Angeli, J.P.F., Barcelos, G.R.M., Serpeloni, J.M., Júnior, F.B., Nersesyan, A. and Mantovani, M.S. (2009) Evaluation of the genotoxic and anti-genotoxic activities of silybin in human hepatoma cells (HepG2), Mutagenesis, doi:10.1093/mutage/geb064.
- Antipov, V.A., Kuzminova, E.V., Semenenko, M.P. and Solovov, V.S. (2007) Biological basis of using carotenoids, Russ. Agri. Sci., 34, 270-272.
- Ariffin, S.H.Z., Omar, W.H.H.W., Ariffin, Z.Z., Safian, M.F., Senafi, S. and Wahab, R.M.A. (2009) Intrinsic anticarcinogenic effects of *Piper sarmentosum* ethanolic extract on a human hepatoma cell line, Cancer Cell Int., 9, doi:10.1186/1475-2867-9-6.
- Arunkumar, S. and Muthuselvam, M. (2009) Analysis of phytochemical constituents and antimicrobial activities of *Aloe vera* L. against clinical pathogens, World J. Agri. Sci., 5, 572-576.
- Asha, S. and Vidyavathi, M. (2010) Role of human liver microsomes in *in vitro* metabolism of drugs - a review, Appl. Biochem. Biotechnol., 160, 1699-1722.
- Athukorala, Y., Nam, K. and Jeon, Y. (2006) Antiproliferative and antioxidant properties of an enzymatic hydrolysate from brown alga, *Ecklonia cava*, Food Chem. Toxicol., 44, 1065-1074.
- Auyeung, K.K.W. and Ko, J.K.S. (2010) Novel herbal flavonoids promote apoptosis but differentially induce cell cycle arrest in human colon cancer cell, Invest. New Drugs, 28, 1-13.
- Avti, P.K., Kumar, S., Pathak, C.M., Vaiphei, K. and Khanduja, K.L. (2006) Smokeless tobacco impairs the antioxidant defense in liver, lung, and kidney of rats, Toxicol. Sci., 89, 547-553.
- Aziz, M.H., Dreckschmidt, N.E. and Verma, A.K. (2008) Plumbagin, a medicinal plant-derived naphthoquinone, is a novel inhibitor of the growth and invasion of hormone refractory prostate cancer, Cancer Res., 68, 9024-9032.
- Balakrishna, S., Lomnicki, S., McAvey, K.M., Cole, R.B., Dellinger, B. and Cormier, S.A. (2009) Environmentally persistent free radicals amplify ultrafine particle mediated cellular oxidative stress and cytotoxicity, Particle Fibre Toxicol., 6, doi: 10.1186/1743-8977-6-11.
- Barney, J.N. and DiTommaso, A. (2002) The biology of Canadian weeds. 118. *Artemisia vulgaris* L., Canadian J. Plant Sci., 83, 205-215.
- Barney, J.N., Hay, A.G. and Weston, L.A. (2005) Isolation and characterization of allelopathic volatiles from mugwort (*Artemisia vulgaris*), J. Chem. Ecol., 31, 247-65.
- Bausenwein, J., Serke, H., Eberle, K., Hirrlinger, J., Jogschies, P., Hmeidani, F.A., Blumenauer, V. and Spaniel-Borowski, K. (2010) Elevated levels of oxidized low-density lipoprotein and of catalase activity in follicular fluid of obese women, Mol. Human Reprod., 16, 117-124.
- Bayfield, R.F. and Cole, E.R. (1980) Colorimetric estimation of vitamin A with trichloroacetic acid, Meth. Enzymol., 37, 189-195.
- Bayir, H. and Kagan, V.E. (2008) Bench-to-bedside review: Mitochondrial injury, oxidative stress and apoptosis – there is nothing more practical than a good theory, Critical Care, 12, doi:10.1186/cc6779.
- Beevi, S.S., Narasu, M.L. and Gowda, B.B. (2010) Polyphenolics profile, antioxidant and radical scavenging activity of leaves and stem of *Raphanus sativus* L., Plant Foods Hum. Nutr., 65, 8-17.
- Belaya, N.I., Nikolaevskii, A.N., Ivleva, T.N. and Sheptura, O.G. (2009) Antiradical activity of fruit juices in reactions with diphenylpicrylhydrazyl, Pharm. Chem. J., 43, 32-34.
- Berkholz, D.S., Faber, H.R., Savvides, S.N. and Andrewkarplus, P. (2008) Catalytic cycle of human glutathione reductase near 1 Å resolution, J. Biol., 382, doi: 10.1016/j.jmb.2008.06.083.
- Bjornsti, M.A. (2003) Cancer therapeutics in yeast, Cancer Cell, 2, 267-273.
- Blokhina, O., Virolainen, E. and Fagerstedt, K.V. (2003) Antioxidants, oxidative damage and oxygen deprivation stress, a review, Ann. Bot. (Lond), 91, 179-194.
- Boussaada, O., Chriaa, J., Nabli, R., Ammar, S., Saidana, D., Mahjoub, M.A., Chraief, I., Helal, A.N. and Mighri, Z. (2008) Antimicrobial and antioxidant activities of methanol extracts of *Evax pygmaea* (Asteraceae) growing wild in Tunisia, World J. Microbiol. Biotechnol., 24, 1289-1296.

- Bovenkamp, M.V., Groothuis, G.M.M., Draaisma, A.L., Merema, M.T., Bezuijen, J.I., Gils, M.J., Meijer, D.K.F., Friedman, S.L. and Olinga, P. (2005) Precision-cut liver slices as a new model to study toxicity-induced hepatic stellate cell activation in a physiologic milieu, *Toxicol. Sci.*, 85, 632-638.
- Brambilla, D., Mancuso, C., Scuderi, M.R., Bosco, P., Cantarella, G., Lempereur, L., Benedetto, G.D., Pezzino, S. and Bernardini, R. (2008) The role of antioxidant supplement in immune system, neoplastic, and neurodegenerative disorders: a point of view for an assessment of the risk/benefit profile, *Nutri. J.*, 7, doi: 10.1186/1475-2891-7-29.
- Brandon, E.F.A., Raap, C.D., Meijerman, I., Beijnen, J.H. and Schellens, J.H.M. (2003) An update on *in vitro* test methods in human hepatic drug biotransformation research: Pros and cons. *Toxicol. Appl. Pharmacol.*, 189, 233-246.
- Büyükbacı, A. and Nehir, S.E. (2008) Determination of *in vitro* antidiabetic effects, antioxidant activities and phenol contents of some herbal teas, *Plant Foods Hum. Nutr.*, 63, 27-33.
- Buonocore, G. and Groenendaal, F. (2007) Anti-oxidant strategies, *Seminars in fetal and Neonatal Medicine*, 12, 287-295.
- Bystrova, M.F. and Budanova, E.N. (2007) Hydrogen peroxide and peroxiredoxins in redox regulation of intracellular signaling, *Biol. Membrany*, 24, 115-125.
- Cameron, G.R., Milton, R.F. and Allan, J.W. (1943) Measurement of flavonoids in plant sample, *Lancet*, P.179.
- Cao, J., Jia, L., Zhou, H.M., Liu, Y. and Zhong, L.F. (2006) Mitochondrial and nuclear DNA damage induced by curcumin in human hepatoma G2 Cells, *Toxicol. Sci.*, 91, 476-483.
- Capasso, G., Gennaro, C.I.D., Ragione, F.D., Manna, C., Ciarcia, R., Florio, S., Perna, A., Pollastro, R.M., Damiano, S., Mazzoni, O., Galletti, P. and Zappia, V. (2008) *In vivo* effect of the natural antioxidant hydroxytyrosol on cyclosporine nephrotoxicity in rats, *Nephrol. Dial. Transplant.*, 23, 1186-1195.
- Cassidy, C.E. and Setzer, W.N. (2010) Cancer-relevant biochemical targets of cytotoxic *Lonchocarpus* flavonoids: a molecular docking analysis, *Mol. Model*, 16, 311-326.
- Cemek, M., Dede, S., Bayroğlu, F., Çaksen, H., Cemek, F. and Mert, N. (2006) Oxidant and non-enzymatic antioxidant status in measles, *J. Trop. Pediatr.*, 53, 84-86.
- Cen, L., Hutzen, B., Ball, S., DeAngelis, S., Chen, C.L., Fuchs, J.R., Li, C., Li, P.K. and Lin, J. (2009) New structural analogues of curcumin exhibit potent growth suppressive activity in human colorectal carcinoma cells, *BMC Cancer*, 9, doi:10.1186/1471-2407-9-99.
- Chandra, A.K., Ghosh, R., Chatterjee, A. and Sarkar, M. (2007) Amelioration of vanadium-induced testicular toxicity and adrenocortical hyperactivity by vitamin E acetate in rats, *Mol. Cell. Biochem.*, 306, 189-200.
- Chang, J.M., Cheng, C.M., Hung, L.M., Chung, Y.S. and Wu, R.Y. (2007) Potential use of *Plectranthus amboinicus* in the treatment of rheumatoid arthritis, *eCAM*, 7, 115-120.
- Chang, M.C., Vang, B.J., Wu, H.L., Hahn, L.J. and Jeng, J.H. (2002) Inducing the cell cycle arrest and apoptosis of rat KB carcinoma cells by hydroxychavicol: roles of glutathione and reactive oxygen species, *Br. J. Pharmacol.*, 135, 619-630.
- Chaudhary, P., Shukla, S.K. and Sharma, R.K. (2009) REC-2006- a fractionated extract of *Podophyllum hexandrum* protects cellular DNA from radiation-induced damage by reducing the initial damage and enhancing its repair *in vivo*, *eCAM*, doi:10.1093/ecam/nep212.
- Chaves, C.C., Pereira, S.E., Saboya, C.J. and Ramalho, A. (2008) Non-alcoholic fatty liver disease and its relationship with the nutritional status of vitamin A in individuals with class III obesity, *Obes. Surg.*, 18, 378-385.
- Cheah, Y.H., Nordin, F.J., Sarip, R., Tee, T.T., Azimahtol, H.L.P., Sirat, H.M., Rashid, B.A.A., Abdullah, N.R. and Ismail, Z. (2009) Combined xanthorrhizol-curcumin exhibits synergistic growth inhibitory activity via apoptosis induction in human breast cancer cells MDA-MB-231, *Cancer Cell Int.*, 9, doi:10.1186/1475-2867-9-1.
- Chen, P., Sun, Y.J., Zhu, Z.C., Wang, R.X., Shi, X.D., Lin, C. and Ye, Y.T. (2010b) A controlled release system of superoxide dismutase by electrospun fiber and its antioxidant activity *in vitro*, *J. Mater. Sci: Mater. Med.*, 21, 609-614.
- Chen, W., Jia, Z., Zhu, H., Zhou, K., Li, Y. and Misra, H.P. (2010a) Ethyl pyruvate inhibits peroxynitrite-induced DNA damage and hydroxyl radical generation: implications for neuroprotection, *Neurochem. Res.*, 35, 336-342.
- Chew, E.H., Nagle, A.A., Zhang, Y., Scarmagnani, S., Palaniappan, P., Bradshaw, T.D., Holmgren, A. and Westwell, A.D. (2010) Cinnamaldehydes inhibit thioredoxin reductase and induce Nrf2: potential candidates for cancer therapy and chemoprevention, *Free Rad. Biol. Med.*, 48, 98-111.
- Chih, H.W., Chill, H.F., Tang, K.S., Chang, F.R. and Wu, Y.C. (2001) Bullatacin a potent antitumour annonaceous acetogenin, inhibits proliferation of human hepatocarcinoma cell line 2.2.15 by apoptosis induction, *Life Sci.*, 69, 1321-1331.

- Cho, S.H., Chung, K.S., Choi, J.H., Kim, D.H. and Lee, K.T. (2009) Compound K, a metabolite of ginseng saponin, induces apoptosis via caspase-8-dependent pathway in HL-60 human leukemia cells, *BMC Cancer*, 9, doi:10.1186/1471-2407-9-449.
- Choi, J.S., Yoon, T.J., Kang, K.R., Lee, K.H., Kim, W.H., Suh, Y.H., Song, J. and Jung, M.H. (2006) Glycoprotein isolated from *Acanthopanax senticosus* protects against hepatotoxicity induced by acute and chronic alcohol treatment, *Biol. Pharm. Bull.*, 29, 306-314.
- Choi, Y., Jeong, H.S. and Lee, J. (2007) Antioxidant activity of methanolic extracts from some grains consumed in Korea. *Food Chem.*, 103, 130-138.
- Chotimarkorn, C. and Ushio, H. (2008) The effect of trans-ferulic acid and gamma-oryzanol on ethanol-induced liver injury in C57BL mouse, *Phytomed.*, 15, 951-958.
- Chronidou, F., Apostolakis, E., Papapostolou, I., Grintzalis, K., Georgiou, C.D., Koletsis, E.N., Karanikolas, M., Papathanasopoulos, P. and Dougenis, D. (2009) Beneficial effect of the oxygen free radical scavenger amifostine (WR-2721) on spinal cord ischemia/reperfusion injury in rabbits, *Journal of Cardiothoracic Surgery*, 4, doi:10.1186/1749-8090-4-50.
- Chunhu, Z., Suiyu, H., Meiqun, C., Guilin, X. and Yunhui, L. (2008) Antiproliferative and apoptotic effects of paeonol on human hepatocellular carcinoma cells, *Anti-Cancer Drugs*, 19, 401-409.
- Coates, E.M., Popa, G., Gill, C.I.R., McCann, M.J., McDougall, G.J., Stewart, D. and Rowland, I. (2007) Colon-available raspberry polyphenols exhibit anti-cancer effects on *in vitro* models of colon cancer, *J. Carcinogen.*, 6, doi:10.1186/1477-3163-6-4.
- Dai, Z.J., Wang, X.J., Li, Z.F., Ji, Z.Z., Ren, H.T., Tang, W., Liu, X.X., Kang, H.F., Guan, H.T. and Song, L.Q. (2008) *Scutellaria barbata* extract induces apoptosis of hepatoma H22 cells via the mitochondrial pathway involving caspase-3, *World J. Gastroenterol.*, 14, 7321-7328.
- Dash, D.K., Yeligar, V.C., Nayak, S.S., Ghosh, T., Rajalingam, D., Sengupta, P., Maiti, B.C. and Maity, T.K. (2007) Evaluation of hepatoprotective and antioxidant activity of *Ichnocarpus frutescens* (Linn.) R.Br. on paracetamol-induced hepatotoxicity in rats, *Trop. J. Pharm. Res.*, 6, 755-765.
- David, H. and Richard, J.S. (1983) In: *Methods of enzymatic analysis*, Bergmeyer, J. and Grab, M. (Eds), Verlag Chemie Weinheim Deer Field, Beach Florida, P. 358.
- de las Heras, B., Hortelano, S., Girón, N., Bermejo, P., Rodríguez, B. and Boscá, L. (2007) Kaurane diterpenes protect against apoptosis and inhibition of phagocytosis in activated macrophages, *Br. J. Pharmacol.*, 152, 249-255.
- De Lima, S.G., Feitosa, C.M., Citó, A.M.G.L., Neto, J.M.M., Lopes, J.A.D., Leite, A.S., Brito, M.C., Dantas, S.M.M. and Cavalcante, A.A.C.M. (2008) Effects of immature cashew nut-shell liquid (*Anacardium occidentale*) against oxidative damage in *Saccharomyces cerevisiae* and inhibition of acetylcholinesterase activity, *Genet. Mol. Res.*, 7, 806-818.
- Deepa, V.S., Kumar, P.S., Latha, S., Selvamani, P. and Srinivasan, S. (2009) Antioxidant studies on the ethanolic extract of *Commiphora* spp., *Afr. J. Biotechnol.*, 8, 1630-1636.
- Dehai, L., Tianjiao, Z., Yuchun, F., Hongbing, L., Qianqun, G. and Weiming, Z. (2007) The antitumor components from marine-derived bacterium *Streptoverticillium luteovorticillatum* 11014 II, *J. Ocean Uni. China*, 6, 193-195.
- Deocaris, C.C., Widodo, N., Wadhwa, R. and Kaul, S.C. (2008) Merger of ayurveda and tissue culture-based functional genomics: inspiration from systems biology, *J. Transla. Med.*, 6, doi: 10.1186/1479-5876-6-14.
- Dhanalakshmi, S., Srikumar, R., Manikandanm S., Parthasarathy, N.J. and Devi, R.S. (2006) Antioxidant property of Triphala on cold stress induced oxidative stress in experimental rats, *J. Health Science*, 52, 843-847.
- Dinant, C., Houtsmuller, A.B. and Vermeulen, W. (2008) Chromatin structure and DNA damage repair, *Epigenetics Chromatin*, 1, doi: 10.1186/1786-8935-1-9.
- Dodge, J.T., Mitchel, C. and Hangan, V. (1963) The preparation and chemical characteristics of haemoglobin free erythrocytes, *Arch. Biochem. Biophys.*, 100, 119-130.
- Domazou, A.S., Koppenol, W.H. and Gebicki, J.M. (2009) Efficient repair of protein radicals by ascorbate, *Free Rad. Biol. Med.*, 46, 1049-1057.
- Doyle, S.M., Diamond, M. and McCabe, P.F. (2010) Chloroplast and reactive oxygen species involvement in apoptotic-like programmed cell death in *Arabidopsis* suspension cultures, *J. Exp. Bot.*, 61, 473-482.
- Drobiova, H., Thomson, M., Al-Qattan, K., Peltonen-Shalaby, R., Al-Amin, Z. and Ali, M. (2009) Garlic increases antioxidant levels in diabetic and hypertensive rats determined by a modified peroxidase method, *eCAM*, doi:10.1093/ecam/nep011.

- Ebrahimzadeh, A.M., Pourmorad, F. and Bekhradnia, A.R. (2008) Iron chelating activity, phenol and flavonoid content of some medicinal plants from Iran, *Afr. J. Biotechnol.*, 7, 3188-3192.
- Eisenberg, T., Büttner, S., Kroemer, G. and Madeo, F. (2007) The mitochondrial pathway in yeast apoptosis, *Apoptosis*, 12, 1011-1023.
- El-Baky, H.H.A., El Baz, F.K. and El-Baroty, G.S. (2008) Characterization of nutraceutical compounds in blue green algae *Spirulina maxima*, *J. Med. Plants Res.*, 2, 292-300.
- Elchuri, S., Oberley, T.D., Qi, W., Eisenstein, R.S., Roberts, L.J., Van Remmen, H., Epstein, C.J. and Huang, T.T. (2005) CuZnSOD deficiency leads to persistent and widespread oxidative damage and hepatocarcinogenesis later in life, *Oncogene*, 24, 367-380.
- Elizabeth, K. and Rao, H.N.A. (1990) Oxygen radical scavenging activity of curcumin, *Int. J. Pharm.*, 58, 237-240.
- El-Najjar, N., Chatila, M., Moukadem, H., Vuorela, H., Ocker, M., Gandesiri, M., Schneider-Stock, R. and Gali-Muhtasib, H. (2009) Reactive oxygen species mediate thymoquinone-induced apoptosis and activate ERK and JNK signaling, Springer Science+Business Media, LLC, doi: 10.1007/s10495-009-0421-z
- El-Razek, M.H.A., Ohta, S., Ahmed, S.S. and Hirata, T. (2001) Monoterpene coumarins from *Ferula ferulago*, *Phytochem.*, 57, 1201-1203.
- Eshrat, H.M. and Mukhopadhyay, A.K. (2006) Effect of *Ocimum sanctum* (tulsi) and vitamin E on biochemical parameters and retinopathy in streptozotocin-induced diabetic rats, *Indian J. Clin. Biochem.*, 21, 181-188.
- Esterbauer, H., Schwarlz, E. and Hayn, M. (1977) A rapid assay for catechol oxidase and laccase using 2-nitro-5-thiobenzoic acid, *Anal. Biochem.*, 77, 486-494.
- Etcheverry, S.B., Ferrer, E.G., Naso, L., Rivadeneira, J., Salinas, V. and Williams, P.A.M. (2008) Antioxidant effects of the VO(IV) hesperidin complex and its role in cancer chemoprevention, *J. Biol. Inorg. Chem.*, 13, 435-447.
- Fabbri, F., Brigladori, G., Carloni, S., Ulivi, P., Vannini, I., Tesei, A., Silvestrini, R., Amadori, D. and Zoli, W. (2008) Zoledronic acid increases docetaxel cytotoxicity through pMEK and Mcl-1 inhibition in a hormone-sensitive prostate carcinoma cell line, *J. Transl. Med.*, 6, doi:10.1186/1479-5876-6-43.
- Falodun, A., Ali, S., Quadir, I.M. and Choudhary, I.M.I. (2008) Phytochemical and biological investigation of chloroform and ethylacetate fractions of *Euphorbia heterophylla* leaf (*Euphorbiaceae*), *J. Med. Plants Res.*, 2, 365-369.
- Faria, A., Pestana, D., Teixeira, D., Azevedo, J., De Freitas, V., Mateus, N. and Calhau, C. (2010) Flavonoid transport across RBE4 cells: a blood-brain barrier model, *Cell. Mol. Biol. Lett.*, 15, 234-241.
- Fesik, S.W. (2005) Promoting apoptosis as a strategy for cancer drug discovery, *Nat. Rev. Cancer*, 5, 876-885.
- Fialkow, L., Wang, Y. and Downey, G.P. (2007) Reactive oxygen and nitrogen species as signaling molecules regulating neutrophil function, *Free Radic. Biol. Med.*, 42, 153-164.
- Fischer, L.R. and Glass, J.D. (2010) Oxidative stress induced by loss of Cu, Zn-superoxide dismutase (SOD1) or superoxide-generating herbicides causes axonal degeneration in mouse DRG cultures, *Acta. Neuropathol.*, 119, 249-259.
- Fleming, A. (2007) Zebrafish as an alternative model organism for disease modeling and drug discovery: implications for the 3Rs, National centre for Replacement, Refinement and Reduction of Animal Research.
- Flora, S.J.S., Mittal, M. and Mehta, A. (2008) Heavy metal induced oxidative stress and its possible reversal by chelation therapy, *Indian J. Med. Res.*, 128, 501-523.
- Florek, E., Ignatowicz, E. and Piekoszewski, W. (2009) Effect of pregnancy and tobacco smoke on the antioxidant activity of rutin in an animal model, *Pharm. Rep.*, 61, 935-940.
- Flors, C., Fryer, M.J., Waring, J., Reeder, B., Bechtold, U., Mullineaux, P.M., Nonell, S., Wilson, M.T. and Baker, N.R. (2006) Imaging the production of singlet oxygen *in vivo* using a new fluorescent sensor, singlet oxygen sensor green, *J. Exp. Bot.*, 57, 1725-1734.
- Förstermann, U. (2010) Nitric oxide and oxidative stress in vascular disease, *Pflügers Arch – Eur. J. Physiol.*, doi 10.1007/s00424-010-0808-2.
- Fulda, S. (2010) Evasion of apoptosis as a cellular stress response in cancer, *Int. J. Cell Biol.*, 2010, doi:10.1155/2010/370835.
- Ganesan, B., Buddhan, S., Anandan, R., Sivakumar, R. and AnbinEzhilan, R. (2010) Antioxidant defense of betaine against isoprenaline-induced myocardial infarction in rats, *Mol. Biol. Rep.*, 37, 1319-1327.

Gao, H., Shupe, T.F., Eberhardt, T.L. and Hse, C.Y. (2007) Antioxidant activity of extracts from the wood and bark of Port Orford cedar, *J. Wood Sci.*, 53, 147-152.

Genestra, M. (2007) Oxy radicals, redox-sensitive signaling cascades and antioxidants, *Cell. Signal.*, 19, 1807-1819.

Gezginci-Oktayoglu, S., Basaraner, H., Yanardag, R. and Bolkent, S. (2009) The effects of combined treatment of antioxidants on the liver injury in STZ diabetic rats, *Dig. Dis. Sci.*, 54, 538-546.

Gharib, O.A. (2009) Effects of Kombucha on oxidative stress induced nephrotoxicity in rats, *Chin. Med.*, 4, doi:10.1186/1749-8546-4-23.

Ghosh, A. and Sil, P.C. (2007) Anti-oxidative effect of a protein from *Cajanus indicus* L against acetaminophen-induced hepato-nephro toxicity, *J. Biochem. Mol. Bio.*, 40, 1039-1049.

Ghosh, A. and Sil, P.C. (2008) A Protein from *Cajanus indicus* spreng protects liver and kidney against mercuric chloride-induced oxidative stress, *Biol. Pharm. Bull.*, 31, 1651-1658.

Ghosh, A., Sarkar, K. and Sil, P.C. (2006) Protective effect of a 43 kD protein from the leaves of the herb, *Cajanus indicus* L on chloroform induced hepatic-disorder, *J. Biochem. Mol. Bio.*, 39, 197-207.

Glöckner, R., Lieder, A. and Lupp, A. (2008) Determination of CYP activity in precision-cut liver slices: whether to use intact slices or slice homogenate, *Anal. Bioanal. Chem.*, 392, 1167-1172.

Gomez, J., Caro, P., Naudi, A., Portero-Otin, M., Pamplona, R. and Barja, G. (2007) Effect of 8.5% and 25% caloric restriction on mitochondrial free radical production and oxidative stress in rat liver, *Biogerontol.*, 8, 555-566.

Goncharova, N.D., Shmaliy, A.V., Marenin, V.Y. and Smelkova, S.A. (2007) Hypothalamic-pituitary-adrenal system and enzymes of the glutathione-dependent antioxidant system during stress and aging, *Bull. Exp. Biol. Med.*, 144, 574-577.

Gorinstein, S., Park, Y.S., Heo, B.G., Namiesnik, J., Leontowicz, H., Leontowicz, M., Ham, K.S., Cho, J.Y. and Kang, S.G. (2009) A comparative study of phenolic compounds and antioxidant and antiproliferative activities in frequently consumed raw vegetables, *Eur. Food Res. Technol.*, 228, 903-911.

Gorinstein, S., Vargas, O.J.M., Jaramillo, N.O., Salas, I.A., Ayala, A.L.M., Arancibia-Avila, P., Toledo, F., Katrich, E. and Trakhtenberg, S. (2007) The total polyphenols and the antioxidant potentials of some selected cereals and pseudocereals, *Eur. Food Res. Technol.*, 225, 321-328.

Govindaraj, S., Kumari, B.D.R., Cioni, P.L. and Flamini, G. (2008) Mass propagation and essential oil analysis of *Artemisia vulgaris*, *J. Biosci. Bioengineering.*, 105, 176-183.

Green, L.C., Wagner, D.A., Glogowski, J., Skipper, P.L., Wishnok, J.S. and Tannenbaum, S.R. (1982) Analysis of nitrate, nitrite and (¹⁵N) nitrate in biological fluid, *Anal. Biochem.*, 126, 131-138.

Greenberg, M.E., Li, X.M., Gugiu, B.G., Gu, X., Qin, J., Salomon, R.G. and Hazen, S.L. (2008) The lipid Whisker model of the structure of oxidized cell membranes, *J. Biol. Chem.*, 283, 2385-2396.

Güçlü-Üstündağ, O. and Mazza, G. (2009) Effects of pressurized low polarity water extraction parameters on antioxidant properties and composition of cow cockle seed extracts, *Plant Foods Hum. Nutr.*, 64, 32-38.

Gülcin, I., Huyut, Z., Elmastas, M. and Aboul-Enein, H.Y. (2010) Radical scavenging and antioxidant activity of tannic acid, *Arabian J. Chem.*, 3, 43-53.

Gülcin, T.A.K.I. (2008) Antioxidant and radical scavenging properties of curcumin, *Chem. Biol. Interact.*, 174, 27-37.

Guha, G., Rajkumar, V., Ashok Kumar, R. and Mathew, L. (2009) Therapeutic potential of polar and non-polar extracts of *Cyanthillium cinereum* *in vitro*, *eCAM*, doi:10.1093/ecam/nep155.

Gupta, M., Mazumber, U.K., Thamilselvan, V., Manikandan, L., Senthilkumar, G.P., Suresh, R. and Kakotti, B.K. (2007) Potential hepatoprotective effect and antioxidant role of methanol extract of *Oldenlandia umbellata* in carbon tetrachloride induced hepatotoxicity in wister rats, *Iran. J. Pharma. Therap.*, 6, 5-9.

Gupta, S. and Prakash, J. (2009) Studies on Indian green leafy vegetables for their antioxidant activity, *Plant Foods Hum. Nutri.*, 64, 39-45.

Guyot, C., Combe, C., Clouzeau-Girard, H., Moronville-Halley, V. and Desmoulière, A.V. (2007) Specific activation of the different fibrogenic cells in rat cultured liver slices mimicking *in vivo* situations, *Virchows Arch.*, 450, 503-512.

Guzmán, E.A., Johnson, J.D., Carrier, M.K., Meyer, C.I., Pitts, T.P., Gunasekera, S.P. and Wright, A.E. (2009) Selective cytotoxic activity of the marine-derived batzelline compounds against pancreatic cancer cell lines, *Anti-Cancer Drugs*, 20, 149-155.

- Habig, W.H., Pabst, M.J. and Jakoby, M. (1974) Glutathione transferase: A first enzymatic step in mercapturic acid formation, *J. Biol. Chem.*, 249, 7130-7139.
- Haddad, Y., Vallerand, D., Brault, A. and Haddad, P.S. (2009) Antioxidant and hepatoprotective effects of silibinin in a rat model of nonalcoholic steatohepatitis, *eCAM*, doi:10.1093/ecam/nep164.
- Hajlaoui, H., Trabelsi, N., Noumi, E., Snoussi, M., Fallah, H., Ksouri, R. and Bakhrouf, A. (2009) Biological activities of the essential oils and methanol extract of two cultivated mint species (*Mentha longifolia* and *Mentha pulegium*) used in the Tunisian folkloric medicine, *World J. Microbiol. Biotechnol.*, 25, 2227-2238.
- Halliwell, B. (2006) Phagocyte-derived reactive species: salvation or suicide? *Trends Biochem. Sci.*, 31, 509-515.
- Halliwell, B. (2007) Oxidative stress and cancer: have we moved forward?, *Biochem. J.*, 401, 1-11.
- Halliwell, B. (2008) Are polyphenols antioxidants or pro-oxidants? What do we learn from cell culture and *in vivo* studies? *Arch. Biochem. Biophys.* 476, 107-112.
- Hashem, F.A. (2007) Free radical scavenging activity of the flavonoids isolated from *Tecoma radicans*, *J. Basic Applied Sci.*, 3, 49-53.
- Haurani, M.J. and Pagano, P.J. (2007) Adventitial fibroblast reactive oxygen species as autocrine and paracrine mediators of remodeling: Bellwether for vascular disease?, *Cardiovas. Res.*, 75, 679-689.
- Hayet, E., Maha, M., Samia, A., Ali, M.M., Souhir, B., Abderaouf, K., Mighri, Z. and Mahjoub, A. (2009) Antibacterial, antioxidant and cytotoxic activities of extracts of *Conyza canadensis* (L.) Cronquist growing in Tunisia, *Med. Chem. Res.*, 18, 447-454.
- Hazra, B., Biswas, S. and Mandal, N. (2008) Antioxidant and free radical scavenging activity of *Spondias pinnata*, *BMC Complement. Altern. Med.*, 8, doi:10.1186/1472-6882-8-63.
- He, C., Ji, X., Pan, Y., Wang, H., Wang, K., Liang, M. and Yang, L. (2009) Antioxidant activity of alcoholic extract of *Agrimonia pilosa* Ledeb, *Med. Chem. Res.*, doi 10.1007/s00044-009-9201-0.
- Henriques, J.A.P. and Saffi, J. (2007) Antioxidant properties of β -carboline alkaloids are related to their antimutagenic and antigenotoxic activities, *Mutagenesis*, 22, 293-302.
- Heo, S.J. and Jeon, Y.J. (2008) Radical scavenging capacity and cytoprotective effect of enzymatic digests of *Ishige okamurae*, *J. Appl. Phycol.*, 20, 1087-1095.
- Hernandez, M., Fernandez-Garcia, N., Diaz-Vivancos, P. and Olmos, E. (2010) A different role for hydrogen peroxide and the antioxidative system under short and long salt stress in *Brassica oleracea* roots, *J. Exp. Bot.*, 61, 521-535.
- Hindle, J.V. (2010) Ageing, neurodegeneration and Parkinson's disease, *Age Ageing*, 39, 156-161.
- Hoelzl, C., Bichler, J., Ferk, F., Simič, T., Nersesyan, A., Elbling, L., Ehrlich, V., Chakraborty, A. and Knasmüller, S. (2005) Methods for the detection of antioxidants which prevent age related diseases: a critical review with particular emphasis on human interventions studies, *J. Physiol. Pharmacol.*, 56, 49-64.
- Hsiao, C.J., Ho, J.F., Hsu, J.T.A., Chang, W.L., Chen, Y.C., Shen, Y.C., Lyu, P.C. and Guh, J.H. (2008) Mana-Hox displays anticancer activity against prostate cancer cells through tubulin depolymerization and DNA damage stress, *Naunyn-Schmiedeberg's Arch. Pharmacol.*, 378, 599-608.
- <http://homepages.gac.edu/~cellab/chpts/chp12/ex12-10.html>.
- http://www.medcare-techarea.com/magazin/umfeld/archiv_2009/index.html?lang=en&artikelid=artikel/04218/index.html.
- Huang, J.S., Chuang, L.Y., Guh, J.Y. and Huang, Y.J. (2009) Effects of nitric oxide and antioxidants on advanced glycation end products-induced hypertrophic growth in human renal tubular cells, *Toxicol. Sci.*, 111, 109-119.
- Igarashi, M. and Miyazawa, T. (2001) The growth inhibiting effect of conjugated linoleic acid on a human hepatoma cell line Hep G2, is induced by a change in fatty acid metabolism but not the facilitation of lipid peroxidation in cells, *Biochem. Biophys. Acta/Molecular and Cell Biology of Lipids*, 1530, 162-171.
- In-Ja, R., Xu, G.H., Kim, Y.H., Choo, S.J., Ahn, J.S., Bae, K. and Yoo, I.D. (2009) Reticulone, a novel free radical scavenger produced by *Aspergillus* sp., *J. Microbiol. Biotechnol.*, 19, 1573-1575.
- Inui, T., Tamura, K., Fujii, N., Morishige, T. and Sato, F. (2007) Overexpression of *Coptis japonica* norcoclaurine 6-O-methyltransferase overcomes the rate-limiting step in benzylisoquinoline alkaloid biosynthesis in cultured *Eschscholzia californica*, *Plant Cell Physiol.*, 48, 252-262.
- Irigaray, P. and Belpomme, D. (2010) Basic properties and molecular mechanisms of exogenous chemical carcinogens, *Carcinogenesis*, 31, 135-148.

- Isaac, M.G., Quinn, R. and Tabet, N. (2008) Vitamin E for Alzheimer's disease and mild cognitive impairment (Review), Cochrane Database Syst. Rev., 16, CD002854.
- Jada, S.R., Matthews, C., Saad, M.S., Hamzah, A.S., Lajis, N.H., Stevens, M.F.G. and Stanslas, J. (2008) Benzylidene derivatives of andrographolide inhibit growth of breast and colon cancer cells *in vitro* by inducing G1 arrest and apoptosis, Br. J. Pharmacol., 155, 641-654.
- Jaleel, C.A., Gopi, R., Lakshmanan, G.M.A. and Pannierselvam, R. (2006) Triadimefon induced changes in the antioxidant and ajmalicine production in *Catherantus roseus* (L.) G. Don., Plant Sci., 171, 271-276.
- Jaleel, C.A., Gopi, R., Manivannan, P. and Panneerselvam, R. (2007) Responses of antioxidant defense system of *Catheranthus roseus* (L.) G. Don. to paclobutrazol treatment under salinity, Acta Physiol. Plant., 29, 205-209.
- Jang, I.C., Park, J.H., Park, E., Park, H.R. and Lee, S.C. (2008) Antioxidative and antigenotoxic activity of extracts from Cosmos (*Cosmos bipinnatus*) flowers, Plant Foods Hum. Nutr., 63, 205-210.
- Jayanthi, M., Raveendran, R. and Basu, D. (2009) Role of melatonin against oxidative tissue damage induced by *Cleistanthus collinus* in rat brain, Ind. J. Med. Res., 130, 467-474.
- Jia, M., Tang, Y., Lam, Y.F., Green, S.A. and Blough, N.V. (2009a) Prefluorescent nitroxide probe for the highly sensitive determination of peroxyl and other radical oxidants, Anal. Chem., 81, 8033-8040.
- Jia, J., Zhang, X., Hu, Y., Wu, Y., Wang, Q., Li, N., Guo, Q. and Dong, X. (2009b) Evaluation of *in vivo* antioxidant activities of *Ganoderma lucidum* polysaccharides in STZ-diabetic rats, Food Chem., 115, 32-36.
- Jiang, L., Zeng, X., Wang, Z., Ji, N., Zhou, Y., Liu, X. and Chen, Q. (2010) Oral cancer overexpressed I (ORAOVI) regulates cell cycle and apoptosis in cervical cancer HeLa cells, Mol. Cancer, 9, doi:10.1186/1476-4598-9-20.
- Jimenez, A.M., Martinez-Tome, M., Egea, I., Romojaro, F. and Murcia, M.A. (2008) Effect of industrial processing and storage on antioxidant activity of apricot (*Prunus armeniaca* v. *bulida*), Eur. Food Res. Technol., 227, 125-134.
- Jodynys-Liebert, J., Adamska, T., Ewertowska, M., Bylka, W. and Matlawska, I. (2009) *Aquilegia vulgaris* extract attenuates carbon tetrachloride-induced liver fibrosis in rats, Exp. Toxicol. Pathol., 61, 443-451.
- Judzentiene, A. and Buzelyte, J. (2006) Chemical composition of essential oils of *Artemisia vulgaris* L. (mugwort) from plants grown in North Lithuania, Chemija, 17, 12-15.
- Kakkar, P., Das, B. and Viswanathan, P.N. (1984) A modified spectrophotometric assay of superoxide dismutase, Indian J. Biochem. Biophys., 21, 130-162.
- Kaleem, M., Asif, M., Ahmed, Q.U. and Bano, B. (2006) Antidiabetic and antioxidant activity of *Annona squamosa* extracts in streptozotocin-induced diabetic rates, Singapore Med. J., 47, 670-675.
- Kamalakkannan, N. and Prince, P.S.M. (2006) Rutin improves the antioxidant status in streptozotocin-induced diabetic rat tissues, Mol. Cell. Biochem., 293, 211-219.
- Kang, K.A.H., Kim, J.S., Zhang, R., Piao, M.J., Maeng, Y.H., Kang, M.Y., Lee, I.K., Kim, B.J. and Hyun, J.W. (2010) KIOM-4 protects against oxidative stress-induced mitochondrial damage in pancreatic β -cells via its antioxidant effects, eCAM, doi:10.1093/ecam/neq007.
- Kano, M., Takayangi, T., Harada, K., Makino, K. and Ishikawa, F. (2005) Antioxidant activity of anthocyanins from purple sweet potato, *Ipomoea batatas* cultivar Ayamurasaki, Biosci. Biotechnol. Biochem., 69, 976-988.
- Karawita, R., Senevirathne, M., Athukorala, Y., Affan, A., Lee, Y.J., Kim, S.K., Lee, J.B. and Jeon, Y.J. (2007) Protective effect of enzymatic extracts from microalgae against DNA damage induced by H₂O₂, Springer Science + Business Media, LLC, 9, 479-490.
- Karuppanapandian, T., Sinha, P.B., Haniya, A.K. and Manoharan, K. (2008) Induction of oxidative stress in mung bean (*Vigna radiate* L.) leaves in response to NaCl stress, Int. J. Plant Sci., 3, 345-348.
- Karuppanapandian, T., Sinha, P.B., Haniya, A.K., Premkumar, G. and Manoharan, K. (2006) Aluminium-induced changes in antioxidative enzyme activities, hydrogen peroxide content and cell wall peroxidase activity in green gram (*Vigna radiate* L. cv. Wilczek) roots, J. Plant Biol., 33, 241-246.
- Kaur, K., Bedi, G., Kaur, M., Vij, A. and Kaur, I. (2008) Lipid peroxidation and the levels of antioxidant enzymes in coronary artery disease, Indian J. Clin. Biochem., 23, 33-37.
- Kaur, P. and Arora, S. (2009) Superoxide anion radical scavenging activity of *Cassia siamea* and *Cassia javanica*, Med. Chem. Res., doi 10.1007/s00044-009-9274-9.

- Kavanaugh, C.J., Trumbo, P.R. and Ellwood, K.C. (2007) The U.S. food and drug administration's evidence-based review for qualified health claims: tomato, lycopene and cancer, *J. Natl. cancer Inst.*, 99, 1074-1085.
- Kaviarasan, S., Ramamurty, N., Gunasekaran, P., Varalakshmi, E. and Anuradha, C.V. (2006) Fenugreek (*Trigonella foenum graecum*) seed extract prevents ethanol-induced toxicity and apoptosis in Chang liver cells, *Alcohol Alcoholism*, 41, 267-273.
- Kaviarasan, S., Sundarapandiyar, R. and Anuradha, C.V. (2008) Protective action of fenugreek (*Trigonella foenum graecum*) seed polyphenols against alcohol-induced protein and lipid damage in rat liver, *Cell Biol. Toxicol.*, 24, 391-400.
- Kepp, O., Tesniere, A., Schlemmer, F., Michaud, M., Senovilla, L., Zitvogel, L. and Kroemer, G. (2009) Immunogenic cell death modalities and their impact on cancer treatment, *Apoptosis*, 14, 364-375.
- Khalil, N.M., Pepato, M.T. and Brunetti, I.L. (2008) Free radical scavenging profile and myeloperoxidase inhibition of extracts from antidiabetic plants: *Bauhinia forficata* and *Cissus sicyoides*, *Biol. Res.*, 41, 165-171.
- Khanavi, M., Hajimahmoode, M., Cheraghi-Niroomand, M., Kargar, Z., Ajani, Y., Hadjiakhoordi, A. and Oveisi, M.R. (2009) Comparison of the antioxidant activity and total phenolic contents in some *Stachys* species. *Afr. J. Biotechnol.*, 8, 1143-1147.
- Khandelwal, K.R. (2002) Practical pharmacognosy-techniques and experiments, 1X Edition, Nirali Prakashan Publisher, Pune, P. 149-157.
- Kim, H.W., Cho, S.J., Kim, B.Y., Cho, S.I. and Kim, Y.K. (2008) *Pogostemon cablin* as ROS scavenger in oxidant-induced cell death of human neuroglioma cells, *eCAM*, doi:10.1093/ecam/nem176.
- Kim, Hee, J. and Lee, C.H. (2009) Heptelidic acid, a sesquiterpene lactone, inhibits etoposide-induced apoptosis in human leukemia U937 cells, *J. Microbiol. Biotechnol.*, 19, 787-791.
- Kim, M.R., Jeong, E.G., Chae, B., Lee, J.W., Soung, Y.H., Nam, S.W., Lee, J.Y., Yoo, N.J. and Lee, S.H. (2007) Pro-apoptotic PUMA and anti-apoptotic phospho-BAD are highly expressed in colorectal carcinomas, *Dig. Dis. Sci.*, 52, 2751-2756.
- Kim, S.Y., Lim, J.H., Park, M.R., Kim, Y.J., Park, T.I., Seo, Y.W., Choi, K.G. and Yun, S.J. (2005) Enhanced antioxidant enzymes are associated with reduced hydrogen peroxide in barley roots under saline stress, *J. Biochem. Mol. Biol.*, 38, 218-224.
- Kirana, C., Jones, G.P., Record, I.R. and McIntosh, G.H. (2007) Anticancer properties of panduratin A isolated from *Boesenbergia pandurata* (Zingiberaceae), *J. Nat. Med.*, 61, 131-137.
- Kiruthika, B. (2010) Antioxidant response evoked by *Zea mays* leaves and its effect on oxidant-induced molecular events in simulated *in vitro* systems, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biochemistry.
- Kohlwein, S.D. and Petschnigg, J. (2007) Lipid-induced cell dysfunction and cell death: lessons from Yeast, *Curr. Hypert. Rep.*, 9, 455-461.
- Komagoe, K., Takeuchi, H. and Katsu, T. (2008) Oxygen electrode as a new tool to evaluate hydroxyl radical-scavenging ability, *Sens. Actuators, B*, 134, 516-520.
- Korolainen, M.A., Nyman, T.A., Nyssönen, P., Hartikainen, E.S. and Pirttilä, T. (2007) Multiplexed proteomics analysis of oxidation and concentrations of cerebrospinal fluid proteins in Alzheimer's disease, *Clin. Chem.*, 53, 657-665.
- Kostova, I. (2005) Synthetic and natural coumarins as cytotoxic agent, *Curr. Med. Chem-Anti. Cancer Agents*, 5, 29-46.
- Krasowska, A. and Sigler, K. (2007) Cell-protective and antioxidant activity of two groups of synthetic amphiphilic compounds – phenolics and amine N-oxides, *Folia Microbiol.*, 52, 585-592.
- Křen, V. and Walterova, D. (2005) Silybin and silymarin – new effects and applications, *Biomed. Papers*, 149, 29-41.
- Ku, C.S. and Mun, S.P. (2008) Stabilization of extracellular matrix by *Pinus radiata* bark extracts with different molecular weight distribution against enzymatic degradation and radicals, *Wood Sci. Technol.*, 42, 427-436.
- Kumar, S., Budhwar, R., Nigam, A. and Priya, S. (2009) Cytoprotection against Cr⁶⁺-induced DNA damage by alpha-lipoic acid: implications in reducing occupational cancer risk, *Mutagenesis*, 24, 495-500.
- Kumar, V., Mukherjee, K., Kumar, S., Mal, M. and Mukherjee, P.K. (2007) Validation of HPTLC method for the analysis of taraxerol in *Clitoria ternatea*, *Phytochem. Anal.*, 19, 244-250.
- Kumaran, A. and Karunakaran, R.J. (2006) Nitric oxide radical scavenging active components from *Phyllanthus emblica* L., *Plant Foods Hum. Nutr.*, 61, 1-5.

- Kundu, S., Sengupta, S., Chatterjee, S., Mitra, S. and Bhattacharyya, A. (2009) Cadmium induces lung inflammation independent of lung cell proliferation: a molecular approach, *J. Inflamm.*, 6, doi:10.1186/1476-9255-6-19.
- Kuo, S.Y., Hsieh, T.J., Wang, Y.D., Lo, W.L., Hsui, Y.R. and Chen, C.Y. (2008) Cytotoxic constituents from the leaves of *Cinnamomum subavenium*, *Chem. Pharm. Bull.*, 56, 97-101.
- Kurian, G.A., Suryanarayanan, S., Raman, A. and Padikkala, J. (2010) Antioxidant effects of ethyl acetate extract of *Desmodium gangeticum* root on myocardial ischemia reperfusion injury in rat hearts, *Chin. Med.*, 5, doi:10.1186/1749-8546-5-3.
- LaBarbera, D.V., Modzelewska, K., Glazar, A.I., Gray, P.D., Kaur, M., Liu, T., Grossman, D., Harper, M.K., Kuwada, S.K., Moghal, N. and Ireland, C.M. (2009) The marine alkaloid naamidine A promotes caspase-dependent apoptosis in tumor cells, *Anti-Cancer Drugs*, 20, 425-436.
- Lavecchia, R. and Zuurro, A. (2008) Improved lycopene extraction from tomato peels using cell-wall degrading enzymes, *Eur. Food Res. Technol.*, 228, 153-158.
- Lavhale, M.S., Kumar, S., Mishra, S.H. and Sitasawad, S.L. (2009) A novel triterpenoid isolated from the root bark of *Ailanthus excelsa* Roxb (Tree of Heaven), AECHL-I as a potential anti-cancer agent, *PLoS ONE*, 4, e5365.
- Lavitschka, R.J., Oliveira, C.R., Mascara, D., Faria, P.A., Bincoletto, C. and Esposito, E. (2007) *In vitro* cytotoxicity and antioxidant activity of *Agaricus subrufescens* extracts, *Afr. J. Biotechnol.*, 6, 1144-1150.
- Lee, S., Chung, J., Ha, I.S., Yi, K., Lee, J.E., Kang, H.G., Choi, I., Oh, K.H., Kim, J.Y., Surh, C.D. and Ahn, C. (2007a) Hydrogen peroxide increases human leukocyte adhesion to porcine aortic endothelial cells via NF κ B-dependent up-regulation of VCAM-1, *Int. Immunol.*, 19, 1349-1359.
- Lee, B.C., Lee, S.Y., Lee, H.J., Kim, J.H., Cho, Y.N., Lee, D.H., Pyo, H.B., Choe, T.B., Yun, Y.P. and Hong, J.T. (2007c) Antioxidative and photoprotective effects of coumarins isolated from *Fraxinus chinensis*, *Arch. Pharm. Res.*, 30, 1293-1301.
- Lee, E., Enomoto, R., Suzuki, C., Ohno, M., Ohashi, T., Miyauchi, A., Tanimoto, E., Maeda, K., Hirano, H., Yokoi, T. and Sugahra, C. (2007b) Wagonin, a plant flavone, potentiates etoposide-induced apoptosis in cancer cells, *Ann. NY Acad. Sci.*, 1095, 521-526.
- Lee, J.H., Son, C.W., Kim, M.Y., Kim, M.H., Kim, H.R., Kwak, E.S., Kim, S. and Kim, M.R. (2009c) Red beet (*Beta vulgaris* L.) leaf supplementation improves antioxidant status in C57BL/6J mice fed high fat high cholesterol diet, *Nutr. Res. Pract.*, 3, 114-121.
- Lee, K.J. and Jeong, H.G. (2007) Protective effects of kahweol and cafestol against hydrogen peroxide-induced oxidative stress and DNA damage, *Toxicol. Lett.*, 173, 80-87.
- Lee, S.H., Nam, B.Y., Kang, B.W., Han, S.H., Li, J.J., Kim, D.H., Kim, S.H., Kwak, S.J., Park, J.T., Chang, T.I., Yoo, T.H., Han, D.S. and Kang, S.W. (2010) Effects of an oral adsorbent on oxidative stress and fibronectin expression in experimental diabetic nephropathy, *Nephrol. Dial. Transplant.*, doi: 10.1093/ndt/gfq063.
- Lee, S.J., Chung, H.Y., Lee, I.K., Oh, S.U. and Yoo, I.D. (2000) Phenolics with inhibitory activity on mouse brain monoamine oxidase (MAO) from whole parts of *Artemisia vulgaris* L (Mugwort), *Food Sci. Biotechnol.*, 9, 179-182.
- Lee, S.P., Mar, G.Y. and Ng, L.T. (2009a) Effects of tocotrienol-rich fraction on exercise endurance capacity and oxidative stress in forced swimming rats, *Eur. J. Appl. Physiol.*, 107, 587-595.
- Lee, Y.M., Gweon, O.C., Seo, Y.J., Im, J., Kang, M.J., Kim, M.J. and Kim, J.I. (2009b) Antioxidant effect of garlic and aged black garlic in animal model of type 2 diabetes mellitus, *Nutr. Res. Pract.*, 3, 156-161.
- Lee, Y.S., Yang, J.H., Bae, M.J., Yoo, W.K., Ye, S., Xue, C.C.L. and Li, C.G. (2008) Anti-oxidant and anti-hypercholesterolemic activities of *Wasabia japonica*, *eCAM*, doi:10.1093/ecam/nen038.
- Lei, X.Y., Yao, X.Q., Zu, X.Y., Huang, Z.X., Liu, L.J., Zhong, M., Zhu, B.Y., Tang, S. and Liao, D.F. (2008) Apoptosis induced by diallyl disulfide in human breast cancer cell line MCF-7, *Acta Pharmacol. Sin.*, 29, 1233-1239.
- Lesiak, K., Koprowska, K., Zalesna, I., Nejc, D., D  chler, M. and Czyz, M. (2008) Parthenolide, a sesquiterpene lactone from the medical herb feverfew, shows anticancer activity against human melanoma cells *in vitro*, *Melanoma Res.*, 20, doi: 10.1097/CMR.0b013e328333bbe4.
- Li, A. P. (2004). *In vitro* approaches to evaluate ADMET drug properties. *Curr. Top. Med. Chem.*, 4, 701-706.
- Li, R.G., Li, T.T., Hao, L., Xu, X. and Na, J. (2009a) Hydrogen peroxide reduces lead-induced oxidative stress to mouse brain and liver, *Bull. Environ. Contam. Toxicol.*, 82, 419-422.
- Li, Y. and Lin, X. (2006) Simultaneous electro analysis of dopamine, ascorbic acid and uric acid by poly (vinyl alcohol) covalently modified glassy carbon electrode, *Sens. Actuators, B*, 115, 134-139.

- Li, Z.F., Wang, Z.D., Ji, Y.Y., Zhang, S., Huang, C., Li, J. and Xia, X.M. (2009b) Induction of apoptosis and cell cycle arrest in human HCC MHCC97H cells with *Chrysanthemum indicum* extract, *World J. Gastroenterol.*, 15, 4538-4546.
- Li, Y., Wang, R., Ma, E., Deng, Y., Wang, X., Xiao, J. and Jing, Y. (2010) The induction of G2/M cell-cycle arrest and apoptosis by cucurbitacin E is associated with increased phosphorylation of eIF2 α in leukemia cells, *Anti-Cancer Drugs*, doi: 10.1097/CAD.0b013e328336b383.
- Li, Y.Q., Yang, S.L., Li, H.R. and Xu, L.Z. (2008) Two new alkaloids from *Capparis himalayensis*, *Chem. Pharm. Bull.*, 56, 189-191.
- Liao, H., Banbury, L.K. and Leach, D.N. (2007) Elucidation of danzhixiaoyao wan and its constituent herbs on antioxidant activity and inhibition of nitric oxide production, *eCAM*, 4, 425-430.
- Lim, S.H., Wu, L., Burgess, K. and Lee, H.B. (2009) New cytotoxic rosamine derivatives selectively accumulate in the mitochondria of cancer cells, *Anti-Cancer Drugs*, 20, 461-468.
- Lin, Y.C., Huang, Y.C., Chen, S.C., Liaw, C.C., Kuo, S.C., Huang, L.J. and Gean, P.W. (2009) Neuroprotective effects of ugonin K on hydrogen peroxide-induced cell death in human neuroblastoma SH-SY5Y cells, *Neurochem. Res.*, 34, 923-930.
- Liolios, C.C., Sotiroidis, G.T. and Chinou, I. (2009) Fatty acids, sterols, phenols and antioxidant activity of *Phoenix theophrasti* fruits growing in Crete, Greece, *Plant Foods Hum. Nutr.*, 64, 52-61.
- Liu, J., Gu, X., Robbins, D., Li, G., Shi, R., McCord, J.M. and Zhao, Y. (2009a) Protandim, a fundamentally new antioxidant approach in chemoprevention using mouse two-stage skin carcinogenesis as a model, *Plos One*, 4, doi: 10.1371/journal.pone.0005284.
- Liu, X., Allen, J.D., Arnold, J.T. and Blackman, M.R. (2008) Lycopene inhibits IGF-I signal transduction and growth in normal prostate epithelial cells by decreasing DHT-modulated IGF-I production in co-cultured reactive stromal cells, *Carcinogenesis*, 29, 816-823.
- Liu, X.H., Zheng, X.F. and Wang, Y.L. (2009b) Inhibitive effect of 3-bromopyruvic acid on human breast cancer MCF-7 cells involves cell cycle arrest and apoptotic induction, *Chinese Medical J.*, 122, 1681-1685.
- Ljubuncic, P., Dakwar, S., Portnaya, I., Cogan, U., Azaizeh, H. and Bomzon, A. (2006) Aqueous extracts of *Teucrium polium* possess remarkable antioxidant activity *in vitro*, *eCAM*, 3, 329-338.
- Loizzo, M.R., Said, A., Tundis, R., Hawas, U.W., Rashed, K., Menichini, F., Frega, N.G. and Menichini, F. (2009) Antioxidant and antiproliferative activity of *Diospyros lotus* L. extract and isolated compounds, *Plant Foods Hum. Nutr.*, 64, 264-270.
- Lopes, F.C.M., Rocha, A., Pirraco, A., Regasini, L.O., Silva, D.H.S., Bolzani, V.S., Azevedo, I., Carlos, I.Z. and Soares, R. (2009) Anti-angiogenic effects of pterogynidine alkaloid isolated from *Alchornea glandulosa*, *BMC Complement. Altern. Med.*, 9, doi:10.1186/1472-6882-9-15.
- Lopez, V., Martin, S., Gomez-Serranillos, M.P., Carretero, M.E., Jager, A.K. and Calvo, M.I. (2009) Neuroprotective and neurological properties of *Melissa officinalis*, *Neurochem. Res.*, 34, 1955-1961.
- Lu, Y.Y., Chen, T.S., Qu, J.L., Pan, W.L., Sun, L. and Wei, X.B. (2009) Dihydroartemisinin (DHA) induces caspase-3-dependent apoptosis in human lung adenocarcinoma ASTC-a-1 cells, *J. Biomed. Sci.*, 16, doi:10.1186/1423-0127-16-16.
- Lubos, E., Handy, D.E. and Loscalzo, J. (2009) Role of oxidative stress and nitric oxide in atherothrombosis, *Front Biosci.*, 13, 5323-5344.
- Luck, H. (1974) In: methods in enzymatic analysis, II Edn., Bergmeyer Academic Press, New York, P. 805.
- Lukandu, O.M., Costea, D.E., Neppelberg, E., Johannessen, A.C. and Vintermyr, O.K. (2008) Khat (*Catha edulis*) induces reactive oxygen species and apoptosis in normal human oral keratinocytes and fibroblasts, *Toxicol. Sci.*, 103, 311-324.
- Ma, S., Gao, J., Li, Z. and Zhou, J. (2010) Spectrofluorometric determination of superoxide anion radicals and superoxide dismutase activity using a 2-(2-thienyl)benzothiazoline probe, *Anal. Lett.*, 43, 280-288.
- Madsen-Bouterse, S.A. and Kowluru, R.A. (2008) Oxidative stress and diabetic retinopathy: pathophysiological mechanisms and treatment perspectives, *Rev. Endocr. Metab. Disord.*, 9, 315-327.
- Magesh, V., Singh, J.P.V., Selvendiran, K., Ekambaram, G. and Sakthisekaran, D. (2006) Antitumour activity of crocetin in accordance to tumor incidence, antioxidant status, drug metabolizing enzymes and histopathological studies, *Mol. Cell. Biochem.*, 287, 127-135.
- Mahesh, R., Nagulendran, K.R., Velavan, S., Ramesh, T. and Begum, V.H. (2007a) Studies on the antioxidative and free radical scavenging activities of myrobalan (*Terminalia chebula* Retz) through various *in vitro* models, *Pharm. online*, 2, 1-11.

- Mahesh, R., Ramesh, T., Nagulendran, K.R., Velavan, S. and Begum, V.H. (2007b) Effect of *Terminalia chebula* on monoamine oxidase and antioxidant enzyme activities in aged rat brain. *Phcog. Mag.*, 3, 241-245.
- Mahjoub, M.A., Ammar, S., Edziri, H., Mighri, N., Bouraoui, A. and Mighri, Z. (2009) Anti-inflammatory and antioxidant activities of some extracts and pure natural products isolated from *Rhus tripartitum* (Ucria), *Med. Chem. Res.*, doi:10.1007/s00044-009-9190-z.
- Maiga, A., Malterud, K.E., Mathisen, G.H., Paulsen, R.E., Thomas-Oates, J., Bergström, E., Reubsact, L., Diallo, D. and Paulsen, B.S. (2007) Cell protective antioxidant from the root bark of *Lannea velutina* A. Rich. a Malian medicinal plant, *J. Med. Plants Res.*, 1, 66-79.
- Mallick, C.P. and Singh, M.B. (1980) *Plant enzymology and plant histoenzymology*, Kalyani Publishers, New Delhi, P. 286.
- Mandal, S., Hazra, B., Sarkar, R., Biswas, S. and Mandal, N. (2009) Assessment of the antioxidant and reactive oxygen species scavenging activity of methanolic extract of *Caesalpinia crista* Leaf, *eCAM*, doi:10.1093/ecam/nep072.
- Mangialasche, F., Polidori, M.C., Monastero, R., Ercolani, S., Camarda, C., Cecchetti, R. and Mecocci, P. (2009) Biomarkers of oxidative and nitrosative damage in Alzheimer's disease and mild cognitive impairment, *Ageing Res. Rev.*, 8, 285-305.
- Manikandan, P., Anandan, R. and Nagini, S. (2009) Evaluation of *Azadirachta indica* leaf fractions for *in vitro* antioxidant potential and protective effects against H₂O₂-induced oxidative damage to pBR322 DNA and red blood cells, *J. Agric. Food Chem.*, 57, 6990-6996.
- Manna, P., Sinha, M. and Sil, P.C. (2006) Aqueous extract of *Terminalia arjuna* prevents carbon tetrachloride-induced hepatic and renal disorders, *BMC Complement. Altern. Med.*, 6, doi:10.1186/1472-6882-6-33.
- Manna, P., Sinha, M. and Sil, P.C. (2007) A 43 kD protein isolated from the herb *Cajanus indicus* L. attenuates sodium fluoride-induced hepatic and renal disorders *in vivo*, *J. Biochem. Mol. Bio.*, 40, 382-395.
- Mao, L.C., Pan, X., Que, F. and Fang, X.H. (2006) Antioxidant properties of water and ethanol extracts from hot air-dried and freeze-dried daylily flowers, *Eur. Food. Res. Technol.*, 222, 236-241.
- Marchal, J.A., Nunez, M.C., Suarez, I., Diaz-Gavilan, M., Gomez-Vidal, J.A., Boulaiz, H., Rodriguez-Serrano, F., Gallo, M.A., Espinosa, A., Aranega, A. and Campos, J.M. (2007) A synthetic uracil derivative with antitumor activity through decreasing cyclin D1 and Cdk1, and increasing p21 and p27 in MCF-7 cells, *Breast Cancer Res. Treat.*, 105, 237-246.
- Mariappan, N., Elks, C.M., Sriramula, S., Guggilam, A., Liu, Z., Borkhsenius, O. and Francis, J. (2010) NF-κB-induced oxidative stress contributes to mitochondrial and cardiac dysfunction in type II diabetes, *Cardiovas. Res.*, 85, 473-483.
- Martel-Frchet, V., Areguián, J., Blanc, M., Touquet, B., Lamarc, A., Ronot, X. and Boumendjel, A. (2009) Investigation of a new 1,3-diarylpropenone as a potential antimetabolic agent targeting bladder carcinoma, *Anti-Cancer Drugs*, 20, 469-476.
- Martinez-Rocha, A., Puga, R., Hernandez-Sandoval, L., Loarca-Pina, G. and Mendoza, S. (2008) Antioxidant and antimutagenic activities of Mexican oregano (*Lippia graveolens* Kunth), *Plant Foods Hum. Nutr.*, 63, 1-5.
- Matamoros, M.A., Loscos, J., Dietz, K.J., Aparicio-Tejo, P.M. and Becana, M. (2010) Function of antioxidant enzymes and metabolites during maturation of pea fruits, *J. Exp. Bot.*, 61, 87-97.
- Matanjun, P., Mohamed, S., Mustapha, N.M., Muhammad, K. and Ming, C.H. (2008) Antioxidant activities and phenolics content of eight species of seaweeds from north Borneo, *J. Appl. Phycol.*, 20, 367-373.
- Matkowski, A., Tasarz, P. and Szypula, E. (2008) Antioxidant activity of herbal extracts from five medicinal plants from *Lamiaceae*, subfamily *Lamioideae*, *J. Med. Plants Res.*, 2, 321-330.
- Maynard, S., Schurman, S.H., Harboe, C., de Souza-Pinto, N.C. and Bohr, V.A. (2009) Base excision repair of oxidative DNA damage and association with cancer and aging, *Carcinogenesis*, 30, 2-10.
- McAtee, B.L. and Yager, J.D. (2010) Manganese superoxide dismutase: effect of the ala16val polymorphism on protein, activity, and mRNA levels in human breast cancer cell lines and stably transfected mouse embryonic fibroblasts, *Mol. Cell Biochem.*, 335, 107-118.
- McVicker, B.L., Tuma, P.L., Kharbanda, K.K., Lee, S.M.L. and Tuma, D.J. (2009) Relationship between oxidative stress and hepatic glutathione levels in ethanol-mediated apoptosis of polarized hepatic cells, *World J. Gastroenterol.*, 15, 2609-2616.
- Meena, M.C. and Patni, V. (2008) Isolation and identification of flavonoid "Quercetin" from *Citrullus colocynthis* (Linn) Schrad., *Asian J. Exp. Sci.*, 22, 137-142.
- Meena, M.K., Gaur, K., Kori, M.L., Sharma, C.S., Nema, R.K., Jain, A.K. and Jain, C.P. (2009) *In-vitro* antioxidant properties of leaves of *Cassia grandis* Linn., *Asian J. Pharm. Clin. Res.*, 2, 46-49.

- Mensor, L.L., Menezes, F.S., Leitaes, G.C., Resi, A.S., Dossantos, T.C., Coube, C.S. and Leitaes, G. (2001) Screening of Brazilian plant extract for antioxidant activity by the use of DPPH free radical method, *Phytother. Res.*, 15, 127-130.
- Mercille, S. and Massie, B. (1994) Induction of apoptosis in nutrient-deprived cultures of hybridoma and myeloma cells, *Biotech. Bioengin.*, 44, 1140-1154.
- Merino, D. and Bouillet, P. (2009) The Bcl-2 family in autoimmune and degenerative disorders, *Apoptosis*, 14, 570-583.
- Messner, M.C., Albert, C.J., Hsu, F.F. and Ford, D.A. (2006) Selective plasmalogen oxidation by hypochlorous acid: formation of lysophosphatidyl choline chlorohydrins, *Chem. Phys. Lipids*, 144, 34-44.
- Metelitz, D.I. and Karasyova, E.I. (2007) Initiation and inhibition of free-radical processes in biochemical peroxide systems: a review, *Appl. Biochem. Microbiol.*, 43, 481-505.
- Michalowicz, J., Urbanek, H., Bukowska, B. and Duda, W. (2010) Chloroguaiacols change some antioxidative parameters and affect the activity of glutathione S-transferase in the leaves of reed canary grass (*Phalaris arundinacea*), *Water Air Soil Pollut.*, 207, 19-28.
- Miranda, D.D.C., Arçari, D.P., Jr, J.P., Carvalho, P.D.O., Cerutti, S.M., Bastos, D.H.M. and Ribeiro, M.L. (2008) Protective effects of mate tea (*Ilex paraguariensis*) on H₂O₂-induced DNA damage and DNA repair in mice, *Mutagenesis*, 23, 261-265.
- Mishra, P., Kar, A. and Kale, R.K. (2009) Prevention of chemically induced mammary tumorigenesis by daidzein in pre-pubertal rats: the role of peroxidative damage and antioxidative enzymes, *Mol. Cell Biochem.*, 325, 149-157.
- Misra, D.S., Maiti, R., Bera, S., Das, K. and Ghosh, D. (2005) Protective effect of composite extract of *W. somnifera*, *Ocimum sanctum* and *Zingiber officinale* on swimming-induced reproductive endocrine dysfunction in male rat, *Iranian J. Pharmacol. Therapeutics*, 4, 110-117.
- Mitroka, S., Zimneck, S., Troya, D. and Tanko, J.M. (2009) How solvent modulates hydroxyl radical reactivity in hydrogen atom abstractions, *J. Am. Chem. Soc.*, 132, 2907-2913.
- Moldzio, R., Radad, K., Krewenka, C., Kranner, B., Duvigneau, J.C., Wang, Y. and Rausch, W.D. (2010) Effects of epigallocatechin gallate on rotenone-injured murine brain cultures, *J. Neural Transm.*, 117, 5-12.
- Moron, M.S., Depierre, J.N. and Mannervik, V.C. (1979) Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver, *Biochem. Biophys. Acta.*, 582, 67-68.
- Morrison, B.W., Doudican, N.A., Patel, K.R. and Orlow, S.J. (2010) Disulfiram induces copper-dependent stimulation of reactive oxygen species and activation of the extrinsic apoptotic pathway in melanoma, *Melanoma Res.*, 20, 11-20.
- Morrissey, C., Gallis, B., Solazzi, J.W., Kim, B.J., Gulati, R., Vakar-Lopez, F., Goodlett, D.R., Vessella, R.L. and Sasaki, T. (2010) Effect of artemisinin derivatives on apoptosis and cell cycle in prostate cancer cells, *Anti-Cancer Drugs*, doi: 10.1097/CAD.0b013e328336f57b.
- Moselhy, S.S. and Ali, H.K.H. (2009) Hepatoprotective effect of Cinnamon extracts against carbon tetrachloride induced oxidative stress and liver injury in rats, *Biol. Res.*, 42, 93-98.
- Mothana, R.A.A., Abdo, S.A.A., Hasson, S., Alhawab, F.M.N., Alaghbari, S.A.Z. and Lindequist, U. (2008) Antimicrobial, antioxidant and cytotoxic activities and phytochemical screening of some Yemeni medicinal plants, *eCAM*, doi: 10.1093/ecam/nen004.
- Moura, D.J., Richter, M.F., Boeira, J.M., Henriques, J.A.P. and Saffi, J. (2007) Antioxidant properties of β -carboline alkaloids are related to their antimutagenic and antigenotoxic activities, *Mutagenesis*, 22, 293-302.
- Mozdarani, H. and Asghari, F. (2010) Potent reducing effects of vitamin D3 on the frequency of apoptosis induced by arsenic trioxide in NB4 cell line, *Arch. Iran Med.*, 13, 26-33.
- Mruthunjaya, K. and Hukkeri, V.I. (2008) *In vitro* antioxidant and free radical scavenging potential of *Parkinsonia aculeata* Linn., *Phcog. Mag.*, 4, 42-51.
- Muanda, F., Koné, D., Dicko, A., Soulimani, R. and Younos, C. (2009) Phytochemical composition and antioxidant capacity of three Malian medicinal plant parts, *eCAM*, doi:10.1093/ecam/nep109.
- Muller, F.L., Lustgarter, M.S., Jang, Y., Richardson, A. and Rammes, H. (2007) Trends in oxidative aging theories, *Free Rad. Biol. Med.*, 43, 477-503.
- Murphy, G., Caplice, N. and Molloy, M. (2008) Fractalkine in rheumatoid arthritis: a review to date, *Rheumatology (Oxford)*, 47, 1446-1451.

- Murthy, K.N., Rajesha, J., Swamy, M.M. and Ravishankar, G.A. (2005) Comparative evaluation of hepatoprotective activity of carotenoids of microalgae, *J. Med. Food*, 8, 523-538.
- Mustacich, D.J., Leonard, S.W., Patel, N.K. and Traber, M.G. (2010) α -tocopherol β -oxidation localized rat liver mitochondria, *Free Rad. Bio. Med.*, 48, 73-81.
- Nacitarhan, C., Bayram, Z., Eksert, B., Usta, C., Golbasi, I. and Ozdem, S.S. (2007) The effect of hydrogen peroxide in human internal thoracic arteries: role of potassium channels, nitric oxide and cyclooxygenase products, *Cardiovasc. Drugs Ther.*, 21, 257-262.
- Nagendraprabhu, P. and Sudhandiran, G. (2009) Astaxanthin inhibits tumor invasion by decreasing extracellular matrix production and induces apoptosis in experimental rat colon carcinogenesis by modulating the expressions of ERK-2, NFkB and COX-2, *Invest New Drugs*, doi: 10.1007/s10637-009-9342-5.
- Naidu, M.M., Sulochanamma, G., Sampathu, S.R. and Srinivas, P. (2008) Studies on extraction and antioxidant potentials of green coffee, *Food Chem.*, 107, 377-384.
- Nanjundaiah, S.M., Annaiah, H.N.M. and Dharmesh, S.M. (2009) Gastroprotective effect of ginger rhizome (*Zingiber officinale*) extract: role of gallic acid and cinnamic acid in H^+ , K^+ -ATPase/*H. pylori* inhibition and anti-oxidative mechanism, *eCAM*, doi:10.1093/ecam/nep060.
- Ndhlala, A.R., Mupure, C.H., Chitindingu, K., Benhura, M.A.N. and Muchuweti, M. (2006) Antioxidant potential and degrees of polymerization of six wild fruits, *Sci. Res. Essay*, 1, 087-092.
- Nguemfo, E.L., Dimo, T., Dongmo, A.B., Azebaze, A.G.B., Alaoui, K., Asongale, A.E., Cherrah, Y. and Kamtchouing, P. (2009) Anti-oxidative and anti-inflammatory activities of some isolated constituents from the stem bark of *Allanblackia monticola* Staner L.C (*Guttiferae*), *Inflammopharmacology*, 17, 37-41.
- Niki, E. (2009) Lipid peroxidation: physiological levels and dual biological effects, *Free Rad. Biol. Med.*, 47, 469-484.
- Nikolova, M. and Dzurmanski, A. (2009) Evaluation of free radical scavenging capacity of extracts from cultivated plants, *Biotechnol. and Biotechnol. EQ. 23/2009/SE, XI Anniversary Scientific Conference*, Pp. 109-111.
- Nikolova, M., Gevrenova, R. and Ivancheva, S. (2004) High-performance liquid chromatographic separation of surface flavonoid aglycones in *Artemisia annua* L. and *Artemisia vulgaris* L. *J. Serb. Chem. Soc.*, 69, 571-574.
- Nirmaladevi, R. and Padma, P.R. (2008) A study on the antioxidant potential of three under-exploited plants of medicinal value, *Plant Archives*, 8, 339-341.
- Nobushi, Y. and Uchikura, K. (2010) Selective detection of hydroxyl radical scavenging capacity based on electrogenerated chemiluminescence detection using tris (2,2'- bipyridine) ruthenium (III) by flow injection analysis, *Chem. Pharm. Bull.*, 58, 117-120.
- Noyan, S., Cavusoglu, I. and Minbay, F.Z. (2006) The effect of Vitamin A on CCl_4 induced hepatic injuries in rats: A histochemical, immuno-histochemical and ultrastructural study, *Acta Histochem.*, 107, 421-434.
- Obame, L.C., Koudou, J., Kumulungui, B.S., Bassole, I.H.N., Edou, P., Ouattara, A.S. and Traore, A.S. (2007) Antioxidant and antimicrobial activities of *Canarium schweinfurthii* Engl. essential oil from Centrafrican Republic, *Afr. J. Biotechnol.*, 6, 2319-2323.
- Ogasawara, Y., Namai, T., Yoshino, F., Lee, M.C. and Ishii, K. (2007) Sialic acid is an essential moiety of mucin as a hydroxyl radical scavenger, *FEBS Lett*, 581, 2473-2477.
- Okhawa, H., Ohishi, N. and Yagi, K. (1979) Assay of lipid peroxides in animal tissues by thiobarbituric acid reaction, *Anal. Biochem.*, 95, 351-355.
- Oshima, T., Cao, X., Grande, F., Yamada, R., Garofalo, A., Louie, S. and Neamati, N. (2009) Combination effects of SC144 and cytotoxic anticancer agents, *Anti-Cancer Drugs*, 20, 312-320.
- Özcan, C., Tamer, L., Ates, N.A. and Görür, K. (2010) The glutathione-S-transferase gene polymorphisms (Gstt1, Gstm1, and Gstp1) in patients with non-allergic nasal polyposis, *Eur. Arch. Otorhinolaryngol.*, 267, 227-232.
- Ozgocmen, S., Kaya, H., Fadillioglu, E., Aydogan, R. and Yilmaz, Z. (2007) Role of antioxidant systems, lipid peroxidation and nitric oxide in postmenopausal osteoporosis, *Mol. Cell. Biochem.*, 295, 45-52.
- Padma, P.R. and Anitha, R. (2005) Effect of heat on the antioxidant status of the green leafy vegetables, *The Ind. J. Nutr. Dietet.*, 42, 248-258.
- Pajak, B., Turowska, A., Orzechowski, A. and Gajkowska, B. (2008) Bisindolylmaleimide IX facilitates extrinsic and initiates intrinsic apoptosis in TNF- α -resistant human colon adenocarcinoma COLO 205 cells, *Apoptosis*, 13, 509-522.

- Pallardó, F.V., Lloret, A., Lebel, M., d'Ischia, M., Cogger, V.C., Le Couteur, D.G., Gadaleta, M.N., Castello, G. and Pagano, G. (2010) Mitochondrial dysfunction in some oxidative stress-related genetic diseases: Ataxia-Telangiectasia, Down Syndrome, Fanconi Anaemia and Werner Syndrome, *Biogerontol.*, doi: 10.1007/s10522-010-9269-4.
- Pandey, K.B. and Rizvi, S.I. (2010) Protection of protein carbonyl formation by quercetin in erythrocytes subjected to oxidative stress, *Med. Chem. Res.*, 19, 186-192.
- Panghal, M., Arya, V., Yadav, S., Kumar, S. and Yadav, J.P. (2010) Indigenous knowledge of medicinal plants used by Saperas community of Khetawas, Jhajjar District, Haryana, India, *J. Ethnobiol. Ethnomed.* 6, doi:10.1186/1746-4269-6-4.
- Park, H.R., Park, E., Rim, A.R., Jeon, K.I., Hwang, J.H. and Lee, S.C. (2006) Antioxidant activity of extracts from *Acanthopanax senticosus*, *Afri. J. Biotechnol.*, 5, 2388-2396.
- Park, J.H., Park, Y.K. and Park, E. (2009) Antioxidative and antigenotoxic effects of garlic (*Allium sativum* L.) prepared by different processing methods, *Plant Foods Hum. Nutr.*, 64, 244-249.
- Passardi, F., Bakalovic, N., Teixeira, F.K., Margis-Pinheiro, M., Penel, C. and Dunand, C. (2007) Prokaryotic origins of the non-animal peroxidase superfamily and organelle-mediated transmission to eukaryotes, *Genomics*, 89, 567-579.
- Patel, J.D. and Kumar, V. (2008) *Annona squamosa* L. phytochemical analysis and antimicrobial screening, *J. Pharmacy Research*, 1, 34-38.
- Pauwels, E.K., Erba, P.A. and Kostkiewicz, M. (2007) Antioxidants: a tale of two stories, *Drug News Perspect.*, 20, 579-585.
- Penolazzi, L., Lampronti, I., Borgatti, M., Khan, M.T.H., Zennaro, M., Piva, R. and Gambari, R. (2008) Induction of apoptosis of human primary osteoclasts treated with extracts from the medicinal plant *Emblia officinalis*, *BMC Complement. Altern. Med.*, 8, doi:10.1186/1472-6882-8-59.
- Pérez, V.I., Bokov, A., Remmen, H.V., Mele, J., Ran, Q., Ikeno, Y. and Richardson, A. (2009) Is the oxidative stress theory of aging dead? *Biochim. et Biophys. Acta. Gene Subj.*, 1790, 1005-1014.
- Perumalsamy, R. and Gopalakrishnakone, P. (2008) Therapeutic potential of plants as antimicrobials for drug discovery, *eCAM*, doi: 10.1093/ecam/nen036.
- Perumalamy, R., Pushparaj, P.N. and Gopalakrishnakone, P. (2008) A compilation of bioactive compounds from ayurveda, *Bioinfo.*, 3, 100-110.
- Piao, X.L., Piao, X.S., Kim, S.W., Park, J.H., Kim, H.Y. and Cai, S.Q. (2006) Identification and characterization of antioxidants from *Sophora flajescens*, *Biol. Pharm. Bull.*, 29, 1911-1915.
- Pizarro, J.G., Folch, J., De la Torre, A.V., Verdaguer, E., Junyent, F., Jordán, J., Pallàs, M. and Camins, A. (2009) Oxidative stress-induced DNA damage and cell cycle regulation in B65 dopaminergic cell line, *Free Rad. Res.*, 43, 985-994.
- Prakash, D., Suri, S., Upadhyay, G. and Singh, B.N. (2007) Total phenol, antioxidant and free radical scavenging activities of some medicinal plants, *Int. J. Food Sci. Nutri.*, 58, 18-28.
- Prakash, T., Fadadu, S.D., Sharma, U.R., Surendra, V., Goli, D., Stamina, P. and Kotresha, D. (2008) Hepatoprotective activity of leaves of *Rhododendron arboretum* in CCl₄ induced hepatotoxicity in rats, *J. Med. Plants Res.*, 2, 315-320.
- Prasad, S., Kalra, N., Singh, M. and Shukla, Y. (2008) Protective effects of lupeol and mango extract against androgen induced oxidative stress in Swiss albino mice, *Asian J. Androl.*, 10, 313-318.
- Pratico, D. (2008) Oxidative stress hypothesis in Alzheimer's disease: a reappraisal, *Trends Pharmacol. Sci.*, 29, 609-615.
- Prawan, A., Buranrat, B., Kukongviriyapan, U., Sripa, B. and Kukongviriyapan, V. (2009) Inflammatory cytokines suppress NAD(P)H:quinone oxidoreductase-I and induce oxidative stress in cholangiocarcinoma cells, *J. Cancer Res. Clin. Oncol.*, 135, 515-522.
- Priya, S.E. and Venkataraman, S. (2010) Pharmacognostical and phytochemical studies of *Strychnos potatorum* Linn seeds, *Phcog. J.*, 2, 190-197.
- Priya, T.T., Sabu, M.C. and Jolly, C.I. (2008) Free radical scavenging and anti-inflammatory properties of *Lagerstroemia speciosa* (L), *Inflammopharmacology*, 16, 182-187.
- Qiang, H., Wang, K.Z., Zhang, C., Shi, Z.B. and Fan, L.H. (2010) *Panax notoginseng* saponins protect rabbit bone marrow stromal cells from hydrogen peroxide-induced apoptosis, *J. Chinese Integr. Med.*, 8, 131-137.
- Quan, L.J., Zhang, B., Shi, W.W. and Li, H.Y. (2008) Hydrogen peroxide in plants: a versatile molecule of the reactive oxygen species network, *J. Integr. Plant Biol.*, 50, 2-18.

- Queval, G., Hager, J., Gakiere, B. and Noctor, G. (2008) Why are literature data for H₂O₂ contents so variable? A discussion of potential difficulties in the quantitative assay of leaf extracts, *J. Exp. Bot.*, 59, 135-146.
- Ragasa, C.Y., de Jesus, J.P., Apuada, M.J. and Rideout, J.A. (2008) A new sesquiterpene from *Artemisia vulgaris*, *J. Nat. Med.*, 62, 461-463.
- Raja, B. and Pugalendi, K.V. (2009) Evaluation of antioxidant activity of *Melothria maderaspatana* *in vitro*, *Cent. Eur. J. Biol.*, doi: 10.2478/s11535-010-0005-5.
- Rajasankar, S., Manivasagam, T. and Surendran, S. (2009) Ashwagandha leaf extract: a potential agent in treating oxidative damage and physiological abnormalities seen in a mouse model of Parkinson's disease. *Neurosci. Lett.*, 454, 11-15.
- Ramanouskaya, T.V., Smolnykova, V.V. and Grinev, V.V. (2009) Relationship between structure and antiproliferative, proapoptotic, and differentiation effects of flavonoids on chronic myeloid leukemia cells, *Anti-Cancer Drugs*, 20, 573-583.
- Ramprasath, V.R., Kumar, B.S., Shanthi, P. and Sachdanandam, P. (2006) Therapeutic efficacy of kalpaamruthaa on lipid peroxidation and antioxidant status in experimental mammary carcinoma in rats, *J. Health Science*, 52, 748-757.
- Ranawat, P. and Bansal, M.P. (2008) Decreased glutathione levels potentiate the apoptotic efficacy of selenium: possible involvement of p38 and JNK MAPKs-*in vitro* studies, *Mol. Cell Biochem.*, 309, 21-32.
- Ranjbar, A., Khorami, S., Safarabadi, M., Shahmoradi, A., Malekirad, A.A., Vakilian, K., Mandegary, A. and Abdollahi, M. (2006) Antioxidant activity of Iranian *Echium amoenum* fisch & C.A. mey flower decoction in humans: a cross-sectional before/after clinical trial, *eCAM*, 3, 469-473.
- Rao, A.S.V.C., Reddy, S.G., Babu, P.P. and Reddy, A.R. (2010) The antioxidant and antiproliferative activities of methanolic extracts from Njavara rice bran, *BMC Complement. Altern. Med.*, 10, doi:10.1186/1472-6882-10-4.
- Rashmi, R., Santhosh Kumar, T.R. and Karunakaran, D. (2003) Human colon cancer cells differ in their sensitivity to curcumin-induced apoptosis and heat shock protects them by inhibiting the release of apoptosis-inducing caspases, *FEBS Lett*, 538, 19-24.
- Rasineni, G.K., Siddavattam, D. and Reddy, A.R. (2008) Free radical quenching activity and polyphenols in three species of *Coleus*, *J. Med. Plant Res.*, 2, 285-291.
- Ratheesh, M., Shyni, G. L., Sindhu, G. and Helen, A. (2010) Protective effects of isolated polyphenolic and alkaloid fractions of *Ruta graveolens* L. on acute and chronic models of inflammation, *Inflammation*, 33, doi: 10.1007/s10753-009-9154-y.
- Razavi, S.M., Zahri, S., Zarrini, G., Nazemiyeh, H. and Mohammadi, S. (2009) Biological activity of quercetin-3-o-glucoside, a known plant flavonoid, *Russ. J. Bioorganic Chem.*, 35, 376-378.
- Reddivari, L., Hale, A.L. and Jr, J.C.K. (2007) Determination of phenolic content, composition and their contribution to antioxidant activity in specialty potato selections, *Amer. J. Potato Res.*, 84, 275-282.
- Reddy, K.P., Subhani, S.M., Khan, P.A. and Kumar, K.B. (1995) Effect of light and benzyladenine on dark treated graving rice (*Oryza sativa*) leaves - changes in peroxidase activity, *Plant Cell Physiol.*, 26, 987-994.
- Ren, H., Gu, Q., Cui C. and Zhu W. (2006) The cytotoxic constituents from marine-derived *Streptomyces* 3320, *J. Ocean Uni. China*, 5, 75-81.
- Réti, A., Pap, E., Adleff, V., Jeney, A., Kralovánszky, J. and Budai, B. (2009) Enhanced 5-fluorouracil cytotoxicity in high cyclooxygenase-2 expressing colorectal cancer cells and xenografts induced by non-steroidal anti-inflammatory drugs via downregulation of dihydropyrimidine dehydrogenase, *Cancer Chemother. Pharmacol.*, doi 10.1007/s00280-009-1149-8
- Rodríguez, J.A., Nespereira, B., Pérez-Illarbe, M., Eguinoa, E. and Páramo, J.A. (2005) Vitamin C and E prevent endothelial VEGF and VEGFR-2 overexpression induced by porcine hypercholesterolemic LDL, *Cardiovas. Res.*, 65, 665-673.
- Roe, J.H. and Keuther, C.A. (1943) The determination of ascorbic acid in whole blood and urine through 2,4-dinitrophenylhydrazine derivative dehydro ascorbic acid, *J. Biol. Chem.*, 147, 399-407.
- Roehrs, R., Freitas, D.R.J., Masuda, A., Henriques, J.A.P., Guecheva, T.N., Ramos and A.L.L.P., Saffi, J. (2010) Effect of vitamin A treatment on superoxide dismutase-deficient yeast strains, *Arch. Microbiol.*, 192, 221-228.
- Roginsky, V. and Lissi, E.A. (2005) Review of methods to determine chain-breaking antioxidant activity in food, *Food Chem.*, 92, 235-254.
- Roginsky, V.A., Tashlitsky, V.N. and Skulachev, V.P. (2009) Chain-breaking antioxidant activity of reduced forms of mitochondria-targeted quinones, a novel type of geroprotectors, *Aging (Albany NY)*, 1, 481-489.

- Rosenberg, H.R. (1992) Chemistry and physiology of the vitamins, Interscience Publisher, New York, P. 452-453.
- Rout, J.R., Kanungo, S., Das, R. and Sahoo, S.L. (2010) *In vivo* protein profiling and catalase activity of *Plumbago zeylanica* L., Nat. Sci., 8, 87-90.
- Roy, S., Rao, K., Bhuvanewari, Ch., Giri, A. and Mangamoori, L.N. (2010) Phytochemical analysis of *Andrographis paniculata* extract and its antimicrobial activity, World J. Microbiol. Biotechnol., 26, doi: 10.1007/s11274-009-0146-8.
- Ruch, R.J., Cheng, S. and Klaunig, J.E. (1989) Prevention of cytotoxicity and inhibition of intracellular communication by antioxidant catechins isolated from Chinese green tea, Carcinogenesis, 10, 1003-1008.
- Ruder, E.H., Hartman, T.J., Blumberg, J. and Goldman, M.B. (2008) Oxidative stress and antioxidants: exposure and impact on female fertility, Hum. Reprod. Update, 14, 345-357.
- Saadat, I., Sedaghat, Z., Afhami, M., Bahaoddini, A. and Saadat, M. (2010) Effect of a 50-Hz electromagnetic field on the gene expression of glutathione S-transferase T1 (Gstt1) in the testis and liver of male rats, Comp. Clin. Pathol., 19, 211-214.
- Sachindra, N.M., Airanthi, M.K.W.A., Hosokawa, M. and Miyashita, K. (2010) Radical scavenging and singlet oxygen quenching activity of extracts from Indian seaweeds, J. Food Sci. Technol., 47, 94-99.
- Saha, M.R., Hasan, S.M.R., Akter, R., Hossain, M.M., Alam, M.S., Alam, M.A. and Mazumder, M.E.H. (2008) *In vitro* free radical scavenging activity of methanol extract of the leaves of *Mimusops elengi* Linn., Bangl. J. Vet. Med., 6, 197-202.
- Salimi, A., Noorbakhsh, A. and Ghadermarzi, M. (2007) Amperometric detection of nitrite, iodate and periodate at glassy carbon electrode modified with catalase and multi-wall carbon nanotubes, Sens. Actuators, B, 123, 530-537.
- Samarth, R.M., Panwar, M., Kumar, M. and Kumar, A. (2006) Protective effects of *Mentha piperita* Linn on benzo[a]pyrene-induced lung carcinogenicity and mutagenicity in Swiss albino mice, Mutagenesis, 21, 61-66.
- Sampaio, A.R.D., Chagas, C.E.A., Ong, T.P. and Moreno, F.S. (2007) Vitamin A and β -carotene inhibitory effect during 1,2-dimethylhydrazine induced hepatocarcinogenesis potentiated by 5-azacytidine, Food Chem. Toxicol., 45, 563-567.
- Sanders, E.J., Varedi, M. and French, A.S. (2001) Cell proliferation in the gastrulating chick embryo: a study using Brd U incorporation and PCNA localization, Development, 128, 389-399.
- Saraswathi, V. (2006) Antioxidant responses evoked by *Piper betel* and its effect on oxidant-induced molecular events in simulated *in vitro* systems, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biochemistry.
- Saravanan, R. and Pugalendi, V. (2006) Impact of ursolic acid on chronic ethanol-induced oxidative stress in the rat heart, Pharmacol. Reports, 58, 41-47.
- Sarker, K.P., Obara, S., Nakata, M., Kitajima, I. and Maruyama, I. (2000) Anandamide induces apoptosis of PC-2 cells: involvement of superoxide and caspases-3, FEBS Lett., 472, 39-44.
- Sathya, A., Ramasubramaniraja, R. and Brindha, P. (2010) Pharmacognostical, phytochemical and GC-MS investigation of successive extracts of *Gymnema sylvestre* R. Br., J. Pharmacy Research, 3, 984-987.
- Sawa, T. and Ohshima, H. (2006) Nitritative DNA damage in inflammation and its possible role in carcinogenesis, Nitric Oxide, 14, 91-100.
- Schirmacher, G., Skurk, T., Hauner, H. and Grabmann, J. (2009) Effect of *Spinacia oleracea* L. and *Perilla frutescens* L. on antioxidants and lipid peroxidation in an intervention study in healthy individuals, Plant Foods Hum. Nutr., doi 10.1007/s11130-009-0152-x.
- Seal, C.E., Zammit, R., Scott, P., Flowers, T.J. and Kranner, I. (2010) Glutathione half-cell reduction potential and α -tocopherol as viability markers during the prolonged storage of *Suaeda maritima* seeds, Seed Sci. Res., 20, 47-53.
- Selvi, S., Devi, P.U., Suja, S., Murugan, S. and Chinnaswamy, R. (2007) Comparison of non-enzymic antioxidant status of fresh and dried form of *Pleurotus florida* and *Calocybe indica*, Pak. J. Nutri., 6, 468-471.
- Sen, P., Chakraborty, P.K. and Raha, S. (2005) p38 mitogen-activated protein kinase (p38MAPK) upregulates catalase levels in response to low dose H₂O₂ treatment through enhancement of mRNA stability, FEBS Lett., 579, 4402-4406.
- Sengul, M., Yildiz, H., Gungor, N., Cetin, B., Eser, Z. and Ercisli, S. (2009) Total phenolic content, antioxidant and antimicrobial activities of some medicinal plants, Pak. J. Pharm. Sci., 22, 102-106.
- Serafim, T.L., Oliveira, P.J., Sardao, V.A., Perkins, E., Parke, D. and Holy, J. (2008) Different concentrations of berberine result in distinct cellular localization patterns and cell cycle effects in a melanoma cell line, Cancer Chemother. Pharmacol., 61, 1007-1018.

- Sethi, R., Rehman, N.S., Jindal, K., Dhalla, K.S., Elimban, V. and Dhalla, N.S. (2009) Antiarrhythmic effects of some antioxidant vitamins in rats injected with epinephrine, *Cardiovasc. Toxicol.*, 9, 177-184.
- Seufi, A.M., Ibrahim, S.S., Elmaghraby, T.K. and Hafez, E.E. (2009) Preventive effect of flavonoid, quercetin, on hepatic cancer in rats via oxidant/antioxidant activity: molecular and histological evidences, *J. Exp. Clin. Cancer Res.*, 28, doi: 10.1186/1756-9966-28-80.
- Shaarawy, S.M., Tohamy, A.A., Elgendy, S.M., Elmageed, Z.Y.A., Bahnasy, A., Mohamed, M.S., Kandil, E. and Matrougui, K. (2009) Protective effects of garlic and silymarin on NDEA-induced rats hepatotoxicity, *Int. J. Bio. Sci.*, 5, 549-557.
- Shafi, G., Munshi, A., Hasan, T.N., Alshatwi, A.A., Jyothy, A. and Lei, D.K.Y. (2009) Induction of apoptosis in HeLa cells by chloroform fraction of seed extracts of *Nigella sativa*, *Cancer Cell Int.*, 9, doi:10.1186/1475-2867-9-29.
- Shahidi, F. and Chandrasekara, A. (2010) Hydroxycinnamates and their *in vitro* and *in vivo* antioxidant activities, *Phytochem. Rev.*, 9, 147-170.
- Sharma, A., Patel, V.K. and Ramteke, P. (2009) Identification of vibriocidal compounds from medicinal plants using chromatographic fingerprints, *World J. Microbiol. Biotechnol.*, 25, 19-25.
- Shaw, C.A., Webb, D.J., Rossi, A.G. and Megson, I.L. (2009) Cyclic GMP protects human macrophages against peroxynitrite-induced apoptosis, *J. Inflamm.*, 6, doi: 10.1186/1476-9255-6-14.
- Shetty, S., Udupa, S. and Udupa, L. (2008) Evaluation of antioxidant and wound healing effects of alcoholic and aqueous extract of *Ocimum sanctum* Linn in Rats, *Ecam*, 5, 95-101.
- Shia, C.S., Hou, Y.C., Juang, S.H., Tsai, S.Y., Hsieh, P.H., Ho, L.C. and Chao, P.D.L. (2009) Metabolism and pharmacokinetics of San-Huang-Xie-Xin-Tang, a polyphenol-rich Chinese medicine formula, in rats and *ex-vivo* antioxidant activity, *eCAM*, doi:10.1093/ecam/nep124.
- Shirwaikar, A., Ram, H.N.A. and Mohapatra, P. (2006) Antioxidant and antiulcer activity of aqueous extract of polyherbal formulation, *Ind. J. Exp. Biol.*, 44, 474-480.
- Shtarkman, I.N., Gudkov, S.V., Chernikov, A.V. and Bruskov, V.I. (2008) Effect of amino acids on X-ray-induced hydrogen peroxide and hydroxyl radical formation in water and 8-oxoguanine in DNA, *Biochemistry (Moscow)*, 73, 576-586.
- Shukla, M., Gupta, K., Rasheed, Z., Khan, K.A. and Haqqi, T.M. (2008) Bioavailable constituents/metabolites of pomegranate (*Punica granatum* L) preferentially inhibit COX2 activity *ex vivo* and IL-1 β -induced PGE2 production in human chondrocytes *in vitro*, *J. Inflamm.*, 5, doi:10.1186/1476-9255-5-9.
- Siddique, Y.H., Beg, T. and Afzal, M. (2009) Protective effect of ascorbic acid against oxidative damage induced by hydrogen peroxide in cultured human peripheral blood lymphocytes, *Indian J. Clin. Biochem.*, 24, 294-300.
- Silva, J.P., Sardão, V.A., Coutinho, O.P. and Oliveira, P.J. (2010) Nitrogen compounds prevent H9c2 myoblast oxidative stress-induced mitochondrial dysfunction and cell death, *Cardiovasc. Toxicol.*, 10, 51-65.
- Singh, M., Arseneault, M., Sanderson, T., Murthy, V. and Ramassamy, C. (2008) Challenges for research on polyphenols from foods in Alzheimer's disease: bioavailability, metabolism, and cellular and molecular mechanisms, *J. Agric. Food Chem.*, 56, 4855-4873.
- Singh, R., George, J. and Shukla, Y. (2010) Role of senescence and mitotic catastrophe in cancer therapy, *Cell Div.*, 5, doi: 10.1186/1747-1028-5-4.
- Singh, R.K., Lange, T.S., Kim, K.K. and Brard, L. (2009) A coumarin derivative (RKS262) inhibits cell-cycle progression, causes pro-apoptotic signaling and cytotoxicity in ovarian cancer cells, *Invest. New Drugs*, doi: 10.1007/s10637-009-9335-4.
- Singla, D., Sharma, A., Kaur, J., Panwar, B. and Raghava, G.P.S. (2010) BIADB: A curated database of benzyloquinoline alkaloids, *BMC Pharmacol.*, 10, doi:10.1186/1471-2210-10-4.
- Sinha, S. and Saxena, R. (2006) Effect of iron on lipid peroxidation, and enzymatic and non-enzymatic antioxidants and bacoside-A content in medicinal plant *Bacopa monnieri* L., *Chemosphere*, 62, 1340-1350.
- Sivalokanathan, S., Ilayaraja, M. and Balasubramanian, M.P. (2006) Antioxidant activity of *Terminalia arjuna* bark extract on N-nitrosodiethylamine induced hepatocellular carcinoma in rats, *Mol. Cell. Biochem.*, 281, 87-93.
- Skalska, K., Miller, J.S. and Ledakowicz, S.L. (2010) Kinetics of nitric oxide oxidation, *Chem. Pap.*, 64, 269-272.
- Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S. and Boyd, M.R. (1990) New colorimetric cytotoxicity assay for anticancer-drug screening, *J. Natl. Cancer Inst.*, 82, 1107-1112.

Smith, M.D., Weedon, H., Papangelis, V., Walker, J., Roberts-Thomson, P.J. and Ahern, M.J. (2010) Apoptosis in the rheumatoid arthritis synovial membrane: modulation by disease-modifying anti-rheumatic drug treatment, *Rheumatology*, doi:10.1093/rheumatology/kep467.

Soler-Rivas, C., Carlos, J. and Wichers, H.J. (2000) An easy and fast test to compare total free radical scavenger capacity of food stuff, *Phytochem. Anal.*, 11, 330-338.

Soletti, R.C., Faria, G.P.D., Vernal, J., Terenzi, H., Anderluh, G., Borges, H.L., Moura-Neto, V. and Gabilan, N.H. (2008) Potentiation of anticancer-drug cytotoxicity by sea anemone pore-forming proteins in human glioblastoma cells, *Anti-Cancer Drugs*, 19, 517-525.

Son, O.K., Jang, Y.S., Heo, J.S., Chung, W.T., Choi, K.C. and Lee, J.C. (2009) Apoptosis-inducing factor plays a critical role in caspase-independent, pyknotic cell death in hydrogen peroxide-exposed cells, *Apoptosis*, 14, 796-808.

Son, T.G., Camandola, S. and Mattson, M.P. (2008) Hormetic dietary phytochemicals, *Neuromolecular Med.*, 10, 236-246.

Son, Y.O., Jang, Y.S., Heo, J.S., Chung, W.T., Choi, K.C. and Lee, J.C. (2009) Apoptosis-inducing factor plays a critical role in caspase-independent, pyknotic cell death in hydrogen peroxide-exposed cells, *Apoptosis*, 14, 796-808.

Song, H., Hur, I., Park, H.J., Nam, J., Park, G.B., Kong, K.H., Hwang, Y.M., Kim, Y.S., Cho, D.H., Lee, W.J. and Hur, D.Y. (2009) Selenium Inhibits metastasis of murine melanoma cells through the induction of cell cycle arrest and cell death, *Immune Network*, 9, 236-242.

Song, L., Li, T., Yu, R., Yan, C., Ren, S. and Zhao, Y. (2008) Antioxidant activities of hydrolysates of *Arca subcrenata* prepared with three proteases, *Mar. Drugs*, 6, 607-619.

Soussi, A., Croue, F., Soleiharoup, J.P., Kammoun, A. and El-Feki, A. (2006) Impact of green tea on oxidative stress induced by ammonium metavanadate exposure in male rats, *C.R. Biol.*, 329, 775-784.

Sreedharan, V., Venkatachalam, K.K. and Namasivayam, N. (2009) Effect of morin on tissue lipid peroxidation and antioxidant status in 1, 2-dimethylhydrazine induced experimental colon carcinogenesis, *Invest. New Drugs*, 27, 21-30.

Sreelatha, S. and Padma, P.R. (2009) Antioxidant activity and phenolic content of *Moringa oleifera* leaves in two stages of maturity, *Plant Foods Hum. Nutr.*, 64, 303-311.

Sreelatha, S., Padma, P.R. and Umadevi, M. (2009) Protective effect of *Coriandrum sativum* on carbon tetrachloride-induced hepatotoxicity in rats, *Food Chem.*, 113, 702-708.

Srinivasan, R., Chandrasekar, M.J.N., Nanjan, M.J. and Suresh, B. (2007) Antioxidant activity of *Caesalpinia digyna* root, *J. Ethnopharmacol.*, 113, 284-291.

Srivastava, S.K., Singh, A.P. and Rawnat, A.K.S. (2007) Pharmacognostical and phytochemical evaluation of *Lycopodium clavatum* stem, *J. Sci. Ind. Res.*, 67, 228-232.

Staal, Y.C.M., Pushparajah, D.S., Van Herwijnen, M.H.M., Gottshalk, R.W.H., Mass, L.M., Ioannides, C., Van Schooten, F.J. and van Delft, J.H.M. (2008) Interactions between polycyclic aromatic hydrocarbons in binary mixtures: Effect on gene expression and DNA adduct formation in precision-cut liver slices, *Mutagenesis*, 6, 491-499.

Staruchova, M., Collins, A.R., Volkovova, K., Mislanova, C., Kovacikova, Z., Tulinska, J., Kocan, A., Staruch, L., Wsolova, L. and Dusinska, M. (2008) Occupational exposure to mineral fibres. Biomarkers of oxidative damage and antioxidant defence and associations with DNA damage and repair, *Mutagenesis*, 23, 249-260.

Stoner, G.D., Wang, L.S. and Casto, B.C. (2008) Laboratory and clinical studies of cancer chemoprevention by antioxidants in berries, *Carcinogenesis*, 29, 1665-1674.

Sun, J., Li, Z.M., Hu, Z.Y., Lin, X.B., Zhou, N.N., Xian, L.J., Yang, D.J. and Jiang, W.Q. (2008) ApoG2 inhibits antiapoptotic Bcl-2 family proteins and induces mitochondria-dependent apoptosis in human lymphoma U937 cells, *Anti-Cancer Drugs*, 19, 967-974.

Sumathi, S. (2007) Antioxidative responses evoked by *Withania somnifera* against oxidative stress-induced molecular events *in vitro* and *in vivo*. A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biochemistry.

Sumathi, S. and Padma, P.R. (2009) A comparative study on the inhibition of lipid peroxidation by *Withania somnifera* in different membrane models, *Int. J. Plant Sci.*, 4, 75-78.

Sunilson, J.A.J., Jayaraj, P., Mohan, M.S., Kumari, A.A.G. and Varatharajan, R. (2008) Antioxidant and hepatoprotective effects of the root of *Hybiscus esculentus* Linn, *Int. J. Green Pharma.*, 2, 200-203.

Surendran, S. and Rajasankar, S. (2010) Parkinson's disease: oxidative stress and therapeutic approaches, *Neurol. Sci.*, doi 10.1007/s10072-010-0245-1.

Symonds, D.A., Merchenthaler, I. and Flaws, J.A. (2008) Methoxychlor and estradiol induce oxidative stress DNA damage in the mouse ovarian surface epithelium, *Toxicol. Sci.*, 105, 182-187.

Szajdek, A. and Borowska, E.J. (2008) Bioactive compounds and health-promoting properties of berry fruits: a review, *Plant Foods Hum. Nutr.*, 63, 147-156.

Takatsu, H., Ogata, M., Fukui, K., Takeda, T., Endo, T. and Urano, S. (2009) Inhibitory effect of *Lysichiton camtschatcense* extracts on Fe²⁺/ascorbate-induced lipid peroxidation in rat kidney and brain homogenates, *J. Nat. Med.*, 63, 364-367.

Tanaka, R., Fujita, M., Tsuruta, R., Fujimoto, K., Aki, H.S., Kumagai, K., Aoki, T., Kobayashi, A., Izumi, T., Kasaoka, S., Yuasa, M. and Maekawa, T. (2010) Urinary trypsin inhibitor suppresses excessive generation of superoxide anion radical, systemic inflammation, oxidative stress, and endothelial injury in endotoxemic rats, *Inflamm. Res.*, doi: 10.1007/s00011-010-0166-8.

Tanas, S., Odabasoglu, F., Halici, Z., Cakir, A., Aygun, H., Aslan, A. and Suleyman, H. (2010) Evaluation of anti-inflammatory and antioxidant activities of *Peltigera rufescens* lichen species in acute and chronic inflammation models, *J. Nat. Med.*, 64, 42-49.

Tayar, J.H. and Suarez-Almazor, M.E. (2010) New understanding and approaches to treatment in rheumatoid arthritis, *Br. Med. Bull.*, 14, doi: 10.1093/bmb/ldq007.

Telci, I., Elmastas, M. and Sahin, A. (2009) Chemical composition and antioxidant activity of *Ocimum minimum* essential oils, *Chem. Nat. Compd.*, 45, 568-571.

Terra, D.A., de Fátima Amorim, L., de Almeida Catanho, M.T.J., de Souza da Fonseca, A., Santos-Filho, S.D., Brandão-Neto, J., da Cunha Medeiros, A. and Bernardo-Filho, M. (2007) Effect of an extract of *Artemisia vulgaris* L. (Mugwort) on the *in vitro* labeling of red blood cells and plasma proteins with technetium-99m, *Braz. Arch. Biol. Technol.*, 50, 123-128.

Thangamuthu, R., Senthil Kumar, S.M. and Chandrasekara Pillai, K. (2007) Direct amperometric determination of l-ascorbic acid (vitamin C) at octacyanomolybdate-doped-poly (4-vinylpyridine) modified electrode in fruit juice and pharmaceuticals, *Sens. Actuators, B*, 120, 745-753.

Thenmozhi, A.J. and Subramanian, P. (2010) Antioxidant potential of *Momordica charantia* in ammonium chloride-induced hyperammonemic rats, *eCAM*, doi:10.1093/ecam/nep227.

Thohan, S. and Rosen, G.M. (2008) Liver slice technology as an *in vitro* model for metabolic and toxicity studies, In: *Methods in Molecular Biology, Oxidants and Antioxidants*, Humana Press, Vol. 196, Part 4, P. 191-303.

Thomadaki, H., Scorilas, A., Tsiapalis, C.M. and Havredaki, M. (2008) The role of cordycepin in cancer treatment via induction or inhibition of apoptosis: implication of polyadenylation in a cell type specific manner, *Cancer Chemother. Pharmacol.*, 61, 251-265.

Tigno, X.T., de Guzman, F. and Flora, A.M. (2000) Phytochemical analysis and hemodynamic actions of *Artemisia vulgaris* L. *Clin. Hemorheol. Microcirc.*, 23, 167-75.

Tsuzuki, W., Yunoki, R. and Yoshimura, H. (2007) Intestinal epithelial cells absorb γ -tocotrienol faster than α -tocopherol, *Lipids*, 42, 163-170.

Tuba, A.K. and Gulcin, I. (2008) Antioxidant and radical scavenging properties of curcumin, *Chem. Biol. Interact.*, 174, 27-37.

Turkoglu, A., Kivrak, I., Mercan, N., Duru, M.E., Gezer, K. and Turkoglu, H. (2006) Antioxidant and antimicrobial activity of *Morchella conica* Pers, *Afr. J. Biotechnol.*, 5, 1146-1150.

Tweats, D.J., Scott, A.D., Westmoreland, C. and Carmichael, P.L. (2007) Determination of genetic toxicity and potential carcinogenicity *in vitro* – challenges post the Seventh Amendment to the European Cosmetic Directive, *Mutagenesis*, 22, 5-13.

Uddin, S.J., Grice, I.D. and Tiralongo, E. (2009) Cytotoxic effects of Bangladeshi medicinal plant extracts, *eCAM*, doi:10.1093/ecam/nep111.

Ünver, A., Arslan, D., Özcan, M.M. and Akbulut, M. (2009) Phenolic content and antioxidant activity of some species, *J. World Appl. Sci.*, 6, 373-377.

Umstead, T.M., Freeman, W.M., Chinchilli, V.M. and Phelps, D.S. (2009) Age-related changes in the expression and oxidation of bronchoalveolar lavage proteins in the rat. *Am. J. Physiol. Lung Cell Mol. Physiol.*, 296, L14-L29, doi: 10.1152/ajplung.90366.2008.

Urueña, C., Cifuentes, C., Castañeda, D., Arango, A., Kaur, P., Asea, A. and Fiorentino, S. (2008) *Petiveria alliacea* extracts uses multiple mechanisms to inhibit growth of human and mouse tumoral cells, *BMC Complement. Altern. Med.*, 8, doi:10.1186/1472-6882-8-60.

- Vaidya, A.D.B. and Devasagayam, T.P.A. (2007) Current status of herbal drugs in India: an overview, *J. Clin. Biochem. Nutr.*, 41, 1-11.
- Vaisi-Raygani, A., Rahimi, Z., Zahraie, M., Noorzian, M. and Pourmotabbed, A. (2007) Enzymic and non-enzymic antioxidant defense in Alzheimer's disease, *Acta. Medica. Iranica.*, 45, 271-276.
- Valko, M., Leibfritz, D., Moncola, J., Cronin, M.T.D., Mazura, M. and Telser, J. (2007) Free radicals and antioxidants in normal physiological functions and human disease, *The Int. J. Biochem. Cell Biol.*, 39, 44-84.
- Valko, M., Rhodes, C.J., Moncol, J., Izakovic, M. and Mazur, M. (2006) Free radicals, metals and antioxidants in oxidative stress-induced cancer, *Chem. Biol. Interact.*, 160, 1-40.
- van Stijin, M.F.M., Lighart-Melis, G.C., Boelens, P.G., Scheffer, P.G., Teerlink, T., Twisk, J.W.R., Houdijk, A.P.J. and Van Leeuwen, P.A.M. (2008) Antioxidant enriched enteral nutrition and oxidative stress after major upper gastro-intestinal tract surgery, *World J. Gastroenterol.*, 7, 6960-6969.
- Varier, A.R. (2002) Effect of *Bacopa monnieri* and *Altenanthera sessilis* on oxidant-induced events *in vitro*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Master of Science in Biochemistry.
- Viale, M., Cordazzo, C., de Toter, D., Budriesi, R., Rosano, C., Leoni, A., Ioan, P., Aiello, C., Croce, M., Andreani, A., Rambaldi, M., Russo, P., Chiarini, A. and Spinelli, D. (2009) Inhibition of MDR1 activity and induction of apoptosis by analogues of nifedipine and diltiazem: an *in vitro* analysis, *Invest New Drugs*, doi: 10.1007/s10637-009-9340-7.
- Vidović, S.S., Mujić, I.O., Zeković, Z.P., Lepojević, Z.D., Tumbas, V.T. and Mujić, A.I. (2010) Antioxidant properties of selected *Boletus* mushrooms, *Food Biophys.*, 5, 49-58.
- Vidya, M. (2007) Antioxidant effects evoked by *Triticum aestivum* leaves on oxidant-induced damage *in vitro* and *in vivo*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biochemistry.
- Vinayak, R.C., Sabu, A.S. and Chatterji, A. (2010) Bio-prospecting of a few brown seaweeds for their cytotoxic and antioxidant activities, *eCAM*, doi:10.1093/ecam/neq024.
- Visavadiya, N.P. and Narasimhacharya, A.V.R.L. (2009) *Asparagus* root regulates cholesterol metabolism and improves antioxidant status in hypercholesteremic rats, *eCAM*, 6, 219-226.
- Wali, V.B., Bachawal, S.V. and Sylvester, P.W. (2009) Endoplasmic reticulum stress mediates c-tocotrienol-induced apoptosis in mammary tumor cells, *Apoptosis*, 14, 1366-1377.
- Walter, H.L., Memory, P.F. and Elvin, L. (2003) Medicinal botany, II edition, John Wiley and Sons, New Hersey, P. 345.
- Walters, D.K., Muff, R., Langsam, B., Gruber, P., Born, W. and Fuchs, B. (2007) Taurolidine: a novel anti-neoplastic agent induces apoptosis of osteosarcoma cell lines, *Invest New Drugs*, 25, 305-312.
- Wang, A.Y., Lian, L.H., Jiang, Y.Z., Wu, Y.L. and Nan, J.X. (2010c) *Gentiana manshurica* Kitagawa prevents acetaminophen-induced acute hepatic injury in mice via inhibiting JNK/ERK MAPK pathway, *World J. Gastroenterol.*, 21, 384-391.
- Wang, C.Z., Aung, H.H., Zhang, B., Sun, S., Li, X.L., He, H., Xie, J.T., He, T.C., Du, W. and Yuan, C.S. (2008b) Chemopreventive effects of heat-processed *Panax quinquefolius* root on human breast cancer cells, *Anticancer Res.*, 28, 2545-2551.
- Wang, J.S., Zhao, M.M., Zhao, Q.Z., Jiang, Y.M. (2007) Antioxidant properties of papain hydrolysates of wheat gluten in different oxidation systems. *Food Chem.*, 101, 1658-1663.
- Wang, K., Pan, Y., Wang, H., Zhang, Y., Lei, Q., Zhu, Z., Li, H. and Liang, M. (2009) Antioxidant activities of *Liquidambar formosana* Hance leaf extracts, *Med. Chem. Res.*, 19, 166-176.
- Wang, K.T., Chen, L.G., Chou, D.S., Liang, W.L. and Wang, C.C. (2010a) Anti-oxidative abilities of essential oils from *Atractylodes ovata* rhizome, *eCAM*, doi:10.1093/ecam/neq006.
- Wang, S.Y. and Ballington, J.R. (2007) Free radical scavenging capacity and antioxidant enzyme activity in deerberry (*Vaccinium stamineum* L.), *LWT*, 20, 1352-1361.
- Wang, T., Sun, L., Zhang, W., Li, H., Lu, G., Jiang, H., She, J. and Zhang, C. (2008a) Protective effects of dehydrocavidine on carbon tetrachloride-induced acute hepatotoxicity in rats, *J. Ethnopharmacol.*, 117, 300-308.
- Wang, Y.C., Qu, G.Z., Li, H.Y., Wu, Y.J., Wang, C., Liu, G.F. and Yang, C.P. (2010b) Enhanced salt tolerance of transgenic poplar plants expressing a manganese superoxide dismutase from *Tamarix androssowii*, *Mol. Biol. Rep.*, 37, 1119-1124.

- Waris, G. and Ahsan, H. (2006) Reactive oxygen species: role in the development of cancer and various chronic conditions, *J. Carcinogen.*, 5, doi:10.1186/1477-3163-5-14.
- Wei, H.B., Hu, B.G., Han, X.Y., Zheng, Z.H., Wei, B. and Huang, J.L. (2008) Effect of all-trans retinoic acid on drug sensitivity and expression of survivin in LoVo cells, *J. Chinese Med.*, 121, 331-335.
- Wesolowska, O., Hendrich, A.B., Laniapietrzak, B., Wiśniewski, J., Molnar, J., Ocsóvszki, I. and Michalak, K. (2009) Perturbation of the lipid phase of a membrane is not involved in the modulation of MRP1 transport activity by flavonoids, *Cell. Mol. Biol. Lett.*, 14, 199-221.
- Winterbourn, C.C., Hawkins, R.W., Brain, M. and Carell, R.W. (1975) The estimation of red cell superoxide dismutase activity, *J. Lab. Clin. Med.*, 85, 337-341.
- Witham, F.H., Blaydes, B.F. and Derlin, R.M. (1971) Experiments in plant physiology, Van Nostrand, New York, P. 245.
- Xie, X.Q., Wang, J., Huang, B.F., Ying, S.H. and Feng, M.G. (2010) A new manganese superoxide dismutase identified from *Beauveria bassiana* enhances virulence and stress tolerance when overexpressed in the fungal pathogen, *Appl. Microbiol. Biotechnol.*, 86, 1543-1553.
- Xu, H., Guo, T., Guo, Y.F., Zhang, J.E., Li, Y., Feng, W. and Jiao, B. (2008) Characterization and protection on acute liver injury of a polysaccharide MP-I from *Mytilus coruscus*, *Glycobiology*, 18, 97-103.
- Yadav, A.S. and Bhatnagar, D. (2009) Inhibition of iron-induced lipid peroxidation and antioxidant activity of Indian spices and Acacia *in vitro*, *Plant Foods Hum. Nutr.*, doi 10.1007/s11130-009-0150-z.
- Yamanouchi, D., Kato, K., Ryer, E.J., Zhang, F. and Liu, B. (2010) Protein kinase C delta mediates arterial injury responses through regulation of vascular smooth muscle cell apoptosis, *Cardiovas. Res.*, 85, 434-443.
- Yanardag, R. and Tunalı, S. (2006) Vanadyl sulfate administration protects the streptozotocin-induced oxidative damage to brain tissue in rats, *Mol. Cell. Biochem.*, 286, 153-159.
- Yang, X., Zhao, Y., Lv, Y., Yang, Y. and Ruan, Y. (2007) Protective effect of polysaccharide fractions from *Radix A. sinensis* against tert-butylhydroperoxide induced oxidative injury in murine peritoneal macrophages, *J. Biochem. Mol. Biol.*, 40, 928-935.
- Yang, Z.J., Xie, Y., Bosco, G.M., Chen, C. and Camporesi, E.M. (2010) Hyperbaric oxygenation alleviates MCAO-induced brain injury and reduces hydroxyl radical formation and glutamate release, *Eur. J. Appl. Physiol.*, 108, 513-522.
- Yedjou, C., Thuisseu, L., Tchounwou, C., Gomes, M., Howard, C. and Tchounwou, P. (2009) Ascorbic acid potentiation of arsenic trioxide anticancer activity against acute promyelocytic leukemia, *Arch. Drug Info.*, 2, 59-65.
- Yen, C.Y., Chiu, C.C., Chang, F.R., Chen, J.Y.F., Hwang, C.C., Hseu, Y.C., Yang, H.L., Lee, A.Y.L., Tsai, M.T., Guo, Z.L., Cheng, Y.S., Liu, Y.C., Lan, Y.H., Chang, Y.C., Ko, Y.C., Chang, H.W. and Wu, Y.C., (2010) 4β-Hydroxywithanolide E from *Physalis peruviana* (golden berry) inhibits growth of human lung cancer cells through DNA damage, apoptosis and G2/M arrest, *BMC Cancer*, 10, doi:10.1186/1471-2407-10-46.
- Yildirim, Z., Yildirim, F., Ugun, N.I. and Kilic, N. (2009) The evaluation of the oxidative stress parameters in nondiabetic and diabetic senile cataract patients, *Biol. Trace Elem. Res.*, 128, 135-143.
- Yoshika, M., Sugimoto, S., Nakamura, S. and Matsuda, H. (2008) Medicinal flowers. XXII structures of chakasaponin V and VI, chakasaponin I, and chakaflavonoids A from flower buds of Chinese tea plant (*Camellia sinensis*), *Chem. Pharm. Bull.*, 56, 1297-1303.
- Yuan, W., Guo, J., Li, X., Zou, Z., Chen, G., Sun, J., Wang, T. and Lu, D. (2009) Hydrogen peroxide induces the activation of the phospholipase C-g1 survival pathway in PC12 cells: protective role in apoptosis, *Acta. Biochim. Biophys. Sin.*, 41, 625-630.
- Zahri, S., Razavi, S.M., Niri, F.H. and Mohammadi, S. (2009) Induction of programmed cell death by *Prangos uloptera*, a medicinal plant, *Biol. Res.*, 42, 517-522.
- Zakaria, H., Simpson, K., Brown, R.R. and Krotwarie, A. (1979) Use of reversed phase HPLC analysis for the determination of provitamin A, carotene in tomatoes, *J. Chromatography*, 176, 109-117.
- Zamora, P., Rasmussen, S., Pardo, A., Prieto, H. and Zúniga, G.E. (2010) Antioxidant responses of *in vitro* shoots of *Deschampsia antarctica* to polyethylene glycol treatment, *Antarctic Sci.*, 22, 163-169.
- Zare, H.R. and Nasirizadeh, N. (2010) Simultaneous determination of ascorbic acid, adrenaline and uric acid at a hematoxylin multi-wall carbon nanotube modified glassy carbon electrode, *Sens. Actuators, B*, 143, 666-672.
- Zawia, N.H., Lahiri, D.K. and Cardozo-Pelaez, F. (2009) Epigenetics, oxidative stress, and Alzheimer disease, *Free Rad. Biol. Med.*, 46, 1241-1249.

- Jeng, F.F., Liu, S.Y., Wei, W., Yao, S.P., Zhu, S., Li, K.S., Wan, G., Zhang, H.T., Zhong, M. and Wang, B.Y. (2010) Genetic polymorphisms of glutathione S-transferase T1 and bladder cancer risk: a meta-analysis, *Clin. Exp. Med.*, 10, 59-68.
- Jiang, B., Shi, Z.L., Liu, B., Yan, X.B., Feng, J. and Tao, H.M. (2010b) Enhanced anticancer effect of gemcitabine by celecoxib in osteosarcoma: the role of Akt and nuclear factor- κ B, *Anti-Cancer Drugs*, 21, 288-296.
- Jiang, J., Zhao, G., Liu, J. and Ji, X. (2009) Protection of salvianolic acid B for human endothelial cells against hydrogen peroxide-induced oxidative damage, *Trans. Tianjin Univ.*, 15, 434-439.
- Jiang, L. and Xing, D. (2008) Methyl jasmonate induces production of reactive oxygen species and alterations in mitochondrial dynamics that precede photosynthetic dysfunction and subsequent cell death, *Plant Cell Physiol.*, 49, 1092-1111.
- Jiang, L.J., Hao, Y.Z., Hu, C.S., Ye, Y., Xie, Q.P., Thorne, R.F., Hersey, P. and Zhang, X.D. (2008) Inhibition of apoptosis facilitates necrosis induced by cisplatin in gastric cancer cells, *Anti-Cancer Drugs*, 19, 159-166.
- Jiang, L.L. and Lin, Y.M. (2008) Tannins from *Canarium album* with potent antioxidant activity, *J. Zhejiang Univ. Sci. B.*, 9, 407-415.
- Jiang, Y., Liub, H., Jinc, J., Zhua, X., Lua, L. and Jianga, H. (2010a) The role of endogenous reactive oxygen species in oxymatrine-induced caspase-3-dependent apoptosis in human melanoma A375 cells, *Anti-cancer drugs*, doi: 10.1097/CAD.0b013e328336e927.
- Jiao, J., Liu, T., Ma, L., Yan, M., Gu, Z., Huang, Y., Xu, F. and Zhao, Y. (2009) Antioxidant and preventive effects of extract from *Nymphaea candida* flower on *in vitro* immunological liver injury of rat primary hepatocyte cultures, *eCAM*, doi:10.1093/ecam/nep003.
- Jiao, L., Zhao, G., Du, M., Zhao, Z., Xiao, L. and Hu, X. (2008) Effect of selenium on increasing free radical scavenging activities of polysaccharide extracts from a Se-enriched mushroom species of the genus *Ganoderma*, *Eur. Food Res. Technol.*, 226, 499-505.
- Jou, B.R., Luo, D., Wei, F.D., Chen, X.E. and Gao, J. (2008) Baicalin protects human fibroblasts against ultraviolet A-induced cyclobutane pyrimidine dimers formation, *Arch. Dermatol. Res.*, 300, 331-334.
- Ju, B.K., Wang, P., Zhang, X.D., Jiang, C.C., Chen, L.H., Avery-Kiejda, K.A., Watts, R. and Hersey, P. (2008) Activation of Jun N-terminal kinase is a mediator of vincristine-induced apoptosis of melanoma cells, *Anti-Cancer Drugs*, 19, 189-200.
- Kracka, E., Zadrag, R., Koziol, S., Krzepilko, A., Bartosz, G. and Bilinski, T. (2005) Yeast as a biosensor for antioxidants: simple growth tests employing a *Saccharomyces cerevisiae* mutant defective in superoxide dismutase, *Acta Biochimica Polonica*, 52, 679-984.