



BIBLIOGRAPHY

- Acharya,S., Sahu,A.R. and Satyajit., Mohanta,S.R. (2010), Free radical scavenging activity of Thalamus of *Nymphacea stellata* Willd, International Journal of Pharmacy and Pharamaceutical Sciences,2(4):61-63
- Aguirre,A and Borneo.,R.(2010), Antioxidant effects of four native medicinal plants collected in Cordoba, Molecular Medicinal Chemistry, 21: 1-3
- Alagesaboopathi,C. (2011), Antimicrobial potential and Phytochemical screening of *andrographis affinis*nees an endemic medicinal plant from India., Int. J. Pharm Pharm. Sci, 3(2), 157-159.
- Alam,M.B., Sarowar,M., Hossain,M.S. and Haque,M.E.(2011),Antioxidant and Anti-inflammatory activities of the leaf extract of *Brassica nigra*, International Journal of Pharmaceutical Sciences and Research, 2(2): 303-310
- Allain, C.C., Poon, L.S., Chan, C.S.G., Richmond, W and Fu, P. (1974) Clin. Chem, 20: 470.
- Amoli,J.S., Sadighara,P., Barin,A., Yazdani,A. and Satari,S. (2008), Biological screening of *Amaranthus retroflexus* L.(Amaranthaceae), Brazilian Journal of Pharmacognosy19(2B): 617-620
- Ayoola,G.A.,Coker,H.A.B.,Adesegun,S.A.,Adepojubello,A.A.,Obaweya,K.,Ezenia,E.C. and Atangbayila,T.O. (2008),Phytochemical screening and Antioxidant activities of some selected Medicinal plants used for Malaria therapy in South Western Nigeria, Tropical Journal of Pharmaceutical Research,7(3):1019-1024
- Bhaskar,V.H. and Balakrishnan,N. (2009),Hepatoprotective Activity of laticiferous Plant Species (*Pergularia Daemia* and *Carissa Carandas*) From Western Ghats, TamilNadu, India, Scholar Research Library,1(2):130-142.
- Borah,A., Yadav,R.N.S. and Unni,B.G.(2011),*In vitro* Antioxidant and Free radical scavenging activity of *Alternanthera sessilis*, International Journal of Pharmaceutical Sciences and Research,2(6):1502-1506
- Boxi,M., Rajesh,Y., Kumar,V.R., Praveen,B. and Mangamma,K.(2010),Extraction, Phytochemical screening and *in vitro* evaluation of Antioxidant properties of *commicarpus chinesis* (Aqueous extract),International journal of Pharma and Bio Sciences,1(4):537-547.
- Bradley, D.W., Maynard, J.E., Emery, G and Webster, H. (1972) Clin, Chem, 18.
- Burstein, M., Scholnic, H.R and Morfin, R. (1970) J. Lipid Res.

- Carballo, J.H., Hernandez-Inda, Z.L., Perez, P. and Garcia-Gravalos, M.D. (2002). A comparison between two brine shrimp assays to detect *in vitro* cytotoxicity in marine natural products. *BMC Biotechnology*, 2: 17.
- Cathrine, L. and Nagarajan, N.P. (2011), Preliminary Phytochemical Analysis and Antibacterial activity of leaf extracts of *Vites leucoxydon* L.F., *International Journal of Advances Current Pharamaceutical Research*, 3(2):71-73.
- Chaitali, H, Ved, Nikhil S. More, Sonali S. Bharate and Sandip B. Bharate, (2010), Cytotoxicity Screening of Selected Indian Medicinal Plants using Brine-Shrimp Lethality Bioassay, *Adv. in Nat. Appl. Sci.*, 4(3): 389-395.
- Chaiwong, S. and Theppakorn. (2010), Bioactive compounds and antioxidant capacity of pink pummel [*Citrus grandis* (L)] CV. Thong Dee'' in Thailand, *J. Issaas*. 16(2):10-16.
- Chandak, R.R., Ipper G Balaji ,I.G., Devdhe, S.J. (2010), Preliminary Phytochemical investigation of extract of leaves of *Pergularia daemia* Linn, *International Journal of Pharmaceutical Studies and Research (IJPSR)*, 1(1): 11-16.
- Chaudhari B. P. Chaware V. J. Joshi Y. R. and Biyani K. R. (2009), Hepatoprotective activity of Hydroalcoholic extract of *Momordica charantia* Linn. leaves against Carbon tetrachloride induced Hepatopathy in Rats. *International Journal of Chem Tech Research*, 1(2): 355-358
- Choi, D., Cha, W.S., Park, N., Kim, H.W., Lee, J.H., Park, J.S. and Park, S.S. (2011), Purification and characterization of a novel fibrinolytic enzyme from fruiting bodies of Korean *Cordyceps militaris*, *Bioresource Technology* 102 , 3279–3285
- Choudhury, R.K., Saroha, A.E. and Swarnkar, P.L. (2011), Screening of endogenous antioxidants in some medicinal plants, *Toxicological & Environmental Chemistry*, 93(4): 656–664
- Chowdhury, N.S., Alam, M.B., Haque, A.S.M.T., Zahan, R., Mazumdar, M.E.H. and Haque, M.E. (2011), *In vitro* Free radical scavenging and Thrombolytic activities of Bangladeshi Aquatic Plant *Aponogeton undulates* Roxb, *Global Journal of Pharamacology*, 5(1):27-32.
- Cui, L., Dong, M.S., Chen, X.H., Jiang, M., Lv, X. and Yan, G. (2008). A novel fibrinolytic enzyme from *Cordyceps militaris*, a Chinese traditional medicinal mushroom, *World J Microbiol Biotechnol* , 24:483–489

- Culling, F.A., (1979), Handbook of Histopathological and Histochemical Techniques, Third edition, Butter worth and Co Publisher Ltd, New York, 115-117.
- Dangerfield, W.G. and Finlayson, R. (1953). Estimation of bilirum in serum. J. Clin. pathol. 6(3):173-177.
- Dash, D.K., Yeligar, V.C., Nayak, S.S., Ghosh, T., Rajalingam, D., Sengupta, P., Maiti, B.C. and Maity, T.K., (2007), Evaluation of Hepatoprotective and Antioxidant activity of *Ichnocarpus frutescens* (Linn.) R.Br. on Paracetamol-induced hepatotoxicity in rats, Tropical Journal of Pharmaceutical Research, 6: 755-765.
- Dehghan, A., Ghasrodashti, A.R., Esfandiari, A., Fani, M.M., Hoshyar, M.B., and Nayeri, K. (2011), Hepatoprotective effect of silymarin during negative energy balance in sheep, Comp Clin Pathol., 20:233–238.
- Deshpande, A.A., Mandal, G., Soorapaneni, S., Prasad, B., Kumar, J. and Padmanabhan, S. (2009), High-level expression of non-glycosylated and active staphylokinase from *Pichia pastoris*, Biotechnol Lett, 31:811–817
- Dubey, S.K., and Batra, A. (2008), Hepatoprotective Activity from ethanol fraction of *Thuja occidentalis* Linn. Asian J Res in Chem., 1(1): 32-35.
- Ekanayake, P.M., Nikapitiya, C., Zoysa, M.D., Whang, I., Kim, S.J. and Lee, J. (2008), Novel anticoagulant compound from fermented red alga *Pachymeniopsis elliptica*, Eur Food Res Technol., 227:897–903
- Elango, R. and Jadhav, U. (2010), Phytochemical screening of *Moringa oleifera* using High performance thin layer chromatography, Plant archives, 10 (2): 749-751
- Gan, R.Y., Xu, X.R., Song, F.L., Kuang, L. and Li, H.B. (2010), Antioxidant activity and total phenolic content of medicinal plants associated with prevention and treatment of Cardiovascular and Cerebrovascular diseases, Journal of Medicinal Plants Research 4(22): 2438-2444
- Ganie, S.A., Haq, E., Hamid, A., Qurishi, Y., Mahmood, Z., Zargar, B.A., Masood, A. and Zargar, M.A. (2011), Carbon tetrachloride induced kidney and lung tissue damages and antioxidant activities of the aqueous rhizome extract of *Podophyllum hexandrum*, Ganie et al. BMC Complementary and Alternative Medicine, 11:17

- Gayathri,B.M., Balasuriya,K., De.G.S.P., Gunawardena, Rajapakse,R.P.V.J. and Dharmaratne,H.R.W. (2006),Toxicological studies of the water extract of Green leafy vegetable Sessilie joy weed (*Alteranthera sessilis*),Current science,91(11):1517-1520.
- Gupta, N.K, Dixit V.K., Evaluation of Hepatoprotective activity of *Cleome viscosa* Linn. Extract. Indian journal of pharmacology, 2009, 41, 36-40.
- Gupta,S. and Prakash.J. (2008), Influence of Antioxidant components on antioxidant activity of dehydrate Green Leafy Vegetables, Food Sci. Technol. Res., and 14(1):104-109.
- Gustav,P. and Ulrich,B.(2004),Mechanism of action and therapeutic efficacy of ursodeoxycholic acid in cholestatic liver disease, Clin.Liver Dis.,8:67-81.
- Halliwell,B. and Gutteridge, J.M.C.(2007), Free radicals in biology and medicine, Fourth edition, Oxford: Clarendon Press.
- Haq,F., Ahmad,H. and Alam,M.(2011), Traditional uses of medicinal plants of *Nandiar Khuwarr* catchment (District Battagram), Pakistan, Journal of Medicinal Plants Research, 5(1): 39-48.
- Hong,T., Huang,J. and Lucchesi,B.R.(2005), Effect of Thrombolysis on myocardial injury: recombinant tissue plasminogen activator vs. alfineprase, Am J Physiol Heart Circ Physiol 290: H959–H967, 2006
- <http://www.Liver doctor .com>
- Ibrahim,M., Uddin,K.Z. and Narasu,L. 2011 , Hepatoprotective activity of *Boswellia Serrata* extracts *invitro* and *invivo* studies, 2(1): 89-98
- Iqbal,O., Tobu,M., Demir,M., Fareed,J. Aziz,S. and Messmore,H. (2002),The role of Thrombolytic drugs in the management of Acute Myocardial Infarction and Stroke,Turk.J.Haematol,19(2):151-177.
- Iyengar,M.A.,(1995),Study of crude drugs,8th edition., Manipal power press,Manipal,India,2.
- Jalalpure,S.S., Agarwal,N., Patil,M.B., Chimkode,R. and Tripathi,A. (2011),Antimicrobial and Wound healing activities of leaves of *Alternanthera sessils*, International Journal of Green Pharmacy,141-144
- Joshi, S., Prakash,O., Hore,S.K., Zafar,A. and Pant,A.K. (2008), Hepatoprotective and antioxidant activity of the aqueous extract of *Angelica glauca* Edgew. Root, Asian Journal of Traditional Medicines, 3 (2):58-66.

- Joshi,V.G., Sutar P. S., Karigar,A.A., Patil,S.A., Gopalakrishna .B. and Sureban, R. R.(2010), screening of ethanolic extract of *Stachytarpheta indica* L. (Vahl) leaves for hepatoprotective activity, International Journal of Research in Ayurveda & Pharmacy, 1(1):174-179.
- Kalpna,R., Mital,K.and Sumitra,C.(2011),Vegetable and fruit peels as a novel source of antioxidants, Journal of Medicinal plants Research,5(1):63-71
- Kamba,A.S. and Hassan,L.G.(2010), Antibacterial Screening and Brine Shrimp (*Artemia salina*) Toxicity of *Securidaca longepedunculata* (Polygalaceae) Root Bark, African Journal of Pharmaceutical Sciences and Pharmacy, 1(1): 85-95
- Karthikeyan,M. (2011), Hepatoprotective Activity of Ethanolic Extract of Spermacece Hispida. Linn against Carbon tetrachloride (Ccl4) induced Hepatotoxicity on Albino Wistar rats, International Journal of Pharma Research and Development,2(11):45-52
- Kaur,M. and Agarwal,R.(2007),Silymarin and Epithelial cancer chemoprevention:How close we are bedside? Toxicol Appl Pharmacol.,224(3):350-359
- Kharpatе,S., Vadnerkar,G., Jain,D. and Jain,S. (2007),Hepatoprotective activity of the ethanol extract of the leaf of *Pterospermum acerifolium*, Indian Journal of Pharmaceutical Science,69(6):850-852.
- Khatun,S., Cakilcioglu,U. and Chatterjee,N.C. (2011),Phytochemical constituents vis-a-vis histochemical localization in a medicinal plant *Coleus forskohlii* Briq. Journal of Medicinal Plants Research, 5(5):711-718.
- Kowti,R., Haresh,A.R., Harsha,R., Ahmed,M.G., Dinesh,R. and Mohammed,I.A. (2010),*In vitro* free radical scavenging activity of leaves of *Spathodea campanulata* P.Beauv, International Journal of Drug Development and Research,2(3):622-628.
- Krishnaiah, D., Devi,T., Bono, A. and Sarbatly R.,(2009), Studies on Phytochemical constituents of six Malaysiann medicinal plants, Journal of Medicinal Plants Research, 3(2): 067-072
- Kumar ,S.K. and Kumar,S.K.L. (2010), Hepatoprotective effects of 50% Ethanolic Extract of *Mimosa pudica* against Carbon Tetrachloride-Induced Hepatotoxicity in Rats, Scholar Research Library,2 (1): 261-264.

- Kumar, R.V., Kumar.S., Shashidhara, S., Anitha, S. and Manjula,M. (2011) Comparison of the Antioxidant Capacity of an Important Hepatoprotective Plants, *International Journal of Pharmaceutical Sciences and Drug Research*; 3(1): 48-51
- Kumar,A., Pulicherla,K.K., Ram,K.S. and Rao,K.R.S.S.(2011), Evolutionary Trend of Thrombolytic-Their Significance, *International Journal of Bio-Science and Biotechnology*,3(1):1-18.
- Kumar,M., Kamboj,A. and Sisodia ,S.S. (2011), Hepatoprotective Activity Of *Sesamum Indicum* Linn. Against CCl₄-Induced Hepatic Damage in Rats, *International Journal of Pharmaceutical & Biological Archives*, 2(2):710-715
- Kumar,S., Rani,S., Astalakshmi,N., Manasa,G., Vanaja,P., Sirisha,G. and Slvvsnk,S.K. (2011),Screening of aqueous and ethanolic extracts of aerial parts of *Alternanthera sessilis* Linn.R.Br.ex.DC (Amaranthaceae) for Antidiabetic activity, *Journal of Pharmacy Research*,4(5):1528-1530.
- Kunamneni,A., Abdelghani,T.T.A. and Ellaiah,P. Streptokinase—the drug of choice for thrombolytic therapy (2007), *J Thromb Thrombolysis* ,23:9–23
- Kunamneni,A., Ravuri,B.D.,Ellaiah,P., Prabhakar,T. and Saisha,V.(2008), Urokinase-A Strong plasminogen activator, *Biotechnology and Molecular Biology Reviews*,3(3):58-70.
- Kuriakose,G.C. and Kurup,M.G. (2010), Hepatoprotective effect of *Spirulina lonar* on paracetamol induced liver damage in rats, *Asian J.exp. biol. sci.*1 (3) :614-623.
- Laithy,E.H.M., Hamza,Y.E. and Kandil,S.M. (2011), Design and Hepatoprotective Evaluation of Biphenyl Dimethyl Dicarboxylate (DDB) and Silymarin Solid Dispersion and Self-Micro Emulsifying Drug Delivery Systems, *Life Science Journal*, Volume 8, Issue 1:P.No.298-310
- Li,H.B.,Wong,C.C., Cheng,K.W. and Chen,f.(2008),Antioxidant properties in vitro and total phenolic contents in methanolic extracts from medicinal plants, *LWT-Food Sci.Tech.*,41:385-390
- Lin,S.C., Lin,Y.H.,Shyuu,S.J. and Lin,C.C.(2006), Hepatoprotective effects of Taiwan folk medicine: *Alternanthera sessilis* on liver induced by various hepatotoxins, *Phytotherapy Research*,8(7):391-398

- Lowry, O.H., Rosenbrough, N.J., Farr, A.L and Randall, R.J (1951). J Biochem. 193-265.
- Lynch,T. and Price,A.(2007),The effect of cytochrome P450 Metabolism on drug response, Interactions,and Adverse effects, Amer.Fam. Physician., 6(3):391-396
- Madan,S., Singh,G.N., Kumar,Y. and Kohli,K.(2010), Phytochemical analysis and free-radical scavenging activity of *Flemingia strobilifera* (Linn) R. Br., Research Journal of Pharmaceutical, Biological and Chemical Sciences, 1(4) : 183-190
- Malick, C.P. and Singh, M.B., 1980, In plant Enzymology and Histoenzymology, Kalyani published, Newdelhi, 286.
- Manokaran,S., Jaswanth,A., Sengottuvelu, S. , Nandhakumar ,J., Duraisamy, R., Karthikeyan ,D. and Mallegaswari,R.(2008),Hepatoprotective Activity of *Aerva lanata* Linn.Against Paracetamol Induced Hepatotoxicity in Rats, Research J. Pharm. and Tech. 1(4):398-400
- Merlin,N.J. and Parthasarathy,V. (2011),Antioxidant and Hepatoprotective activity of chloroform and ethanol extracts of *Gmelliana asiatica* aerial parts, Journal of Medicinal Plants Research.5(4):533-538.
- Mladenvoic,M., Mihailovic,M., Bogojevic,D., Matic,S., Niciforovic,N., Mihailovic,V., Vukovic,N., Suhdolak,S. and Solujic,S. (2011), In vitro antioxidant activity of selected 4-hydroxy-chromene-2-one derivatives-SAR, QSAR, and DFT studies, International Journal of Molecular Sciences,12:2822-2841.
- Mohit,D., Parminder,N., Jaspreet,N. and Manisha,M.(2011), Hepatotoxicity v/s Hepatoprotective agents –A pharmacological review, International Research Journal of Pharmacy,2(3):31-37.
- Mon,M.M., Maw,S.S. and Oo.Z.K.(2011),Quantitative determination of free radical scavenging activity and anti-tumour activity of some Myanmar herbal plants, World academy of science, Engineering and Technology,75:524-530
- Mujeeb,M., Khan,S.A., Aeri,V. and Alia,B. (2011), Hepatoprotective Activity of the Ethanolic Extract of *Ficus carica* Linn. Leaves in Carbon Tetrachloride-Induced Hepatotoxicity in Rats, Iranian Journal of Pharmaceutical Research, 10 (2): 301-306

- Munda,F.N., Bouayed,J., Djilani,A., Yao,C., Soulimani,R. and Dicko,A. (2011),Chemical composition and Cellular evaluation of the antioxidant activity of *Desmodium adscendens* leaves, *Evidence-Based Complementary and Alternative Medicine*:1-9.
- Nadigar MA, Chandrakala MV. Malondialdehyde levels in different organs of rats subjected to acute alcohol toxicity. *Indian Jour of Clin Biochem* 1986; 1: 133
- Nagulendran, K., Velavan, S., Mahesh, R. and Begum, V.H.(2007), *In vitro* antioxidant activity and total polyphenolic content of *Cyperus rotundus* rhizomes, *E-Journal of Chemistry*, 4, , 440-449.
- Nayak,P., Nayak,S., Kar,D.M. and Das,P.(2010), Pharmacological evaluation of ethanolic extracts of the plant *Alternanthera sessilis* against temperature regulation, *Journal of Pharmacy and Research*,3(6):1381-1383.
- Negi,A.S., Kumar,J.K., Luqman,S., Shanker,K., Gupta,M.M. and Khanuja,S.P.S. (2007),Recent Advances in Plant Hepatoprotectives:A chemical and Biological profile of some important leads,*Medicinal Research Reviews*,28(5):746-772.
- Niyaki,S.A.N., Latmahalleh,D.A., Allahyari,M.S. and Masooleh,P.D. (2011),Socio-economic factors for adoption of medicinal plants cultivation in Eshkevarat region,north of Iran, *Journal of Medicinal Plants Research*,5(1):30-38.
- Olaleye,M.T., Akinmoladun,A.C., Ogunboye,A.A. and Akindahunsi,A.A. (2010),Antioxidant activity and hepatoprotective property of leaf extracts of *Boerhaavia diffusa* Linn against acetaminophen- induced liver damage in rats, *Food and Chemical Toxicology*,48(8-9):2200-2205.
- Onocha,P.A., Oloyede,G.K. and Afolabi,Q.O. (2011), Phytochemical investigation, cytotoxicity and free radical scavenging activities of non-polar fractions of *Acalypha hispida* (leaves and twigs), *EXCLI Journal*,10:1-8
- Onocha,P.A., Oloyede,G.K. and Olasunkanmi,G.S. (2011), Chemical Composition, Brine Shrimp Toxicity and Free-radical Scavenging Activity of Leaf Essential Oil of *Acalypha Ornata* (Hochst), *Adv. Environ. Biol.*, 5(1): 188-193

- Palash,M., Mitali,G.,Kumar,M.T. and Prasad,D.A.(2010),Pharmacognostic and Free radical scavenging activity in the different parts of Aswagandha [*Withania somnifera* (L.Dunal)], Int.J.Drug Dev.Res.,2(4):830-843.
- Patel,V.R., Patel,P.R. and Kajal,S.S.(2010),Antioxidant activity of some selected medicinal plants in Western Region of India, Advances in Biological Research,4(1),23-26.
- Peteros,N.P. and Uy.M.M.(2010),Antioxidant and Cytotoxic activities and Phytochemical screening of four Philippine medicinal plants, Journal of Medicinal Plants Research,4(5):407-414.
- Phaneendra,P. (2011). Hepatoprotective herbs: An overview, International Journal of Pharmaceutical Research & Development, 3(3): 105 - 111
- Phomkaivon,N. and Areekul,V. (2009),Screening for antioxidant activity in selected Thai wild plants, Asian Journal of Food and Agro-Industry,2(4):433-440
- Prakash,S.E.L. and Manavalan,R.(2011),An investigation of *Andrographis Paniculata* for thrombolytic activity by *in vitro* method, Journal of Pharmacy Research,4(6):1934.
- Prasad,R.N., Viswanathan,S., Devi,J.R., Nayak,V., Swetha,V.C., Archana,B.R., Parathasarathy,N. and Rajkumar,J.,(2008), Preliminary Phytochemical screening and Antimicrobial activity of *Samanea saman*, Journal of Medicinal Plants Research ., 2(10):268-270.
- Prasad,S., Kashyap,S.R., Deopujari,J.Y., Purohit,H.J., Taori,G.M. and Daginawala,H.F.(2007), Effect of *Fagonia Arabica* (Dhamasa) on *in vitro* thrombolysis, BMC. Complement. Altern Med. 7(36):1-6.
- Prieto,P., Pineda, M and Aguilar, M. (1999). Spectrophotometric quantitation of antioxidant capacity through the formation of a phosphomolybdenum complex: specific application to the determination of vitamin E. Anal Biochem 269:337-341.
- Qureshi,N.N., Kuchekar,B.S. Logade,N.A. and Haleem,M.A.(2009), Antioxidant, Hepatoprotective activity leaves, Saudi Pharmaceutical Journal, 17,(4):299-302
- Raaman,N.,(2006), Phytochemical techniques,New Publishing Agency, New Delhi,19(2):32-40

- Ramachandran,S., Vamsikrishna,M., Gowthami,K.V., Heera,B. and Dhanaraju,M.D. (2011), of Cytotoxic Activity Assessment of *Agave cantula* Using Brine (*Artemia salina*) Lethality Bioassay, Asian Journal of Scientific Research,1-6
- Ramakrishna,S., Geetha, K.M., Bhaskar gopa.l, P.V.V.S, Kumar, P.R. Madav, P.C. (2011) Effect of *Mallotus Philippensis Muell.-Arg* leaves against hepatotoxicity of Carbon tetrachloride in rats, International Journal of Pharma Sciences and Research,2 (2), 74-83.
- Ramchoun, M.,Harnafi,H., Alem,C., Benlys,M., Elrhaffari, L. and Amrani,S. (2009), Study on antioxidant and hypolipidemic effects of polyphenol rich extract from *Thymus vulgaris* and *Lavendula multifida*, Pharmacognosy Research, 1, , 106-112.
- Ramya,P. and Lakshmidivi, N.(2010), Studies on Anti-oxidant activity of *Tinospora cordifolia* (Miers.) Leaves using *in vitro* models, Journal of American Science, 6(10):73
- Rasanayagam,L.J., Lim, K.L., Beng, C.G. and Lau, K.S. (1986), Measurement of urine albumin using bromocresol green, Clinica Chimica Acta, Volume 44, Issue 1
- Rehecho,S., Hidalgo,O., Cirano,M.G.D.,I., Astiasaran,N.I., Ansorena,D., Cavero,R.Y and Calvo,M.I. (2011), Chemical composition, mineral content and antioxidant activity of *Verbena officinalis* L., LWT - Food Science and Technology 44
- Rifai, N and Warnick, G.R. (1994) Ed. Laboratory Measurements of Lipids, Lipoproteins and Apolipoproteins, AACC Press, Washington, DC, USA.
- Ripa,F.A., Haque,M. and Bulpul,I.J. (2010),*In vitro* Antibacterial, Cytotoxic and Antioxidant activities of plant *Nepheium longam*, Bakistan Journal of Biological sciences,13(1):22-27
- Rose,C.M. and Cathrine,L. (2011). Preliminary Phytochemical screening and Antibacterial activity on *Vitex negundo*, Int J Curr Pharm Res, 3(2):991-101
- Saleem,T.S.M., Chetty,C.M., Ramkanth,S., Rajan,V.S.Y., Kumar,K.M. and Gauthaman, K.(2010), Hepatoprotective Herbs – A Review, Int. J. Res. Pharm. Sci.,1(1):1-5

- Samudram,P., Hari,R., Vasuki,R., Geetha,A. and Moorthi,S.P.(2008), Hepatoprotective activity Bi-herbal ethanolic extract on CCl₄ induced hepatic damage in rats, African Journal of Biochemistry Research,2(2):61-65.
- Sangameswaran, B., Reddy T.C. and Jayakar B. (2008): Hepatoprotective effect of leaf extracts of *Andrographis lineata* nees on liver damage caused by carbon tetrachloride in rats. Phytother Res., 2008, 22(1), 124-6.
- Sasmal,D., Das,S. and Basu,S.P. (2007), Phytoconstituents and therapeutic potential of *Nyctanthes arbortristis* Linn., Pharmacognosy Reviews ,1(2):344-349.
- Sen,S., Chakraborty,R., De,B., Ganesh,T., Raghavendra,H.G. and Debnath,S.(2010), Analgesic and anti-inflammatory herbs: a potential source of modern medicine, International Journal of Pharmaceutical Sciences and Research., 1 (11): 32-44.
- Sen,S., Chakraborty,R., Sridhar,C., Reddy,Y.S.R. and De.Biplam. (2010), Free Radicals,Antioxidants ,Diseases and Phytomedicines, Current status and Future prospect , International Journal of Pharmaceutical Sciences Review and Research, 3(1): 91-100.
- Shanmugasundaram,R., Devi,V.K., Tresina,P.S., Maruthupandian,A. and Mohan,V.R.(2010), Hepatoprotective activity of ethanol extracts of *Clitoria ternatea* L. and *Cassia angustifolia* Vahl leaf against CCL₄ induced liver toxicity in rats, International Research journal of Pharmacy,1(1):201-205.
- Shekhawat,N. and Vijayvergia,R. (2010), Comparative study of Primary metabolites in different plant parts of *Clitoria ternatea* (L.), *Guazuma ulmifolia* (Lam.) and *Madhuca indica* (Gmel.), Journal of Chemical and Pharmaceutical Research, 2(2): 168-171
- Shilova,I.V., Zhavoronok,T.V., Souslov,N.I., Novozheeva,T.P., Mustafin,R.N. and Losseva,A.M. (2008), Hepatoprotective properties of fractions from meadowsweet extract during experimental toxic hepatitis, Hepato Pharmacology and Toxicology,146(1):49-51.
- Siddiqui,A.A. and Ali,M., (1997),Practical Pharamaceutical Chemistry, 1st edition., CBS Publishers and Distributors, New Delhi,126-131

- Singh, S., Mehta, A. and Mehta, P. (2011), Hepatoprotective activity *Cajanus cajan* against CCl_4 induced liver damage, International Journal of Pharmacy and Pharmaceutical Sciences, 3(2):146-147.
- Subhan, N., Alam, M.A., Ahmed, F., Shahid, I.J., Nahar, L. and Sarker, S.D. (2008). Bioactivity of *Excoecaria agallocha*. Rev Bras Farmacogn 18: 521-526.
- Sundari, G.K., Govindaraju and Bharathi, B. (2011), Hepatoprotective effect of ethanolic extracts of *Sphaeranthus indicus* (Linn) on Paracetamol- induced liver toxicity in rats, International Journal of Applied Biology and Pharmaceutical Technology, 2(2):315-321
- Swathi, P., Kumar, T.J. Babu, M.M. and Vijay, Ch. (2010), Protective response of dried stems of *Cassia auriculata* against Carbon Tetrachloride Induced Liver Damage in Wistar Albino Rats, International Journal of Advances in Pharmaceutical Sciences, 1:274-280.
- Trinder, P. (1969) Ann. Clin. Biochem, 6, 24-27.
- Unni, B.G., Borah, A., Wann, S.B., Singh, H.R., Devi, B. and Bhattacharjee, M. (2009), Phytochemical and Antibacterial study of traditional medicinal plants of North East India on *Escherichia coli*, Asian J. Exp. Sci., 23(1):103-108.
- Vadlapudi, V. and Naidu, K.C. (2010), In vitro Bioevaluation of some Indian Medicinal plants, Drug Invention Today, 2(1):65-68.
- Valko, M., Rhodes, C.J., Moncola, J., Izakovic, M. and Mazur, M. (2006), Free radicals, metals and antioxidants in oxidative stress-induced cancer, Chemico-Biological Interactions, 160, 1-40.
- Venukumar, M.R. and Latha, M.S. (2002), Hepatoprotective effect of the methanolic extract of *curculigo orchoides* in CCl_4 -treated male rats, Indian Journal of Pharmacology, 34: 269-275
- Verma, N.M., and Khosa, R.L. (2010), Hepatoprotective activity of leaves of *Zanthoxylum armatum*, Indian Journal of Biochemistry and Biophysics, 47:124-127.
- Verma, P (2010), Hepatoprotective activity of alcoholic and aqueous extracts of leaves of *Anisochilus carnosus* (L) Wall, International Journal of Pharma. Research. Development, 2(8):106-109.

- Wazir,D., Ahmad,S., Muse,R., Mahmood,M. and Shukor,M.Y.(2011). Antioxidant activities of different parts of *Gnetum gnemon* L., Journal of Plant Biochemistry and Biotechnology, 20(2): 234-240.
- Weber,L.W., Boll,M. and Stampfi,A.(2003), Hepatotoxicity and mechanism of action of haloalkanes:CCl₄ as a toxicological model.Crit.Rev.Toxicol.33:105-136
- Yadav,N.P., Pal,A., Shanker,K., Dyaneshwar., Bawankule,U., Gupta,A.K., Darokar,M.P., Khanuja,S.P.S. (2008), Synergistic effect of silymarin and standardized extract of *Phyllanthus amarus* against [CCl₄]-induced hepatotoxicity in *Rattus norvegicus*, Phytomedicine,15:1053-1061.
- Yu,W., Lin,L., Tao,W. and Yue-Qi,L.(2007),Toxicology, Protective effects of echinacoside on carbon tetrachloride induced hepatotoxicity in rats, 232, 50-56.
- Zakaria,H.M., Pax, J.M., Modest, C.K and Ramadhani, S.O.N., (2007), Antimicrobial Activity and Brine shrimp Toxicity of Extracts of *Terminalia brownie* roots and stem, BMC Complementary and Alternative Medicine, 7(9), 1-5.
- Zhishen, J., Yamada, K., Narmura, A., Yamashita, T and Arasi, R. (2005), Testing various herbs for antithrombotic effect. Nutrition. 21(5): 580-587.