

LIST OF TABLES

Table No	Title	Page No
1.	Properties and structure of dyes used in pilot study	32
2.	Properties of BG dye	33
3.	Physicochemical characterization of BG dye and effluent	37
4.	Physicochemical analyses of soil	42
5.	Optimum conditions for maximum BG dye removal by <i>S. wightii</i>	58
6.	Percentage of dye desorption by various solvents	59
7.	Percentage of reuse efficiency (adsorption cycle 1)	60
8.	R _L values from Langmuir isotherm model from various initial dye concentrations in removal of BG dye by <i>S. wightii</i>	61
9.	Comparison of Langmuir and Freundlich isotherm constants for removal of BG dye by <i>S. wightii</i>	64
10.	Biosorption kinetic model constants at various initial dye concentrations for the removal of BG dye by <i>S. wightii</i>	66
11.	Thermodynamic parameters for the removal of BG dye by <i>S. wightii</i>	67
12.	Physico-chemical analyses of untreated and <i>S. wightii</i> treated BG dye compared with BIS permissible limits	70
13.	Phytotoxicity study (on 7th day) of control, untreated and <i>S. wightii</i> treated BG dye (n=20) and its effect on seeds germination (%), shoot length (cm), root length (cm) weight (g), vigour index and tolerance index.	75
14.	Biometric parameters on 60 th days old <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	82
15.	Physicochemical analyses of untreated and treated soil	83
16.	Bacterial toxicity of the untreated and <i>S. wightii</i> treated BG dye	84

Table No	Title	Page No
17.	Fungal toxicity of the untreated and <i>S. wightii</i> treated BG dye	88
18.	Root length of onion bulb, <i>Allium cepa</i> grown in control, untreated and <i>S. wightii</i> treated BG dye solution	90
19.	Mitotic Index and mitotic depression of onion bulb, <i>Allium cepa</i> grown in control, untreated and <i>S. wightii</i> treated BG dye solution	91
20.	Effect of untreated and <i>S. wightii</i> treated BG dye on the induction of chromosomal aberration in onion bulb, <i>Allium cepa</i>	91
21.	Mortality rate of fish <i>Labeo rohita</i> grown in control, untreated and <i>S. wightii</i> treated BG dye	106
22.	Level of haematological parameters of fish <i>Labeo rohita</i> grown in control, untreated and <i>S. wightii</i> treated BG dye	107
23.	Level of biochemical parameters of fish <i>Labeo rohita</i> grown in control, untreated and <i>S. wightii</i> treated BG dye	107
24.	Level of enzymes in the plasma of fish <i>Labeo rohita</i> grown in control, untreated and <i>S. wightii</i> treated BG dye	108
25.	Physico-chemical analyses of untreated and <i>S. wightii</i> treated dye compared with BIS permissible limits	112
26.	Effect of pH on textile effluent removal by <i>S. wightii</i>	113
27.	Effect of temperature on textile effluent removal by <i>S. wightii</i>	115
28.	Effect of contact time on textile effluent removal by <i>S. wightii</i>	116
29.	Effect of adsorbent dose on textile effluent removal by <i>S. wightii</i>	117

LIST OF FIGURES

Figure No	Title	Page No
1.	Location of seaweed collection	29
2.	Powdered <i>Sargassum wightii</i>	31
3A.	Brilliant green dye	34
3B.	Preparation of dye (stock solution and working solution)	34
4.	Standard curve of BG dye solution	34
5.	Experimental setup shows the optimization study	35
6.	Experimental fish <i>Labeo rohita</i>	46
7.	Acclimatization of fish <i>Labeo rohita</i> under laboratory condition	46
8.	Map showing the location of Perundhurai Common Effluent Treatment Plant (PCETP) Private Limited, Perundhurai, Tamil Nadu, India	50
9.	Dried <i>Sargassum wightii</i>	52
10.	Effect of biomass dosage on BG dye removal by <i>S. wightii</i>	53
11.	Effect of pH on BG dye removal by <i>S. wightii</i>	54
12.	Effect of initial concentration and contact time on BG dye removal by <i>S. wightii</i>	56
13.	Effect of temperature on BG dye removal by <i>S. wightii</i>	57
14.	Desorption study under different desorbing medium	60
15.	Linearised Langmuir isotherm curve for BG dye removal by <i>S. wightii</i>	63
16.	Linearised Freundlich isotherm curve of BG dye removal by <i>S. wightii</i>	63
17.	Pseudo-first-order kinetic model at various initial dye concentrations for the removal of BG dye removal by <i>S. wightii</i>	65

Figure No	Title	Page No
18.	Pseudo-second-order kinetic model at various initial dye concentrations for the removal of BG dye removal by <i>S. wightii</i>	65
19A.	FTIR spectra of the BG dye before adsorption	71
19B.	FTIR spectra of the BG dye after adsorption	
20.	SEM micrographs before (B) and after adsorption (A)	71
21.	EDX spectrum before (B) and after adsorption (A)	73
22.	UV-VIS peak values before (B) and after adsorption (A)	73
23.	Shoot and root length of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	74
24.	Plant fresh weight of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	76
25.	Plant dry weight of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	77
26.	Number of leaves of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	77
27.	Total leaf area of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	78
28.	Number of root nodules of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	78
29.	Number of fruits of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	79
30.	Seeds dry weight of <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	79
31.	Phytotoxicity impact of untreated and <i>S. wightii</i> treated BG dye on biometric parameters on 60 th old day plant <i>Vigna mungo</i>	80
32.	Sixtieth days old <i>Vigna mungo</i> grown in untreated and <i>S. wightii</i> treated BG dye	81
33.	Bacterial toxicity of the untreated and <i>S. wightii</i> treated BG dye	81

Figure No	Title	Page No
34.	Fungal toxicity of the untreated and <i>S. wightii</i> treated BG dye	86
35.	Experimental setup shows mortality rate of fish <i>Labeo rohita</i>	87
36.	Histological changes in the gill of fish <i>Labeo rohita</i> exposed to control (C), untreated (T1) and <i>S. wightii</i> treated (T2) BG dye	93
37.	Histological changes in the liver of fish <i>Labeo rohita</i> exposed to control (C), untreated (T1) and <i>S. wightii</i> treated (T2) BG dye	99
38.	Histological changes in the kidney of fish <i>Labeo rohita</i> exposed to control (C), untreated (T1) and <i>S. wightii</i> treated (T2) BG dye	100
39.	Mortality rate of fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	101
40.	Level of plasma glucose in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	102
41.	Level of plasma protein in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	102
42.	Level of enzymes in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	103
43.	Level of red blood corpuscles count in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	103
44.	Level of white blood corpuscles count in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	104
45.	Level of haemoglobin in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	104
46.	Level of haematocrit in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	105
47.	Level of MCV, MCH and MCHC in the fish <i>Labeo rohita</i> exposed to control, untreated and <i>S. wightii</i> treated BG dye	106
48.	Effect of pH on textile dye effluent removal by <i>S. wightii</i>	113

Figure No	Title	Page No
49.	Effect of temperature on textile effluent removal by <i>S. wightii</i>	115
50.	Effect of contact time on textile effluent removal by <i>S. wightii</i>	116
51.	Effect of adsorbent dose on textile effluent removal by <i>S. wightii</i>	118
