



BIBLIOGRAPHY

- Abrams, S. A., Griffin, I. J., Hawthorne, K. M., Chen, Z., Gunn, S. K., Wilde, M., Darlington, G., Shypailo, R. J., Ellis, K. J., (2005). Vitamin D receptor Fok1 polymorphisms affect calcium absorption, kinetics, and bone mineralization rates during puberty. *J Bone Miner Res.*, 20: 945–53.
- Ahren, B., and Schmitz, O., (2004), GLP-1 receptor agonists and DPP-4 inhibitors in the treatment of type 2 diabetes. *Horm. Metab. Res.*, 36: 867–876.
- Aidoo, R. P., Afoakwa, E. O. and Dewettinck, K., (2013), “Optimization of inulin and polydextrose mixtures as sucrose replacers during sugar-free chocolate Manufacture - Rheological, microstructure and physical quality characteristics. *Journal of Food Engineering*, 126: 35–42.
- Akalin, A .S., and Erisir, D., (2008), “Effects of inulin and oligofructose on the rheological characteristics and probiotic culture survival in low-fat probiotic ice cream”, *Journal of Food Science*, 73(4): 184-188.
- Apolinário A.C, Damasceno, B .P. G. de. L., Beltrão, N. E. de. M., Pessoa, A., Converti, A., Silva, J. A. Da., (2014). Inulin-type fructans: A review on different aspects of biochemical and pharmaceutical technology, *Carbohydrate Polymers*, 101: 368–37.
- Araújo, E.A., de Carvalho, A. F., Leandro, E. S., Furtado, M. M., and de Moraes, C. A., (2010). “Development of a symbiotic cottage cheese added with *Lactobacillus delbrueckii* UFV H2b20 and inulin”, *Journal of Functional Food*, 2(1): 85-89.

- Arcia, P.L., Costell, E. and Tárrega, A. (2011), "Inulin blend as prebiotic and fat replacer in dairy desserts: optimization by response surface methodology", *Journal of Dairy Science*, 94(5): 2192-2200.
- Arora, T., Sharma, R., and Frost, G., (2011). Propionate. Anti-obesity and satiety enhancing factor? *Appetite*, 56:51.
- Aryana, K. J., and McGrew, P., (2007). Quality attributes of yogurt with *Lactobacillus casei* and various prebiotics. *LWT-Food Science and Technology*, 40: 1808–1814.
- Astrup, A., Bovy, M. W. L., Nackenhurst, K., and Popova, A. E., (2006). Food for thought or thought for food? – a stakeholder dialogue around the role of the snacking industry in addressing the obesity epidemic. *Obesity Reviews*, 7(3): 303-312.
- Babu, A., Rani, S., Revikumar K. G., ShafeequeMattuma, I., Unnikrishnan (2016). assessment of correlation in gender and age with lipoprotein levels in hyperlipidemia patients. *Asian J Pharm Clin Res*, 9(2): 197-199.
- Beserra, B. T., Fernandes, R., Do, R. V., Mocellin, M. C., Kuntz, M. G., and Trindade, E. B., (2015). A systematic review and meta-analysis of the prebiotics and synbiotics effects on glycaemia, insulin concentrations and lipid parameters in adult patients with overweight or obesity. *Clin Nutr.*, 34: 845–858.
- Björkelund, C., Andersson-Hange, D., Andersson, K., BengtssonBlomstrand, A., Bondyr-Carlsson, D., (2008). Secular trends in cardiovascular risk factors with a 36-year perspective: Observations from 38- and 50-year-olds in the population study of women in Gothenburg. *Scand J Prim Health Care*, 26(3):140-6.
- Blecker, C. J., Chevalier, P., Fougnyes, C., Van Herck, J. C., Deroanne, C., and Paquot, M., (2003). Characterisation of different inulin samples by DSC. Influence of polymerization degree on melting temperature. *J. Therm. Ana. Calorim.*, 71: 215-224.

- Boeckner, L. S., Schnepf, M. I., and Tunland, B. C., (2001). Inulin: a review of nutritional and health implications. *Adv Food Nutr Res.*, 43:1–63.
- Bogue, J., Coleman, T., and Sorenson, D., (2005). “Determinants of consumers’ dietary behaviour for health-enhancing foods,” *British Food Journal*, 107(1): 4-16.
- Bonnema, A. G., Kolberg, L. W., Thomas, W., and Slavin, J. L., (2010). Gastrointestinal tolerance of chicory inulin products. *J Am Diet Assoc.*, 110:865–868.
- Boon, T.Y., Sedek, R. and MohdKasim Z.M., (2012). Association between snacking patterns, energy and nutrient intakes, and body mass index among school adolescents in Kuala Lumpur *Am. J. Food.Nutr.*, 2(3): 69-77
- Booth, D. A., (1998). Mechanisms from models—actual effects from real life: the zero-calorie drink-break option. *Appetite*, 11(1): 94-102.
- Bray, G.A., (2004), “Pathology of obesity”, *The Am J ClinNutr.*, 55(2): 4485-4945.
- Brighenti, F., (2007). Dietary fructans and serum triacylglycerols: a meta-analysis of randomized controlled trials. *J Nutr.*, 137: 2552S–2556S.
- Brouwers, M. C., Van Stehouwer, C.D., de Graaf J., and Stalenhoef. A.F., (2012). The genetics of familial combined hyperlipidaemia. *Nat Rev Endocrinol.* 14;8(6):352-62
- Buriti, F. C. A., Cardarelli, H. R., Filisetti, T. M. C. and Saad, M. I., (2007). “Synbiotic potential of fresh cream cheese supplemented with inulin and *Lactobacillus paracasei* in co-culture with *Streptococcus thermophilus*”, *Food Chemistry*, 104(4): 1605-1610.
- Büyükkaragöz, A., Bas, M., Duygu, S., and Saziye E. C., (2014). Consumers’ awareness, acceptance and attitudes towards functional foods in Turkey. *International Journal of Consumer Studies*, 38: 628–635.

- Cani, P. D., and Delzenne, N. M., (2009). The role of the gut microbiota in energy metabolism and metabolic disease. *Curr Pharm Des.*, 15(13):1546-58.
- .Causey, J. L., Feirtag, J. M., Gallaher, D. D., Tunland, B. C., Slavin, J. L., (2000). Effects of dietary inulin on serum lipids, blood glucose and the gastrointestinal environment in hypercholesterolemic men. *Nutr Res.*, 20:191–201
- Cegielka, A., and Tambor, K., (2012). “Effect of inulin on the physical, chemical and sensory quality attributes of polish chicken burgers”, *Journal of Food Research*, 1(1): 169-178.
- Charlton, K. E., Brewitt, P., and Bourne, L.T., (2004). Sources and credibility of nutrition information among black urban South African woman with a focus on messages related to obesity, *Public health Nutrition*, 7(6): 801-811.
- Chauhan, S., and Bani, T., (2015) The rising incidence of cardiovascular diseases in India: Assessing its economic impact. *J. Preventive Cardiology*, 4(4): 735-740.
- Cherbut, C., (2002). Inulin and oligofructose in the dietary fibre concept. *Br. J. Nutr.*, 87: S159–S162.
- Clausen, M. R., Jorgensen, J., Mortensen, P. B., (1998). Comparison of diarrhea induced by ingestion of fructooligosaccharide/dolax and disaccharide lactulose: role of osmolarity versus fermentation of malabsorbed carbohydrate. *Dig. Dis. Sci.*, 43: 2696–707
- Coppa, G. V., Zampini, L., Galeazzi, T., and Gabrielli, O., (2006). Prebiotics in human milk: A review. *Digestive and Liver Disease*, 38: S291–S294.
- Cotillard, A., Kennedy, S. P., Kong, L. C., Prifti, E., Pons, N., Le Chatelier, E., Almeida, M., Quinquis, B., Levenez, F., Galleron, N., Gougis, S., Rizkalla, S., Batto, J. M., Renault, P., Doré, J., Zucker, J. D., Clément, K., and Ehrlich, S. D., (2013), Dietary intervention impact on gut microbial gene richness. *Nature*, 500: 585–588.

- Coudray, C., Bellanger, J., Castigliadelavaud, C., Remesy, C., Vermorel, M., and Rayssiguier, Y., (1997). Effect of soluble or partly soluble dietary fibres supplementation on absorption and balance of calcium, magnesium, iron and zinc in healthy young men. *European journal of clinical nutrition*, 51:375-380.
- Coudray, C., Tressol, J. C., Guex, E., and Rayssiguier, Y., (2003). Effects of inulin-type fructans of different chain length and type of branching on intestinal absorption and balance of calcium and magnesium in rats. *European Journal of Nutrition*, 42:91-98.
- Coussement, P. A. A., (1999). Inulin and oligofructose: safe intakes and legal status. *J Nutr.*, 129:1412S–7.
- Creely, S. J., McTernan, P. G., Kusminski, C. M., Fisher, F., Da, S. N., Khanolkar, M., *et al.* (2007) Lipopolysaccharide activates an innate immune system response in human adipose tissue in obesity and type 2 diabetes. *Am J PhysiolEndocrinolMetab*, 292: E740–E747.
- Cummings, J. H., Macfarlane, G. T., and Englyst, H. N., (2001). Prebiotic digestion and fermentation. *American Journal of Clinical Nutrition*; 73(Suppl 2): 415S-420S.
- Daubioul, C. A., Taper, H. S., De Wispelaere, L. D., Delzenne, N. M., (2000). Dietary oligofructose lessens hepatic steatosis, but does not prevent hypertriglyceridemia in obese Zucker rats. *J Nutr.*, 130(5): 1314-9.
- De Leenheer, L., and Hoebregs, H., (1994). Progress in the elucidation of the composition of chicory inulin, *Starch*, 46: 193-196.
- De Wijk, R. A., Terpstra, M. E. J., Janssen, A. M., and Prinz, J. F., (2006). Perceived creaminess of semi-solid foods. *Trends in Food Sci. Tech.* 17: 412-422.

- Dehghan, P., Gargari, B. P., Jafar-Abadi, M. A., and Aliasgharzadeh, (2011). Inulin controls inflammation and metabolic endotoxemia in women with type 2 diabetes mellitus: a randomized-controlled clinical trial. *Int J Food Sci and Nutr.*, 65: 117–123.
- Delgado, G. T. C., Tamashiro, W. M. D. S. C., Junior, M. R. M., Moreno, Y. M. F., and Pastore, G. M., (2011). The putative effects of prebiotics as immunomodulatory agents. *Food Res Int.*, doi:10.1016/j.foodres.2011.07.032.
- Delgado, G. T. C., Tamashiro, W. M. S. C., Pastore, G. M., (2010). Immunomodulatory effects of fructans. *Food Res Int.*, 43:1231–6.
- Delzenne, N. M., and Kok, N., (2001). Effects of fructans-type prebiotics on lipid metabolism. *Am J Clin Nutr.*, 73: 456-8.
- Delzenne, N. M., and Williams, C. M., (2002). Prebiotics and lipid metabolism. *Current Opinion in Lipidology*, 13(1): 61-67.
- Delzenne, N. M., Cani P. D., Daubioul, C., and Neyrinck, A. M., (2005). Impact of inulin and oligofructose on gastrointestinal peptides. *Br J Nutr.*, 93(Suppl 1): S157–S161
- Delzenne, N. M., Cani, P. D., and Neyrinck, A. M., (2007). Modulation of glucagon- like peptide 1 and energy metabolism by inulin and oligofructose: experimental data. *J Nutr.*, 137: 2547-51.
- Delzenne, N. M., Daubioul, C., Neyrinck, A., Lasa, M., and Taper, H. S., (2002), Inulin and oligofructose modulate lipid metabolism in animals: review of biochemical events and future prospects. *Br J Nutr.*, 87(Suppl 2): S255–S259.
- Delzenne, N. M., Neyrinck, A. M., and Cani, P. D., (2011). Modulation of the gut microbiota by nutrients with prebiotic properties: consequences for host health in the context of obesity and metabolic syndrome. *Microb Cell Fact*, 10(Suppl 1): S10.

- Dewulf, E. M., Cani, P. D., Claus, S. P., Fuentes, S., Puylaert, P. G., Neyrinck, A. M., Bindels, L. B., de Vos, W. M., Gibson, G. R., Thissen, J. P., and Delzenne, N. M., (2013). Insight into the prebiotic concept: lessons from an exploratory, double blind intervention study with inulin-type fructans in obese women. *Gut*, 62: 1112–1121.
- Dias, V., and Gomes, J. A., (2010). “Barras de amarantoenriquecidas com frutanos: aceitabilidade e valor nutricional”, *Archivos Latinoamericanos de Nutrición*, 60(3): 291-297.
- Ding M, Bhupathiraju SN, Satija A, van Dam RM, Hu FB. (2014) Long-term coffee consumption and risk of cardiovascular disease: a systematic review and a dose-response meta-analysis of prospective cohort studies. *Circulation*. 11;129(6):643-59.
- El-Nagar, G., Clowes, G., Tudorica, C. M., Kuri, V., and Brennan, C. S., (2002). “Rheological quality and stability of yog-ice cream with added inulin”, *International Journal of Dairy Technology*, 55(2): 89-93.
- FAO technical meeting on prebiotics (2007). Food and agriculture organization of the United Nations (FAO) September 15th -16th, P5.
- Femia, A. P., Salvadori, M., Broekaert, W. F., Francois, I. E. J. A., Delcour, J. A., Courtin, C. M., and Caderni, G., (2010). Arabinoxylan-oligosaccharides (AXOS) reduce preneoplastic lesions in the colon of rats treated with 1,2-dimethylhydrazine (DMH). *Eur J Nutr.*, 49:127–132.
- Ferrari, P., Slimani, N., Ciampi, A., Trichopoulou, A., Naska, A., Lauria, C., Veglia, F., Bueno-de-Mesquita, H. B., Ocké, M. C., Brustad, M., Braaten, T., José Tormo, M., Amiano, P., Mattisson, I., Johansson, G., Welch, A., Davey, G., Overvad, K., Tjønneland, A., Clavel-Chapelon, F., Thiebaut, A., Linseisen, J., Boeing, H., Hemon, B., and Riboli, E., (2002). Evaluation of under and over-reporting of energy intake in the 24-hour diet recalls in the European Prospective Investigation into Cancer and Nutrition (EPIC). *Public Health Nutr.*, 5(6B):1329-45.

- Flaczyk, E., 1 Górecka, D., Joanna, K., and Krystyna, S. B., (2009). The influence of inulin addition as fat substitute on Reducing energy value and consumer acceptance of Model pork meatballsżywność. *Nauka.Technologia.Jakość*, 4(65): 41–46.
- Flamm, G., Glinsmann, W., Kritchevsky, D., Prosky, L., and Roberfroid, M., (2001). “Inulin and oligofructose as dietary fibre: a review of the evidence”. *CRC Critical Reviews in Food Science and Nutrition*, 41(5): 353-362.
- Florowska, A., Budyta, A., and Krygier, K., (2004). Forming inulin gels and their properties ,*Żywn. Nauka.Techn.Jakość*3 (40) Supl., 56-67.
- Franck, A., (1993). Rafticreming: The new process allowing to turn fat into dietary fibre. *FIE Conf. Proc.*, 193–197.
- Franck, A., (2002). Technological functionality of inulin and oligofructose. *Br J Nutr.*, 87:S287–91.
- Fraser,G., SozinaKatuli, RamtinAnousheh, SynnoveKnutsen, Patti Herring, and Jing Fan (2015). “Vegetarian diets and cardiovascular risk factors in black members of the Adventist Health Study-2” *Public Health Nutr.*, 18(3): 537–545.
- Fuster, V., and Kelly, B. B., (2010).Board for Global Health.Promoting Cardiovascular Health in Developing World: A Critical Challenge to Achieve Global Health. Washington, DC: Institutes of Medicine.National, Academic Press.
- Gallaher D. D., Gallaher, C. M., Mahrt, G. J., Carr, T. P., Hollingshead, C. H., Hesslink, R. Jr., and Wise, J., (2002). A glucomannan and chitosan fiber supplement decreases plasma cholesterol and increases cholesterol excretion in overweight normocholesterolemic humans. *J Am CollNutr.*, 21(5):428-33.
- Genta S, Cabrera W, Habib N, Pons J, Carillo IM, Grau A et al.(2009). Yacon syrup: beneficial effects on obesity and insulin resistance in humans. *Clin Nutr.*,Vol.28, P.182–187.

- Gibson, G. R., and Roberfroid, M. B., (1995). Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J.Nutr.*, 125: 1401 – 1412.
- Gibson, G. R., and Roberfroid, M. B., (1995). Dietary modulation of the human colonic microbiota: Introducing the concept of prebiotics. *J. Nutr.*, 125: 1401–1412.
- Gibson, G. R., Probert, H. M., Van Loo, J., Rastall, R. A., and Roberfroid, M. B., (2004). Dietary modulation of the human colonic microbiota: Updating the concept of prebiotics. *Nutr. Res. Rev.*, 17: 259–275.
- Gibson, G. R., Willis, C. L., and Loo, J. V., (1994). Non-digestible oligosaccharides and bifidobacteria implications for health. *International Sugar Journal (United Kingdom)*, 96(1150), 381-387.
- Gisslen, W (2014). “Professional bakery” 5th edition, Pp 400-418, 483-487
- Glibowski, P., and Bukowska, A., (2011). The effect of pH, temperature and heating time on inulin chemical stability. *ActaSci Pol Technol Aliment*, 10:189–96.
- Glibowski, P., and Wasko, A., (2008). Effect of thermochemical treatment on the structure of inulin and its gelling properties. *Int. J.Food Sci. Technol.*, 43: 2075-2082.
- Golob, T., Micovic, E., Bertonec, J. and Jamnik, M. (2004). “Sensory acceptability of chocolate with inulina”, *ActaAgriculturaeSlovenica*, 83(2): 221-231.
- González-Herrera, S. M., Herrera, R. R., López, M. G., Rutiaga, O. M., Aguilar, C. N., Esquivel, J. C. C., and Martínez, L. A. O., (2015). Inulin in food products: prebiotic and functional ingredient. *British Food Journal*, 117: 371-387.
- Greer, F. R., and Krebs, N.F., (2006). Optimizing bone health and calcium intakes of infants, children and adolescents. *Pediatrics*, 117: 578-85.

- Griffin, I. J., Davila, P. M., and Abrams, S. A., (2002). Non-digestible oligosaccharides and calcium absorption in girls with adequate calcium intakes. *Br J Nutr.*, 87: S187–91.
- Guo, Z., Liu, X. M., Zhang, Q. X., Shen, Z., Tian, F. W., Zhang, H., and Chen, W., (2011). Influence of consumption of probiotics on the plasma lipid profile: A meta-analysis of randomized controlled trials. *NutrMetabCardiovasc Dis.*, 21(11): 844-50.
- Gupta, A.K., and Kaur, N., (2003). Preparation of Inulin from Chicory Roots. *Journal of Scientific and Industrial Research* ; 62, 916-920
- Gupta, R., Guptha, S., Sharma, K. K., Gupta, A., and Deedwania, P., (2012). Regional variations in cardiovascular risk factors in India: India Heart Watch. *World J Cardiol.*, 4(4):112–20.
- Gupta, S.P. (2004), “Statistical Methods” Chap, “Collection of Data”, 31st Edn, “Sultan Chand & Sons”, New Delhi. P:39.
- Harikrishnan, S., Leeder, S., Huffman, M., Jeemon, P., and Prabhakaran, D., (2014). *A Race against Time: The Challenge of Cardiovascular Disease in Developing Economies*. 2nd ed. New Delhi, India: New Delhi Centre for Chronic Disease Control
- Harris, K. A and Kris-Etherton, P. M., (2010). Effects of whole grains on coronary heart disease risk. *CurrAtheroscler Rep.*, 12(6):368-76.
- Havenaar, R., (2000). Scientific evidence for beneficial effects of inulin DP9 on the intestinal flora of humans. Zeist, The Netherlands: TNO Nutrition and Food Research. Report no. V2537.
- He, L., Tang, X., Hu, Y. H., (2016). Relationship of menopause with cardiovascular disease and related metabolic disorders, *Beijing Da XueXueBao.*, 48(3):448-53.

- Hempel, S., Jacob, A. and Rohm, H., (2007). "Influence of inulin modification and flour type on the sensory quality of prebiotic wafer crackers", *European Food Research and Technology*, 224(3): 335-341.
- Hennelly, P.J., Dunne, P.G., O'_Sullivan, M., O' Riordan, E. D., (2006). Textural, rheological and microstructural properties of imitation cheese containing inulin. *Journal of Food Engineering*, 75: 388–395.
- Hess, J. R., Birkett, A. M., Thomas, W., and Slavin, J. L., (2011). Effects of short-chain fructooligosaccharides on satiety responses in healthy men and women. *Appetite*, 56: 128–134.
- Higgins, J. P., Thompson, S. G., Deeks, J. J., Altman, D. G., (2003). Measuring inconsistency in meta-analyses. *BMJ*, 327: 557–560.
- Hiza, H. A., Casavale, K. O., Guenther, P. M., and Davis, C. A., (2013). Diet quality of americans differs by age, sex, race/ethnicity, income, and education level. *Journal of the Academy of Nutrition and Dietetics*, 113: 297-306.
- Holscher, H. D., Doligale, J. L., Bauer, L. L., Gourineni, V., Pelkman, C. L., Fahey, G. C., and Swanson, K. S., 2014. Gastrointestinal tolerance and utilization of agave inulin by healthy adults. *Food Funct* 5:1142.
- Hond, E. D., Geypens, B., and Ghooos, Y., (2000). Effect of high performance chicory inulin on constipation; *Nutr.Res.*20: 731–736.
- ISAPP (2008).6th Meeting of the International Scientific Association of Probiotics and Prebiotics, London, Ontario.
- Israel, R.G., Spiegelman, D.J., Bonchard, C. and Willet, W.C. (2004). "Absolute fat mass percent body fat and body fat distribution which is the real determinant of blood pressure and serum glucose", *J Am Dietetic Association*, 11: 1412
- Jardine, S. (2009). *Ingredients Handbook Prebiotics and Probiotics*, 2nd Edition;9-24

- Kalyani Nair, K., Kharb, S., and Thompkinson, D.K., (2010). Inulin dietary fiber with functional and health attributes. *Food Rev. Int.*, 26: 189-203.
- Karlsson, F. H., Tremaroli, V., Nookaew, I., Bergström, G., Behre, C. J., Fagerberg, B., et al. (2013) Gut metagenome in European women with normal, impaired and diabetic glucose control. *Nature*, Vol. 498, P. 99–103.
- Kemp, S.E. and Hort, J., (2013). Trends in food sensory science. The international Journal of Food Info tech*
- Kim, Y., Faqih, M. N., and Wang, S. S., (2001). Factors affecting gel formation of inulin. *Carbohydr. Polym.*, 46: 135-145.
- KirkPatrick, S., and Tarasuk, V., (2003). The relationship between low income and household food expenditure patterns in Canada. *Public Health Nutrition*, 6: 589-597.
- Koh, S. J., and Kim, J. S., (2011). Prebiotics: Germinated barley foodstuff for the prevention of colitis-associated colon cancer? *J. Gastroenterol. Hepatol.* 26: 1298–1308.
- Kolida, S., and Gibson, G.R., (2007). Prebiotic capacity of inulin-type fructans. *Journal of Nutrition* 137(11 Suppl):2503S-2506S
- Kolida, S., Meyer, D., and Gibson, G. R., (2007). "A double-blind placebo-controlled study to establish the bifidogenic dose of inulin in healthy humans". *European Journal of Clinical Nutrition*, 61(10): 1189-1195.
- Kothari, C.R., (2011), *Research methodology and statistical analysis.*, 3rd edition., New delhi., wishwaprakashan publishers, 120-121.
- Krishnaswamy and Ranganathan, M., (2005). "Methodology of research in social science", 2nd Edition, Himalaya publishing house, New Delhi, P.139.
- Kumar, D., Parcha, V., Maithani, A., Dhulia, I. Effect and evaluation of antihyperlipidemic activity guided isolated fraction from total methanol

- extract of *Bauhinia variegata* (linn.) in Triton WR-1339 induced hyperlipidemic rats. *Asian Pac. J. Trop. Dis.*, 2012;2(2): 909-913.
- Kuntz, M. G. F., Fiates, G. M. R., and Teixeira, E., (2013). "Characteristics of prebiotic food products containing inulin *British Food Journal*, 115(2): 235-251
- Lalor, F., Madden, C., McKenzie, K., and Wall, P. G., (2011). Health claims on foodstuffs: A focus group study of consumer attitudes. *Journal of Functional Foods*. 3: 56-59.
- Landstrom, E., KoivistoHursti, U. K., and Magnusson, M., (2009). 'Functional foods compensate for an unhealthy lifestyle'. Some Swedish consumers' impressions and perceived need of functional foods. *Appetite*. 53: 34-43.
- Lauterbach, S. and Albrecht, J. (2011). "NF94-186 Functions of Baking Ingredients" Historical Materials from University of Nebraska-Lincoln Extension. Paper 411.
- Le Chatelier, E., Nielsen, T., Qin, J., Prifti, E., Hildebrand, F., Falony, G, *et al.* (2013), Richness of human gut microbiome correlates with metabolic markers. *Nature*, 500: 541-546.
- Letexier, D., Diraison, F., and Beylot, M., (2003). Addition of inulin to a moderately high-carbohydrate diet reduces hepatic lipogenesis and plasma triacylglycerol concentrations in humans, *Am. J. Clin. Nutr.*, 77(3): 559-564.
- Lewis, H. B., (1912). The value of inulin in foodstuffs. *J Am Med Assoc.*, 58: 1176-1177.
- Lin, B., Gong, J., Wang, Q., Cui, S., Yu, H., and Huang, B., (2011). In vitro assessment of the effects of dietary fibers on microbial fermentation and communities from large intestinal digesta of pigs. *Food Hydrocol*, 25: 180-188.

- Liu, F., Prabhakar, M., Ju, J., Long, H., and Zhou, H W., (2017). Effect of inulin-type fructans on blood lipid profile and glucose level: a systematic review and meta-analysis of randomized controlled trials, *European Journal of Clinical Nutrition*, 71: 9–20.
- Liu, T. W., Cephas, K. D., Holscher, H. D., Kerr, K. R., Mangian, H. F., Tappenden, K. A., Swanson, K. S., (2016). Nondigestiblefructans alter gastrointestinal barrier function, gene expression, histomorphology, and the microbiota profiles of diet-induced obese C57BL/ 6. J mice. *J Nutr.*, 146: 949–956.
- Losada, M. A., and Olleros, T., (2002). Towards a healthier diet for the colon: The influence of fructooligosaccharides and Lactobacilli on intestinal health. *Nutrition Researc.*, 22: 71–84.
- Lourencetti, R. E., Benossi, L., Marques, D. R., Joia, B. M., Monteiro, A. R. G., (2013). Development of biscuit type cookie with partial replacement of fat by inulin *International Journal of Nutrition and Food Sciences*, 2(5): 261-265.
- Luis, D. A., Fuente, B., Izaola, O., Conde R., Gutiérrez, S., Morillo, M., and Torres, C. T., (2011). Original Double blind randomized clinical trial controlled by placebo with an alpha linoleic acid and prebiotic enriched cookie on risk cardiovascular factor in obese patients, *Nutr Hosp.*, 26(4): 827-833.
- Maas, A. H. E. M., and Appelman, Y. E. A., (2010). Gender differences in coronary heart disease, *Neth Heart J.*, 18(12): 598–602.
- Macfarlane, G. T., Steed, H., and Macfarlane, S., (2008). Bacterial metabolism and health-related effects of galacto-oligosaccharides and other prebiotics. *J ApplMicrobiol*, 104:305–344.
- Madrigal, L., and Sangronis, E., (2007).Inulin and derivates as key ingredients in functionalfoods. *ArchivosLatinoamericanos de Nutrición*, 57(4): 387–396.

- Mageshwari, U.S., Subramaniam, T., Sharmila J.M. and Mozhi, A.R. Risk assessment for heart diseases among textile mill women employees. (2014). *International Journal of Current Research*. 6(5);6508 -6512.
- Maghaydah, S., Abdul-Hussain, S., Ajo, R., Obeidat, B., and Tawalbeh, Y., (2013).Enhancing the Nutritional Value of Gluten-Free Cookies with Inulin*Advance Journal of Food Science and Technology* 5(7): 866-870.
- Mandal, V., Sen, S. K., and Mandal, N. C., (2009).Effect of prebiotics on bacteriocin production and cholesterol lowering activity of *Pediococcus acidilactici* LAB 5.*World J MicrobiolBiotechnol.*, 25: 1837–1841.
- Manning, T. S., and Gibson, G. R., (2004).Prebiotics.*Best Practice & Research Clinical Gastroenterology*, 18(2):287-298.
- Marteau, P., and Flourie, B., (2001). Tolerance to low-digestible carbohydrates: symptomatology and methods. *Br J Nutr.*, 85:S17–21.
- Mastromatteo, M., Lannetti, M., Civica, V., Sepielli, G. and Del Nobile, M. (2012), “Effect of the inulin addition on the properties of gluten free pasta”, *Food and Nutrition Sciences*, 3(1): 22-27.
- Mazloomi, S. M., Shekarforoush, S. S., Ebrahimnejad, H., and Sajedianfard, J., (2011). “Effect of adding inulin on microbial and physicochemical properties of low fat probiotic yogurt”. *Iranian Journal of Veterinary Research*, Shiraz University, 12(2): 93-98.
- Meyer, D., and Blaauwhoed, J.P., (2009). Inulin. *Handbook of hydrocolloids*, 2: 829-848.
- Meyer, D., Bayarri, S., Tárrega, A., and Costell, E., (2011). “Inulin as texture modifier in dairy products”, *Foods Hydrocolloids*, 25(8): 1881-1890.
- Miller, R., Benelam, B., Stanner, S., Buttriss, J., (2013).Is snacking good or bad for health: an overview. *Nutr Bull.*, 38(3): 302-322.

- Million Death Study. (2012). Cardiovascular Disease Mortality in India: Report Submitted to Ministry of Health. New Delhi, India: Ministry of Health.
- Mishra, P. R., Panda, P. K., Apanna, K.C., Panigrahi, S., (2011). Evaluation of acute hypolipidemic activity of different plant extracts in Triton WR-1339 induced hyperlipidemia in albino rats. *Pharmacologyonline.*, 3: 925-934.
- Mony, P. K., (Geographical epidemiology of cardiovascular disease in India: an exploratory study, University of Toronto, Canada 2010 Available from: tspace.library.utoronto. Accessed on September 2016.
- Mussatto, S.I., and Mancilha I.M., (2007). Non-digestible oligosaccharides: A review. *Carbohydrate Polymers*.68(3):587–597
- Nag, T., and Ghosh, A., (2013). Cardiovascular disease risk factors in Asian Indian population: A systematic review. *J Cardiovasc Dis Res.*, 4:222-8.
- Napolitano, A., Costabile, A., Martin-Pelaez, S., Vitaglione, P., Klinder, A., Gibson, G. R., Fogliano, V., (2009).Potential prebiotic activity of oligosaccharides obtained by enzymatic conversion of durum wheat insoluble dietary fibre into soluble dietary fibre.*NutrMetabCardiovasc Dis.*, 19: 283–290.
- National Institute of Nutrition “Dietary guidelines for Indians – A Manuel” 2011, P - 107.
- NCEP (2002), Third Report of the National Cholesterol Education Program Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) final report. *Circulation*, 106:3143-3421.
- Nelson, R.H., (2013).Hyperlipidemia as a Risk Factor for Cardiovascular Disease. *Prim Care*; 40(1): 195–211.
- Niness KR. 1999. Inulin and oligofructose: what are they? *J Nutr.*, 129:1402S–6.

- Niness, K.R., 1999. Inulin and oligofructose. *The American journal of Clinical Nutrition*, 82:471-476.
- Niva, M., (2006). "Can we predict who adopts health-promoting foods? Users of functional foods in Finland," *Scandinavian Journal of Food and Nutrition*, 50 (1): 13-24.
- O'Brein, C. M., Mueller, A., Scannell, A. G. M., and Arendt, E. K., (2003). Evaluation of the effects of fat replacers on the quality of wheat bread. *J. Food Engin.*, 56: 265–267.
- Ohta, A., Uehara, M., Sakai, K., Takasaki, M., Adlercreutz, H., Morohashi, T., and Ishimi, Y., (2002). A combination of dietary fructooligosaccharides and isoflavone conjugates increases femoral bone mineral density and equol production in ovariectomized mice. *Journal of Nutrition*, 132: 2048-2054.
- Ooi, L. G., and Liong, M. T., (2010). Cholesterol-lowering effects of probiotics and prebiotics: a review of *in vivo* and *in vitro* findings. *IntJMol Sci.*, 11: 2499-522.
- Pandiyan, C., Annal, V. R., Kumaresan, G., Murugan, B., and Rajarajan, G., (2012). "Effect of incorporation of inulin on the survivability of *Lactobacillus acidophilus* in synbiotic ice cream", *International Food Research Journal*, 19(4): 1729-1732.
- Pasqualetti, V., Altomare, A., Guarino, M. P. L., Locato, V., Cocca, S., Cimini, S., Palma, R., Alloni, R., Gara, L. D., and Cicala, M., (2014). Antioxidant Activity of Inulin and Its Role in the Prevention of Human Colonic Muscle Cell Impairment Induced by Lipopolysaccharide Mucosal Exposure *PLoS ONE* 9(5): e98031.
- Pawar, M., (2004). *Data Collecting Methods and Experiences: A Guide for Social Researchers* Sterling Publishers, P-21
- Pederson, A., Sandtr, M. B., and Amelsfoort, V., (1997). The effect of ingestion of inulin on blood lipids and gastrointestinal symptoms in healthy females. *British Journal of Nutrition*, 78:215- 222.

- Pool-Zobel, B. L., (2005). Inulin-type fructans and reduction in colon cancer risk: review of experimental and human data. *British Journal of Nutrition*,93 (suppl1):S73-S90.
- Prabhakaran, D., Yusuf, S., Mehta, S., Pogue, J., Avezum, A., Budaj, A., Cerumzynski, L., Flather, M., Fox, K., Hunt, D., Lisheng, L., Keltai, M., Parkhomenko, A., Pais, P., Reddy, S., Ruda, M., Hiquing, T., and Jun Z., (2005). Two year outcomes in patients admitted with non-ST elevation acute coronary syndrome: results of the OASIS registry 1 and 2. *Indian Heart J.*, 57:217–225
- Prasad, K. N., (1980). Butyric acid: a small fatty acid with diverse biological functions. *Life Science*, 27:1351-1358.
- Qin, J., Li, Y., Cai, Z., Li, S., Zhu, J., Zhang, F., *et al.* (2012). A metagenome-wide association study of gut microbiota in type 2 diabetes. *Nature*, Vol 490, P. 55–60.
- Rao, A. V., (1999). Dose-response effects of inulin and oligofructose on intestinal bifidogenesis effects. *Journal of Nutrition*,129:1442S-1445S.
- Registrar General of India. Sample Registration System Report. New Delhi, India: Office of the Registrar General. Available at: www.censusindia.gov.in/2011-common/sample_registration. Accessed June 17, 2016
- Rezai, G., Teng, P. K., Mohamed, Z., and Shamsudin, M. N., (2012). “Functional Food Knowledge and Perceptions among Young Consumers in Malaysia,” *International Journal of Biological, Veterinary, Agricultural and Food Engineering*, 6: 3.
- Roberfroid, M. B., (1993). Dietary fibre, inulin and oligofructose: a review comparing their physiological effects. *Crit. Rev. Food Sci. Technol.*, 33: 103-148.

- Roberfroid, M. B., (1999). Caloric value of inulin and oligofructose. *J Nutr.*, 129:1436S–7.
- Roberfroid, M. B., (2000). Prebiotics and probiotics: are they functional foods? *American Journal of Clinical Nutrition*: 71(6):1682S-1687S.
- Roberfroid, M. B., (2001). Prebiotics: preferential substrates for specific germs?. *Am J Clin Nutr.*, 73(2 Suppl):406S-409S.
- Roberfroid, M. B., (2005). Introducing inulin-type fructans. *Br J Nutr.*, 93(1): 13–25.
- Roberfroid, M. B., Cumps, J., and Devogelaer, J. P., (2002). Dietary chicory inulin increases whole-body bone mineral density in growing male rats. *J Nutr.*, 132(12):3599-602.
- Roberfroid, M. B., Van Loo, J., and Gibson, G. R., (1998). The bifidogenic nature of chicory inulin and its hydrolysis products. *J Nutr.*, 128:11–9.
- Roberfroid, M., (1993). Dietary fiber, inulin, and oligofructose: a review comparing their physiological effects. *Crit Rev Food Sci Nutr.*, 33: 103–48.
- Roberfroid, M., (2007). Prebiotics: the concept revisited. *J Nutr.*, 137: 830S-837S.
- Roberfroid, M., Gibson, G. R., Hoyles, L., McCartney, A. L., Rastall, R., Rowland, I., et al. (2010) Prebiotic effects: metabolic and health benefits. *Br J Nutr.*, 104(Suppl 2): S1–S63.
- Rossi, M., Corradini, C., Amaretti, A., Nicolini, M., Pompei, A., Zanoni, S., and Matteuzzi, D., (2005). Fermentation of fructooligosaccharides and inulin by bifidobacteria: a comparative study of pure and fecal cultures. *Appl Environ Microbiol.*, 71: 6150–6158.
- Rößle, C., Ktenioudaki, A., and Gallagher, E., (2011). “Inulin and oligofructose as fat and sugar substitutes in quick breads (scones): a mixture design approach”, *European Food Research and Technol.*, 233(1): 167-181.

- Rumessen, J. J., Bode, S., Hamberg, O., Gudmand Hoyer, E., (1990). Fructans of Jerusalem artichokes: intestinal transport, absorption, fermentation, and influence on blood glucose, insulin, and C-peptide responses in healthy subjects. *Am J Clin Nutr.*, 52:675-681.
- Russo, F., Chimienti, G., Riezzo, G., Pepe, G., Petrosillo, G., Chiloiro M., and Marconi, E., (2008). Inulin enriched pasta affects lipid profile and Lp(a) concentrations in Italian young healthy male volunteers. *Eur J Nutr.*, 47: 453–459.
- Russo, F., Clemente, C., Linsalata, M., Chiloiro, M., Orlando, A., Marconi, E., Chimienti, G. and Riezzo, G., (2011). “Effects of a diet with inulin-enriched pasta on gut peptides and gastric emptying rates in healthy young volunteers”, *European Journal of Nutrition*, 50(4): 271-277.
- Sabater-Molina, M., Larque, E., Torrella, F., and Zamora, S., (2009). Dietary fructooligosaccharides and potential benefits on health. *J PhysiolBiochem.*, 65:315–328.
- Saberi, M. and Harighi, A., (2016).The Effect of Prebiotics on Hyperlipidemia, Nutritional Clinic Kashani Hospital Tehran, Social Security Organization.*Journal of Medical Research*. 2 (1), 6-11.
- Sample Registration System (2007). "Million Death Study: Preliminary Report on Causes of Death in India 2001–2003" New Delhi: Registrar General of India.
- Schley, P. D., and Field, C. J., (2002).The immune enhancing effects of dietary fibres and prebiotics.*British Journal of Nutrition*,87(2): S221-S230.
- Scholz-Ahrens, K. E., Ade, P., Marten, B., Weber, P., Timm, W., Asil, Y., Gluer, C., and Schrezenmeir, J., (2007). Prebiotics, probiotics, and synbiotics affect mineral absorption, bone mineral content, and bone structure. *Journal of Nutrition*, 137: 838S-846S.

- Scholz-Ahrens, K. E., Schaafsma, G., Van Den Heuvel, E. G. H. M., and Schrezenmeir, J., (2001). Effects of prebiotics on mineral metabolism. *American Journal of Clinical Nutrition* 73(2): 459S-464S.
- Seechurn, D., Neeliah, H., and Neeliah, S. A., (2009). Functional foods in Mauritius: A consumer survey *Journal of Development and Agricultural Economics*, 1(9): 204-211
- Shridhar , K., Dhillon, P.R., Bowen,L., Kinra, S., Bharathi. A.V., Prabhakaran, D., Reddy, K.S. and Ebrahim, S., (2014). The Association between a Vegetarian Diet and Cardiovascular Disease (CVD) Risk Factors in India: The Indian Migration Study. *PLoS ONE* 9(10): e110586.
- Sijtsma, F. P., Meyer, K. A., Steffen, L. M., Shikany, J. M., Van Horn, L., Harnack, L., Kromhout, D., and Jacobs, D. R. Jr., (2012). Longitudinal trends in diet and effects of sex, race, and education on dietary quality score change: The coronary artery risk development in young adults study. *The American journal of clinical nutrition*, 95: 580-586.
- Slavin , J., (2013). Fiber and Prebiotics: Mechanisms and Health Benefits. *Nutrients* ; 5(4): 1417–1435.
- Stam, J., Van Stuijvenberg, M., Garssen, J., Knipping, K., and Sauer, P. J. J., (2011). A mixture of three prebiotics does not affect vaccine specific antibody responses in healthy term infants in the first year of life. *Vaccinestatus of magnesium in postmenopausal women. Journal of Bone and Mineral Research*, 16: 2152-2160.
- Steer, T., Carpenter, H., Tuohy, K., and Gibson, G. R., (2000). Perspectives on the role of the human gut microbiota in health and disease and its modulation by pro- and prebiotics. *Nutr. Res. Rev.*, 13: 229-254.
- Stewart-Knox, B. J., (2006). Consumer Uptake of Functional Foods in Europe. Northern Ireland Centre for Food and Health, UK.

- St-Onge, M. P., Farnworth, E. R., Jones, P. J. H., (2000). Consumption of fermented and nonfermented dairy products: effects on cholesterol concentrations and metabolism. *Am J Clin Nutr.*, 71:674–81.
- Stowell, J., (2007). Calorie control and weight management. In: Mitchell H (ed) *Sweeteners and sugar alternatives in food technology*. Blackwell Publishing Ltd.
- Swanson, K. S., Grieshop, C. M., Flickinger, E. A., Bauer, L. I., Healy, H. P., Dawson, K. A., Merchen, N. R., and Fahey, G. C. Jr., (2002). Supplemental fructooligosaccharides and mannanoligosaccharides influence immune function, ileal and total tract nutrient digestibilities, microbial populations and concentrations of protein catabolite concentrations in the large bowel of dogs. *Journal of Nutrition*, 132: 980-989.
- Tahiri, M., Tressol, J. C., Arnaud, J., Bornet, F., Bouteloup-Demange, C., Coudray, C. F., Ducros, V., Pepin, D., and Brouns, F., (2001). Five-week intake of short-chain fructooligosaccharides increases intestinal absorption and status of magnesium in postmenopausal women. *Journal of Bone and Mineral Research*, 16: 2152-2160.
- Tungland, B. C., and Meyer, D., (2002). Non-digestible oligosaccharides (dietary fibre): their physiology and role in human health and food. *Compr.Rev. Food Sci. Food Safety*, 3: 73-92.
- Vaidya, R., and Sheth, M., (2010). Processing and storage of Indian cereal and cereal products alters its resistant starch content, *J Food Sci Technol.*, 48(5): 622–627.
- Vamanu, E., and Vamanu, A., (2010). The influence of prebiotics on bacteriocin synthesis using the strain *Lactobacillus paracasei* CMGB16. *Afr J Microbiol Res.*, 4: 534–537.

- Van Loo Jae, (2004). Prebiotics promote good health. The basis, the potential and the emerging evidence. *Journal of Clinical Gastroenterology*, 38(2):S70-S75.
- Van Loo, J., Coussement, P., De Leenheer, L., Hoebregs, H., Smits, G., (1995). On the presence of inulin and oligofructose as natural ingredients in the Western diet. *Crit Rev Food Sci Nutr.*, 35:525–552.
- Venter, I., and Hanekom, M., (2010). Awareness and knowledge of pro-pre biotics and AB cultures among yogurt buyers in four Pretoria suburbs and the factors determining their yogurt buying decision *Journal of Family ecology and consumer sciences*, 38: 53-62.
- Verma, A., Sangeeta, K., Pallavi K., and Reeta, S. G., (2015). Comparison of cardiovascular risk between vegetarian and non-vegetarian adolescents in North Indian population *Journal of Chemical and Pharmaceutical Research*, 7(2):646-649.
- Villegas, B., Tárrega, A., Carbonell, I. and Costell, E. (2010). “Optimising acceptability of new prebiotic low-fat milk beverages”, *Food Quality and Preference*, 21(2): 234-242.
- Wada, T., Sugatani, J., Terada, E., Ohguchi, M., and Miwa, M., (2005). Physicochemical characterization and biological effects of inulin enzymatically synthesized from sucrose. *J. Agric. Food Chem.*, 53: 1246-1253
- Wahba, S. A., Arrafa, A. M., Saleh, N. A., Mekkawy, A. A., Ahmed, R. T., (2006). Knowledge, Attitudes toward Functional Foods among Adults Working in the National Research Center, Egypt. *J. Appl. Sci. Res.*, 2:39-43.
- Wang, H., Cao. J., Li. J., Chen. J., Wu. X., Duan. X. Huang. J., and Gu. D., (2010). Blood pressure, body mass index and risk of cardiovascular disease in Chinese men and women. *BMC Public health*; 10:189

- Wang, Z., Klipfell, E., Bennett, B. J., Koeth, R., Levison, B. S., Dugar, B., Feldstein, A. E., Britt, E. B., Fu, X., Chung, Y. M., Wu, Y., Schauer, P., Smith, J. D., Allayee, H., Tang, W. H., DiDonato, J. A., Lusis, A. J., Hazen, S. L., (2011). Gut flora metabolism of phosphatidylcholine promotes cardiovascular disease. *Nature*, 472: 57–63.
- Weidmann, M., and Jager, M., (1997). Synergistic sweeteners. *Food Ingred. Int.*, 6: 51-56.
- Welborn, T. A., Dhaliwal, S. S., and Bennett, S. A., (2003), “Waist- hip ratio- the dominant risk factor predicting cardiovascular death in Australia”, *Med J Aust.*, 179(3): 580-586.
- WHO (2008). *Waist Circumference and Waist–Hip Ratio: Report of a WHO Expert Consultation Geneva*
- WHO expert consultation, (2004), “Appropriate body mass index for Asian population and its implications for policy and intervention strategies”, *The Lancet*, Pp. 157-163.
- WHO. *Global Atlas on Cardiovascular Disease Prevention and Control 2011* Accessed on August 2016 Available from: www.who.int
- WHO. *Non- communicable diseases country profile: India 2010* .Accessed on May 2015
- Willcox, B. J., Willcox, D. C., and Todoriki, H., (2007). “Caloric restriction, the traditional okinawan diet, and healthy aging: the diet of the world’s longest-lived people and its potential impact on morbidity and life span,” *Annals of the New York Academy of Sciences*, 1114, 434–455.
- Wong JM, Kendall CW, de Souza R, Emam A, Marchie A, Vidgen E, Holmes C, Jenkins DJ. (2010). The effect on the blood lipid profile of soy foods combined with a prebiotic: a randomized controlled trial. *Metabolism.*;59(9):1331-40

- World Health Organization. Global Status Report on Non-Communicable Diseases 2014. Geneva, Switzerland: World Health Organization
- Wu T, Yang Y, Zhang L., and Han J.(2010). Systematic review of the effects of inulin-type fructans on blood lipid profiles: a meta-analysis. *Wei Sheng Yan Jiu.* 2010;39(2):172-6.
- Wu, S., Wang, L., Xu, C., and Lian, X., (2015). Effect of inulin-type fructans on atherosclerosis associated blood lipid profile: A systematic review and meta analysis of randomized controlled trials. *Academic Journal of Second Military Medical University*, 36(3):287-296
- Wu, T., Yang, Y., Zhang, L., and Han, J., (2010). Systematic review of the effects of inulin-type fructans on blood lipid profiles: a meta-analysis. *Journal of Hygiene Research*, 39(2):172-6.
- Xu, B., Wang, Y., Li, J., and Lin, Q., (2009). Effect of prebiotic xylooligosaccharides on growth performances and digestive enzyme activities of allogynogenetic crucian carp (*Carassius auratus gibelio*). *Fish Physiol. Biochem.*, 35:351–357.
- Yap, W. K. W., Mohamed, S., Jamal, M. H., Diederick, M., and Manap, Y. A., (2008). “Changes in infants faecal characteristics and microbiota by inulin supplementation”, *Journal of Clinical and Biochemistry Nutrition*, 43(3): 159-166.
- Yasmin, I., Saeed, M., AtifRandhawa, M., Issa Khan, M., AsimShabbir, M., and Ali Khan, W., (2015).Potential application of inulin in food industry; A review *Pakistan Journal of Food Sciences*, 25(3): 110-116.
- Yeo, S. K., Liong, and M. T., (2010).Effect of prebiotics on viability and growth characteristics of probiotics in soymilk. *J Sci Food Agric.*, 90: 267–275.
- Yusuf, S., Rangarajan, S., Teo, K., Islam, S., Li, W., Liu, L., Bo, J., Lou, Q., Lu, F., Liu, T., Yu, L., Zhang, S., Mony, P., Swaminathan, S., Mohan, V., Gupta, R., Kumar, R., Vijayakumar, K., Lear, S., Anand, S., Wielgosz, A.,

- Diaz, R., Avezum, A., Lopez Jaramillo, P., Lanas, F., Yusoff, K., Ismail, N., Iqbal, R., Rahman, O., Rosengren, A., Yusufali, A., Kelishadi, R., Kruger, A., Puoane, T., Szuba, A., Chifamba, J., Oguz, A., McQueen, M., McKee, M., and Dagenais G., (2014). Cardiovascular risk and events in 17 low-, middle-, and high-income countries. *N Engl J Med.*, 371:818–827.
- Zafar, T.A., Weaver, C. M., Zhao, Y., Martin, B. R., and Wastney, M. E., (2004). Non-digestible oligosaccharides increase calcium absorption and suppress bone resorption I ovariectomized rats. *Journal of Nutrition*, 134:399-402.
- Zahn, S., Pepke, F. and Rohm, H., (2010). “Effect of inulin as a fat replacer on texture and sensory properties of muffins”, *International Journal of Food Science and Technology*, 45(12): 2531-2537.
- Zong, G., Li, Y., Wanders, A.J., Alsemma, M., Zock, P.L., Willett, W.C., Hu. F.B., Sun, Q., (2016). Intake of individual saturated fatty acids and risk of coronary heart disease in US men and women: two prospective longitudinal cohort studies. *BMJ*2016; 355