



## BIBLIOGRAPHY

- Acikgoz, F.E. (2011), Mineral, vitamin C and crude protein contents in kale (*Brassica oleraceae var. acephala*) at different harvesting stages, *African Journal of Biotechnology*, 10: 17170-17174.
- Agoreyo, B.O., Obansa, E.S. and Obanor, E.O. (2012), Comparative nutritional and phytochemical analysis of 2 varieties of *Solanum melongena*, *Science World Journal*, 7: 5-8.
- Ahamed, I.H. (2007), Efficacy of rhizobacteria for growth promotion and biocontrol of *Pythium ultimum* and *Fusarium oxysporum* on sorghum in Ethiopia and South Africa, Ph.D Thesis, Department of Microbiology and Plant Pathology, University of Pretoria, 6.
- Ajayi, I.A., Ajibade, O. and Oderina, R.A. (2011), Preliminary phytochemical analysis of some plant seeds, *Research Journal of Chemical Science*, 1: 58-62.
- Akoto, O., Bruce, T.N. and Darkol, G. (2008), Heavy metals pollution profiles in streams serving the Owabi reservoir, *African Journal of Environmental Science and Technology*, 2: 354-359.
- Aksu Z., (2005), Application of biosorption for the removal of organic pollutants: a review, *Process Biochemistry*, 40: 997-1026.
- Ali, S.S., Kesoju, N., Luthra, A., Singh, A., Sharanabasava, H., Sahu, A. and Bora, U. (2008), Indian medicinal herbs as sources of antioxidants, *Food Research International*, 41: 1-15.
- Alinsafi, A., Khemis, M., Pons, M.N., Leclerc, J.P., Yaacoubi, A., Benthammou, A. and Nejmeddine, A. (2005), Electro-coagulation of reactive textile dyes and textile wastewater, *Chemical Engineering and Processing, Process Intensification*, 44: 461-470.
- Allegre, C., Mouline, P., Maissey, M. and Charbit, F. (2006), Treatment and reuse of reactive dyeing effluent, *Journal of Membrane*, 269: 15-34.
- Amber, M. (2011), Fertilizer Potential of Biofuel Byproducts, *Biofuel Production, Recent Developments and Prospects*, Dr. Marco Aurelio Dos Santos Bernardes publisher (Ed.), 8.
- American Public Health Association, APHA, (1995), Standard methods for the examination of water and wastewater, 19<sup>th</sup> edition, American public health association, Washington, DC.
- American Public Health Association, APHA, (2005), Standard methods for the examination of water and wastewater, 21<sup>th</sup> edition, American public health association, Washington, DC.
- Amin, M.M., Sawhney, S.S. and Jassal, M.M.S. (2013), Qualitative and Quantitative analysis of phytochemicals of *Taraxacum officinale* woodpecker, *Journal of Pharmacy and Pharmacology*, 2: 1-5.
- Amy, L. M. and Germida, J. J. (2002), Taxonomic and functional diversity of Pseudomonads isolated from the roots of field-grown canola, *FEMS Microbiology and Ecology*, 42: 399-407.

- 
- Andleeb, S., Atiq, N., Ali, M.I., Hussain, R.R., Shafique, M., Ahmad, B., Ghumro, P.B., Hussain, M., Hameed, A. and Ahmad, S. (2010), Biological treatment of textile effluent in stirred tank bioreactor, *International Journal of Agricultural Biology*, 12: 256-260.
- Ann, M., Clain, J. and Jeff, J. (2005), Basic soil properties, *Soil and water management module I*, 1-12.
- Anna, G., Maria, K. and Andrzej, P. (2012), The efficiency of Rhizosphere bioremediation with *Azospirillum sp.*, and *Pseudomonas stutzeri* in soil freshly contaminated with PAHs and diesel fuel, *Polish Journal of Environmental studies*, 21: 345-353.
- Antony, J., Velganni, A. and Balasundaram, C. (2003), Protective effects of vitamin A, ascorbic acid and  $\alpha$  tocopherol on 2, 4 dimethyl aminoazobeneze induced heptoma in rats, *Current Science*, 85: 25-27.
- Antonio, P.M., John, E.S. and Stephen, K.B. (2013), General guide for crop nutrient and limestone, Department of Agronomy, Iowa State University Extension and Outreach, 1-14.
- Anandaraj, B. and Delapierre, L.R.A. (2010), Studies on influence of Bioinoculants (*Pseudomonas fluorescens*, *Rhizobium sp.*, *Bacillus megaterium*) in Green gram, *Journal of Bioscience Technology*, 1: 95-99.
- Aquil, F., Ahmed, I. and Mahmood, Z. (2005), Antioxidant and free radical scavenging properties of twelve traditionally used Indian Medicinal plants, *Tusk Journal of Biology*, 30: 177-183.
- Arslan, D. and Ozcan, M.M. (2008), Evaluation of drying methods with respect to drying kinetics, mineral content and colour characteristics of Rosemary leaves, *Energy conversion an management*, 49: 1258-1264.
- Arun kumar, J. (2006), Impact of Biogas plant effluent on growth of freshwater Fish *Cirrhinus mrigala*, *Journal Ecotoxicology Environmental Monitoring*, 16: 397-399.
- Asaolu, S.S., Adefemi, O.S., Oyakilome, I.G., Ajibulu, K.E. and Asaolu, M.F. (2012), Proximate and Mineral Composition of Nigerian Leafy Vegetables, *Journal of Food Research*, 1: 214-218.
- Asgher, M., Bhatti, H.N., Shah, S.A.H., Asad, M.J. and Legge, R.L. (2007), Decolorization potential of mixed microbial consortia for reactive and disperse textile dyestuffs, *Biodegradation*, 18: 311-316.
- Association of Official Analytical Chemists, A.O.A.C. (1990), *Official Methods of Analysis of the AOAC*, 15<sup>th</sup> Edn., Washington, D.C., 1094.
- Azambadrhadad, Khosro Piri, Tayebe Ghasv (2013), Increasing of alpha-tocopherol in cell suspension cultures *Elaeagnus angustifolia L.*, *International Journal of Agricultural Crop Science*, 5: 1328-1331.
- Bai, Y., Aoust, F. D., Smith, D. L. and Driscoll, B. T. (2002), Isolation of plant growth promoting *Bacillus* strains from soybean root nodules, *Canadian Journal of Microbiology*, 48: 230-238.
- Bashan, Y. and de-Bashan, L. E. (2005), Bacteria-Plant growth promoting, In: *Encyclopaedia of soils in the environment*, (Eds. D, Hillel), 1: 103-115.
- Basu, S., Roychoudhury, A., Saha, P.P. and Sengupta, D.N. (2010), Differential antioxidative responses of indica rice cultivars to drought stress, *Plant Growth Regulation*, 60: 51-59.

- 
- Bayfield, R.F. and Cole, E.R. (1980), Colorimetric estimation of vitamin A with trichloroacetic acid, *Methods in Enzymology*, 67: 189-195.
- Begum, A., Ramaiah, M., Harkrishna, S., Khan, I. and Veena, K. (2009), Heavy Metal Pollution and Chemical Profile of Cauvery River Water, *e-Journal of Chemistry*, 6: 47-52.
- Bergey's manual of Determinative bacteriology, (1974), 8th Eds., Williams and Wilkins, Baltimore.
- Bhalla, R., Kumar, M.H.S. and Jain, R. (2007), Effect of organics manures and biofertilizers on growth and flowering in standard carnation (*Dianthus caryophyllus*.Linn.), *Journal of Ornamental Horticulture*, 10: 229-234.
- Bizuneh, A. (2012), Textile effluent treatment and Decolorization techniques - a review, *Bulgarian journal of science education*, 21: 434-456.
- Boldyrev, A. (2001), Carnosine as a modulator of endogenous Zn<sup>2+</sup> effects, *Trends in Pharmacological Science*, 22: 112-113.
- Bornick, H. and Schmidt, T.C. (2006), Amines, In: *Organic pollutants in the water cycle, Properties, occurrence, analysis and environmental relevance of polar compounds*, Reemtsma, T. and Jekel, M. (Eds.), Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany, 181-208.
- Borrow, A.P.W., Brain, U.E., Chester, P.J., Curtis, H.G., Hemming, E.C., Jeffereys, R.B., Lloyd, I.S., Nixon, G.L.F., Norris, L. and Radley, N. (1955), Gibberellic acids a metabolic product of the fungus *Gibberella fujikuroi* some observations on its production and isolation, *Journal of Food Science and Agriculture*, 6: 340-348.
- Boussaada, D., Chiriaa, J., Nabil, R., Ammar, S., Saidana, D., Mahjoub, M.A., Chraeif, I. and Helal, A.N. (2008), Antimicrobial and antioxidant activities of methanol extracts of *Evax pygmaea* (Asteraceae) growing wild in Tunisia, *World Journal of Microbial Biotechnology*, 24: 1289-1296.
- Brito, A. and Marco, C. (2007), *Synthesis and Characterization of Glycosides*, Springer, 1: 1-12.
- Caglar, O., Hasan, T.S., Ihsanullah, D. and Oguz, F. (2010), Relationship between some plant growth parameters and grain yield of chickpea (*Cicer arietinum* L.) during different growth stages, 15: 79-83.
- Caliskan, O. and Polat, A.A. (2011), Phytochemical and antioxidant properties of selected fig (*Ficus carica* L.) accessions from the eastern Mediterranean region of Turkey, *Scientia Horticulturae*, 128: 473-478.
- Cao, G., Sofic, E. and Prior, R.L. (2006), Antioxidant capacity of tea and common vegetables, *Journal of Agricultural and Food Chemistry*, 44: 3426-3431.
- Carvalho, M.C., Pereira, C., Goncalves, I.C., Pinheiro, H.M., Santos, A.R., Lopes, A. and Ferra, M.I. (2008), Assessment of the biodegradability of a monosulfonated azo dye and aromatic amines, *International Biodeterioration and Biodegradation*, 62: 96-103.
- Central Pollution Control Board, CPCB (2005), Review paper on Environmental Investigations into the ground and surface water quality aspects of river Noyyal and performance evaluation of effluent treatment Systems of Tirupur, 9.

- 
- Chan, L.W., Cheah, E.L.C., Saw, C.L.L., Weng, W. and Heng, P.W.S. (2008), Antimicrobial and antioxidant activities of Cortex *Magnoliae officinalis* and some other medicinal plants commonly used in South-East Asia, *Chinese Medicine*, 3: 1-10.
- Chanda, S., Vaghasiya, Y. and Nair, R. (2008), Antibacterial and preliminary phytochemical and Physio-chemical analysis of *Eucalyptus citriodora* Hk leaf, *Natural Product Research*, 22: 754-762.
- Channakeshava, S., Sarangamath P.A. and Anand, N. (2006), Effect of different phosphate sources on leaching and re-distribution of fluorine in submerged acid soils of utter Kannada, *Journal of Ecotoxicology and Environmental Monitoring*, 16: 437-442.
- Chaparzadeh, N., Amico, M.L., Nejad, R.K., Izzo, R. and Izzo, F.N. (2004), Antioxidative responses *Calendula officinalis* under salinity conditions, *Plant Physiological Biochemistry*, 42: 695- 701.
- Chen, K.C., Wu, J.Y., Liou, D.J. and Hawang, S.C.J. (2003), Decolourization of textile dyes by newly isolated bacterial strains, *Journal of Biotechnology*, 10: 57-58.
- Cheng, K.L. and Bray, R.H. (1951), Determination of calcium and magnesium in soil and plant material, *Soil Science*, 72: 449-58.
- Choi, K.S. and Lee, H.Y. (2009), Characteristics of useful components in the leaves of baechohyang (*O. Kuntze*), *Journal of the Korean Society of Food Science and Nutrition*, 28: 326-332.
- Clement, A. (2011), Assessment of some traditional leafy vegetables of upper east region and influence of stage of harvest and drying method on nutrients content of spider flower (*Cleome gynandra* L.), Thesis, Kwame Nkrumah University, Kumasi, 48-50.
- Das, P., Choudhari, A.R., Dhawan, A. and Singh, R. (2009), Role of ascorbic acid in Human seminal plasma against the oxidative damage to the sperms, *Indian Journal of Clinical Biochemistry*, 24: 312-315.
- Datta, R.K. and Mahesh, N. (2007), *Global silk industry*, APH publishing corporation, 157-161.
- Davey, M, Marc, V.M., Dirk, I., Maite, S., Angelos, K., Nicholas, S., Iris, B., John, S., Derek, F. and John, F. (2000), Plant L-ascorbic acid: chemistry, function, metabolism, bioavailability and effects of processing, *Journal Science of Food Agriculture*, 80: 825-860.
- Demirezen, D. and Ahmed, A. (2006), Heavy metal levels in vegetables in turkey are within safe limits for Cu, Zn, Ni and exceeded for Cd and Pb, *Journal of Food Quality*, 29: 252-265.
- Department of Water Affairs and Forestry, DWAF, (1996), *South African Water Quality Guidelines, Domestic Uses*, 2nd. Ed., Pretoria, 1: 34.
- Dinesh, K. and Maheshwari, (2011), *Bacteria in Agrobiolgy: Plant Nutrient Management, Plant Nutrient Management*, Springer publication, 8.
- Djaelani, M., Rungkat, F.Z., Setiana, Rumondang, E. and Nurrochmah, L. (2000), Carotenoid bioavailability of vegetables and carbohydrate-containing foods measured by retinol accumulation in rat livers, *Journal of Food Composition and Analysis*, 13: 297-310.
- Dos Santos, A.B., Cervantes, F.J. and Van Lier, J.B., (2007), Review paper on current technologies for decolourisation of textile wastewaters, Perspectives for anaerobic biotechnology, *Bioresource Technology*, 98: 2369-2385.

- 
- Egwaikhide, P.A. and Gimba, C.E. (2007), Analysis of phytochemical content and antimicrobial activity of *Plectranthus glandulosus* whole plant, Middle East Journal of Scientific Research, 2: 135-138.
- Elena, B. (2012), Plant food analysis method, Methodical book, Department of the Food Safety and Quality, Lithuanian University of Health Sciences Veterinary Academy, Kaunas University, 26-56.
- Elias, A., Tzanko, T., Silgia, C., Karl, H.R., Artur, C.P. and Georg, G. (2000), Applied Environmental Microbiology, 66: 3357-3362.
- Environmental Protection Agency, EPA, (2006), Environmental management guidelines, Environmental management in extractive industry, Johnstown castle estate, Wexford, Ireland, 8-15.
- Environmental Protection Agency, EPA, (2010), Environment (Protection) Third amendment rules, Ministry of Environment and Forests, Johnstown castle estate, Wexford, Ireland, 5-7.
- Erickson, L. R. (2008), Restriction patterns reveal origins of chloroplast genomes in *Brassica* amphiploids, Theory of Applied Genetics, 65: 201-206.
- Fabian, M., Andreas, S. and Marcike, W. (2000), The influence of zinc and phenol on the feeding activity of *Gammarus plex* (L.) under consideration of body surface area, Vertiefungspraktikum aquatische okotoxikologie, 4.
- Fang, H., Wenrong, H. and Yuezhong, L. (2004), Biodegradation mechanisms and kinetics of azo dye 4BS by microbial consortium, Chemosphere, 57: 293-301.
- Fatima, R.A. and Ahmad, M. (2005), Certain antioxidant enzymes of *Allium cepa* as biomarkers for the detection of toxic heavy metals in wastewater, Science of Total Environment, Elsevier, 346: 256-273.
- Federal Environmental Protection Agency, FEPA, (1991), Guidelines and Standards for Environmental Pollution Control in Nigeria, 13-94.
- Federal Ministry of Environment, FMENV, (1998), Industrial Pollution Inventory Study in Nigeria.
- Finney, D.J. (1971), Probit analysis, Third edition, Cambridge University Press, 333.
- Fiske, C.H. and Subbarow, Y. (1925), Estimation of phosphorus, Journal of Biological Chemistry, 66: 375.
- FitzJohn, P. (2007), Hybridisation within *Brassica* and allied genera, evaluation of potential for transgene escape, Euphytica, 158: 209-230.
- Follett, R.F. (2001), Nitrogen transformation and transport processes, Nitrogen in the Environment: Sources, Problems and Management, Elsevier, the Netherlands, 17-44.
- Francis, G., Kerem, Z., Makkar, H.P.S. and Becker, K. (2009), The biological action of saponins in animal systems: a review, Brazilian Journal of Nutrition, 88: 587-605.
- Gamel, T.H., Linsen, J.P., Mesallem, A.S., Damir, A.A. and Shekib, L.A. (2005), Effect of treatments on the chemical composition and properties of two amaranth species: starch and protein, Journal of Food Science and Agriculture, 85: 319-327.
- Garg, S.K. and Tripathi, M. (2011), Strategies for decolorization and detoxification of pulp and paper mill effluent, Reviews of Environmental Contamination and Toxicology, 212: 113-136.

- 
- Gayathri, B.M., Balasuriya, K., Panduka de, G.S., Gunawardena, S., Jayantha Rajapakse, R.P.V. and Dharmaratne, H.R.W. (2008), Toxicological studies of the water extract of green leafy vegetable Sessile joy weed (*Alternanthera sessilis*), *Current Science*, 91: 1517-1520.
- Georgiev, M., Abrashev, R., Krumova, E., Demirevska, K., Ilieva, M. and Angelova, M. (2009), Rosmarinic Acid and Antioxidant Enzyme Activities in *Lavandula vera* MM Cell Suspension Culture: A Comparative Study, *Applied Biochemistry and Biotechnology*, 159: 415-425.
- Gerber, D. and McCool, J. (2014), Finding the Surface Area of a Leaf, <http://sciencenetlinks.com/student-teacher-sheets/surface-area-leaf>.
- Gholami, A., Shahsavani, S. and Nezarat, S. (2009), The effect of Plant Growth Promoting Rhizobacteria (PGPR) on germination, seedling growth and yield of Maize, *International journal of Biological and life science*, 5: 35-40.
- Giemsa, G. (1904), Eine Vereinfachung und Vervollkommnung meiner Methylenblau-Eosin-Färbemethode zur Erzielung der Romanowsky-Nocht'schen Chromatinfärbung, *Centralblatt für Bakteriologie I Abteilung*, 32: 307-313.
- Giribaldi, M., Perugini, L., Sauvage, F.X. and Schubert, A. (2007), Analysis of protein changes during grape berry ripening by 2-DE and MALDI-TOF, *Proteomics*, 7: 3154-3157.
- Global Effluent Requirements (GER) Limits, (2010), *Social and Environmental sustainability*, Levi Strauss & Co., 2: 138 - 280.
- Gomez, N., Sierra, M.V., Cortelezzi, A. and Rodrigues, C.A. (2008), Effects of discharges from the textile industry on the biotic integrity of benthic assemblages, *Ecotoxicology and Environmental Safety*, 69: 472-479.
- Gordon, S.A. and Paleg, L.G. (1957), Observations on the quantitative determination of indole acetic acid, *Physiological Plantarum*, 10: 39-47.
- Gowri, S.S., Pavitha, S. and Vasantha, K. (2011), Free Radical Scavenging activity and Antioxidant Activity of young leaves and barks of *Acacia nilotica*, *International Journal of Pharmacy and Pharmaceutical Sciences*, 3: 160-164.
- Gopalakrishnan, V.K., Starlin, T., Arul raj, C. and Ragavendran, P. (2012), Phytochemical screening, Functional groups and element analysis of *Tylophora pauciflora* Wight and Arn, *International Research Journal of Pharmacy*, 3: 180-183.
- Gregoriadou, A., Delidou, K., Dermosonoglou, D., Tsoumparis, P., Edipidi, C. and Katsougiannopoulos, B. (2001), Heavy metals in drinking water in Thessaloniki area, Greece, *Proceedings of the 7th International Conference on Environmental Science and technology*, Aristotle University, Ermoupolis, 7-9.
- Groppa, M., Tomaro, L., Marcelo, E. and Fernandez, R. (1999), Activity and expression of peroxidases from sunflower: effect of development, *Revista Brasileira de Fisiologia Vegetal*, 11: 55-59.
- Grover, J.K., Yadav, S., Vats, V. (2002), Medicinal plants of India with anti-diabetic potential, *Journal of Ethnopharmacology*, 81: 81-100.

- 
- Grubbens, G.J.H. and Denton, O.A. (2004), Plant Resources of Tropical Africa 2 Vegetables, Proto Foundation, Wageningen, Netherlands/Backhuys Publishers, Leiden, Netherlands/CTA, Wageningen, Netherlands, 668.
- Guaratini, C. and Zanoni, I. (2000), Textile dyes, *Quimica Nova*, 23: 7178.
- Gulrajani, M.L. (2008), Bio and Nanotechnology in processing of Silk, [www.Fibre2fashion.com](http://www.Fibre2fashion.com), 1-7.
- Gupta, G.K. and Shukle, R., (2006), Physiochemical and Bacteriological Quality in Various Sources of Drinking water from Auriya District (UP) Industrial Area, *Pollution Research*, 23: 205-209.
- Gupta, S. and Prakash, J. (2009), Studies on Indian Green leafy vegetables for their Antioxidant activity, *Plant Foods and Human Nutrition*, 64: 39-45.
- Gutormson, T.J. (2002), Small grains: seed size, [http:// agbiopbs.sdstate.edu/articles/B706.pdf](http://agbiopbs.sdstate.edu/articles/B706.pdf), 1-3.
- Gyanshewar, P., Kumar, G.N., Pakekh, L.J. and Poole, P.S. (2002), Role of soil microorganisms in improving 'P' nutrition in plants, *Plant and Soil*, 245: 83-93.
- Hao, O.J., Kim, H. and Chiang, P.C. (2000), Decolorization of wastewater, *Critical Reviews in Environmental Science and Technology*, 30: 449-505.
- Harborne, J. B. (1986), *Biochemistry of phenolic compounds*, Academic London, 511-543.
- Hassan, M.M., Alam, M.Z. and Anwar, M.N. (2013), Biodegradation of textile Azo dyes by bacteria isolated from dyeing industry effluent, *International Research Journal of Biological Sciences*, 2: 27-31.
- Hedge, J.E. and Hofreiter B.T. (1962), In: *Carbohydrate chemistry*, 17(Eds Whistler R.L and Be Miller J.N) Academic press, New York, 9.
- Heimler, A. (2007), Natural antioxidants and antioxidant capacity of *Brassica* vegetables: A review, *LWT, Food Science and Technology*, 40: 1-11.
- Herrmann, A., Witter, E. and Katterer, T. (2005), A method to assess whether 'preferential use' occurs after 15N ammonium addition; implication for the 15N isotope dilution technique, *Soil Biology and Biochemistry*, 37: 183-186.
- Holt, G. and Eric, P. (2007), *Biofuels: Myths of the Agrofuels Transition*, Backgrounder, Institute for Food and Development Policy, Oakland, CA, 13: 2.
- Hoppe, M., Hulthen, L. and Hallberg, L. (2010), The relative bioavailability in humans of elemental iron powders for use in food fortification, *European Journal of Nutrition*, 45: 37-44.
- Horneck, D.A., Sullivan, D.M., Owen, J.S. and Hart, J.M. (2011), *Soil Test Interpretation Guide*, EC 1478, Corvallis, OR: Oregon State University Extension Service, 1-12.
- Hunt, R. (2003), Growth analysis, individual plants, *Encyclopaedia of applied plant science*, 588-596.
- Hunter, S.C. and Cahoon, E.B. (2007), Enhancing vitamin E in oilseeds unraveling Tocopherol and Tocotrienol Biosynthesis, *Lipids*, 42: 97-108.
- Imran, S., Suradkar, S. and Koche, D.K. (2012), Phytochemical analysis of *Leonotis nepetifolia* (L.) - A wild medicinal plant of Lamiaceae, *Bioscience discovery*, 3: 197-199.

- 
- Indrayan, A.K., Sharma, S., Durgapal, D., Kumar, N. and Kumar, M. (2008), Determination of nutritive value and analysis of mineral elements for some medicinally valued plants from Uttaranchal, Research communications, Current science, 89: 1252-1255.
- Ingrid, A. (2013), The health benefits of the dark green leafy vegetables, Nutrition and Food Science, University Of Kentucky College of Agriculture, Lexington, KY, 1-3.
- Iqbal, S. and Bhanger, M.I. (2006), Effect of season and production location on antioxidant activity of *Moringa oleifera* leaves grown in Pakistan, Journal of Food Composition and Analysis, Elsevier, 19: 544-551.
- Islam, M.R. (2009), Nutritional importance of some leafy vegetables available in Bangladesh, Pakistan Journal of Biological Science, 7: 1380-1384.
- Jackson, M.L. (1962), Soil chemical analysis, Prentice Hall of India Pvt. Ltd., New Delhi, 1- 483.
- Jai Prakash, B.S., Prakruthi, H.R., Nandakumar, N., Avinash Karnik, Y.S., Bhat, G.C., Ranganath Rampur, S., Viswanath, K. and Sadashivaiah, A.S. (2012), Effluent treatment in silk dyeing units of Bangalore – A case study, Hazardous Materials Session, 1.
- Jaleel, C.A., Manivannan, P., Kishorekumar, A., Sankar, B., Gopi, R., Somasunadarm, R. and Pannerselvam, R. (2007), Alterations in osmoregulation, antioxidant enzymes and indole alkaloid levels in *Catharanthus roseus* exposed to water deficit collids and surfaces, Biointerfacs, 49: 150-157.
- Jay, S.S. (2013), Plant growth promoting Rhizobacteria potential microbes for sustainable Agriculture, Resonance, 275-281.
- Jayana, B.L., Prasai, T., Singh, A. and Yami, K.D. (2009), Assessment of drinking water quality of Madhyapur-Thimi and study of antibiotic sensitivity against bacterial isolates, Nepal Journal of Science and Technology, 10: 167-172.
- Jeanes, Y.M., Wendy, H.L., Susan, E., Elizabeth, L. and John, L.K. (2008), The absorption of Vitamin E is influenced by the amount of fat in a meal and the food matrix, British Journal of Nutrition, 92: 575-579.
- Jeffery, E.H., Brown, A.F., Kurilich, A.C., Keck, A.S., Matusheski, N., Klein, B.P. and Juvik, J.A. (2008), Variation in content of bioactive components in broccoli, Journal of Food Composition and Analysis, 16: 323-330.
- Johan Kjeldahl, (1900), Obituary. Ber. Dtsch. Chem. Ges., 33: 3881–3888.
- Jong Kwiton, (1970), Aqueous Safranin and Delafield's Hematoxylin Method.
- Joner, E.J., Johannes, A., Loibne, A.P., De La Cruz M.A., Szolar O.H., Portal J.M. and Le yual, C., (2007), Rhizosphere effects on Microbial community structure and dissipation and Toxicity of Polycyclic aromatic hydrocarbon (PAHs) in spiked soil, Environmental Science and Technology, 35: 2773.
- Juhasz, M. and Loki, J., (2005), Changes of surface area of assimilating leaves, Natura somogyiensis, 7: 19-23.
- Julkunen, R. (2009), Phenolic constituents of Salix: a chemotaxonomic survey of further Finnish species, Phytochemistry, 25: 663-66.

- 
- Kamlesh, N., Dharam, S. and Yogesh, K.S. (2007), Combinatorial effects of distillery and sugar factory effluents in Crop plants, *Journal of Environmental Biology*, 28: 577-582.
- Kannan, K., Rajasekaran, G. and Raveen, R. (2009), Bacterial analysis of soil samples collected in and around a sugar mill in Tamil Nadu, *Journal of Ecobiology*, 24: 191-195.
- Karasurt, H. and Aslantas, R. (2010), Efficient of some plant growth promoting rhizobacteria (PGPR), strains on plant growth and leaf nutrient content of apple, *Journal of Fruit and Ornamental Plant Research*, 18: 101-110.
- Karthikeyan, B., Jaleel, C.A., Gopi, R. and Deiveekasundaram, M. (2007), Alteration in seedling vigour and antioxidant enzyme activities in *Catharanthus roseus* under seed priming with native diazotrophs, *Journal of Zhejiang university*, 8: 453-457.
- Kaushik, P., Garg, V.K. and Bhupinder, S. (2004), Effect of textile effluents on growth performance of wheat cultivars, *Bioresource technology*, 96: 1189-1193.
- Kaur, C. and Kapoor, H.C. (2011), Antioxidants in fruits and vegetables, *The Millenniums health, International Journal of Food Science and Technology*, 36: 703-725.
- Khaled, T., Feras, Q.A., Mohammed, G. and Mohammed, M. and Tamam, E. (2007), Antioxidant activity and Total phenolic content of selected Jordanian plant species, *Food Chemistry*, 104: 1372-1378.
- Khan Abdul, G., (2011), Mycorrhizoremediation-an enhanced form of phytoremediation, *Journal of Zhejiang University*, 7: 503-514.
- Khan, T.I. and Richa, M. (2012), Effect of textile wastewater on the Tomato (*Lycopersicon esculentum*), *Journal of Environmental Biology*, 33: 849-854.
- Kidmose, U., Yang, R.Y., Thilsted, S.H., Christensen, L.P. and Brandt, K. (2006), Content of carotenoids in commonly consumed Asian vegetables and stability and extractability during frying, *Journal of Food Composition and Analysis*, 19: 562-571.
- Kiernan, J.A. (2001), Classification of naming of dyes, stains and fluorochromes, Department of Analytical and Cell biology, The University of Western Ontario, London, Canada, 261-278.
- Kimura, M., and Rodriguez-Amaya, D.B. (2002), A scheme for obtaining standards and HPLC quantification of leafy vegetable carotenoid, *Food Chemistry*, 78: 389-398.
- Kina, A.L. and Nikitina, V.E. (2009), Study of *Azospirillum lectins* influence on Hydrogen peroxide production in wheat-roots, *Journal of Stress Physiology and Biochemistry*, 5: 4-10.
- Konieczynski, P. and Wesolowski, M. (2007), Determination of Zinc, Iron, Nitrogen and Phosphorus in several Botanical species, *Polish Journal of Environmental Studies*, 16: 785-790.
- Krishnendu, A., Subrata, G., Subhash, C. and Mandal, (2013), Proximate analysis of 3 wild edible Mushroom of West Bengal, India, *International Journal of PharmaTech Research*, 5: 365-369.
- Kubola, J., Siriamornpun, S. and Radwan, S. (2011), Phytochemicals and antioxidant activity of different fruit fractions (peel, pulp, aril and seed) of Thai gac (*Momordica cochinchinensis* Spreng), *Food Chemistry*, 127: 1138-1145.

- 
- Kurosu, O. (2001), Nitrogen removal from wastewaters in microalgal-bacterial-treatment ponds, [http:// www.Socrates.nature.berkeley.edu/classes/es196/ projects/ 2001final/Kurosu.pdf](http://www.Socrates.nature.berkeley.edu/classes/es196/projects/2001final/Kurosu.pdf), 1-13.
- Kwenin, W.K.J., Wolli, M. and Dzomeku, B.M. (2011), Assessing the nutritional value of some African indigenous green leafy vegetables in Ghana, *Journal of Animals and Plant Sciences*, 10: 1300-1305.
- Larry, O. (2011), Secondary Plant Nutrients: Calcium, Magnesium, and Sulfur, Mississippi State University, 1-4.
- Latif, S.S. and Ellal, H.A.A. (2007), Minerals profile - shelf life extension and nutritive value of fresh green leafy vegetables consumed in Egypt, *African Crop Science Conference Proceedings*, 8: 1817-1826.
- Lazarova, V. and Bahri, A. (2005), Water reuse for irrigation, Agriculture, Landscapes and Turf Grass, CRC Press, New York, London, 1-30.
- Lefort, E.C. and Blay, J. (2011), The dietary flavonoid apigenin enhances the activities of the anti-metastatic protein CD26 on human colon carcinoma cells, *Clinical Expression on Metastasis*, 10: 1-13.
- Les, D. (2006), Role of soil physical and chemical characteristic and landscape factors in defining soil behavior under long term wastewater dispersal, PhD Thesis, Queensland University of Technology, 30.
- Lewis, R.G., Neal, F., Mary, A.H., Robert S.H., Neal A.L. and Lewis S.N. (2006), Goldfrank's toxicologic emergencies, McGraw-Hill Professional, 4: 1486–1489.
- Lim, A.S.L. and Rabeta, M.S. (2013), Proximate analysis, mineral content and antioxidant capacity of Milk apple, Malay apple and Water apple, *International Food Research Journal*, 20: 673-679.
- Linus, H. and Erik, L. (2007), Soil and plant contamination by textile industries at ZFILM, Managua Project work in Aquatic and Environmental Engineering, 10 ECTS, Uppsala University, 1-65.
- Liu, D., Zou, J., Meng, G., Zou, J. and Jiang, D. (2009), Uptake and accumulation and oxidative stress in garlic (*Allium sativum*) under lead phytotoxicity, *Ecotoxicology*, 18: 134-143.
- Lodato, A., Alfieri, F., Olivieri, G., Di Donato, A., Marzocchella, A. and Salation, P. (2007), Azodye conversion by means of *Pseudomonas sp.*, *Enzyme and Microbial Technology*, 41: 646-652.
- Lotito, A.M., Fratino, U., Mancini, A., Bergna, G. and Iaconi, C.D., (2012), Effective aerobic granular sludge treatment of a real dyeing textile wastewater, *International Biodeterioration and Biodegradation*, 69: 62-68.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. (1951), Protein measurement with Folin-phenol reagents, *Journal of biological chemistry*, 193: 265-275.
- Lu, X.Y., Zhang, T. and Fang, H. (2011), Bacteria mediated PAH degradation in soil and sediment, *Applied Microbiology and Biotechnology*, 89: 1357.
- Mahmood, M. (2010), Influence of rhizobacterial and agrobacterial inoculation on selected physiological and biochemical changes of Banana cultivar, Berangan (AAA) Plantlets, *Journal of Agricultural Science* 2: 115-137.

- 
- Maier, J., Kandelbauer, A., Erlacher, A., Cavaco-Paulo, A. (2004), Gubits GMA new alkali –Thermostable azoreductase from *Bacillus sp.*, strain SF, Applied Environmental Microbiology, 70: 837-844.
- Maity, P.K., Sengupta, A.K. and Jana, P.K. (2008), Response of mustard variety varuna (*Brassica juncea*) to levels of irrigation and nitrogen, Indian Agriculture, 24: 3-47.
- Malick, C.P. and Singh, M.B. (1980), In: Plant enzymology and histo enzymology, Kalyani publishers, New Delhi, India, 286.
- Mathur, N. and Bhatnagar, P. (2007), Mutagenicity assessment of textiles dyes in sanganer region (Rajasthan), Journal of Environmental Biology, 28: 123-126.
- Maynard, A.J. (Eds) (1970), Methods in food analysis, Academic Press, New York, 176.
- Mcclement, D.J. (2003), Analysis of Food Products, Chenoweth Lab, Room 238, [www-Unix.Oit.Umass.Edu/~Mcclemen/581rheology.Html](http://www-Unix.Oit.Umass.Edu/~Mcclemen/581rheology.Html).
- Medhi, U.J., Talukdar, A.K. and Deka, S. (2008), Effect of pulp and paper mill effluent on seed germination and seedling growth of Mustard, Pea and Rice seeds, Pollution Research, 27: 437-442.
- Megala, S. and Elango, R. (2013), Phytohormones production by plant growth promoting rhizobacterial isolates in *Gloriosa superba* .L., Indian Journal of Applied research, 3: 1-3.
- Meghwal, M. and Goswami, T.K. (2012), A Review on the functional properties, Nutritional content, Medicinal tiliation and potential application of Fenugreek, Journal of Food Process Technology, 3: 1-10.
- Mensor, L.L., Fabio, S.M., Gildor, G.L., Alexander, S.R., Tereza, C.D., Cintia, S.C. and Suzane, G.L. (2001), Screening of Brazilian plant extracts for antioxidant activity by the use of DPPH free radical methods, Phytotherapy Research, 15: 127-130.
- Mia, M.A.B., Shamsuddin, V.Z., Wahab, G. and Mariah, M. (2010), Effect of plant growth promoting rhizobacterial (PGPR) inoculation on growth and nitrogen incorporation of tissue-cultured *Musa* plantlets under nitrogen-free hydroponics conditions, American Journal of Chemical Sciences, 4: 85-90.
- Misra, H.D. and Fridovich, A. (1972), Assay of superoxide dismutase, Journal of Biological Chemistry, 247: 3170-3178.
- Mishra, M., Kumar, U., Mishra, P.K. and Prakash, V. (2010), Efficiency of plant growth promoting Rhizobacteria on *Cicer arietinum* L., Growth and germination under salinity, Advances in Biological Research, 4: 92-96.
- Mittal, A., Kurup, L. and Gupta, V.K. (2005), Use of waste materials-bottom ash de-oiled soya, as potential adsorbents for the removal of Amaranth from aqueous Solution, Journal of Hazardous Materials, 117: 171-178.
- Mohana, S., Shrivastava, S., Divehi, J. and Medawar, D. (2008), Response surface methodology for optimization of medium for decolorization of textile dye Direct Black 22 by a novel bacterium consortium, Bioresource Technology, 99: 562-569.

- 
- Muhibbu-din, O.I., Aduwo, A.O. and Adedeji, A.A. (2011), Study of physiochemical parameter of effluent impacted stream at Obafemi Awolowo University, Ile-Ife, Nigeria, Thesis, Obafemi Awolowo University, 19-20.
- Murali, S., Arun, E., Narayan, V. and Sriniketan, G. (2000), Studies on color removal by microbial means, S. Journal of Industrial Pollution Control, 16: 211-215.
- Nan, S.F., Ping, Y.C., Mei, L.X. and Bin, L.G.M. (2006), Effect of salt stress on activity of superoxide dismutase (SOD) in *Ulmus Pumila* L., Journal of Forestry Research, 17: 13-16.
- Natarajan, S., Selvakumar, G., Chandrabose, M.S. and Shanmugam, K. (1988), Method of water analysis, 1<sup>st</sup> edition, Books world Publication, 3-20.
- Natarajan, A.V. and Gowri, N. (1991), Effect of malathion on the cytochrome P-450 content of liver microsomes in a fish, *Ophiocephalus punctatus*, The Indian Zoologist, 15: 17-20.
- National Environmental Quality Standards for municipal and liquid industrial effluents, NEQS, (2000), 1-6.
- Nidhi, J. and Ashwani, K. (2011), Physio-chemical Analysis of Industrial effluents of Sanganer region of Jaipur Rajasthan, Research Journal of Agricultural Science, 2: 354-356.
- Nilesh, P.B., Sahira, N., Vishal, N.S. and Zafar, S.K. (2010), Chemical composition and antimicrobial activity of angiospermic plants, International Journal of Scientific Research, 6: 56-61.
- Nilsson, M., Mattiasson, L., Rubindamayugi, U. and Welander, J. (2006), Decolorization of synthetic and real textile wastewater by the use of white-rot fungi, Enzyme and Microbial Technology, 38: 94-100.
- Nisha shri, C., Balaji, J., Venkatramanan, S., Madhmathi, K.L. (2010), Pharmacognostical and preliminary phytochemistry screening of the root and rhizome *Corallocarpus epigaeus*, International Journal of Pharmaceutical and Biomedical research, 1: 24-27.
- Noorjahan, S., Sharief, P. and Dawood, T (2005), Biodegradation of dairy effluent, Pollution Research, 24: 101-104.
- Nsimba, R. Y., Kikuzaki, H. and Konishi, Y. (2008), Antioxidant activity of various extracts and fractions of *Chenopodium quinoa* and *Amaranthus spp.* Seeds, Food Chemistry, 106: 760-766.
- Nupur, B. (2009), Low cost effluent treatment plants for small scale industries-Need for experience of dyes and Inputs, [www.indiawaterportal.org](http://www.indiawaterportal.org).
- Odhav, B., Beekram, S., Akula, U.S. and Baijnath, H. (2007), Preliminary assessment of nutritional value of traditional leaf vegetables in Kwazulu-Natal, South Africa, Journal of Food Composition and Analysis, 20: 430-435.
- Odjegba, V.J. and Bamgbose N.M. (2012), Toxicity assessment of treated effluents from a textile industry in Lagos, Nigeria, African Journal of Environmental Science and Technology, 6: 438-445.
- Ogunfowokan, A.O., Okoh, E.K., Adenuga, A.A. and Asubiojo, O.I. (2005), Assessment of the impact of point source pollution from a University sewage treatment oxidation pond on the receiving stream-a preliminary study, Journal of Applied Science, 6: 36-43.
- Okoh, A.I. (2007), Wastewater treatment plants as a source of microbial pathogens in the receiving watershed, African Journal of Biotechnology, 6: 2932-2944.

- 
- Olsen, S.R., Cole, C.V., Watanabe, F.S. and Dean, L.A. (1954), Estimation of available Phosphorus in soils by extraction with sodium bicarbonate, U.S. Department of Agriculture, WCC-103 Publication, WREP-125, 2<sup>nd</sup> edition, 67-69.
- Onuegbu, T.U., Okoye, L.O., Dioha, I.J., Okoye, P.A.C. and Nwako, P.M. (2008), Treated effluents and sludges samples, *Journal of Chemical Society, Nigeria*, 33: 6-9.
- Orech, F.O., Akenga, T., Ochora, J., Friis, H. and Aagard-Hansen, J. (2005), Potential toxicity of some traditional leafy vegetables consumed in Nyang oma division, Western Kenya, *African Journal of Food, Agricultural, Nutritional and Development*, 5: 1-14.
- Owolabi, A.O., Ndidi, U.S., James, B.D. and Amune, F.A. (2012), Proximate, Antinutrient and Mineral composition of 5 varieties (improved and local) of cowpea, *Vigna unguiculata* commonly consumed in Samaru community, Zaria-Nigeria, *Asian Journal of Food Science and Technology*, 4: 70-72.
- Ozen, T. and Kinalioglu, K. (2008), Determination of antioxidant activity of various extracts of *Parmelia saxatilis*, *Biologia*, 63: 211-216.
- Pablo, R., Elevina, P., Guzman, R. and Dominique, D. (2011), Characterization of the proteins fractions extracted from leaves of *Amaranthus dubius* (*Amaranthus* spp.), *African Journal of Food Science and Technology*, 5: 417-424.
- Palamthodi, S., Patil, D. and Patil, Y. (2011), Microbial degradation of textile industrial effluents, *African Journal of Biotechnology*, 10:12687-12691.
- Palanivelan, R., Rajakumar, S., Jayanthi, P. and Ayyasamy, P.M. (2013), Potential process implicated in bioremediation of Textile effluents: A Review, *Pelagia Research Library*, 4: 131-145.
- Pallavi, C., Harsha, I. and Sandhya, M. (2010), Biodegradation and Decolorisation of Dye by mix consortia of bacteria and Study of Toxicity on *Phaseolus mungo* and *Triticum aestivum*, *Asiatic Journal of Biotechnology Research*, 1: 45-56.
- Panda, S.K. and Choudhury, S. (2005), Chromium stress in plants, *Brazilian Journal of Plant Physiology*, 17: 131-136.
- Pandey, M., Abidi, A.B., Singh, S. and Singh, R.P. (2006), Nutritional Evaluation of Leafy Vegetable Paratha, *Journal of Human Ecology*, 19: 155-156.
- Pandey, S.N. (2006), Accumulation of heavy metals (Cd, Cr, Cu, Ni and Zn) in *Raphanuc sativus* L and *Spinacia pleracea* I. plants irrigated with industrial effluent, *Journal of Environmental Biology*, 27: 381-384.
- Papafilippaki, A.K., Kotti, M.E. and Stavroulakis, G.G. (2007), Seasonal variations in dissolved heavy metals in the Keritis river, Chania, Greece, *Proceedings of the 10th International Conference on Environmental Science and Technology, Kos island, Greece*, B 579-585.
- Patel, V.R., Prakash, R.P. and Sushil, S.K. (2010), Antioxidant activity of some selected medicinal plants in western region of India, *Advances in Biological Research*, 4: 23-26.
- Patykowski, J. (2006), Role of hydrogen peroxide and apoplastic peroxidase in tomato-*Botrytis cinerea* interaction, *Acta Physiologica Plantarum*, 65: 589-598.

- 
- Peterbauer, T., Lahuta, L.B., Blochl, A., Mucha, J., Jones, D.A., Hedley, C.L., Gorecki, R.J. and Richter, A. (2007), Analysis of the raffinose family oligosaccharide pathway in pea seeds with contrasting carbohydrate composition, *Plant Physiological*, 127: 1764-72.
- Pinar, B. and Kennedy, J. (2003), Measures of Plant Surface-areas for Eurasian Watermilfoil and Water Stargrass, *Journal of Aquatic Plant Management*, 41: 119-122.
- Prakash, V., Mishra, P.K. and Mishra, M. (2009), Screening of medicinal plant extracts for antioxidant activity, *Journal of Medicinal Plants Research*, 3: 608-612.
- Prakash, P. and Karthikeyan, B. (2013), Isolation and purification of Plant Growth Promoting Rhizobacteria (PGPR) from the rhizosphere of *Acorus Calamus* grown soil, *Indian Streams Research Journal*, 3: 1-13.
- Qian, W.L., Khan, Z. and Watson, D.G. (2008), Analysis of sugars in bee pollen and propolis by ligand exchange chromatography in combination with pulsed amperometric detection and mass spectrometry, *Journal of Food Composite and Analysis*, 21: 78-81.
- Raaijmakers, J.M., Vlami, M. and De Souza, J.T. (2002), Antibiotic production by bacterial biocontrol agents, *Antonie van Leeuwenhoek*, 81: 537-547.
- Radiotis, T., Li Goel, J. and Eisner, R. (1996), Fiber characteristics, pulpability and bleachability of switch grass, *Proceedings of 1996 TAPPI pulping conference*, 371-376.
- Rajappa, B., Manjappa, S and Puttaiah, E.T. (2010), Monitoring of heavy metal concentration in groundwater of Hakinaka Taluk, India, *Contemporary Engineering Sciences*, 3:183-190.
- Rajbala, S. and Bhaskar, R. (2012), Impact of steel industry waste on physio-chemical property of soil, *International Journal of Environmental Sciences*, 2: 1144-1153.
- Rajendra, R., Hasab Abdel, B.M.A. and Sundaram, K.S. (2012), Development of microbial consortium for the biodegradation and biodecolorization of textile effluents, *Journal of Urban and Environmental engineering*, 6: 36-41.
- Rajendren, P. and Gunasekaran, P. (2006), *Microbial bioremediation*, MJP Publishers, 29-61.
- Rajendra babu, B., Vishnuvardhan, Z. and Suneetha, C.H., (2006), Effect of dyeing effluent on germination and growth behaviour of black gram, *Journal of Ecotoxicology and Environmental Monitoring*, 16: 465-468.
- Rajkovic, M.B., Lacnjevac, C.M., Ralevic, N.R., Stojanovic, M.D., Toskovic, D.V., Pantelic, G.K., Ristic, N. M. and Jovanic, S. (2008), Identification of metals (heavy and radioactive) in drinking water by indirect analysis method based on scale tests, *Sensors*, 8: 2188-2207.
- Ranganathan, K., Karunakaran, K. and Sharma, C. (2007), Recycling of wastewaters of textile dyeing industries using advanced treatment technology and cost analysis-Case studies, *Resources, Conservation and Recycling*, 50: 306-318.
- Rao, L.M. and Manjula, S.P.R. (2000), Heavy metal accumulation in the cat fish *Mystus vittatus* (Bloch) from Mehadrigedda stream of Visakhapatnam, India, *Pollution Research*, 19: 325-329.
- Raymond, J., Siefert, J.L., Staples, C.R. and Blankenship, R.E. (2004), The Natural history of nitrogen fixation, *Molecular Biology and Evolution*, 21: 541-554.

- 
- Ramalakshmi, A. and Raj, S.A. (2008), Effect of inoculations of biofertilizers on cotton growth and yield, *Journal of Soil and Crops*, 18: 273-278.
- Rahman, M.J. and Inden, H. (2012), Antioxidant content and quality of fruits as affected by Nigari, an effluent of salt industries, and fruit ages of sweet pepper (*Capsicum annuum* L.), *Journal of Agricultural Science*, 4: 105-114.
- Ramesh, B. and Satakopan, V.N. (2010), In vitro antioxidant activities of *Ocimum* Species: *Ocimum Basilicum* and *Ocimum Sanctum*, *Journal of Cell and Tissue Research*, 10: 2145-2150.
- Raghavendra, M.P., Satish, S. and Raveesha, K.A. (2006), Phytochemical analysis and antibacterial activity of *Oxalis corniculata*; a known Medicinal plants *Myscience*, 1: 72-78.
- Reddy, K.P., Subbani, S.M., Khan, P.A and Kumar, K.B. (1995), Effect of light and benzyl adenine in dark treated growing leaves, changes in the peroxidase activity, *Cell physiology*, 29: 984.
- Rena, M. and Kanika, Y. (2013), Soil contamination due to Textile Effluent- Case study on the Printing cluster of Jaipur, *Journal of textile association*, 367-370.
- Resh, H. M. (2004), *Hydroponic Food Production*, 6th ed., New concept Press, Inc., Mahwah, NJ, 221-238.
- Ribaudou, C.M., Krumpholz, E.M., Cassan, F.D., Bottini, R., Cantore, M.L. and Cra, J.A. (2006), *Azospirillum* promotes root hair development in tomato plants through a mechanism that involves ethylene, *Journal of Plant Growth Regulation*, 24: 175-185.
- Robert, B.G., Mark, A., Wysor, W.G., David, H. and Wade, T. (2009), *Precision Farming Tools: Soil Electrical Conductivity*, Virginia Polytechnic Institute and State University, 1-6.
- Robinson, T., McMullan, G., Marchant, R. and Nigam, P. (2001), Remediation of dyes in textile effluent: a critical review on current treatment technologies with a proposed alternative, *Bioresource Technology*, 77: 247-255.
- Rodrigues, M.A.S., Amado, F.D.R., Xavier, J.L.N., Streit, K.F., Bernardes, A.M. and Ferreira, J.Z. (2007), Application of photoelectrochemical-electrodialysis treatment for the recovery and reuse of water from tannery effluents, *Journal of Cleaner Production*, 1-7.
- Roe, J.H. and Keuther, C.A. (1953), The determination of ascorbic acid in whole blood and urine through 2,4-dinitrohenyl hydrazine derivatives of dehydroascorbic acid, *Journal of Biological Chemistry*, 147: 399-407.
- Rosenberg, H.R. (1992), *Chemistry and physiology of the vitamins*, Inter science Publishers, Inc., New York, 452-453.
- Ruch, R.J., Cheng, S.J. and Klaunig, J.E. (1989), Prevention of cytotoxicity and inhibition of intracellular communication by antioxidant catechins isolated from Chinese green tea, *Carcinogenesis*, 10: 1003-1008.
- Ruchi, S. and Renu, S. (2010), Analysis of the photochemical content and antimicrobial activity of *Jatropha gossypifolia* L., *Archives of Applied Science Research*, 2: 285-291.
- Sagar, T., Sankpal Pratap, V. and Naikwade, D. (2012), Heavy metal concentration in effluent discharge of pharmaceutical industries, *Science Research Reporter*, 2: 88-90.

- 
- Sangannavar, M. C. and Kalshetty, B. M. (2011), Morphological parameters and chlorophyll content of green vegetable plants available around Jamkhandi, *Current World Environment*, 6: 67-70.
- Sangeetha, R., Kamalahasan, B. and Karthi, N. (2012), Use of tannery effluent for irrigation: an evaluative study on the response of antioxidant defenses in maize (*Zea mays*), *International Food Research Journal*, 19: 607-610.
- Sangeetha, R.K., Baskaran, V. (2010), Carotenoid composition and retinol equivalent in plants of nutritional and medicinal importance: Efficacy of  $\beta$ - carotene from chenopodium album in retinal – deficient plant, *Food Chemistry*, 119: 1584-1590.
- Saniz, M.J., Taboada, M.T. and Vilarino, A. (2004), Growth minerals nutrition and mycorrhizal colonization of red clover and cucumber plants grow in a soil amended with composted urban wastes, *Plant and Soil*, 39: 85-92.
- Saskia, D.P., Clive, E.W., Dewi, P., Sri, M.M. and Joseph, G.H. (2013), Orange fruit is more effective than are dark green, Leafy vegetables in increasing serum concentration of retinol and  $\beta$ -carotene in School children in Indonesia, *American Journal of Clinical Nutrition*, 68: 1058-1061.
- Selvi, S., Uma devi, P., Suja, S., Murugan, S. and Chinnaswamy, P. (2007), Comparison of non-enzymic antioxidant status of fresh and dried form of *Pleurotus florida* and *Calocybe indica*, *Pakistan journal of Nutrition*, 6: 468-471.
- Selvarathi, P., Ramasubramanian, V. and Jeyaprakash, R. (2010), Bioremedial effect of *Azobacter* and *Phosphobacterium* on the growth and biochemical characteristic of paper mill effluent treated *Lycoperisicum esculentum* mill, *Journal of Biological Science and Research*, 1: 58-64.
- Shailu, D. and Ramesh, C. D. (2011), Effects of crude and bioremediated Thermal Power Plant effluents in *Brassica juncea*, *Soil and Sediment Contamination*, 20: 329-336.
- Shanmugam, M., Valliappan, K., Poongothai, S. and Rani, P. (1994), Soil and plant analysis for micronutrients and sulphur, TNAU, India, 11-12.
- Shanooba, P., Dhiraj, P. and Yatin, P. (2011), Microbial degradation of Textile industrial effluents, *African Journal of Biotechnology*, 10: 12657-12661.
- Shanthanayaki, M., Suriyavathana, L. and Usha, M. (2010), Studies on phytochemical analysis and antioxidant activity of selected medicinal plants from kolli hills, *Journal of Pharmacy Research*, 13: 260-262.
- Shao, H.B., Chu, L.Y., Lu, Z.H. and Kang, C.M. (2008), Primary antioxidant free radical scavenging and redox signaling pathways in higher plant cells, *International Journal of Biological Sciences*, 4: 8-14.
- Sharmila, S., Rebecca, L. and Saduzzaman, M. (2013), Biodegradation of Tannery effluent using *Prosopis juliflora*, *International Journal of ChemTech Research*, 5: 2186-2192.
- Sheetal, G., Jyothi, L. and Jamuna, P. (2008), Effect of different blanching treatments on ascorbic acids retention in green leafy vegetables, *Natural product radiance*, 7: 111-116.

- 
- Shihabudeen, M.S.H., Hansi Priscilla, D., Kavitha. T. (2010), Antimicrobial activity and phytochemical analysis of selected Indian folk medicinal plants, *International Journal of Pharma Sciences and Research*, 1: 430-434.
- Shivaraju, R., Ravishankar, B.V. and Nanda, H.S. (2011), Engineering properties of soil contaminated with dyeing effluent, *Proceedings of Indian Geochemical Conference*, 788-790.
- Shobha, J. (2004), Cytotoxic effect of distillery effluent on somatic cells of *Allium cepa*, *Pollution Research*, 23: 303-305.
- Shukla, S., Bhargava, A., Chatterjee, A., Srivastava, J., Singh, N. and Singh, S.P. (2006), Mineral profile and variability in vegetable amaranth (*Amaranthus tricolor*), *Plant Foods and Human Nutrition*, 61: 23-28.
- Shyur, L.F., Tsung, J.H., Chen, J.H., Chiu, C.Y. and Lo, C.P. (2009), Antioxidant properties of extracts from medicinal plants popularly used in Tiwan, *International Journal of Applied Science and Engineering*, 2: 195-205.
- Simao, A.A., Fabiola, F., Pricila M.B., Rodrigo M., Juliana M., Tamara R. and Angelita D., (2013), Antioxidant from medicinal plants used in the treatment of obesity, *European Journal of Medicinal Plant*, 3:429-443.
- Singh, M.P. and Sharma, C.S. (2010), Pharmacognostical evaluation of *Terminalia chebula* fruits on different market samples, *International Journal of ChemTech Research*, 2: 57-61.
- Singh, S. and Aggarwal, P.K. (2006), Effect of heavy metal on biomass and yield of different crop species, *Indian Journal of Agricultural Science*, 76: 688-691.
- Singh, A., Agarwal, S.B., Rai, J.P.N. and Singh, P. (2002), Assessment of the pulp and paper mill effluent on growth, yield and nutrient quality of wheat (*Triticum aestivum* L.), *Journal of Environmental Biology*, 28: 283-288.
- Siyabola, T.O., Ajanaku, K.O., James, O.O., Olugbuyiro, J.A.O. and Adekoya, J.O. (2011), Physio-chemical characteristics of Industrial effluents in Lagos State, Nigeria, *Journal of Pharmaceutical Science and Technology*, 1: 49-54.
- Sreelatha, S., Padma, P.R. and Umasankari, E., (2011), Evaluation of anticancer activity of ethanol extract of *Sesbania grandiflora* (Agati Sesban) against Ehrlich ascites carcinoma in Swiss albino mice, *Journal of Ethnopharmacology*, 12: 984-987.
- Storch, D., Abele, D. and Potner, H.O. (2010), The effect of hydrogen peroxide on isolated body wall of the lugworm *Anenicola marina* (L.) at different extracellular P<sup>H</sup> levels, *comp, Biochemical Physiology and Toxicological Pharmacology*, 28: 391-399.
- Subashini, H.D., Malarvannan, S. and Kumaran, P. (2007), Effect of biofertilizers (N-fixers) on the yield of rice varieties at puducherry, India, *Asian Journal of Agricultural Research*, 1: 146-150.
- Subhathra, M., Prabakaran, V., Kuberan, T. and Balamurugan, I. (2013), Biodegradation of Azo dye from Textile effluents by *Lysinibacillus sphaericus*, *Sky Journal of Soil Science and Environmental Management*, 2: 1-11.

- 
- Sudhakar, P.S. and Purushutham, P. (2008), Studies on the effect of biofertilizer on the growth, yield and quality of tomato (*Solanum lycopersicum*) in the Orissa, Journal of Horticulture, 36: 289-292.
- Surapaneni, K.M. and Venkataramana, G. (2007), Status of Lipid peroxidation, Glutathione, Ascorbic acid, Vitamin E and Antioxidant Enzymes in patients with osteoarthritis, Indian Journal of Medical Science, 61: 9-14.
- Swati, S., Rekha, V. and Tribhuwan S., (2010), Extraction and identification of pentacyclic compounds  $\beta$ -Amyra (Terpimoid), Archives of Applied Science Research, 2: 124-126.
- Szakiel, A., Paczkowski, C. and Henry, M. (2009), Influence of environmental abiotic factors on the content of saponins in plants, Phytochemical review, 101: 1-21.
- Tamburlini, G., Ehrenstein, O.V. and Bertollini, R. (2002), Children's Health and Environment: A Review of Evidence, In: Environmental Issue Report No. 129, WHO/European Environment Agency, WHO Geneva, 223.
- Tharakeshwari, M. and Shobha, J. (2006), Effect of distillery effluents on seed germination seedling growth and root meristem cells of *Vigna radiata*, Journal of Ecotoxicology Environmental Monitoring, 16: 341-345.
- Thambiraj, J. and Paulsamy, S., (2012), *Invitro* antioxidant potential of methanol extracts of the medicinal plants *Acacia caesia* (L.) Wild., Asian Pacific Journal of Tropical Biomedicine, 1: 732-736.
- Thanushree, M. S., Poorna, C. R., Chaitra, M., Devaanandan, S. and Manjunatha, K.S. (2013), Electrochemical treatment of Silk Industry effluent and Comparison of the electrodes to improve the Bod/Cod Ratio of the effluent, International Journal of Current Engineering and Technology, 2: 27-31.
- Thiex, N. and Richardson, C.R. (2003), Journal of Animal Science, 81: 3255-3266.
- Thiripurasundari, N., Vinodhkumar, T., Ramanathan, G. and Karthik, G. (2013), Screening of Dye degrading bacteria from Textile effluents, International Journal of Research and Reviews in Pharmacy and Applied science, 3: 848-857.
- Toth, S.J. and Prince, A.L. (1949), Potassium determination in plant digests by flame photometer, Soil, Plant and Water analysis, 275-279.
- Tripathi, A. and Srivastava, S.K. (2011), Ecofriendly treatment of Azodyes: Biodecolorization using Bacterial strains, International Journal of Biosciences, Biochemistry and Bioinformatics, 1: 37-40.
- Tung, N.G., Ding, Y., Kim, S.K., Bae, K. and Kim, Y.H. (2008), Total peroxy radical-scavenging capacity of the chemical components from the stems of *Acer tegmentosum* Maxim, Journal of Agriculture and Food Chemistry, 56: 10510-10514.
- Uaboi-Egbenni, P., Okolie, N., Adejuyitan, O.E., Sobande, A.O. and Akinyemi, O. (2009), Effect of industrial effluents on the growth and anatomical structures of *Abelmoschus esculentus* (okra), African Journal of Biotechnology, 8: 3251-3260.
- Ugochukwu, S.C., Uche, A.I., Ifeanyi, O. (2013), Preliminary phytochemical screening of different solvent extracts of stem bark and roots of *Denetia tripetala* G. Baker, Asian Journal of Plant Science and Research, 3: 10-13.

- 
- Uma, M. and Thripathaiala, V. (2010), Role of peroxidase and its isoenzyme in leaf-spot diseases of mulberry caused by *Botryodiplodia theobromea*, Asian Journal of Microbiology and Environmental Science, 12: 289-292.
- Upadhayay, A.K., Singh, J. and Bahadur, A. (2007), Effect of biofertilizers on growth, yield and quality attributes of cabbage (*Brassica oleracea* L-var Capitata), An Asian Journal of Soil Science, 2: 138-141.
- Vallejo, F., Garcia-Viguera, C. and Tomas-Barberan, F.A. (2008), Changes in Broccoli (L. var.) health-promoting compounds with inflorescence development, Journal of Agricultural and Food Chemistry, 51: 3776-3782.
- Vasileva, V. (2012), Nitrogen content in yield of dry above ground and root mass of forage Lucerne (*Medicago sativa*.L.) after mineral nitrogen fertilization and water deficiency stress, Agronomy Research, 10: 351-356.
- Vassilev, A. and Ivanova, V. (2003), Biometric and Physiological characteristic of Chrysanthemum (*Chrysanthemum indicum*. L.) plants grown at different rates of Nitrogen fertilization, Journal of Central European Agriculture, 4: 1-6.
- Velmurugan, M., Chezian, N. and Jawaharlal, M. (2007), Effect of organic manures and biofertilizers on nutrient content and nutrient uptake in tumeric BSR 2, An Asian Journal of Soil Science, 2: 113-117.
- Venkatesh, A., Ramamrthy, V. and Raveendran, S. (2009), Comparative studies on various Physio-chemical parameters of four different industrial effluents, Journal of Ecobiology, 25: 249-252.
- Ververis, C., Georghiou, K., Danielidis, D., Hatzinikolaou, D.G., Santas, P., Santas, R. and Corleti, V. (2007), Cellulose, Hemicellulose, Lignin and Ash content of some organic materials and their suitability for the use as paper pulp supplements, Bioresources Technology, 98: 296- 301.
- Vessey, J. K. (2003), Plant growth promoting rhizobacteria as biofertilizers, Plant Soil, 255: 571-586.
- Vijayakumari, B., Hiranmayadav, R. and Parimaladevi, R. (2012), Enzymatic antioxidant of *Ficus carica*, *Embllica officinalis*, *Cephalandra indica* and *Terminalia chebula*, International Journal of Pharma and Bioscience, 3: 426-430.
- Vijayakumari, B. and Janardhanan, K. (2003), Effect of biofertilizers on seed germination, seedling growth and biochemical changes in silk cotton, Crop Research, 25: 328-332.
- Villacieros, M., Power, B., Sanchez-Contreras, M., Loret, J., Oruzabal, R.I., Martin, M., Franandez Pinas, F., Bouile, I., Whelan, C., Dowling, D. N. and Rivilla, R. (2003), Colonization behaviour of *Pseudomonas fluorescens* and *Sinorhizobium meloti* in the alfalfa (*Medicago sativa*) rhizosphere, Plant and Soil, 251: 47-54.
- Vineeta, S., Monika, D. and Sastry K.V. (2006), Heavy metal toxicity of *Labeo rohita*, Journal Ecotoxicology Environmental Monitoring, 16: 247-250.
- Vogel, (1978), Text book of quantitative inorganic analysis, V edition, ELBS, John Wiley and Sons publications, New York, London, 355.

- 
- Wang, H., Su, J.Q., Zheng, X.W., Tian, Y., Xiong, X.J. and Zheng, T.L. (2009), Bacterial decolorization and degradation of the reactive dye Reactive Red 180 by *Citrobacter sp.* CK3q, *International Biodeterioration and Biodegradation*, 63: 395-399.
- Warade, A.P., Golliwar, V.J., Lanje, P.W. and Thakre, S.A. (2007), Effect of organic manures and biofertilizers on growth, flowering and yield of Dahlia, *Journal of Soils and Crops*, 17: 354-357.
- Watermann, P.G. and Mole, S. (1994), *Analysis of phenolic plant metabolites*, Blackwell scientific publication, Oxford, 102.
- Water Resources Research Act Amendments, (1984), Rules and Regulations, 95-467.
- Watson, C. and Cichra, C.E. (2006), Department of fisheries and Aquatic Sciences florida cooperatives extension services, Institute of food and Agriculture sciences, University of florida.
- Witham, F.H., Blaydes, D.F. and Delvin, R.M. (1971), *Experiments in plant physiology*, Van Nostrand, Newyork, 245.
- World Health Organisation, WHO, (1990), *Environmental Health Criteria 86 - Environmental aspects*, Geneva, 7-11.
- World Health Organisation, WHO, (1998), *European standard for drinking water*, World Health Organization, Geneva, 15- 23.
- Wong, (1928), Colorimetric determination of iron, *Journal of Biological Chemistry*, 77: 409
- Zaharia, C., Suteu, C. and Muresan, A. (2011), Options and solutions of textile effluent decolourization using some specific Physio-chemical treatment steps, *Proceedings of 6<sup>th</sup> International Conference on Environmental Engineering and Management, ICEEM'06, Balaton Lake, Hungary*, 121-122.
- Zakaria, H., Simpson, K., Brown, P.R. and Krotulovic, A. (1979), Use of reversed phase HPLC analysis for the determination of provitamin A, carotenes in tomatoes, *Journal of Chromatography*, 176: 109-117.
- Zeeman, J.K., S.C. and Alison, M. S. (2010), Starch: Its Metabolism, Evolution, and Biotechnological Modification in Plants, *Annual Revisal of Plant Biology*, 61: 209-234.