
References

- Akdag, M. and Ozkan, A. (2014) Soft α -open sets and soft α -continuous functions, Abstr. Anal. Appl. Art ID 891341, 1-7.
- Abd, M.E., Monsef, E.L., El-Deeb, S.N. and Mohmoud, R.A. (1983), β -open sets and β -continuous mappings, Bull. Fac. Sci. Assiut Univ., 12, 77-90.
- Andrijevic, D. (1986) Semi-preopen sets, Mat. Vesnik., 38(1), 24-32.
- Annalakshmi, M. and Pious Missier, S. (2016) Between Regular Open Sets and Open Sets, IJMA, 7, 128-133.
- Anitha, G. and Mariasingam, M. (2013) On Topological $\tilde{g}\alpha$ -WG Quotient Mappings, IJMER, 3(2), 759-764.
- Arockiarani, I. and Arokialancy, A. (2013) Generalized soft gb-closed sets and soft gsb-closed sets in soft topological spaces, Int. J. Math. Arch., 4 (2), 1-7.
- Arya, S.P. and Nour, T.M. (1990) Characterizations of s-normal spaces, Indian J. Pure. Appl. Math., 21 (8), 717-719.
- Aslim, G., Caksu Guler, A. and Noiri, T. (2006) On πg_s -closed sets in topological spaces, Acta. Math. Hungar., 112 (4), 275-283.
- Baker, C.W., (1996) On preserving g-closed Sets, Kyungpook Math. J., 36, 195-199.
- Balachandran, K., Sundaram, P. and Maki, H. (1991) On generalized continuous maps in topological spaces, Mem. Fac. Sci. Kochi. Univ. Ser. A. Math., 12, 5-13.
- Bhattacharya, P. and Lahiri, B.K. (1987) Semi-generalized closed sets in topology, Indian J. Math., 29(3), 375-382.
- Bishnupada Debnath, (2017) On Maximal Soft δ -open (Minimal soft δ -closed) Sets in Soft Topological Spaces, Int. J. Comp. Appl., 168(5), 8-13.
- Caldas, M., (1993) On g-closed sets and g-continuous Mappings, Kyungpook Math. J., 33(2), 205-209.

- Caldas, M. and Jafari, S. (2005) On rarely g -continuous functions, *Glasnik Mat.*, 40(60), 317-322.
- Chawalit, B., (2003a) Generalized continuous functions from any topological space into product, *Naresuan Univ. J.*, 11(2),93-98.
- Chawalit, B., (2003b) Preservation theorems concerning g -hausdorff and rg -hausdorff spaces, *Naresuan Univ.J.*, 11(3), 75-77.
- Chen,B. (2013)., Soft semi-open sets and related properties in soft topological spaces, *Appl. math. Inf. Sci.*, Vol. 7, 287-294.
- Crossley, S. G. and Hildebrand, S. K. (1972) Semi topological properties, *Fund. Math.*, 74, 233-254.
- Davis,A.S., (1961) Indexed systems of neighbourhood for general topological spaces, *Amer.Math.Monthly*,68,886-893.
- Devamanoharan,C., Pious Missier,S. and Jafari,S. (2013) On ρ - Homeomorphism in topological spaces, *Italian Journal of Pure and Applied Mathematics*,30,195-214.
- Devi, R. Maki, H. and Balachandran, K. (1993), Semi-generalized closed maps and generalized semi-closed maps, *Mem. Fac. Sci. Kochi Univ. Ser. A. Math*, 14, 41-54.
- Devi, R., Balachandran, K. and Maki, H. (1995), Semi-generalized homeomorphisms and generalized semi-homeomorphisms in topological spaces, *Indian J. Pure Appl. Math.*, 26, 271 - 284.
- Devi, R., Balachandran, K. and Maki, H. (1998), Generalized α -closed maps and α -generalized closed maps, *Indian J. Pure Appl. Math.*, 29, 37- 49.
- Dontchev, J. (1995) On generalizing semi-pre-open sets, *Mem. Fac. Sci. Kochi Univ. ser. A.Math.*, 16, 35-48.
- Dontchev, J. (1996) Contra continuous functions and strongly S -closed spaces, *International Journal of Mathematics and Mathematical Sciences*, 19, 303-310.

- Dontchev, J. and Noiri, T. (2000) Quasi-normal spaces and πg -closed sets, *Acta Math. Hungar*, 89(3), 211-219.
- Dontchev, J., Arokiarani, I. and Krishnan Balachandran (2000) On generalised δ -closed sets and almost weakly Hausdorff spaces, *Q and A in General Topology*, 18, 17-30.
- Dontchev, J. and Ganster, M. (1996) On δ -generalised closed sets and $T_{3/4}$ spaces, *Mem. Fac. Sci. Kochi Univ. (Math.)*, 17, 15-31.
- Dunham, W., (1977) $T_{1/2}$ -spaces, *Kyungpook Math. J.* 17, 161-169.
- Dunham, W., (1982) A New Closure Operator for Non- T_1 Topologies, *Kyungpook Mathematical Journal*, 22(1), 55-60.
- Ekici, E. and Baker, C. W. (2007), On πg -closed sets and continuity, *Kochi. J. of Mathematics*, 2, 35-42.
- Ekici, E. (2009) On e^* -Open Sets and $(D, S)^*$ -Sets, *Math. Moravica*, 13(1), 29-36.
- Feng, F. Jun, Y. B. and Zhao, X. (2008) Soft semirings, *Computers and Mathematics with Applications*, 56, 2621-2628.
- Geethagnanaselvi, B. and Sivakamasundari, K. (2017) δsg^* -Continuity in Topological Spaces, *Advances in Fuzzy Mathematics*, 12(3), 361-370.
- Gnanambal, Y. (1998) Studies on generalized pre-regular closed sets and generalizations of locally closed sets, Ph.D., Thesis, Bharathiar University, Coimbatore, TamilNadu.
- Guzel, Z.E., Yksel, S. and Tozlu, N. (2014) On soft generalized preregular closed and open sets in soft topological spaces, *Applied Mathematical Sciences*, 8, 7875-7884.
- Jafari, S., (1995) A note on rarely continuous functions, *Univ. Bacâu. Stud. Cerc. St. Ser. Mat.*, 5, 29-34.
- Jafari, S., (1997) On some properties of rarely continuous Functions, *Univ. Bacâu. Stud. Cerc. St. Ser. Mat.*, 7, 65-73.

- Jain, R.C. (1980), Role of regular open sets in general topology, Ph.D. Thesis, Meerut University, India.
- Janaki, C. (2009) Studies on $\pi g\alpha$ -closed sets in topology, Ph.D. Thesis, Bharathiar University, Coimbatore, India.
- Janaki.C. and Jeyanthi.V. (2013) On Soft πgr -Closed sets in Soft Topological Spaces, Journal of Advances in Mathematics, Vol 4, No. 3, 478-484.
- Janaki.C. and Jeyanthi.V. (2014) Soft r^g -closed sets in soft topological spaces, International Journal of Engineering Research and Technology,3(4) , 2084-2091.
- Jankovic, D. and Reilly.I.L. (1985), On semi separation properties, Indian J. Pure and Appl. Math., 16, 957-964.
- Jankovic, D. S. (1985) A note on mappings of extremally disconnected spaces, Acta.Math.Hungar.,46(1985),83-92.
- Jankovic, D. S. (1980) On some separation axioms and θ -closure, Mat.Vensik,32 (4) (1980),439-449.
- Jin, K.P. and Jin, H.P. (2004) Mildly generalized closed sets, almost normal and mildly normal spaces, Chaos,Solitons Fractals, 20(5), 1103-1111.
- Kannan,K., (2012) Soft generalized closed sets in soft topological spaces, Journal of Theoretical and Applied Information Technology,37(1),17-21.
- Khalimsky, E.D., Kooperman, R. and Meyer, P.R. (1990), Computer graphics and connected topologies on finite ordered sets, Topology and its Appl. 36, 1-17.
- Kong,T.Y., Kooperman, R. and Meyer, P.R. (1991), A topological approach to digital topology, Amer.Math.Monthly, 98, 901-917.
- Kovalevsky,V., Kooperman, R. (1994), Some θ -topology based image processing algorithms, Annals of the NewYork Academy of Sciences, 728, 174 -182.
- Latif,R.M. (2014) Characterizations of Delta-Open sets and mappings in topological spaces, 15th IMPC conference Islamabad, Pakistan,1-29.

- Levine, N. (1960) Strong continuity in topological spaces, Amer. Math. Monthly, 67, 269-275.
- Levine, N. (1961) A decomposition of continuity in topological spaces, Amer. Math. Monthly, 60,44-46.
- Levine, N. (1963) Semi-open sets and semi-continuity in topological spaces, Amer. Math. Monthly, 70, 36-41.
- Levine, N. (1970) Generalized closed sets in topology, Rend. Circ. Mat. Palermo, 19(2), 89-96.
- Long, P.E. and Herrington, L.L. (1982) Properties of rarely continuous functions, Glasnik Mat. Ser. III, 17(37),147-153.
- Maheshwari,S.N. and Prasad,R.,(1975) Some new separation axioms, Ann.Soc.Sci.Bruxelles,89,395-402.
- Maji, P. Biswas, R. and Roy, A.R. (2003) Soft set theory, Computers and Mathematics with Applications, 45(2), 555-562.
- Maki, H., Devi, R. and Balachandran, K. (1994) Associated topologies of generalized α -closed sets and α -generalized closed sets, Mem. Fac. Sci. Kochi Univ. Math., 15, 51-63.
- Maki, H., Sundram, P. and Balachandran, K. (1991) On generalized homeomorphisms in topological spaces, Bull. Fukuoka Univ. Ed. Part III, 40, 13-21.
- Mashhour, A.S. et.al., (1982) On pre continuous and weak pre continuous functions, Proc.Math. Phys. Soc. Egypt, 53, 47-53.
- Malghan, S. R. (1982) Generalized closed maps, J. Karnataka Univ. Sci., 27, 82-88.
- Meena,K and Sivakamasundari, K.(2016) Δ^* - Irresolute Maps in Topological Spaces, International Journal of Applied Engineering Research,11(1),320-323.
- Miguel Caldas Cueva (2000) Weak and Strong forms of Irresolute Maps, Internat. J. Math. &

- Math. Sci. 23 (4), 253-259.
- Molodtsov, D. (1999) Soft set theory-First results, Computers & Mathematics with Applications,37,19-31.
- Munshi, B. M. and Bassan, D. S. (1982) Super-Continuous Mappings, Indian J. Pure Appl. Math., 13(2), 229-236.
- Munkres, J.R. Topology, A first course, Fourteenth Indian Reprint.
- Nagaveni, N. (1999), Studies on generalization of homeomorphisms in topological spaces, Ph.D. Thesis, Bharathiar University, Coimbatore.
- Nandhini, T. and Kalaichelvi, A. (2014) Soft \hat{g} -Closed Sets in Soft Topological Spaces, International Journal of Innovative Research in Science, Engineering and Technology,3(7),14595-14600.
- Narasimhan,D.(2012) An Overview of Separation Axioms in Recent Research, International Journal of Pure and Applied Mathematics,76(4),529-548.
- Navalagi, G., Chandrashekharappa, A. S. and Gurushantanavar, S. V. (2010) On g_{spr} -closed sets in topological spaces, International journal of Mathematics and Computer Applications, 2(1-2), 51-58.
- Nieminen,T.,(1977) On ultra pseudo compact and related spaces, Ann.Acad.Sci.Fenn.Ser.AI.Math,..3 ,185-205.
- Njastad, O., (1965) On some classes of nearly open sets, Pacific J. Mathematics.,15(3), 961-970.
- Noiri, T. (1978), A generalization of perfect functions, J. Korean math. Soc., 17,540 - 544.
- Noiri, T., (1980) On δ -continuous functions, J .Korean Math. Soc., 16, 161-166.
- Palaniappan, N, and Rao, K.C. (1993), Regular generalized closed sets, Kyungpook Math J., 33 (2), 211 - 219.

- Palanimani, P.G. and Parimelazhagan, R. (2013) β^* Homeomorphisms in Topological Spaces, *International Journal of Computer Applications*, Volume 67(13),1-3.
- Park, J. H. (2006) On π gp-closed sets in topological spaces, *Indian J. Pure Appl. Math.*, 112(4), 257-283.
- Popa, V., (1979) Sur certain decomposition de la continuité dans les espaces topologiques, *Glasnik Mat. Ser. III*, 14(34), 359-362.
- Pushpalatha, A. and Anitha, K. (2011) g^* s-closed sets in topological spaces, *Int. J. Contemp. Math. Sciences*, 6(19), 917-929.
- Rajesh, N. (2012) Two new types of irresolute functions via b-open sets, *Acta. Math. Hungarica*, 27, 287-297.
- Raman, C. K., Vidyottama Kumari, Sharma, M. K. (2014) α -Generalized & α^* -Separation Axioms for topological spaces, *IOSR Journal of Mathematics*, 10(3), 32-36.
- Sarsak, M.S. and Rajesh, N. (2010) π -generalized semi-pre-closed sets, *International Mathematical Forum*, 5(12), 573-578.
- Sathyapriya, S. Kousalya, M. and Kamali, S. (2019) On Strongly αg^*p -Irresolute Functions in Topological Spaces, *IJEDR*, 7(1), 225-231.
- Shabir, M. and Naz, M., (2011) On soft topological spaces, *Computers and Mathematics with Applications*, 61, 1786-1799.
- Singal, M.K. and Asha, R.S., (1973) Mildly normal spaces, *Kyungpook Math. J.*, 13(1), 27-31.
- Singal, M.K. and Shashi, P.A. (1970) On almost normal and almost completely regular spaces, *Glasnik Math*, 5(25), 141-152.
- Stone, M. (1937), Application of the theory of Boolean rings to general topology, *Trans. Amer. Math. Soc.*, 41, 374 - 481.
- Subasree, R. and Maria Singam, M., (2013) On $b\hat{g}$ - Closed Sets in Topological Spaces, *IJMA*, 4(7), 168-173.

- Subasree,R. (2016) On $b\hat{g}$ -Quotient Mappings in Topological Spaces,IJRSET,5(7), 13647-13654.
- Sudha, R. (2014) A study on some generalizations of δ -closed sets in topological spaces, Ph.D. Thesis, Avinashilingam University, Coimbatore, India.
- Sundarm, P. and N. Nagaveni, (1998) On weakly generalized continuous maps, weakly generalized closed maps and weakly generalized irresolute maps in topological spaces, Far East J. Math. Sci., 6,903-912.
- Sundaram, P. and A. Pushpalatha, (2001) Strongly generalized closed sets in topological spaces, Far East J. Math. Sci., 3(4), 563-575.
- Syed Ali Fathima,S. and Mariasingam,M.(2012) $\#RG$ – Homeomorphisms in Topological Spaces,IJERT,1(5),1-5.
- Veera Kumar, M.K.R.S. (2000) Between closed sets and g -closed sets, Mem. Fac. Sci. Kochi. Univ. Ser. A. Math., 21, 1-19.
- Veera Kumar, M.K.R.S. (2003) \hat{g} -closed sets in topological spaces, Bull. Allahabad Math.Soc., 18, 99-112.
- Veera Kumar, M.K.R.S. (2005), $\#g$ -semi-closed sets in topological spaces, Antarctica J. Math, Vol 2(2), 201 -222.
- Veer Kumar, M.K.R.S. (2006), Between g^* -closed sets and g -closed sets, Antarctica J. Math., Vol 3 (1), 48 -65.
- Velicko, N.V. (1968) H -closed topological spaces, Amer. Math. Soc. Transl., 78, 103-118.
- Yuksel, S., Tozlu, N. and Ergul, Z.G. (2014) Soft regular generalized closed sets in soft topological spaces, International Journal of Mathematical Analysis,8, 355-367.
- Zaitsav, V. (1968) On certain classes of topological spaces and their bicompatifications, Dokl. Akad. Nauk SSSR, 178, 778-779.