



Bibliography

BIBLIOGRAPHY

Abdul R,O.,Musaiger,R. and Mariam,S.(2002)Social and lifestyle factors associated with diabetes in the adult population.*J.Biol.Sci.*,Vol.34,pp.277-281.

Achim,S.,Lisa,H.,Antony,W.,Leigh,C.,Ward,C.,Rayner,S,Griffin.,G.and Derek,C.(2004)Deficiency of vitamins in cell mediated immunity. *Am.J.Clin.Nut.*, Vol.79(6),pp. 1006-1012.

Adam,R.(2001)Diabetes relationship to ischemic heart disease. *Brit. Med. Bull.*,Vol.59,pp.159-172.

Ajgaonakar,V.S.(1962)Classification of diabetes mellitus. Hoechst Pharmaceutical Limited,Bombay.

Almuda,C.A.,Vieria,D.E.and Nausam,M.(2004)Diabetes. *Diabetes Revista Braisiteria de Medicina*,Vol.61,pp.11-20.

American Diabetes Association (2004)The expert committee on the diagnosis and classification of diabetes mellitus. *Diabetes Care*,Vol.27,pp.51-55.

American Heart Association (2004)The expert committee on the etiological concerns of heart disease. *Circulation*,Vol.11,pp.10-13.

Anand,D.(2000)Epidemiology evidence of CVD. *Post Grad. Med.*, Vol.14,pp.112-117.

Anant, P.(2001)Managing diabetes. *Health Action*,March,pp.34-36.

Anderson,J.(2001)Fiber and health: an overview. *Am.J.Gastroenterol.*, Vol.10,pp.892-897.

Anderson, J.W., Hanna, T.J., Peng, X. and Kryscio, R.J.(2001)Whole grain foods and heart disease risk. *J. Am. Coll. Nutr.*,vol.19(Suppl 3),291S-299S.

Anderson, R.A., Cheng,N., Bryde, N.A., Plansky, M. M. and Chi.R.(2007),Elevated intakes of supplemented chromium improves glucose and insulin variables in individuals with type 2 diabetes. *Diabetes*,Vol.46(11),pp.75-81.

Arinola, O.G. and Igbi, J.(1998)Serum immunoglobulins and circulating immune complexes in Nigerians with HIV and pulmonary Tuberculosis. *Trop. J. Med. Res.*, Vol. 2(2),pp. 41-48.

Arruzabala,M.(1997)Comparative study of policosonal and combinational therapy on platelet aggregation on healthy individuals. *Pharmacol. Res.*,Vol.36(4),pp.293-297.

Arthur,B. and Chasimer,M.(1998) Zinc, Insulin and diabetes. *J.Am. Coll.Nutr.*,Vol.17(2),pp.109-115.

Axelsen,M.,Lener,R.A.,Lonnroth, P. and Smith.V.(1999) Breakfast glycemic response in patients with type 2 diabetes. *J.Clin.Nutr.*,Vol.53(9),pp.707-710.

Bach Knudsen, K.E, Serena, A. and Kjaer ,A.K.(2003)Rye bread in the diet of pigs enhances the formation of enterolactone and increases its levels in plasma urine and feces. *J. Nutr .*,Vol. 133(5),pp.1368-1375.

Baker,H. and Frank.,O.(1988)Determination of serum tocopherols In:Varley's Practical clinical biochemistry.Heinemann Medical Books,London,6th edn,chapter 35,p.902.

Bamji,M.S.,Prashad Rao,N. and Reddy,N.(2004)Diet and diabetes mellitus, In:Text book of Human Nutrition, Oxford and IBH Publishing Co.Pvt.Ltd.,New Delhi,p.36.

Bartholmew,R.J. and Delaney,A.M. (1964) Procedure of determination of total protein. *Proc.Aust. Ass.Clin. Biochem.*,Vol.12,p.64.

Ben, E. and Goldin, E. (2002) Wheat grass juice in the treatment of active distal ulcerative colitis: a randomized double-blind placebo-controlled trial. *Scand. J. Gastroenterol .*,Vol. 37(4),pp.444–449.

Benjamin,R.(2006) Wheat Grass Juice in the Treatment of Active Distal Ulcerative Colitis: A randomized double-blind placebo-controlled trial. *Scand.J. Gastroenterol.*, Vol.41(6),pp. 944-949.

Bennet,P.H.(1992)The epidemiology of NIDDM.In:International Text book of Diabetes Mellitus,John Wiley Company,London,pp.147-176.

Beutler,E.,Duran,O. and Kelly,B.M.(1963)Improved method of determination of blood glutathione.*J.Lab.Clin.Med.*,Vol.61(5),pp.882-888.

Bhasim,R.,Yadav.,S.,Sri Vasdav,V.K. and Lata,S.(2005)Role of antioxidants in diabetes mellitus.Nutrition Society of India,Scientific Programme and Abstracts, PSCLN 24,pp.42-43.

Boloedon,E.A.,Zapary,O.S and Phillippe,M.(2004)Flax seed and CVD risk. *Nutr. Rev.*,Vol.62,pp.18-24.

Borel ,S.A., Lairon, D., Senft, M., Chatan, M. and Lafont, H D.(2005)Wheat bran and germ: effect of digestion and intestinal absorption of dietary lipids in the rat. *Am. J. clin. Nutr.*, Vol.49, pp.1192-1202.

Boros, L. G ., Lee1, W.N. P., Guo1, P ., Lim1, S., Bassilian, S. and Lee1, J.(2005)Metabolic sensitivity of pancreatic tumour cell apoptosis to glycogen phosphorylase inhibitor treatment. *Brit.J.Cancer*,Vol.91,pp.2094-2100.

Bourdon, I., Yokoyama, W., Davis, P., Hudson, C., Backus, R., Richter, D., Knuckles, B. and Schneeman, B. O.(1999) Postprandial lipid, glucose, insulin, and cholecystokinin responses in men fed barley pasta enriched with β -glucan. *Am. J. Clin. Nutr.*,Vol.69, pp.55-63.

Boyle,N.,Bong,G and Haddad,E.(2001)Effects of exercise on glycemic control and body mass in type 2 diabetes mellitus.*J.Am.Med.Assoc.*, Vol.286(100),pp.113-114.

Brahmam,G.N,V., Laxmaiah,A., Mallikharjuna,K. and Reddy,G.(2005) Methodology of assessment of diet and nutritional status of community. In:Manual of National Institute of Nutrition, Hyderabad,pp.7-9,13,16.

Brenda, M. , Kevin, P. , Richard, C ., Stacy, D ., Linda, R . and Christopher, L.(2002) High-fiber oat cereal compared with wheat cereal consumption favorably alters LDL-cholesterol subclass and particle numbers in middle-aged and older men. *Am. J. Clin. Nutr.*, Vol. 76, pp. 351-358.

Brussard,H.,Dallinga,G.and Groot,G.(1980)Effects of amount and type of fibre on serum lipid, lipoprotein and apolipoprotein in man- a controlled 8 week trial.*Atheroscl.*,Vol.36,pp.515-527.

Burney,M.(2003)Research Methods.Canada, Kaniskha Publishers,P.251.

Cade,K., Burely,F., Jenkins,D.J., Kendall,C.W. and Popovich,D.G. (2006)Effect of a very-high fiber vegetable, fruit, and nut diet on serum lipids and colonic function. *Metabol.*, Vol.50, pp.494-503.

Cara, L., Martine,A.,Patrick, B., Michele,S., Henri,M. and Denis L.(2001) Long term wheat germ intake beneficially affects plasma lipids and lipoproteins in hypercholesterolemic human subjects.*J.Nutr.*,Vol.122(2), pp.317-326.

Cara, C., Dubois, P., Borel, M., Armand, M., Senft, H., Portugal, A.M, and Pauli, P.M.(1992)Effects of oat bran, rice bran, wheat fiber, and wheat germ on postprandial lipidemia in healthy adults. *Am. J. Clin. Nutr.*,Vol 55,pp. 81-88.

Carmia,B.,(2004),Dietary antioxidants and human Cancer, *Integrative Cancer Therapies*, Vol. 3(4),pp. 333-341.

Carol,J. and Merrily,R.(1999)Abnormal lipid profiles.In:Nutrition Principles and Applications in Health Promotion,second Edn.,Kaniskha Publishers, Canada, pp.502-513.

Catelli,R.,(2007)Hypercholesterolemia in Asian Adults.*Am.J.Nutr.*,Vol.48, pp.115-117.

CDPC.(2006) CDPC statement of diabetes prevention program , Division of diabetes translation, Feb.2006, CDPC Publication.

CDPC.(2003)Division of tuberculosis elimination. Core curriculum of Tuberculosis, fourth edn., CDPC Publication.

CDPC.(2008)Division of Tuberculosis Elimination. Core Curriculum on Tuberculosis: What the Clinician Should Know, 6th edn., CDPC publication.

CDPC.(2005)2005 Surveillance Slide Set, CDPC publication.

Chaisson, R.E. and Martinson, N.A.(2008)Tuberculosis in Africa combating an HIV-driven crisis. *N. Eng. J. Med.*,Vol. 358 (11),pp. 1089–1092.

Chandalia,M.,Garg,A.,Lutjohann,D.,Von Bergmann,K., Grundy,S.M. and Brinkley,J.(2000)Beneficial effects of high dietary fiber intake in patients with Type 2 diabetes mellitus. *N. Eng. J. Med.*, Vol.342, Pp.1392-1398.

Charles Melissa.(2000)Low fat , high carbohydrate diet and artherogenic risk.*Nutr.Rev.*,Vol.58,pp.148-150.

Chaturvedi,S., Jeemon, P., Thangappan, K. R., Ramakrishnan,L. and Mohan,B.V.(2006)Methods for establishing a surveillance system for CVD in Indian industrial population, *Bull. WHO*,Vol.84,pp.461-469.

CIMMYT Annual Report (2005) -Maize and Wheat Science for Farmers, Food and Livelihoods 2005-2006, CIMMYT Publication.

Cole, E. and Cook, C.(2006)Characterization of infectious aerosols in health care facilities: an aid to effective engineering controls and preventive strategies. *Am. J. Infect. Control.*, Vol. 26 (4),pp. 453–464.

Corinne,M., Cara H.P., Dubois, C., Borel, P. and Armand, M.(1997)Dietary fiber.In:Normal and Therapeutic Nutrition, 17th edition, Macmillan Publication, pp-529-533.

Cox ,R.(2004)Quantitative relationships for specific growth rates and macromolecular compositions of *Mycobacterium tuberculosis* *Streptomyces coelicolor* A3(2) and *Escherichia coli* B/r: an integrative theoretical approach. *Microbiol.*,Vol.150,pp. 1413–1426.

Crane,M.G and Sample,C.J.(1998)Regression of diabetic neuropathy with vegan diet reduce the occurrence of diabetes,*Am.Publ.Health.*,Vol.48,pp.926.

Cushman,W.,Samuel,R and Cynthia,M.(1999)GLUTA 4 trafficking in insulin dependent individuals.*Biochem.J.*, Vol.343,pp.531-577.

David,A.K.,Stone,B. and Kennedy,S.(1999),PFA and CVD risk.In:Nutrition in clinical Practice, Kaniskha Publishers P.14.

Davidson,S.,(1990)Blood biochemistry.In:Clinical Biochemistry, Capeto Publication ,pp.4-8.

Davies, P.D.O, Yew, W.W. and Ganguly, D.(2006)Smoking and tuberculosis: the epidemiological association and pathogenesis, *Trans. R. Soc. Trop. Med. Hyg.* ,Vol.100,pp. 291–298.

Davis, J.V.,Haby, V.A. and Leonard. A.T.(1999)Response of over seeded alfalfa and bermudagrass to alfalfa row spacing and nitrogen rate, *Agron. J.*,Vol. 91,pp.902–910.

DeVogel., Johan,S., Jonker,B., Katan,R.and Roelof,M.(2005)Natural chlorophyll but not chlorophyllin Prevents heme-induced cytotoxic and hyperproliferative effects in rat colon. *J. Nutr.*,Vol.135,pp.1995–2000.

DeCosse, J.J, Miller, H.H and Lesser, M.L.(1989)Effect of wheat fiber and vitamins C and E on rectal polyps in patients with familial adenomatous polyposis.*J. Natl. Cancer. Inst.*,Vol.81(17),pp.1290–1297.

Denke,M.A.,Sempo,C.T. and Grundy,S.M.(2004)An underrecognised contributor to dyslipidemia in white American women. *Arch.Intern.Med.*,Vol.154(2),pp.401-410.

Deutsch,M.R and Morris,S.J.(2006),Nutrition myths and tests of reality.In *Realities of Nutrition*, Bell Publishing Company, California, pp.3-21.

Djujic, I. S., Jozanov- Stankov, O. N., Milovac, M., Jankovic, V. and Djermanovic,V.(2000)Bioavailability and possible benefits of wheat intake naturally enriched with selenium and its products. *Biol.Trace Element Res.*,Vol. 77,pp.273–285.

Domanski,M.,Colditz,G.A.,Stamfer,M.J.and Willett,W.C.(2004)Obesity ,fat distribution and weight gain as risk factors for clinical diabetes in men, *Diabetes Care*, Vol.27,pp.961-969.

Droge, K., Schulze-Osthoff, S., Mihm, D., Galter, H., Schenk, H.P., Eck, S., Roth.D. and Gmunder,H.(2005)Functions of glutathione and glutathione disulfide in immunology and immunopathology.*J.Immunol.*,Vol.10.pp.125-127.

Elizabeth,K.E.(2000)Measurments techniques.In:*Fundamental of Paediatrics*, First Edn, Aras Publ., Hyderabad , Pp.50-69.

Elizebeth,S.H.(2000)Role of vitamins in the treatment of cardiovascular disease, *Am.J.Clin.Nutr.*,vol.17,pp.858-864.

Erkkila, A.T, Herrington, D.M, Mozaffarian, D. and Lichtenstein, A.H.(2005), Cereal fiber and whole-grain intake are associated with reduced progression of coronary-artery atherosclerosis in postmenopausal women with coronary artery disease. *Am Heart J.*, Vol.150(1),pp.94-101.

Esposito F.(2005).Antioxidant activity and dietary fiber in wheat bran. *Food Res. Int.*,Vol.(38),pp.1167-1173.

Eva, A., Francisca, J., Beat, K., Isabelle,R.,Monique, H., Leo,M. and Renato, A.(2002)In vitro fermentability of a commercial wheat germ preparation and its impact on the growth of bifidobacteria, *Food Res.Intern.*, Vol. 35(5),pp. 475-481.

Fahey, W., Katherine, K., Stephenson, A., Dinkova, A., Thomas, W. and Paul T. (2005) Chlorophyll, chlorophyllin and related tetrapyrroles are significant inducers of mammalian phase 2 cytoprotective genes, *Carcinogenesis*. Vol.26 (7), pp.1247–1255.

FAO. (2007) Crop prospects and food situation. FAO corporate Document Repository.

Farkas, R. Tömösközi, R., Hidvég, M., Shoenfeld, Y, Ion, G., Demydenko, D. and Monostori, É. (2002) Fermented wheat germ extract induces apoptosis and downregulation of major histocompatibility complex class I proteins in tumor T and B cell lines. *Int. J. Oncol.*, Vol.20, pp.563-570.

Farmer, F., Bell, A., Stark, S. and Nancy, L. (2005) Hypercholesterolemia Screening among Native Americans in Eastern North Carolina. *J. Health Care for the Poor and Underserved*, Vol.16(4), pp. 634-642.

Felbinger, D. (2003) Malnutrition, infection and sepsis in acute and chronic illness. *Diet Care News North America*, Vol.15, pp.71-78.

Ferguson, A., Diane B. and Sarah, C. (2000) Notification of tuberculosis in patients with AIDS. *J. Public Health*, Vol.20(2), Pp. 218-220.

Ferruzia, M, G. and Blakesleeb, J. (2007) Digestion, absorption, and cancer preventive activity of dietary chlorophyll derivatives. *Nutr. Res.* Vol. 27(1), pp.1–12.

Feskens, E.J.M., Bowels, C.H. and Krombout, D. (1991) Inverse association between fish intake and risk of glucose intolerance in normoglycemic elderly men and women. *Diabetes Care*, Vol.14, pp.935-941.

Figarokathleen, M., Stephen, B., Helaine, R. and Ronald, I. (2005) Diabetes inflammation and functional decline in older adults, *Diabetes Care*, Vol.29, pp.2039-2045.

Fleming, T., Slamon, D.J., Leyland-Jones, B., Shak, S., Fuchs, H., Paton, V. and Norton, L. (2001) Use of chemotherapy plus a multi micronutrient supplement against breast cancer. *N. Eng. J. Med.* Vol.344, pp.783–792.

Franz, K, C. (2006) Whole grains may reduce risk of metabolic syndrome in elderly. *Food Digest.*, Vol. 29, pp-361.

Franz, M.J., Bantle, J.P., Beebe, C.A. and Chiasson, J.L. (1998) Evidence based nutrition principles and recommendations for the treatment and prevention of diabetes related complications. *Diabetes Care*, Vol.26(10), pp.51-56.

Frédéric, L., Nicolas, V., Marie, L. and Károly, K. (2000) Glutathione Reductase in Wheat Grain. Isolation and Characterization. *J. Agric. Food Chem.*, Vol. 48, pp.4978-4983.

Frische, E., Andrea, M. and Margaret, C. (2003) Serum hormones and lignan excretion in premenopausal women. *J. Am. College Nutr.*, Vol.22(6), pp.550-554.

Fulckiger, R., Winterhalter, K.H. and Winterbourn, C.C. (1976) In vitro synthesis of hemoglobin_{A₁C}. *FEBS Lett.*, Vol.71, pp.356-360.

Gajalakshmi, V. (2006) Verbal autopsy procedure for adult death. *Int. J. Epidemiol.*, Vol.35(3), pp.748-750.

Gala, D.R., Dhiren, G. and Sanjay, G. (2000) Panacea on the earth: the wonder of wheat grass juice. *Herald of Health*, Vol.91(17), pp.16-19.

Gala, D.R., Dhiren, G. and Sanjay, G. (1999) Diet for perfect health, Navaneet Publication, pp.130-140.

Gallaher, M. and Schneeman, R. (1996) Dietary fiber and weight regulation, *Nutr. Rev.*, Vol.54, pp.129-139.

Gannon, M.C., Nuttall, F.Q., Saeed, A. and Jordon, A. (2003) An increase in dietary protein improves the blood glucose response in person with Type 2 diabetes. *Am. J. Clin. Nutr.*, Vol.78(40), pp.734-740.

Ganton, R. (1999) Vitamin E, antioxidants and atherosclerosis. In: *Nutritional Biochemistry*, Academic Press, Second Edn., p:634.

Garrow, J.S., James, W.P.T. and Ralph, A. (2000) Human Nutrition and Dietetics. tenth edn., Sydney, pp.605-606.

Gavino, V.C., Miller, J.S. and Kharebha, R. (1981) Effects of PUFA and antioxidant on lipid peroxidation in tissue culture. *J. Lipid. Res.*, Vol.22, pp.63-69.

Gayla,R.S. and John,L.M.(1995)Wheat germ and Brewer's yeast.In:Nutrition Almanac, Fourth edition, Mc Graw Hill Publishing pp.382-383.

Genton,L.,Dejong,C.H. and Soctens,P.B.(2005)Nestle Nutrition Workshop Series clinical and performance program, Nestec Limited,Vol.10,pp.73-88.

Ghafforunissa,A. and Kamala Krishnaswamy(2007),Diet and heart disease, National Institute of Nutrition, Hyderabad,pp.13-17.

Giorgi,J., Fahey,H., Smith, L.E .,Hultin, H.L .,Cheng, R.T., Mitsuyasu,L. and Detels,M. (1981) Determination of CD4 lymphocytes on *HIV in vivo.*, *J. Immunol.*, Vol 138, pp. 3725-3730

Gonzalez, P. and Gonzalez, C.(2005)Therapeutic perspectives on the combination of α -lipoic acid and vitamin E, *Nutr. Res.*, Vol. 26 (1) pp.1 – 20.

Gratacas, M.D.(1999)Serum and placental lipid peroxides in chronic hypertension during pregnancy with and without superimposed pre eclampsia. *Hypertens Pregnancy* ,Vol.18(2),pp.139-146.

Green.A.,Stovring,H.,Anderson,M. and Beck Niebon(2005)The epidemic of the Type 2 diabetes is a statistical artifact.*Diabetol.*,Vol.4(8),pp.1457-1458.

Greenwald, P., Lanza, E., Eddy, G.A.(2006)Dietary fibre in the reduction of colon cancer risk, *J.Am.Diet. Ass.*, Vol.87, pp 1178-1788.

Gress,R., Roglic,G. and Wild,S.(2000)Global prevalence of diabetes estimated for year 2000 and projections for 2030. *Diabetes Care*,Vol.27,pp.1047-1053.

Griffith, D., Kerr, C.(2006)Tuberculosis: disease of the past, disease of the present, *J. Perianesth Nurs.*, Vol. 11 (4),pp. 240–245.

Grundy,S.M.,Cleeman,J.D. and Merz,C.N.B.(2004)Implications of recent clinical trials for the national cholesterol education program (Adult Treatment Panel III) guidelines. *Circulation*,Vol.110,p.227.

Gupta,R.(2000)Changing food habits, *Health Action*, June (2000),p.21.

Health Care Excel(2000) Behavioral prospects of diabetes, Interim Report.

Heimbach, J.T, Sebestyen, G., Semjen, G. and Kennepohl E.(2007)Solid phase multiple antigenic peptides/autoantigens with 4-hydroxy-2-Safety

studies regarding a standardized extract of fermented wheat germ. *Int J Toxicol*, Vol.26(3),pp.253-259.

Heinrikson,R. and Meridith,M.(1984) Amino acid determination by HPLC. *Anal . Biochem.*, Vol. 136,pp. 65-74.

Hennekens,C.H., Buring,L. and Mayent,S.L.(2004)Smoking and ageing in coronary heart disease.In:Massachusetts Directory of Health, Eastward Publication,pp.95-115.

Herman.W.H.,King.H.and Aubert.R.E.(1998)Global burden of diabetes 1995-2025:prevalence ,numeric estimated and projections.*Diabetes Care*,Vol.21,pp.1414-1431.

Hernández,E.(2008)Impact of vitamin A supplementation on hematological indicators of iron, vitamin A and zinc levels in HIV infection metabolism and protein status in children. *Nutr. Res.*, Vol. 12,pp.469–478.

Hing Man Chan and Grace,L. (2004)Mercury exposure and heart disease. *Nutr. Rev.*, Vol.62,pp.68-71.

Hother Niebson, O., Faber,O, Sorenson,N.S. and Beck Nielsen,H. (1997)Classification of newly diagnosed diabetic patients as insulin requiring or non insulin requiring based on clinical and biochemical variables. *Diabetes Care*,Vol.20,pp.531-537.

HUDCO.(2004)Housing Finance Publishing Division,Patiala House, New Delhi,p.232.

ICMR.(2004)Nutritive Value of Indian Foods.National Institute of Nutrition,Hyderabad,pp.74-78.

ICMR.(1998)Flexible dose open trial of vijasar in cases of newly diagnosed NIDDM.*Ind.J.Med.Res.*, Vol.108,pp.24-29.

Ilich, R. A., Brownbill,M and Tamborini,M.(2003)Nutrient partitioning during treatment of tuberculosis: gain in body fat mass but not in protein mass. *European J. Clin. Nutr .*,Vol.57,pp. 554–565.

Illman, R. J. and Topping, D. L. (1985)Effects of dietary oat bran on faecal sterol excretion, plasma volatile fatty acids and lipid synthesis in the rat. *Nutr. Res.*,Vol. 5,pp. 839-846.

Illmer, C., Madlener, S., Horvath, Z, and Saiko, P.(2005) T Immunologic and biochemical effects of the fermented wheat germ extract Avemar. *Exp. Biol. Med.*,Vol.230(2),pp. 144-149.

International Diabetes Federation (2001) Diabetes, The pandemic and potential solution. Brussels: International Diabetes federation.

Isabelle,J.,Benoit,L. and Peter,J.(2003)Role of isoflavones in the hypercholesterolemic effect of soy.*Nutr.Rev.*,Vol.61,pp.182-200.

Jasleen, K. and Kiran, B.(2005) Food and nutrient intake in relation to CVD among rural males of Punjab , India. *Ind.J.Nutr.Dietet.*,Vol.42,p.378.

Jayakumar,S. and Nisha,L.(2005)Prevention of diabetes mellitus.*Health Action*, June ,pp.19.

Jeanette M., (2006), Link between trans fatty acids and cardiovascular disease. *Nutr. Clin. Practice*, Vol. 21(5),pp.7.

Jean,P., Després, J., Simard, P., and Claude, G.(1987) Effect of wheat bran and pectin on hypercholesterolemic adults. *J. Imm. Metds.*, Vol.12,pp.66-75.

Jensen, K. B. and Asay, K. H.,(2005), Wheatgrass. In: Cool-Season Forage Grasses,Agronomy Monograph Series 34, ASA, CSSA and SSSA. Madison, WI.

Jerum,S.(2003)Preventing complication of diabetes.*Med.J.*,Vol. 179(9), pp.498-503.

Jha, P., Jacob, B. and Gajalakshmi, V.(2008) A nationally representative case-control study of smoking and death in India.*N.Engl.J.Med.*,Vol.358 (11),pp.1137-1147.

Joanne,S.(2006)Disease that have implications relevant to fig consumption, *Nutrition Today*,Vol.41,pp.180-184.

Johan, R., Boelaerta,M. and Victor, R.(2002)Protein energy malnutrition and risk of tuberculosis infection.*The Lancet*,Vol.360(9339),p.1102.

Julie,A.S.,Charles,H and Knudesn,K.E.(1997)Antioxidant vitamins and cardiovascular disease.*Nut.Rev.*,Vol.55,pp.553-559.

Kacprzak, R., Dybkowski, J., Krzysiek, T., Milewicz, A., Janczak, G., Krzysiek, K., Sztefko, M. and Radecka, M. (2002) Serum TNF and Its Soluble Receptors I and II in the Postmenopausal Women (PMW) with a Known Risk of Atheromatosis, Atherosclerosis: Risk Factors, Diagnosis and Treatment, International Proceedings Division, Salzburg, Austria, July 7-10, 2002.

Kalser, J.D., Campa, A.M., Ondercin, J.P., Leoung, G.S., Pless, R.F. and Baum, M.K. (2006) Micronutrient supplementation increases CD4 count in HIV-infected individuals on highly active antiretroviral therapy: a prospective, double-blinded, placebo-controlled trial. *The FASEB Journal*, vol.8, pp.1131-1138

Kang, Y.J, Zhou Z. (2005) Zinc prevention and treatment of alcoholic liver disease through wheat germ supplementation. *Mol. Aspects Med.*, Vol. 26, pp.391-404.

Karyadi, E., Werner, S., Ronald, H. H., Nelwan, Rainer Gross and Zulkifli Amin (2000) Poor Micronutrient Status of Active Pulmonary Tuberculosis Patients in Indonesia. *J.Nutr.*, Vol.130, pp.2953-2958.

Kathleen, M.L. (2000) Krause food nutrition and diet therapy, Kathleen Mahan, stump, S.E, 10th Edn, W.B. Saunders company, London, p.11

Kaufmann, S. (2002) Protection against tuberculosis: cytokines, T cells, and macrophages, *Ann. Rheum. Dis.*, Vol.61, pp.45-46.

Kay, H.M., David, J. and Slavin, P. (2004) Health benefits of whole grains. *Nutrition*, Vol.47, pp.250-274.

Kazunobu, R. (2007) Gaps in the awareness of current nutrition issues as dependent on age. *Int. J. Health care Quality Assurance*, Vol.19(4), pp.243-244.

Kesavulu, M.M. (2002) Effect of omega 3 fatty acids on lipid peroxidation and antioxidant enzyme status in Type 2 diabetic patients. *Diabetes Metab.*, Vol.28, pp.20-26.

Khan, A. and Salflar, M. (2006) Role of diet, nutrients, spices and natural products in diabetes mellitus. *Pakistan J.Nutr.*, Vol.73, pp.212-218.

Khan, M.A., Collins, A.J. and Keane, W. (2006) Diabetes in elderly population. *Adv. Res. Repalce Ther.*, Vol.7, pp.32-35.

Kharab, S., (2001), Magnesium for pink health. *Nutrition*, Vol.34(3), pp.24-36.

Kharb, R.,(2000).,Superoxide anion formation and glutathione levels in patients with preeclampsia. *Gynecol Obstet Invest.*, Vol. 49(1),pp. 28-30.

Khaw, K.T and Barrett-Connor, E.(1987)Dietary fiber and reduced ischemic heart disease mortality rates in men and women: a 12-year prospective study. *Am J Epidemiol.*,Vol.126(6),pp.1093–1102.

King,H. and Revers,R.(1998)Global burden of diabetes 1995-2020: prevalence, numeric estimates and projections. *Diabetes Care*,Vol.21,pp.1413-1432.

Klevay.M.(2002)Log dietary magnesium increase copper absorption in supra ventricular ectopy.*Am.J.Clinic.Nutr.*,Vol.75,pp.550-554.

Knechtle,B. and Kohler,G.(2007)Running 338 Kilometres within five days has no effect on body mass and body fat but reduces skeletal muscle mass - The Isarrun 2006. *J.Sports Sci. Med.*,Vol.6, pp.401- 407.

Kothari,C.R.(2005)Research Methodology-Methods and Techniques, Vishwa Prakaser,pp.124-129.

Krause,R.M.(2001)Dietary and genetic problems of atherogenic dyslipidemia. *Atheroscl. Thromb.Vascular Biol.*,Vol.25(11),pp.1265-1272.

Krest,H and Yanwen,F.J.(2003)Role of policosanols in the prevention and treatment of CVD.Vol.61,pp.376-379.

Kris Etherton,B.,Harris,W.S. and Apple,L.J.(2001)The effect of nuts on cardiovascular disease. *Nutr. Rev.*,Vol.59,pp.103-107.

Kristina,N.,Markku,T., Parviainen,R., Salonen,J. and Jukka, T.(1997)Vitamin C deficiency and risk of myocardial infarction: prospective population study of men from eastern Finland. *Brit.Med.J.* , Vol. 314(7081),pp.634.

Krone,C.A. and Ely,J.K.(2001)Vitamin C and Glycosylated haemoglobin.*Clin Chem.*,Vol.47(1),pp.148-153.

Kurien, B.T. and Scofield, R.H.(2003)Free radical mediated peroxidative damage in systemic lupus erythematosus. *Life Sci.*, Vol.73(13), p. 1655.

Lalitha,R.and Prasath,M.(2005)Effect of flax oil supplementation on lipid profile of elderly. *Ind.J.Nutr.Dietet.*, Vol.42,pp.571-575.

Larouze , D., Henzel , J.M., Ndayishimyie , J.C., Melchior , A .,Dayiragije , J.B., Ndiokubwayo , E .,Nikoyagize , T. and Rwasa,M.(1999)Nutritional status of adult inpatients in Bujumbura, Burundi.*Eur.J. Clin.Nutr.*, Vol.15,pp.125-126.

Laszlo G., Michele, N. and Yehuda, S.(2005), Fermented Wheat Germ Extract (Aveamar) in the Treatment of Cancer and Autoimmune Diseases. *Ann. N.Y. Acad. Sci.*,Vol.1051,pp. 529–542

Lettow, R. D., Semba, J., Kumwenda, E.,Zijlstra, M. O., Ricks, , T. D., Clark, L. and Jorgensen, J.(2007)Micronutrient supplements and mortality of HIV-infected adults with pulmonary TB: a controlled clinical trial.*Int. J. Tuberc. Lung Dis.*,Vol.8,pp.854-859.

Lonnerdal, B.(1998) Copper nutrition during infancy and childhood. *Am. J.Clin Nutr*, Vol. 67,pp.1046S-1053S.

Lopez, H.W, Duclos, V., Coudray, C., Krespine, V., Feillet, C., Messager, A., Demigne, C. and Remesy, C.(2003)Making bread with sourdough improves mineral bioavailability from reconstituted whole wheat flour in rats. *J.Nutr.*, Vol.19(6),pp.524-30.

Lori ,M., Christian, H., Thomas,S. and Susan,L.(2006), Quality of Cardiovascular Disease Preventive Care and Physician/Practice Characteristics. *J. Gen. Inter. Medi.*, vol.21(3),pp. 231-237.

Lovegrohe,M.,(1995),Predisposition of type 2 diabetes mellitus, *Nutr. Bull.*,Vol.20,pp.28.

Madison,B.(2001).Application of satins in clinical microbiology. *Biotech.Histochem.*Vol.76(3),pp.119-125.

Manzella,D.,Barbieri,M. and Paolisso,G.(2001)Chronic administration of pharmacologic doses of vitamin E improves the cardiac autonomic in patients with type 2 diabetes.*Am.J.Clin.Nutr.*,Vol.73,pp.1052-1057.

Margaret,C. and Stuart,R.(2008)Demographic and health surveillance: longitudinal ethical considerations. *Bull. WHO*,Vol.86(8),pp.577-656.

Martin Estward(2000)HDL-cholesterol levels can be altered by the diet. In:Nutritional Biochemistry, Academic Press, Second edn.,p.363.

Martine,A.,Louis,C.,Patrick,B.,Michele,S.,Henri,P.,Anne,M,Huguette,L.and Denis,L.(1992)Long-Term Wheat Germ Intake Beneficially Affects Plasma Lipids and Lipoproteins in Hypercholesterolemic Human Subjects.*J Nutr.*,Vol. 122(2), pp. 317-326.

Mathew,R.,(2000),Cardiovascular disease in patients with diabetes,*Mediscape cardiol.*,Vol:90,pp.2-3.

McKeown, N.M, Meigs, J.B, Liu, S., Saltzman, E., Wilson, P.W. and Jacques, P.F.(2005) Carbohydrate nutrition, insulin resistance, and the prevalence of the metabolic syndrome in the Framingham Offspring Cohort.*Diabetes Care*,Vol.27(2),pp.538-546.

Mehmet,T. and Giyasettin,B.(2006).Comparison of the impact of vanadium on diabetic subjects. *Brain Res.*,Vol.1046(2),pp.187-194.

Melina, V. and Davis, B.(2003)The New Becoming Vegetarian. Healthy Living Publications pp.12-15.

Meltzer,S.,Heiter,L.and Daneman,D.(2007)Clinical practice guidelines for the management of diabetes in Canada.*E.M.A.J.*,Vol.159(8),pp.51-59.

Merlin,R. and Dennis, R.(2005)Chocolate and cardiovascular disease.*Nutr. Rev.*,Vol.63,pp.427-430.

Meyer,L.,Bohme Guerci,L. and Talk,R.(2002)Metaformin and Insulin in Diabetes.*Diabetes Care*,Vol.26,pp.1655-1656.

Meyerowitz, S.(2003)Nutrition in grass, wheatgrass nature's finest medicine.In: The complete guide to using grass foods and juices to revitalize your health. 6th Edition, Max book Publishing Company,pp.45-48.

Miller, N.J., Rice-Evans, C., Davies, M.J., Gopinathan, V. and Milner, A. A. (1993) Novel method for measuring antioxidant capacity and its application to monitoring the antioxidant status in premature neonates. *Clin. Sci.*, Vol.84(4):407–412.

Misia,L.(2004)Inflammation marker to Type 2 diabetes.*Research Briefs*, March 19th ,News from Harward Medical ,Dental and Public Health School.

Misra,A, Pradeep,S. and Rajeev,G.(2007)Type 2 diabetes in India: Regional disparities.*Brit.J.Diabetes. Vasc.Dis.*,Vol.7(1),pp.12-16.

Mohammed H.(2000) Pharmacological properties of plant sterols *in vivo* and *in vitro* observations, *Life Sci.*, Vol. 67 (6) ,pp. 605-615.

Montonen,J.,Jarvenen.,R.,Heliovaara,M.,Revanen,a.,Arormaa,A. and Knekt,P.(2005),Food consumption and the incidence of type 2 diabetes mellitus,*Eur.J.Clin.Nutr.*,vol.59(3),pp.441-448.

Morcos,M., Borcea,V. and Isermann,B.(2001)Effect of alpha lipolic acid and on the progression of endothelial cell damage and albumin urea in patients with diabetes mellitus: an exploratory study. *Diabetes Res. Clin. Pract.*, Vol.52,pp.291-299.

Morris .,K.,Samuel,K andAlbert,C.(2003)Health benefits of grains. *Asia Pacific. Clin. Nutr.*,Vol.9,pp.525-529.

Morsi,T.A.,Bao,D.O. and Burke,V. (1999)Dietary fish as a major component of a weight loss diet: effect on serum lipids, glucose and insulin metabolism in overweight hypertensive subjects.*Am.J.clin.Nutr.*,Vol.70,pp.817-825.

Murthy.M.(2005)Nutritional and therapeutic potential of wheat grass.*Curr. Pharm. Biotechnol.*,Vol. 6(5),pp.373-379.

Nagai, H., Nishiyori, T. Daikoku, M. and Koda, A.(1983). Immunopharmacological studies of sodium copper chlorophyllin, *Jap. J. Pharmacol.*,Vol.33,pp:819-28.

Nagayama, N., Tamura, A.and Kurashima, A.(1999)Parameters relating to the development of residual pleural thickening in tuberculous pleurisy.*Kekkaku*, Vol.74(2),pp.91-97.

Nakatsuma,M.,(2001) Nafamostat meslate, asrineprotease inhibitor,suppressed lipopolysaccharide in wheat germ.*Life Sci.*,Vol.67(10),pp.1243-1250.

Nancy,J.(1998)Fish consumption and risk of sudden cardiac death,*Nut.Rev.*,Vol.56,pp.177-179.

National Cholesterol Education Program (2001).Second report of the Expert Panel on detection, evaluation and treatment of high blood cholesterol in adults(Adult Treatment Panel II).*Circulation*,Vol.89,pp.1333-1445.

National Institute of Nutrition (2003) A manual of laboratory techniques, Second Edn., National Institute of Nutrition, pp.245-239.

Neal,A.(2008)The prevalence and management of diabetes in rural India, *Diabetes care*,Vol.29,pp.1717-1718.

Neelam,M and Elizabeth,A.M.(2005)Diabetes –the silent killer, *Health Action*,August,pp.12-13.

Nefedov, V. B., Popova, L. A.and Shergina, Ye. A.(2007)Problems of Tuberculosis and Pulmonary Diseases and pulmonary function in patients with infiltrative pulmonary tuberculosis.*J.Acquir.Immune.Defic.Syindr.*, Vol.42(5),pp.523-528.

Neimann,S.,Richter,E.,Dalugge,T.,Schlesinger,H.,Graupner,D.,Konigstein, B., Gurath,G. and Rusch,S.(2007)Two cases of mycobacterium derived tuberculosis in HIV negative immunocompetent patients.*Emerg Infect. Dis.*,Vol.6(5).pp.539-542.

Nelson,M.(1998)Dietary fats and heart disease. *Nut.Rev.* ,Vol.56,pp.177-179.

NicasM.,Nazaroff,W.W and Hubbard,A.(2005)Towards understanding the risk of secondary airborne infection emission of respirable pathogens.*J.Occup Environ. Hyg.*,Vol.2,pp.1143-1154.

Niyongabo,T.(2002) Tuberculosis, human immunodeficiency virus infection, and malnutrition in Burundi , *J.Nutr.*, Vol.15(4), pp.289 – 293.

Nurhan,T. and Minquan,Z.(2003)Pressurized solvent extraction of wheat germ, *Food Resr Int.*,Vol.36(9-10),pp.905-909.

Ohkuba,K., Akram,K. and Pedersen,K.(2004)Frequency and risk factors of severe hypoglycaemia in insulin treated type 2 diabetes. *J.diabetes. Complication*,Vol.20(6),pp.402-408.

Oleary.H and Peter.J.(2000)Diabetes mellitus: sub clinical CVD and risk of incident CVD and all cause mortality, *Arterioscler. Thromb. Vasc. Biol.*, Vol.(20),pp.823-829.

Oscar,Y., Rocio, Ö.,Ali İ.,Öztürk,C. and Yasemin,E.(2005)Effects of triple antioxidant combination (vitamin E, vitamin C and α -lipoic acid) with insulin on lipid and cholesterol levels and fatty acid composition of brain tissue in experimental diabetic and non- diabetic rats.*Cell Biolo.Intern*.Vol. 29(9), pp.754-760.

- Oster,O., Bellwitz,W., Kasper,W. and Meinertz,T. (1983) Congestive cardiomyopathy and the selenium content of serum.*Clin.chem.Acta.*, Vol.128,pp.125-132.
- Ostlund,R.E., Hsu,F.,Bomer,M.S. and Lafort,M.(1996)Quantification of cholesterol tracers by gas chromatography (negative ion chemical ionization mass spectrometry).*J.Mas.Spectrometry*,Vol.31,pp.1291-1296.
- Osundahunsi, O.F., Ifesan, B.OT. and Ijarotimi, O.S. (2006) Evaluation of the antioxidant activity of micronutrient mix. *J. Food Sci.* Vol.12,pp.1122-1225
- Paglia,D.E and Valentine,W.N.(1967) Studies in the qualitative and quantitative characterization of erythrocyte glutathione.*J.Lab.Clin.Med.*, Vol.70,pp.158-169.
- Pais,P.,Karthikeyan,G.,Xavier,D. and Prabhakaran,D.(2007)Perspectives on the management of coronary artery disease in India. *Heart*,Vol.93,pp.1334-1338.
- Paolissio,G.,Scheen,A.and Lefemore,P.,(1998),Magnesium and glucose homeostatis,*Diabetology*,vol.33,pp.511-514.
- Paolisso,G. and Sgambato,A.(1998)Daily mineral supplements improve glucose handling in elderly subjects,*Am.J.Clin.nutr*,Vol.23,pp.1167-1168.
- Parish,T. and Stoker,N.(2001)Mycobacteria bugs and bug bears 9 two step forward and one step back. *Mol.Biotechnol.*,Vol.13930,pp.191-200.
- Parrish. N., Dick. J and Bishai, W.(1998) Mechanisms of latency in Mycobacterium tuberculosis, *Trends Microbiol* .Vol.6 (3),pp. 107–12.
- Paton M. ,Lisa A., Ginger, N., Nancy N.,Brendan,E.,James L. and John E.(2002)Repine Mononuclear Phagocyte Xanthine Oxidoreductase Contributes to Cytokine induced acute lung injury. *J.Infectious Diseases*, Vol. 181,pp.S483–S489.
- Patrick Couture, Louis D. Brun, François Szots, Michel Lelièvre, and Daniel Gaudet(1998)Heterozygous familial hypercholesterolemia lipoprotein response to Simvastatin in young French Canadians.*Arterioscler. Thromb. Vasc. Biol.* Vol.18, pp.1007-1012.
- Paul.C.K.(2000)Fish oil and CVD *J.Clin.Nutr.*,Vol.71,pp.2245-2275.

Penny,F.,Hecker,D. and Benkoshki,J.(2004).PUFA and cardiovascular disease.*Nut. Rev.*Vol.62,pp.412-425.

People, M., Frith, G., and Dalling, M.,(2000),Proteolytic enzymes in green wheat leaves IV. Degradation of ribulose 1,5-biphosphate carboxylase by acid proteinases isolated on DEAE-cellulose, *Plant and Cell Physiology*, vol. 20,pp.253-258.

Piramanayagam, P.(2007)Persistently high HIV seroprevalence among adult tuberculosis patients at a tertiary care centre in Delhi. *Ind. J. Med. Res.*,Vol.43,pp.345-346.

Porter, S., Walker, T Hill,, Anderson., C Leen, M Johnson., B Gazzard, J Walsh, Fisher, Orkin, A., Schwenk, R., Gilson, P. and Easterbrook., V.(2008)Changes in outcome of persons initiating HAART at CD₄ less than 50 cells/mm³ on behalf of the UK CHIC Study Group. *J Acquir Immune Defic Syndr*, Vol.47,pp.202-205.

Potter, J.G., Coffman, K.P., Reid, R.L., Krall, J.M. and Albrink, M.J. (1981)Effect of test meals of varying dietary fiber content on plasma insulin and glucose response, *Am J Clin Nutr.*, Vol .34,pp.328–334.

Prabhu,M.,Sudha,V. and Shashikiran,V.(2004)Clinical profile of the type 2 diabetes and BMI- is there any correlation, *Calicut Med.J.*,Vol.2(4),p.e3.

Priyatomako,D.,Strauss,B.J.G. and Wahlquest,M.L.(2001)Energy adaptation and obesity Scientific Progress and Abstract, XXII Annual conference of Indian Dietetic Association,NIN,p.168.

Raal,T.W.(2004)The xanthines in wheat germ, Gilamn andGoudman publishers, Second Edn,pp.591-592.

Rabkin,S.W.,Chenyue,L.,Leiter,L.,Liceiliyan,R and Reeder,B.A.,(2003),Risk factor correlation of BMI,*Canadian Med.Ass.J.*,vol.57(15),pp.26-31.

Raghuram,T.C.,Pasracha Swaran and Sharma,R.D.(2007)Diet and Diabetes II edition, National Institute of Nutrition,Hyderabad,pp.6-10.

Rahman,M.V and Rao,V.K.(2002) Pattern of food consumption and nutrient adequacy: a case study of adults by Religion, *The Ind.J.Nutr.Dietet.*, Vol.39,pp.160-172.

Rajiv,R.(1999)Diabetes in the new mellinium,*J.Diabetes.Assoc.*,Vol.39,pp.4.

Rajpathak,S.,Rimm,E.B.,Lii,T.,Morris,J.S. and Stampfer,M.J.(2004)Lower toenail chromium in men with diabetes and CVD compared with healthy men,*Diabetes Care*,vol.37(9),pp.2211-2216.

Ramachandran,A.(2007)Epidemiology of type 2 diabetes in Indians,*J.Ind.med.Assoc.*,Vol.62,pp.425-427.

Ramachandran,A.(1992)Classification ,etiology and genetics of diabetes mellitus- Recent developments.*Ind.J.Clin.Prac.*,Vol.112,pp.13-15.

Ramachandran,A.,Snehalatha,C. and Vijaya,V.(1999)Impact of urbanization on the life style of diabetic subjects,*Diab.Res.Clinc.Pract.*,Vol.44,pp.207-213.

Ramalingaswami,V.(1993)New global perspective in overcoming malnutrition, XV International congress of Nutrition, Adeliade, Australia.

Ramankutty,V.,Joseph,A. and Soman,C.R.(2007)High prevalence of type 2 diabetes in an urban settlement in Kerala,India, *Ethnicity and Health*,Vol.23,pp.231-239.

Raviglone andO'Brein(2004)Africa worst hit by dual epidemic , *Bull.WHO*, Vol.83,pp.161-172.

Reddy,M.J.,Das,M.S and Jaison,T.(2006) Prevalence of cardiovascular disease in India.*Bull. WHO*,Vol.84,pp.454-457.

Reddy.M and Yusuf,O.,(1998),Emerging epidemic of CVD in developing countries, *Circulation*,vol.15,pp.919-923.

Reinhold,G.(1953).Total protein, albumin and globulin. In:Standard methods of clinical chemistry, Academic Press, New York,pp.88.

Renauld,B., Delorgeril,C., and Wine,M.,(1993),Inhibition of LDL oxidation by phenolic substances in red wine, *Nut.Rev.*,vol.51,pp.185-188.

Restrepo, B.I.(2007)Convergence of the tuberculosis and diabetes epidemics: renewal of old acquaintances. *Clin Infect Dis.*,Vol. 45,pp. 436–438.

Richard E Ostlund, Janet B McGilll, Chun-Min Zeng, Douglas F Covey, Jay Stearns, William F Stenson, and Curtis A Spilburg(2001)Gastrointestinal absorption and plasma kinetics of phytosterols and phytostanols in humans.*Am. J. Physiol. Endocrinol. Metab.*,Vol.10,p.1152.

Rick,S. and Alan,P.(2005)Causes and risk factors of hyperlipidemia, *Atheroscl.*,Vol.14,pp.145-151.

Rifai.N.(1988).*Arc.Pathol.Lab.Med.*Vol.,110,pp.694-701.

Robert,T.,Carole,C. and Rury,H.(2004) United Kingdom prospective diabetes study 17: A 9-year update of a randomized, controlled trial on the effect of improved metabolic control on complications in Non-Insulin-dependent Diabetes Mellitus, *Annals of Internal Medicines*, Vol.124 ,pp.136-145.

Robert, J. and Jarlier, V.(2002) Multi-resistant tuberculosis in France, *Rev Mal Respir.*,Vol.19(1),pp.21-23.

Rose,D.P., Lubin,M. and Connally,J.M.(1997) Effects of diet supplementation with wheat bran on serum estrogen levels in the follicular and luteal phases of the menstrual cycle. *Nutr.*, Vol.13, Pp.535-539.

Sacks,F.M.,Catelli,W.P.,Doner,P and Kass,E.(1998)Influence of dietary fiber on lipid metabolism.In:Complex carbohydrate in foods.Marcel dekker.Inc,pp.54-55.

Sahay,B.K.(2002)Lifestyle modification in management of diabetes mellitus. *J.Ind.Med.Assoc.*,Vol.100(3),pp.178-180.

Sara,K. and Kim,S.(2006). Cardio protective effects of chocolate and almond consumption in healthy women. *Nutr Res.*, Vol. 26(10), pp. 509-516.

Sasaki, Y., Yamagishi, F., Yasi T. Mizutani F.(1999)A case of pulmonary tuberculosis case with pancytopenia accompanied to bone marrow gelatinous transformation. *Kekaku*,Vol.74 (4),pp.361-364.

Saucer,I.(1998)Effect of olive oil and fish oil on parameters lipids and antioxidant in hypolipoproteinemia.*Ind.heart.J.*,Vol.4793,pp.134-136.

Saunders, C.(2002)The nutritional value of chlorophyll as related to hemoglobin formation. *Proc.Soc.Exp.Biol Med.*,Vol.31,pp.788-789.

Semba,R.D., Muhilal,K. and West, K.P.(1992) Bone and nutrition in elderly women: protein, energy, and calcium as main determinants of bone mineral density B Vitamins, homocysteine, and neurocognitive function in TB subjects.*Am. J. Nutr.*,Vol.71(2),pp. 614S-620S.

Seshiah,V., Vijayam,B., Balji,S., Madhuri,S., Ashalatha,M, Suganthi,R. and Suresh,S.(2007)A₁C in Gestational Diabetes Mellitus in Asian Indian Women. *Diabetes Care*, Vol.30,pp.1865-1867.

Seyedrezazadeh, E., Ostadrahimi, A., Mahboob, S., Assadi ,Y., Ghaemmagami J. and Pourmogaddam, M.(2008) Effect of vitamin E and selenium supplementation on oxidative stress status in pulmonary tuberculosis patients, *Respirology*, Vol.13(2),pp.294-298.

Shailaja,M. and Chane,D.(2005)Efficacy of psyllium husk in hypercholesterolemic patients in Gwalior city. *Ind. J.Nutr. Dietet .*,Vol .42 , pp.114-120.

Shiphy,M.J., Pocock,S.J. and Maxnol,M.G.(2001)Does plasma cholesterol concentration predict mortality for CVD in elderly people: 18 year follow up in white hall study.*Brit.Med.J.*, Vol.303,pp.82-89.

Smolin,M and Grosvener,S.(1999) Cardiovascular diseases.In:Nutrition Science and Applications, Sounders College Publishing, Third edition, P. 147.

Snowdorn.D.A.(1985)Does a vegetarian diet reduce the occurrence of diabetes. *Am.PublicHealth*, Vol.75,pp.507-512.

Soltani,N., Keshavarz,M., Shhamaki,H. and Denpour,A.R.,(2005), Oral magnesium administration prevents vascular complication in STZ diabetic rats, *Life Sciences*, Vol.16(13),pp.1455-1465.

Soumitra, S., Archana,S. and Geeta,T.(1999)Inhibition of clastogenic effects of nicotine by chlorophyllin in mice bone marrow cells in vivo *Phytotherapy*,*Phytotherapy Research*, vol.20(3),pp.130-133.

Soyland,K.S.(1999)CVD prevention, Nutrition Science and Application, Sounders college Publication, Third edn.,P.142.

Sprecher,P.L.(2006)Where to draw the line of using of statins.*Cleve. Clin.J.Med.*, Vol.67,pp.169-171.

Sridevi,I.(2006) Role of dietary supplementation with plant sterols and stanols in the prevention of CVD.*Nut.Rev.*, Vol.64,pp.348-352.

Stampfer,R.J. and O' Keefe, H.(1993)Vitamin E and risk of coronary Heart disease.*N. Eng. J Med .*, Vol.329(25),p.1904.

Steinberger,J, Sorlie,M and Roger,V.(2006)Heart disease and stroke statistics , *Circulation*,Vol.113,pp.85-91.

Steve,M.(2004)Blood purifier- The wheat Grass, Montes Pub.,Third edition,pp.20-21.

Sunil, D., Jai,C., Acharya,M., Nilima,S. and Reddy, A. V. R.(2006)Evaluation of the antioxidant activity of wheatgrass (*Triticum aestivum L.*) as a function of growth under different conditions. *Phytotherapy Research*,Vol.24(4),pp.145-147.

Sunkin,M.E.,Khan,K.G .and Barner,S.(2000) Hyperlipidemia,*Am.J.Pub. Health.*, Vol.62,pp.781-786.

Susan,J.L. and Helseth,L.(2007)Reducing the complications of type 2 diabetes: a patient centred approach.*Am.Fam.Phys.*, Vol.56,pp.471-480.

Susan,K,Wolever,M. and Buccolo,G.(1998)Soy protein and CVD, *Nut.Rev.*,Vol.56,pp.231-235.

Swain, J.F, Rouse, I.L, Curley, C.B and Sacks, F.M.(1990)Comparison of the effects of oat bran and low-fiber wheat on serum lipoprotein levels and blood pressure, *N. Eng. J. Med.*, Vol.322(3),pp.147–152.

Taniguchi,A.,Nakai,Y. and Fukushima,M.(2002)Pathogenic factors responsible for glucose intolerance in patients with NIDDM,*Diabetes*,Vol.41,pp.1540-1546.

Thompson,B.,Durlington,P.N .and Illingworth,D.R.(1994)Lifetime health and economic consequences of obesity,*Arch.J.Inter. Med.*,Vol.159,pp.2177-2183.

Thompson,G.R.(2004)Hyperlipidemia,*Heart*,Vol.90,pp.946-955.

Tiedge, M., Lortz, S., Drinkgern, J.and Lenzen, S.(1997)Relation between antioxidant enzyme gene expression and antioxidative defense status in wheat grass cells, *Diabetes*, Vol. 46,pp.1733–1742.

Toeller,M.(2005)Evidence of nutrition in the treatment and prevention of diabetes mellitus.*Aktuelle Ernährungsme Dizin.*,Vol.30(4),pp.197-2003.

Tom Brody(2002) Cardiovascular disease. In: Nutritional Biochemistry Academic press, second Edn.,pp363-364.

Truswel,P.(2002)Cereal grain and cardiovascular disease.*J.Biochem.*,Vol.56,pp.1-14.

Tutunco,N.B.,Bayraklar,M. and Pehlivanoglu,B.(1999)The effect of vitamin E supplementation on erythrocyte osmotic fragility in diabetic patients. *Clin.Hemor.Microcerc.*Vol.20(3),pp.210-207.

UN Weekly Newsletter,(December,2004),Vol.59(50),pp.11-17.

United Nations, (2007),The millennium development Goals Report-2007.

United States ,Department of Agricultural Foreign Agricultural services (2006),Fact sheet stocks for Food Initiative.

Van,R.M,Hu, F.B, Rosenberg, L., Krishnan, S, and Palmer, J.R.(2007)Dietary calcium and magnesium, major food sources, and risk of type 2 diabetes in U.S. Black women. *Diabetes Care*, Vol.29(10)pp.2238-2243.

Van,M., Harries, A.D, Kumwenda, J.J, Zijlstra, E.E, Kumwenda N, Taha, T.E. and Semba, R.D.(2003)Micronutrient malnutrition and wasting in adults with pulmonary tuberculosis in Malawi. IAS Conference on HIV Pathogenesis and Treatment (2nd : 2003 : Paris, France).*Antivir Ther.* 2003; 8 (Suppl.1): abstract no. 878.

Varley,H.,Gowenlock,A.H and Bell,M.(1986)Determination of malondialdehyde. Practical clinical biochemistry. Heinemann Medical books,London,Vol.1,Fifth Edn,Chapter 19,pp.557-558.

Varley,H.(1988)Determination of plasma ascorbate by 2,6-Dichlorophenolindophenol titration. Practical clinical biochemistry, Heinemann Medical books,London,Vol.1,6th Edn, Chapter 35,pp.927.

Venkatesan,N.,Devaraj,S.N. and Devaraj, H.(2007)A fibre cocktail of fenugreek, guar gum and wheat bran reduces oxidative modification of LDL induced by an atherogenic diet in rats. *Mol. Cell. Biochem.*,Vol. 294(1-2)pp.145-53.

Vijay,R.(2005)Diabetes:the silent killer,*Spectrum*,Sunday dated September 18th,2005.

Vorster, H.H., Lötter, A.P.and Odendaal, I.,(1986), Effects of an oats fibre tablet and wheat bran in healthy volunteers, *S. Afr. Med. J.*,Vol. 69(7),pp.435-438.

Weismann, K., Jakobsen, J. P., Weismann, J. E., Hammer, U. M., Nyholm, S. M. and Hansen, B. (1990) Zinc gluconate lozenges for common cold. A double-blind clinical trial. *Dan. Med. Bull.* Vol.37, pp.279-281.

Wettstein, D. (1995) Chlorophyll biosynthesis., *Plant Cel.*, Vol.7, pp.1027-1038.

WHO (2000) The scientific groups and technical report series 797, Geneva, P.360.

WHO (2003) Global Tuberculosis Control Report, 2006

WHO (2006) Tuberculosis Fact sheet N°104 - Global and regional incidence. March 2006.

WHO (2007) The atlas of heart disease and stroke statistics, 2007 update - Fact sheet No.317.

WHO (2007) Global tuberculosis control: surveillance, planning and financing. WHO report 2007. Geneva, World Health Organization (WHO/HTM/TB/2007.376)

WHO (2008) Global tuberculosis control- surveillance, planning, finance, WHO report 2008. WHO/HTM/TB/2008.393.

Wild, S., Roglia, G., Green, A., Sicree, R. and King, H. (2004) Global prevalence of diabetes, *Diabetes Care*, Vol.29(5), pp.1047-1053.

William, C., Knouler, R., Elizabeth Barrett Connor, Sarah, R. and Foulter, M. (2005) Education in the incidence in the Type 2 diabetes with lifestyle intervention. *N.Eng.J.Med.*, Vol.2346(6), pp.393-403.

William, S. (2005) Nutrition and diet therapy, seventh edn., Morby Pub. Sydney, pp.164-365.

Wilson, P.N.F., Anderson, K.M., Harris, T., Kannel, W.B and Cassette, W.R. (2004) Determination of change in total cholesterol and HDL cholesterol with age: the Framingham study. *J.Gensontology*, Vol.4(11), pp.82-91.

Winterbourn, R., Hawkins, R. E., Bran, M. and Carrell, R. L. (1975) The Estimation of red cell superoxide dismutase activity, *J.Lab.Clin.Med.*, Vol.85 (2), pp.337-341.

Wintrobe, M.M, Graier, L.F and Hasenbush, L.L. (1961), *Clinical Hematology*,

Bebiger Publication, 6th Edn, p.261.

Yajnic, C.S. (2002) Fetal growth and glucose and insulin metabolism in four year old Indian children, *Diab.Med.*, Vol.12, pp.330-336.

Yukiko, M., Shigekazu, T., Takuma T., Hiroji S., Fumiko K., Yuriko, N., Shigefumi, S. and Shigeru, O. (2007) Effect of AOB, a fermented-grain food supplement, on oxidative stress in type 2 diabetics, *Diabetes care*, Vol. 30(2), pp. 200791-200794.

Yusuf, S., Devaraj, S. and Jidal, I. (2000) Vitamin E supplementation and cardiovascular events in high risk patients. *N.Eng.J.Med.*, Vol.324, pp.1917-1918.

Zachariah, R., Spielmann, A. D., Harries, P. Gomani, S. M., Graham, E. and Bakali, P. Humblet. (2003) Passive versus active tuberculosis case finding and isoniazid preventive therapy among household contacts in a rural district of Malawi. *Int.J.Tuberc.Lung.Dis.*, Vol.7(11), pp.1033–1039.

Zak, A., Zemen, M. and Hrabal, P. (1989) Changes in the glucose tolerance and insulin secretion in hypertriglyceridemia; effects of dietary n-3 fatty acids. *Nutr.Rep.Int.*, Vol.39, pp.235-242.

Zanchary, T. and Bloomgarden, S. (2002) European Association for the study of diabetes (EASD) meeting. *Diabetes Care*, Vol.25(1229-1236).

Zheng, B., Stehle, G., Hinohara, S., Gremer, P. and Feng, G. (2006) Risk factors for CVD, *Arch. of Med. Res.*, Vol.37, pp.1015-1021.

Ziegler, R., Mason, T., Stemhagen, A., Hoover, R., Schoenberg, J., Gridley, G., Virgo, P., and Fraumeni, J. (1999) Carotenoid intake, vegetables, and the risk of lung cancer among white men in New Jersey. *Am.J.Epidemiol.*, Vol.123, pp.1080-1093.

Zimmet, P., Alberti, K.G. and Shaw, J. (2001) Global and social implications of the diabetic epidemic. *Nature*, Vol.35(4), pp.782-787.

Zullet, M.A and Martine, J.A. (2005) Association of hypercholesterolemia with MUFA. *Plant fd.Hum. Nutr*, Vol.48(3), p.35.