

## *References*

---

---

- Afthab Begum, M.I.** (1996), "Queueing models with bulk service with vacation", PhD thesis awarded by Bharathiar University, Coimbatore
- Arumuganathan, R. and Jeyakumar, S.** (2005), "Steady state analysis of a bulk queue with multiple vacations, setup times with N-policy and close down times", Applied Mathematical Modeling, 29, 927-986.
- Atencia, I. and Moreno, P.** (2006), "Geo/G/1 retrial queue with second optional service", Int. J. Operational Research, 1(4), 340-362.
- Baba, Y.** (2005), "Analysis of a GI/M/1 queue with multiple working vacations", Oper. Res. Letters, 33, 201-205.
- Bailey, N.T.J.** (1954), "On queueing process with bulk service", J.R.Statist. Soc. B 16, 80-87.
- Baker, K.R.** (1973), "A note on operating policies for the queue M/M/1 with exponential start-up", INFOR, 11, 71-72.
- Banik, A., Gupta, U. and Pathak, S.** (2007), "On the GI/M/1/N queue with multiple working vacations analytic analysis and computations", Appl. Math. Modeling, 31, 1701-1710.
- Bell, C.E.** (1971), "Characterization and computation of optimal policies for operating an M/G/1 queueing system with removable server", Operat. Res., 19, 208-218.
- Bellman, R.E.** (1957), "Dynamic programming", Princeton University Press.
- Borthakur, A., Medhi, J. and Gohain, R.** (1987), "Poisson input queueing systems with startup time and under control operating policy", Comput. Operat. Res., 14, 33-40.
- Chae, K.C. and Lee, H.W.** (1995), " $M^X/G/1$  vacation models with N-policy : heuristic interpretation of mean waiting time", J. Oper. Res. Soc., 46, 1014-1022.
- Chaudhry, M.L. and Templeton, J.G.C.** (1983), "A first course in bulk queueing", John Wiley, New York.
- Choi, D. and Kim, J.** (2003), "Analysis of a two phase queueing system with vacation and Bernoulli feed back", Stochastic Anal App, 21(5), 1009-1019.
- Choudhury, G.** (2000), "An  $M^X/G/1$  queueing system with a startup period and vacation period", Queueing Systems, 36, 23-38.

**Choudhury, G.** (2003), "Some aspects of an M/G/1 queueing system with optional second service", *Sociedad de Estadística e Investigación Operativa*, 11(1), 141-150.

**Choudhury, G. and Madan, K.C.** (2004), "A two phase batch arrival queueing system with a vacation time under Bernoulli schedule", *Applied Mathematics and Computation*, 49, 337-349.

**Choudhury, G. and Madan, K.C.** (2005), "A Two stage batch arrival queueing system with a modified Bernoulli schedule vacation under N policy", *Math Comput Model*, 42, 71 – 85.

**Choudhury, G. and Paul, M.** (2006), "A batch arrival queue with a second optional service channel under N-policy", *Stochastic Analysis and Applications*, 24, 1-21.

**Cox, D.R.** (1955), "The analysis of Non-Markovian stochastic processes by the inclusion of supplementary variables", *Proceedings of the Cambridge Philosophical Society*, 51, 433-441.

**Doshi, B.T.** (1986), "Queueing system with vacations – a survey", *Queueing Systems*, 1, 29-66.

**Doshi, B.T.** (1991), "Analysis of a two phase queueing system with general service times", *Operations Research Letters*, 10, 265-272.

**Erlang, A.K.** (1909), "The theory of probabilities and telephone conversations", *Nyt. Tidsskrift Matematik, B.*, 20, 33-39.

**Fuhrmann, S.W. and Cooper, R.B.** (1985), "Stochastic decompositions in the M/G/1 queue with generalized vacations", *Oper. Res.*, 33, 1117-1129.

**Gaver, D.P.** (1959), "Imbedded Markov chain analysis of a waiting line process in continuous time", *Annals of Mathematical Statistics*, 30, 698-720.

**Grabill, T., Gross, D. and Magazine, N.** (1977), "A classified bibliography of research on optimal design and control queues", *Oper. Res.*, 25, 219-232.

**Gross, D. and Harris, C.M.** (1985), "Fundamentals of queueing theory", John Wiley, New York, (Second Edition).

**Henderson, W.** (1972), "Alternative approach to the analysis of M/G/1 and G/M/1 queue", *J. Oper. Res. Soc. Japan*, 15, 92 - 101.

**Heymen, D.P.** (1968), "Optimal operating policies for M/G/1 queueing system", *Oper. Res.*, 16, 362-382.

**Heymen, D.P.** (1977), "The T-policy for the M/G/1 queue", *Management Sci.*, 23, 775-778.

**Huang, A. and Mc Donald,** (1998), "Connection admission control for constant bit rate traffic at a multi-buffer multiplexer using the oldest cell first discipline", *Queueing Systems*, 29, 1-16.

**Hur, S. and Ahn, S.** (2005), "Batch arrival queues with vacations and server setup", *Applied Mathematical Modeling*, , 1-16.

**Hur, S. and Paik, S.J.** (1999), "The effect of different arrival rates on the N-policy of M/G/1 with server setup", *Appl. Math. Modell.*, 23, 289-299.

**Jaishwal, N.K.** (1960), "Time dependent solution of the bulk queueing service queueing problems", *Operations Research Soc.*, 773-778.

**Ke, J.C.** (2001), "The control policy of an  $M^x/G/1$  queueing system with server startup and two vacation types", *Math. Meth. Of Oper. Reser.*, 54, 471 – 490.

**Ke, J.C.** (2003a), "Optimal strategy policy in batch arrival queue with server break downs and multiple vacations", *Math. Meth. Of Oper. Reser.*, 58, 41 – 56.

**Ke, J.C.** (2003b), "The optimal control of an M/G/1 queueing system with server startup and two vacation types", *Applied Math. Modeling*, 27, 437 – 450.

**Ke, J.C.** (2004a), "Bi-level control for batch arrival queues with an early startup and un-reliable server", *Appl. Math. Modeling*, 28, 469-485.

**Ke, J.C.** (2004b), "The optimal control in batch arrival queue with server vacations, startup and breakdowns", *Yugoslav Journal of Operations Research*, 14, 41-55.

**Ke, J.C. and Pearn, W.L.** (2004), "Optimal management policy for heterogeneous arrival queueing systems with server breakdowns and vacations", *Quality Technology & Quantitative Management*, 1(1), 149-162.

- Ke, J.C. and Wang, K.H.** (2002), "A recursive method for the N-policy G/M/1 queueing system with finite capacity", *European Journal of Operation Research*, 142, 577-594.
- Keilson, J. and Koharian, A.** (1960) , "On time dependent queueing process ", *Ann Math Statist* 31, 104 -112.
- Keilson, J. and Servi, L.D.** (1986), "Oscillating random walk models for GI/G/1 vacation systems with Bernoulli schedules", *Journal of Applied Probability*, 23, 790-802.
- Kella, O.** (1986), "The threshold policy in the M/G/1 queue with server vacations", *Naval. Res. Logist.*, 36, 111-123.
- Kendall, D.G** (1951), " Some Problems in the theory of queues ", *J.R.S.S.B.*, 13, 151-185.
- Kendall, D.G** (1953) , " Stochastic Processes occurring in the theory of queues and their analysis by the method of Markov chains", *Ann. Math.Stat.* 24, 338-354.
- Kim, J., Choi, D. and Chae, K.** (2003), "Analysis of queue length distribution of the M/G/1 queue with working vacations", *International Conference on statistics and Related Fields*,
- Krishna, C.M. and Lee, Y.H.** (1990), "A study of two phase service", *Oper. Res. Letters*, 9, 91-97.
- Krishnakumar, B. and Arivudainambi, D.** (2001), "An M/G/1/1 feedback queue with regular and optional services", *International Journal of Information and Management Sciences*, 12(1), 67-73.
- Krishnakumar, B., Vijaya kumar A. and Arivudainambi, D.** (2002), "An M/G/1 retrial queueing system with two phase service and preemptive resume", *Ann of Oper Res*, 113, 61-79.
- Lee, H.W. and Park, J.O.** (1997), "Optimal Strategy in N-policy production system with early setup", *J. Oper. Res. Soc.*, 48, 306-313.
- Lee, H.S. and Srinivasan, M.M.** (1987), "Continuous review (s,s) policy for production/inventory system with poisson demands and arbitrary processing times", *The University of Michigan, Ann Arbor*.

- Lee, H.S. and Srinivasan, M.M.** (1989), "Control policies for the  $M^X/G/1$  queueing system", *Manage. Sci.*, 35(6), 708-721.
- Lee, H.W., Lee, S.S. and Chae, K.C.** (1994a), "Operating Characteristic of  $M^X/G/1$  queue with N-policy", *Queueing System*, 15, 387-399.
- Lee, H.W., Lee, S.S., Park, J.O. and Chae, K.C.** (1994b), "Analysis of  $M^X/G/1$  queue with N-policy and multiple vacations", *J. Appl. Prob.*, 31, 467-496.
- Lee, H.W. Lee, S.S., Yoon, S.H. and Chae, K.C.** (1995), "Batch arrival queue with N-policy and single vacations", *Comput. Oper. Res.*, 22(2), 173-189.
- Lee, H.W., Park, J.O. and Jeon, J.W.** (2003), "Queue length analysis of batch arrival queues under bilevel threshold control with early set-up", *Information Journal of Systems Science*, 34(3), 195-204.
- Lee, H.W. Park, J.O. Kim, B.K., Yoon, S.H. Ahn, B.Y. and Park, N.I.** (1998), "Queue length and waiting time analysis of batch arrival queue with bilevel control", *Computers Oper. Res.*, 25(3), 191-205.
- Li, J. and Tian, N.** (2007a), "The  $M/M/1$  queue with working vacations and vacation interruptions", *J. Syst. Sci. Syst. Engin.*, 16, 121-127.
- Li, J. and Tian, N.** (2007b), "The discrete time  $GI/Geo/1$  queue with working vacations and vacation interruptions", *Appl. Math. and Comput.*, 85, 1-10.
- Li, J. and Tian, N.** (2008), "Analysis of the discrete time  $Geo/Geo/1$  queue with single working vacations", *Quality Technology & Quantitative Management*, 5, 77-89.
- Li, J., Tian, N. and Liu, W.** (2007), "Discrete time  $GI/Geo/1$  queue with multiple working vacations", *Queueing Systems*, 56, 53-63.
- Li, J., Tian, N. and Ma, Z.** (2008), "Performance analysis of  $GI/M/1$  queue with working vacations and vacation interruptions", *Appl. Math. Modeling*, 32, 2715-2730.
- Li, J., Tian, N. and Zhang, Z.G.** (2009), "Analysis of  $M/G/1$  queue with exponential working vacations – A matrix analytic approach", *Queueing Systems*, 61, 139-166.
- Liu, W., Xu, X. and Tian, N.** (2007), "Stochastic decompositions in the  $M/M/1$  queue with working vacations", *Oper. Res. Letters*, 35, 595-600.

- Madan, K.C.** (2000), "An M/G/1 queue with second optional service", Queueing Systems, 34, 37-46.
- Madan K.C.** (2001), "On a single server queue with two stage heterogeneous service and deterministic server vacations", Int J Syst Sci 32(7), 837-844.
- Madan, K.C. and Abu, W.D.** (2003), "Steady state analysis of a single server bulk queue with general vacation time and restricted admissibility of arriving batches", Revista Investigation Operational, 24(2), 113-125
- Madan, K.C., Al-Rawi, Z.R. and Al-Nasser, A.D.** (2005), "On  $M^X/(G_1G_2)/1/G(BS)/V_S$  vacation queue with two types of general heterogeneous services", Journal of Applied Mathematics and Decision Sciences, 3, 123-135.
- Madan, K.C. and Choudhury, G.** (2004), "An  $M^X/G/1$  queue with a Bernoulli vacation schedule under restricted admissibility policy", Sankya : The Indian Journal of Statistics, 66, 175-193.
- Madan, K.C. and Choudhury, G.** (2005), "A single server queue with two phases of heterogeneous service under Bernoulli schedule and a general vacation time", Information and Management Sciences, 16(2), 1-16.
- Madan, K.C. and Choudhury, G.** (2006), "Steady state analysis of an  $M^X/(G_1G_2)/1$  queue with restricted admissibility and random setup time", Information and Management Sciences, 17(2), 33-56.
- Madhu, J. and Agarwal, P.K.** (2007), "M/E<sub>K</sub>/1 queueing system with working vacation", Quality Technology & Quantitative Management, 4(4), 455-470.
- Madil, B.R. and Choudhury, M.L.** (1986), "Steady state analytic algorithm results on the queueing system GI/M(a,b)/C", Proceedings of the UGC sponsored seminar on stochastic modeling and decision making", University of Delhi.
- Medhi, J.** (1981), "Stochastic Process", Wiley Eastern Limited.
- Medhi, J.** (1984), "Recent developments in bulk and queueing models", John Wiley Eastern Limited, New Delhi.
- Medhi, J.** (2002), "A single server poisson input queue with second optional channel", Queueing Systems, 42, 239-242.

- Medhi, J.** (2006), "Stochastic Process in Queueing theory", Wiley Eastern Limited.
- Medhi, J. and Templeton, J.C.** (1992), "A poisson input queue under N-policy and with a general startup time", *Comput. Oper. Res.*, 19(1), 35-41.
- Minh, D.L.** (1988), "Transient solutions for some exhaustive M/G/1 queues with generalized independent vacations", *Eur. J. Oper. Res.*, 36, 197-201.
- Neuts, M.F.** (1967), "A general class of bulk queues with poisson input", *Ann. Math. Statist.*, 38, 759-770.
- Neuts, M.F.** (1981), "Matrix geometric solutions in stochastic models", Johns Hopkins University, Press Baltimore.
- Neuts, M.F.** (1984), "The M/G/1 queue with limited number of admission or a limited admission period during each service time", Technical Report No. 978, University of Delaware.
- Neuts, M.F.** (1995), "Matrix analytic methods in queueing theory : in advance queueing",
- Neuts, M.F.** (1999), "Structured Stochastic Matrices of M/G/1 type and their applications", Marcel Dekker, New York.
- Ramasamy, R. and Servi, L.D.** (1993), "The busy period of the M/G/1 vacation model with a Bernoulli schedule", *Comm. Statist. Stochastic Models*, 4(3), 507-521.
- Reddy K., Nadarajan, R. and Arumuganathan, R.** (1998), "Analysis of a bulk queue with N-policy multiple vacations and setup times", *Computers and Oper. Res.*, 25(11), 957-967.
- Rue, R.C. and Roshen shine.** (1981), "Some properties of optimal control policies for entries to an M/M/1 queue", *Naval Research Logistic Quarterly*, 28, 520-532.
- Saaty, T.** (1961), "Elements of queueing theory with applications", Mc Graw Hill, New York.
- Servi, L.D. and Finn, S.G.** (2002), "M/M/1 queues with working vacations (M/M/1/WV)", *Performance Evaluation*, 50, 41-52.
- Stidham, S.** (1985), "Optimal control of admission to a queueing system", *IEEE Trans. Automat Control*, 30, 705-713.

- Takagi, H.** (1991), "Queueing analysis : A foundation of performance evaluation", Vol. 1., vacation and priority systems, part-I North Holland, Amsterdam.
- Takagi, H.** (1993), "M/G/1/K queues with N-policy and setup times", Queueing Systems, 14, 79-98.
- Teghem, J.** (1986), "Control of the service process in a queueing system", European Journal of Operation Research, 23, 141-158.
- Teghem, J.** (1987), "Optimal control of a removal server in an M/G/1 queue with finite capacity", European Journal of Operation Research, 31, 358-367.
- Tian, N., Li, J. and Zhang, G.** (2009), "Matrix analytic method and working vacation queue – A survey", Inter. J. Infor. and Manag. Sciences, 20, 603-633.
- Tian, N., Ma, Z. and Liu, M.** (2008a), "The discrete time Geo/Geo/1 queue with multiple working vacations", Appl. Math. Modeling, 32, 2941-2953.
- Tian, N., Zhao, X. and Wang, K.** (2008b), "The M/M/1 queue with single working vacation", Inter. J. Infor. Manag. Sciences, 19, 621-634.
- Wang, K.H.** (1995), "Optimal operation of a Markovian queueing system with a removable and non reliable server", Microelectronics Reliability, 35, 1131-1136.
- Wang, K.H.** (1997), "Optimal control of an M/E<sub>k</sub>/1 queueing system with removable service station subject to breakdowns", Journal of Operational Research Society, 48, 936-942.
- Wang, K.H.** (2003), "Optimal control of a removable and non reliable server in an M/M/1 queueing system with exponential startup time", Mathematical Methods of Operations Research, 58, 29-39.
- Wang, K.H. and Huang, H.M.** (1995), "Optimal control of an M/E<sub>k</sub>/1 queueing system with removable service station", Journal of Operational Research Society, 46, 1014-1022.
- Wang, K.H. and Ke, J.C.** (2000), "A recursive method to the optimal control of an M/G/1 queueing system with finite capacity and infinite capacity", Appl. Math. Modell., 24, 899-914.

- Wang, K.H. Chang, K.W. and Sivazlian, B.D.** (1999), "Optimal control of a removable and non reliable server in an infinite and a finite  $M/H_2/1$  queueing system", *Appl. Math. Modell.*, 23, 651-666.
- Wolf, R.W.** (1982), "Poisson arrival see time average", *Operations Research*, 30, 223-231.
- Wu, D. and Takagi, H.** (2006), "An  $M/G/1$  queue with multiple working vacations", *Performance Evaluation*, 63, 654-681.
- Xu, X., Liu, M. and Zhao, X.** (2009a), "The bulk input  $M^x/M/1$  queue with working vacations", *J. Syst. Sci Syst Eng.*, 18(3), 358 - 368.
- Xu, X., Zhang, Z. and Tian, N.** (2009b), "The  $M/M/1$  queue with single working vacation and setup times", *Inter. J. Oper. Res.*, 6, 420-434.
- Yadin, M. and Naor, P.** (1963), "Queueing system with a removable service station", *Oper. Res. Q.*, 14, 393-405.
- Yi, X., Kim, J., Choi, D. and Chae, K.** (2007), "The  $Geo/G/1$  queue with disaster and multiple working vacations", *Stoch. Models*, 23, 537-549.
- Yu, Z., Liu, M. and Ma, Y.** (2010), "Steady state queue length analysis of a batch arrival queue under N-policy with single vacation and setup times", *Intelligent Information Management*, 2, 365-374.
- Zhang, Z. and Xu, X.** (2008), "Analysis for the  $M/M/1$  queue with multiple working vacations and N policy", *Information and management services*, 19(3), 495-506.
- Zhang, Zg., Vickson, R.G. and Van Eenige M.J.A.** (1997), "Optimal two-threshold policies in an  $M/G/1$  queue with two vacations types", *Performance Evaluation*, 29, 63-80.