



---

## *Bibliography*



## BIBLIOGRAPHY

- Adegunloye,D.V., Adetuyi,F.C., Akinyosoye,F.A. and Doyeni,M.O. (2007) Microbial Analysis of Compost Using Cowdung as Booster, *Pakistan Journal of Nutrition*, 6: 506-510.
- Adi,A.J. and Noor,Z.M. (2009) Waste recycling: Utilization of coffee grounds and kitchen waste in vermicomposting, *Bioresource Technology*, 100: 1027–1030.
- Aira,M. and Dominguez,J. (2008) Optimizing vermicomposting of animal wastes: Effects of rate of manure application on carbon loss and microbial stabilization, *Journal of Environmental Management*, 88: 1525–1529.
- Aira,M. and Dominguez,J. (2009) Microbial and nutrient stabilization of two animal manures after the transit through the gut of the earthworm *Eisenia fetida* (Savigny, 1826), *Journal of Hazardous Materials*, 161: 1234–1238.
- Aira,M., Monroy,F. and Dominguez,J. (2005) Ageing effects on nitrogen dynamics and enzyme activities in casts of *Aporrectodea caliginosa* (Lumbricidae), *Pedobiologia*, 49 : 467–473.
- Aira,M., Monroy,F. and Domínguez,J. (2007) Earthworms strongly modify microbial biomass and activity triggering enzymatic activities during vermicomposting independently of the application rates of pig slurry, *Science of the Total Environment*, 385: 252–261.
- Aira,M., Monroy,F. and Domínguez,J. (2003) Effects of two species of earthworms (*Allolobophora* spp.) on soil systems: a micro faunal and biochemical analysis, *Pedobiologia*, 47: 877–81.
- Aira,M., Monroy,F., Dominguez,J. and Mato,S. (2002) How earthworm density affects microbial biomass and activity in pig manure, *European Journal of Soil Biology*, 38 : 7-10.

- 
- Alam,M.N., Jahan,M.S., Ali,M.K., Islam,M.S. and Khandakar,S.M.A.T. (2007) Effect of Vermicompost and NPKS fertilizers on growth, yield and yield components of Red Amaranth, *Australian Journal of Basic and Applied Sciences*, 1: 706-716.
- Al-Dahmani,J.H., Abbasi,P.A., Miller,S.A. and Hoitink,H.A.J. (2003) Suppression of bacterial spot of tomato with foliar sprays of compost extracts under greenhouse and field conditions, *Plant Disease*, 87: 913–919.
- Ali,M., Griffiths,A.J., Williams,K.P. and Jones,D.L. (2007) Evaluating the growth characteristics of lettuce in vermicompost and green waste compost, *European Journal of Soil Biology*, 43: S316-S319.
- Amador,J.A. and Gorres,J.H. (2007) Microbiological characterization of the structures built by earthworms and ants in an agricultural field, *Soil Biology Biochemistry*, 39: 2070-2077.
- Amanullah,M.M., Sekar,S. and Muthukrishnan,P. (2010) Prospects and potential of poultry manure, *Asian Journal of Plant Sciences*, 9: 172-182.
- Anand,P., Isar,J., Saran,S. and Saxena,R.K. (2006) Bioaccumulation of copper by *Trichoderma viride*, *Bioresource Technology*, 97: 1018–1025.
- Anderson,J.P.E. (1982) Soil respiration, In *Methods of Soil Analysis, Part 2 Chemical and Microbiological Properties*, (A. L. Page, R. H. Miller and D. R. 375 Keeney, eds), pp: 831-871.
- Ansari,A.A. and Ismail,S.A. (2008) Reclamation of sodic soils through vermitechnology, *Pakistan Journal of Agriculture Research*, 21: 92-97.
- Arancon,N.Q., Edwards,C.A., Atiyeh,R. and Metzger,J.D. (2004) Effects of vermicomposts produced from food waste on the growth and yields of greenhouse peppers, *Bioresource Technology*, 93: 139–144.
- Arancon,N.Q., Edwards,C.A., Bierman,P., Metzger,J.D. and Lucht,C. (2005b) Effects of vermicomposts produced from cattle manure, food waste and paper waste on the growth and yields of peppers in the field, *Pedobiologia*, 49: 297-306.

- 
- Arancon,N.Q., Edwards,C.A., Lee,S. and Byrne,R. (2005a) Effects of Humic Acids from Vermicomposts on Plant Growth, *European Journal of Soil Biology*, 42: 65-69.
- Arancon,N.Q., Edwards,C.A., Yardim,E. and Lee,S. (2002) Management of plant parasitic nematodes by applications of vermicomposts. The Brighton Crop Protection Conference – Pest and Diseases, 8B-2, 705–716.
- Arancon,Q.N., Edwards,C.A., Babenko,A., Cannon,J., Galvis,P., James,D. and Metzger,B. (2008) Influences of vermicomposts, produced by earthworms and microorganisms from cattle manure, food waste and paper waste, on the germination, growth and flowering of petunias in the greenhouse, *Applied Soil Ecology*, 3: 91 – 99.
- Aro,O.S. (2008) Improvement in the nutritive quality of cassava and its by-products through microbial fermentation, *African Journal of Biotechnology*, 7: 4789-4797.
- Atiyeh,R.M, Edwards,C., Subler,S. and Metzger,J.D. (2001) Pig manure vermicompost as a component of a horticultural bedding plant medium: effects on physicochemical properties and plant growth, *Bioresource Technology*, 84: 7-14.
- Atiyeh,R.M., Arancon,N., Edwards,C.A. and Metzger,J.D. (2000a) Influence of earthworm – processed pig manure on the growth and yield of green house tomatoes, *Bioresource Technology*, 75: 175-180.
- Atiyeh,R.M., Arancon,N.Q., Edwards,C.A. and Metzger,J.D. (2002) The influence of earthworm processed pig manure on the growth and productivity of marigolds, *Bioresource Technology*, 81: 103-108.
- Atiyeh,R.M., Edwards,C.A., Subler,S. and Metzger,J.D. (2001b) Pig manure vermicompost as a component of a horticultural bedding plant medium: effects on physicochemical properties and plant growth, *Bioresource Technology*, 78 : 11–20.

- 
- Atiyeh,R.M., Subler,S., Edwards,C.A., Bachman,G., Metzger,J.D. and Shuster,W. (2000) Effects of vermicomposts and composts on plant growth in horticultural container media and soil, *Pedobiologia*, 44 : 579–590.
- Bachman,G.R. and Metzger,J.D. (2008) Growth of bedding plants in commercial potting substrate amended with vermicompost, *Bioresource Technology*, 99: 3155–3161.
- Bajsa,O., Nair,J., Mathew,K. and Ho, G.E. (2003) Vermiculture as a Tool for Domestic Wastewater Management, *Water Science and Technology*, IWA Publishing, 48: 125-132.
- Bajsa,O., Nair,J., Mathew,K. and Ho, G.E. (2004) Vermiculture as a tool for domestic wastewater management, *Water Science Technology*, 48: 125–132.
- Balogopalan,C. (2002) Cassava utilization in Food, Feed and Industry In: *International. Cassava: Biology, Production and Utilization*, 15: 301- 318.
- Bansal,S. and Kapoor,K.K. (2000) Vermicomposting of crop residues and cattle dung with *Eisenia foetida*, *Bioresource Technology*, 73: 95–98.
- Banu,J.R., Kaliappan,S. and Beck,D. (2006a) Treatment of sago wastewater using hybrid upflow anaerobic sludge blanket reactor. *Water Quality Research Journal of Canada*, 41: 56–62.
- Banu,J.R.,Yeom,I.T., Esakkiraj,S., Kumar,N. and Logakanthi,S. (2008) Biomanagement of sago-sludge using an earthworm, *Eudrilus eugeniae*, *Journal of Environmental Biology*, 29: 143-146.
- Begum,A. and Krishna,H. (2010) Management of Municipal sewage sludge by vermicomposting technique, *International Journal of Chemical Technology Research*, 2: 1521-1525.
- Benik,P. and Bejbaruah,R. (2004) Effect of vermicompost on rice (*Oryza sativa*) yield and soil-fertility status of rain fed humid sub-tropics, *Indian Journal of Agriculture Sciences*, 74, 488-491.

- 
- Benitez,E., Nogales,R., Masciandaro,G. and Ceccanti, B. (2000) Isolation by isoelectric focusing of humic-urease complexes from earthworm (*Eisenia fetida*) processed sewage sludges, *Biology and Fertility Soils*, 31: 489–493.
- Benitez,E., Sainz,H. and Nogales,R. (2005) Hydrolytic enzyme activities of extracted humic substances during the vermicomposting of a lignocellulosic olive waste, *Bioresource Technology*, 96: 785-790.
- Brown,G.G. (1995) How do earthworms affect microfloral and faunal community diversity, *Plant and Soil*, 170: 209–231.
- Bruck,H. and Guo,S. (2006) Influence of N form on growth and photosynthesis of *Phaseolus Vulgaris* L.plants, *Journal of Plant Nutrient Soil Science*, 169: 849-856.
- Butler,T.A., Sikora,L.J., Steinhilber,P.M. and Douglass,L.W. (2001) Compost age and sample storage effects on maturity indicators of biosolids compost, *Journal of Environmental Quality*, 30 : 2141–2148.
- Byzov,B.A., Khomyakov,N.V., Kharin,S.A. and Kurakov,A.V. (2007) Fate of soil bacteria and fungi in the gut of earthworms. *European Journal of Soil Biology*, 43: 146-156.
- Cambra,K., Martinez-Rueda,T., Alonso-Fustel,E., Cirarda,F.B., Ibanez,B., Esnaola,S., Calvo,M., Aldasoro,M. and Montoya,I. (2011) Mortality in small geographical areas and proximity to air polluting industries in the Basque Country (Spain), *Occupational Environmental Medicine*, 68: 140-147.
- Canellas,L.P., Olivares,F.L., Okorokova-Façanha,A.L. and Façanha,A.R. (2002) Humic acids isolated from earthworm compost enhance root elongation, lateral root emergence, and plasma membrane H<sup>+</sup>-ATPase activity in maize roots. *Plant Physiology*, 130: 1951-1957.
- Carpenter-Boggs,L., Kennedy,A.C. and Reganold,J.P. (2000) Organic and biodynamic management: Effects on soil biology, *Soil Science Society of America Journal*, 64: 1651-1659.

- 
- Carreiro, M.M., Sinsabaugh, R.L., Repert, D.A. and Parkhurst, D.F. (2000) Microbial enzyme shifts explain litter decay responses to simulated nitrogen deposition, *Ecology*, 81: 2359–2365.
- Casida Jr, L.E., Klevins, D.A. and Santoro, T. (1964) Soil dehydrogenase activity, *Soil Science*, 93: 371–376.
- Castaldi, P., Alberti, G., Merella, R. and Melis, P. (2005) Study of the organic matter evolution during municipal solid waste composting aimed at identifying suitable parameters for the evaluation of compost maturity, *Waste Management*, 25: 209–213.
- Cayuela, M.L., Mondini, C., Sánchez-Monedero, M.A. and Roig, A. (2008) Chemical properties and hydrolytic enzyme activities for the characterisation of two-phase olive mill waste composting, *Bioresour. Technology*, 99: 4255–4262.
- Chamani, E., Joyce, D.C. and Reithanytabar, A. (2008) Vermicomposts Effects on the growth of flowering of *Petunia Hybrida* (Dream Neon Rose), *American-Eurasian Journal of Agricultural & Environmental Science*, 3: 506–512.
- Chaoui, H., Edwards, C.A., Brickner, A., Lee, S. and Arancon, N.Q. (2002) The BCPC Conference – Pest and Diseases, Brighton, London. 8B-3, 711–716.
- Chaudhuri, P.S., Pal, T.K., Bhattacharjee, G. and Dey, S.K. (2000) Chemical changes during vermicomposting (*Perionyx excavatus*) of kitchen wastes, *Tropical Ecology*, 41: 107–110.
- Chavalparit, O. and Ongwandee, M. (2009) Clean technology for the tapioca starch industry in Thailand, *Journal of Cleaner Production*, 17: 105–110.
- Chhotu, D.J. and Fulekar, M.H. (2008) Vermicomposting of vegetable waste: A biophysicochemical process based on hydro-operating bioreactor, *African Journal of Biotechnology*, 20: 3723–3730.
- Chong, C. (2005) Experiences with wastes and composts in nursery substrates, *Hort Technology*, 15: 739–747.

- 
- Christy, M.V.A. and Ramalingam, R. (2005) Vermicomposting of sago-industrial solid waste using an epigeic earthworms *Eudrilus eugeniae* and macronutrients analysis of vermicompost, *Asian Journal of Microbiology, Biotechnology and Environmental Sciences*, 7: 359-370.
- Civeira, G. (2010) Influence of Municipal Solid Waste Compost on Soil Properties and Plant, Reestablishment in Peri-Urban Environments, *Chilean Journal of Agricultural Research*, 70:446-453
- Coker, C. (2006) Environmental Remediation by Composting, *Biocycle*, 47: 18-23.
- Cordovil, C.M.D.S., Cabral, F. and Coutinho, J. (2007) Potential mineralization of nitrogen from organic wastes to ryegrass and wheat crops. *Bioresource Technology*, 98: 3265-3268.
- Curry, J.P. and Schmidt, O. (2007) The feeding ecology of earthworms - A review. *Pedobiologia*, 50: 463-477.
- Darke, H.L. and Horn, M. (2007) As the worm turns the earthworm gut as a transient habitat for soil microbial biomass, *Annual Review Microbiology*, 61:169–189
- De Long, E. and Pace, N. (2001) Environmental diversity of bacteria and archaea, *Systematic Biology*, 50: 470–478.
- Denison, D.A., and Koehn, R.D. (1977) *Mycologia* LXIX 592.
- Deshpande, H.H. and Devasenapathy, P. (2010) Effect of green manuring and organic manures on yield, quality and economics of rice (*Oryza sativa* L.) under low land condition, *Karnataka Journal of Agricultural Science*, 23: 235-238.
- Devi, H.S., Vijayalakshmi, K., Pavana Jyotsna, K., Shaheen, S.K., Jyothi, K. and Surekha Rani, M. (2009) Comparative assessment in enzyme activities and microbial populations during normal and vermicomposting, *Journal of Environmental Biology*, 30: 1013-1017.
- Dominguez, J. and Edwards, C.A. (2004) Soil Zoology for Sustainable Development in the 21st Century Cairo, pp: 369–395.

- 
- Dominguez, J. (2004) State-of-the-art and new perspectives on vermicomposting research, in: Edwards, C.A., (ed), *Earthworm ecology* II edition. CRC Press, Boca Raton, pp: 401-424.
- Dubey, R.C. and Maheshwari, D.K. (2002) *Practical Microbiology* I edition, Chand. S and company New Delhi, pp: 216-217.
- Eastman, B.R., Kane, P.N., Edwards, C.A., Trytek, L., Gunadi, B. and Mobley, J.R. (2001) The Effectiveness of Vermiculture in Human Pathogen Reduction for USEPA Biosolids Stabilization, *Journal of Compost Science and Utilization*, 9: 38-41.
- Eckelman, M.J. and Chertow, M.R. (2009) Quantifying life cycle environmental benefits from the reuse of industrial materials in Pennsylvania, *Environmental Science & Technology*, 43: 2550–2556.
- Edwards, A.C. (2004) *Earthworm Ecology*, II edition., Chapman and Hall, Boca Raton, London, pp: 441.
- Edwards, A.C. and Lofty, J.R. (1977) *Biology of Earthworms*. II Edition., Chapman and Hall, Boca Raton, London, pp: 1-261.
- Edwards, C.A., Arancon, N.Q., Emerson, E. and Pulliam, R. (2007) Suppressing Plant Parasitic Nematodes and Arthropod Pests with Vermicompost Teas, *Biocycle*, 48: 38-39.
- Edwards, L., Burney, J.R., Richter, G. and MacRae, A.H. (2000) Evaluation of compost and straw mulching on soil-loss characteristics in erosion plots of potatoes in Prince Edward Island, Canada, *Ecosystem and Environment*, 81: 217-222.
- Eggen, T. and Vethe, O. (2001) Stability indices for different composts, *Compost Science and Utilization*, 9: 27–37.
- Eivazi, F. and Tabatabai, M.A. (1988) Glucosidases and galactosidases in soils, *Soil Biology and Biochemistry*, 20: 601–606.
- Fares, F., Albalkhi, A., Dec, J., Bruns, M.A. and Bollag, J.M. (2005) Physicochemical characteristics of animal and municipal wastes decomposed in arid soils, *Journal of Environmental Quality*, 34: 1392–1403.

- 
- Fernandez–Luqueno,F., Reyes-Varela,V., Martinez-Suarez,C., Salomon-Hernandez,G., Yanaz-Meneses,J., Ceballos-Ramirez,J.M. and Dendooven, L. (2009) Effect of different nitrogen sources on plant characteristics and yield of common bean (*Phaseolus vulgaris* L.), *Bioresource Technology*, 101: 396-403.
- Frederickson,J., Howell,G., Andrew,M. and Hobson (2007) Effect of pre-composting and vermicomposting on compost characteristics, *European Journal of Soil Biology*, 43: S320–S326.
- Ganesh,P.S., Gajalakshmi.S. and Abbasi,S.A. (2009) Vermicomposting of the leaf litter of acacia (*Acacia auriculiformis*): Possible roles of reactor geometry, polyphenols and lignin, *Bioresource Technology*, 100: 1819-1827.
- Garcia,J.A. and Fragoso,C. (2003) Influence of different food substrates on growth and reproduction of two tropical earthworm species (*Pontoscolex corethrurus* and *Amyntas corticis*), *Pedobiologia*, 47: 754-763.
- Garcia-Gomez,A., Bernal,M.P. and Roig,A. (2002) Growth of ornamental plants in two composts prepared from agro industrial wastes, *Bioresource Technology*, 83: 81-87.
- Garg, P., Gupta,A. and Satya,S. (2006a) Vermicomposting of different types of waste using *Eisenia foetida*: A comparative study, *Bioresource Technology*, 97, 391–395.
- Garg,V.K., Yadav,Y.K., Sheoran,A., Aleenjeet,S., Chand,S. and Kaushik,P. (2006) Livestock excreta management through vermicomposting using an epigeic earthworm *Eisenia foetida*, *The Environmentalist*, 26: 269–276.
- Gari,L. (2002) Arabic Treatises on Environmental Pollution up to the End of the Thirteenth Century, *Environment and History*, 8: 475-488.
- Gautam,S.P., Bundela,P.S., Pandey,A.K., Awasthi,M.K. and Sarsaiya,S. (2010) Microbial consortium for effective composting of municipal solid waste by enzymatic activities, *Journal of Applied Sciences and Environmental Sanitation* 5: 301-308.

- 
- Gil,M.V., Carballo,M.T. and Calvo,L.F. (2007) Fertilization of maize with compost from cattle manure supplemented with additional mineral nutrients, *Waste Management*, 28: 1432–1440.
- Gong,C.M. (2007) Microbial safety control of compost material with cow dung by heat treatment, *Environmental Science* (China), 19:1014-9.
- Gonzalez-Vila,F.J., Gonzalez-Pérez,J.A., Akdi,K., Gomis,M.D., Pérez-Barrera,F. and Verdejo,Y. (2009) Assessing the efficiency of urban waste biocomposting by analytical pyrolysis (Py-GC/MS), *Bioresource Technology*, 100. 1304-1309.
- Gopal,M., Gupta,A., Palaniswami,C., Dhanapal,R. and George,V.T. (2010) Coconut leaf vermiwash: a bio-liquid from coconut leaf vermicompost for improving the crop production capacities of soil, *Current Science*, 98: 1202-1210.
- Goyal,S., Dhull,S.K. and Kapoor,K.K. (2005) Chemical and biological changes during composting of different organic wastes and assessment of compost maturity, *Bioresource Technology*, 96: 1584-1591.
- Guoxue,L., Zhang,F., Sun,Y., Wong,J.W.C. and Fang,M. (2001) Chemical evaluation of sewage composting as mature indicator for composting process, *Water Air Soil Sludge Pollution*, 132: 333-345.
- Gupta,A., Rai,D.K., Pandey,R.S. and Sharma,B. (2009a) Analysis of some Heavy Metals in Riverine Water, Sediments and Fish from River Ganges at Allahabad, *Environmental Monitoring and Assessment*, 157: 449-458.
- Gupta,R. and Garg,V.K. (2010) Nutrient recycling from different solid organic wastes employing an epigeic earthworm *Eisenia fetida* *World Review of Science, Technology and Sustainable Development*, 7: 239-258.
- Gupta,R. and Garg,V.K. (2009) Vermiremediation and nutrient recovery of non-recyclable paper waste employing *Eisenia fetida*, *Journal of Hazardous Materials*, 162: 430–439.
- Hait,S. and Tare,V. (2011) Vermistabilization of primary sewage sludge, *Bioresource Technology*, 102: 2812–2820 .

- 
- Han,J., Sun,L., Dong,X., Cai,Z., Sun,X., Yang,H., Wang,Y. and Song,W. (2005) Characterization of a novel plant growth-promoting bacteria strain *Delftia tsuruhatensis* HR4 both as a diazotroph and a potential biocontrol agent against various pathogens, *System Applied Microbiology*, 28: 66-76.
- Hanway,J.J. and Heidel,H. (1952) Soil analysis methods as used in Iowa State College, Soil Testing Laboratory, *Iowa State Agric Bull*, 57: 1-31.
- Hegde,V., Kulkarni,R.D. and Ajantha,G.S. (2007) Biomedical waste management, *Journal Oral and Maxillofacial Pathology*, 11: 5-9.
- Hendawy,S.F. (2008) Comparative Study of Organic and Mineral Fertilization on *Plantago arenaria*, *Plant Journal of Applied Sciences Research*, 4: 500-506.
- Hidalgo,P.R., Matta,F.B. and Harkess,R.L. (2006) Physical and chemical properties of substrates containing earthworm castings and effects on marigold growth, *Hort Science*, 41: 1474-1476.
- Huang,G.F., Wong,J.W.C., Wu,Q.T. and Nagar,B.B. (2004) Effect of C/N on composting of pig manure with sawdust, *Waste Management*, 24: 805–813.
- Hutchison,M.L., Walters,L.D., Avery,S.M., Munro,F. and Moore,A. (2005) Analyses of livestock production, waste storage, and pathogen levels and prevalences in farm manures, *Applied Enviromental Microbiology*, 71: 1231–1236.
- Hwang,C.M., Kim,D. and Huh,S.H. (2002) Invivo Evaluation of Lumbrakinase Extracted from Earthworms *Lumbricus rubellus* in a Prosthetic Vascular Graft, *Cardiovascular Surgery*, 43: 891-894.
- ICRA (2006). ICRA Sector Analysis - The Indian Sugar Industry, Internet Content Rating Association, New Delhi. P: 6.
- ISI Bulletin (1982) Manak Bhavan, Bhadur Shah Zafar Marg, New Delhi.
- Jackson, M.L. (1973) ‘Soil Chemical Analysis’ Prentice Hall of India Pvt., Ltd., New Delhi, India.

- 
- Jordao,C.P., Nascentes,C.C., Cecon,P.R., Fontes,R.L.F. and Pereira,J.L. (2006) Heavy metal availability in soil amended with composted urban solid wastes, *Environment Monitoring Assess*, 112: 309-326
- Joshi.R., and Pal Vig,A. (2010) Effect of Vermicompost on Growth, Yield and Quality of Tomato (*Lycopersicum esculentum* L), *African Journal of Basic and Applied Sciences*, 2: 117-123.
- Kadirvelu,K., Kavipriya,M., Karthika,C., Vennilamani,N. and Patabhi,S. (2004) Mercury (II) adsorption by activated carbon made from sago waste, *Carbon*, 42: 745-752.
- Kalamdhad,A.S., Singh,Y.K., Ali,M., Khwairakpam,M. and Kazmi,A.A. (2009) Rotary drum composting of vegetable waste and tree leaves, *Bioresource Technology*, 100: 6442–6450.
- Kalantari,S., Hatami,S., Ardalan,M.M., Alikhani,H.A. and Shorafa,M. (2010) The effect of compost and vermicompost of yard leaf manure on growth of corn, *African Journal of Agricultural Research*, 5: 1317-1323.
- Kaushik,P. and Garg,V.K. (2003) Vermicomposting of mixed solid textile mill sludge and cow dung with the epigeic earthworm *Eisenia foetida*, *Bioresource Technology*, 90: 311–316.
- Kaushik,P. and Garg,V.K. (2004) Dynamics of biological and chemical parameter during vermicomposting of solid textile mill sludge mixed with cow dung and agricultural residues, *Bioresource Technology*, 94: 203–209.
- Kaushik,P., Yadav,Y.K., Dilbaghi,N. and Garg,V.K. (2008) Enrichment of vermicomposts prepared from cow dung spiked solid textile mill sludge using nitrogen fixing and phosphate solubilizing bacteria, *Environmentalist*, 28: 283–287.
- Kaviraj and Sharma,S. (2003) Municipal solid waste management through vermicomposting employing exotic and local species of earthworms, *Bioresource Technology*, 90: 169-173.

- 
- Khan,M.S., Zaidi,A. and Wani,P.A. (2007) Role of phosphate-solubilizing microorganisms in sustainable agriculture - A review, *Agronomy for Sustainable Development*, 27: 29- 43.
- Khwairakpam,M. and Bhargava,R. (2009) Bioconversion of filter mud using vermicomposting employing two exotic and one local earthworm species, *Bioresource Technology*, 23: 5846–52.
- Khwairakpam,M. and Bhargava,R., (2009a) Vermitechnology for sewage sludge recycling, *Journal of Hazardous Materials*, 161: 948–954.
- Kirkby,E.A. and Romheld,V., (2004) Micronutrients in plant physiology: Functions, uptake and mobility, In: Proceeding, *International Fertiliser Society*, 543: 1-52.
- Kitturmath,M.S., Giraddi,R.S. and Basavaraj,B., (2007) Nutrient changes during earthworm, *Eudrilus eugeniae* (Kinberg) mediated vermicomposting of agro-industrial wastes, *Karnataka Journal of Agricultural Science*, 20: 653–654.
- Komilis,D.P. and Ham,R.K., (2006) Carbon dioxide and ammonia emissions during composting of mixed paper, yard waste and food waste, *Waste Management*, 26: 62-70.
- Kostecka,J. and Kaniuczak,J. (2008) Vermicomposting of duckweed (*Lemna minor*) Biomass by *Eisenia fetida* (sav.) Earthworm, *Journal of Elementology*, 13: 571-579.
- Krishna,G. and Ranjan,S.K., (1991) Special analytical techniques in nutritional Biochemistry, I Edition, Kalyani Publishers, New Delhi, pp. 61-81.
- Kumar,R., Singh,B.L., Deepshikha,V. and Shweta (2010) Enzyme Activities and Microflora of Earthworm Gut and Vermireactors as Indicators of the Stabilization of Waste Degradation Process, *Bioremediation Journal*, 14: 150 – 157.
- Kwon,Y.T., Lee,C.W. and Yun,J.H. (2009) Development of vermicast from sludge and powdered oyster shell, *Journal of Cleaner Production*, 17: 708-711.

- 
- Ladd,J.N. and Butler,J.H.A. (1972) Short - term assays of soil proteolytic enzyme activities using proteins and dipeptide derivatives as substrates, *Soil Biology and Biochemistry*, 4: 19 – 30.
- Lazcano,C., Gomez-Brandon,S.K. and Dominguez,J. (2008) Comparison of the effectiveness of composting and vermicomposting for the biological stabilization of cattle manure, *Chemosphere*, 72: 1013–1019.
- Lazcano,C., Sampedro,L., Zas,R. and Dominguez,J. (2010) Assessment of Plant Growth Promotion by Vermicompost in Different Progenies of Maritime Pine (*Pinus pinaster* Ait.) *Compost Science & Utilization*, 18: 111-118.
- Le Bayon,R.C. and Binet,F. (2006) Earthworm changes the distribution and availability of phosphorous in organic substrates, *Soil Biology and Biochemistry*, 38: 235-246.
- Lowry,O.H., Rosenbrough,N.J., Farr,A.L. and Randall,R.J. (1951) Protein measurement with Folin phenol reagent, *Journal of Biological Chemistry*, 193: 265-275.
- Mahadevan,A. and Sridhar,R. (1996) Methods in Physiological Plant Pathology Fourth Edition Sivakami Publications, pp. 121-122, 67-68.
- Manna,M.C., Jha,S., Ghosh,P.K. and Acharya,C.L. (2003) Comparative efficacy of three epigeic earthworms under different deciduous forest litters decomposition, *Bioresource Technology*, 88: 197-206.
- Marinari,S.G., Masciandaro,B., Ceccanti,B. and Grero.S. (2000) Influence of organic and mineral fertilizers on soil biological and physical properties, *Bioresource Technology*, 72: 9-17.
- Mathur,S.P., Owen,G. and Schnitzer,H. (1993) Determination of compost biomaturity. Literature review, biology, agriculture and horticulture, 10: 87-108.
- Morillo,J.A., Antizar-Ladislao,B., Monteoliva-Sánchez,M., Ramos-Cormenzana,A. and Russell,N.J. (2009) Bioremediation and biovalorisation of olive-mill wastes, *Applied Microbiology and Biotechnology*, 82: 25-39.

- 
- Mostafa,G.G. and Abo-Baker,A.B.A.M. (2010) Effect of bio- and chemical fertilization on growth of sunflower (*Helianthus annuus* L.) at South valley area, *Asian Journal of Crop Science*, 21: 137-146.
- Munnoli,P.M. and Bhosle,S. (2008) Soil aggregation of vermicompost of press mud, *Current Science*, 95: 1533-1535.
- Mupondi,L.T., Mnkeni,P.N.S. and Muchaonyerwa,P. (2010) Effectiveness of combined thermophilic composting and vermicomposting on biodegradation and sanitization of mixtures of dairy manure and waste paper, *African Journal of Biotechnology*, 9: 4754-4763.
- Naddafi,K., Zamanzadeh,M., Azimii,A.A., Omrani,G.A., Mesdaghinia,A.R. and Mobedi.E. (2004) Effect of Temperature, Dry solids and C/N Ratio on vermicomposting of Waste Activated Sludge, *Pakistan Journal of Biological Sciences*, 7: 1217-1220.
- Nagavallemma,K.P., Wani,S.P., Stephane Lacroix., Padmaja,V.V., Vineela, C., Babu Rao,M. and Sahrawat,K.L. (2006) Vermicomposting: recycling wastes into valuable organic fertilizer, *SAT e Journal*, 2: 1–17.
- Nair,J. and Okamitsu,K. (2010) Microbial inoculants for small scale composting of putrescible kitchen wastes, *Waste management*, 30: 977-82.
- Nair,J. and Sekiozoic,V. and Anda,M. (2006) Effect of pre-composting on vermicomposting of kitchen waste, *Bioresource Technology*, 97: 2091–2095.
- Nannipieri,P., Kandeler,E. and Ruggiero,P. (2002) Enzyme activities and microbiological and biochemical processes in soil. In: Burns RG, Dick R, editors, *Enzymes in the environment*, New York: Marcel Dekker; pp: 1-33.
- Nascimento,C.W.A., Battos,D.A.S., Melo,E.E.C. and Oliveira,AB. (2004) Soil chemical alterations and growth of maize and bean plants after sewage sludge application, *Rev Bras Cienc Solo*, 28: 385-392.
- Nath,G., Singh,K. and Singh,D.K. (2009) Chemical analysis of vermicomposts / vermiwash of different combinations of animal, agro and kitchen wastes, *Australian Journal of Basic and Applied Sciences*, 3: 3671-3676.

- 
- Ndegwa,P.M. and Thompson,S.A. (2001) Integrating composting and vermicomposting in the treatment and bioconversion of biosolids, *Bioresource Technology*, 76: 107-112.
- Nelson,D.W. and Sommers,L.E. (1982) Total carbon and organic carbon. In: page, A.L., Miller, R.H., Keeney, D.R., (Eds.), *Methods of soil analysis, Part 2. Agronomy Series, 9. Am. Soc. Agron., Madison, WI*, pp. 539-579.
- Niwagaba,C., Nalubega,M., Vinneras,B., Sundberg,C. and Jonsson,H. (2009) Bench-scale composting of source-separated human faeces for sanitation, *Waste Management*, 29: 585-589.
- Nourbakhsh,F. (2007) Influence of Vermicomposting on soil waste decomposition kinetics in soils, *Journal of Zhejiang University Science*, 8: 725-730.
- Ogefere,H.O., Ogbimi, A.O. and Omoregie, R. (2010), Microbiology of composting pig waste: Comparison of vermicomposting and open heap techniques *Malaysian Journal of Microbiology*, 6: 25-29.
- Olsen,S.R., Cole,C.V., Watanabe,F.S. and Dean,L.A. (1954) Estimation of available phosphorus in soils by extraction with sodium bicarbonate, *Circ. US Dep. Agri. Q* 39.
- Ouedraogo,E., Mando,A. and Zombre,N.P. (2001) Use of compost to improve soil properties and crop productivity under low input agricultural system in West, *Africa Agriculture Ecosystem Environment*, 84: 259-266.
- Owa,S.O., Dedeke,G.A., Moreyibi,O.H., Morafa,S.O.A., Senjobi,B.A. and Aladesida, A.A. (2010) Partitioning of Chemical and Physical Effects of Earthworms on Growth Performance of the Vegetable Amaranthus, *Australian Journal of Basic and Applied Sciences*, 4: 3755-3761.
- Ozgunay,H., Colak,S., Mutlu,M.M. and Akyuz,F. (2007) Characterization of Leather Industry Wastes Polish, *Journal of Environmental Studies*, 16: 867-873.
- Padmavathiamma,P.K., Li,L.Y. and Kumari,U.R., (2008) An experimental study of vermi-biowaste composting for agricultural soil improvement, *Bioresource Technology*, 99: 1672–1681.

- 
- Pancholy,S.K. and Rice,E.L. (1973) Soil enzymes in relation to old field succession, *Soil Science Society of American Proceedings*, 37 : 47 –50.
- Parthasarathi,K. and Ranganathan,L.S. (2000) Aging effect on enzyme activities in pressmud vermicasts of *Lampito mauritii* (Kingberg) *Eudrilus eugeniae* (Kingberg), *Biology and Fertility Soils*, 30: 347–350.
- Parthasarathi,K., Ranganathan,L.S., Anandi,V. and Zeyer,J. (2007) Diversity of microflora in the gut and casts of tropical composting earthworms reared on different substrates, *Journal of Environmental Biology*, 28: 87-97.
- Parthasarathi,K. and Ranganathan,L.S. (2002) Supplementation of presumed vermicast with NPK enhances growth and yield in leguminous crop (*Vigna mungo* and *Arachis hypogaea*), *Journal of Current Science*, 2: 35-41.
- Patle,S. and Lal,B. (2008) Investigation of the potential of agro-industrial material as low cost substrate for ethanol production by using *Candida tropicalis* and *Zymomonas mobilis*, *Biomass and Bioenergy*, 32: 596-602 .
- Pattnaik,S. and Reddy,M.V. (2010) Nutrient status of vermicompost of urban green waste processed by three earthworm species—*Eisenia fetida*, *Eudrilus eugeniae*, and *Perionyx excavatus*, *Applied and Environmental Soil Science*, 1: 1-13.
- Perner,H. Schwarz,D. and George,E. (2006) Effect of mycorrhizal inoculation and compost supply on growth and nutrient uptake of young leek plants growth on peat-based substrates, *Hort Science*, 41: 628-632.
- Petrus,A.C., Ahmed,O.H. Muhamad,A.M.N., Nasir,H.M., Jiwan,M. and Banta,M.G. (2009) Chemical Characteristics of Compost and Humic Acid from Sago Waste (*Metroxylon sagu*), *American Journal of Applied Sciences*, 6: 1880-1884.
- Plaza,C., Nogales,R., Senesi,N., Benitez,E. and Polo,A. (2008) Organic matter humification by vermicomposting of cattle manure alone and mixed with two-phase olive pomace, *Bioresource Technology*, 99: 5085–5089.
- Plisko,J.D. (2010) Megadrile earthworm taxa introduced to South African soils (*Oligochaeta*: *Acanthodrilidae*, *Eudrilidae*, *Glossoscolecidae*, *Lumbricidae*, *Megascolecidae*, *Ocnerodrilidae*), *African Invertebrates*, 51: 289-312.

- 
- Postma,J., Montanari,M. and van den Boogert,P.H.J.F. (2003) Microbial enrichment to enhance disease suppressive activity of compost, *European Journal of Soil Biology*, 39: 157-163.
- Prabha,K.P., Loretta,Y.L., and Usha,R.K. (2007) An experimental study of vermin-biowaste composting for agricultural soil improvement, *Bioresource Technology*, 99: 1672-1681.
- Prabha,M.A.L., Indira Jayaraaj,R. and Rao,D.S. (2007a) Comparative studies on the levels of vitamins during vermicomposting of fruit waste by *Eudrilus eugeniae*, and *Eisenia fetida*, *Applied Ecology and Environment*, 5: 57-61.
- Prakash,M., Jayakumar,M. and Karmegam,N. (2008) Physico-chemical Characteristics and Fungal Flora in the Casts of the Earthworm, *Perionyx ceylanensis* Mich. Reared in *Polyalthia longifolia* Leaf Litter, *Journal of Applied Sciences Research*, 4 : 53-57.
- Pramanik,P., Ghosh,G.k. and Banik,P. (2009) Effect of microbial inoculation during vermicomposting of different substrates on microbial status and quantification and documentation of acid phosphatase, *Waste Management*, 29: 574-578.
- Pramanik,P., Ghosh,G.K., Ghosal,P.K. and Banik,P. (2007) Changes in organic - C, N, P and K and enzymes activities in vermicompost of biodegradable organic wastes under liming and microbial inoculants, *Bioresource Technology*, 98: 2485-2494.
- Quaggiotti,S., Ruperti,B., Pizzeghello,D., Francioso,O., Vitaliano,T. and Nardi,S. (2004) Effect of low molecular size humic substances on nitrate uptake and expression of genes involved in nitrate transport in maize (*Zea mays L.*), *Journal of Experimental Botany*, 55: 803-813.
- Raghuramulu,N., Nair,M.K. and Kalyanasundaram,S. (1983) A Manual of Laboratory Techniques National Institute of Nutrition, *Indian Council of Medical Research* Jamai-Osmania, Hyderabad, pp: 148-149.
- Rajesh,C., Sreenivasulu,R., Naidu,M.V.S. and Ramavatharam,N., (2003) Production and evaluation of composts and vermicomposts from solid organic wastes, *Asian Journal of Microbiology, Biotechnology and Environmental Science*, 5: 307-317.

- 
- Ramalingam,R. and Ranganathan,L.S. (2001) Vermicomposting of press mud boosts nutrient quality of compost, *Ecology, Environment and Conservation*, 7: 297–299.
- Ramalingam,R. and Thilagar,M. (2003) Bioconversion of Agrowaste sugarcane trash using an Indian epigeic earthworm *Perionyx excavatus* (perrier). In *Dimensions of Environmental Threats* (Arvind Kumar, ed.). Daya publishing house, Delhi, pp. 203-208.
- Raphael,K. and Velmourougane,K. (2010) Chemical and microbiological changes during vermicomposting of coffee pulp using exotic (*Eudrilus eugeniae*) and native earthworm (*Perionyx ceylanesis*) species, *Biodegradation*, 10: 9422-4.
- Raupp,D., Da,S., Rosa,D.A., Marques,S.H., De,P. and Banzatto,D.A. (2004) Digestive and functional properties of a partially hydrolyzed cassava solid waste with high insoluble fiber concentration, *Scientia Agricola*, 61: 286-291.
- Raut,M.P., Prince William,S.P.M., Bhattacharyya,J.K., Chakrabarti,T. and Devotta,S. (2008) Microbial dynamics and enzyme activities during rapid composting of municipal solid waste—a compost maturity analysis perspective. *Bioresource Technology*, 99: 6512–6519.
- Ravikumar,T.N., Yeledhalli,N.A., Ravi,M.V. and Rao,K.N. (2008) Physical, physico-chemical and enzymes activities of vermiash compost, *Karnataka Journal of Agricultural Science*, 21: 222-226.
- Reddy,M.V. and Ohkura (2004) Vermicomposting of rice-straw and its effects on sorghum growth, *Tropical Ecology*, 45: 327–331.
- Reijnders,L., (2005) Disposal, uses and treatments of combustion ashes: a review, *Resource Conservation Recycle*, 43: 313– 36.
- Roberts,P., Jones,G.E. and Jones,D.L. (2007) Yield responses of wheat (*Triticum aestivum*) to vermicompost, *Compost Science and Utilization*, 15: 6-15.
- Rodriguez,J.A., Zavaleta,E., Sanchez,P. and Gonzalez,H. (2000) The effect of vermicompost on plant nutrition, yield and incidence of root and crown rot of gerbera (*Gerbera jamesonii* H Bolus), *Fitopatologia*, 35, 66-79.

- 
- Romerio,E., Plaza,C., Senesi,N., Nogales,R. and Polo,A. (2007) Humic acid-like fractions in raw and vermicomposted winery and distillery wastes, *Geoderma*, 139: 397-406.
- Ros,M., Garcia,C. and Hernandez,T. (2006) A full-scale study of treatment of pig slurry by composting: Kinetic changes in chemical and microbial properties, *Waste Management*, 26: 1108–1118.
- Sadasivam,S. and Manickam,A. (2008) Biochemical Methods, III Edition, New Age International Publishers (P) Limited, pp: 51-53, 38-39.
- Sahni,S., Sarma,B.K., Singh,D.P., Singh,H.B. and Singh,K.P. (2008) Vermicompost enhances performance of plant growth-promoting rhizobacteria in *Cicer arietinum* rhizosphere against *Sclerotium rolfsi*, *Crop Protection*, 27: 369-376.
- Saini,V.K., Sihag,R.C., Sharma,R.C., Gahlawat,S.K. and Gupta,S.K. (2008) Relative efficacy of two methods of vermicomposting for bio-degradation of organic wastes, *International Journal of Environment and Waste Management*, 2: 102 - 110.
- Sallaku, G., Babaj,I., Kaciu,S. and Balliu,A. (2009) The influence of vermicompost on plant growth characteristics of cucumber (*Cucumis sativus* L.) seedlings under saline conditions, *Journal of Food, Agriculture and Environment*, 7: 869 - 872.
- Sangwan, P., Kaushik,C.P. and Garg,V.K. (2008) Feasibility of utilization of horse dung spiked filter cake in vermicomposters using exotoxic earthworm *Eisenia foetida*, *Bioresource Technology*, 99: 2442-8.
- Saravanane,R., Murthy,D.V.S. and Krishnaiah,K. (2001) Anaerobic treatment and biogas recovery for sago wastewater management using a fluidized bed reactor, *Water Science Technology*, 44: 141-7.
- Savala,C.N.E., Kithome,M. and Woomer,P.L. (2003) Vermicomposting for kale production, *African Crop Science Conference Proceedings*, Vol. 6. 489-496.
- Scheuerell,S.J. and Mahaffee,W.F. (2004) Compost tea as a container medium drench for suppressing seedling damping-off caused by *Pythium ultimum*, *Phytopathology*, 94: 1156- 1163.

- 
- Schimel,J.P. and Bennet,J. (2004) Nitrogen mineralization challenges of a changing paradigm, *Ecology*, 85: 591-602.
- Schinner,F. and Von Mersi,W. (1990) Xylanase, CM-cellulase, and invertase activity in soil: An improved method, *Soil Biology and Biochemistry*, 22: 511-515.
- Sexton,R.J. (2000) Industrialization and Consolidation in the US Food Sector: Implications for Competition and Welfare, *American Journal of Agricultural Economics*, 82: 1087–1104.
- Sharma,S., Pradhan,K., Satya,S. and Vasudevan,P. (2005) Potentially of earthworms for waste management and in other uses– A review, *The Journal of American Science*, 1: 4–16.
- Shukla,R.C, Singh,K. (2010) Effect of Vermicompost of Different Organic Wastes on the Germination, Growth and Productivity of Certain Crops, *Journal of solid waste Technology and management*, 36: 170-181
- Sim,E.Y. and Wu,T.Y. (2010) The potential reuse of biodegradable municipal solid wastes (MSW) as feed stocks in vermicomposting, *Journal of the Science of Food and Agriculture*, 90: 2153–2162.
- Simsek-Ersahin,Y. (2011) The use of vermicompost products to control plant diseases and pests, *Soil Biology*, 24: 191-213.
- Singh,A. and Sharma,S. (2002) Composting of a crop residue through treatment with microorganisms and subsequent vermicomposting, *Bioresource Technology*, 85: 107–111.
- Singleton,D.R., Hendrix,P.F., Coleman,D.C. and Whitman,W.B. (2003) Identification of uncultured bacteria tightly associated with the intestine of the earthworm *Lumbricus rubellus* (Lumbricidae: *Oligochaeta*), *Soil Biology and Biochemistry*, 35: 1547-1555.
- Sinha,J., Biswas,C.K., Ghosh,A. and Saha,A. (2010) Efficacy of Vermicompost against fertilizers on *Cicer* and *Pisum* and on population diversity of N<sub>2</sub> fixing bacteria, *Journal of Environmental Biology*, 31: 287-92.

- 
- Sinha,R.K., Heart,S., Valani,D. and Chuhan.K. (2010a) Earthworms—the environmental engineers: review of vermiculture technologies for environmental management and resource development, *International Journal of Global Environmental Issues*, 10: 265-292.
- Sinha,S.K., Herat,S., Agarwal,S., Asadi,R. and Carretero,E. (2002) Vermiculture and waste management: study of action of earthworms *Eisenia fetida*, *Eudrilus euginae* and *Perionyx excavatus* on biodegradation of some community wastes in India and Australia, *The Environmentalist*, 22: 261–268.
- Smith,T.C. (2006) Protozoa: the most abundant predators on earth, *Microbiology Today*, 166–169.
- Snyder,C. (2005) The dirty work of promoting "recycling" of America's sewage sludge. *International Journal of Occupational Environment Health*, 11: 415–27.
- Srinivas,T. (2007) Industrial demand for Cassava starch in India, *Starch*, 59:477–481.
- Sriroth,K., Chollakup,R., Chotineeranat,K., Piyachomkwan,K. and Oates,C.G. (2000a) Processing of cassava waste for improved biomass utilization, *Bioresource Technology*, 71: 63-69.
- Sriroth,K., Piyachomkwan,K., Wanlapatit,S. and Oates,C.G. (2000) Cassava Starch Technology: The Thai Experience, *Starch Starke*, 52: 439-449.
- Subbiah,B.V. and Asija,G.L. (1956) A rapid procedure for determination of available nitrogen in soils, *Current Science*, 25:259-60.
- Sukhmal,C., Preeti,P., Arun,R., Mohammed,N. and Dharni Dhar,P. (2007) Influence of integrated supply of vermicompost and zinc-enriched compost with two graded levels of iron and zinc on the productivity of geranium, *Communications in Soil Science and Plant Analysis*, 38: 2581–2599.
- Sulata,M., Pratap Kumar,P. and Shibani,C. (2008) The role of *Lampito mauritii* (Kingberg) in amending lead and zinc treated soil, *Bioresource Technology*, 99: 7291-7298.

- 
- Suthar,S. (2007a) Nutrient changes and biodynamics of epigeic earthworm *Perionyx excavatus* (Perrier) during recycling of some agriculture wastes, *Bioresource Technology*, 98: 1608–1614.
- Suthar,S. and Singh,S. (2008) Vermicomposting of domestic waste by using two epigeic earthworms (*Perionyx excavatus* and *Perionyx sansibaricus*), *International Journal of Environmental Science and Technology*, 5: 99-106.
- Suthar,S. (2008) Development of a novel epigeic-anecic-based polyculture vermireactor for efficient treatment of municipal sewage water sludge, *International Journal of Environment and Waste Management*, 2: 84-101.
- Suthar,S. (2009) Vermicomposting of vegetable-market solid waste using *Eisenia fetida*: Impact of bulking material on earthworm growth and decomposition rate, *Ecological Engineering*, 35: 914–920.
- Suthar,S., Choyal,R., Singh,S. and Sudesh. (2005) Stimulatory effect of earthworm body fluid (vermiwash) on seed germination and seedling growth of two legumes, *Journal of Phytological Research*, 18: 219-222.
- Tabatabai,M.A. and Bremner,J.M., (1969) Use of p-nitrophenyl phosphate for assay of soil phosphatase activity, *Soil Biology and Biochemistry*, 1: 301-307.
- Tandon,H.L.S. (1993) Methods of Analysis of solids, plants, water and fertilizer. Fertilizer Development and Consultation Organization, New Delhi, India, pp: 36-48.
- Thangaraj,R., Ismail,S.A. and Srikumar,R., (2009) Influence of organic liquid fertilizers (vermiwash, effective microorganisms and Panchagavya) on the germination of seeds of *Trigonella foenum-graecum*, *Journal of Natural Science and Technology*, 1: 108–113.
- Tiquia,S.M. (2002) Evaluation of extracellular enzyme activities during manure composting, *Journal of Applied Microbiology*, 92: 764-775.
- Tiquia,S.M. (2005) Microbiological parameters as indicators of compost maturity, *Journal of Applied Microbiology*, 99: 816-828.

- 
- Trevisan,S., Francioso,O., Quaggiotti,S. and Nardi,S. (2010) Humic substances biological activity at the plant-soil interface from environmental aspects to molecular factors, *Plant Signal Behavior*, 5: 635-643.
- Tripathi,G. and Bhardwaj,P. (2004) Decomposition of kitchen waste amended with cow manure using epigeic species (*Eisenia fetida*) and an anecic species (*Lampito mauritii*), *Bioresource Technology*, 92: 215-218.
- Valdrighi,M.M., Pera,A.M., Frassinetti,S., Lunardi,D. and Vallini,G. (1996) Effect of compost – derived humic acid on vegetable biomass production and microbial growth within a plant (*Cichoriumintybus*)-soil system: a comparative study. *Agriculture, Ecosystems & Environment*, 58: 133-144.
- Venkatesh,R.M. and Eevera,T. (2007) Mass reduction and recovery of nutrients through vermicomposting of fly ash, *Applied Ecology and Environmental Research*, 6: 77–84.
- Walkley,A. and Black,I.A. (1934) An examination of the Degtjareff method for determining soil organic matter and a proposed modification of the chromic acid titration method, *Soil Science*, 37: 29-38.
- Wang,D., Shi,Q., Wang,X., Wei,M., Hu,J., Liu,J. and Yang,F. (2010) Influence of cow manure vermicompost on the growth, metabolite contents, and antioxidant activities of Chinese cabbage (*Brassica campestris* ssp. *chinensis*), *Biology and Fertility Soils*, 46: 689-696.
- Yadav,A. and Garg,V.K. (2011) Recycling of organic wastes by employing *Eisenia fetida*, *Bioresource Technology*, 102: 2874-2880.
- Yadav,K.D., Tare,V. and Ahammed,M.M. (2010) Vermicomposting of source-separated human faeces for nutrient recycling, *Waste Management*, 30: 50–56.
- Zaller,J.G. (2006) Foliar Spraying of Vermicompost Extracts: Effects on Fruit Quality and Indications of Late-Blight Suppression of Field-Grown Tomatoes, *Biological Agriculture and Horticulture*, 24: 165–180.

- 
- Zaller,J.G. (2007) Vermicompost as a substitute for peat in potting media: Effects on germination, biomass allocation, yields and fruit quality of three tomato varieties, *Scientia Horticulture*, 112: 191-199.
- Zhang,B.G., Li,G.T., Shen,T.S., Wang,J.K. and Sun,Z. (2000) Changes in microbial biomass C, N and P and enzyme activities in soil incubated with the earthworm *metaphire guillelmi* or *Eugenia foetida*, *Soil Biology and Biochemistry*, 32: 2055–2062.
- Zheljazkov,V.D. and Warman,P.R. (2004) Application of high–Cu compost to Dill and Peppermint, *Journal of Agriculture and Food Chemistry*, 52: 2615-2622.
- Zularisam, A.W., Zahirah,Z.S., Zakaria,I., Syukri,M.M., Anwar,A. and Sakinah,M. (2010) Production of biofertilizer from vermicomposting process of municipal sewage sludge, *Journal of Applied Sciences*, 10: 580-584.