

CONTENTS

S.No	Title	Page No
	LIST OF TABLES	
	LIST OF FIGURES	
1.	INTRODUCTION	1
2.	REVIEW OF LITERATURE	5
3.	MATERIALS AND METHODS	21
3.1.	Phase –I Phytochemical analysis and characterization of bioactive compounds in the leaf extracts of <i>C.aromaticus</i> and <i>O.basilicum</i>	22
3.1.1.	Selection, collection and identification of plant sample	22
3.1.2.	Processing and preparation of leaf powder	24
3.1.3.	Aqueous extraction	24
3.1.4.	Qualitative analysis of phytochemical constituents	25
3.1.5.	Characterization of bioactive compounds in the leaf extracts of <i>C.aromaticus</i> and <i>O.basilicum</i>	25
3.1.5.1.	UV-visible absorption spectrum	25
3.1.5.2.	FT-IR spectral analysis	25
S.No	Title	Page No
3.2.	Phase II Growth characteristics, feed utilization efficiencies and proximate composition of <i>O.mossambicus</i> fed with leaf extracts of <i>C.aromaticus</i> and <i>O.basilicum</i> as supplemented feed	26
3.2.1.	Selection of Experimental fish	26
3.2.2.	Collection and maintenance of experimental fish	28
3.2.3.	Preparation of feed	30
3.2.4.	Estimation of proximate composition of feed	30
3.2.5.	Experimental design	31

3.2.6.	Determination of growth parameters	33
3.2.7.	Determination of feed utilization efficiencies	33
3.2.8.	Termination of the experiment	34
3.2.9.	Estimation of proximate composition	34
3.3.	Phase III Hematological and biochemical parameters of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed.	35
3.3.1.	Collection and acclimatization of experimental animal	35
3.3.2.	Experimental design	37
3.3.3.	Collection of blood sample	37
3.3.4.	Determination of hematological parameters	37
3.3.5.	Estimation of biochemical parameters	37
S.No	Title	Page No
3.4.	Phase IV Physiological and immunological parameters of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> as supplemented feed	38
3.4.1.	Fish pathogen - <i>Aeromonas hydrophila</i>	38
3.4.2.	Collection and maintenance of <i>A.hydrophila</i> culture	38
3.4.3.	Culture media	39
3.4.4.	<i>In vitro</i> antibacterial activity - Well diffusion assay	39
3.4.5.	Characterization of molecular structure by scanning electron microscopy (SEM)	39
3.4.6.	Collection and acclimatization of experimental animal	40
3.4.7.	Preparation of heat killed whole cell vaccine	40
3.4.8.	Experimental design	40
3.4.9.	Physiological studies	42
3.4.10.	Determination of serum antibody titer	42
3.4.10.1.	Serial bleeding	42
3.4.10.2.	Collection of antisera	42

3.4.10.3.	Antigen antibody agglutination assay	42
3.5.	Statistical analysis	43
4.	RESULT AND DISCUSSION	44
4.1	Phase I Phytochemical evaluation and characterization of bioactive compounds in the leaf extracts of <i>C.aromaticus</i> and <i>O.basilicum</i>	44
S.No	Title	Page No
4.1.1.	Qualitative phytochemical analysis	44
4.1.2.	Characterization of bioactive compounds in the leaf extracts of <i>C.aromaticus</i> and <i>O.basilicum</i>	49
4.1.2.1.	UV-Vis spectroscopic analysis	49
4.1.2.2.	FT-IR Analysis (Fourier Transform Infrared Spectroscopy)	51
4.2.	Phase II Growth characteristics, feed utilization efficiencies and proximate composition of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed	54
4.2.1.	Growth parameters	54
4.2.2.	Feed utilization efficiency	67
4.2.3.	Proximate composition of <i>O.mossambicus</i>	80
4.3.	Phase III Hematological and biochemical parameters of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed	84
4.3.1.	Hematological parameters	84
4.3.2.	Biochemical parameters	90
4.4.	Phase IV Physiological and immunological parameters of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> as supplemented feed	94
4.4.1.	<i>Invitro</i> antibacterial activity of leaf extract	94
S.No	Title	Page No

4.4.2.	Characterization of molecular structure by SEM	97
4.4.3.	Physiological parameters	98
4.4.4.	Immunological parameters	100
5.	SUMMARY AND CONCLUSION	104
	BIBLIOGRAPHY	
	APPENDICES	
	PUBLICATIONS	

LIST OF TABLES

S.No	Title	Page No
------	-------	---------

1.	Composition of balanced feed supplemented with leaf extracts (g/kg)	
2.	Proximate composition of control and leaf extracts supplemented feed	
3.	Phytochemical constituents in the leaf extracts of <i>C.aromaticus</i> and <i>O.basilicum</i>	
4	FTIR absorption spectrum of leaf extracts of <i>C.aromaticus</i>	
5	FTIR absorption spectrum of leaf extracts of <i>O.basilicum</i>	
6	Growth characteristics and survival rate of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
7	Growth characteristics and survival rate of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
8	Growth characteristics and survival rate of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45DAT)	
9	Feed utilization efficiency of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
10	Feed utilization efficiency of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
11	Feed utilization efficiency of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
12	Proximate composition in the muscle of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45DAT)	
S.No	Title	Page No
13.	Haematological parameters in the blood of <i>O.mossambicus</i> fed with	

	<i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45DAT)	
14.	Biochemical parameters in the serum of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45DAT)	
15.	Cumulative mortality, survival rate and relative level of protection in <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (2.5, 5 and 10 gm/kg of feed) on 37 th day	
16.	Cumulative mortality, survival rate and relative level of protection in <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (2.5, 5 and 10 gm/kg of feed) on 45 th day	
17.	Antibody titer in <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (2.5, 5 and 10 gm/kg of feed) on 37 th and 45 th day	

LIST OF FIGURES

S.No	Title	Page No
1.	UV-visible spectrum analysis of leaf extracts <i>C.aromaticus</i>	
2.	UV-visible spectrum analysis of leaf extracts <i>O.basilicum</i>	
3.	FTIR absorption spectrum of leaf extracts of <i>C.aromaticus</i>	
4.	FTIR absorption spectrum of leaf extracts of <i>O.basilicum</i>	
5.	Final body weight (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT).	
6.	Body weight gain(gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
7.	Growth rate ($\text{mg}\cdot\text{day}^{-1}$) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT).	
8.	Average daily growth (mg/day)of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
9.	Relative growth rate(%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT).	
10.	Specific growth rate(%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
11.	Final body weight (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT).	
12.	Body weight gain(gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	

S.No	Title	Page No
13.	Growth rate (mg.day ⁻¹) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT).	
14.	Average daily growth (mg/day)of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
15.	Relative growth rate(%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT).	
16.	Specific growth rate(%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
17.	Final body weight (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT).	
18.	Body weight gain(gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
19.	Growth rate (mg.day ⁻¹) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT).	
20.	Average daily growth (mg/day)of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
21.	Relative growth rate(%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT).	

22.	Specific growth rate(%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
23.	Feed intake (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
S.No	Title	
24.	Feed conversion ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
25.	Feed efficiency ratio(gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
26.	Protein intake (gm%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
27.	Protein efficiency ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
28.	Lipid intake (gm%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
29.	Lipid efficiency ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (15 DAT)	
30.	Feed intake (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	

31.	Feed conversion ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
32.	Feed efficiency ratio(gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
33.	Protein intake (gm%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
34.	Protein efficiency ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
S.No	Title	Page No
35.	Lipid intake (gm%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
36.	Lipid efficiency ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (30 DAT)	
37.	Feed intake (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
38.	Feed conversion ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
39.	Feed efficiency ratio(gm) of <i>O.mossambicus</i> fed with	

	<i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
40.	Protein intake (gm%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
41.	Protein efficiency ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
42.	Lipid intake (gm%) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
43.	Lipid efficiency ratio (gm) of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
44.	Moisture content in the muscle of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
45.	Protein content in the muscle of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
S.No	Title	Page No
46.	Carbohydrate content in the muscle of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
47.	Fat content in the muscle of <i>O.mossambicus</i> fed with	

	<i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
48.	Ash content in the muscle of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
49.	Total erythrocyte count of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
50.	Total leucocyte count of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
51.	Haemoglobin content of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
52.	Packed cell volume of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
53.	Mean cell haemoglobin of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
54.	Mean cell haemoglobin concentration of <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
55.	Serum protein level in <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
56.	Serum glucose level in <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
S.No	Title	Page No

57.	Serum cholesterol level in <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i> leaf extracts as supplemented feed (45 DAT)	
58.	<i>Invitro</i> antibacterial activity of leaf extracts of <i>C.aromaticus</i> and <i>O.basilicum</i> against <i>A.hydrophila</i> by agar well diffusion assay	

LIST OF PLATES

S.No	Title	Page No
1.	Plant sample selected for the present study - <i>Coleus aromaticus P.ambonicus</i>	
2.	Plant sample selected for the present study - <i>Ocimum basilicum</i>	
3.	Pulverized leaf powders of <i>Coleus aromaticus P.ambonicus and Ocimum basilicum</i>	
4.	Process of aqueous extraction of selected leaf extracts of <i>C.aromaticus/P.ambonicus and O.basilicum</i>	
5.	Experimental fish selected for the present study <i>Oreochromis mossambicus</i>	
6.	Formulated prepared from selected leaf extracts	
7.	Experimental Setup for the determination of growth, feed utilization and proximate composition of <i>O. mossambicus</i> supplemented with selected leaf extracts	
8.	Experimental Setup for the determination of haematological and biochemical parameters of <i>O. mossambicus</i> supplemented with selected leaf extracts	
9.	Maintenance <i>Aeromonas hydrophila</i> culture in Muller Hinton agar medium	
11.	Antibacterial activity of selected leaf extracts against <i>A.hydrophila</i> by Well diffusion assay	
S.No	Title	Page No
13.	Agglutination reaction in antigen antibody titer plate	

14.	Phytochemical constituents in the leaf extracts of <i>C.aromaticus</i>	
15.	Phytochemical constituents in the leaf extracts of <i>O.basilicum</i>	
16.	<i>Invitro</i> antibacterial activity of leaf extract	
17.	A)Molecular structure of untreated <i>A.hydrophila</i> B)Molecular structure of <i>A.hydrophila</i> treated with <i>C.aromaticus</i> C)Molecular structure of <i>A.hydrophila</i> treated with <i>O.basilicum</i>	
18.	Antibody titer in <i>O.mossambicus</i> fed with <i>C.aromaticus</i> and <i>O.basilicum</i>	

LIST OF ABBREVIATIONS AND ITS EXPANSION

<i>C.aromaticus</i>	<i>Coleus aromaticus</i>
<i>O. basilicum</i>	<i>Ocimum basilicum</i>
<i>O.mossambicus</i>	<i>Oreochromis mossambicus</i>
<i>A.hydrophila</i>	<i>Aeromonas hydrophila</i>
UV	Ultra violet
FTIR	Fourier Transform Infra -Red Spectroscopy
IW	Initial weight
FW	Final weight
WG	Weight gain
RGR	Relative Growth rate
SGR	Specific Growth rate
SR	Survival rate
FI	Feed intake
FER	Feed efficiency ratio
FCR	Feed conversion ratio
PI	Protein intake

PER	Protein efficiency ratio
LI	Lipid intake
LER	Lipid efficiency ratio
Gm	Gram
DAT	Day after treatment

RBC	Red blood corpuscle
WBC	White blood corpuscle
Hb	Haemoglobin
cells/cu.mm	Cells/cubic millimeter
Million/cu.mm	Million/ cubic millimeter
gm/dl	Gram/deciliter
PCV	Packed cell volume
MCV	Mean corpuscular volume
MCH	Mean corpuscular haemoglobin
MCHC	Mean corpuscular haemoglobin concentration
U/I	Microliter
L	Litre

Mg/l	Milligram/ litre
Hct	Haematocrit
ANOVA	Analysis of Variance
DMRT	Duncan's Multiple Range Test
SEM	Scanning electron microscope

