



REFERENCES

- Abaza, M. S. I., Al-Saffar, A., Al-Sawan, S. and Al-Attiyah, R. (2008). c-Myc antisense oligonucleotides sensitize human colorectal cancer cells to chemotherapeutic drugs. *Tumour. Biol.*, 29(5), 287-303.
- Abaza, M. S., Al-Attiyah, R., Bhardwaj, R., Abbadi, G., Koyippally, M. and Afzal, M. (2013). Syringic acid from *Tamarix aucheriana* possesses antimitogenic and chemo-sensitizing activities in human colorectal cancer cells. *Pharmaceutical Pharm. Biol.*, 51(9), 1110–1124.
- Abijeth, B. and Ezhilarasan, D. (2020). Syringic acid induces apoptosis in human oral squamous carcinoma cells through mitochondrial pathway. *J. Oral Maxillofac. Pathol.*, 24(1), 40–45.
- Ahamed, A., Panneerselvam, A., Alaklabi, A., Arif, I.A., Ambikapathy, V. and Thajuddin, N., 2020. Molecular perspective and anticancer activity of medicinal plants. *Saudi J. Biol. Sci.*, 27(2), 666-675.
- Akhila, J. S., Shyamjith, D. and Alwar, M. C. (2007). Acute toxicity studies and determination of median lethal dose. *Curr. Sci.*, 917-920.
- Akyol, O., Gökbulut, I., Köksal, N., Akin, H., Ozyurt, H. and Yildirim, Z. (2001). The activities of purine catabolising enzymes in plasma and bronchial washing fluid in patients with lung cancer and pneumonia. *Clin. Biochem.*, 34(3), 251-254.
- Al-Amiery, A. A., Saour, K. Y., Duhaidahawi, D. L. A., Al-Majedy, Y. K., Kadhum, A. A. and Mohamad, A. B. (2017). Comparative molecular modelling studies of Coumarin derivatives as potential antioxidant agents, *Free Radic. Antioxid.*, 7(1), 31-35.
- Aldakheel, F. M., Abuderman, A. A., Alali, B. H., Mateen, A., Alduraywish, S. A., Alqahtani, M. S. and Syed, R. (2021). Smoking and p53 polymorphism association with chromosomal aberration in lung cancer. *J. King Saud Univ. Sci.*, 33(6), 101533.

- Aldosari, S., Awad, M., Harrington, E. O., Sellke, F. W. and Abid, M. R. (2018). Subcellular Reactive Oxygen Species (ROS) in cardiovascular pathophysiology. *Antioxidants*, 7(1), 14.
- Aliyu, M., Odunola, O. A., Farooq, A. D., Rasheed, H., Mesaik, A. M., Choudhary, M. I., Channa, I. S., Khan, S. A. and Erukainure, O. L. (2013). Molecular mechanism of antiproliferation potential of Acacia honey on NCI-H460 cell line. *Nutr. Cancer*, 65(2), 296–304.
- Al-Zharani, M., Nasr, F. A., Alqahtani, A. S., Cordero, M. A. W., Alotaibi, A. A., Bepari, A., Alarifi, S., Daoud, A., Barnowi, I. O. and Daradka, H. M. (2021). In vitro cytotoxic evaluation and apoptotic effects of *Datura innoxia* grown in Saudi Arabia and phytochemical analysis. *Appl. Sci.*, 11(6), 2864.
- Anandkumar, P., Kamaraj, S., Ramakrishnan, G., Jagan, S. and Devaki, T. (2009). Chemopreventive task of capsaicin against benzo(a)pyrene-induced lung cancer in Swiss albino mice, *Basic Clin. Pharmacol. Toxicol.*, 104, 360-365.
- Andreescu, S., Sadik, O. A., McGee, D. W. (2005). Effect of natural and synthetic estrogens on A549 lung cancer cells: correlation of chemical structures with cytotoxic effects. *Chem. Res. Toxicol.*, 18, 466–474
- Anitha, P., Kumar, P. K., Shanmughavel, P., Nazeema, T. H. and Lalitha, G. (2020). Molecular docking analysis of phytochemicals from ethanolic extract of *Crescentia cujete* with the autoinhibited parkin catalytic domain. *Bioinformation*, 16(2), 189–195.
- Anjali, S. P. and Gayathri C. N. (2015). Study of antioxidant and antimicrobial activity of medicinal plants utilized in cancer treatment. *Res. J. Recent. Sci.*, 4(IVC-2015), 15-21.
- Archana C. E. (2013). Antianxiety effect of alcoholic leaf extract of *Plectranthus amboinicus* in mice. *Asian J. Biomed. Pharm. Sci.*, 3(18), 49-53.

- Artursson, P. and Karlsson, J. (1991). Correlation between oral drug absorption in humans and apparent drug permeability coefficients in human intestinal epithelial (Caco-2) cells. *Biochem. Biophys. Res. Commun.*, 175(3), 880–885.
- Arumugam, G., M.K. Swamy, and U.R. Sinniah, (2016). *Plectranthus amboinicus* (Lour.) Spreng: Botanical, phytochemical, pharmacological and nutritional significance. *Molecules*, 21(4), 369.
- Arya, V. and Yadav, J. Á. (2011). Comparative assessment of relative antioxidant activity of sequential leaf extracts of *Cassia occidentalis* L. and *C.tora* L. *Pharmacol Online*, 1, 529-543.
- Ashokkumar, R. and Ramaswamy, M. (2013). Determination of DPPH free radical scavenging oxidation effects of methanolic leaf extracts of some Indian medicinal plant species. *J. Chem. Biolog. Phys. Sci.*, 3, 1273.
- Asiimwe, S., Karlsson, A. B., Azeem, M., Kamatnesi - Mugisha, M., Namutebi, A., and Gakunga, N. J. (2014). Chemical composition and toxicological evaluation of aqueous leaf extract of *Plectranthus amboinicus* Lour. Spreng. *Int. J. Pharm. Sci. Invent.*, 3(2), 19-27.
- Asokkumar, S., Naveenkumar, C., Raghunandhakumar, S., Kamaraj, S., Anandakumar, P. and Jagan, S. and Devaki, T. (2012). Antiproliferative and antioxidant potential of beta-ionone against benzo(a)pyrene-induced lung carcinogenesis in Swiss albino mice. *Mol. Cell. Biochem.*, 363, 335-345.
- Asres, C., Tadesse, S., Mazumder, A. and Bucar, F. (2013). Essential oil of *Plectranthus cylindraceus* Hochst. Ex. Benth from Ethiopia: chemical composition and antimicrobial activity. *J. Essent. Oil-Bear. Plants*, 16(2), 136-143.
- Auclin, E., Mezquita, L. and Besse, B. (2021). Value of the lung immune prognostic index in patients with non-small cell lung cancer initiating first-line atezolizumab combination therapy: Subgroup analysis of the IMPOWER150 trial. *Cancers(Basels)* 2021, 13, 1176. *Cancers (Basel)*, 13(5),1176.

- Badmus, J. A., Ekpo, O. E., Hussein, A. A., Meyer, M. and Hiss, D. C. (2015). Antiproliferative and apoptosis induction potential of the methanolic leaf extract of *Holarrhena floribunda* (G. Don). *Evid. Based Complementary Altern. Med.*, 2015, 1-11.
- Bagchi, D., Bagchi, M., Stohs, S. J., Das, D. K., Ray, S. D., Kuszynski, C. A., Joshi, S. S. and Pruess, H. G. (2000). Free radicals and grape seed proanthocyanidin extract: Importance in human health and disease prevention. *Toxicol.*, 148(2-3), 187–197.
- Bakar, M. F. A., Mohamad, M., Rahmat, A., Burr, S. A. and Fry, J. R. (2010). Cytotoxicity, cell cycle arrest, and apoptosis in breast cancer cell lines exposed to an extract of the seed kernel of *Mangifera pajang* (bambangan). *Food Chem. Toxicol.*, 48(6), 1688-1697.
- Bamforth, C.W., Muller, R.E. and Walker, M.D. (1993). Oxygen and oxygen radicals in malting and brewing: A review. *J. Am. Soc. Brew. Chem.*, 51, 79-88.
- Barhoi, D., Upadhaya, P., Barbhuiya, S. N., Giri, A. and Giri, S. (2021). Aqueous extract of *Moringa oleifera* exhibit potential anticancer activity and can be used as a possible cancer therapeutic agent: a study involving in vitro and in vivo approach. *J. Am. Coll. Nutr.*, 40(1), 70-85.
- Barhoi, D., Upadhaya, P., Barbhuiya, S.N., Giri, A. and Giri, S. (2020). Aqueous extract of *Moringa oleifera* exhibit potential anticancer activity and can be used as a possible cancer therapeutic agent: a study involving *in vitro* and *in vivo* approach. *J. Am. Coll. Nutr.*, 40(1), 70-85.
- Barku, V. Y. A., Opoku-Boahen, Y., Owusu-Ansah, E., and Mensah, E. F. (2013). Antioxidant activity and the estimation of total phenolic and flavonoid contents of the root extract of *Amaranthus spinosus*. *Asian. J. Plant. Sci. Res.*, 3(1), 69-74.
- Barzi, A. and Pennell N. A. (2010). Targeting angiogenesis in non-small cell lung cancer: agents in practice and clinical development. *Eur. J. Mol. Clin. Med.*, 2(1), 31-42.

- Bashandy, A. E., Salama, A., Fayed, M., Omara, A., Toumy, A. and Sahib, Y. (2020). Protective effect of mandarin (*Citrus reticulata*) peel extract on potassium dichromate induced hepatotoxicity and nephrotoxicity in rats. *Plant Arch.*, 20(1), 2231-2242.
- Bast, A.A.L.T., Haenen, G.R. and Doelman, C.J. (1991). Oxidants and antioxidants: State of the art. *The Am. J. Med.*,91, S2-S13.
- Belkheiri, N., Bouguerne, B., Bedos-Belval, F., Duran, H., Bernis, C., Salvayre, R., Nègre-Salvayre, A. and Baltas, M. (2010). Synthesis and antioxidant activity evaluation of a syringic hydrazones family. *Eur. J. Med. Chem*, 45(7), 3019-3026.
- Bengio, Y. (2009). Learning Deep Architectures for AI. Now Publishers Inc.1–127.
- Berellini, G., Waters, N. J. and Lombard, F. (2012). In silico prediction of total human plasma clearance. *J. Chem. Inf. Model*, 52, 2069–2078.
- Berman, H. M., Westbrook, J., Feng, Z., Gilliland, G., Bhat, T. N., Weissig, H., Shindyalov, I. N. and Bourne, P. E. (2000). The Protein Data Bank. *Nucleic Acids Res.*, 28(1), 235–242.
- Bhatt, P. and Negi, P. S. (2012). Antioxidant and antibacterial activities in the leaf extract of Indian Borage (*Plectrathus amboinicus*). *Food Sci. Nutr.*, 3(2), 146- 152.
- Bock, B. C., Stein, U., Schmitt, C. A. and Augustin, H. G. (2014). Mouse models of human cancer. *Cancer Res.*, 74, 1–5.
- Bodduluru, L. N., Kasala, E. R., Thota, N., Barua, C. C. and Sistla, R. (2014). Chemopreventive and therapeutic effects of nimbolide in cancer: The underlying mechanisms. *Toxicol.*, 28(5), 1026–1035.
- Boligon, A. A., Machado, M. M. and Athayde, M. L. (2014). Technical evaluation of antioxidant activity. *Med. Chem.*, 4, 517-522.

- Boora, F., Chirisa, E. and Mukanganyama, S. (2014). Evaluation of nitrite radical scavenging properties of selected Zimbabwean plant extracts and their phytoconstituents. *J. Fd. Process.*, 4, 1-7.
- Bors, W. and Michel, C. (2002). Alcohol and wine in health and disease. *Ann. NewYork Acad Sci.*, 957, 57-69.
- Bradford, P. G. and Awad, A. B. (2007). Phytosterols as anticancer compounds. *Mol. Nutr. Food Res.*, 51(2), 161–170.
- Brihoum, H., Maiza, M., Sahali, H., Boulmeltout, M., Barratt, G., Benguedouar, L. and Lahouel, M. (2018). Dual effect of *Algerian propolis* on lung cancer: Antitumor and chemopreventive effects involving antioxidant activity. *Braz. J. Pharm. Sci.*, 54(1), 1-12.
- Broker, L. E. and Giaccone, G. (2002). The role of new agents in the treatment of non-small cell lung cancer. *Eur. J. Cancer*, 38(18), 2347–2361.
- Burke Jr, K. J. and Bender, K. J. (2019). Modulation of ion channels in the axon: mechanisms and function. *Front. Cell. Neurosci.*, 13, (221), 1-14.
- Butnariu, M. and Coradini, C. Z. (2012). Evaluation of biologically active compounds from *Calendula officinalis* flowers using spectrophotometry. *Chem. Cent. J.*, 6(1), 1-7.
- Campillo, N., Falcones, B., Otero, J., Colina, R., Gozal, D., Navajas, D., Farré, R. and Almendros, I. (2019). Differential oxygenation in tumor microenvironment modulates macrophage and cancer cell crosstalk: Novel experimental setting and proof of concept. *Front. Oncol.*, 9, 43.
- Cao, Y., Dai, F., Li, Y., Jia, L., Luan, Y. and Zhao, Y. (2019). The research on the mechanism of Tsoong inhibiting for colon cancer. *Saudi J. Biol. Sci.*, 26(3), 605-613.
- Caraway W. T. (1955). Determination of uric acid in serum by a carbonate method. *Am. J. Clin. Pathol.*, 25(7), 840–845.

- Carioli, G., Malvezzi, M., Bertuccio, P., Boffetta, P., Levi, F., La Vecchia, C. and Negri, E. (2021). European cancer mortality predictions for the year 2021 with focus on pancreatic and female lung cancer. *Ann. Oncol.*, 32(4), 478-487.
- Carmona-Jiménez, Y., García-Moreno, M.V., Igartuburu, J.M. and Barroso, C.G. (2014). Simplification of the DPPH assay for estimating the antioxidant activity of wine and wine by-products, *Food Chem.*, 165, 198-204.
- Casiraghi, M., Sedda, G., Del Signore, E., Piperno, G., Maisonneuve, P., Petrella, F., Mannis, F. and Spaggiari, L. (2021). Surgery for small cell lung cancer: When and how. *Lung Cancer*, 152, 71-77.
- Chalasan, N., Aljadhey, H., Kesterson, J., Murray, M. D. and Hall S. D. (2004). Patients with elevated liver enzymes are not at higher risk for statin hepatotoxicity. *Gastroenterology*, 126(5), 1287-1292.
- Chambers, J. W., Fowler, M. L., Morris, M. T., and Morris, J. C. (2008). The anti-trypanosomal agent lonidamine inhibits *Trypanosoma brucei* hexokinase. *Mol. Biochem. Parasitol.*, 158(2), 202–207.
- Chan, E., Wong, S. K., Tangah, J., Inoue, T. and Chan, H. T. (2020). Phenolic constituents and anticancer properties of *Morus alba* (white mulberry) leaves. *J. Integr. Med.*, 18(3), 189-195.
- Chanda, S., Rakholiya, K., Dholakia, K. and Baravalia, Y. (2013). Antimicrobial, antioxidant, and synergistic properties of two nutraceutical plants: *Terminalia catappa* L. and *Colocasia esculenta* L. *Turkish J. Biol.*, 37, 81-91.
- Chandrasekaran, B., Abed, S. N., Al-Attraqchi, O., Kuche, K. and Tekade, R. K. (2018). Computer-aided prediction of pharmacokinetic (ADMET) properties. In: dosage form design parameters. Academic Press, 731–755.
- Chang, J. M., Cheng, C. M., Hung, L. M., Chung, Y. S. and Wu, R. Y. (2010). Potential use of *Plectranthus amboinicus* in the treatment of rheumatoid arthritis. *Evid. Based. Complement. Alternat. Med.*, 7(1), 115-120.

- Cheemanapalli, S., Anuradha, M., Madhusudhana, C., Mahesh, P., Raghavendra, M., and Kumar, C. (2016). Exploring the binding affinity of novel syringic acid analogues and critical determinants of selectivity as potent proteasome inhibitors. *Anticancer agents in Medicinal Chemistry*, 16(11), 1496-1510.
- Chen, C., Wang, M., Jin, C., Chen, H., Li, S., Li, S., Dou, X., Jia, J. and Gui, Z. (2015). Cordyceps militaris polysaccharide triggers apoptosis and G0/G1 cell arrest in cancer cells. *J. Asia Pac. Entomol.* 18(3), 433-438.
- Chen, H., Zhu, B., Zhao, L., Liu, Y., Zhao, F., Feng, J., Jin, Y., Sun, J., Geng, R. and Wei, Y. (2018). Allicin inhibits proliferation and invasion in vitro and in vivo via SHP-1-Mediated STAT3 signaling in Cholangiocarcinoma. *Cell. Physiol. Biochem.*, 47(2), 641–653.
- Chen, Y. S., Yu, H. M., Shie J. J., Cheng, T. J. R., Wu, C.Y., Fang J. M. and Wong, C.H. (2014). Chemical constituents of *Plectranthus amboinicus* and the synthetic analogs possessing anti-inflammatory activity. *Bioorg. Med. Chem.*, 22(5), 1766-1772.
- Chia, Y. C., Rajbanshi, R., Calhoun, C. and Chiu, R. H. (2010). Antineoplastic effects of gallic acid, a major component of *Toona sinensis* leaf extract, on oral squamous carcinoma cells. *Molecules (Basel, Switzerland)*, 15(11), 8377–8389.
- Chiu, Y.J., Huang, T.H., Chiu, C.S., Lu, T.C., Chen, Y.W., Peng, W.H. and Chen, C.Y. (2012). Analgesic and antiinflammatory activities of the aqueous extract from *Plectranthus amboinicus* (Lour.) Spreng. both in vitro and in vivo. *Evid Based Complement Alternat Med.*, 2012, 508137.
- Chong, K.P., Rossall, S. and Atong, M. (2011). HPLC fingerprints and *in vitro* antimicrobial activity of syringic acid, caffeic acid and 4-hydroxybenzoic acid against *Ganoderma boninense*. *J. Appl.Sci.*, 11(13), 2284-2291.
- Cicenas, J., Zalyte, E., Bairoch, A. and Gaudet, P. (2018). Kinases and cancer. *Cancers*, 10, 63.

- Cicin, Z. N., Unlu, M., Kiran, B., Bireller, E. S., Baran, Y. and Cakmakoglu, B. (2015). Antiproliferative, apoptotic and signal transduction of hesperidin in non-small cell lung cancer cells. *Cell. Oncol.*,38(3), 195–204.
- Cikman, O., Soylemez, O., Ozkan, O.F., Kiraz, H.A., Sayar, I., Ademoglu, S., Taysi, S. and Karaayvaz, M. (2015). Antioxidant activity of syringic acid prevents oxidative stress in L-arginine–induced acute pancreatitis: An experimental study on rats. *Int. Surg.*, 100(5), 891-896.
- Clemente-Soto, A. F., Salas-Vidal, E., Milan-Pacheco, C., Sánchez-Carranza, J. N., Peralta-Zaragoza, O. and González-Maya, L. (2019). Quercetin induces G2 phase arrest and apoptosis with the activation of p53 in an E6 expression independent manner in HPV positive human cervical cancer derived cells. *Mol. Med. Rep.*, 19(3), 2097–2106.
- Codima, A., das Neves Silva, W., de Souza Borges, A. P. and de Castro, G. (2021). Exercise prescription for symptoms and quality of life improvements in lung cancer patients: a systematic review. *Supportive Care in Cancer*, 29(1), 445-457.
- Corti, A., Duarte, T. L., Giommarelli, C., De Tata, V., Paolicchi, A., Jones, G. D. and Pompella, A. (2009). Membrane gamma-glutamyl transferase activity promotes iron-dependent oxidative DNA damage in melanoma cells. *Mutat. Res*, 669(1-2),112–121.
- Cox, D., Kerrigan, S. W. and Watson, S. P. (2011). Platelets and the innate immune system: mechanisms of bacterial-induced platelet activation. *J. Thromb. Haemost.*, 9(6), 1097-1107.
- Cragg, G. and Newman, D. (2005). Plants as a source of anticancer agents. *J. Ethnopharmacol.*, 100(1–2), 72–79.
- Culling, C. F. A. (1974). *Handbook of histopathological and histochemical techniques*. 3rd edition, Elsevier publications, Butterworth, London.
- Da Rocha, A. B., Lopes, R. M. and Schwartzmann, G. (2001). Natural products in anticancer therapy. *Curr. Opin. Pharmacol.* , 1(4), 364-369.

- daCosta, J. G. M., Campos, A. R., Brito, S. A., Pereira, C. K. B., Souza, E. O. and Rodrigues, F. F. G. (2010). Biological screening of Araripe basin medicinal plants using *Artemia salina* Leach and pathogenic bacteria. *Pharmacogn. Mag.*, 6, 331–334.
- Daffodil, E.D., Rajalakshmi, K. and Mohan, V.R. (2013). Antioxidant activity, total phenolics and flavonoids of *Salicornia brachiata* Roxb. Leaf extracts (Chenopodiaceae). *World J. Pharm. Sci.*, 2, 352-366.
- Daina, A., Michielin, O. and Zoete, V. (2017). SwissADME: a free web tool to evaluate pharmacokinetics, drug-likeness and medicinal chemistry friendliness of small molecules. *Sci. Rep.*, 7, 42717.
- Deena, M. J., Sreeranjini, K., Thoppil, J.E. (2002). Reported the *invitro* microbial activity of the essential oils of *Coleus aromaticus* and *Coleus zylanicus*. *Intl. J. Aromatherapy*, 12(2), 105-107.
- Domingo, L. R., Aurell, M. J., Pérez, P. and Contreras, R. (2002). Quantitative characterization of the global electrophilicity power of common diene/dienophile pairs in Diels-Alder reactions. *Tetrahedron*, 58, 4417–4423.
- Dowell, J.E. and Minna, J.D. (2006). EGFR mutations and molecularly targeted therapy: a new era in the treatment of lung cancer. *Nat. Clin. Pract.Oncol.*, 3(4), 170-171.
- Drabkin, D. L. and Austin, J. H. (1932). Spectrophotometric studies: Spectrophotometric constants for common haemoglobin derivatives in human, dog and rabbit blood. *J. Biol. Chem.*, 98, 719.
- Duraisamy, P., Manikandan, B., Koodalingam, A., Munusamy, A. and Ramar, M. (2021). Anti-inflammatory, anti-nociceptive and anti-oxidant activities of carvacrol containing leaf extracts of edible Indian borage plant *Plectranthus amboinicus*: an in vivo and in vitro approach. *Comp. Clin. Pathol.*, 30(3), 397-413.

- Egan, W. J., Merz, K. M., Jr, and Baldwin, J. J. (2000). Prediction of drug absorption using multivariate statistics. *J. Med. Chem.*, 43(21), 3867–3877.
- El Gaafary, M., Ezzat, S. M., El Sayed, A. M., Sabry, O. M., Hafner, S., Lang, S., Schmiech, M., Syrovets, T. and Simmet, T. (2017). Acovenoside A induces mitotic catastrophe followed by apoptosis in non-small-cell lung cancer cells. *J. Nat. Prod.*, 80(12), 3203–3210.
- El-Beshbishy, H. A. (2005). Hepatoprotective effect of green tea (*Camellia sinensis*) extract against tamoxifen-induced liver injury in rats. *J. Biochem. Mol. Biol.*, 38(5), 563-570.
- El-hawary, S.S., El-sofany, R.H., Abdel-Monem, A.R., Ashour, R.S. and Sleem, A.A., 2012. Polyphenolics content and biological activity of *Plectranthus amboinicus* (Lour.) spreng growing in Egypt (Lamiaceae). *Pharmacogn. J.*, 4(32), 45-54.
- El-Hussein, A., Manoto, S. L., Ombinda-Lemboumba, S., Alrowaili, Z. A. and Mthunzi-Kufa, P. (2021). A review of chemotherapy and photodynamic therapy for lung cancer treatment. *Anticancer agents in medicinal chemistry*, 21(2), 149-161.
- England, K., O'Driscoll, C. and Cotter, T. G. (2004). Carbonylation of glycolytic proteins is a key response to drug-induced oxidative stress and apoptosis. *Cell. Death. Differ.*, 11(3), 252–260.
- Erenpreisa, J., Freivalds, T., Roach, H. and Alston, R. (1997). Apoptotic cell nuclei favour aggregation and fluorescence quenching of DNA dyes. *Histochem. Cell Biol.*, 108(1), 67–75.
- Farshori, N. N., Al-Sheddi, E. S., Al-Oqail, M. M., Musarrat, J., Al-Khedhairi, A. A., and Siddiqui, M. A. (2013). Anticancer activity of *Petroselinum sativum* seed extracts on MCF-7 human breast cancer cells. *Asian Pac. J. Cancer Prev.*, 14(10), 5719-5723.
- Favaloro, B., Allocati, N., Graziano, V., Di Ilio, C. and De Laurenzi, V. (2012). Role of apoptosis in disease. *Aging (Albany NY)*, 4(5), 330.

- Fei, Z. H., Wu, K., Chen, Y. L., Wang, B., Zhang, S. R. and Ma, S. L. (2014). Capilliposide isolated from *Lysimachia capillipes* Hemsl. induces ROS generation, cell cycle arrest, and apoptosis in human nonsmall cell lung cancer cell lines. *Evid. Based Complementary Altern. Med.*, 2014, 1-11.
- Ferlay, J., Colombet, M., Soerjomataram, I., Dyba, T., Randi, G., Bettio, M., Gavin, A., Visser, O. and Bray, F. (2018). Cancer incidence and mortality patterns in Europe: Estimates for 40 countries and 25 major cancers in 2018. *Eur. J. Cancer*, 103, 356-387.
- Fouad, Y. A. and Aanei, C. (2017). Revisiting the hallmarks of cancer. *Am. J. Cancer Res.*, 7(5), 1016.
- Fuchs, S., Hollins, A. J. and Lehr, C. M. (2003). Differentiation of human alveolar epithelial cells in primary culture: Morphological characterization and synthesis of caveolin-1 and surfactant protein-C. *Cell Tissue Res.*, 311, 31–45.
- Furey, T.S., Cristianini, N., Duffy, N., Bednarski, D.W., Schummer, M., Haussler, D. (2000). Support vector machine classification and validation of cancer tissue samples using microarray expression data. *Bioinformatics*.16(10), 906-14.
- Ganong W.F. (2001). *Review of Medical Physiology*. 20th Edition. Lange Medical Books. McGraw Hill Companies Inc., New York., 500-515.
- George T. I. (2012). Malignant or benign leukocytosis. *Hematology*. Am Soc Hematol Educ Program, 2012, 475–484.
- Georgeta, S., Pana, P., Tunde, H. and Sanda, B. (2016). The isolation and identification of rutin from pharmaceutical products, *An. Univ. Oradea Fasc. Ecotoxicol.Zooteh.Tehnol. Ind. Aliment*, 109-113.
- Gheena, S. and Ezhilarasan, D. (2019). Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells. *Hum. Exp. Toxicol.*, 38(6), 694-702.

- Ghițu, A., Schwiebs, A., Radeke, H. H., Avram, S., Zupko, I., Bor, A., Pavel, I.Z., Dehelean, C.A., Oprean, C., Bojin, F. and Farcas, C. (2019). A comprehensive assessment of apigenin as an antiproliferative, proapoptotic, antiangiogenic and immunomodulatory phytochemical, *Nutrients*, 11(4), 858.
- Ghose, A. K., Viswanadhan, V. N., and Wendoloski, J. J. (1999). A knowledge-based approach in designing combinatorial or medicinal chemistry libraries for drug discovery. A qualitative and quantitative characterization of known drug databases. *J. Comb. Chem.*, 1(1), 55–68.
- Ghosh, M. N. (1984). Toxicity studies. In: *Fundamentals of Experimental Pharmacology*. Second edition, Scientific Book Agency, Calcutta, India, 153-158.
- Giard, D. J., Aaronson, S. A. and Parks. W. P. (1973). *In vitro* cultivation of human tumors: Establishment of cell lines derived from a series of solid tumors. *J. Natl. Cancer Inst.*, 51, 1417–1423.
- Gibelin, A., Maldini, C. and Mahr, A. (2011). Epidemiology and etiology of Wegener granulomatosis, microscopic polyangiitis, Churg-Strauss syndrome and Goodpasture syndrome: vasculitides with frequent lung involvement. In *Seminars in respiratory and critical care medicine*, Thieme Medical Publishers, 32(03), 264-273.
- Gill, N.S., Sharma, R., Arora, R. and Bali, M. (2012). Antioxidant and antibacterial activity of *Hippophae hamnoides* methanolic leaf extracts from dry temperate agro-climatic region of Himachal Pradesh. *J. Plant Sci.*, 7, 194.
- Gini, T. G. and Jothi, J. G. (2018). Column chromatography and HPLC analysis of phenolic compounds in the fractions of *Salvinia molesta mitchell*. *Egypt. J. Basic. Appl. Sci.*, 5, 197 - 203.
- Giusti, G. and Galanti, B. (1984). Colorimetric method. In: Bergmeyer HU, ed. *Methods of enzymatic analysis*. 3rd edition, Berlin. Germany: Verlag Chemie, Weinheim, 315–23.

- Gómez, R. M. J., Rodríguez, S. A. and Morillo, M. M. (2002). P-glycoprotein, a membrane pump that represents a barrier to chemotherapy in cancer patients. *An. Med. Interna.*, 19, 477-485.
- Goodfellow, I., Bengio, Y. and Courville, A. (2016). *Deep learning*. MIT press.
- Goodwin, S., Smith, A. F. and Horning, E. C. (2002). Alkaloids of *Ochrosia elliptica* Labill. *J. Am. Chem. Soc.*, 81(8), 1903–1908.
- Goveas, S.W. and Abraham, A.S.H.A. (2013). Evaluation of antimicrobial and antioxidant activity of stem and leaf extracts of *Coscinium fenestratum*. *Asian J. Pharm. Clin. Res.*, 6, 218-221.
- Gowdhami, M., Sarkar, I. and Ayyasamy, P. M. (2014). Screening of phytochemicals and antibacterial activity of *Annona squamosa* extracts. *Int. J. Pharmaceut. Sci. Invent.* 3(7), 30-39.
- Graidist, P., Martla, M. and Sukpondma, Y. (2015). Cytotoxic activity of *Piper cubeba* extract in breast cancer cell lines. *Nutrients*, 7(4), 2707–2718.
- Green, L. C., Wagner, D. A., Glogowski, J., Skipper, P. L., Wishnok, J. S. and Tannenbaum, S. R. (1982). Analysis of nitrate, nitrite, and [¹⁵N] nitrate in biological fluids. *Anal. Biochem.*, 126(1), 131–138.
- Guengerich, F. P. (1999). Cytochrome P-450 3A4: regulation and role in drug metabolism. *Annu. Rev. Pharmacol. Toxicol.* 39, 1-17.
- Gupta S.K., and P.S. Negi, (2015). Antibacterial activity of Indian Borage (*Plectranthus amboinicus* Benth) leaf extracts in food systems and against natural microflora in chicken meat. *Food Biotechnol.*, 54(1), 90-96.
- Gupta, S. K., Bhatt, P., Joseph, G. S., Negi, P. S. and Varadaraj, M. C. (2013). Phenolic constituents and biological activities of leaf extracts of traditional medicinal plant *Plectranthus amboinicus* Benth (Lamiaceae). *Tang.(Humanitas Medicine)*, 3(4), 1-6.

- Gurgel, A.P.A.D., da Silva, J.G., Grangeiro, A.R.S., Oliveira, D.C., Lima, C.M., da Silva, A.C., Oliveira, R.A. and Souza, I.A. (2009). In vivo study of the anti-inflammatory and antitumor activities of leaves from *Plectranthus amboinicus* (Lour.) Spreng (Lamiaceae). *J. Ethnopharmacol.*, 125(2), 361-363.
- Gurib-Fakim, A. (2006). Medicinal plants: traditions of yesterday and drugs of tomorrow. *Mol. Aspects. Med.*, 27(1), 1-93.
- Gurung, A.B., Ali, M.A., Lee, J., Al-Hemaid, F., Farah, M.A. and Al-Anazi, K.M. (2020). Molecular docking elucidates the plausible mechanisms underlying the anticancer properties of acetyldigitoxigenin from *Adenium obesum*. *Saudi J. Biol. Sci.*, 27(7), 1907.
- Guyton A.C. and Hall J.E., (2000). *A Textbook on Medical Physiology*. 10th Edition. W.B. Saunders Company, Philadelphia, 382-401.
- Ha, S. J., Lee, J., Park, J., Kim, Y. H., Lee, N. H., Kim, Y. E., Song, K. M., Chang, P. S., Jeong, C. H. and Jung, S. K. (2018). Syringic acid prevents skin carcinogenesis via regulation of NoX and EGFR signaling. *Biochem. Pharmacol.*, 154, 435-445.
- Hafeeza K., Kulathooran, R., Pullabhatla, S. and Bhaskarrao, S.B. (2011). Synergistic antioxidant action of oregano, ajowan and borage extracts. *Food Sci. Nutr.*, 2011(2), 387-392.
- Hagerman, A.E., Riedl, K.M., Jones, G.A., Sovik, K.N., Ritchard, N.T., Hartzfeld, P.W. and Riechel, T.L. (1998). High molecular weight plant polyphenolics (tannins) as biological antioxidants. *J. Agric. Food. Chem.*, 46, 1887-1892.
- Hanahan, D. and Weinberg, R. A. (2011). Hallmarks of cancer: the next generation. *Cell*, 144(5), 646-674.
- Hasibuan, P. A. Z. and Sumaiyah, S. (2019). The anti-proliferative and pro apoptotic properties of ethanol *Plectranthus amboinicus* (Lour.) Spreng. leaves ethanolic extract nanoparticles on T47D cell lines. *Asian Pac. J. Cancer. Prev.*, 20(3), 897.

- Hassan, K., Mousa, M., El-Sammad, M., Abdel-Halim, H., Khalil, K. B., Elsayed, A., Anwar, N., Linscheid, W., Moustafa, S., Hashim, N. and Nawwar, M. (2019). Antitumor activity of *Cuphea ignea* extract against benzo(a)pyrene-induced lung tumorigenesis in Swiss albino mice. *Toxicol. Rep.*, 6, 1071-1085.
- Hausman D. M. (2019). What Is Cancer? *Perspectives in Biology and Medicine*, 62(4), 778–784.
- Hayouni, E.A., Abedrabba, M., Bouix, M. and Hamdi, M. (2007). The effects of solvents and extraction method on the phenolic contents and biological activities *in vitro* of Tunisian *Quercus coccifera* L. and *Juniperu sphoenicea* L. fruit extracts. *Food Chem.*, 105(3), 1126-1134.
- Heble, N.K., Mavillapalli, R.C., Selvaraj, R. and Jeyabalan, S., 2016. Molecular docking studies of phytoconstituents identified in *Crocus sativus*, *Curcuma longa*, *Cassia occidentalis* and *Moringaoleifera* on thymidylate synthase - An enzyme target for anti-cancer activity. *J. App. Pharm. Sci.*, 6(12), 131-135.
- Himesh.S. and Akilesh.K.S. (2012).Recent updates on the genus coleus: A Review, *Asian J.Pharm.Clin. Res.*, 5,13-17.
- Hockel, M. and Vanupel, P. (2001). Tumor hypoxia: Definitions and current clinical, biologic and molecular aspects. *J. Cancer. Inst.*, 93, 266-276.
- Hossain, M.A., Saliha, R.A.H., Afaf, M.W., Qasim, A.R. and Jamal, N.S. (2014). Comparison of chemical constituents and *in vitro* antimicrobial activities of three brands clove essential oils from Golf region. *Asian Pac. J. Trop. Dis.*, 4 (4), 262-268.
- Hossain, Md., Koshio, S., Ishikawa, M., Yokoyama, S. and Sony, N. M. (2016). Dietary nucleotide administration influences growth, immune responses and oxidative stress resistance and juvenile red sea bream (*Pagrus major*). *Aquaculture*, 455, 41-49.
- Hovanec, J., Siemiatycki, J., Conway, D. I., Olsson, A., Stücker, I., Guida, F., Jöckel, K. H., Pohlabein, H., Ahrens, W., Brüske, I., Wichmann, H. E., Gustavsson, P., Consonni, D., Merletti, F., Richiardi, L., Simonato, L., Fortes,

- C., Parent, M. E., McLaughlin, J., Demers, P. and Behrens, T. (2018). Lung cancer and socioeconomic status in a pooled analysis of case-control studies. *PloS one*, 13(2), e0192999.
- Hussain, Z. V. M. and Sivanandhan, S. K. (2021). Antiproliferative and apoptotic induction of allicin in human lung cancer cell lines. *Indian. J. Pharm. Educ. Res.*, 55(2), 566-573.
- Ibrahim, Z. Y., Uzairu, A., Shallangwa, G. and Abechi, S. (2020). Molecular docking studies, drug-likeness and *in silico* ADMET prediction of some novel β -amino alcohol grafted 1,4,5-trisubstituted 1,2,3-triazoles derivatives as elevators of p53 protein levels. *Scientific African*, 10, e00570.
- Igarashi, M. and Miyazawa, T. (2001). The growth inhibitory effect of conjugated linoleic acid on a human hepatoma cell line, HepG2, is induced by a change in fatty acid metabolism, but not the facilitation of lipid peroxidation in the cells. *Biochim. Biophys. Acta.*, 1530(2-3), 162–171.
- Islam, K., Ali, S. M., Jesmin, M. and Khanam, J. A. (2012). *In vivo* anticancer activities of benzophenone semicarbazone against Ehrlich ascites carcinoma cells in Swiss albino mice. *Cancer Biol. Med.*, 9(4), 242–247.
- Ismayil, S. and Nimila, P.J. (2019). Antimicrobial activity of *Plectranthus amboinicus* (Lour.) against Gram negative bacteria *Klebsiella pneumoniae* and *Shigella flexneri* and their phytochemical tests. *International Journal of Health Sciences and Research*, 9(5), 304-311.
- Issa, N. T., Wathieu, H., Ojo, A., Byers, S. W. and Dakshanamurthy, S. (2017). Drug metabolism in preclinical drug development : A survey of the discovery process, toxicology, and computational tools. *Curr. Drug Metab.*, 18, 556–565.
- Itoh, A., Isoda, K., Kondoh, M., Kawase, M., Watari, A., Kobayashi, M., Tamesada, M. and Yagi, K. (2010). Hepatoprotective effect of syringic acid and vanillic acid on CCl₄-induced liver injury. *Biol. Pharm. Bull.*, 33(6), 983-987.

- Iwanowycz, S., Wang, J., Hodge, J., Wang, Y., Yu, F. and Fan, D. (2016). Emodin inhibits breast cancer growth by blocking the tumor-promoting feedforward loop between cancer cells and macrophages. *Mol. Cancer Ther.*, 15(8), 1931–1942.
- Janakiraman, D. and Somasundaram, C. (2014). Evaluation of anti-inflammatory effect of *Plectranthus amboinicus* leaf extract-An *invitro* study. *J. Adv. Pharm. Educ. Res.*, 4(2), 229-232.
- Jin, C., Ark, C., Wang, H., Kim, G., Choi, B., Kim, W. and Choi, Y. (2011). Naringenin up-regulates the expression of death receptor 5 and enhances TRAIL-induced apoptosis in human lung cancer A549 cells. *Mol. Nutr. Food Res.*, 55(2), 300–309.
- Jung, S., Kim, D. H., Choi, Y. J., Kim, S. Y., Park, H., Lee, H., Choi, C., Sung, Y. H., Lee, J. C. and Rho, J. K. (2021). Contribution of p53 in sensitivity to EGFR tyrosine kinase inhibitors in non-small cell lung cancer. *Sci. Rep.*, 11(1), 1-10.
- Jyothi, S.G., Chavan, S.C. and Somashekaraiah, B.V. (2012). *In vitro* and *in vivo* antioxidant and antidiabetic efficacy of *Cassia auriculata* L. flowers. *Global J. Pharmacol.*, 6, 33-40.
- Kalantari, H., Jalali, M., Jalali, A. and Zsuga, J. (2011), Protective effect of *Cassia fistula* fruit extract on bromobenzene-induced nephrotoxicity in mice, *Hum. Exp. Toxicol.*, 30(10), 1710-5.
- Kampa, M., Alexaki, V. I., Notas, G., Nifli, A. P., Nistikaki, A., Hatzoglou, A., Bakogeorgou, E., Kouimtzoglou, E., Blekas, G., Boskou, D. and Gravanis, A. (2004). Antiproliferative and apoptotic effects of selective phenolic acids on T47D human breast cancer cells: potential mechanisms of action. *Breast Cancer Res.*, 6(2), 63.
- Kang, M. H. and Reynolds, C. P. (2009). Bcl-2 inhibitors: targeting mitochondrial apoptotic pathways in cancer therapy. *Clin. Cancer. Res.*, 15(4), 1126-1132.
- Kannur, D. and Khandelwal, K. (2014). Pharmacognostical investigation and evaluation of *Ficus carica* fruit extract for adaptogenic activity. *Int. J. Pharm. Sci. Res.*, 5(5), 2022-2032.

- Kanwal, M., Ding, X. J. and Cao, Y. (2017). Familial risk for lung cancer. *Oncol. Lett.*, 13(2), 535–542.
- Karamac, M., Kosińska, A. and Pegg, R.B. (2005). Comparison of radical scavenging activities for selected phenolic acids. *Polish J. Food. Nutr. Sci.*, 14(2),165-170.
- Karpe, D. G. and Lawande, S. P. (2014). Phytochemical screening, total flavonoid content and antimicrobial study of *M. spicata* (Dalz.) Nicolson. *Int. J. Pharmacogn. Phytochem. Res.*, 6(3), 584-587.
- Karthik, G., A. Vijayakumar, and S. Natarajapillai. (2014). Preliminary study on salubrious effect of syringic acid on apoptosis in human lung carcinoma a549 cells and insilico analysis through docking studies . *Asian J. Pharm. Clin. Res.*, 7(1), 46-49.
- Karthik, G., Angappan, M., VijayaKumar, A. and Natarajapillai, S.(2014). Syringic acid exerts antiangiogenic activity by downregulation of VEGF in zebrafish embryos. *Biomed. Prev. Nutr.*, 4(2), 203-208.
- Karuna, D. S., Dey, P., Das, S., Kundu, A. and Bhakta, T. (2017). *In vitro* antioxidant activities of root extract of *Asparagus racemosus* Linn. *J. Tradit. Complemen. Med.*, 8(1), 60–65.
- Kasala, E. R., Bodduluru, L. N., Barua, C. C. and Gogoi, R. (2016). Antioxidant and antitumor efficacy of Luteolin, a dietary flavone on benzo (a) pyrene-induced experimental lung carcinogenesis. *Biomed. Pharmacother.*, 82, 568-577.
- Khan, A., Parveen, S., Khalid, A. and Shafi, S. (2020). Recent advancements in the anticancer potentials of phenylorganotin (IV) complexes, *Inorganica Chim.Acta.*,505, 119464.
- Khaw, A. K., Sameni, S., Venkatesan, S., Kalthur, G. and Hande, M. P. (2015). Plumbagin alters telomere dynamics, induces DNA damage and cell death in human brain tumour cells. *Mutat. Res. Genet. Toxicol. Environ. Mutagen.*, 793, 86-95.

- Khoo, N. K. H., White, C. R., Pozzo-Miller, L., Zhou, F., Constance, C., Inoue T., Patel, R. P. and Parks, D. A. (2010). Dietary flavonoid quercetin stimulates vasorelaxation in aortic vessels. *Free Radic. Biol. Med.*, 49(3), 339-347.
- Kim, D., Jeond, S. and Lee, C. (2003). Antioxidant capacity of phenolic phytochemicals from various cultivars of plums. *Food Chem.*, 81, 321-326
- Kim, M. O., Lee, M. H., Oi, N., Kim, S. H., Bae, K. B., Huang, Z., Kim, D. J., Reddy, K., Lee, S. Y., Park, S. J., Kim, J. Y., Xie, H., Kundu, J. K., Ryoo, Z. Y., Bode, A. M., Surh, Y. J. and Dong, Z. (2014). 6-shogaol inhibits growth and induces apoptosis of non-small cell lung cancer cells by directly regulating Akt1/2. *Carcinogenesis*, 35(3), 683–691.
- Kim, M.H., Jeong, Y.J., Cho, H.J., Hoe, H.S., Park, K.K., Park, Y.Y., Choi, Y. H., Kim, C.H., Chang, H.W., Park, Y.J., Chung, I.K. and Chang, Y.C. (2017). Delphinidin inhibits angiogenesis through the suppression of HIF-1 α and VEGF expression in A549 lung cancer cells. *Oncol. Rep.*, 37(2), 777–784.
- Kim, W., Kang, J., Lee, S. and Youn, B. (2017). Effects of traditional oriental medicines as anti-cytotoxic agents in radiotherapy. *Oncol. Lett.*, 13(6), 4593-4601.
- King, E.J. and Armstrong, A.R. (1934). Determination of serum and bile phosphatase activity. *Can. Med. Assoc. J.*, 31, 56-63.
- King, J. (1965). The dehydrogenases or oxidoreductases – lactate dehydrogenase, In: Van, D. (ED.), *Practical Clinical Enzymology*. Van Nostrand, London, 93-193.
- Kiran, P., Denni, M. and Daniel, M. (2014). Antidiabetic principles, phospholipids and fixed oil of Kodo millet (*Paspalum scrobiculatum* Linn.). *Indian J. Appl. Res.*, 4(2), 13-15.
- Krueger, E., Secinti, E., Wu, W., Hanna, N., Durm, G., Einhorn, L., Jalal, S. and Mosher, C. E. (2021). Measurement of patients' acceptable symptom levels and priorities for symptom improvement in advanced lung cancer. *Support. Cancer Ther.*, 29, 5895-5904.

- Kuhn, V., Diederich, L., Keller, T.C.S., Kramer, C. M., Lückstädt, W., Panknin, C., Suvorava, T., Isakson, B. E., Kelm, M. and Cortese-Krott, M. M. (2017). Red blood cell function and dysfunction: Redox regulation, nitric oxide metabolism, anemia. *Antioxid. Redox Signal.*, 26(13), 718–742.
- Kumar P., Sangam and N. Kumar, (2020). *Plectranthus amboinicus*: A review on its pharmacological and pharmacognostical studies. *A. J. Physiol. Biochem. Pharmacol.*, 10(2), 55-62.
- Kumar, P., Senthamilselvi, S., Govindaraju, M. and Sankar, R. (2014). Unraveling the caspase-mediated mechanism for phloroglucinol-encapsulated starch biopolymer against the breast cancer cell line MDA-MB-231. *RSC Adv.*, 4, 46157–46163.
- Kumar, P.S., Sucheta, S., Deepa, V.S., Selvamani, P. and Latha, S. (2008). Antioxidant activity in some selected Indian medicinal plants. *Afr. J. Biotechnol.*, 7, 1826-1828.
- Kumar, R. S., Raj Kapoor, B. and Perumal, P. (2011). In vitro and in vivo anticancer activity of *Indigofera cassioides* Rottl. Ex. DC. *Asian Pac. J. Trop. Med.*, 4(5), 379-385.
- Kurata, M., Suzuki, M. and Agar N.S. (1993). Antioxidant systems and erythrocyte life span in mammals. *Comp. Biochem. Physiol. B*, 106(3), 477-487.
- Kushali R., Priya, V., Gayathri, R. and Sundaram, R. (2019). In vitro α -amylase and α -glucosidase inhibitory activity of isolated fraction 2 from *Plectranthus amboinicus*. *Drug Invent. Today*, 12(5), 900-902.
- Lagorce, D., Douguet, D, Miteva, M. A. and Villoutreix, B. O. (2017). Computational analysis of calculated physicochemical and ADMET properties of protein-protein interaction inhibitors. *Sci. Rep*, 7, 46277.
- Lai, Y.H., Chen, W.N., Hsu, T.C., Lin, C., Tsao, Y. and Wu, S. (2020). Overall survival prediction of non-small cell lung cancer by integrating microarray and clinical data with deep learning. *Sci. Rep.*, 10(1), 1-11.

- Laila, F., Fardiaz, D., Yuliana, N.D., Damanik, M.R.M. and Dewi, N.A.F. (2020). Methanol extract of *Coleus amboinicus* (Lour) exhibited antiproliferative activity and induced programmed cell death in colon cancer cell WiDr. *Int. J. Food Sci.*, 2020,1-12
- Lattanzio, V. (2013). Phenolic compounds: Introduction. *Nat. Prod.*, 1543-1580.
- Lee, P., Loo Jr, B. W., Biswas, T., Ding, G. X., El Naqa, I. M., Jackson, A. Cong, F-M., LaCountoure, T., Miften, M., Solberg, T., Tome, W. A., Tai, A., Yorke, E. and Li, X. A. (2021). Local control after stereotactic body radiation therapy for stage I non-small cell lung cancer. *Int. J. Radiat. Oncol. Biol. Phys.*, 110(1), 160-171.
- Lehman, H. L., and Stairs, D. B. (2015). Single and Multiple Gene Manipulations in Mouse Models of Human Cancer. *Cancer growth and metastasis.*, 8(1), 1–15.
- Li, A. P. (2001). Screening for human ADME/Tox drug properties in drug discovery. *Drug Discov. Today*, 6(7), 357-366.
- Li, T., Kung, H.J., Mack, P.C. and Gandara, D.R. (2013). Genotyping and genomic profiling of non–small-cell lung cancer: implications for current and future therapies. *J. Clin. Oncol.*, 31(8),1039.
- Li, X., Huang, C., Xie, X., Wu, Z., Tian, X., Wu, Y., Du, X. and Shi, L. (2021). The impact of smoking status on the progression-free survival of non-small cell lung cancer patients receiving molecularly target therapy or immunotherapy versus chemotherapy: A meta-analysis. *J. Clin.Pharm.Ther.*, 46(2), 256-266.
- Li, Y., Schoufour, J., Wang, D. D., Dhana, K., Pan, A., Liu, X., Song, M., Liu, G., Shin, H., Sun, Q., Al-Shaar, L., Wang, M., Rimm, E.B., Hertzmark, E., Stampfer, J. M., Franco, O. H., Willet, W. C. and Hu, F. B. (2020). Healthy lifestyle and life expectancy free of cancer, cardiovascular disease, and type 2 diabetes: prospective cohort study. *Br. Med. J.*,368.
- Li, Y., Yu, H., Han, F., Wang, M., Luo, Y. and Guo, X. (2018). Biochanin A induces S phase arrest and apoptosis in lung cancer cells. *BioMed. Res. Int.*, 2018, 1-12.

- Liang, J., Yang, Z., Cao, X., Wu, B. and Wu, S. (2011). Preparative isolation of novel antioxidant flavonoids of alfalfa by stop-and-go counter-current chromatography and following on-line liquid chromatography desalination. *J. Chromatogr. A.*, 1218, 6191–6199.
- Liebmann, J. E., Cook, J. A., Lipschultz, C., Teague, D. Fisher, J. and Mitchell, J.B.(1993). Cytotoxic studies of paclitaxel (Taxol®) in human tumour cell lines. *Br. J.Cancer*, 68, 1104-1109
- Liegler, T. J., Hyun, W., Yen, T. S. and Stites, D. P. (1995). Detection and quantification of live, apoptotic and necrotic human peripheral lymphocytes by single-laser flow cytometry. *Clin. Diagn. Lab. Immunol.*, 2(3), 369–376.
- Lin, Y., Ming, Z. and Peter B. F. (1998). Chemokine production by a human alveolar epithelial cell line in response to *Mycobacterium tuberculosis*. *Infect. Immun.*, 66(3), 1121–1126.
- Lipinski, C. A., Lombardo, F., Dominy, B. W. and Feeney, P. J. (2001). Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings. *Adv. Drug Deliv. Rev.*, 46(1-3), 3–26.
- Lipinski, C. and Hopkins, A. (2004). Navigating chemical space for biology and medicine. *Nature*, 432(7019), 855–861.
- Longchar, A. and Prasad, S. B. (2015). Biochemical changes associated with ascorbic acid–cisplatin combination therapeutic efficacy and protective effect on cisplatin-induced toxicity in tumor-bearing mice. *Toxicol. Rep.*, 2, 489-503.
- Lu, L, Zhao, Z., Liu, L., Gong, W., Dong, J. (2018). Combination of baicalein and docetaxel additively inhibits the growth of non-small cell lung cancer in vivo. *Traditional Medicine and Modern Medicine*, 1(3), 213–218.
- Lukas, J., Lukas, C. and Bartek, J. (2004). Mammalian cell cycle checkpoints: signalling pathways and their organization in space and time. *DNA repair*, 3(8-9), 997-1007.

- Lunardi, A., Nardella, C., Clohessy, J. G. and Pandolfi P. P. (2014). Of model pets and cancer models: An introduction to mouse models of cancer. *Cold Spring Harb. Protoc.*, 2014 (1),17–31.
- Lupien, L. E., Dunkley, E. M., Maloy, M. J., Lehner, L. B., Foisey, M. G., Ouellette, M. E., Lewis, L. D., Pooler, D. B., Kinlaw, W. B. and Baures, P. W. (2019). An inhibitor of fatty acid synthase thioesterase domain with improved cytotoxicity against breast cancer cells and stability in plasma. *J. Pharmacol. Exp. Ther.*, 371, 171–185.
- Ma, Y., Ha, C. S., Hwang, S. W., Lee, H. J., Kim, G. C., Lee, K. W. and Song, K. (2014). Non-thermal atmospheric pressure plasma preferentially induces apoptosis in p53-mutated cancer cells by activating ROS stress-response pathways. *PloS one*, 9(4), e91947.
- Magesh, V., Singh, J. P., Selvendiram, K., Ekambaram, G. and Sakthisekaran, D. (2006). Antitumor activity of crocetin in accordance to tumor incidence, antioxidant status, drug metabolising enzymes and histopathological studies. *Mol. Cell. Biochem.*, 287, 127-135.
- Manimekalai, K., Srinivasan, P., Dineshbabu, J., Guna, G. and Darsini, T.P.D. (2016). Anti-biofilm efficacy of *Plectranthus amboinicus* against *Streptococcus pyogenes* isolated from pharyngitis patients. *Asian J. Pharm. Clin. Res.*, 9(4), 348-354.
- Manjamalai A., Alexander, T. and Grace, V.B. (2012). Bioactive evaluation of the essential oil of *Plectranthus amboinicus* by GC-MS analysis and its role as a drug for microbial infections and inflammation. *Int. J. Pharm. Pharm. Sci.*, 4(3),205-211.
- Manjamalai, A. and Berlin. G. V. M. (2013). The chemotherapeutic effect of essential oil of *Plectranthus amboinicus* (Lour) on lung metastasis developed by B16F-10 cell line in C57BL/6 mice. *Cancer. Invest.*, 31(1), 74-82.

- Manjamalai, A., Narala, Y., Haridas, A. and Grace, V. B. (2011). Antifungal, anti-inflammatory and GCMS analysis of methanolic extract of *Plectranthus amboinicus* leaf. *Int. J. Curr. Pharm. Res.*, 2, 129-36.
- Manuja, R., Sachdeva, S., Jain, A. and Chaudhary, J. (2013). A comprehensive review on biological activities of p-hydroxy benzoic acid and its derivatives. *Int. J. Pharm. Sci. Rev. Res.*, 22(2), 109-115.
- Manurung, K., Sulastri, D., Zubir, N. and Ilyas, S. (2020). *In silico* anticancer activity and in vitro antioxidant of flavonoids in *Plectranthus amboinicus*. *Pharmacogn. J.*, 12, 1573-1577.
- Matias D., M. Nicoli, L. Saraiva, R. Pinheiro, C. Faustino, A.D. Lanza, C.P. Reiz, T. Stankovic, J. Dinic, M. Pesic and P. Rijo, (2019). Cytotoxic activity of royleanone diterpenes from *Plectranthus madagascariensis* Benth. *ACS Omega*, 4, 8094-8103.
- McCarthy, W. J., Meza, R., Jeon, J. and Moolgavkar, S. H. (2012). Lung cancer in never smokers: Epidemiology and risk prediction models. *Risk Anal.*, 32 (Suppl 1), S69–84.
- McPhearson, R. A. and Pincus, M. R. (2016). *Henry's Clinical Diagnosis and Management by Laboratory Methods*, 23rd edition, St. Louis, Missouri : Elsevier Publishers.
- Meng, X. Y., Zhang, H. X., Mezei, M. and Cui, M. (2011). Molecular docking: a powerful approach for structure-based drug discovery. *Curr. Comput. Aided. Drug Des.*, 7(2), 146–157.
- Mensor, L. L., Menezes, F. S., Leitão, G. G., Reis, A. S., dos Santos, T. C., Coube, C. S. and Leitão, S. G. (2001). Screening of Brazilian plant extracts for antioxidant activity by the use of DPPH free radical method. *Phytother. Res.*, 15(2), 127–130.

- Mishra, S. S., Kumar, N., Singh, H. P., Ranjan, S. and Sharma, C. S. (2018). *In silico* pharmacokinetic, bioactivity and toxicity study of some selected anti-asthmatic agents. *Int. J. Pharm. Sci. Drug Res.*, 10, 278-282.
- Mok, T. (2008). Phase III, randomised, open-label, first-line study of gefitinib (G) vs carboplatin/paclitaxel (C/P) in clinically selected patients (PTS) with advanced non-small-cell lung cancer (NSCLC)(IPASS). *33rd ESMO*.
- Mondal, A., Karan, S. K., Singha, T., Rajalingam, D. and Maity, T. K. (2012), Evaluation of hepatoprotective effect of leaves of *Cassia sophera* Linn. *Evid. Based Complementary Altern. Med.*, 2012, 1-5.
- Mondal, N.C., Singh, V.S., Puranik, S.C., Singh, V.P. (2010). Trace element concentration in groundwater of Pesarlanka Island, Krishna Delta, India. *Environ. Monit. Assess.* 163 (1–4), 215–227.
- Moorthy, B., Chu, C. and Carlin, D. J. (2015). Polycyclic aromatic hydrocarbons: From metabolism to lung cancer. *Toxicol. Sci.*, 145(1), 5–15.
- Motoi., Noriko., Szoke, J., Gregory, J., Riely., Venkatraman, E., Seshan., Mark, G., Kris., Valerie, W., Rusch., William, L., Gerald. and Travis, W. D. (2008). Lung adenocarcinoma: modification of the 2004 WHO mixed subtype to include the major histologic subtype suggests correlations between papillary and micropapillary adenocarcinoma subtypes, EGFR mutations and gene expression analysis. *Am. J. Surg. Pathol.*, 32 (6), 810-827.
- Moustafa, E. S., Swilam, N. F., Ghanem, O. B., Hashim, A. N., Nawwar, M. A., Lindequist, U. and Linscheid, M. W. (2018). A coumarin with an unusual structure from *Cuphea ignea*, its cytotoxicity and antioxidant activities. *Die Pharmazie-An Int. J.Pharm.Sci.* 73(4), 241-243.
- Muegge, I., Heald, S. L. and Brittelli, D. (2001). Simple selection criteria for drug-like chemical matter. *J. Med. Chem.*, 44, 1841.
- Mumtaz, M. Z., Kausar, F., Hassan, M., Javaid, S. and Malik, A. (2021). Anticancer activities of phenolic compounds from *Moringa oleifera* leaves: in

- vitro and *in silico* mechanistic study. Beni. Suef. Univ. J. Basic Appl. Sci., 10, 12.
- Murthy S. P.K. and Ramalashkmi, P.S. (2009). Fungitoxic activity of Indian borage (*Plectranthus amboinicus*) volatiles. Food Chem., 114, 1014-1018.
- Myint, A.A. Aregay, M. G. Kang, M. Kim, B.S. Lee, Y. and Kim, J. (2020). Comprehensive study on the formation mechanism of highly bioactive compounds from *Allium hookeri* root using subcritical water and their antioxidant and anticancer effects. J. Supercrit. Fluids., 157, 104709.
- Naraki, K., Rezaee, R., Mashayekhi-Sardoo, H., Hayes, A. W. and Karimi, G. (2021). Mangiferin offers protection against deleterious effects of pharmaceuticals, heavy metals, and environmental chemicals. Phytother Res., 35(2), 810-822.
- Natelson, S., Scott, M. L. and Beffa, C. (1951). A rapid method for the estimation of urea in biologic fluids. Am. J. Clin. Pathol., 21(3), 275–281.
- Ng, M., Freeman, M. K., Fleming, T. D., Robinson, M., Dwyer-Lindgren, L., Thomson, B., Wollum, A., Sanman, E., Wulf, S., Lopez, A. D., Murray, C. J. and Gakidou, E. (2014). Smoking prevalence and cigarette consumption in 187 countries from 1980-2012. J. Am. Med. Assoc., 311(2), 183–192.
- Nithya, G., Mani, R. and Sakthisekaran, D. (2014). Oral administration of thymoquinone attenuates benzo(a)pyrene induced lung carcinogenesis in male Swiss albino mice. Int. J. Pharm. Pharm. Sci., 6(7), 160-163.
- Niyonizigiye, I., Nkurunziza, D., Ngabire, D., Getachew, A. T., Chun, B. S. and Kim, G.D. (2020). Characterization and *in vitro* cytotoxicity of phytochemicals from *Aspilia africana* obtained using green extraction techniques. S. Afr. J. Bot., 128, 231–238.
- Njoya, E.M., Munvera, A.M., Mkounga, P., Nkengfack, A.E. and McGaw, L.J. (2017). Phytochemical analysis with free radical scavenging, nitric oxide

- inhibition and antiproliferative activity of *Sarcocephalus pobeguinii* extracts. *BMC Complement Altern. Med.*, 17, 199.
- Noriko, M., Szoke, J., Riely, G.J., Seshan, V. E., Kris, M. G., Rusch, V. W., Gerald, W. L. and Travis W.D. (2008). Lung adenocarcinoma: modification of the 2004 WHO mixed subtype to include the major histologic subtype suggests correlations between papillary and micropapillary adenocarcinoma subtypes, EGFR mutations and gene expression analysis. *Am. J. Surg. Pathol.*, 32(6), 810-827.
- Normén, A., Brants, H., Voorrips, L., Andersson, H., van den Brandt, P. and Goldbohm, R. (2001). Plant sterol intakes and colorectal cancer risk in the Netherlands cohort study on diet and cancer. *Am. J. Clin. Nutr.*, 74(1), 141–148.
- Ntie-Kang, F., Lifongo, L. L., Mbah, J. A., Owono, L. C. O., Megnassan, E., Mbaze, L. M., Judson, P. N., Sippl, W. and Efange, S. M. N. (2013). *In silico* drug metabolism and pharmacokinetic profiles of natural products from medicinal plants in the Congo basin. *In Silico Pharmacol.*, 1, 12.
- Oh, R. C. and Hustead, T. R. (2011). Causes and evaluation of mildly elevated liver transaminase levels. *Am Fam Physician*, 84(9), 1003-1008.
- O'Hare, M. J., Bond, J. and Jat, P. S. (2001). Conditional immortalization of freshly isolated human mammary fibroblasts and endothelial cells. *Proc. Natl. Acad. Sci.*, 98, 646–651.
- Ohkawa, H., Ohishi, N. and Yagi, K. (1979). Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal. Biochem.*, 95, 351-358.
- Oltra-Noguera, D., Mangas-Sanjuan, V., Centelles-Sangüesa, A., Gonzalez-Garcia, I., Sanchez-Castaño, G., Gonzalez-Alvarez, M., Casabo, V-G. V., Merino, I., Gonzalez-Alvarez, I. and Bermejo, M. (2015). Variability of permeability estimation from different protocols of subculture and transport experiments in cell monolayers. *J. Pharmacol. Toxicol. Methods*, 71, 21–32.

- Orabi, K.Y., Abaza, M.S., El Sayed, K.A., Elnagar, A.Y., Al-Attayah, R. and Guleri, R.P. (2013). Selective growth inhibition of human malignant melanoma cells by syringic acid-derived proteasome inhibitors. *Cancer Cell Int.*, 13(1),82.
- Oren, M. and Rotter, V. (1999). Introduction: p53—the first twenty years. *Cell. Mol. Life Sci.*, 55(1), 9-11.
- Owen, J. A., Iggo, B., Scandrett, F. J. and Stewart, C. P. (1954). The determination of creatinine in plasma or serum, and in urine; a critical examination. *Biochem. J.*, 58(3), 426-437.
- Pacheco-Palencia, L.A., Mertens-Talcott, S. and Talcott, S.T. (2008). Chemical composition, antioxidant properties, and thermal stability of a phytochemical enriched oil from Acai (*Euterpeoleracea* Mart.). *J.Agric.Food Chem.*, 56(12), 4631-4636.
- Padma, V. V. (2015). An overview of targeted cancer therapy. *BioMedicine*, 5(4), 1-6.
- Palani, S., Raja, S., Naresh, R., and Senthil Kumar B. (2010).Evaluation of nephroprotective, diuretic, and antioxidant activities of *Plectranthus amboinicus* on acetaminophen-induced nephrotoxic rats.*Toxicol. Mech. Methods*, 20(4), 213-221.
- Panda, S. K., Padhi, L. P. and Mohanty, G. (2011).Antibacterial activities and phytochemical analysis of *Cassia fistula* (Linn.) leaf. *J. Adv. Pharm. Technol. Res.*, 2(1), 62-67.
- Paramasivam D., Balasubramanian, B., Park, S., Alagappan, P., Kaul, T., Liu, W. and Pachiappan, P. (2020). Phytochemical profiling and biological activity of *Plectranthus amboinicus* (Lour.) mediated by various solvents against *Aedes aegypti* larva and toxicity evaluation. *Asian Pac. J. Trop. Med.*, 13(11), 494-502.
- Parasuraman, S., Raveendran, R., and Kesavan, R. (2010). Blood sample collection in small laboratory animals. *J. Pharmacol. Pharmacother.*, 1(2), 87–93.

- Parr, L., Szentpaly V. S. and Liu, (1999). Electrophilicity index, J. Am. Chem. Soc. 121, 1922–1924.
- Patel, R., Mahobia, K. N., Gendle, R., Kaushik, B., Singh, K. S. (2010). Diuretic activity of leaves of *Plectranthus amboinicus*(Lour) Spreng in male albino rats. Pharmacogn. Res., 2(2), 86-88.
- Patick, A. and Potts, K. (1998). Protease inhibitors as antiviral agents. Clin Microbiol. Rev., 11, 614–627.
- Patil, M. P., Jin, X., Simeon, N. C., Palma, J., Kim, D., Ngabire, D., Kim, N. H., Tarte, N. H. and Kim, G. D. (2018). Anticancer activity of *Sasa borealis* leaf extract-mediated gold nanoparticles. Artif. Cells Nanomed. Biotechnol., 46(1), 82–88.
- Patra, S., Panda, P. K., Naik, P. P., Panigrahi, D. P., Praharaj, P. P., Bhol, C. S., Mahapatra, K. K., Padhi, P., Jena, M., Patil, S., Patra, S. K. and Bhutia, S. K. (2020). *Terminalia bellirica* extract induces anticancer activity through modulation of apoptosis and autophagy in oral squamous cell carcinoma. Food Chem. Toxicol., 136, 111073.
- Pavithra, K. and Vadivukkarasi, S. (2015). Evaluation of free radical scavenging activity of various extracts of leaves from *Kedrostis foetidissima* (Jacq.) Cogn. Food Sci. Hum. Wellness, 4(1), 42-46.
- Peng, W., Wu, J. G., Jiang, Y. B., Liu, Y. J., Sun, T., Wu, N. and Wu, C. J. (2015). Antitumor activity of 4-O-(2"-O-acetyl-6"-O-p-coumaroyl- β -D-glucopyranosyl)-p-coumaric acid against lung cancers via mitochondrial-mediated apoptosis. Chem. Biol. Interact., 233, 8–13.
- Periyannayagam, K., Nirmaladevi, L., Suseela, A., Uma, M. and Ismail. (2008). In vivo antimalarial activity of leaves of *Plectranthus amboinicus* (Lour) Spreng on *Plasmodium bergheiyoelii*. J. Commun. Dis., 40(2), 121-5.

- Persijn, J. P. and van der Slik, W. (1978). More on serum enzymes in cancer patients. *Clin. Chem.*, 24(4), 727–728.
- Pezzuto, J. M. (2008). Grapes and human health: a perspective. *Agric. Food Chem*, 56(16), 6777-6784.
- Pfeiffer, S., Ricardo, S., Manneville, J. B., Alexandre, C. and Vincent, J. P. (2012). Producing cells retain and recycle wingless in *Drosophila* embryos. *Curr. Biol.* 12(11), 957-962.
- Pham-The, H., González-Álvarez, I., Bermejo, M., Garrigues, T., Le-Thi-Thu, H. and Cabrera-Pérez, M. A. (2013). The use of rule-based and QSPR approaches in ADME profiling: A case study on Caco-2 permeability. *Mol. Inf.*, 32, 459–479.
- Phosrithong, N. and Ungwitayatorn, J. (2010). Molecular docking study on anticancer activity of plant-derived natural products. *Med.Chem. Res.*, 19(8), 817-835.
- Pires, D. E. V., Blundell, T. L. and Ascher, D. B. (2015). pkCSM: predicting small-molecule pharmacokinetic properties using graph-based signatures. *J. Med. Chem.*, 58, 4066–4072.
- Pradeep, K., Mohan, C.V.R., Gobianand, K. and Karthikeyan, S. (2010), Protective effect of *Cassia fistula* Linn. on diethylnitrosamine induced hepatocellular damage and oxidative stress in ethanol pretreated rats, *Biol Res*, 43, 113-125.
- Pricopie, A. I., Ionut, I., Marc, G., Arseniu, A. M., Vlase, L., Grozav, A., Găină, L. I., Vodnar, D. C., Pîrnău, A., Tiperciuc, B. and Oniga, O. (2019). Design and synthesis of novel 1,3-Thiazole and 2-Hydrazinyl-1,3-Thiazole derivatives as anti-candida agents: In vitro antifungal screening, molecular docking study, and spectroscopic investigation of their binding interaction with Bovine Serum Albumin. *Molecules* 24:3435.

- Rabeta, M.S. and An Nabil, Z. (2013). Total phenolic compounds and scavenging activity in *Clitoria ternatea* and *Vitex negundo* Linn. Int. Food Res. J.,20, 495-500.
- Rai, V., Pai, V.R. and Kedilaya, P.A (2016). preliminary evaluation of anticancer and antioxidant potential of two traditional medicinal plants from Lamiaceae - *Pogostemon heyneanus* and *Plectranthus amboinicus*. J. Appl. Pharma. Sci., 6, 073-078.
- Rajendran, P., Rengarajan, T., Nishigaki, I., Ekambaram, G. and Sakthisekaran, D. (2014). Potent chemopreventive effect of mangleferin on lung carcinogenesis in experimental Swiss albino mice. J. Cancer Res. Ther., 10, 1033-1039.
- Ramalingam, S., Karuppiyah, M. and Thiruppathi, M. (2020). Antihyperglycaemic potential of rosmarinic acid attenuates glycoprotein moiety in high fat diet and streptozotocin- induced diabetic rats. All Life, 1(13), 120-130.
- Ramteke, P., Yadav, S. and Umesh, C. (2019). Hesperetin, a Citrus bioflavonoid, prevents IL-1 β -induced inflammation and cell proliferation in lung epithelial A549 cells. Indian J. Exp. Biol., 57, 7–14.
- Ramya, S., Paulpandi, M., Kavitha, K., Saranya, T., Winstar, H., Balachander, V. and Narayanasamy, A. (2021). Fabatin-loaded silica nanoparticle-induced apoptosis via mitochondrial dysfunction: targeting the PI3K/AKT molecular pathway as a therapeutic implication against triple negative breast cancer. New J. Chem., 45(38), 17847-17861.
- Rashmi, R., Kumar, S.T.R. and Karunagaran, D. (2003). Human colon cancer cells differ in their sensitivity to curcumin-induced apoptosis and heat shock protects them by inhibiting the release of apoptosis-inducing caspases, FEBS Lett., 538, 19-24.
- Rath, G. K. and Gandhi, A. K. (2014). National cancer control and registration program in India. Indian J. Med. Paediatr. Oncol., 35(4), 288.

- Rathinavel, T., Ammashi, S. and Shanmugam, G. (2017). Molecular docking study for the identification and validation of anti-inflammatory phytochemicals from *Crateva adansonii* DC leaf extracts. *Int. J. Adv. Interdiscip. Res.*, 4(1), 6-14.
- Rathinavel, T., Ammashi, S. and Shanmugam, G. (2021). Analgesic and anti-inflammatory potential of Lupeol isolated from Indian traditional medicinal plant *Crateva adansonii* screened through *in vivo* and *in silico* approaches. *J. Genet. Eng. Biotechnol.*, 19(1), 1-14.
- Reitman, S. and Frankel, S. (1957). A colorimetric method for the determination of serum glutamic oxaloacetic and glutamic pyruvic transaminases. *Am. J. Clin. Pathol.*, 28(1), 56–63.
- Rice-Evans, C.A., Miller, N.J. and Paganga, G. (1996). Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free Radic. Biol. Med.*, 20, 933-956.
- Robin, T., Reuveni, S. and Urbakh, M. (2018). Single-molecule theory of enzymatic inhibition. *Nat, Commun.*, 9, 779.
- Rodrigues G. F. F., J.G.M. Costa, F.F.G. Rodrigues, and A.R. Campos, (2013). Study of the interference between *Plectranthus* species essential oils from Brazil and aminoglycosides. *Evid Based Complement Alternat Med.*, 2013, 1-7.
- Rosa, L.S, Silva, N.J.A., Soares, N.C.P, Monteiro, M.C. and Teodoro, A.J. (2016). Anticancer properties of phenolic acids in colon cancer – A Review. *J. Nutr. Food Sci.*, 6 (2), 468.
- Roshan, P., Naveen, M., Sudarshan, S., Ravindra, G., Basant, K. and Vidyanand, P. (2010). Antinociceptive and antipyretic effects of *Plectranthus amboinicus* (Lour) Spreng leaves. *Deccan J. Natural Products*, 1(2), 9-15.
- Ruch, R. J., Cheng, S. J. and Klaunig, J. E. (1989). Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea. *Carcinogenesis*, 10(6), 1003–1008.

- Sabrina, M. N. E., Razali, M., Mirfat, A. H. S. and Mohd Shukri, M. A. (2014). Antimicrobial activity and bioactive evaluation of *Plectranthus amboinicus* essential oil. *Am. J. Res. Commun.*, 2(12), 121-127.
- Safarzadeh, E., Shotorbani, S. S. and Baradaran, B. (2014). Herbal medicine as inducers of apoptosis in cancer treatment. *Adv. Pharm. Bull.*, 4(Suppl 1), 421-427.
- Saha, S. and Verma, R.J. (2016). Antioxidant activity of polyphenolic extract of *Terminalia chebula Retzius* fruits. *J. Taibah Univ. Sci.*, 10, 805-812.
- Sallie, R., Tredger, J. M. and Williams, R. (1991). Drugs and the liver part 1: Testing liver function. *Biopharm. Drug Dispos.*, 12(4), 251-259.
- Salmona, M., Donnini, M. and Luisetti, M. (1992). A novel pharmacological approach for paraquat poisoning in rat and A549 cell line using ambroxol, a lung surfactant synthesis inducer. *Food Chem. Toxicol.*, 30, 789–794.
- Sanderson, J. H. and Phillips, C. E. (1981). An atlas of laboratory animal haematology. Clarendon Press, Oxford, England.
- Sangameswaran, B., Balakrishnan, B.R., Deshraj, C. and Jayakar, B. (2009). *In vitro* antioxidant activity of roots of *Thespesia lampas* Dalz and Gibs. *Pak. J. Pharma. Sci.*, 2009, 22, 368-372.
- Sarkar, B., Khodre, S., Patel, P. and Mandaniya, M. (2014). HPLC analysis and antioxidant potential of plant extract of *Cassia alata*. *Asian J. Pharm. Sci.*, 4, 4-7.
- Sarker, K.P., Obara, S., Nakata, M., Kitajima, I. and Maruyama, I. (2000). Anandamide induces apoptosis of PC-2 cells: Involvement of superoxide and caspases-3, *FEBS Lett.*, 472, 39-44.
- Saroja, M. and Annapoorani, S. (2011). Antitumor activity of methanolic extract of *Terminalia catappa* leaves against Ehrlich ascites induced carcinoma in mice. *Int. Res. J. Pharm.*, 2, 253–254.

- Sasidharan, S., Chen, Y., Saravanan, D., Sundram, K. M. and Latha, L. Y. (2011). Extraction, isolation and characterization of bioactive compounds from plants' extracts. *Afr. J. Tradit. Complement. Altern. Med.*, 8(1), 1-10.
- Sauer, A. V., Brigida, I., Carriglio, N. and Aiuti, A. (2012) Autoimmune dysregulation and purine metabolism in adenosine deaminase deficiency, *Front. Immunol.*, 3, 265.
- Selvakumar, P., Edhaya Naveena, B. D. and Prakash, S. (2012). Studies on the antidandruff activity on the essential oil of *Coleus amboinicus* and *Eucalyptus globulus*. *Asian Pac. J. Trop. Biomed.*, 2, 715-719
- Selvam, T.N., Venkatakrishnan, V., Damodar, K.S. and Elumalai, P. (2012). Antioxidant and tumor cell suppression potential of *Premnas erratifolia* Linn leaf. *Toxicol. Int.*, 19, 31.
- Shanmugasundaram, R., Devi, V. K., Soris, P. T., Maruthupandian, A. and Mohan, V. R. (2011), Antidiabetic, antihyperlipidaemic and antioxidant activity of *Senna auriculata* (L.) Roxb. leaves in alloxan induced diabetic rats, *International Int. J. Pharmtech Res.*, 3(2), 747-756.
- Shaw, A.T., Kim, D.W., Nakagawa, K., Seto, T., Crinó, L., Ahn, M.J., De Pas, T., Besse, B., Solomon, B.J., Blackhall, F. and Wu, Y.L. (2013). Crizotinib versus chemotherapy in advanced ALK-positive lung cancer. *N. Engl. J. Med.*, 368(25), 2385-2394.pad
- Shenoy, S., Kumar, H., Thashma., Nayak, V., Prabhu, K., Pai, P., Warriar, I., Somayaji., Madhav, V., Bairy, K. L. and Kishore, A. (2012). Hepatoprotective activity of *Plectranthus amboinicus* against paracetamol induced hepatotoxicity in rats. *Int. J. Pharmacol. Clin. Sci.*, 1(2), 32-38.
- Shi, C., Zhang, X., Sun, Y., Yang, M., Song, K., Zheng, Z., Chen, Y., Liu, X., Jia, Z., Dong, R. and Cui, L. (2016). Antimicrobial activity of ferulic acid against *Cronobacter sakazakii* and possible mechanism of action. *Foodborne Pathog. Dis.* 13(4), 196-204.

- Shirwaikar, A., Shirwaikar, A., Rajendran, K. and Punitha, I. S. (2006). *In vitro* antioxidant studies on the benzyl tetra isoquinoline alkaloid berberine. *Biol. Pharm. Bull.*, 29(9), 1906–1910.
- Shoja, M. H., Reddy, N. D., Nayak, P. G., Biswas, S., Srinivasan, K. K., and Rao, C. M. (2016). *In vitro* mechanistic and *in vivo* anti-tumor studies of *Glycosmis pentaphylla* (Retz.) DC against breast cancer. *J. Ethnopharmacol.*, 186, 159–168.
- Shunying, Z., Yang, Y., Huaidong, Y. and Guolin, Z. (2005). Chemical composition and antimicrobial activity of the essential oils of *Chrysanthemum indicum*. *J Ethnopharmacol.*, 96,151-158
- Siddhuraju, P., Mohan, P.S. and Becker, K. (2002). Studies on the antioxidant activity of Indian Laburnum (*Cassia fistula L.*): A preliminary assessment of crude extracts from stem bark, leaves, flowers and fruit pulp. *Food Chem.*,79, 61-67.
- Siena, S., Piccart, M. J., Holmes, F. A., Glapsy, J., Hackett, J. and Renwick, J. J. (2003). A combined analysis of two pivotal randomized trials of a single dose of pegfilgrastim per chemotherapy cycle and daily Filgrastim in patients with stage II-IV breast cancer. *Oncol. Rep.*, 10(3), 715-724.
- Sikdar, S., Mukherjee, A. and Khuda-Bukhsh, A. R. (2014). Ethanolic extract of *Marsdenia condurango* ameliorates benzo[a]pyrene-induced lung cancer of rats: *J. Pharmacopuncture.*, 17(2), 7-17.
- Silitonga, M., Ilyas, S., Hutahaean, S. and Sipahutar H. (2015). Levels of apigenin and immunostimulatory activity of leaf extracts of Bangunbangun (*Plectranthus amboinicus* Lour). *Int. J. Biol. Sci.*, 7(1), 46.
- Singh, R., Upadhyay, A. K., Chandra, P. and Singh, D. P. (2018). Sodium chloride incites reactive oxygen species in green algae *Chlorococcum humicola* and *Chlorella vulgaris*: implication on lipid synthesis, mineral nutrients and antioxidant system. *Bioresour. Technol.*, 270, 489-497.

- Sirappuselvi, S. and Chitra, M. (2012). *In vitro* antioxidant activity of *Cassia tora* Lin. Int. Res. J. Biol. Sci.,1, 57-61.
- Sirdaarta, J., Matthews, B., White, A. and Cock, I. E. (2015). GC-MS and LC-MS analysis of Kakadu plum fruit extracts displaying inhibitory activity against microbial triggers of multiple sclerosis. Pharmacog. Comm., 5, 100-115.
- Sivaranjani, D., Saranraj, P., Manigandan, M. and Amala, K. (2019). Antimicrobial activity of *Plectranthus amboinicus* solvent extracts against human pathogenic bacteria and fungi. J. Drug Deliv. Ther., 9(3), 36-39.
- Soare, J.R., Dinis, T.C., Cunha, A.P. and Almeida, L. (1997). Antioxidant activities of some extracts of *Thymus zygis*. Free Radic. Res., 26, 469-478.
- Soda, M., Choi, Y.L., Enomoto, M., Takada, S., Yamashita, Y., Ishikawa, S., Fujiwara, S.I., Watanabe, H., Kurashina, K., Hatanaka, H. and Bando, M. (2007). Identification of the transforming EML4–ALK fusion gene in non-small-cell lung cancer. Nature, 448(7153), 561-566.
- Sofi, M.S., Nabi, S., Mohammed, C. and Sofi, S. (2018). The role of phytochemicals in cancer treatment: A current review, J. Med. Plant. Stud, 6, 83-93.
- Sofowora A. (1993). Recent trends in research into African medicinal plants. J. Ethnopharmacol., 38(2-3), 209–214.
- Sokol, C. L., Barton, G. M., Farr, A. G. and Medzhitov, R. (2008). A mechanism for the initiation of allergen-induced T helper type 2 responses. Nat. Immunol, 9, 310-318.
- Sonoki, H., Tanimae, A., Endo, S., Matsunaga, T., Furuta, T., Ichihara, K. and Ikari, A. (2017). Kaempferol and Luteolin decrease Claudin-2 expression mediated by inhibition of STAT3 in lung adenocarcinoma A549 Cells. Nutrients, 9(6), 597.

- Sreelatha, S., Jeyachitra, A. and Padma, P. R. (2011). Antiproliferation and induction of apoptosis by *Moringa oleifera* leaf extract on human cancer cells. *Food Chem. Toxicol.*, 49(6), 1270–1275.
- Srinivasulu, C., Ramgopal, M., Ramanjaneyulu, G., Anuradha, C. M. and Kumar, C. S. (2018). Syringic acid (SA) – a review of its occurrence, biosynthesis, pharmacological and industrial importance. *Biomed. Pharmacother.*, 108, 547-557.
- Srivastava, A., Srivastava, N., Tiwari, S., Srivastava, S. and Dutt, B. (2018). Comparative phytochemical profiling in *Swertia* species collected from different geographical region of India using High Performance Liquid Chromatography coupled with Photodiode Array Detector and Mass Spectrometry (HPLC-PDA-MS) followed by antioxidant potential. *J PhytochemistryBiochem*, 2(105), p.2.
- Stalikas C. D. (2007). Extraction, separation, and detection methods for phenolic acids and flavonoids. *J. Sep. Sci.*, 30(18), 3268–3295.
- Standfield, L., Weston, A.R., Barraclough, H., Van Kooten, M. and Pavlakis, N. (2011). Histology as a treatment effect modifier in advanced non-small cell lung cancer: A systematic review of the evidence. *Respirology*, 16(8), 1210-1220.
- Stanikunaite, R., Khan, S.I., Trappe, J.M. and Ross, S.A. (2009). Cyclooxygenase-2 inhibitory and antioxidant compounds from the truffle *Elaphomyces granulatus*. *Phytother. Res.*, 23(4), 575-578.
- Stanko, K.A., Hugenberg, K., Young, S., Rydell, R.J., Almaraz, S., See, P.E. and Wilson, J.P., 2016. The face of humanity: Configural face processing influences ascriptions of humanness. *Soc. Psychol. Personal. Sci.*, 7(2): 167-175.
- Stark, G. R. and Taylor, W. R. (2004). Analyzing the G₂/M checkpoint. *Methods Mol. Biol*, 280, 51-82.

- Steinert, J.R., Chernova, T. and Forsythe, I.D. (2010). Nitric oxide signaling in brain function, dysfunction, and dementia. *The Neuroscientist*, 16, 435-452.
- Stella, G.M., Luisetti, M., Pozzi, E. and Comoglio, P.M. (2013). Oncogenes in non-small-cell lung cancer: emerging connections and novel therapeutic dynamics. *Lancet Respir.Med.*, 1(3), 251-261.
- Stopeck, A. T. and Thompson, P. A. (2012). Breast cancer treatment and management. http://emedicine.medscape.com/article/1947145-treatment_
- Sujatha, V. (2013). Determination of four Cassia species for their antioxidant and antimicrobial properties. *Ind. J. Appl. Res.*,3, 32-35.
- Sulaiman, C.T., Deepak, M. and Balachandran, I. (2018). Spectrophotometric and tandem mass spectroscopic analysis of Indian borage (*Plectranthus amboinicus* (Lour.) Spreng.) for its polyphenolics characterization. *Beni-Seuf Univ. J. Basic Appl. Sci.*, 7(4), 471-473.
- Sundarraaj, S., Thangam, R. and Sreevani, V. (2012). γ -Sitosterol from *Acacia nilotica* L. induces G2/M cell cycle arrest and apoptosis through c-Myc suppression in MCF-7 and A549 cells. *J Ethnopharmacol.*, 141, 803-809.
- Sunil, D., Isloor, A. M., Shetty, P., Nayak, P. G. and Pai, K. S. R. (2013). In vivo anticancer and histopathology studies of Schiff bases on Ehrlich ascites carcinoma cells: 1st cancer update. *Arab. J. Chem.*, 6(1), 25-33.
- Suresh, S., Muthukrishnan, L., Vennila, S., Paiman, S., Faruq, M., Al-Lohedan, H. A., Akbarzadeh, O. and Oh, W. C. (2020). Mechanistic anticarcinogenic efficacy of phytofabricated gold nanoparticles on human lung adenocarcinoma cells. *J. Exp. Nanosci.*, 15(1),160-173.
- Suttiarporn, P., Chumpolsri, W., Mahatheeranont, S., Luangkamin, S., Teepsawang, S. and Leardkamolkarn, V. (2015). Structures of phytosterols and triterpenoids with potential anticancer activity in bran of black non-glutinous rice. *Nutrients*, 7(3), 1672–1687.

- Swamy, M. and Sinniah, U. (2015). A comprehensive review on the phytochemical constituents and pharmacological activities of *Pogostemon cablin* Benth.: An aromatic medicinal plant of industrial importance. *Molecules* (Basel, Switzerland), 20(5), 8521–8547.
- Swamy, M. K., Arumugam, G., Kaur, R., Ghasemzadeh, A., Yusoff, M. M. and Sinniah, U. R. (2017). GC-MS based metabolite profiling, antioxidant and antimicrobial properties of different solvent extracts of Malaysian *Plectranthus amboinicus* leaves. *Evid. Based Complement Alternat. Med.*, 2017, 1-10.
- Tajkarimi, M. M., Ibrahim, S. A. and Cliver, D. O. (2010). Antimicrobial herb and spice compounds in food. *Food Control*, 21, 1199-1218.
- Tao, Y., Zhan, S., Wang, Y., Zhou, G., Liang, H., Chen, X. and Shen, H. (2018). Baicalin, the major component of traditional Chinese medicine *Scutellaria baicalensis* induces colon cancer cell apoptosis through inhibition of oncomiRNAs. *Sci. Rep.*, 8(1), 14477.
- Thang, P. T., Teik, L. S. and Yung, C. S. (2001). Antioxidant effects of the extracts from the leaves of *Chromolaena odorata* on human dermal fibroblasts and epidermal keratinocytes against hydrogen peroxide and hypoxanthine–xanthine oxidase induced damage. *Burns*, 27, 319–327.
- Thaniarasu, R., Kumar, S.T., Abubacker, M. N. and Rao. M. V. (2015). Preliminary phytochemical screening and evaluation of antibacterial activity of different solvent extracts of *Plectranthus bourneae* Gamble (Lamiaceae). *Asian J. Pharm. Clin. Res.*, 8(1), 79-82.
- Thirumalaisamy, R., Ammashi, S. and Muthusamy, G. (2018). Screening of anti-inflammatory phytochemicals from *Crateva adansonii* leaf extracts and its validation by *in silico* modeling. *J. Genet. Eng. Biotechnol.*, 16(2), 711–719.
- Thomas, L. H., Friedland, J. S., Sharland, M. and Becker, S. (1998). Respiratory syncytial virus-induced RANTES production from human bronchial epithelial cells is dependent on Nuclear Factor- κ B nuclear binding and is inhibited by adenovirus-mediated expression of inhibitor of κ B α . *J. Immunol.*, 161(2), 1007–16.

- Thummar, V. R., Parasuraman, S., Basu, D. and Raveendran, R. (2015). Evaluation of *in vivo* antitumor activity of Cleistanthin B in Swiss albino mice. *J. Tradit. Complement. Med.*,6(4), 383–388.
- Thun, M. J., DeLancey, J. O., Center, M. M., Jemal, A. and Ward, E. M. (2010). The global burden of cancer: Priorities for prevention. *Carcinogenesis*, 31(1), 100–110.
- Timofeeva, N. and Gandhi, V. (2021). Metabolism meets apoptosis in AML. *Leuk. Lymphoma*, 62(3), 514–516.
- Tiwari D. P., Nagar, H., Dwivedi, G., Tripathi, R. K. and Jena, J. (2012). Evaluation of antianxiety activity of *Plectranthus amboinicus* (lour.) on rats. *Asian J. Pharm. Clin. Res.*, 5(4), 110-113.
- Tiwari, A. K. (2001). Imbalance in antioxidant defence and human diseases: Multiple approach of natural antioxidants therapy. *Curr. Sci.*, 81, 1179-1187.
- Torre, L. A., Siegel, R. L. and Jemal, A. (2015). Lung Cancer Statistics. *Adv. Exp. Med. Biol.*, 893, 1–19.
- Trautwein, E. A. and Demonty, I. (2007). Phytosterols: Natural compounds with established and emerging health benefits. *Oléagineux Corps Gras Lipides*, 14(5), 259–266.
- Tripathi, S. K., Rengasamy, K. R. and Biswal, B. K. (2020). *Plumbagin* engenders apoptosis in lung cancer cells via caspase-9 activation and targeting mitochondrial-mediated ROS induction. *Arch. Pharm. Res.*, 43(2), 242-256.
- Trott, O. and Olson, A. J. (2010). AutoDock Vina: improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *J. Comput. Chem.*, 31(2), 455–461.
- Umamaheswari, M., Bhattacharyya, A., Karan, S. and Chatterjee, T.K. (2015) Antioxidant properties of some phytochemicals of selected medicinal plants, *Int. J. Curr. Res. Chem. Pharma. Sci.*, 2, 18-34.

- Upadhye, K. R. and Jain, V. N. (2021). Simultaneous HPTLC method for determination of gallic acid, vanillic acid and syringic acid in agro-industrial waste of date fruits. *Int. J. Pharm. Sci. Res.*, 12(5), 2818-2822
- Usha, K., Kasturi, G.M. and Hemalatha, P. (2007), Hepatoprotective effect of *Hygrophila spinosa* and *Cassia occidentalis* on carbon tetrachloride induced liver damage in experimental rats, *Indian J. Clin. Biochem.*, 22(2),132-135.
- Valastyan, S. and Weinberg, R. A. (2011). Tumor metastasis: Molecular insights and evolving paradigms. *Cell*, 147, 275-292.
- Van de Waterbeemd, H. and Gifford, E. (2003). ADMET *in silico* modelling: towards prediction paradise. *Nat. Rev. Drug Discov.*, 2, 192-204.
- Vandenberg, J. I., Walker, B. D. and Campbell, T. J. (2001). HERG K⁺ channels: Friend or foe. *Trends Pharmacol. Sci.*, 22, 240-246.
- Vansteenkiste, J. (2007).Improving patient management in metastatic non-small cell lung cancer.*Lung Cancer*. 257 (Suppl 2), S12–S17
- Vaz, J. A., Heleno, S. A., Martins, A., Almeida, G. M., Vasconcelos, M. H. and Ferreira, I. C. (2010). Wild mushrooms *Clitocybe alexandri* and *Lepista inversa*: *in vitro* antioxidant activity and growth inhibition of human tumour cell lines. *Food Chem. Toxicol.*, 48(10), 2881-2884.
- Veber, D. F., Johnson, S. R., Cheng, H. Y., Smith, B. R., Ward, K. W., and Kopple, K. D. (2002). Molecular properties that influence the oral bioavailability of drug candidates. *J Med. Chem.*, 45(12), 2615–2623.
- Velli, S. K., Sundaram, J., Murugan, M., Balaraman, G. and Thiruvengadam, D. (2019). Protective effects of vanillic acid against benzo(a)pyrene induced lung cancer in Swiss albino mice. *J. Biochem. Mol. Toxicol.*, 33(10), 1-6.
- Venkateshappa, S. M. and Sreenath, K. P. (2013). Potential medicinal plants of Lamiaceae. *American International Journal of Research in Formal, Applied and Natural Sciences*, 3(1), 82-87.

- Vermani, K. and Garg, S. (2002). Herbal medicines for sexually transmitted diseases and AIDS. *J. Ethnopharmacol.*, 80(1), 49-66.
- Vijayakumar, S., Ahmed, S. M., Badami, S., Anil, T. M. and David B. (2008). Antibacterial activity of aqueous extract of *Coleus amboinicus*. *Pharmacology online*, 3, 224-226.
- Vishwakarma, R. K., Patel, K. A., Sonawane, P. and Singh, S. (2012). Molecular characterization of farnesyl pyrophosphate synthase from *Bacopa monniera* by comparative modeling and docking studies. *Bioinformation*, 8(22), 1075.
- Viswanathaswamy, A. H. M., Koti, B. C., Gore, Thippeswamy, A. H. M. and Kulkarni, R. V. (2011). Antihyperglycemic and antihyperlipidemic activity of *Plectranthus amboinicus* on normal and alloxan-induced diabetic rats. *Indian J. Pharm. Sci.*, 73(2), 138-145.
- Wang, G., Liu, W., Gong, Z., Huang, Y., Li, Y. and Peng, Z. (2020). Synthesis, biological evaluation, and molecular modelling of new naphthalene-chalcone derivatives as potential anticancer agents on MCF-7 breast cancer cells by targeting tubulin colchicine binding site. *J. Enzyme. Inhib. Med. Chem.*, 35(1), 139–144.
- Wang, J. and Huang, S. (2018). Fisetin inhibits the growth and migration in the A549 human lung cancer cell line via the ERK1/2 pathway. *Exp. Ther. Med.*, 15(3), 2667–2673.
- Wang, S. and El-Deiry, W. S. (2004). Apoptosis signaling in normal and cancer cells. In: Stein G.S., Pardee A.B., editors. *Cell Cycle and Growth Control: Biomolecular Regulation and Cancer*. John Wiley and Sons, Hoboken, NJ. 497–524.
- Wang, S., Li, Y., Wang, J., Chen, L., Zhang, L., Yu, H. and Hou, T. (2012) ADMET Evaluation in Drug Discovery. Development of Binary Classification Models for Prediction of hERG Potassium Channel Blockage. *Mol. Pharmaceutics*, 9, 996–1010.

- Wang, S., Zang, W., Yang, Y., Zhang, Q., Zhao, M., Gao, Z., Li, G., Meng, Q., Liu, Q. and Zheng, X. (2013). Tanshinone IIA and Baicalin inhibiting the formation of benzo[a]pyrene and benzo[a]pyrene induced cytotoxicity: Correlation with scavenging free radical. *Environ. Toxicol. Pharmacol.*, 36(2), 403–410.
- Wang, X., Veeraraghavan, V. P., Mohan, S. K. and Lv, F. (2021). Anticancer and immunomodulatory effect of rhaponticin on Benzo (a) Pyrene-induced lung carcinogenesis and induction of apoptosis in A549 cells. *Saudi. J. Biol. Sci.*, 28(8), 4522–4531.
- Wang, Z., Yang, H., Wu, Z., Wang, T., Li, W., Tang, Y. and Liu, G. (2018). In silico prediction of blood-brain barrier permeability of compounds by machine learning and resampling methods. *Chem. Med. Chem.*, 13, 2189–2201.
- Wani, M., Taylor, H., Wall, M., Coggon, P. and McPhail, A. (1971). The isolation and structure of taxol, a novel antileukemic and antitumor agent from *Taxus brevifolia*. *J. Am. Chem. Soc.*, 93(9), 2325–2327.
- Warrier, P. S. (1994). Indian medicinal plants. Aryavaidya Sala, Kottakkal. Orient Longmann Limited, Hyderabad, 315–517.
- Weikum, E. R., Liu, X. and Ortlund, E. A. (2018). The nuclear receptor superfamily: A structural perspective. *Protein Sci.*, 27, 1876–1892.
- Weininger, D. (1988). SMILES, a chemical language and information system. 1. Introduction to methodology and encoding rules. *J. Chem. Inform. Comput. Sci.*, 28 (1), 31-36.
- Wheeler, D.A. and Wang, L. (2019). From human genome to cancer genome: the first decade, *Genome Res.*, 23, 1054 -1062.
- Widmaier, M., Wiestler, T., Walker, J., Barker, C., Scott, M. L., Sekhavati, F. and Rebelatto, M. C. (2020). Comparison of continuous measures across diagnostic PD-L1 assays in non-small cell lung cancer using automated image analysis. *Mod. Pathol.*, 33(3), 380-390.

- Williams, P. A., Cosme, J., Ward, A., Hangove, H. C., Vinković, M. D. and Jhoti, H. (2003) Crystal structure of human cytochrome P450 2C9 with bound warfarin. *Nature*, 424, 464–468.
- Winterbourn, C. C., Hawkins, R. E., Brian, M. and Carrell, R. W. (1975). The estimation of red cell superoxide dismutase activity. *J. Lab. Clin. Med.*, 85(2), 337–341.
- Wong, R. S. (2011). Apoptosis in cancer: from pathogenesis to treatment. *J. Exp. Clin. Cancer Res.*, 30(1), 1-14.
- Wu, Q., Guo, J., Liu, Y., Zheng, Q., Li, X., Wu, C., Fang, D., Chen, X., Ma, L., Xu, P., Xu, X., Liao, C., Wu, M., Shen, L. and Song, H. (2021). YAP drives fate conversion and chemoresistance of small cell lung cancer. *Sci. Adv.*, 7(40), 1850.
- Xia, R., Sheng, X., Xu, X., Yu, C. and Lu, H. (2018). Hesperidin induces apoptosis and G0/G1 arrest in human non-small cell lung cancer A549 cells. *Int. J. Mol. Med.*, 41(1), 464–472.
- Xie, H., Hanai, J. I., Ren, J. G., Kats, L., Burgess, K., Bhargava, P., Signoretti, S., Billiard, J., Duffy, K. J., Grant, A., Wang, X., Lorkiewicz, P. K., Schatzman, S., Bousamra, M., Higashi, R. M., Fan, T. W., Pandolfi, P. P., Sukhatme, V. P. and Seth, P. (2014). Targeting lactate dehydrogenase-a inhibits tumorigenesis and tumor progression in mouse models of lung cancer and impacts tumor initiating cells. *Cell Metab.*, 19, 795-809.
- Xie, J., Peng, L. J., Yang, M. R., Jiang, W. W., Mao, J. Y., Shi, C. Y., Tian, Y. and Sheng, J. (2021). Alkaloid extract of *Moringa oleifera* Lam. exerts antitumor activity in human non-small-cell lung cancer via modulation of the JAK2/STAT3 signaling pathway. *Evid Based Complementary Altern Med.*, 2021, 1-12.
- Xu, C., Wu, S., Schook, L. B., and Schachtschneider, K. M. (2019). Translating human cancer sequences into personalized porcine cancer models. *Front.Oncol.*, 9, 105.

- Yang, N., Qiu, F., Zhu, F. and Qi, L. (2020). Therapeutic potential of zinc oxide-loaded syringic acid against *in vitro* and *in vivo* model of lung cancer. *Int. J. Nanomedicine*, 15, 8249-8260.
- Yang, Y., Shi, C. Y., Xie, J., Dai, J. H., He, S. L., and Tian, Y. (2020). Identification of potential Dipeptidyl Peptidase (DPP)-IV inhibitors among *Moringa oleifera* phytochemicals by virtual screening, molecular docking analysis, ADME/T-based prediction, and *in vitro* analyses. *Molecules* (Basel, Switzerland), 25(1), 189.
- Yi, J. L., Shi, S., Shen, Y. L., Wang, L., Chen, H. Y., Zhu, J. and Ding, Y. (2015). Myricetin and methyl eugenol combination enhances the anticancer activity, cell cycle arrest and apoptosis induction of cis-platin against HeLa cervical cancer cell lines. *Int. J. Clin. Exp. Pathol.*, 8(2), 1116–1127.
- Yu, S., Ye, X., Chen, L., Xie, X., Zhou, Q., Lian, X. and Zhang, Z. (2015). Cytotoxic and anti-colorectal tumor effects of sulfated saponins from sea cucumber *Holothuria moebii*, *Phytomedicine*, 11, 1-8.
- Zahan, R., Alam, M., Islam, M., Sarkar, G. C., Chowdhury, N. S., Hosain S. B., Mosaddik, A., Jesmin, M. and Haq, E. M. (2011). Anticancer activity of *Alangium salvifolium* flower in Ehrlich ascites carcinoma bearing mice. *Int. J. Cancer Res.*, 7(3), 254-262.
- Zanoaga, O., Braicu, C., Jurj, A., Rusu, A., Buiga, R. and Berindan-Neagoe, I. (2019). Progress in research on the role of flavonoids in lung cancer. *International Journal of Molecular Sciences*, *Int. J. Mol. Sci.*, 20(17), 4291.
- Zeenath, V. M. H. and Santhy, K. S. (2021). Antiproliferative and apoptotic induction of allicin in human lung cancer cell lines. *Ind. J. Pha. Ed. Res.*, 55(2), 566-573.
- Zhang, L., Ma, X. and Dong, Y. (2018). Effect of genistein on apoptosis of lung adenocarcinoma A549 cells and expression of apoptosis factors. *Journal of the Balkan Union of Oncology.*, 23(3), 641–646.

- Zhao, G. F., Huang, Z. A., Du, X. K., Yang, M. L., Huang, D. D. and Zhang, S. (2016). Molecular docking studies of Traditional Chinese Medicinal compounds against known protein targets to treat non-small cell lung carcinomas. *Mol. Med. Rep.*, 14(2), 1132-1138.
- Zhao, Q., Wang, J., Levichkin, I. V., Stasinopoulos, S., Ryan, M. T. And Hoogenraad, N. J. (2002). A mitochondrial specific stress response in mammalian cells. *EMBO J.*, 21(17), 4411–4419.
- Zheng, C., Hu, C., Ma, X., Peng, C., Zhang, H. and Qin, L. (2012). Cytotoxic phenylpropanoid glycosides from *Fagopyrum tataricum* (L.) Gaertn. *Food Chem.*, 132(1), 433–438.
- Zhou, Z., Tang, M., Liu, Y., Zhang, Z., Lu, L. and Lu, J. (2017). Apigenin inhibits cell proliferation, migration, and invasion by targeting Akt in the A549 human lung cancer cell line. *Anticancer Drugs*, 28(4), 446–456.
- Zhu, X., Wang, K., Zhang, K., Pan, Y., Zhou, F. and Zhu, L. (2018). Polyphyllin I induces cell cycle arrest and cell apoptosis in human retinoblastoma Y-79 cells through targeting p53. *Anti-cancer agents in Medicinal Chemistry*, 18(6), 875-881.
- Zishan, M., Saidurrahman, S., Anayatullah, A., Azeemuddin, Ahmad, Z. and Hussain, M. W. (2017). Natural products used as anticancer agents. *J. Drug Deliv. Ther.*, 7(3), 11-18.