

BIBLIOGRAPHY

BIBLIOGRAPHY

- Adouby, K., Akissi, L.C.K., Wandan, N.E and Yao, B. (2007), Removal of heavy metal ions (Pb (II), Cu (II)) in aqueous solutions by *Ptreygota macrocarpa* saw dust, Journal of Applied Sciences, 7(14), 1864-1872.
- Agarwal, A., Sahu, K.K and Pandey, B.D. (2004). A comparative adsorption study of copper on various industrial solid wastes, American Institute of Chemical Engineers Journal, 50, 2430-2438.
- Ahluwalia, S.S and Goyal, D. (2005), Removal of heavy metals by tea leaves from aqueous solution, Engineering in Life Sciences, 5, 158-162.
- Ahamad, A., Rafatullah, M and Qasimullah, M. (2008), Comparative adsorption studies for the removal of copper (II) from aqueous solutions using different adsorbents, International Conference on Environmental Research and Technology, 318-324.
- Ahmed, S., Khalid, N and Dand, M. (2002), Adsorption studies of lead minerals from aqueous media, Separation Science and Technology, 343-362.
- Ajmal, M., Rao, R.A.K and Khan, M.A. (2005), Adsorption of copper from aqueous solutions on *Brassica cumpestris* (mustard oil cake), Journal of Hazardous Materials, 122, 177-183.
- Ajmal, M., Rao, R.A.K., Anwar, J.A and Ahmad, R. (2003), Adsorption studies on rice husk: removal and recovery of Cd (II) from waste water, Bioresource Technology, 86, 147-149.

- Akporhonor, E.K and Egwaikhide, P.A. (2007), Removal of selected metal ions from aqueous solution by adsorption onto chemically modified maize cobs, *Scientific Research and Essay*, 2(4), 132-134.
- Aksu, Z and Isoglu, I.A. (2005), Removal of copper (II) ions from aqueous solutions by biosorption onto agricultural waste sugar beet pulp, *Process Biochemistry*, 40, 3031-3044.
- Al-Asheh, A., Banat, F and Al-Rousan, D. (2002), Adsorption of copper, zinc and nickel ions from single and binary metal ion mixtures on to chicken feathers, *Adsorption Science and Technology*, 20(9), 849-864.
- Al-Asheh, S., Banal, F., Al-Omari, R and Duvnjak, Z. (2000), Predictions of binary sorption isotherms for the sorption of heavy metals by pine bark using single isotherm data, *Chemosphere*, 41, 659-665.
- Al-Asheh, S., Banat, F and Al-Derham, A. (2007), Assessment of Al-Madra clay as adsorbents of copper ions from aqueous solutions, *Bulletin of Engineering, Geology and the Environment*, 66, 289-294.
- Al-Fawwaz, A.J and Maznah, W.O.W. (2008), Biosorption of copper using live and dead green microalgae isolated from Penang Rivers, Malaysia, *International Conference on Environmental Research and Technology*, 940-943.
- Alluri, H.K.A., Ronda, S.R., Settalluri, V.S., Bondili, J.S., Suryanarayana, V and Venkateshwar, P. (2007), Biosorption: An eco friendly alternative for heavy metal removal, *African Journal of Biotechnology*, 6(25), 2924-2931.

- Al-Subu, M.M., Salim, R., Braik, H and Swaileh, k.M. (2001), Removal of dissolved copper from polluted water using plant leaves, *Revista Internacional de Contaminacion Ambiental*, 17(3), 123-127.
- Amuda, O.S and Ibrahim, A.O. (2006), Industrial waste water treatment using natural material as adsorbents, *African Journal of Biotechnology*, 5(16), 1483-1487.
- Anirudhan, T.S and Sreedhar, M.K. (1999), Mercury (II) adsorption and desorption characteristics of coconut husk based carbon kinetic of self diffusion, *Indian Journal of Environmental Protection*, 19(1), 6-10.
- Antunes, W.M., Luna, A.S., Henriques, C.A and Costa, A.C.A. (2003), An evaluation of copper biosorption by brown seaweed under optimized conditions, *Electronic Journal of Biotechnology*, 6(3), 174-184.
- Aslam, M.M., Hassan, I and Malik, M. (2004), Sand as adsorbent for removal of zinc from industrial effluents, *Electronic Journal of Environmental, Agricultural and Food Chemistry*, 3(6), 792-798.
- Babel, S and Kurniawan, T.A. (2003), Low cost adsorbents for heavy metals uptake from contaminated water: A review, *Journal of Hazardous Materials*, 97, 219-243.
- Badmus, M.A.O., Audu, T.O.K and Anyata, B.U. (2006b), Removal of copper from industrial waste water by activated carbon prepared from periwinkle shells, *Korean Journal of Chemical Engineering*, 24(2), 246-252.

- Badmus, M.A.O., Audu, T.O.K and Anyata, B.U. (2006a), Removal of heavy metal from industrial waste water using hydrogen peroxide, *African Journal of Biotechnology*, 6(3), 238-242.
- Basci, N., Kocadagistan, E and Kocadagistan, B. (2004), Biosorption of copper (II) from aqueous solutions by wheat shell, *Desalination*, 164, 135-140.
- Bektas, N and Kara, S. (2004). Removal of lead from aqueous solutions by natural Clinoptilolite: equilibrium and kinetic studies, *Separation Purification Technology*, 39, 189-200.
- Bois, L., Bonhomme, A., Ribes, A., Pais, B., Raffini, G and Tessier, F. (2003), Functionalized silica for heavy metal ions adsorption, *Colloids and surfaces A: Physicochemical and Engineering Aspects*, 221, 221-230.
- Brown, P.A., Gill, S.A and Allen, S.J. (2000), Metal removal from wastewater using peat, *Water Research*, 34(16), 3907-3916.
- Calace, N., Petronio, B.M., Picciolo, M., Pietrantonio, M and Pietroletti, M.(2000), Changes in copper, lead, zinc concentration in plants from paper mill sludge treated soils, *Annali di Chimica*, 90, 655-663.
- Canet, L., Ilpide, M and Seat, P. (2002), Efficient facilitated transport of lead, cadmium, zinc and silver across a flat sheet- supported liquid membrane mediated by lasalocid A, *Separation Science and Technology*, 37, 1851-1860.
- Chaiyasith, S and Septhum, C. (2004), Potential of treated fly ash for removal of lead from waste water, *Thammasat International Journal of Science and Technology*, 9(3), 1-6.

- Chirenje, J., Ma, L.Q and Lu, L. (2005), Retention of Cd, Cu, Pb and Zn by wood ash, lime and fume dust, *Water, Air and Soil Pollution*, 171, 301-314.
- Cho, H., Oh, D and Kim, K. (2005), A study on removal characteristics of heavy metals from aqueous solution by fly ash, *Journal of Hazardous Materials*, 127(1-3), 187-195.
- Chuah, G.T., Jumariah, A., Azhi, I., Katayon, S and Choong, T.Y.S. (2005), Rice husk as a potentially low cost biosorbent for heavy metal and dye removal: An overview, *Desalination*, 175(3), 305-316.
- Chubar, N., Carvalho, J.R and Neiva, C.M.J. (2003), Cork biomass as biosorbent for Cu (II), Zn (II) and Ni (II), *Colloids and Surfaces A: Physicochemical Engineering Aspects*, 230, 57-65.
- Cimino, G., Passerini, A and Toscano, G. (2000), Removal of toxic cations and Cr(VI) from aqueous solution by hazel nut shell, *Water Research*, 34, 2955-2962.
- Crist, R.H., Oberholser, K., Shank, K and Nguyen, M. (1981), Nature of bonding between metallic ions and algal cell walls, *Environmental Science and Technology*, 15, 1212-1217.
- Dakiky, A.S., Beebi, S.K and Kavitha, V. (2002), Adsorption of Ni (II) using agrowaste: rice husk, *Journal of Environmental Science and Engineering*, 46(3), 179-185.
- Dhakal, P.R., Ghimire, N.K and Inove, K. (2005), Adsorptive separation of heavy metals from an aquatic environment using orange waste, *Hydrometallurgy*, 79(3-4), 182-190.

- Dhanakumar, S., Solaraj, G., Mohanraj, R and Pattabhi, S. (2007), Removal of Cr (VI) from aqueous solution by adsorption using cooked tea dust, Indian Journal of Science and Technology, 1(2), 1-6.
- Egwaikhide, P.A., Asia, I.O and Emua, S.A. (2002), Binding of zinc, nickel and cadmium ions by carbonized rice husk, African Journal of Science and Technology, 3(2), 673-681.
- Esalah, O.J., Weber, M.E and Vera, J.H. (2000), Removal of lead, cadmium and zinc from aqueous solutions by precipitation with sodium di-(n-octyl) phosphate, Canadian Journal of Chemical Engineering, 78, 948-954.
- Farajzadeh, M.A and Monji, A.B. (2004), Adsorption characteristics of wheat bran towards heavy metal cations, Separation and Purification Technology, 38, 197-207.
- Gaballah, I., Allain, E., Kilbertus, G and Thauront, J. (1997), Recovery of copper through decontamination of synthetic solutions using modified barks, Metallurgical and Materials Transactions, 28 (13-23).
- Ganji, M., Khosravi, M and Rakhshaei, R. (2005), Biosorption of Pb, Cd, Cu and Zn from the waste water by treated *Azolla filiculides* with H₂O₂/MgCl₂, International Journal of Environmental Science and Technology, 1(4), 265-271.
- Garg, U.K., Singh, S., Kaur, M.P and Sud, D. (2007), Removal of Ni (II) ions from aqueous solutions by sugarcane bagasse, Pollution Research, 26(1), 59-62.
- Ghazy, S.E., Samra, S.E., Mahdy, A.F and El-Morsy, S.M. (2004), Removal of copper (II) from some environmental samples by sorptive

- floatation using powdered marble wastes as sorbents and oleic acid as surfactant, *Environmental Technology*, 25, 1221-1231.
- Goksungur, Y., Uren, S and Guvenc, U. (2002), Biosorption of copper ions by caustic treated waste Baker's yeast biomass, *Turkish Journal of Biology*, 27, 23-29.
 - Gong, R., Guan, R., Zhao, J., Lin, X and Ni, S. (2008), Citric acid functionalized wheat straw as adsorbent for copper removal from aqueous solution, *Journal of Health Science*, 54(2), 174-178.
 - Goyal, M., Rattan, V.K., Agarwal, D and Bansal, R.C. (2001), Removal of copper from aqueous solutions by adsorption on activated carbons, *Colloids and surfaces A: Physicochemical Engineering Aspects*, 190, 229-238.
 - Gueu, S., Yao, B., Adouby, K and Ado, G. (2006), Heavy metals removal in aqueous solutions by activated carbons prepared from coconut shell and seed shell of the palm tree, *Journal of Applied Sciences*, 6(13), 2789-2793.
 - Gundogan, R., Acemioglu, B and Alma, M.H. (2004), Copper (II) adsorption from aqueous solutions by herbaceous pea, *Journal of Colloid Interface Science*, 269, 303-309.
 - Guo, J and Lua, A.C. (2002), Characterization of adsorbent prepared from oil-palm shell by carbon dioxide activation for removal of gaseous pollutants, *Materials Letters*, 55(5), 334-339.
 - Guo, X., Zhang, S and Shan, X.Q. (2008), Adsorption of metal ions on lignin, *Journal of Hazardous Materials*, 151(1), 134-142.
 - Gupta, K.V., Gupta, M and Sharma, S. (2001), Process development for the removal of lead and chromium from aqueous solutions using

red mud- an aluminium industry waste, *Water Research*, 35, 1125-1134.

- Gupta, K.V., Mohan, D., Sharma, S and Park, T.K. (1999), Removal of chromium(VI) from electroplating industry waste water using bagasse fly ash a sugar industry waste material, *The Environmentalist*, 19, 129-136.
- Gupta, S and Singh, R.P. (2004), Comparative adsorption study of toxic metal by waste product, *Indian Journal of Environmental Protection*, 24(11), 863-866.
- Habib, A., Islam, N., Islam, A and Alam, A.M.S. (2007), Removal of copper from aqueous solution using orange peel, saw dust and bagasse, *Pakistan Journal of Environmental Analytical Chemistry*, 8(1), 21-25.
- Hamadi, N.K., Chen, X.D., Farid, M.M and Lu, M.G.Q. (2001), Adsorption kinetics for the removal of chromium(VI) from aqueous solution by adsorbents derived from used tires and saw dust, *Journal of Chemical Engineering*, 84, 95-105.
- Hanzlik, J., Jehlicka, J., Sebek, O., Weishauptova, Z and Machovac, V. (2004), Multi-component adsorption of Ag (I), Cd (II) and Cu (II) by natural carbonaceous materials, *Water Research*, 38(8), 2178-2184.
- Harry, E. (1999), Treatment of metal contaminated waters: Why select a biological process?, *Trends in Biotechnology*, 17, 462-465.
- Harsfall, M and Abia, A.A. (2003), Sorption of cadmium(II) and zinc(II) ions from aqueous solutions by cassava waste biomass (*Manihot sculentaranz*), *Water Research*, 37(20), 4913-4923.

- Igwe, J.C., Nwokennaya, E.C and Abia, A.A. (2005), The role of pH in heavy metal detoxification by biosorption from aqueous solutions containing chelating agents, *African Journal of Biotechnology*, 4(10), 1109-1112.
- Inbaraj, S.B and Sulochana, N. (2004), Carbonized jack fruit peel as an adsorbent for the removal of Cd(II) from aqueous solution, *Bioresource Technology*, 94(1), 49-52.
- Iqbal, M., Saeed, A and Akhtar, N. (2002), Petiolar felt-sheath of palm: a new biosorbent for the removal of heavy metals from contaminated water, *Bioresource Technology*, 81, 151-153.
- Johnson, P.D., Watson, M.A., Brown, J and Jefcoat, I.A. (2002), Peanut hull pellets as a single use sorbent for the capture of Cu (II) from waste water, *Waste Management*, 22, 471-480.
- Kadirvelu, K., Kavipriya, M., Karthika, C., Radhika, M., Venilamani, N and Pattabhi, S. (2003), Utilization of various agricultural wastes for activated carbon preparation and application for the removal of dyes and metal ions from aqueous solution, *Bioresource Technology*, 87(1), 129-132.
- Kadirvelu, K., Tamaraiselvi, K and Namasivayam, C. (2001), Removal of heavy metal from industrial waste waters by adsorption on to activated carbon prepared from an agricultural solid waste, *Bioresource Technology*, 76, 63-65.
- Kannan, N and Vanangamudi, A. (1991), A study on the removal of chromium (VI) by adsorption on lignite coal, *Indian Journal of Environmental Protection*, 11(4), 241-245.

- Khraisheh, M.A.M., Al-degs, V.S and Mchinn, W.A.M. (2004), Remediation of fresh water containing heavy metals using raw and modified diatomite, *Journal of Chemical Engineering*, 99, 177-184.
- Khan, N.A., Ibrahim, S and Subramaniam, P. (2004), Elimination of heavy metals from waste water using agricultural wastes as adsorbents, *Malaysian Journal of Science*, 23, 43-51.
- Khattab, O.K.H. (2007), Biosorption of heavy metals using aquatic *Pycnidial* and *Hyptomycetes* Fungi, *Journal of Biological Sciences*, 7(2), 374-378.
- Kim, M.S., Hony, K.M and Chung, J.G. (2003), Removal of Cu (II) from aqueous solutions by adsorption process with anatase- type titanium dioxide, *Water Research*, 37, 3524-3529.
- Kumar, U. (2006), Agricultural products and by products as low cost adsorbents for heavy metal removal from water and waste water: A review, *Scientific Research and Essay*, 2, 33-37.
- Kynd, M., Pavolova, H and Kyselova, K. (2008), Using untraditional sorbents for sorption of certain heavy metals from waste water, *Geoscience Engineering*, 2, 26-31.
- Larous, S., Meniai, A.H and Lehocine, M.B. (2005), Experimental study of the removal of copper from aqueous solutions by adsorption using saw dust, *Desalination*, 185, 483-490.
- Lee, B.G and Rowell, R.M. (2004), Removal of heavy metal ions from aqueous solution using lignocellulosic fibers, *Journal of Natural Fibers*, 1(1), 97- 108.

- Lee, S.H and Yang, J.W. (1997), Removal of copper in aqueous solution by apple wastes, *Separation Science and Technology*, 32, 1371-1387.
- Lee, S.H., Shon, J.S., Chung, H., Lee, M.Y and Yang, J.W. (1999), Effect of chemical modification of carboxyl groups in apple residues on metal ion binding, *Korean Journal of Chemical Engineering*, 16(5), 576-580.
- Leung, W.C and Wong, M.F. (2000), Removal and recovery of heavy metals by bacteria isolated from activated sludge, *Water Science and Technology*, 41, 233-240.
- Lokhande, R.S and Vaidya, S.S. (2004), Physicochemical studies on the industrial effluents from the MIDC area of Kalian-Dombivali (Maharashtra), *Journal of Ecotoxicology and Environmental Monitoring*, 14(3), 199-202.
- Low, K.S., Lee, C.K and Lee, K.P. (1993), Sorption of copper by dye-treated oil palm fibers, *Bioresource Technology*, 44, 109-112.
- Low, K.S., Lee, C.K and Leo, A.C. (1995), Removal of metals from electroplating wastes using banana pith, *Bioresource Technology*, 51, 227-231.
- Low, K.S., Lee, C.K and Mak, S.M. (2004), Sorption of copper and lead by citric acid modified wood, *Wood Science and Technology*, 38, 629-640.
- Madhavakrishnan, S., Manickavasagam., Rasappan, K., Shabudeen, P.S.S., Venkatesh, R and Pattabhi, S. (2008), *Ricinus Communis* pericarp activated carbon used as an adsorbent for the removal of

Ni(II) from aqueous solution, *Electronic Journal of Chemistry*, 5(4), 761-769.

- Maheswari, P., Venilamani, N., Madhavakrishnan, S., Shabudeen, P.S.S., Venkatesh, R and Pattabhi, S. (2007), Utilization of sagowaste as an adsorbent for the removal of Cu (II) ion from aqueous solution, *Electronic Journal of Chemistry*, 5(2), 233-242.
- Mahvi, A.H., Naghipour, D., Vaezi, F and Nazmara, S. (2005), Tea waste as an adsorbent for heavy metal removal from industrial waste waters, *American Journal of Applied Sciences*, 2(1), 372-375.
- Malakootian, M., Almasi, A and Hossaini, H. (2008), Lead and Cobalt removal from paint industries effluent using wood ash, *International Journal of Environmental Science and Technology*, 5(2), 217-222.
- Melo, M and D'Souza, S.F. (2004), Removal of chromium by mucilaginous seeds of *Ocimum basilicu*, *Bioresource Technology*, 92, 151-155.
- Mentler, A., Klepsch, S., Ottner, F., Lesueur, M., Moustafa, N.L., Neunteufel, R and Fuerhacker, M. (2005), Removal of heavy metals from aqueous solutions with selected materials, *Geophysical Research Abstracts*, 7, 160.
- Mohan, D and Singh, P.K. (2002), Single and multi component adsorption of cadmium and zinc using activated carbon derived from bagasse as agricultural waste, *Water Research*, 36(9), 2304-2318.
- Monser, L and Adhoum, N. (2002), Modified activated carbon for the removal of copper, zinc, chromium and cyanide from waste water, *Separation and Purification Technology*, 26, 167-175.

- Nagda, G.K., Diwan, A.M and Ghole, V.S. (2007), Potential of tendu leaf refuse for phenol removal in aqueous systems, *Applied Ecology and Environmental Research*, 5(2), 1-9.
- Najim, T.S., Elais, N.J and Dawood, A.A. (2008), Adsorption of copper and iron using low cost material as adsorbent, *Electronic Journal of Chemistry*, 6(1), 161-168.
- Nasernejad, B., Zadeh, T.E., Pour, B.B., Bygi, M.E and Zamani, A. (2005), Comparison for biosorption modeling of heavy metals (Cr (III), Cu (II), Zn (II)) adsorption from waste water by carrot residues, *Process Biochemistry*, 40, 1319-1322.
- Needlemana, H.L and Bellinger, D. (2001), Studies of lead exposure and the developing central nervous system: a reply to Kaufman, *Archives of Clinical Neuropsychology*, 16(4), 359-374.
- Nomanbhay, S.M and Palanisamy, K. (2005), Removal of heavy metal from industrial wastewater using chitosan coated oil palm shell charcoal, *Electronic Journal of Biotechnology*, 8(1), 43-53.
- Omkar. (2003), *Concepts of Toxicology*, Vishal publishing company, Jalandhar, 352.
- Oncel, M.S. (2007), Adsorption of copper (II) from aqueous solution by Beidellite, *Environmental Geology*, 55, 1767-1775.
- Onkal-Engin, G., Wibulswas, R and White, D.A. (2000), Humic acid uptake from aqueous media using hydrotalcite and modified montmorillonite, *Environmental Technology*, 21, 167-175.
- Pagnanelli, F., Mainelli, S., Veglio, F and Toro, L. (2003), Heavy metal removal by olive pomace biosorbent characterization and

equilibrium modeling, *Chemical Engineering and Science*, 58, 471-480.

- Pan, S.C., Lin, C.C and Tseng, D.H. (2003), Reusing sewage ash as adsorbents for copper removal from waste water, *Resource Conservation and Recycling*, 39, 79-90.
- Pearson, D. (1970), *The Chemical analysis of food*, Sixth Edition, J and A Publications, Churchill, London, 289, 462.
- Pehlivan, E and Cetin, S. (2008), Application of fly ash and activated carbon in the removal of Cu (II) and Ni (II) ions from aqueous solutions, *Energy Sources*, 30, 1153-1165.
- Pino, G.H., de Mesquita. L.M.S., Torem, M.L and Pinto, G.A.S. (2005), Biosorption of cadmium by green coconut shell powder, *Water Research*, 3, 125-113.
- Qaiser, S., Saleemi, A.R and Ahmad, M.M. (2007), Heavy metal uptake by agrowaste materials, *Electronic Journal of Biotechnology*, 10(3), 409-415.
- Quek, S.Y., Wase, D.A.J and Forster, C.F. (1998), The use of sago waste for the sorption of lead and copper, *Water SA*, 24(3), 251-256.
- Raghuramulu, N., Nair, K.M and Sundaram, S.K. (1983), *A manual of laboratory techniques*, First Edition, National Institute of Nutrition, ICMR, Hyderabad, India, 31-33.
- Rahel, J., Prochazka, V., Zahoran, M and Erben, D. (2008), Removal of copper metal ions from aqueous solutions by plasma made chitosan filter, *Chemicke Listy*, 102, 1432-1435.

- Ramakrishnan, M and Nagarajan, S. (2008), Utilization of flame tree waste biomass for the removal of Hg (II) from water, *Acta Chimica Solvenica*, 56, 282-287.
- Ramu, A., Kannan, N and Srinivasan, S.A. (1992), Adsorption of carboxylic acids on fly ash and activated carbon, *Indian Journal of Environmental Health*, 34(3), 192-199.
- Rana, S.V.S. (2005), *Essentials of Ecology and Environmental Science*, Second Edition, Printice-Hall of India Private Ltd., New Delhi, 352.
- Rao, M., Parwate, A.V and Bhogle, A.G. (2002), Removal of Cr (VI) and Ni (II) from aqueous solution using bagasse and fly ash, *Waste Management*, 22, 821.
- Rao, M., Paswate, V.A and Bhole, A.G. (2003), Heavy metals removal by adsorption using bagasse and modification to Helfferich model, *Environmental Pollution Control Journal*, 69(4), 6-12.
- Rao, P.S., Reddy, V.N.S., Kalyani, S and Krishnaiah, A. (2007), Comparative sorption of copper and nickel from aqueous solutions by natural neem (*Azadirachta indica*) saw dust and acid treated saw dust, *Wood Science and Technology*, 41, 427-442.
- Rathi, A.K.A and Puranik, S.A. (2002), Mixed streams wastewater treatment using adsorption, *Indian Journal of Environmental Health*, 44(2), 138-152.
- Regine, H.S.F and Volesky, B. (2000), Biosorption: A solution to pollution, *International Microbiology*, 3, 17-24.

- Romero, E., Gonzalez, F., Ballester, A., Blazquez, M.L and Munoz, J.A. (2006), Biosorption with algae: A statistical review, *Journal of Critical Reviews in Biotechnology*, 26, 223-235.
- Saeed, A., Akhtar, W.M and Iqbal, M. (2005), Removal and recovery of heavy metals from aqueous solution using papaya wood as a new biosorbent, *Separation and Purification Technology*, 45(1), 25-31.
- Saeed, A., Iqbal, M and Akhtar, M.W. (2002), Application of biowaste materials for the sorption of heavy metals in contaminated aqueous medium, *Pakistan Journal of Science and Industrial Research*, 45, 206-211.
- Sag, Y., Akcael, B and Kutsal, T. (2002), Ternary biosorption equilibria of chromium (VI), copper (II) and cadmium (II) on *Rhizopus Arrhizus*, *Separation Science and Technology*, 37, 279-309.
- Saravanane, R., Sundararajan, T and Reddy, R. (2002), Efficiency of chemically modified low cost adsorbents for the removal of heavy metals from waste water: A comparative study, *Indian Journal of Environmental Health*, 44(2), 78-87.
- Sarin, V and Pant, K.K. (2005), Removal of chromium from industrial waste by using eucalyptus bark, *Bioresource Technology*, 97(1), 15-20.
- Satpute, B.D., Shastry, N.P and Dharmadhikari, M.D. (2005), Reduce, reuse, recycle and recover biotechnological approach management of solid waste of fruit and vegetable processing industries, *Biotechnology in Environment Management*, APM Publishing Corporation, New Delhi, 11, 644.

- Sepehran, M., Nasernejad, B and Edrissi, M. (2008), Selective removal of copper (II) and nickel (II) from aqueous solution using the chemically treated chitosan: Factorial design evaluation, *Metallurgical and Materials Transaction*, 39, 905-910.
- Sharma, A and Bhattacharya, K.A. (2005), Adsorption of chromium (VI) on *Azadiracta indica* (neem) leaf powder, *Adsorption*, 10, 327-338.
- Shukla, A., Zhang, Y., Dubey, P., Mangrave, J.L and Shukla, S.S. (2002), The role of saw dust in the removal of unwanted materials from waste water, *Journal of Hazardous Materials*, 95, 137-157.
- Shukla, R.S and Pai, S.R. (2005), Adsorption of Cu(II), Ni(II) and Zn(II) on modified jute fibers, *Bioresource Technology*, 96(13), 1430-1438.
- Shukla, S.R., Pai, R.S and Shendrakar, A.D. (2006), Adsorption of Ni (II), Zn (II) and Fe (II) on modified coir fibers, *Separation and Purification Technology*, 47, 141-147.
- Singh, D.K and Lal, J. (1992), Removal of chromium (VI) from aqueous solutions using waste tea leaves carbon, *Indian Journal of Environmental Health*, 34(2), 108-113.
- Singh, S. (2007), Biosorption of Zinc (II) from aqueous solution by non living *Spirogyra sp.*, *Pollution Research*, 26(2), 297-300.
- Steinhaur, M.B.G. (2008), Adsorption of ions onto high silica volcanic glass, *Applied Radiation and Isotopes*, 66(1), 1-8.
- Subramaniam, K and Yiacomini, S. (2001), Modeling kinetics of copper uptake by inorganic colloids under high surface coverage

conditions, Colloids surfaces A: Physicochemical Engineering Aspects, 191, 145-159.

- Sun, Y.Q., Lu, P and Yang, Z.L. (2004), The adsorption of lead and copper from aqueous solution on modified peat-resin particles, Environmental Geochemistry and Health, 26, 311-317.
- Swamy, M.M., Mall, I.D., Prasad, B and Mishra, I.M. (1998), Sorption characteristics of o-cresol on bagasse fly ash and activated carbon, Indian Journal of Environmental Health, 40(1), 67-78.
- Syna, N and Valix, N. (2003), Assessing the potential of activated bagasse as gold adsorbent for gold-thiourea, Water Research, 37(16), 4038-4044.
- Taty, C.V.C., Fauduet, H., Porte, C and Delacroix, A. (2003), Removal of Cd(II) and Pb(II) ions from aqueous solutions by adsorption onto sawdust of *Pinus sylvestris*, Journal of Hazardous Materials, 105(1-3), 121-142.
- Teixeira, T., Cesar, R., Zezzi, A and Marco, A. (2004), Biosorption of heavy metals using rice milling by-products, Chemosphere, 54, 905-915.
- Toles, C.A and Marshall, W.E. (2002), Copper ion removal by almond shell carbons and commercial carbons: batch and column studies, Separation Science and Technology, 37, 2369-2383.
- Tomko, J., Backor, M and Stofko, M. (2006), Biosorption of fungi biomass, Acta Metallurgica Slovaca, 12, 447-451.
- Tumin, N.D., Chuah, A.L., Zawani, Z and Rashid, S.A. (2008), Adsorption of copper from aqueous solution by *Elais guineensis*

kernel activated carbon, Journal of Engineering Science and Technology, 3(2), 180-189.

- Tunalli, S., Cabuk, A and Akar, T. (2006), Removal of lead and copper ions from aqueous solution by bacterial strain isolated from soil, Chemical Engineering Journal, 99, 2516-2527.
- Ulmanu, M., Maranon, E., Fernandez, Y., Castrillon, L., Anger, I and Dumitriu, D. (2002), Removal of copper and cadmium ions from diluted aqueous solutions by low cost waste material adsorbents, Water, Air and Soil Pollution, 142, 357-373.
- Valdman, E and Leite, S.G.F. (2002), Biosorption of Cd, Zn and Cu by *Sargassum sp.* waste biomass, Bioprocess Engineering, 22, 171-173.
- Valdman, E.L., Erijman, L., Pessoa, F.L.P and Leite, S.G.F. (2001), Continuous biosorption of Co and Zn by immobilized waste biomass *Sargassum sp.*, Process Biochemistry, 36, 869-873.
- Veglio, F., Beolchini, F and Prisciandro, M. (2003), Sorption of copper by olivemill residues, Water Research, 37(20), 4895-4903.
- Verbych, S., Bryk, M., Chornokur, G and Fuhr, B. (2005), Removal of copper (II) from aqueous solutions by chitosan adsorption, Separation Science and Technology, 40, 1749-1759.
- Villaescusa, I., Fiol, N., Martinez, M., Miraller, N., Poch, J and Serarols, J. (2004), Removal of copper and nickel ions from aqueous solutions by grape stalk wastes, Water Research, 38, 992-1002.
- Wang, J and Chen, C. (2006), Biosorption of heavy metals by *Saccharomyces cerevisiae*: A review, Biotechnology Advances, 24, 427-451.

- Weirich, D.B., Hari, R., Behra, P and Sigg, L. (2002), Adsorption of Cu, Cd and Ni on goethite in presence of natural ground water ligands, *Environmental Science and Technology*, 36, 328-336.
- Yu, B., Zhang, Y., Shukla, A., Shukla, S.S., and Dorris, K.L. (2000), The removal of heavy metal from aqueous solutions by saw dust adsorption-removal of copper, *Journal of Hazardous Materials*, 80, 33-42.
- Zacardia, R. (2002), Adsorption of several metal ions onto low-cost biosorbent: kinetic and equilibrium studies, *Environmental Science and Technology*, 36, 2067-2073.
- Zouboulis, A.I., Matis, K.A., Lanara, B.G and Neskovic, C.L. (1997), Removal of cadmium from dilute solutions by hydroxy apatite II floatation studies, *Separation Science and Technology*, 32, 1755-1767.