



Contents

CONTENTS

CHAPTER No.	TITLE	PAGE No.
	LIST OF TABLES	
	LIST OF FIGURES	
	LIST OF PLATES	
1	INTRODUCTION	1
2	REVIEW OF LITERATURE	5
3	METHODOLOGY	27
4	RESULTS	74
5	DISCUSSION	159
6	SUMMARY AND CONCLUSION	198
	BIBLIOGRAPHY	

PLATE No.	TITLE	PAGE No.
21.	Primary chick embryo fibroblasts stained with PI (oxidant – etoposide)	126
22.	Primary chick embryo fibroblasts stained with EtBr (oxidant – etoposide)	129
23.	Primary chick embryo fibroblasts stained with DAPI (oxidant – etoposide)	129
24.	Primary chick embryo fibroblasts stained with AO/EtBr (oxidant – etoposide)	131
25.	Hep2 cells stained with giemsa (oxidant – etoposide)	134
26.	Hep2 cells stained with PI (oxidant – etoposide)	134
27.	Hep2 cells stained with EtBr (oxidant – etoposide)	137
28.	Hep2 cells stained with DAPI (oxidant – etoposide)	137
29.	Hep2 cells stained with AO/EtBr (oxidant – etoposide)	138
30.	Chromatograms of alkaloids	152
31.	Chromatograms of phenolics	152
32.	Chromatograms of flavonoids	152

Figure No.	TITLE	PAGE No.
18.	UV spectrum of the methanolic extract of <i>Zea mays</i> leaves	149
19	HPLC profile of the methanolic extract of <i>Zea mays</i> leaves	149
20	Peak densitogram of alkaloids of the methanolic extract of <i>Zea mays</i> leaves by HPTLC	153
21	Peak densitogram of phenolics of the methanolic extract of <i>Zea mays</i> leaves by HPTLC	153
22	Peak densitogram of flavonoids of the methanolic extract of <i>Zea mays</i> leaves by HPTLC	153
23	IR spectrum of the methanolic extract of <i>Zea mays</i> leaves	155
24	GC-MS profile of the methanolic extract of <i>Zea mays</i> leaves	155
25	Peak fragmentation of GC-MS spectrum (6.843)	156
26	Peak fragmentation of GC-MS spectrum (9.795)	156
27	Peak fragmentation of GC-MS spectrum (10.175)	156
28	Peak fragmentation of GC-MS spectrum (10.715)	157
29	Peak fragmentation of GC-MS spectrum (13.376)	157
30	Peak fragmentation of GC-MS spectrum (13.807)	157
31	Peak fragmentation of GC-MS spectrum (17.594)	157

LIST OF TABLES

TABLE No.	TITLE	PAGE No.
1.	Enzymic antioxidant activities in the leaves of <i>Zea mays</i> at six different time periods of growth	75
2.	Non-enzymic antioxidant levels in the leaves of <i>Zea mays</i> at six different time periods of growth	78
3.	Effect of <i>Zea mays</i> leaf extracts on DNA damage induced by H ₂ O ₂ in peripheral blood cells	87
4.	Effect of <i>Zea mays</i> leaf extracts on DNA repair after H ₂ O ₂ assault <i>in vitro</i> in Hep2 cell line	89
5.	Effect of <i>Zea mays</i> leaf extracts on the SOD activity in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	92
6.	Effect of <i>Zea mays</i> leaf extracts on the CAT activity in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	92
7.	Effect of <i>Zea mays</i> leaf extracts on the POD activity in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	93
8.	Effect of <i>Zea mays</i> leaf extracts on the GST activity in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	94
9.	Effect of <i>Zea mays</i> leaf extracts on the GR activity in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	95
10.	Effect of <i>Zea mays</i> leaf extracts on the ascorbic acid levels in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	96
11.	Effect of <i>Zea mays</i> leaf extracts on the vitamin E levels in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	96
12.	Effect of <i>Zea mays</i> leaf extracts on the vitamin A levels in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	97
13.	Effect of <i>Zea mays</i> leaf extracts on the glutathione levels in goat liver slices exposed <i>in vitro</i> to H ₂ O ₂	98
14.	Effect of <i>Zea mays</i> leaf extracts on the morphological changes in <i>Saccharomyces cerevisiae</i> cells subjected to oxidative stress as determined by giemsa staining	103
15.	Effect of <i>Zea mays</i> leaf extracts on the morphological changes in chick embryo fibroblasts subjected to oxidative stress as determined by giemsa staining	103
16.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in <i>Saccharomyces cerevisiae</i> cells subjected to oxidative stress as determined by PI staining	104
17.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts subjected to oxidative stress as determined by PI staining	106

LIST OF PLATES

PLATE No.	TITLE	PAGE No.
1.	<i>Zea mays</i> leaves at different time periods of growth	76
2.	Migration pattern of λ DNA treated with H ₂ O ₂ with and without the leaf extracts	86
3.	Comet bearing peripheral blood lymphocytes	90
4.	<i>Saccharomyces cerevisiae</i> cells stained with giemsa (oxidant - H ₂ O ₂)	105
5.	Primary chick embryo fibroblasts stained with giemsa (oxidant - H ₂ O ₂)	105
6.	<i>Saccharomyces cerevisiae</i> cells stained with PI (oxidant - H ₂ O ₂)	107
7.	Primary chick embryo fibroblasts stained with PI (oxidant - H ₂ O ₂)	107
8.	<i>Saccharomyces cerevisiae</i> cells stained with EtBr (oxidant - H ₂ O ₂)	109
9.	Primary chick embryo fibroblasts stained with EtBr (oxidant - H ₂ O ₂)	109
10.	<i>Saccharomyces cerevisiae</i> cells stained with DAPI (oxidant - H ₂ O ₂)	112
11.	Primary chick embryo fibroblasts stained with DAPI (oxidant - H ₂ O ₂)	112
12.	<i>Saccharomyces cerevisiae</i> cells stained with AO/EtBr (oxidant - H ₂ O ₂)	114
13.	Primary chick embryo fibroblasts stained with AO/EtBr (oxidant - H ₂ O ₂)	114
14.	Hep2 cells at confluence	118
15.	Hep2 cells stained with giemsa (oxidant - H ₂ O ₂)	118
16.	Hep2 cells stained with PI (oxidant - H ₂ O ₂)	119
17.	Hep2 cells stained with EtBr (oxidant - H ₂ O ₂)	119
18.	Hep2 cells stained with DAPI (oxidant - H ₂ O ₂)	122
19.	Hep2 cells stained with AO/EtBr (oxidant - H ₂ O ₂)	122
20.	Primary chick embryo fibroblasts stained with giemsa (oxidant - etoposide)	126

LIST OF FIGURES

Figure No.	TITLE	PAGE No.
1	Radical scavenging effects of <i>Zea mays</i> leaf extracts	81
2	Effect of <i>Zea mays</i> leaf extracts against oxidative damage to deoxyribose	81
3	Effect of <i>Zea mays</i> leaf extracts on superoxide and nitric oxide generation <i>in vitro</i>	82
4	Metal ion reducing and chelating activities of <i>Zea mays</i> leaf extracts	82
5	Effect of <i>Zea mays</i> leaves on LPO in different membrane preparations	85
6	Effect of <i>Zea mays</i> leaf extracts on oxidative damage induced in herring sperm DNA	85
7	Effect of <i>Zea mays</i> leaf extracts on oxidative damage induced in calf thymus DNA	88
8	Effect of <i>Zea mays</i> leaf extracts on the viability of <i>Saccharomyces cerevisiae</i> cells subjected to oxidative stress as determined by the MTT assay.	100
9.	Effect of <i>Zea mays</i> leaf extracts on the viability of chick embryo fibroblasts subjected to oxidative stress as determined by the MTT assay	100
10.	Effect of <i>Zea mays</i> leaf extracts on the viability of <i>Saccharomyces cerevisiae</i> cells subjected to oxidative stress as determined by the SRB assay	102
11.	Effect of <i>Zea mays</i> leaf extracts on the viability of chick embryo fibroblasts subjected to oxidative stress as determined by the SRB assay	102
12.	Effect of <i>Zea mays</i> leaf extracts on the viability of Hep2 cells subjected to oxidative stress as determined by the MTT assay	116
13.	Effect of <i>Zea mays</i> leaf extracts on the viability of Hep2 cells subjected to oxidative stress as determined by the SRB assay	116
14.	Effect of <i>Zea mays</i> leaf extracts on the viability of chick embryo fibroblasts exposed to etoposide as determined by the MTT assay	124
15.	Effect of <i>Zea mays</i> leaf extracts on the viability of chick embryo fibroblasts exposed to etoposide as determined by the SRB assay	124
16	Effect of <i>Zea mays</i> leaf extracts on the viability of Hep2 cells exposed to etoposide as determined by the MTT assay	132
17	Effect of <i>Zea mays</i> leaf extracts on the viability of Hep2 cells exposed to etoposide as determined by the SRB assay	132

TABLE No.	TITLE	PAGE No.
33.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts exposed to etoposide as determined by AO/EtBr staining	128
34.	Effect of <i>Zea mays</i> leaf extracts on the morphological changes in Hep2 cells exposed to etoposide as determined by giemsa staining	130
35.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells exposed to etoposide as determined by PI staining	133
36.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells exposed to etoposide as determined by EtBr staining	135
37.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells exposed to etoposide as determined by DAPI staining	135
38.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells exposed to etoposide as determined by AO/EtBr staining	136
39.	Effect of the methanolic extract of <i>Zea mays</i> leaves on the activity of SOD in the oxidative stress induced <i>Drosophila melanogaster</i>	140
40.	Effect of the methanolic extract of <i>Zea mays</i> leaves on the activity of CAT in the oxidative stress induced <i>Drosophila melanogaster</i>	141
41.	Effect of the methanolic extract of <i>Zea mays</i> leaves on the activity of POD in the oxidative stress induced <i>Drosophila melanogaster</i>	142
42.	Effect of the methanolic extract of <i>Zea mays</i> leaves on the levels of Vitamin C in the oxidative stress induced <i>Drosophila melanogaster</i>	144
43.	Effect of the methanolic extract of <i>Zea mays</i> leaves on the levels of Vitamin E in the oxidative stress induced <i>Drosophila melanogaster</i>	145
44.	Effect of the methanolic extract of <i>Zea mays</i> leaves on the levels of GSH in the oxidative stress induced <i>Drosophila melanogaster</i>	146
45.	Retention time, height and peak areas of the HPLC separated fractions of the methanolic extract of <i>Zea mays</i> leaves	148
46.	Peak table for alkaloids of the methanolic extract of <i>Zea mays</i> leaves by HPTLC	150
47.	Peak table for phenolics of the methanolic extract of <i>Zea mays</i> leaves by HPTLC	150
48.	Peak table for flavonoids of the methanolic extract of <i>Zea mays</i> leaves by HPTLC	151

TABLE No.	TITLE	PAGE No.
18.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in <i>Saccharomyces cerevisiae</i> cells subjected to oxidative stress as determined by EtBr staining	108
19.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts subjected to oxidative stress as determined by EtBr staining	108
20.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in <i>Saccharomyces cerevisiae</i> cells subjected to oxidative stress as determined by DAPI staining	110
21.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts subjected to oxidative stress as determined by DAPI staining	110
22.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in <i>Saccharomyces cerevisiae</i> cells subjected to oxidative stress as determined by AO/EtBr staining	111
23.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts subjected to oxidative stress as determined by AO/EtBr staining	113
24.	Effect of <i>Zea mays</i> leaf extracts on the morphological changes in Hep2 cells subjected to oxidative stress as determined by giemsa staining	115
25.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells subjected to oxidative stress as determined by PI staining	117
26.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells subjected to oxidative stress as determined by EtBr staining	120
27.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells subjected to oxidative stress as determined by DAPI staining	120
28.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in Hep2 cells subjected to oxidative stress as determined by AO/EtBr staining	121
29.	Effect of <i>Zea mays</i> leaf extracts on the morphological changes in chick embryo fibroblasts exposed to etoposide as determined by giemsa staining	123
30.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts exposed to etoposide as determined by PI staining	125
31.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts exposed to etoposide as determined by EtBr staining	127
32.	Effect of <i>Zea mays</i> leaf extracts on nuclear changes in chick embryo fibroblasts exposed to etoposide as determined by DAPI staining	127

LIST OF ABBREVIATIONS

ABTS	-	2,2'-azino-bis-(3-ethyl benzthiazoline-6-sulphonic acid)
AO / EtBr	-	Acridine orange / Ethidium bromide
CAT	-	Catalase
CDNB	-	1-chloro-2,4-dinitrobenzene
DAPI	-	4'-6'-diamidino-2-phenylindole
DAS	-	Days after sowing
DPPH	-	2,2-diphenyl-2-picryl hydrazyl
EtBr	-	Ethidium bromide
GR	-	Glutathione reductase
GSH	-	Reduced glutathione
GST	-	Glutathione S-transferase
H ₂ O ₂	-	Hydrogen peroxide
MTT	-	3-(4,5-dimethyl-thiazol-2yl)-2,5-diphenyltetrazolium bromide
NO	-	Nitric oxide
PI	-	Propidium iodide
POD	-	Peroxidase
SO	-	Superoxide
SOD	-	Superoxide dismutase
SRB	-	Sulphorhodamine B