

BIBLIOGRAPHY

BIBLIOGRAPHY

- Ali, M.B., Hahn, E.T and Paek, K.Y. (2005). Effect of temperature on oxidative stress defence systems, lipid peroxidation and lipoxygenase activity in *Phalaenopsis*, *Plant physiol and Biochem.* 43, 213-223.
- Amit, K., Arun, G., Shyam, S and Agrawal, C. (2009). Evaluation of Hepato protective Activity of Aerial Parts of *Tephrosia Purpurea* L. and Stem Bark of *Tecomella Undulate*, *Journal of Ethno pharmacology.* 122, 1-5.
- Arts, I.C and Hollman, P.C. (2005). Polyphenols and diseases risk in epidemiologic studies, *Am. J. Clin Nutr.* 81, 315-325.
- Azeredo, H.M.C., Santos, A.N., Souza, A.C.R., Kenya C.B., Mendes, M.I.R., and Andrade, M. (2007). Beetroot variety Evaluation, *Am. J. Food Technol.* 2, 307.
- Baublis, A., Lu, C., Clydesdale, F. and Decker, E. (2000). Potential of wheat based breakfast cereals as a source of dietary antioxidants, *J. Am. Coll. Nutr.* 19:3, 308-311.
- Bavec, M., Turinek, M., Grobelnik Mlakar, S., Slatnar, A. and Bavec, F. (2010). Influence of industrial and alternative farming systems on contents of sugar, organic acids, total phenolic content, and the antioxidant activity of Red Beet (*Beta vulgaris* L. ssp. *vulgaris* Rote Kugel). *J.Agric. Food Chem.* 58, 825-831.
- Beecher, I.M., Buzzard, S.A., Bhagwat, C.S., Davis, L.W., Douglass, S.E., Gebhardt, D.B., Haytowitz, H. and Schakel, S. (1999). Carotenoid Content of U.S. Foods: An Update of the Database. *Journal of Food Composition and Analysis* 12,169-196.
- Bender, A.E. and Bender D.A. (1995). *Oxford Dictionary of Food and Nutrition.* Oxford, UK: Oxford University Press, 70-77.

- Bheroo, S.B and Yadav, P.K (2003). Effect of Foliar application of urea and NAA on quality of beer cultivar gola. Haryana, J. Horti. Sci. 32:1-2, 32-33.
- Brigelius-Flohe, R. and Traber, M. (1999). Vitamin E function and metabolism, FASEB. J. 13:10, 1145-55.
- Britton, G. and Hornero-Mendez, D. (1997). Carotenoids and colour in fruits and vegetables in phytochemistry of fruits and vegetables, Clarendon press, Oxford. 11-29.
- Cai, Y.Z, Sun, M. and Corke, H. (2005). Characterization and application of betalain pigments from plants of the Amaranthaceae. Trends in Food Science & Technology. 16, 370–376.
- Cao, G. and Prior, R. (1998). Comparasion of different analytical methods for assessing total antioxidant capacity of human serum, Clin Chem. 44, 1309-15.
- Chandar, S., Devi, S. and Rajan, M.K. (2003). Chemical changes in fruits and plum C.V Tritroin and alubukhana during growth and development. Haryana, J. Horti. Sci. 32:1-2, 24-26.
- Chandra, R., Aneja, R., Rewal, C., Konduri, R., Dass, K. and Agarwal, S. (2000). An opium alkaloid papaverine amdiorates ethanol induced hepatotoxicity diminution of oxidative stress, Ind. J. Clin. Biochem. 15:2, 155.
- Chatterjee, I.B, and Nandi, A. (1991). Ascorbic acid a scavenger of oxyradicals, Ind, J. Biochem. Biophys, 28,233.
- Chatterjee, I.B. (1998). Proc Ind. Nation. Sci. Academy, B. 64, 213.
- Chelikani, P., Fita, I. and Loewen, P. (2004). Diversity of structures and properties among catalase, Cell Mol life Sci. 61:2, 192-208.
- Chen, Z., Silva, H and Klessinng, D.F. (1993). Active oxygen species in the induction of plant systemic acquired resistance by salicylic acid, Science. 262, 1883-1886.

- Claiborne, A., Yeh, J., Mallet, T., Luba, J., Crane, E., Charrier, V. and Parsonage, D. (1999). Protein-Sulfinic acids, diverse roles for an unlikely player in enzyme catalysis and redox regulation, *Biochemistry*, 38:47, 15407-15416.
- Creissen, G., Broadbent, P., Stevens, R., Wellburn, A. and Mullineaux, P. (1996). Manipulation of glutathione metabolism in transgenic plants, *Biochem. Soc. Trans.*, 24:2, 465-469.
- David, M. and Richard, J.S. (1983). *Methods of enzymatic analysis 3*, Bergmeyer, J. and Mariare, G.B. (ed), Verlag chemie Weinheim Dec, field Beach Floride based, 358.
- De Grey. A.D.N.J. (1999). *The mitochondrial free radical theory of ageing*, R.G. Landes Company, Austin, Texas, 18-20.
- De Haan, J., Bladier, C., Griffiths, P., Kélner, M., Shea, R., Cheung, N., Bronson, R., Silvestro, M., Wild, S., Zheng, S., Beart, P., Hertzog, P. and Kola, I. (1998). Mice with a homozygous null mutation for the most abundant glutathione peroxidase, GPx 1, Show increased susceptibility to the oxidative stress including agents paraquat and hydrogen peroxides, *J. Biol. Chem.*, 273:35, 22528-36.
- Dean, D., Hugh, A., Ronald, A., and Simon, S. (2009). *Food Allergy: Adverse Reactions to Foods and Food Additives*. 4th Ed., Blackwell Publishing, ISBN 978-1-4051-5129-0, 416.
- Del Rio, D., Costa, L. G., Lean, M. E. J. and Crozier, A. (2010). "Polyphenols and health: What compounds are involved?". *Nutrition, Metabolism and Cardiovascular Diseases*, 20, 1.
- Del Rio, L., Sandalio, L., Palma, J., Bueno, P. and Corpas, F. (1992). Metabolism of oxygen radicals in peroxisomes and cellular implications, *Free Radic Bio Med*, 13:5, 557-80.

- Dietz, K., Jocab, S., Oelze, M., Laxa, M., Tognetti, V., De Miranda, S., Baier, M. and Finkemeier, I. (2006). The function of peroxiredoxins in plant organelle redox metabolism J. Exp Bot., 57:8, 1697-709.
- Dobre, T. and Floarea, O. (1997). "Separarea compușilor chimici din produse naturale" "Separation of chemical compounds from natural products", Edit. Matrix ROM, Bucuresti. 25,18-20.
- Emmerie, A. and Engel, C. (1938). Colorimetric determination of tocopherol (vitamin E). Rec. Trav. Chim. 57, 1351.
- Esterbauer, H., Schwarzl, E. and Hayan, M. (1977). A rapid assay for catechol oxidase and laccase using nitro-5 thio benzoic acid, Anal. Biochem. 77, 489-494.
- Fryer, M.J. (1992). The antioxidant effects of thylakoid vitamin E (α -tocopherol), Plant Cell Environ., 15,381.
- Gaballah, M.S. and Gomaa, A.M. (2005). Interactive effect of *Rhizobium* Inoculation, Sodium Benzoate and salinity on performance and oxidative stress in two Fababean varieties, International Journal of Agriculture & Biology, 1560:8530, 495-498.
- Gasztonyi, M.N., Daood, H., Hajos, M.T. and Biacs, P. (2001). Comparison of red beet (*Beta vulgaris*) varieties on the basis of their pigment components. J. Sci. Food Agric., 81, 932-933.
- Gliszczynska-Swigło, H. Szymusiak, P. and Malinowska, M. (2006). Food Additives Contaminants, 23, 1079.
- Gomaa, A.M., El-Mesiry, T. and Rady, M. (2008). The potential impact of Bio fertilization, Antioxidant and Micronutrients Application in Reducing Salinity stress on two wheat cultivars, Australian Journal of Basic and Applied Sciences, 2, 575-582.
- Govindarajan, R., Vijayakumar, M., Kowat, A.K.S. and Mehrotra, S. (2003). Free radical scavenging potential of *Picrohiza Kurroa* Royle exbenth, Ind. J. Exp. Biol, 41, 135-140.

- Grubben, G.J.H. and Denton, O.A. (2004). *Plant Resources of Tropical Africa 2. Vegetables*. PROTA Foundation, Wageningen; Backhuys, Leiden; CTA, Wageningen. 3, 18-25.
- Gunadi, N. (2009). Response of potato to Potassium fertilizer sources and application method in Andisols of West Java, *Indonesian Journal of Agricultural science*, 2, 65-72.
- Habig, W.H., Pabst, M.J. and Jacoby, W.B. (1974). Glutathione-S-transferase. The first enzymatic step in mercapturic acid formation, *J. Bio. Chem*, 249, 7310-7339.
- Hansford, R.G., Hogue, B.A. and Mildaziene, V. (1997). Dependence of H₂O₂ formation by rat heart mitochondria on substrate availability and donor age, *J. Bioenergy, Biomemb*, 29, 89.
- Hartwig, B., Sten, P. and Feicrabend, J. (1992). Light dependence of catalase synthesis and degradation in leaves and the influence of interfering stress conditions, *Plant physiol*, 100, 1547.
- Henry, C. and Heppell, N. (2002). Nutritional losses and gains during processing, *Future problems and issues Proc. Nutr. Soc.*, 61:1, 145-148.
- Herrera, E. and Barbas, C. (2001). Vitamin E action, metabolism and perspectives, *J. Physicol. Biochem*. 57:2, 43-56.
- Hinter, A., Raven, E., Thorneley, R., Garcia-Canovas, F. and Rodriguez-Lopez, J. (2002). Mechanism of compound I formation in heme peroxidases, *J. Inorg. Biochem*. 91:1, 27-34.
- Ho, Y., Magnenat, J., Bronson, R., Cao, J., Gargano, M., Sugawara, M. and Funk, C. (1997). Mice deficient in cellular glutathione peroxidase develop normally and show no increased sensitivity to hyperoxia, *J Biol. Chem.*, 272:26, 16644-16651.
- <http://en.wikipedia.org/wiki/antioxidant>.
- <http://hubpages.com/hub/health-benefits>.

- Ilham, A., Gurel, A., Armutic, F., Kamisli, S., Iraz, M., Akyol, O. and Ozen, S. (2004). Ginkgo Biloba prevent mobile phone, induced oxidative stress in rat brain, Clin, Chem., Acta, 340,153-162.
- Judy, D., Ribaya-Mercado, C., Lorena, W., Gregory, G., Jeffrey, B., Florentino, S. and SolonAm, J. (2007). Clin Nutr. 85, 1041-9.
- Kalt, W. (2005). Effects of production and processing factors on major fruit and vegetable antioxidants. J. Food Sci. 70, 11-19.
- Karthikeyan, J. and Rani, P. (2003). Enzymatic and nonenzymatic antioxidant in selected Piper species. Ind J. Exp. Biol., 41,135-140.
- Kohlmeier, L., Kark, J.D., Gomez, G.E., Martin, B.C., Steck, S.E., Kardinaal, A.F.M., Ringstad, J., Thamm, T.M., Masaev, V., Riemersma, R., Moreno-Martin, J.M., Huttunen, J.K. and Kok, F.J. (1997). Lycopene and myocardial infarction risk in the EURAMIC study. American Journal of Epidemiology 146, 618-626.
- Kowalski, S.P., Eannetta, N.T., Hirzel, A.T and Steffens, J.C. (1992) Purification and characterization of polyphenol oxidase from glandular trichomes of *Solanum berthaultii*. Plant Physiol 100, 677–684.
- Kugler, F., Stintzing, F. and Carle, R. (2007). Evaluation of the antioxidant capacity of betalainic fruits and vegetables. J. Appl. Bot. Food Qual. 81, 69-76.
- Kujala, T.S., Loponen, J.M., Klika, K.D. and Pihlaja, K. (2000). Phenolics and betacyanins in red beetroot (*Beta vulgaris*) root: distribution and effect of cold storage on the content of total phenolic and three individual compounds. J. Agric. Food Chem. 48, 5338-5342.
- Lairon, D. (2010). Nutritional quality and safety of organic food. A review. Agron. Sustain. 30, 1-9.
- Lakshmi, B., Tilak, J.C., Adhikar, S., Devasagayam, T.P.A. and Janaradhanan, K.K. (2005). Inhibition of lipid peroxidation induced by

gama radiation and NADH in rat liver and brain mitochondria by mushrooms, *Curr. Sci*, 88, 484-488.

- Luck, H. (1974). *Methods of enzymatic analysis*, Academic press, 885-894.
- Ma Pedreno, J. and Escribano, J. (2001). *Sci. Food Agric.* 81, 627.
- Malik, C.P. and Singh, M.B. (1980). *Plant enzymology and Histoenzymology*, Kalyani Publishers, 286.
- Mattila, P. and Pradhan, J. (2010). Phenolic acids in potatoes, vegetables, and some of their products. *J. Food Compos. Anal.* 20,152-160.
- Mayer, A.M. (2006). Polyphenol oxidases in plants and fungi. *Phytochemistry*, 67:21, 2318–2331.
- McCance, R.A. and Widdowson, E.M. (1995). *The Composition of Foods*. 5th Edition. Cambridge, UK: The Royal Society of Chemistry. 20-23.
- Meister, A. (1994). Glutathione ascorbic acid antioxidant system in animals, *J. Biol Chem.* 269:13, 9397-400.
- Meydani, S.N. (1990). Choose a variety of Fruits and Vegetables, *Am. J. of Clin. Nutri*, 53:4, 52-58.
- Miller, H.E., Rigelhof, F., Marquart, L., Prakash, A., and Kanter, M. (2000) *Cereal Foods World* 45:2, 59-63.
- Misra, M.P. and Fridovich, I. (1972). The role of superoxide anion in the autoxidation of epinephrine and simple assay for superoxide dismutase, *J. Biol. Chem.*, 247, 31-70.
- Moron, M.S., Bepierre, J. and Mannerurck, B. (1979). Levels of glutathione reductase and glutathione-S-transferase in rat lungs and liver, *Biochem. Biophys. Acta.* 582.
- Mueller, S., Riedel, H. and Stremmel, W. (1997). Direct evidence for catalase as the predominant H₂O₂ removing enzyme in human erythrocytes. 90:12, 4973-4978.

- Nunez-Delicado, E., Sanchez-Ferrer, A., Garcia-Carmona, F.F. and Lopez Nicolas, J.M. (2005). Effect of organic farming practices on the level of latent polyphenol oxidase in grapes. *J. Food Sci.* 70, C74-C78.
- Orr, N. and D. Patient (2001) Positive Health, booklet, See, for example: <http://www.journ-aids.org/HIV-AIDS Positive/Lifestyle.htm>. pp. 88.
- Ou, B., Hampsch-Woodill, M. and Prior, R. (2001). Development and validation of an improved oxygen radical absorbance capacity assay using fluorescein as the fluorescent probe, *J. Agri. Food Chem.*, 49:10, 4619-4626.
- Padayatty, S., Katz, A., Wang, Y., Eck, P., Kwon, O., Lee, J., Chen, S., Corpe, C, Dutta, A., Dutta, S. and Levine, M. (2003). Vitamin C as an antioxidant: evaluation of its role in disease prevention, *J. Am Coll Nutr.* 22:1, 18-35.
- Park. (2009). "The effects of N-acetyl cysteine, buthionine sulfoximine, diethyldithiocarbamate or 3-amino-1, 2, 4-triazole on antimycin A-treated Calu-6 lung cells in relation to cell growth, reactive oxygen species and glutathione". *Oncology Reports*: 385–91.
- Poontariga, H., Darinee, P., Kannarat, R. and Rangsi, C. (2003). Salinity effects on antioxidant enzymes in Mulberry cultivar, 29, 109-113.
- Prakash, P., Kumar, G.P., Laloraya, M., Hemneni, T and Pariharm, M.S. (1998). Superoxide anion radical generation as a temperature stress response in the gills of fresh water catfish *Heteropneuste fossils*, Role in mucus exudation under elevated temperature, *Comp. Biochem. Physiol*, 119-211.
- Prashar, A., Locke, I. and Evans, C. (2006). Cytotoxicity of clove syzygium aromatic oil and its major components to human skin cell, *Pro.Life*, 39:4, 241-248.

- Prior, R., Wu, X. and Schaich, K. (2005). Standardized methods for the determination of antioxidant capacity and phenolics in foods and dietary supplements, *J. Agric Food Chem.*, 53:10, 4290-4302.
- Rakin, M., Vukasinovic, M., Markovic, S. and Maksimovic, M. (2007). *Food Chem.* 100, 599.
- Reddy, K.P., Subhani, S.M., Khan, P.A. and Kumar, K.B. (1995). Effect of light and benzyladenine and desk treated growing leaves, changes in the peroxidise activity, *Cell physiol*, 26, 984.
- Reiter, R.J. (2000). *Biomed, Sci.*, 7, 444-458.
- Rhee, S., Chae, H. and Kim, K. (2005). Peroxiredoxins a historical overview and specularative preview of novel mechanism and emerging concepts in cell signalling, *Free Radic Biol. Med.*, 37:12, 1543-1552.
- Robinson and Trevor. (1963). *The Organic Constituents of Higher Plants*. Minneapolis: Burgess Publishing. p. 292.
- Roe, J.H. and Keuther, A. (1953). The determination of ascorbic acid in whole blood and urine through 2, 4 di-nitrophenyl hydrazine derivative of Dehydro ascorbic acid, *J. Biol. Chem.*, 147, 399-404.
- Rosenberg, H.R. (1992). *Chemistry and physiology of the vitamins* Inter Science publishers, Inc. New York, 452-453.
- Rotruck, T.T., Ganther, H.E., Swanson, A.B., Hafeman, D.G., and Hoekstra, W.G. (1973). Selenium: Biochemical role as a component of glutathione peroxidise *Science*, 179, 588-590.
- Saini, S.P.S. and Singh, S. (1994). Juice composition of some new tomato hybrids. *J. Food Sci. Technol.*, 31:3, 231-232.
- Schriener, S.E. (2005). Fruits and Vegetables in the prevention of Cellular Oxidative Damage, *Cancer Research*, 42:5, 1955-1961.
- Sen, C., Khanna, S. and Roy, S. (2006). Tocotrienols vitamin E beyond tocopherols, *Life Sci*, 78:18, 2088-98.

- Sharma, R., Yang, Y., Sharma, A., Awasthi, S. and Awasthi, Y. (2004). Antioxidant role of glutathione-S-transferases protection against oxidant toxicity and regulation of stress mediated apoptosis, *Antioxide Redox Signal*, 6:2, 289-300.
- Shigeoka, S., Ishikawa, T., Tamoi, M., Miyagawa, Y., Takeda, T., Yabuta, Y. and Yoshimura, K. (2002). Regulation and function of ascorbate peroxidase isoenzymes, *J. Exp. Bot.* 53:372, 1305-19.
- Smeets, K., Cuypers, A., Lambrechts, A., Semase, B., Holt, P., Laere, A.V. and Vangronsveld, J. (2005). Induction of oxidative stress and antioxidative mechanisms in *Phaseolus vulgaris* after Cd application, *Plant Physiol. Biochem.*, 437-444.
- Stintzing, F.C and Carle, R. (2004). Functional properties of anthocyanins and betalains in plants, food, and in human nutrition. *Trends in Food Science & Technology* 15, 19–38.
- Stintzing, F.C, Schieber, A and Carle, R. (2002). Betacyanins in fruits of red-purple pitaya, *Hylocereus polyrhizus* (Weber) Britton & Rose, *Food Chemistry*, vol. 77, pp. 101-106.
- Strack, D., Vogt, T and Schliemann, W. (2003). "Recent advances in betalain research". *Phytochemistry* 62:3, 247–69.
- Suntrass, Z. and Shek, P.N. (1995). Prevention of lung injury by tocopherol liposome, *J. Drug target*, 3, 201.
- Thurnham, I.D. (1994). Functionally important antioxidants and free radical scavengers in foods, *Food Sci Techno today*, 6, 42.
- Tretter, L. (2004). *The J. of Neuroscience*, 24:36, 7771-7778.
- Turunen, M., Olsson, J. and Dallner, G. (2004). Metabolism and function of coenzyme Q, *Biochem Biophys Acta*, 1660:1-2, 171-99.
- Valenzuela, Alfonso, Aspillaga, Mónica, Vial, Soledad, Guerra and Ricardo. (2007). "Selectivity of Silymarin on the Increase of the

- Glutathione Content in Different Tissues of the Rat". *Planta Medica*, 55:5, 420-2.
- Van Camp, W., Inze, D. and Van Montagu, M. (1997). The regulation and function of tobacco superoxide dismutase, *Free Radic Bio Med*, 23:3, 515-520.
 - Velikova, V., Yordanov, I. and Edreva, A. (2000). Oxidative stress and some antioxidant systems in acid rain treated bean plants. Protective role of exogenous polyamines, *Plant Sci*, 151, 59-66.
 - Wang, X. and Quinn, P. (1999). Vitamin E and its function in membranes, *Prog. Lipid Res.*, 38:4, 309-36.
 - Winkler, C., Wirleitner, B. and Schroecksnadel, K. (2005). In vitro Effects of Beet Root Juice on Stimulated and Unstimulated Peripheral Blood Mononuclear Cells. *American journal of biochemistry and biotechnology*. 1:4, 180-185.
 - Wolf, G. (2005). The discovery of the antioxidant function of vitamin E: the contribution of Henry A. Mattill. *J. Nutr.*, 135:3,363-6.
 - Wood, Z., Schroder, E., Robin Harris, J. and Poole, L. (2003). Structure mechanism and regulation of peroxiredoxins, *Trends in Biochem. Sci.* 28:1, 32-42.
 - Xianquan, S., Shi, J., Kakuda, Y. and Yueming, J. (2005). Stability of Lycopene during food processing and storage, *J. Med. Food.*, 8:4, 413-422.
 - Yadav, H.R and Vijayakumari, B. (2004). Impact of vermicompost on biochemical characters of chilli. *J. Exotoxicol. Environ, Monit.* 14:1,151-156.
 - Yao, S., Chen, S., Xu, D. and Lan, H. (2010). Plant growth and responses of antioxidants of *Chenopodium album* to long term NaCl and KCl stress, *Plant Growth Regul*, 60,115-125.

- Younis, M.E., Hasaneen, M.N.A. and Tourky, S.M.N. (2009). Plant growth, metabolism and adaptation in relation to stress conditions, Salinity biofertility interactive effects on proline, glycine and various antioxidants in *lactuca sativa*, *plant Omics Journal*, 2, 197-205.
- Zarkaria, H., Simpson, K., Brown, P.R. and Krotulin, A. (1979). Use of reversed phase HPLC analysis for the determination of provitamin carotenoids in tomatoes, *J. chromatography*. 176, 109-117.
- Zeldes, A. (2011). "Eat this! Fresh beets, nature's jewels for the table". *Dining Chicago*. Chicago's Restaurant & Entertainment Guide, Inc. Retrieved, 2012-08-03.
- Zelko, I., Mariani, T. and Folz, R. (2002). Superoxide dismutase multigene family: A comparison of the CuZn-SOD (SOD1), Mn-SOD/SOD2) and Ec-SOD (SOD3) gene structures, evolution and expression, *Free Radica Biol Med*, 33:3, 337-349.