



References

- Abolfotouh M.A., Bassiouni F.A., Mounir G.M., Fayyad R.C. Health-related lifestyles and risk behaviours among students living in Alexandria University Hostels. *East Mediterr. Health J.* 2007;13:376–391. [PubMed]
- Ahmad, N., Adam, S. I. M., Nawj, A. M., Hassan, M. R., & Ghazi, H. F. (2016). Abdominal Obesity Indicators: Waist Circumference or Waist-to-hip Ratio in Malaysian Adults Population. *International Journal of Preventive Medicine*, 7, 82. <http://doi.org/10.4103/2008-7802.183654>
- Al Qauhiz N.M. Obesity among Saudi Female University students: Dietary habits and health behaviors. *J. Egypt. Public Health Assoc.* 2010;85:45–59.
- Anderson, G.H. and Moore, S.E. (2004) Dietary Proteins in the Regulation of Food Intake and Body Weight in Humans. *The Journal of Nutrition*, 134, 974S-979S.
- Anonymous (2005) Functional Foods: Opportunities and Challenges. IFT Expert Report, Institute of Food Technologists. [9] Anonymous (2005) Functional Foods: Opportunities and Challenges. IFT Expert Report, Institute of Food Technologists.
- AOAC. 1990. Official methods of analysis, Association of Official Analytical Chemists, Washington, D.C., USA. 15th Edition.
- Apprich, S., Tirpanalan, € O., Hell, J. et al. (2013). Wheat bran-based biorefinery 2: valorisation of products. *LWT-Food Science and Technology*, 56, 222–231.
- Arkadianos, I., Valdes, A. M., Marinos, E., Florou, A., Gill, R. D., & Grimaldi, K. A. (2007). Improved weight management using genetic information to personalize a calorie controlled diet. *Nutrition Journal*, 6, 29.
- Arulmozhi, S., M.M. Papiya, A. Purnima, and N. Sathiya, 2008. In Vitro Antioxidant and Free Radical Scavenging Activity of *Alstonia scholaris* Linn, Iranian. *J.Pharmacol and Therapeutics.*, 6: 191-196.
- Bakr E.M., Ismail N.A., Mahaba H.M. Impact of life style on the nutritional status of medical students at Ain Shams University. *J. Egypt. Public Health Assoc.* 2002;77:29–49
- Banwell C., Lim L., Seubsman S.A., Bain C., Dixon J., Sleigh A. (2009), Body mass index and health-related behaviours in a national cohort of 87,134 Thai Open University students. *J. Epidemiol. Community Health.* ;63:366–372
- Barnett AH, Dixon AN, Bellary S, Hanif MW, O’Hare JP, et al. (2006) Type 2 diabetes and cardiovascular risk in the UK south Asian community. *Diabetologia* 49: 2234–2246.
- Beamer BA, Yen CJ, Andersen RE, Muller D, Elahi D, Cheskin LJ, Andres R, Roth J, Shuldiner AR. Association of the Pro12Ala variant in the peroxisome proliferator-activated receptor-gamma2 gene with obesity in two Caucasian populations. *Diabetes.* 1998;47:1806–1808
- Bell AC, Ge K, Popkin BM. The road to obesity or the path 24. to prevention: motorized transportation and obesity in China. *Obes Res* 2002; 10 : 277-83.
- Bener, A., Zirie, M., Al-Hamaq, A., Nawaz, Z., Samson, N., & Mohammad, R. (2015). Impact of the Pro12Ala polymorphism of the PPARγ2 gene on diabetes and obesity in a highly consanguineous population. *Indian Journal of Endocrinology and Metabolism*, 19(1), 77–83.

- Benzie, I. F. F. and Strain, J. J. 1999. Ferric reducing/ antioxidant power assay: Direct measure of total antioxidant activity of biological fluids and modified version for simultaneous measurement of total antioxidant power and ascorbic acid concentration. *Methods in Enzymology* 299: 15–27.
- Benzie. I.F.F. (1999). Vitamin C: prospective functional markers for defining optimal nutritional status. *P. Nutr. Soc.*, 58, 469-476.
- Bergman RN, Stefanovski D, Buchanan TA et al., (2011) A better index of body adiposity. *Obesity (Silver Spring)* 19:1083–1089
- Bernstein, A.M., Titgemeier, B., Kirkpatrick, K., Golubic, M. & Roizen, M.F. (2013). Major cereal grain fibers and psyllium in relation to cardiovascular health. *Nutrients*, 5, 1471–1487
- Berthoud, H.R., Lenard, N.R. and Shin, A.C. (2011) Food Reward, Hyperphagia, and Obesity. *American Journal of Physiology-Regulatory, Integrative and Comparative Physiology*, 300, R1266-R1277.
- Bhardwaj S, Misra A, Misra R, Goel K, Bhatt SP, Rastogi 7. KV, et al. High prevalence of abdominal, intra-abdominal and subcutaneous adiposity and clustering of risk factors among urban Asian Indians in North India. *PLoS One* 2011; 6 : e24362.
- Bhathena Sam J and Velasquez Manuel T (2002), Beneficial role of dietary phytoestrogens in obesity and diabetes, *Am J Clin Nutr*;76:1191–1201
- Bhongir A.V., Nemani S., Reddy P.S. (2011) Rural-urban epidemiologic transition of risk factors for coronary artery disease in collegestudents of Hyderabad and nearby rural area—A pilot study. *J. Assoc. Physician. India.* ;59:222–226.
- Birani RB, bhutani KK (2007) pancreatic lipase inhibitors from natural sources : unexplained potential drug discov today 12, 879 -889
- Bodiba P., Madu S.N., Ezeokana J.O., Nnedum O.A. The relationship between body mass index and self-concept among adolescent black female university students. *Curationis*. 2008;31:77–84.
- Bogardus C, Lillioja S, Ravussin E, et al. Familial dependence of the resting metabolic rate. *N Eng J Med* 1986; 315:96–100
- Bouwman LI: Personalized nutrition advice, an everyday-life perspective; thesis, Wageningen University, 2008, ISBN 978–90–8585–363–3.
- Boyne. A.F. and Ellman. G.L. (1972). A methodology for analysis of tissue sulfhydryl Components, *Anal. Biochem.*,46, 639-653.
- Bozan B, Temelli F (2008) chemical composition 30oxidative stability of flax safflower and poppyseed and seed oils, *bioresourtechnol* 99; PP ; 6354 -6359.
- Braca A, Sortino C, Politi M et al. Anti-oxidant activity of flavonoids from *Licania licaniaeflora*. *J Ethnopharmacol* 79: 379-381, 2002
- Bray GA. Syndromes of hypothalamic obesity in man. *Ped Annals* 1984; 13:525–536
- Bray, R.A., Jones, A. & Andersen, K.I. 1994. Order Pseudophyllidea Carus, 1863. In L.F. Khalil, A. Jones & R.A. Bray (eds.), *Keys to the cestode parasites of vertebrates*. CAB International, Wallingford, U.K.: 205-247.
- Camilleri AE, MacKenzie K, Gatehouse S. (1995), The effect of recurrent tonsillitis and tonsillectomy on growth in childhood. *Clin Otolaryngol*; 20:153–157
- Castillejo, G; Bullo, M; Anguera, A; Escribano, J; Salas-Salvado, J. (2006) A Controlled, Randomized, Double-blind Trial to Evaluate the Effect of a Supplement of Cocoa Husk That is Rich in Dietary Fiber on Colonic Transit in Constipated Pediatric Patients. *Pediatrics*, 118(3), e641-e648.

- Centers for Disease Control and Prevention: Nutrition and Physical Activity. Washington, DC: National Center for Chronic Disease Prevention and Health Promotion. <http://www.cdc.gov/nccdphp/dnpa/bmi/index.htm>.
- Chandra. R., Aneja. R., Rewal. C., Konduri. R., Dass. K and Agarwal. S. (2000). An opium alkaloid papaverine ameliorates ethanol induced hepatotoxicity: diminution of oxidative stress, *Ind. J. Clin. Biochem.*, 15, 155-160.
- Chang HC1, Huang CN, Yeh DM, Wang SJ, Peng CH, Wang CJ. Oat prevents obesity and abdominal fat distribution, and improves liver function in humans. *Plant Foods Hum Nutr.* 2013 Mar;68(1):18-23.
- Chaturvedi R, Singh N (2016)., Metabolically healthy but obese or metabolically obese but normal weight: debate on health., *J. Indian Dietetic Association* Volume 38, No.1, pp.24-31.
- Chaudhry M.A., Ahmad F., Ashraf M.Z. Frequency of overweight and obesity in students of medical College Lahore. *Ann. Pak. Inst. Med. Sci.* 2012;8:137–140.
- Cilliers J., Senekal M., Kunneke E. The association between the body mass index of first-year female university students and their weight-related perceptions and practices, psychological health, physical activity and other physical health indicators. *Public Health Nutr.* 2006;9:234–243. [PubMed]
- Clasey, JL, Kanaley, LJA, Wideman, SB, Heymsfield, SB, Teates, CD, Gutgesell, ME, et al. Validity of methods of body composition assessment in young and older men and women. *J Appl Physiol* 1999;86:1728 – 1738.
- Cockram CS. The epidemiology of diabetes mellitus in the Asia-Pacific region. *Hong Kong Medical Journal* 2000; 6(1): 43–52.
- Colditz GA, Willett WC, Rotnitzky A, Manson JE. Weight gain as a risk factor for clinical diabetes mellitus in women. *Annals of Internal Medicine* 1995; 122:1 April: 481–6.
- Combs, Gerald & R Trumbo, Paula & Mckinley, Michelle & Milner, John & Studenski, Stephanie & Kimura, Takeshi & Watkins, Steven & Raiten, Daniel. (2013). Biomarkers in nutrition: New frontiers in research and application. *Annals of the New York Academy of Sciences.* 1278. 1-10. 10.1111/nyas.12069.
- Comuzzie AG, Williams JT, Martin LJ, Blangero J 2001 Searching for genes underlying normal variation in human adiposity. *J Mol Med* 79:57–70.
- Constantine Tsigosa Vojtech Hainerb Arnaud basdevantc nick Finerd Martin Friede Elisabeth Mathus- Vliegeng Dragan Micicg Maximo Maislosh Gabriela Romani Yves Schutzz Hermann Toplakk Barbara Zahrska Markiewicz, (2008). Management of obeisty in Adults Eyropen clinical Practice Guidelines. *Obesity Facts*;1: 106-116
- Corella, D., & Ordovas, J. M. (2009). Nutrigenomics in cardiovascular medicine. *Circulation. Cardiovascular Genetics*, 2(6), 637–651.
- Crujeiras, A.B., Parra, D., Abete, I. and Martínez, J.A. (2007) A Hypocaloric Diet Enriched in Legumes Specifically Mitigates Lipid Peroxidation in Obese Subjects. *Free Radical Research*, 41, 498-506.
- Curti, E., Carini, E., Bonacini, G., Tribuzio, G. & Vittadini, E. (2013). Effect of the addition of bran fractions on bread properties. *Journal of Cereal Science*, 57, 325–332.
- Dalar, A. and Konczak, I. (2013) Phenolic Contents, Antioxidant Capacities and Inhibitory Activities against Key Metabolic Syndrome Relevant Enzymes of Herbal Teas from Eastern Anatolia. *Industrial Crops and Products*, 44, 383- 390.
- Dalton M, Cameron AJ, Zimmet PZ, Shaw JE, Jolley D, Dunstan DW. (2003). Waist circumference, waist-hip ratio and body mass index and their correlation with cardiovascular disease risk factors in Australian adults. *J Intern Med.* ;254:555–563

- Das. K., Samanta. L. and Chainy. G.B.N. (2000). A modified spectrophotometric assay of superoxide dismutase using nitrite formation by superoxide radicals. *Ind. J. Biochem. Biophys.*, 37, 201-204.
- Dave, S., Kaur, N.J., Nanduri, R., Dkhar, H.K., Kumar, A. and Gupta, P. (2012) Inhibition of Adipogenesis and Induction of Apoptosis and Lipolysis by Stem Bromelain in 3T3-L1 Adipocytes. *PLoS ONE*, 7, Article ID: e30831.
- David J. Baer, Kim S Stote, David R. Paul, G Keith Harris, William V. Rumpler, and Beverly A. Clevidence, 2011. Whey protein but not soy protein supplementation alters body weight and composition in free living overweight and obese adults. *J.Nutr*, 141: 1489-1494.
- David L.A., Maurice C.F., Carmody R.N., Gootenberg D.B., Button J.E., Wolfe B.E., Ling A.V., Devlin A.S., Varma Y., Fischbach M.A., et al. Diet rapidly and reproducibly alters the human gut microbiome. *Nature*. 2014;505:559–563.
- Davidson, T.L. and Swithers, S.E. (2004) A Pavlovian Approach to the Problem of Obesity. *International Journal of Obesity*, 28, 933-935.
- Deepa M, Farooq S, Deepa R, Manjula D, Mohan V. Prevalence and significance of generalized and central body obesity in an urban Asian Indian population in Chennai, India (CURES: 47). *Eur J Clin Nutr* 2009; 63 : 259-67.
- Deepa R, Sandeep S, Mohan V. Abdominal obesity, visceral fat and type 2 diabetes- Asian Indian phenotype. In: Mohan V, Rao GHR, editors. *Type 2 diabetes in South Asians: epidemiology, risk factors and prevention*. New Delhi, India: Jaypee Brothers Medical Publishers (P) Ltd; 2006. p. 138-52.
- Deibert P, Konig D, Schmidt-Trucksas A, Zaenker KS, Frey I, Landmann U, Berg A. Weight loss without losing muscle mass in pre-obese and obese subjects induced by high-soy-protein diet. *Int J Obes Relat Disord*. 2004;28:1349–1352
- Deurenberg-Yap, M, Schmidt, G, Staveren, WA & Deurenberg, P (2000). The paradox of low body mass index and high body fat percent among Chinese, Malays and Indians in Singapore. *Int. J. Obes. Relat. Metab. Disord.*, 24, 1011–1017
- Diabetes, Obesity and Metabolism* 2003 ;5:359-70
- Dolgin, E. (2012) A History of Drugs on the Weight List. *Nature Medicine*, 18, 843.
- Drewnowski A. Obesity, diets, and social inequalities. *Nutr Rev* 2009; 67(Suppl 1):S36-9.
- Duranti, M., Lovati, M.R., Dani, V., Barbiroli, A., Scarafoni, A., Castiglioni, S., Ponzzone, C. and Morazzoni, P. (2004) The α' Subunit from Soybean 7S Globulin Lowers Plasma Lipids and Upregulates Liver β -VLDL Receptors in Rats Fed a Hypercholesterolemic Diet. *The Journal of Nutrition*, 134, 1334-1339.
- Dyck, J., Berthiaume, L., Thomas, P., Kantor, P., Barr, A., Barr, R., Prentki, M., et al. (2000) Characterization of Rat Liver Malonyl-CoA Decarboxylase and the Study of Its Role in Regulating Fatty Acid Metabolism. *Biochemical Journal*, 350, 599-608.
- Ebrahimzadeh, M.A., S.J. Hosseinimehr, A. Hamidinia, and M. Jafari, 2008. Antioxidant and free radical scavenging activity of Feijoa sellowiana fruits peel epidemiologic methods in Kuwait. *J Obes*. 2013; 2013:378650.
- Eckel, R.H., Grundy, S.M. and Zimmet, P.Z. (2005) The metabolic syndrome. *Lancet*, 365, 1415–1428.
- Eriksson JG, Forsen T, Tuomilehto J, Osmond C, Barker DJP. Early adiposity rebound in childhood and risk of type 2 diabetes 20140504 Conference End: 20140507 Conference Publication: (var pagings) 9: March.48, 892–899.
- Erselcan, T, Ferhan, C, Saruhan, S, Tulay, A. Comparison of body composition analysis methods in clinical routine. *Ann of Nutri and Metab* 2000;44:243-248.

- Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults. Executive summary of the third report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). *JAMA*. 2001; 285:2486-2497.
- Fall CH (2001) Non-industrialised countries and affluence. *Br Med Bull* 60: 33–50.
- Farb MG, Gocke N. Visceral adiposopathy: A vascular perspective. *Horm Mol Biol Clin Investig*. 2015;21:125-136.
- Farb MG, Gocke N. Visceral adiposopathy: A vascular perspective. *Horm Mol Biol Clin Investig*. 2015;21:125-136.
- Faria ER , Gontijo CA, Franceschini SCC , Peluzio MCG, Priore SE. Body composition and risk for metabolic alterations in female adolescents. *Rev Paul Pediatr*. 2014;32:207-215.
- Farrag M, Ibrahim AM, Ibrahim M: Prevalence of obesity and other cardiovascular risk factors in young Egyptian adults. *Global Heart Conference: World Congress of Cardiology Scientific Sessions 2014, WCC 2014 Melbourne, VIC Australia Conference Start*:
- Fenech, M., El-Soheby, A., Cahill, L., Ferguson, L. R., French, T.-A. C., Tai, E. S. Head, R. (2011). Nutrigenetics and Nutrigenomics: Viewpoints on the Current Status and Applications in Nutrition Research and Practice. *Journal of Nutrigenetics and Nutrigenomics*, 4(2), 69–89.
- Finkelstein, E.A., Trogdon, J.G., Cohen, J.W. and Dietz, W. (2009) Annual Medical Spending Attributable to Obesity: Payer- and Service-Specific Estimates. *Health Affairs (Millwood)*, 5, 822-831.
- Folch J, Lees M, Stanley GHS (1957) A simple method for the isolation and purification of total lipids from animal tissues. *Journal of biological chemistry* 226: 497-509.
- Ford ES, Giles WH, Dietz WH (2002) Prevalence of the metabolic syndrome among US adults: findings from the third National Health and Nutrition Examination Survey. *JAMA* 287: 356-359
- Frankenfield D, Roth-Yousey L, Compher C. Comparison of predictive equations for resting metabolic rate in healthy nonobese and obese adults: a systematic review. *J Am Diet Assoc* 2005;105:775–89.
- Frankenfield DC, Rowe WA, Cooney RN, Smith JS, Becker D. Limits of body mass index to detect obesity and predict body composition. *Nutrition*. 2001;17:26–30
- Freeland KR, Anderson GH, Wolever TMS. Acute effects of dietary fibre and glycaemic carbohydrate on appetite and food intake in healthy males. *Appetite*. 2009;52:58–64.
- Friedewald WT, Levy RI, Fredrikson DS. Estimation of the concentration of low-density
- Gao, Z., Yin, J., Zhang, J., Ward, R.E., Martin, R.J., Lefevre, M., Cefalu, W.T. and Ye, J.P. (2009) Butyrate Improves Insulin Sensitivity and Increases Energy Expenditure in Mice. *Diabetes*, 58, 1509-1517.
- García-Lafuente A, Guillamón E, Villares A, Rostagno M, Martínez J. Flavonoids as anti-inflammatory agents: implications in cancer and cardiovascular disease. *Inflammation Res* 2009; 58: 537-552
- Garg C, Khan SA, Ansari SH, Garg M. Prevalence of obesity 33. in Indian women. *Obes Rev* 2010; 11 : 105-8.
- Geneva: WHO; 2012. World Health Organization (WHO). World Health Statistics 2012.
- Geneva: World Health Organization; 2008. World Health Organization (WHO). Waist Circumference and Waist-Hip Ratio. Report of WHO Expert Consultation.
- Gill T, Chittleborough C, Taylor A, et al.,. Body mass index, waist hip ratio and waist circumference: which measure to classify obesity? *Soz Preventivemed* 2003; 48: 191-200.
- Glinski J, Wetzler S, Goodman E. The psychology of gastric bypass surgery. *Obesity Surgery* 2001;11:581-588.

- Globerman H1, Zauberman Y, Makarov T, Beamer BA, Yen CJ, Shuldiner AR, Harel C, Karnieli E. (2000) Analysis of the peroxisome proliferator activated receptor gamma (PPARgamma) gene in HAIRAN syndrome with obesity, *Clin Endocrinol (Oxf)*. 2000 Apr;52(4):479-85.
- Gopalakrishnan S., Ganeshkumar P., Prakash M.V., Amalraj C.V. Prevalence of overweight/obesity among the medical students, Malaysia. *Med. J. Malays*. 2012; 67:442–444.
- Gopalan, C., Sastri, R.B. V. and Balasubramaniam.,S.C. Nutritive Value of Indian Foods, ICMR (2011)NIN Hyderabad Pp11-18.
- Gores S.E. Addressing nutritional issues in the college-aged client: Strategies for the nurse practitioner. *J. Amer. Acad. Nurse Pract*. 2008; 20:5–10.
- Green L.C., D.A. Wagner, J. Glogowski, P.L. Skipper, J.S. Wishnok and S.R. Tannenbaum, 1982. Analysis of nitrate, nitrite and nitrate in biological fluids., *Anal Biochem*.1982 Oct;126(1):131-8
- Gregory CO, Martorell R, Narayan KM, Ramirez-Zea M, Stein AD. Five-year changes in adiposity and cardio-metabolic risk factors among Guatemalan young adults. *Public Health Nutr*. 2009;12: 228–35.
- Gruen G, Silverstein K(2003), Usual dietary isoflavone intake and body composition in postmenopausal women, *Menopause* ;10(5):427-32.
- Grundy SM, Cleeman JI, Baird Merz CN, et al, for the Coordinating Committee of the National Cholesterol Education Program. Implications of recent clinical trials for the National Cholesterol Education Program Adult Treatment Panel III guidelines. *Circulation*. 2004;110:227-239.
- Guerrero, Romero F1, Rodríguez-Morán M.(2003), Abdominal volume index. An anthropometry-based index for estimation of obesity is strongly related to impaired glucose tolerance and type 2 diabetes mellitus
- Gupta R, Deedwania PC, Gupta A, Rastogi S, Panwar RB, et al. (2004) Prevalence of metabolic syndrome in an Indian urban population. *Int J Cardiol* 97: 257-261
- Haffner SM, Cassells HB. Metabolic syndrome – a new risk factor of coronary heart disease.
- Haidar Y.M., Cosman B.C. Obesity epidemiology. *Clin. Colon Rectal Surg*. 2011;24:205–210.
- Hannan, JM; Ali, L; Rokeya, B; Khaleque, J; Akhter, M; Flatt, PR; Abdel-Wahab, YH. (2007) Soluble Dietary Fibre Fraction of *Trigonella foenum-graecum* (fenugreek) Seed Improves Glucose Homeostasis in Animal Models of Type 1 and Type 2 Diabetes by Delaying Carbohydrate Digestion and Absorption, and Enhancing Insulin Action. *Br. J. Nutr.*, 97(3), 514-521.
- Hedge, J.E and Hofreiter, B.T (1962) .In. *Carbohydrate Chemistry* ,17(Eds. Whistler R.L and Be Miller, J.N), Academic Press, New York.
- Heim. K.E., Tagliaferro. A.R. and Bobilya. D.J. (2002). Flavonoid antioxidants: chemistry, metabolism, and structure-activity relationships. *J. Nutr. Biochem.*, 13, 572-584.
- Hill JO, Wyatt HR, Reed GW, Peters JC. Obesity and the environment: where do we go from here? *Science* 2004; 299: 853–855
- Hingorjo, M.R.; Syed, S.; Qureshi, M.A. Overweight and obesity in students of a dental college of Karachi: Lifestyle influence and measurement by an appropriate anthropometric index. *J. Pak. Med. Assoc*. 2009, 59, 528–532.
- Hirai, S., Takahashi, N., Goto, T., Lin, S., Uemura, T., Yu, R. and Kawada, T. (2010) Functional Food Targeting the Regulation of Obesity-Induced Inflammatory Responses and Pathologies. *Mediators of Inflammation*, 2010, Article ID: 367838.

- Ho SC, Chen YM, Woo JL, Leung SS, Lam TH, Janus ED. Association between simple anthropometric indices and cardiovascular risk factors. *Int J Obes Relat Metab Disord* 2001; 25: 1689–97.
- Hollaender PL, Ross AB, Kristensen M. Whole grain and blood lipid changes in apparently healthy adults: a systematic review and meta-analysis of randomized controlled studies. *American journal of clinical nutrition*. 2015 Sep;102 (3): 556-72.
- Holt, S.H.A., Miller, J.C.B., Petocz, P., and Farmakalidis, E.A satiety index of common foods. *Eur. J. Clin. Nutr.* 49:675-690, 1995.
- Houtkooper LB, Going SB, Sproul J, Blow RM, Lohman TG Comparison of methods for estimating body-composition changes over 1 y in postmenopausal women. *Am J Clin Nutr* 2000;72(2):401-406.
- Huaidong Du, Daphine L Van der A, Hendriek C Boshuizen, Nita G forouhi, Nicolas J Wareham, Jytte Halkjaer, Anne Tjonneland, Kim Overvad, Marianne Uhre Jakobsen, Heiner Boeing, Brian Buijsse, Giovanna Masala, Dominuque Palli, Thorkild IA Sorensen, wim Hm Saris and Edith JM Feskens. (2010). Dietary fiber and waist circumference in European men and women *Am.J.Clin.Nutr.*, 91: 329-36
- Ibrügger S, MetteKristensen , MetteSkauMikkelsen , Arne Astrup (2012), Flaxseed dietary fiber supplements for suppression of appetite and food intake, *Appetite*, PP.490–495
- Ink, S. and Matthews, R. Oatmeal and oat-bran: heart healthy benefits and more. In: *New Technologies for Healthy Foods and Nutraceuticals*. Yalpani, M., Ed., Shrewsbury, MA: ATL Press, 1997.
- Inoue, S., Sugiyama, T., Takamiya, T., Oka, K., Owen, N., & Shimomitsu, T. (2012). Television viewing time is associated with overweight/obesity among older adults, independent of meeting physical activity and health guidelines. *Journal of Epidemiology*, 22(1), 50-56.
- International Institute for Population Sciences (IIPS) (2007) National Family Health Survey (NFHS-3). Mumbai, India: IIPS.
- International Institute for Population Sciences (IIPS) 17. and Macro International. National Family Health Survey (NFHS-3), 2005-06: India: vol. I. Mumbai: IIPS; 2007.
- International Institute for Population Sciences (IIPS) and Macro International. National Family Health Survey (NFHS-3), 2005-06: India: vol. I. Mumbai: IIPS; 2007.
- Isomaa B, Almgren P, Tuomi T ,Cardiovascular morbidity and mortality associated with the metabolic syndrome. *Diabetes Care* 2001, 24(4), Pp:683-9
- Iwashita, S., Mikus, C., Baier, S. and Flakoll, P.J. (2006) Glutamine Supplementation Increases Postprandial Energy Expenditure and Fat Oxidation in Humans. *Journal of Parenteral and Enteral Nutrition*, 30, 76-80. <http://dx.doi.org/10.1177/014860710603000276>
- Janssen I, Paul LH, Kazlanskaite R and SA Augusta Testosterone and visceral fat in midlife women: the Study of Women’s Health Across the Nation (SWAN) fat patterning study. *Obesity* 2010; 18(3): 604-610.
- Jingya B., Ye H., Jing W., Xi H., Tao H. Quantitative analysis and comparison of BMI among Han, Tibetan, and Uygur university students in Northwest China. *Sci. World J.* 2013
- Joint Health Claims Initiative Expert Committee. Generic claim submission in relation to oat beta-glucan and cholesterol reduction. Available from: Joint Health Claims Initiative Expert Committee. Generic claim submission in relation to oat beta-glucan and cholesterol reduction.
- Joshi SR. metabolic syndrome - emerging clusters of the 21. Indian phenotype. *J Assoc Physicians India*2003; 51 : 445-6
- Kajla.P, Sharma .A. Sood.D.R (2015) Flaxseed—a potential functional food source, *J Food SciTechnol*, 52(4):1857–1871

- Kamimura, MA, Avesani, CM, Cendoroglo, M, Canziani, MEF, Draibe, SA, Cuppari, L. Comparison of skinfold thickness and bioelectrical impedance analysis with dual-energy X-ray absorptiometry for the assessment of body fat in patients on long-term haemodialysis therapy. *Nephrol Dial Transplant* 2003;18:101-105.
- Karageorgi S, Alsmadi O, Behbehani K. A review of adult obesity prevalence, trends, risk factors, and
- Kasote, D.M. (2013), Flaxseed phenolics as natural antioxidants, *International Food Research Journal* 20(1): 27-34
- Kassas GE (2015) Obesity Risk Factors among Beirut Arab University Students in Tripoli-Lebanon. *J Nutr Food Sci* 5:421.
- Katarae C, Saxena s, Agarwal S, Prasad GBKs Bisen PS (2012) flax seed; a potential medicinal food. *J nutr food sci* 2: 120.
- Katz, D.L. Hunger, Appetite, Taste and Satiety. In: *Nutrition in Clinical Practice*, Lippincott Williams & Wilkins, New York, 2001.
- Katz, D.L., Nawaz, H., Boukhalil, J., Giannamore, V., Chan, W., Ahmadi, R., and Sarrel, P.M. Acute effects of oats and vitamin E on endothelial responses to ingested fat. *Am. J. Prev. Med.* 20:124-129, 2001
- Keats, S. and Wiggins, S. (2014) The Overseas Development Institute (ODI). Future Diets: Implications for Agriculture and Food Prices. <http://www.odi.org.uk/sites/odi.org.uk/files/odi-assets/publications-opinion-files/8776.pdf>
- Kelishadi R: Childhood overweight, obesity, and the metabolic syndrome in developing countries. *Epidemiol Rev* 2007; 29: 62–76.
- Keller, U. (2011) Dietary Proteins in Obesity and Diabetes. *International Journal of Vitamins and Nutrition Research*, 81, 125-133.
- Klein S, Burke LE, Bray GA, et al. American Heart Association Council on Nutrition, Physical Activity, and Metabolism. Clinical implications of obesity with specific focus on cardiovascular disease: a statement for professionals from the American Heart Association Council on Nutrition, Physical Activity, and Metabolism: endorsed by the American College of Cardiology Foundation. *Circulation*. 2004;110(18):2952–2967
- Ko, GTC, Tang, J, Chan, JCN, Wu, MMF, Wai, HPS & Chen, R (2000). Lower BMI cut-off value to define obesity in Hong Kong Chinese: an analysis based on body fat assessment by bioelectrical impedance. *Br. J. Nutr.*, 85, 239–242.
- Koh, K.K., Han, S.H. and Quon, M.J. (2005) Inflammatory markers and the metabolic syndrome: insights from therapeutic interventions. *J. Am. Coll. Cardiol.*, 46, 1978–1985.
- Kopelman PG. Obesity as a medical Problem. *Nature* 2000; 404: 635-43.
- Kozuka, C., Yabiku, K., Sunagawa, S., Ueda, R., Taira, S.I., Ohshiro, H., Masuzaki, H., et al. (2012) Brown Rice and Its Component, γ -Oryzanol, Attenuate the Preference for High-Fat Diet by Decreasing Hypothalamic Endoplasmic Reticulum Stress in Mice. *Diabetes*, 61, 3084-3093.
- Krebs, M., Brehm, A., Krssak, M., Anderwald, C., Bernroider, E., Nowotny, P., Roth, E., Chandramouli, V., Landau, B.R., Waldh, W. and Roden, M. (2003) Direct and Indirect Effects of Amino Acids on Hepatic Glucose Metabolism in Humans. *Diabetologia*, 46, 917-925.
- Krebs, M., Brehm, A., Krssak, M., Anderwald, C., Bernroider, E., Nowotny, P., Roth, E., Chandramouli, V., Landau, B.R., Waldh, W. and Roden, M. (2003) Direct and Indirect Effects of Amino Acids on Hepatic Glucose Metabolism in Humans. *Diabetologia*, 46, 917-925.

- Kulkarni, B., Kuper, H., Taylor, A., Wells, J. C., Radhakrishna, K. V., Kinra, S., ... Hills, A. P. (2014). Assessment of body composition in Indian adults: comparison between dual-energy X-ray absorptiometry and isotope dilution technique. *The British Journal of Nutrition*, 112(7), 1147–1153. <http://doi.org/10.1017/S0007114514001718>
- Kwak, J.H., Ahn, C.W., Park, S.H., Jung, S.U., Min, B.J., Kim, O.Y. and Lee, J.H. (2012) Weight Reduction Effects of a Black Soy Peptide Supplement in Overweight and Obese Subjects: Double Blind, Randomized, Controlled Study. *Food & Function*, 3, 1019-1024.
- Landman J, Cruickshank JK (2001) A review of ethnicity, health and nutrition-related diseases in relation to migration in the United Kingdom. *Public Health Nutr* 4: 647–657.
- Larsen, T.M., Dalskov, S.M., van Baak, M., Jebb, S.A., Papadaki, A., Pfeiffer, A.F., Astrup, A., et al. (2010) Diets with High or Low Protein Content and Glycemic Index for Weight-Loss Maintenance. *New England Journal of Medicine*, 363, 2102-2113
- Lata, H. and G.K. Ahuja, 2003. Role of free radicals in health and disease. *Ind. J.*
- Laxmaiah A, Nagalla B, Vijayaraghavan K, Nair M. Factors affecting prevalence of overweight among 12- to 17-year-old urban adolescents in Hyderabad, India. *Obesity (Silver Spring)* 2007; 15(6):1384-90.
- Lazar, M.A. (2006) The humoral side of insulin resistance. *Nat. Med.*, 12, 43–44.
- Lee MY, Lee YJ, Kim YH, et al. Role of Peroxisome Proliferator-Activated Receptor (PPAR) δ in Embryonic Stem Cell Proliferation. *International Journal of Stem Cells*. 2009;2(1):28-34.
- Lee, Y. P., Mori, T. A., Sipsas, S., Barden, A., Puddey, I. B., Burke, V., et al.,. (2006). Lupin-enriched bread increases satiety and reduces energy intake acutely. *American Journal of Clinical Nutrition*, 84, PP 975–980.
- Leila Azadbakht and Safura Nurbakhsh. (2011). Effect of soy drink replacement in a weight reducing diet on anthropometric values and blood pressure among overweight and obese female youths, *Asia Pac J clin Nutr.*, 20(3): 383-389.
- Leo Treyzon, Steve Chen¹, Kurt Hong, Eric Yan, Catherine L Carpenter, Gail Thames, Susan Bowerman, He-jing wang, Robert Elashoff and Zhaoping Li. (2008). A controlled trial of protein enrichment of meal replacements for weight reduction with replacements for weight reduction with retention of lean body mass, *J Nutr*, 7:23.
- Li. H.B., Wong. C.C., Cheng. K.W. and Chen. F. (2008). Antioxidant activities in vitro and total phenolic contents in methanol extracts from medicinal plants. *Swiss Soc. Food Sci. Technol.*, 41, 385-390.
- Lintsi, M, Kaarma, H, Kull, L. Comparison of hand-to-hand bioimpedance and anthropometry equations versus dual-energy X-ray absorptiometry for the assessment of body fat percentage in 17-18-year-old conscripts. *Clin Physiol Funct Imaging* 2004;24(2):85-90.
- lipoprotein cholesterol in plasma without use of the preparative ultracentrifuge. *ClinChem* 1972; 18: 499–502
- Lisa M Davis, Christopher Coleman, Jessica Kiel, Joni Rampolla, Tammy Hutchisen, Laura Ford, Wayne S Andersen, Andrea Hanlon-Mitola. (2010). Efficacy of a meal replacement diet plan compared to a food-based diet plan after a period of weight loss and weight maintenance: a randomized controlled trial *J. Nutr*, 9(11): 1-10.
- Liu's 14. Liu B, Woo J, Tang N, Ng K, Ip R, Yu A: Assessment of total energy expenditure in a Chinese population by a physical activity questionnaire: examination of validity. *Int J Food Sci Nutr* 2001, 52: 269–282.
- Liyana-Pathirana, Fereidoon and Shahidi (2007), Importance of Insoluble-Bound Phenolics to Antioxidant Properties of Wheat, *J. Agric. Food Chem.*, 2006, 54 (4), pp 1256–1264

- Loganayaki. N., Siddhuraju. P and Manian. S. (2010). Antioxidant Activity of Two Traditional Indian Vegetables: *Solanum nigrum* L. and *Solanum torvum* L. *Food Sci. Biotechnol.*, 19, 121-127.
- Lowry R, Galuska DA, Fulton JE, Wechsler H, Kann L, Collins JL. Physical activity, food choice, and weight management goals and practices among US college students. *Am J Prev Med.* 2000;18:18–27.
- Luan, J., Browne, P.O., Harding, A.H., Halsall, D.J., O’Rahilly, S., Chatterjee, V.K., and Wareham, N.J. (2001). Evidence for gene-nutrient interaction at the PPAR γ locus. *Diabetes* 50, 686–689
- Lucas E.A., Lightfoot S.A., Hammond L.J., Devareddy L, Khalil D.A., Daggy B.P., Smith B.J., Westcott N., Mocanu V., Soung D.Y. and Arjmandi B.H. (2004). Flaxseed reduces plasma cholesterol and atherosclerotic lesion formation in ovariectomized Golden Syrian hamsters. *Atherosclerosis*.173: 223-229
- Lucas, G.M. and P. Markaka, 1975. Phytic acid and other phosphorus compound of bean (*Phaseolus vulgaris*) *J. Agric. Ed. Chem.*, 23: 13-15.
- Ludwig, D.S., Pereira, M.A., Kroenke, C.H., Hilner, J.E., Van Horn, I., Slattery, M.L, and Jacobs, D.R. Dietary fiber, weight gain and cardiovascular disease risk factors in young adults. *J.A.M.A.* 282:1539-1546, 1999b.
- Madalina Neacsu, Claire Fyfe, Graham Horgan, and Alexandra M Johnstone. (2014). Appetite control and biomarkers of satiety with vegetarian (soy) and meat based high protein diets for weight loss in obese men: a randomized crossover trial. *Am. J. Clin. Nutr.*, 100:548-558.
- Madan J, Manyal N; (2010), meal replacement: a way forward in the management of obesity, indian dietic association volume 38, No.1, pp. 8-23, 2016
- Malhotra, S; Rana, SV; Sinha, SK; Khurana, S. (2004) Dietary Fiber Assessment of Patients with Irritable Bowel Syndrome from Northern India. *Indian J. Gastroenterol.*, 23(6), 217-218.
- Mansoori Anahita, Maryam Amini, Fariba Kolahdooz, Ensiyeh Seyedrezazadeh, 2015 *Ann Nutr Metab*;67:104–118
- Marcocci P.L., A. Sckaki and G.M. Albert, 1994. Antioxidant action of Ginkgo biloba extracts EGp76111. *Methods Enzymol.*, 234: 462-475.
- Marie Ng, T.F. (2014). Global regional, and national prevalence of overweight and obesity in children and adults during 1980-2013: A systematic analysis for the Global Burden of Disease Study 2013, *Lancet*, 384: 761-81.
- Marklund S, Marklund G (1974). Involvement of the Superoxide Anion Radical in the Autoxidation of Pyrogallol and a Convenient Assay for Superoxide Dismutase. *Eur J Biochem* 47: 469-474.
- Martinchik AN, Baturin AK, Zubtsov VV, Molofeev V (2012) Nutritional value and functional properties of flaxseed]. *Voprosy pitaniia*. ;81(3):4-10.
- Mceligot, AJ; Largent, J; Ziogas, A; Peel, D; Anton-Culver, H. (2006) Dietary Fat, Fiber, Vegetable, and Micronutrients are Associated with Overall Survival in Postmenopausal Women Diagnosed with Breast Cancer. *Nutr. Cancer.*, 55(2), 132-140.
- McKay L, Macintyre S, Ellaway A (2003) Migration and health: a review of the international literature. MRC Social and Public Health Sciences Unit. Occasional paper series number 12 Petticrew M, Hunt K, eds. Glasgow: MRC Social and Public Health Sciences Unit.
- Melanson E.L., Astrup A., Donahoo W.T. The relationship between dietary fat and fatty acid intake and body weight, diabetes, and the metabolic syndrome. *Ann. Nutr. Metab.* 2009;55:229–243.

- Melzer K, Laurie Karsegard V, Genton L, Kossovsky MP, Kayser B, Pichard C: Comparison of equations for estimating resting metabolic rate in healthy subjects over 70 years of age. *Clin Nutr* 2007, 26: 498–505
- Messina M(2014), Soy foods, isoflavones, and the health of postmenopausal women, *Am J Clin Nutr*. 2014 Jul;100Suppl 1:423S-30S
- Meyre,D.,Bouatia-Naji,N., Tounian,A., Samson,C., Lecoeur, C.,Vatin,V., Ghossaini, M., Wachter, C., Hercberg, S., Charpentier, G. et al. (2005) Variants of ENPP1 are associated with childhood and adult obesity and increase the risk of glucose intolerance and type 2 diabetes. *Nat. Genet.*, 37, 863–867.
- Mezei O, Banz WJ, Steger RW, Peluso MR, Winters TA, Shay N. Soy isoflavones exert antidiabetic and hypolipidemic effects through the PPAR pathways in obese Zucker rats and murine RAW 264.7 cells. *Journal of Nutrition*. 2003;133(5):1238–1243
- Mezei O, Li Y, Mullen E, Ross-Viola JS, Shay NF. Dietary isoflavone supplementation modulates lipid metabolism via PPAR α -dependent and -independent mechanisms. *Physiological Genomics*. 2006;26(1):8–14.
- Mifflin MD, A new predictive equation for resting energy expenditure in healthy individuals. *AJCN* 1990;51;241-247.
- Mifflin MD, St Jeor ST, Hill LA, Scott BJ, Daugherty SA, Koh YO: A new predictive equation for resting energy expenditure in healthy individuals. *Am J Clin Nutr* 1990, 51: 241–247.
- Miller, L.E. (2013) Lorcaserin for Weight Loss: Insights into US Food and Drug Administration Approval. *Journal of the Academy of Nutrition and Dietetics*, 113, 25-30.
- Mirmiran P, Mirbolooki M, Azizi F. Familial clustering of obesity and the role of nutrition: Tehran Lipid and Glucose Study. *Int J*
- Misra A and Shrivastava U Obesity and dyslipidemia in South Asians, *Nutrients*. 2013 Jul 16;5(7):2708-33. doi: 10.3390/nu5072708.
- Misra A, Khurana L. Obesity and the metabolic syndrome 9. in developing countries. *J Clin Endocrinol Metab* 2008; 93 (11 Suppl 1): S9-30.
- Misra A, Khurana L. Obesity and the metabolic syndrome in developing countries. *J ClinEndocrinolMetab* 2008;93(11 Suppl 1):S9-30
- Misra A, P Chowbey, BM Makkar, NK Vikram, JS Wasir, D Chandha, Shashank R.joshi, S Sadikot, R.Gupta, Seema Gulati, YP Munjal, (2009). Consensus statement for diagnosis of obeisty, Abdominal Obesity and the Metabolic Syndrome for Asian Indians and Recommendations for Physical Activity Medical and Surgical Management. *J Assoc Physicians India*, 57: 163-170.
- Misra A, Singhal N, Khurana L. Obesity, the metabolic 25. syndrome, and type 2 diabetes in developing countries: role of dietary fats and oils. *J Am Coll Nutr* 2010; 29 (Suppl 3) : 289S-301S.
- Mohammad A.G., Ibrahim S.R.M and Elkhayat E.S. Natural anti-obesity agents. *Bulletin of Faculty of Pharmacy, Cairo University* (2014) 52, 269–284.
- Mohan V, Deepa M, Deepa R, Shanthirani CS, Farooq S, et al. (2006) Secular trends in the prevalence of diabetes and impaired glucose tolerance in urban south India – the Chennai Urban Rural Epidemiology Study (CURES-17). *Diabetologia* 49: 1175–1178.
- Mohan V, Deepa R. Obesity & abdominal obesity in Asian Indians. *Indian J Med Res* 2006; 123 : 593-6.
- Montgomery, KS. (2003) Soy Protein. *J. Perinat. Educ.*, 12(3), 42-45
- Moore S and Stein ,W.H .(1948) In. *Methods in Enzymol*, Academic press, New York,3,p,468

- Mosa Z, BadryE ,Hala S. Fattah b , Eman G. Mohamed(2015), Comparative study between the effects of some dietary sources and metformin drug on weight reduction in obese rats, *Annals of Agricultural Science*, 60(2), 381–388
- Murakami, K; Sasaki, S; Okubo, H; Takahashi, Y; Hosoi, Y; Itabashi, M. (2007) Dietary Fiber Intake, Dietary Glycemic Index and Load, and Body Mass Index: a Cross-sectional Study of 3931 Japanese Women Aged 18-20 years. *Eur. J. Clin. Nutr.*, 61, 986–995.
- Murase, T., Yokoi, Y., Misawa, K., Ominami, H., Suzuki, Y., Shibuya, Y. and Hase, T. (2012) Coffee Polyphenols Modulate Whole-Body Substrate Oxidation and Suppress Postprandial Hyperglycaemia, Hyperinsulinaemia and Hyperlipidaemia. *British Journal of Nutrition*, 107, 1757-1765.
- Must A, Spadano J, Coakley EH, Field AE, Colditz G, Dietz WH. The disease burden associated with overweight and obesity. *JAMA*. 1999;282(16):1523–1529
- Mutch DM, Wahli W, Williamson G.(2005), Nutrigenomics and nutrigenetics: the emerging faces of nutrition, *FASEB J*. 2005 Oct;19(12):1602-16.
- Nabavi, S.M., M.A. Ebrahimzadeh, S.F. Nabavi, M. Fazelian, and B. Eslami, 2009. In vitro antioxidant and free radical scavenging activity of *Diospyros lotus* and *Pyrus boissieriana* growing in Iran. *Phcog. Mag.*, 4: 123-127.
- Nagasawa, A., Fukui, K., Funahashi, T., Maeda, N., Shimomura, I., Kihara, S., Waki, M., Takamatsu, K. and Matsuzawa, Y. (2002) Effects of Soy Protein Diet on the Expression of Adipose Genes and Plasma Adiponectin. *Hormone and Metabolic Research*, 34, 635-639.
- Nalinsiriwardhana et al., 2013), modulation of adipose tissue, inflammation by bioactive food compounds: *journal of nutritional biochemistry* 24 (2013) ; PP 613 – 623.
- Naran R1, Chen G, CarpitaNC(2008)., Novel rhamnogalacturonan I and rabinoxylan polysaccharides of flax seed mucilage. *Plant Physiol. Sep*; 148(1):132-41.
- National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III). Third Report of the National Cholesterol Education Program (NCEP) Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Treatment Panel III) final report. *Circulation*. 2002;106:3143–3421.
- National Research Council. Diet and health: implications for reducing chronic disease risk. Washington, DC: National Academy Press, 1989.
- Nojomi, M.; Najamabadi, S. Obesity among university students, Tehran, Iran. *Asia Pac. J. Clin. Nutr.* 2006, 15, 516–520.
- Novak CP Aging, total body potassium, fat-free mass, and cell mass in males and females between the ages of 18 and 85 years. *J. Gerontol.* 1972; 27: 438- 43.
- Nwachukwu D.C., Nwagha U.I., Obikili E.N., Ejezie F.E., Okwuosa C.N., Nweke M.L., Ezech C.O. Assessment of body mass index and blood pressure among university students in, Enugu, South East, Nigeria. *Niger. J. Med.* 2010;19:148–152
- Ogden, C.L., Carroll, M.D., Kit, B.K. and Flegal, K.M. (2014) Prevalence of Childhood and Adult Obesity in the United States, 2011-2012. *JAMA*, 311, 806-814.
- Oktay. M., Culcin. I. and Kufrevioglu. O.I. (2003). Determination of in vitro antioxidant activity of fennel (*Foeniculum vulgare*) seed extracts. *Lebensm. –Wiss Technol.*, 36, 263-271.
- Olayiola Olajumoke Abidemi, Phytochemicals and Spectrophotometric Determination of Metals in Various Medicinal Plants in Nigeria, *International Journal of Engineering Science Invention* ISSN (Online): 2319 – 6734, ISSN (Print): 2319 – 6726 www.ijesi.org Volume 2 Issue 5 || May. 2013 || PP.51-54

- Olusanya JO, Omotayo OA: Prevalence of obesity among undergraduate students of Tai Solarin University of Education, Ijagun, Oluwatoyin O. Onipe,* Afam I. O. Jideani & Daniso Beswa (2015), Composition and functionality of wheat bran and its application in some cereal food products, *International Journal of Food Science and Technology* 2015, 50, Pp: 2509–2518
- Oluwatoyin O. Onipe,* Afam I. O. Jideani & Daniso Beswa (2015) Review Composition and functionality of wheat bran and its application in some cereal food products
- Ordoñez AAL, Gomez JG, Vattuone MA, Isla MI. Antioxidant activities of *Sechium edule* (Jacq.) Swart extracts. *Food Chem.* 2006;97:452–458.
- Ordoñas JM, Corella D. Nutritional genomics. *Annu Rev Genomics Hum Genet.* 2004;5:71–118.
- Ostrowska, L., Fiedorczuk, J. and Adamska, E. (2013) Effect of Diet and Other Factors on Serum Adiponectin Concentrations in Patients with Type 2 Diabetes. *Roczniki Panstwowego Zakladu Higieny*, 64, 61-66.
- Ouchi, N., Parker, J. L., Lugus, J. J., & Walsh, K. (2011). Adipokines in inflammation and metabolic disease. *Nature Reviews. Immunology*, 11(2), 85–97.
- Owen OE, Holup JL, D'Alessio DA, Craig ES, Polansky M, Smalley KJ, Kavle EC, Bushman MC, Owen LR, Mozzoli MA, et al.: A reappraisal of the caloric requirements of men. *Am J Clin Nutr* 1987, 46: 875–885.
- Oyaizu. M. (1986). Studies on products of browning reactions, Antioxidative activities of products of browning reaction prepared from glucosamine, *J. Nutr.*, 44, 307-315.
- Padma R, Parvathy N.G, Ranjith V, Kalpana P.R. Quantitative estimation of tannins, phenols and antioxidant activity of methanolic extract of *Imperata cylindrica*.
- Pandey RM, Gupta R, Misra A, Misra P, Singh V, Agrawal A, et al. Determinants of urban-rural differences in cardiovascular risk factors in middle-aged women in India: a cross-sectional study. *Int J Cardiol* 2013; 163 : 157-62.
- Passmore R and MA Eastwood Davidson and Passmore's Human Nutrition and Dietetics, 8th Edition, Churchill Livingstone, Edinburgh, 1985.
- Pastore. A., Federici. G., Bertini. E. and Piemonte. F. (2003). Analysis of glutathione: implication in redox and detoxification, *Clinica. Chimica. Acta.*, 333, 19-39.
- Patel, S. (2015). Cereal bran fortified-functional foods for obesity and diabetes management: triumphs, hurdles and possibilities. *Journal of Functional Foods*, 14, Pp:255–269
- Peng, C. H., Chang, H. C., Yang, M. Y., Huang, C. N., Wang, S. J., & Wang, C. J. (2013). Oat attenuate non-alcoholic fatty liver and obesity via inhibiting lipogenesis in high fat-fed rat. *Journal of Functional Foods*, 5, 53–61.
- Pengpid S., Peltzer K. (2014), Prevalence of overweight/obesity and central obesity and its associated factors among a sample of university students in India. *Obes. Res. Clin. Pract.* 8(6):Pp: e558-70.
- Pereira AC, Oliveira R, Castro AC, Fernandes R. Does Pro12Ala Polymorphism Enhance the Physiological Role of PPAR γ ? *PPAR Research.* 2013;2013:401274.doi:10.1155/2013/401274.
- Popkin B.M., Adair L.S., Ng S.W. Global nutrition transition and the pandemic of obesity in developing countries. *Nutr. Rev.* 2012;70:3–21.
- Pradeepa.R, Ranjit Mohan Anjana, Shashank R. Joshi, Anil Bhansali, Mohan Deepa, Prashant P. Joshi, Vinay K. Dhandania, Sri VenkataMadhu, Paturi Vishnupriya Rao, Loganathan Geetha, Radhakrishnan Subashini, Ranjit Unnikrishnan, Deepak Kumar Shukla, Tanvir Kaur, Viswanathan Mohan and Ashok Kumar Das (2015), prevalence of generalized & abdominal obesity in urban & rural India- the ICMR-INDIAB study (phase-I) [ICMR-INDIAB-3], *Indian J Med Res*; 142, August 2015, pp 139-150.

- Prakash J, Srivastava N, Awasthi S et al (2012) Association of PPAR- γ gene polymorphisms with obesity and obesity-associated phenotypes in North Indian population. *Am J Hum Biol* 24:454–459
- Prasad DS, Kabir Z, Dash AK, Das BC. (2011) Abdominal obesity, an independent cardiovascular risk factor in Indian subcontinent: A clinico epidemiological evidence summary. *J Cardiovasc Dis Res*;2:199–205.
- Prentice AM, Moore SE (2005) Early programming of adult diseases in resource poor countries. *Arch Dis Childhood* 90: 429–432.
- Prieto, P., M. Pineda and M. Aguilar (1999). Spectrophotometric quantitation of antioxidant capacity through the formation of phosphomolybdenum complex: specific application to the determination of vitamin E. *Anal. Biochem.*, 269: 337-341.
- Prior, BM, Cureton, KJ, Modlesky, EM, Sloniger, MA, Saunders, M, Lewis, RD. In vivo validation of whole body composition estimates from dual-energy X-ray absorptiometry. *Am J Physiol* 1997;83:623 – 630.
- Pruckler, M., Siebenhandl-Ehn, S., Apprich, S. et al.,. (2014). Wheatbran based biorefinery 1: composition of wheat bran and strategies of functionalization. *LWT- Food Science and Technology*, 56, Pp:211– 221
- Psyllium: a Randomized Cross-over Study in Normocholesterolemic or Slightly Hypercholesterolemic Subjects. *Nutr. J.*, 3: 17.
- Radha V, Mohan V. Genetic predisposition of type 2 diabetes among Asian Indians. *Indian J Med Res* 2007; 125 : 259-74.
- Radha V, Vimalaswaran KS, Babu HN, Abate N, Chandalia M, Satija P, et al. Role of genetic polymorphism peroxisome proliferator-activated receptor-gamma2 Pro12Ala on ethnic susceptibility to diabetes in South-Asian and Caucasian subjects: Evidence for heterogeneity. *Diabetes Care* 2006; 29 : 1046-51.
- Raji A, Seely EW, Arky RA, Simonson DC(2013), Body fat distribution and insulin resistance in healthy Asian Indians and Caucasians. *J Clin Endocrinol Metab*, 86: 5366-71.
- Ramachandran A, Snehalatha C, Baskar ADS, Mary S, Kumar CKS, et al. (2004) Temporal changes in the prevalence of diabetes and impaired glucose tolerance associated with lifestyle transition occurring in the rural population in India. *Diabetologia* 47: 860–865.
- Ramachandran A, Snehalatha C, Dharmaraj D, Viswanathan M. Prevalence of glucose intolerance in Asian Indians. Urban- rural difference and significance of upper body adiposity. *Diabetes Care* 1992; 15 : 1348-55.
- Ramachandran A, Snehalatha C, Satyavani K, Sivasankari S, Vijay V. Metabolic syndrome in urban Asian Indian adults - a population study using modified ATP III criteria. *Diabetes Res Clin Pract* 2003; 60 : 199-204.
- Ramachandran A, Snehalatha C, Vijay V (2002) Temporal changes in prevalence of type 2 diabetes and impaired glucose tolerance in urban south India. *Diabetes Res Clin Pract* 58: 55–60.
- Rankinen T, Zuberi A, Chagnon YC, Weisnagel SJ, Argyropoulos G, Walts B, Perusse L, Bouchard C: The human obesity gene map: the 2005 update. *Obesity* 2006; 14: 529–644
- Rayalam, S., Della-Fera, M.A. and Baile, C.A. (2008) Phytochemicals and Regulation of the Adipocyte Life Cycle. *The Journal of Nutritional Biochemistry*, 19, 717-726.
- Reisinger, M., Tirpanalan, O., Pruckler, M., Huber, F., Kneifel, W. & Novalin, S. (2013). Wheat bran biorefinery – A detailed investigation on hydrothermal and enzymatic treatment. *Bioresource Technology*, 144, Pp:179–185

- Report of a WHO Expert Committee. World Health Organization: Geneva, 1985, pp 424–438. WHO Technical Report Series, No. 854.
- Rolls, S. Kim-Harris, M.W. Fischman, R.W. Foltin, T.H. Moran, S.A. Stoner Satiety after preloads with different amounts of fat and carbohydrate: implications for obesity *American Journal of Clinical Nutrition*, 60 (4) (1994), pp. 476–487
- Romero AL, West KL, Zern T, Fernandez ML: The seeds from *Plantago ovata* lower plasma lipids by altering hepatic and bile acid metabolism in guinea pigs. *J Nutr.* 2002, 132: 1194-8
- Romero, C; Medina, E, Vargas, J; Brenes, M; De Castro, A. (2007) In Vitro Activity of Olive Oil Polyphenols Against *Helicobacter pylori*. *J. Agric. Food Chem.*, 55(3), 680-686.
- Ronald M Evans, Grant D Barish, and Yong-Xu Wang (2004) PPARs and the complex journey to obesity *Nature Medicine* 10, 355–361
- Rosenbloom AL, Joe JR, Young RS, Winter WE. Emerging epidemic of type 2 diabetes in youth. *Diabetes Care* 1999; 22(2): 345–54.
- Rossner, S., Dietary fibre in the prevention and treatment of obesity. In: *Dietary Fibre: A Component of Food: Nutritional Function in Health and Disease*. Ed. T.F. Schweizer and C.A. Edwards, New York: Springer-Verlag, 1992.
- Rotruck. J.T., Pope. A.L, Ganther. H.E., Swanson. A.B., Hafeman. D.G. and Hoekstra. W.G. (1973). Selenium. Biochemical role as a component of glutathione peroxidase. *Science.*, 179, 588-590.
- Rubilar M, Gutiérrez C, Verdugo M, Shene C, Sineiro J (2010) Flaxseed as a source of functional ingredients. *J Soil Sci Plant Nutr* 10:373–377
- Rytter, E., Erlanson-Albertsson, C., Lindahl, L., Lundquist, I., Viberg, U., Akesson, B., and Oste, R. Changes in plasma insulin, enterostatin, and lipoprotein levels during an energy-restricted dietary regimen including a new oat-based liquid food. *Ann. Nutr. Metab.* 40:212-220, 1996
- Sacks, FM; Lichtenstein, A; Van Horn, L; Harris, W; Kris-Etherton, P; Winston, M. (2006) Soy Protein, Isoflavones, and Cardiovascular Health. An American Heart Association Science Advisory for Professionals From the Nutrition Committee. *Circulation*, 113, 1034-1044.
- Sadaf Koohkan, Denise Schaffner, Brandy J Milliron, Ingrid Frey, Daniel Konig, Peter Deibert, Mara Vitolins and Aloys Berg (2014). the impact of a weight reduction program with and without meal. Replacement on health related quality of life in middle aged obese females. *BMC Womens Health*, 14:45 1-7.
- Sadasivam S and Manickam A *Biochemical methods*, 3rd edition, New Age International Pvt. Limited, third edition 2011.
- Savage PJ, Bennett PH, Senter RG, Miller M. High prevalence of diabetes in young Pima Indians: evidence of phenotypic variation in a genetically isolated population. *Diabetes* 1979; 28(10): 937–42.
- Schmidt MI, Duncan BB, Azevedo e Silva G, Menezes AM, Monteiro CA, Barreto SM, et al. Chronic Noncommunicable diseases in Brazil: burden and current challenges. *Lancet* 2011; 377(9781):1949-61.
- Schneeman, B.O. and Tietyen, J. Dietary fiber. In: *Modern Nutrition in Health and Disease*, 8th ed. (Shills, M.E., Olson, J.A., Shike, M., eds.), pp.89-100. Lea and Febiger, Philadelphia, PA, 1994.
- Schofield WN. Predicting basal metabolic rate, new standards and review of previous work. *Hum Nutr Clin Nutr* 1985;39:5-41.
- Scribner, K.B., Pawlak, D.B. and Ludwig, D.S. (2007) Hepatic Steatosis and Increased Adiposity in Mice Consuming Rapidly vs. Slowly Absorbed Carbohydrate. *Obesity*, 15, 2190-2199.

- Scribner, K.B., Pawlak, D.B., Aubin, C.M., Majzoub, J.A. and Ludwig, D.S. (2008) Long-Term Effects of Dietary Glycemic Index on Adiposity, Energy Metabolism, and Physical Activity in Mice. *American Journal of PhysiologyEndocrinology and Metabolism*, 295, E1126-E1131.
- Scribner, K.B., Pawlak, D.B., Aubin, C.M., Majzoub, J.A. and Ludwig, D.S. (2008) Long-Term Effects of Dietary Glycemic Index on Adiposity, Energy Metabolism, and Physical Activity in Mice. *American Journal of PhysiologyEndocrinology and Metabolism*, 295, E1126-E1131.
- Seagel, H., Strain, G. W., Makris, A., & Reeves, R. S. (2009). Position of the American Dietetic Association: Weight Management *J Am Diet Assoc*, 109: 330-346.
- See, R. and de Lemos, J.A. (2006) Current status of risk stratification methods in acute coronary syndromes. *Curr. Cardiol. Rep.*, 8, 282–288.
- Seema Patel, Cereal bran fortified functional foods for Triumphs, hurdles and possibilities, *Journal of functional Foods*, Volume 14, April 2015, pages 255-269.
- Selvaraj K, Sivaprakasam P. A study on the prevalence of overweight and obesity among
- Sergent, T., Vanderstraeten, J., Winand, J., Beguin, P. and Schneider, Y.J. (2012) Phenolic Compounds and Plant Extracts as Potential Natural Anti-Obesity Substances. *Food Chemistry*, 135, 68-73
- Serrano, J.C., Cassanyé, A. and Portero-Otin, M. (2012) Trends in Functional Food against Obesity. In: Valdez, B., Ed., *Scientific, Health and Social Aspects of the Food Industry*, 279-294.
- Shashank R joshi (2016)., Diet for indian diabetics., *J.Indian Dietetic Association* Volume 38, No.1, pp. 32-40.
- Simopoulos AP.(2010), *Nutrigenetics/Nutrigenomics*, *Annu Rev Public Health*. 2010;31:53-68.
- Singh RB, Pella D, Mechirova V, Kartikey K, Demeester F, Tomar RS, et al; Five City Study Group. Prevalence of obesity, physical inactivity and undernutrition, a triple burden of diseases during transition in a developing economy. The Five City Study Group. *Acta Cardiol* 2007; 62 : 119-27.
- Singleton, Joseph A. Rossi (1965) Colorimetry of Total Phenolics with Phosphomolybdic-Phosphotungstic Acid Reagents, *Am J Enol Vitic*. January 1965 16: 144-158.
- Singleton, V.L., Orthofer, R., Lamuela-Raventos, R.M. (1999): Analysis of total phenols and other oxidation substrates and antioxidants by means of Folin-Ciocalteu reagent. *Methods Enzymol*. 299, 152-178.
- Sinha. A.K., (1972). Colorimetric assay of catalase. *Anal. Biochem.*, 47, 389-394.
- Slavin.J.L (2005), Dietary fiber and body weight.*Nutrition.*, Mar; 21(3):411-8.
- Sousa NPS, Salvador EP, Barros AK, Polisel CG, Carvalho WRG. Anthropometric Predictors of Abdominal Adiposity in Adolescents. *Journal of Exercise Physiology* 2016;19(4):66-76
- Stewart, SP, Bramely, PN, Heighton, R, Green, JH, Horsman, A, Losowsky, MS, Smith, MA. Estimation of body composition from bioelectrical impedance of body segments: Comparison with dual-energy X-ray absorptiometry. *Br J Nutr* 1993;69(3):645-655.
- St-Onge MP, Janssen I, Heymsfield SB 2004 Metabolic syndrome in normalweight Americans: new definition of the metabolically obese, normal-weight individual. *Diabetes Care* 27:2222–2228
- Subramanian SV, Davey Smith G (2006) Patterns, distribution and determinants of under and over-nutrition: a population based study of women in India. *Am J Clin Nutr* 84: 633–640.
- Subramanian SV, Perkins JM, Khan KT (2009) Do burdens of underweight and overweight coexist among lower socioeconomic groups in India? *Am J Clin Nutr* 90: 369–376.

- Subramanyam V, Jayashree R, Rafi M. Prevalence of overweight and obesity in affluent adolescent
- Sultana N., Nahar S., Debnath B.C., Rahman M.Z., Naher M.Q., Malik S.U.F. Prevalence of obesity among the medical students in Sylhet. *Jalalabad Med. J.* 2011;8:12–15.
- Sunkara.R, and Verghese.M (2014), *Functional Foods for Obesity Management*, Food and Nutrition Sciences, 2014, 5, 1359-1369
- Svendson, OL, Haarbo, J, Heitmann, J, Berit L, Gotfredsen, A, Christiansen, C. Measurement of body fat in elderly subjects by dual-energy x-ray absorptiometry, bioelectrical impedance, and anthropometry. *Am J Clin Nutr* 1991;53:1117-1123.
- Tanko, L.B., Siddiq, A., Lecoeur, C., Larsen, P.J., Christiansen, C., Walley, A. and Froguel, P. (2005) ACDC/adiponectin and PPAR-gamma gene polymorphisms: implications for features of obesity. *Obes. Res.*, 13, 2113–2121.
- Terra X, Montagut G, Bustos M, Llopiz N, Ardvoll A, Blad C. Grape-seed procyanidins prevent low-grade inflammation by modulating cytokine expression in rats fed a high-fat diet. *J Nutr Biochem* 2009; 20: 210-218
- The Expert Panel.Executive summary of the third report of the National Cholesterol Education Program (NCEP) Expert Panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III). *JAMA* 285:2486-2497, 2001
- Theresa AN, Tom B, Karen WC and Gerald B. Eating patterns, dietary quality and obesity. *Journal of the American College of Nutrition* 2001; 20(6):599-608.
- Third report of the National Cholesterol Education Program (NCEP) expert panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III).Final report. *Circulation.* 2002; 106: 3143–3421.
- Thomas DM, Weedermann M, Fuemmeler BF, Martin CK, Dhurandhar NV, Bredlau C, et al. Dynamic model
- Thomas MS Wolever, Susan M Tosh, Alison L Gibbs, Jennie Brand-Miller, Alison M Duncan, Valerie Hart, Benoît Lamarche, Physicochemical properties of oat β -glucan influence its ability to reduce serum LDL cholesterol in humans: a randomized clinical trial *Am J Clin Nutr* 2010;92:723–32
- Thorisson, G. A., & Stein, L. D. (2003). The SNP Consortium website: past, present and future. *Nucleic Acids Research*, 31(1), 124–127.
- Trujillo-Hernández, B.; Vásquez, C.; Almanza-Silva, J.R.; Jaramillo-Virgen, M.E.; Mellin-Landa, T.E.; Valle-Figueroa, O.B.; Pérez-Ayala, R.; Millán-Guerrero, R.O.; Prieto-Díaz-Chávez, E.; Newton-Sánchez, O. The frequency of risk factors associated with obesity and being overweight in university students from Colima, Mexico. *Rev. Salud Publica* 2010, 12, 197–207.
- Tsimikas, S., Willerson, J.T. and Ridker, P.M. (2006) C-reactive protein and other emerging blood biomarkers to optimize risk stratification of vulnerable patients. *J. Am. Coll. Cardiol.*, 47, C19–C31.
- Turnbull, A.S. and Reeds, A.R. The effect of rolled oats and a reduced fat modified diet on apolipoprotein AI and B. *J. Clin.Nutr.Gastroenterol.* 1:15-19, 1989.
- Tuso, P. J., Ismail, M. H., Ha, B. P., & Bartolotto, C. (2013). Nutritional Update for Physicians: Plant-Based Diets. *The Permanente Journal*, 17(2), 61–66.
- Tyrell, VJ, Richards, G, Hofman, P, Gillies, GF, Robinson, E, Cutfield, WS. Foot-to-foot bioelectrical impedance analysis: A valuable tool for the measurement of body composition in children. *Int J of Obesity* 2001;25:273-278.

- Ungar Y, Shimoni E. (2004) Phytoestrogens and prevention of cancer. In: Remacle C, Reusens B, editors. *Functional foods, ageing and degenerative disease*. Cambridge, UK: Woodhead Publishing Limited; . p. 645–68
- Unnikrishnan AG, Kalra S, Garg MK. Preventing obesity in India: Weighing the options. *Indian J Endocrinol Metab* 2012; 16(1):4-6.
- Vaccaro O, Mancini FP, Ruffa G, Sabatino L, Iovine C, Masulli M, Colantuoni V, Riccardi G: Fasting plasma free fatty acid concentrations and Pro12Ala polymorphism of the peroxisome proliferator-activated receptor (PPAR) gamma2 gene in healthy individuals. *Clin Endocrinol (Oxf)* 2002; 57: 481–486.
- Vahouny, G.V., Satchithanandam, S., Chen, I., Tepper, S.A., Kritchevsky, D., Lightfoot, F.G., and Cassidy, M.M. Dietary fiber and intestinal adaptation: effects on lipid absorption and lymphatic transport in the rat. *Am. J. Clin. Nutr.* 47:201-206, 1988.
- Van den Ham, EC, Kooman, JP, Christiaans, MH, Nieman, FH, Van Kreel, BK, Heidendal, GA, et al. Body composition in renal transplant patients: Bioimpedance analysis compared to isotope dilution, dual energy X-ray absorptiometry, and anthropometry. *J Am Soc Nephrol* 1999 May; 10(5):1067-1079.
- Van rosendaal, GMA; Shaffer, EA; Edwards, AL; Brant, R (2004) Effect of Time of Administration on Cholesterol-lowering by
- Varadarajan. P., Rathinaswamy. G. and Asirvatham. D. (2008). Antimicrobial properties and phytochemical constituents of *Rheo discolor*. *Ethnobotanical Leaflet.*, 12, 841–845.
- Vargas M., Becerra F., Prieto E. Anthropometric evaluation of university students in Bogotá, Colombia. *Rev. Salud Pública.* 2008;10:433–442.
- Vasseur, F., Helbecque, N., Lobbens, S., Vasseur-Delannoy, V., Dina, C., Clement, K., Boutin, P., Kadowaki, T., Scherer, P.E. and Froguel, P. (2005) Hypoadiponectinaemia and high risk of type 2 diabetes are associated with adiponectin-encoding (ACDC) gene promoter variants in morbid obesity: evidence for a role of ACDC in diabetes. *Diabetologia*,
- Vasseur, F., Helbecque, N., Lobbens, S., Vasseur-Delannoy, V., Dina, C., Clement, K., Boutin, P., Kadowaki, T., Scherer, P.E. and Froguel, P. (2005)
- Velasquez, M. T., & Bhathena, S. J. (2007). Role of Dietary Soy Protein in Obesity. *International Journal of Medical Sciences*, 4(2), 72–82.
- Vella-Zarb R.A., Elgar F.J. The “freshman 5”: A meta-analysis of weight gain in the freshman year of college. *J. Amer. Coll. Health.* 2009;58:161–166.
- Verity J Cleland, Michael D Schmidt, Terence Dwyer, and Alison J Venn (2008), Television viewing and abdominal obesity in young adults: is the association mediated by food and beverage consumption during viewing time or reduced leisure-time physical activity?, *Am J Clin Nutr* May 2008 vol. 87 no. 5 1148-1155
- Victor PG The Dallas Heart Study: A population based probability sample for the multidisciplinary study of ethnic differences in cardiovascular health. *Am. J. Cardiol.* 2004; 93: 1473-80.
- Vines and Oberbacher (1965), spectrophotometric Assay of Ascorbic Acid Oxidase, *Nature* 197, 1203 - 1204 (23 March 1963)
- Volp, F. C. Esteves de Oliveira, R. Duarte Moreira Alves, E. A. Esteves y J. Bressan, Energy expenditure: components and evaluation methods, *Nutr Hosp.* 2011;26(3):430-440
Volume 13 No. 1
- Wadden TA, Sarwer DB, Fabricatore AN, Jones L, Stack R, Williams NS. Psychosocial and behavioral status of patients undergoing bariatric surgery: What to expect before and after surgery. *The Medical Clinics of North America* 2007;91:451-469.

- Wakai, K; Date, C; Fukui, M; Tamakoshi, K; Watanabe, Y; Hayakawa, N; Kojima, M; Kawado, M; Suzuki, KM; Hashimoto, S; Tokudome, S; Ozasa, K; Suzuki, S; Toyoshima, H; Ito, Y; Tamakoshi, A. (2007) Dietary Fiber and Risk of Colorectal Cancer in the Japan Collaborative Cohort Study. *Cancer Epidemiol. Biomarkers Prev.*, 16(4), 668-675.
- Wakai, K; Date, C; Fukui, M; Tamakoshi, K; Watanabe, Y; Hayakawa, N; Kojima, M; Kawado, M; Suzuki, KM; Hashimoto, S; Tokudome, S; Ozasa, K; Suzuki, S; Toyoshima, H; Ito, Y; Tamakoshi, A. (2007) Dietary Fiber and Risk of Colorectal Cancer in the Japan Collaborative Cohort Study. *Cancer Epidemiol. Biomarkers Prev.*, 16(4), 668-675.
- Wang, W, Wang, Z, Faith, S, Kotler, D, Shih, R, Heymsfield, SB. Regional skeletal muscle measurement: Evaluation of new dual-energy X-ray absorptiometry model. *J Appl Physiol* 1999;87:1163 – 1171.
- Warner, JT, Cowan, FJ, Dunstan FD, Gregory, JW. The validity of body mass index for the assessment of adiposity in children with disease states. *Ann Hum Biol* 1997 May-Jun; 24(3): 209-215.
- Wattanapenpaiboon, N, Lukito, W, Straus, BJJ, Hsu-Hage, BHH, Wahlqvist, ML, Stroud, DB. Agreement of skinfold measurement and bioelectrical impedance analysis (BIA) methods with dual energy X-ray absorptiometry (DEXA) in estimating total body fat in Anglo-Celtic Australians. *Inter J of Obesity* 1998;22: 854-860.
- Wells JC, Marphatia AA, Cole TJ, McCoy D. Associations of economic and gender inequality with WHO. (2015). Overweight and obesity Factsheet. Available at <http://www.who.int/mediacentre/factsheets/fs311/en/> (Accessed:6 March 2015)
- WHO/FAO 2002. Report of the Joint WHO/FAO Expert Consultations on Diet, Nutrition and the Prevention of Chronic Diseases. World Health Organization, Geneva.
- Wilmerding, MV, Gibson, AL, Mermier, CM, Bivins, KA. Body composition analysis in dancers: methods and recommendations. *J of Dance Med and Sci* 1993;7(1):24-31.
- Withers, RT, LaForgia, RK, Pillans, NJ, Shipp, BE, Chatterton, CG, Schultz, F. Comparison of two-, three-, and four-compartment models of body composition analysis in men and women. *J Appl Physiol* 1998;85:238 – 245.
- Wolever Thomas MS, Susan M Tosh, Alison L Gibbs, Jennie Brand-Miller, Alison M Duncan, Valerie Hart, Benoit Lamarche, Barbara A Thomson, Ruedi Duss, and Peter J Wood (2010), physicochemical properties of oat β -glucan influence its ability to reduce serum LDL cholesterol in humans: a randomized clinical trial, *The American Journal of Clinical Nutrition*, 92:723–732.
- World Health Organization (2000), *The Asia –Pacific Perspective: Redefining obesity and its treatment*, 2000
- World Health Organization (WHO). Diet, nutrition and the prevention of chronic diseases. Report of a joint WHO/FAO expert consultation. *World Health Organ Tech Rep Series* 2003; 916
- World Health Organization (WHO). Obesity: preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organ Tech Rep Ser* 2000; 894: i-xii, 1-253.
- World Health Organization (WHO). *World Health Statistics 2*. 2012. Geneva: WHO; 2012.
- World Health Organization. Physical status: the use and interpretation of anthropometry. Report of a WHO Expert Committee. *World Health Organization: Geneva*, 1995, pp 424–438. WHO Technical Report Series, No. 854.
- World Health Organization. Physical status: the use and interpretation of anthropometry.
- Wright, S.M. and Salter, A.M. (1998) Effects of Soy Protein on Plasma Cholesterol and Bile Acid Excretion in Hamsters. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 119, 247-254

- Wright, S.M. and Salter, A.M. (1998) Effects of Soy Protein on Plasma Cholesterol and Bile Acid Excretion in Hamsters. *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, 119, 247-254.
- Wynne, K., Stanley, S., McGowan, B. and Bloom, S. (2005) Appetite Control. *Journal of Endocrinology*, 184, 291- 318.
- Xiao, C.W., Wood, C., Huang, W., Abbé, M.R., Gilani, G.S., Gerard, M.C. and Curran, I. (2006) Tissue-Specific Regulation of Acetyl-CoA Carboxylase Gene Expression by Dietary Soya Protein Isolate in Rats. *British Journal of Nutrition*, 95, 1048-1054.
- Xiao, R; Badger, TM; Simmen, FA. (2005) Dietary Exposure to Soy or Whey Proteins Alters Colonic Global Gene Expression Profiles During Rat Colon Tumorigenesis. *Mol. Cancer*, 4,1.
- Yang, Y., Zhou, L., Gu, Y., Zhang, Y., Tang, J., Li, F., Shang, W., Jiang, B., Yue, X. and Chen, M. (2007) Dietary Chickpeas Reverse Visceral Adiposity, Dyslipidaemia and Insulin Resistance in Rats Induced by a Chronic High-Fat Diet. *British Journal of Nutrition*, 98, 720-726.
- Yao, Y., Li, J., Jin, Y. (2015), Association between PPAR- γ 2 Pro12Ala polymorphism and obesity: a meta-analysis, *Molecular Biology Reports*, Volume 42, (6) ,Pp: 1029–1038
- Yoshikawa M, Shimoda H, Nishida N, Takada M, Matsuda H. Salacia reticulata and its polyphenolic constituents with lipase inhibitory and lipolytic activities have mild antiobesity effects in rats. *J Nutr* 2002; 132: 1819-1824
- Yu L, Zhou K, Parry JW. Inhibitory effect of wheat bran extracts on human LDL oxidation and free radicals. *LWT*.2005;38:463–470
- Yu, T. Wasanthan, F. Temelli, J. *Agric. Food Chem.* 49 (2001) 4325.
- Zhou K Su L, Yu L. Phytochemicals and antioxidant properties in wheat bran. *J Agric Food Chem.* 2004;52:6108–6114
- Zimmet P, Alberti KG, Shaw J. Global and societal implications of the diabetes epidemic. *Nature* 2001; 414(6865): 782–7.

Website

http://rchiips.org/nfhs/factsheet_NFHS-4.shtml

http://rchiips.org/nfhs/factsheet_NFHS-3.shtml

http://www.ukkinstituutti.fi/en/products/physical_activity_pie

<https://www.pinterest.com/pin/638385315900004004/>