



BIBLIOGRAPHY

- Abdul, R., Aphyasmeen., & Kissan, S. (2007). World empowerment of women through self help group a view sakthi sugans Ltd, 48
- Agarwal, K.N.,Gupta, V., & Agarwal, S. (2013). Effect of maternal iron status on placenta, fetus and newborn. *International Journal of Medicine and Medical Sciences, academic journals*, 5(9), 391-395.
- Ahuja, S.C. (2002). Osteoporosis,33rd health lecture at Dayanand Medical College Hospital, Ludhiana, India, February 23.
- Alamelu,S. (2005). Group formation – modalities and objectives, *Social Welfare*,52(4),12.
- Ambigadevi, P., Ganhimathi, S., & Begaum, M. (2012). Social inclusion through financial inclusion – an empirical study on SHG women in India. *Excel International Journal of Multidisciplinary Management Studies*, 2(4), 59.
- Amrutha Veena, K., & Kowsalya, S. (2012). Prevalence of micronutrient deficiency signs and symptoms among adolescents of ramanathapuram district. *Journal of Pharmaceutical and Biomedical Sciences*, 18(16), 2.
- Andrews, NC. (2003). Disorders of iron metabolism, Chap. 46, in *blood: principles and practice of hematology* , Lippincot Williams and Wilkins Phildelphia, USA, 2nd edition, 1399-1433.
- Anil, G.(2007). NFHS-3: malnutrition and anaemia major problems in children and women. www.merineews.com/catFull.jsp?articleID=126993
- Anila, A. (2012). A study on socioeconomic condition of self help group members in Tirunelveli district, Tamil Nadu. *Zenith International Journal of Economics and Management Research*, 2(2), 216-224.

- Anilakumar, KR., Khanum, F., & Santhanam, K. (2006). Amelioration of hexachlorocyclohexane-induced oxidative stress by amaranth leaves in rats. *Plant Foods Hum Nutr*, 61, 169–173. doi: 10.1007/s11130-006-0027-3
- Anitha, C., & Sushma, B.V. (2014). Impact of nutrition knowledge on the nutritional status of school children. *International Journal of Food and Nutritional Sciences*, 3(4), 142.
- AOAC. (1990). Association of Official Analytical Chemist, Official methods of analysis of the association of official chemists, Volume 1, 15th edition, K-Hetrich (ed), Association of official analytical chemists, Arlington, USA.
- AOAC. (2000). Official methods of analysis of AOAC international. 17th edition, Vol.2.
- APMAS. (2006). Andhra Pradesh Mahila Abhivruddhi Society (APMAS), Self Help Groups in India, A study of the lights and shades, 7.
- Astrup, A., & Bugel, S. (2010). Micronutrient deficiency in the aetiology of obesity. *International Journal of Obesity*, 34, 947-948. DOI:10.1038/ijo.2010.81.
- Bailey, R. L. (2015). Like poverty, under nutrition and micronutrient deficiencies often occur as part of an intergenerational cycle, The Epidemiology of Global Micronutrient Deficiencies. *Ann Nutr Metab*, 66(2), 22-33.
- Balasubramaniam, S.C. (2006). Human Nutrition, Anmol Publications Private Ltd, New Delhi, 27-29.
- Bamji, M.S., Krishnaswamy, K., & Brahman, G.N.V. (2010). Textbook of Human Nutrition, Oxford IBH Publishing, 113, 153.
- Bansal, S.B., Dixit, S., Shivram, G., Pandey, D., & Saroshe, S. (2014). A study to compare various aspects of members of joint and nuclear family, 3(3). 641-648.
- Bartley, K.A., Underwood, B.A., & Deckelbaum, R.J. (2005). A lifecycle micronutrient perspective for women's health. *The American Journal of Clinical Nutrition*, 81(5), 1188S – 93S.

- Bassi, P. (2015). Self Help Groups – An effective approach towards women empowerment. *International Journal in Management and Social Science*, 3(7), 365-373.
- Bentley, M.E., & Griffiths, P.L. (2003). The burden of anaemia among women in India. *Eur J Clin Nutr*, 57(1), 52-60.
- Berti, C., Faber, M., & Smuts, C.M. (2014). Prevention and control of micronutrient deficiencies in developing countries: current perspectives, nutrition and dietary supplements, 6, 41-57.
- Bhandari, S., & Banjara, M.R. (2015). Micronutrient deficiency, a hidden hunger in Nepal: prevalence, causes, consequences and solutions, Hindawi Publishing Corporation, *International Scholarly Research Notices*, <http://dx.doi.org/10.1155/2015/276469>, 1-10.
- Bhatia, V. (2008). Dietary calcium intake – a critical reappraisal. *Indian J Med Res*, 127, 269-273.
- Black, R. (2003). Micronutrient deficiency – an underlying cause of morbidity and mortality Bulletin of the World Health Organization, 81(2)
- Blencowe, H., Cousens, S., Modell, B., & Lawn, J. (2010). Folic acid to reduce neonatal mortality from neural tube disorders. *International Journal of Epidemiology*, 39, i110–i121, doi:10.1093/ije/dyq028
- Bowley, A. (2008). Alliances against hunger (editorial). *Nutriview* 4(2). http://www.dsm.com/en_US/downloads/dnp/Nutriview_2008_4.pdf.
- Brown, M.J., Ferruzi, M.G., Nguyen, M.L., Cooper, D.A., Eldrige, A.L., Schwartz, S.J. & White, W.S. (2004). Carotenoid bioavailability is higher from salads ingested with full-fat than with fat-reduced salad dressings as measured with electrochemical detection. *American Journal of Clinical Nutrition* 80, 396-403.
- Browne, K.H., Pearson J.M., Baker S.K., & Hess S.Y. (2009). Preventive zinc supplementation among infants, zinc supplementation preschoolers, and older prepubertal children. *Food Nutr Bull* ,30, S12-40.

- Bukola, B. O., Tajudeen, O. M.A., & Taiwo, F. O. (2011). Performance evolution of a solar wind ventilated cabinet dryer. *The West Indian Journal of Engineering*, 33, 12-18.
- Calton, J.B.(2010). Prevalence of micronutrient deficiency in popular diet plans. *J Int Soc Sports Nutr.*, 7(24).doi : 10.1186/1550-2783-7-24.
- Casal, M.N.G., Jimenez, M.L.,Puche, R., Leets, I., Carvajal, Z., Patino, E., & Ibarra, C.(2011). A program of nutritional education in schools reduced the prevalence of iron deficiency in students, Hindawi Publishing Corporation Anaemia, DOI: 10.1155/2011/284050, 1-6.
- Census of India. (2011). Census info India 2011, Education, Literacy rate 7+ years, Government of India, Ministry of Home Affairs, <http://www.censusindia.gov.in/>
- Chadha, M.L., & Oluoch, M.O. (2003). Home based vegetable gardens and other strategies to overcome micronutrient malnutrition in developing countries, *fna/ana*, 32, 17-23.
- Chakravarty., & Ghosh, K. (2000). Micronutrient malnutrition – present status and future remedies. *J Indian Med Assoc*, 98(9), 539-42.
- Chakravarty., & Jha, A.N. (2012). Health care and Women’s empowerment: The role of Self Help Groups, *Health Culture and Society*, 2(1), DOI 10.5195/hcs.2012.56
- Chandrasekhar, U., Kowsalya, S., & Eapen, D. (2000). Retention of beta carotene from selected greens and absorption of beta carote from pumpkin leaves in adults. *The Indian Journal of Nutrition and Dietetics*, 37, 233-239.
- Charlotte, G., & Neumann. (2007). Food based approaches to combat micronutrient deficiencies in children of developing countries. *The Journal of Nutrition*, American Society for Nutrition, 137, 1091 – 1092.
- Chaudhary, N., & Vyas, S. (2014). Effect of germination of proximate composition and antinutritional factors of millet (ragi) based premixes. *International Journal of Food and Nutritional Sciences*, 3(4), 72-77.

- Chaudhary, R., Pareek, N., & Sharma, S. (2011). Development of nutritious soy blended mathri enriched with lotus stem powder. *The Indian Journal of Nutrition and Dietetics*, 48, 168-172.
- Chege, P.M. , Kuria, E., Kimiywe., & Nyambaka, H. (2014). Retention of beta carotene, iron and zinc in solar dried Amaranth Leaves in Kajiado County, Kenya. *International Journal of Sciences: Basic and applied research*, 13(2).
- Chen, M., Jhabvala, R., Kanbur, R., & Richards, C. (2007). *Membership based organisations of the poor: concepts, Experience and Policy*, London and New York, Routledge.
- Chepchirchir, S.C.(2013). Impact of women participation in self help groups on self economic empowerment in Nakuru county. *Interdisciplinary Journal of Contemporary Research in Business*, 5(4), 382.
- Chopra,N., Agarwal, A.,& Kumar, A. (2012). Effect of past history of milk intake on occurrence of osteoporosis during menopause. *Ind. J. Nutr.Dietet.*, 49(3), 103 – 107.
- Christian, P., West, KP., Khatry, SK., Pradhan, E.K., LeClerq, SC., Katz, J., Shrestha, SR., Dali, SM., & Sommer, A. (2000). Night blindness during pregnancy and subsequent mortality among women in Nepal: effects of vitamin A and β -carotene supplementation. *Am. J. Epidemiol*,152,542-547.
- Combat, E., & Buckton, C.(2015). Micronutrient deficiencies, vitamin pills and nutritional supplements. *Medicine*, 43(2), 66-72.doi:10.1016/j.mpmed.2014.11.002.
- Cummings, SR., Karpf, DB.,& Harris, F. (2002). Improvement in spine bone density and reduction in risk of vertebral fractures during treatment with antiresorptive drugs. *Am J Med.* ,112, 281-289.
- Dairo, M.D. and Ige,O.K.(2009). Supplementation of micronutrient in community micronutrient deficiency prevention programmes. *Ann Ib Postgrad Med*, 7(1), 6-9.

- Dary, O., Mora, J.L. (2002). Food fortification to reduce vitamin A deficiency: international vitamin A consultative group recommendations. *J Nutr*, 132(9), 2927S-2933S.
- Das, S.K., & Bhowal, A. (2013). Self Help Groups as an empowerment model: perceptions of direct stakeholders. *American Journal of Rural Development*, 1(5), 121 – 130, DOI : 10.12691/ajrd-1-5-4
- Dash, M.K. (2013). Role of self help groups in empowerment of women: a study in Bargarh, Odisha review, 70-74.
- Davies, M. (2006). Well preserved – how preservation techniques affect food, Institute for Optimum Nutrition, promoting nutrition for optimum health.
- Devasia, N., & Antony, J. (2004). Social Development issues in self help groups. *Social Welfare*, 50(10), 4
- Devi, P.B., Vijayabharathi, R., Sathyabama, S., Malleshi, N.G., & Priyadarisini, V.B. (2014). Health benefits of finger millet (*Eleusine Coracana* L.) polyphenols and dietary fiber: a review. *J Food Sci Technol*. 51(6), 1021 – 1040.
- Dhavamani, P. (2010). Empowerment of Rural Women through SHG in Sattur Taluk of Virudhunagar District. *Journal for Bloomers of Research*, 2(2), 191-195.
- Dobhal, N., & Raghuvanshi, R.S. (2011), Nutrition and health status of urban and rural women of garhwal region. *Ind. J. Nutr. Dietet.*, 48, 377-389.
- Ediriweera de Silva, R.E., Haniffa, M.R., Gunathillaka, K.D.K., Atukorala, I., Fernando, E.D.P.S., & Perera, W.L.S.P. (2014). A descriptive study of knowledge, beliefs and practices regarding osteoporosis among female medical school entrants in Sri Lanka. *Asia Pacific Family Medicine*, 13(15).

- EFSA.(2014). European Food Safety Authority, Scientific opinion on the safety and efficacy of tannic acid when used as food flavouring for all animal species. *EFSA Journal*, 12(10):3828, 12.
- Ekweagwu, E., Agwu, A.E., & Madukwe. (2008). The role of micronutrients in child health: a review of the literature. *African Journal of Biotechnology*, 7 (21), 3804-3810. <http://www.acedemicjournals.org/AJB>.
- Evaluation of National Nutrition Programmes. (1980-2005). Nutrition Foundation of India.
- Fahey, J.F. (2005). Moringa oleifera: a review of the medical evidence for its nutritional, therapeutic and prophylactic properties, part 1, Trees for Life Journal, 1:5. <http://www.tfljournal.org/article.php/20051201124931586>
- Fanzo, J., Cogill, B. ,& Mattei, F. (2012). Metrics of sustainable diets and food systems. Technical Brief – Madrid Roundtable.Bioversity International and Daniel and Nina Carasso Foundation, Rome, Italy.
- FAO. (1996).Food and Agricultural Organization, Food fortification: technology and quality control (FAO Food and Nutrition Paper - 60). Report of an FAO Technical Meeting held in Rome: Rome, Italy.
- Food & Nutrition Service. (2010). Nutrition education and promotion: the role of FNS in helping low-income families make healthier eating and lifestyle choices, A report to congress, Food and Nutrition Service, Alexandria, 3.
- Gass, M., & Dawson, H.B. (2006). Preventing osteoporosis-related fractures: an overview. *Am. J. Med.*, 119, 35-115.
- Gautham, P., Yogesh, B., Tanejee, D.K.,& Renuka, S. (2004). Prevalence of anaemia amongst pregnant women and its socio demographic associates in a rural area of Delhi. *Ind. J. Comm. Med.*, 1, 22-25.
- Geiseler, J.,&Power, R. (2008). Nutritional profile of scheduled caste/tribe adolescents. *Journal of nutritional status*, 27 (2) , 125-132.

- Gibson, R.S. (2011). Strategies for preventing multi-micronutrient deficiencies: a review of experiences with food based approaches in developing countries, FAOs edited volume of combating micronutrient deficiencies : food based approaches, 7-8.
- Glanville, T.N.(2012). Micronutrients and women's health, consumer nutrition and health report, 21(3).
- Gopalan, I., &Mohanram , K. (2004). Fruits, National Institute of Nutrition, Indian Council of Medical Research, Hyderabad, 1-2.
- Govindappa, K. (2005). Participatory rural development and functional Literacy – A study on adult learners in Ananthapur District, *Kurukshetra*, 30.
- Gowri, B., & Vasantha Devi, K.P. (2011). Impact of education in nutrition and food safety practices among self help group women. *In. J. Nutr. Dietet.*, 48(9), 407 - 411.
- Gulati, A., Kumar, G. A., Shreedhar, G.,& Nandakumar, T. (2012). Agriculture and malnutrition in India. *Food Nutr Bull* 12(33), 74-86.
- Gupta, S.,& Prakash, J. (2011). Nutritional and sensory quality of micronutrient rich traditional products incorporated with green leafy vegetables. *International Food Research Journal*, 18, 667-675.
- Gupta,S.,Gowri, B.S.,Lakshmi, A.J.,&Prakash, J. (2013). Retention of nutrients in green leafy vegetables on dehydration. *J Food Sci Technol*. 50(5), 918-25. doi: 10.1007/s13197-011-0407-z. Epub 2011 May 28.
- Harborne, J.B. (1973). Phytochemical methods, Chapman and Hall, London, 11-21.
- Harinarayan,C.V., Ramalakshmi,T., Prasad, U.V., Sudhakar,D., Srinivasarao,P. VLN., Sarma,K. VS.,& Kumar, E.G.T. (2007). High prevalence of low dietary calcium, high phytate consumption, and vitamin D deficiency in healthy south Indians. *Am J Clin Nutr* , 85, 1062–7.
- Hill,D.,& Nalubola, R. (2002). Fortification strategies to meet micronutrient needs: success and failures. *Proceedings of the Nutrition Society* 61, 231 – 234.

- Hill,L.D., Webb,P., Harvey, P.WJ., Hunt,J.M., Dalmiya,N., Chopra, M., Ball,M.J., Bloem,M.W., & Benoist.B.D. (2005). Micronutrient deficiencies and gender: social and economic costs. *Am J Clin Nutr*, 81(5), 1198S-1205S.
- Ho, K., & McLean, J. (2011). The implementation of in-home fortification and nutrition education to combat anaemia and micronutrient deficiencies among children 6-23 months in Rwanda, phase I, final report, funded by UNICEF, 13.
- Holick, M.F.,& Chen, T.C. (2008). Vitamin D deficiency: a worldwide problem with health consequences. *Am J Clin Nutr* ,87, 1080S– 6S.
- Holmes, R.P., & Kennedy, M. (2000). Estimation of the oxalate content of foods and daily oxalate intake. *Kidney Int*, 57(4), 1662-7.
- Hongo, T.A. (2003). Micronutrient malnutrition in Kenya. *African Journal of Food, Agriculture, Nutrition and Development*, 3(2).
- Howson, CP., Kennedy, E.T., & Horwitz, A. (1998). Prevention of micro nutrient deficiencies: tools for policy makers and public health works, National Academy Press, Washington D.C.
- Hussain, M.Y.,& Islam ud-din, A.M. (2008). Dehydration of agriculture products by mixed mode solar dehydrator. *International journal of agriculture and biology* ,10, 333-336.
- ICCIDD. (2009). International Council for Control of Iodine Deficiency Disorders, Iodine deficiency and women’s health, IDD Newsletter, 33(3).
- ICMR. (2003). Current status of IDD in selected districts of southern region of the country, National Institute of Nutrition, Indian Council of Medical Research, technical report 24, Hyderabad.
- ICMR. (2010). Nutrient requirements and Recommended Dietary Allowances for Indians, National Institute of Nutrition, Indian Council of Medical Research, Jamai Osmania post, Hyderabad, 18, 254-255.
- ICMR. (2011). Dietary guidelines for Indians – A manual, Indian Council of Medical Research, National Institute of Nutrition, Hyderabad.5, 11-20.

INSA. (2011). Indian National Science Academy, Micronutrient security for India-priorities for research and action, 1-2.

Institute of Medicine . (2010). Food and Nutrition Board, Opportunities in the nutrition and food sciences, National Academy of Sciences, National Academy press, Washington D.C. www.nutriwatch.org/04foods/ff.html.

International Osteoporosis Foundation. (2015). Osteoporosis and Musculoskeletal disorders, International Osteoporosis Foundation, Switzerland. <http://www.iofbonehealth.org/osteoporosis-musculoskeletal-disorders>.

ISI .(2004). Handbook of food analysis, ISBN: 8170610411.

Ismail, MN., Zawiah, H., Chee S.S., &Ng K.K. (1995). Prevalence of obesity and chronic energy deficiency in adult Malaysians. *Mal J Nutr*, 1, 1-9.

Jain, D., & Nai, P.(2013). SHG helping empower rural women – a study. *International Journal of Social Science and interdisciplinary research*, 2(7), 126-135.

Jain, R. (2003).Self help groups – issues and constraints. *Indian Journal of Extension Education*, XXXX, 3 and 4, 10.

Jain, V., Agrawal, B.K., Varshney, A., & Biswas, S.S.(2013). Prediction of bone mineral density by age, body mass index and menopausal status in middle socioeconomic status of women of urban kolar region of Bhopal. *IOSR Journal of Dental and Medical Sciences*, 12(3), 17-21.

Jamuna Prakash. (2013). Exploring food based approaches for translational nutrition : From research to practice, programme, proceedings and abstracts of the 45th national conference of NSI, NIN, Hyderabad, 30-34.

Jancirani , P.R.,& Sarojini, K.S. (2012). Nutrient content and total antioxidant activity in Brahmi, Moringa, Amla, dried powders and formulations of value added receipes. *Ind. J. Nutr. Dietet.*, 49(7), 272 – 282.

Jeanb, M., Thompsonm, LU.(2002). Role of phytic acid in cancer and other diseases. In: Reddy NR, Sathe SK (eds). Food Phytates. CRC Press: Boca Raton, FL,25–248.

- Jelliffe, D.B., & Jelliffe, P.E.F.(1991). Community nutritional assessment – with special reference to less technically developed countries, Oxford medical publications, 90-93.
- Jerinabi, U. (2006). Microcredit management by women's self help groups, Discovery Publishing House, New Delhi, 99-100.
- Joshi, P., & Mehta, D. (2010). Effect of dehydration on the nutritive value of drumstick leaves. *Journal of Metabolomics and system biology*, 1(1), 5-9.
- Justus, R. E.,& Mahiba, M. (2000). Participatory micro- enterprises. *Kurukshetra*, 49(3),16.
- Kala, A., & Prakash, J. (2004). Nutrient composition and sensory profile of differently cooked green leafy vegetables. *J Food Prop.* 7 (3),659-669.
- Kala, G.S. (2004). Economic empowerment of women through self help groups. *Kisan World*, 31(11), 25 – 26.
- Kalaivani, K. (2009). Prevalence and consequences of anaemia in pregnancy. *Indian J Med Res*, 130, 627-633.
- Kalpana, CA., & Divya, G. (2004). Software on Vitamin A – Impact as a teaching tool on selected women, Scientific programme, abstracts of talks and abstracts of posters of NSI, XXXVI Annual meet, 70.
- Kamalapur, S.M.,& Reddy,S. (2013). Women health in India: an analysis. *International Research Journal of Social Sciences*, 2 (10),11-15.
- Kannabiran, V. (2005). Marketing self-help, managing poverty. *Economic and Political Weekly*, 11(34), 3716–19.
- Kapil., U. (2007). Health consequences of iodine deficiency. *Sultan Qaboos Univ Med J.* 7(3), 267-272.
- Kasturiba, B., Rama, K.N., & Basarkar, P.W. (2007). Adequacy of related nutrients and vitamin-A status of school children. *Ind. J. Nutr. Dietet.*, 44,154.
- Kathy,M., Sheila John, D., & Estherlydia. (2013). Effect of ragi (*Elusine coracana*) vermicelli supplementation on anaemic school children. *International Journal of Current Research*, 5(9),2474-2477.

- Kaur, K. (2014). Anaemia ' a silent killer' among women in India: present scenario, scholars research library. *European Journal of Zoological Research*, 3(1), 32-36.
- Khan, N., Rehman, A., Salman, M.S., & Khan, M.M. (2012). Employment Generation through vegetable cultivation in North India. *Asia Pacific Journal of Social Sciences*, 4(2), 135-152.
- Khan., K.S., Wojdyla,D., Say.,L., Gulmezoglu., A.M. & Van Look.,P.F.(2006). WHO analysis of causes of maternal death: a systematic review, *The Lancet*, 367(9516),1066–1074.
- Kishore, J. (2012). Textbook on National Nutritional Programmes, 10th ed. New Delhi, Century Publications.
- Kochhar, A. (2012). Effect of supplementation of drumstick (*moringa oleifera*) and amaranth (*amaranthus tricolor*) leaves powder on antioxidant profile and oxidative stress among postmenopausal women. *Journal of Food Science and Technology*, 4-9.DOI : 10.1007/S13197-012-0859-9.
- Konapur, A.,Gupa, S.R.G.S.,& Nair, K.M.(2014). Millets in meeting nutrition security: issues and way forward for India. *The Indian Journal of Nutrition and Dietetics*, 51(3).
- Kondal, K.(2014). Women empowerment through self help groups in Andhra Pradesh, India. *International Research Journal of Social Sciences*, 3(1), 13.
- Kothari, C.R. (2004). Research methodology: methods and techniques, New age International, 17.
- Kotishwar, A., & Khan., M.A.A. (2010). Women empowerment through self help groups – a case study of Nizamabad District of Andhra Pradesh. *International Journal of research in Commerce and Management*, 1(1), 48-71.
- Koul,B., & Chase, N. (2015). *Moringa oleifera* Lam: Panacea to several maladies. *Journal of Chemical and Pharmaceutical Research*, 7(6), 687-707.

- Kowsalya, S., & Helen, C.(2006). Total antioxidant activity of selected plants foods and feasibility of developing antioxidant rich food supplements, Souvenir, Traditional Herbal Medicines for Modern Time, FS 30.
- Kowsalya, S., & Vidhya, M.R. (2004). Nutritive value of selected dehydrated green leafy vegetables. *The Indian Journal of Nutrition and Dietetics*, 41, 279-286.
- Kowsalya, S., Chandrasekhar, U., & Balasasirekha, R. (2001). Beta carotene retention in selected green leafy vegetables subjected to dehydration. *The Indian Journal of Nutrition and Dietetics*, 38, 374-383.
- Kowsalya, S.,&Indra, R.(2010). Development and evaluation of extruded products from amarathus incorporated nutritious mix. *Ind. J. Nutr. Dietet.*, 47(7), 285.
- Kumar, A. (2006). Self Help Groups, Women's health and empowerment: global thinking and contextual issues. *Jharkhand Journal of Development and Management studies*, 4(3), 2061-2079.
- Kumar, S.V. (2005). Women empowerment success through self help groups. *Kisan World*, November, 31.
- Kumar, V., Verma, A., Ahmed, D., Sachan, NK., Anwar, F., & Mujeeb, M.(2013). Fosterd antiarthritic upshot of Moringa Oleifera. Stem bark extract in diversely induced arthritis in Wistarrats with plausible mechanism. *Intl. J. of Phar. Sci. and Res.*,4(10) ,3894 -3901.
- Kumar., A. (2009). Self help groups, women's health and empowerment : global thinking and contextual issue. *Jharkhand journal of development and management studies*, 4(3), 2061-2079.
- Kushwaha., S., & Chawla., P. (2015). Impact of supplementation of drumstick (moringa oleifera) and amaranth (Amaranthus tricolor) leaves powder on menopausal symptoms of post menopausal women. *International Journal of Scientific and Rsearch Publications*, 5(1), 3.
- Lakshmi , K.U.,& Babitha, B. (2014). Dietary intake and nutritional status of women in rural Guntur District. *Biolife*, 2(4), 1120-1124.

- Lakshmi, U.K., & Kohila, B. (2007). Development and evaluation of vegetable based antioxidant mixes. *The Indian Journal of Nutrition and Dietetics*, 44, 471-475.
- Loganathan, P.. (2004). SHGs and bank linkages. *Kisan World*, 31(4), 24-26.
- Lopamudra, S., & Suresh, S. (2012). A qualitative study on role of Self Help Group in women empowerment in rural Pondicherry, India. *National Journal of Community Medicine*, 3(3), 473 – 479.
- Lopez, AD., Mathers, CD., Ezzati, M., Jamison, DT.,& Murray, CJL., (2006). Global burden of disease and risk factors. Washington (DC): World Bank Publications.
- Lucas, G.M., & Markaka. (1975). Phytic acid and other phosphorus compound of bean (*Phaseolus vulgaris*). *J. Agric.Ed.Chem.*, 23,13-15.
- Madhavi, L.H. , & Singh, H.K.G. (2011). Nutritional status of rural pregnant women, *people's journal of scientific research*, 4(2), 20-23.
- Major, GC., Alarie, FP., Doré, J., & Tremblay, A.(2009). Calcium plus vitamin D supplementation and fat mass loss in female very low-calcium consumers: potential link with a calcium-specific appetite control. *Br J Nutr* , 101, 659–663.
- Malhotra, N., Mithal, A. (2008). Osteoporosis in Indians. *Indian J Med Res.* ,127(3),263–268.
- Malhotra, P., Kumari.,S., Kumar., R.,& Varma.,S. (2004). *Journal of Association of Physicians in India*, 52, 18-20.
- Manay., S.,& Shadaksharaswamy. (2001). Food: facts and principles, New Age International Pvt Ltd, 219-225, 281-285, 300-305, ISBN: 8122413250, 9788122413250.
- Mandal, R.K. (2013). Success story of self help groups without financial help : A paradigm shift of women empowerment. *Journal of global economy*, 9(1), 1.

- Manzoor, M., Anwar, F., Iqba, T.I., & Bhnager, M.I. (2007). Physico-chemical characterization of Moringa concanensis seeds and seed oil. *J. Am. Oil Chem. Soc.*, 84, 413-419
- Maruthu pandian, P. , & Mythily, E. (2015). Entrepreneurship in women: The role of self help groups. *Indian Journal of Applied Research*, 5(1), 73.
- Mathanghi, S.K. Hemalatha, G. Amutha, S., & Arulmzhichelvan. (2013). Food consumption patterns and the nutritional profile of the urban south Indian dwellers. *Asian J. Dairy and Food Res*, 32(3), 235-240.
- Mathers, C., Steven, G., & Mascarenhas, M. (2009). Global health risks: mortality and burden of disease attributable to selected major risks. Geneva, Switzerland: World Health Organization.
- Medline Plus, U.S. National Library of Medicine, 2015.
- Micronutrient Initiative. (2015). MI India continues to focus on the priority of saving lives and improving the health of women and children. <http://micronutrient.org/mi-in-the-world/asia/india/>
- Ministry of Health and Family Welfare (2006). Government of India. Iodine deficiency disorders control programme. Annual Report 2005-06, 89–90.
- Ministry of Health in collaboration with UNICEF and WHO. (2000). Assessment of Iodine deficiency status among Jordanian children after introduction of iodized salt, 2.
- Mishra., S., Singh., P., & Singh., S. (2012). Processing of moringa oleifera leaves for human consumption, *Bulletin of Environment, Pharmacology and Life Sciences*, 2(1), 28-31.
- Mithal, A., & Kaur, P. (2012). Osteoporosis in Asia: A call to action. *Curr Osteoporos Rep.* 10, 245–7.
- Mohamed, S.M. (2004). Self Help Group for the success of women entrepreneurs. *Kisan World*, 50(3), P.31.

- Mohankumar, J.B., & Bhavani, K.(2004). The efficacy of cauliflower greens (Brassica oleracea var botrytis) preparation in improving blood haemoglobin in selected adolescent girls. *The Ind. J. Nutr. Dietet*, 41(2), 63-66.
- Mohindra, K.S., Haddad, S.,&Narayana, D. (2008). Can microcredit help improve the health of poor women? Some findings from a cross –sectional study in Kerala, India. *International Journal for equity in health*, 7(2),1. Doi: 1186/1475-9276-7-2.
- Monga, S., Sachdeva, R., Kochhar, A., & Banga, K. (2008). Efficacy of nutrition counseling on the knowledge, attitude and practices of working women. *Stud Home Comm Sci*, 2(2), 99-102.
- Nambiar, VS., Daxini, M., Bhadalkar, K . (2003). Nutritional and sensory evaluation of shad dried beta carotene rich drumstick leaf (Moringa oleifera) recipes. *Indian Food Packer*, 57 (6), 156-161.
- Narang, U.(2012). Self help group: an effective approach to women empowerment in India. *International journal of social science and interdisciplinary research*, 1(8), 8-16.
- National Institutes of Health (2014). Office of Dietary Supplements. Calcium: Dietary Supplement Fact Sheet. <http://ods.od.nih.gov/factsheets/Calcium-Consumer/> and [http://ods.od.nih.gov/factsheets/Calcium-Health Professional/](http://ods.od.nih.gov/factsheets/Calcium-HealthProfessional/).
- National Institutes of Health. (2013). Calcium, Dietary Supplement Fact sheet <https://ods.od.nih.gov/factsheets/Calcium-HealthProfessional/>
- Nawiri., MPP., Nyambaka., H.,&Murungi., J.L. (2013). Sundried cow peas and amaranth leaves recipe improves beta carotene and retinol levels in serum and hemoglobin concentration among preschool children. *Eur J Nutr*, 52(2), 583-9. doi: 10.1007/s00394-012-0360-2
- Nestel, P., Briend, A., De Benoist, B., Decker, E., Ferguson, E. Fontaine, A., Micardi., & Nalubola,R. (2015). Complementary food supplements to achieve micronutrient adequacy for infants and young children. *Journal of Pediatric Gastroenterology and nutrition*, 36, 316-328.

- NFHS – 3 (2005-2006), Chapter 10, Nutrition and Anaemia, 267.
- NFHS – 3 (2005-2006). National Family Health Survey, summary of findings, xl.
- NIN. (1983), A manual of laboratory technique, edited by Raghuramulu, N., Nair, K.N, and Kalyanasundaram, S., 31,32,36,121,136,140.
- NIN. (1990). Techniques of iron status measurement, manual of collection, processing and estimation of samples for iron and iodine status measurements, National Institute of Nutrition, Hyderabad, India.
- NIN. (2004). A manual of laboratory techniques, National Institute of Nutrition
- NNMB (2006). National Nutrition Monitoring Bureau, NNMB Technical report, No. 24, Diet and nutritional status of population and prevalence of hyper tension among adults in rural areas, NIN, Hyderabad, 25, 36.
- NNMB. (2000), Nutrition network for Tamil Nadu and Kerala, Newsletter sponsored by UNICEF, November 2000,1-7.
- NNMB.(2003). National Nutrition Monitoring Bureau, Prevalence of micronutrient deficiencies, NNMB technical report, 22, National Institute of Nutrition,Hyderabad, India, 3.
- NNMB.(2006). Prevalence of vitamin A deficiency among preschool children in rural areas, NNMB technical report 23, National Institute of Nutrition, Indian Council of Medical Resaerch, Hyderabad, 7.
- NRHM . (2013). National Rural Health Mission, Guidelines for control of iron deficiency anaemia, National iron+initiative- towards infinite potential in an anaemia free India, Ministry of Health and Family Welfare, Government of India, 14.
- Pal., S. (2014). Comparative study on decision making power of self help group and non self help group women in relation to farm activities. *International Journal of Agricultural extension*, 02(01), 21-28.
- Pandav, C., Krishnamurthy,P.,Sankar, R.,Yadav, K.,Palanivel, C., & Karmarkar, M.G. (2010). A review of tracking progress towards elimination of iodine deficiency disorders in Tamil Nadu, India, 54(3), 120-125.

- Park, K. (2015). Textbook of preventive and social medicine, demography and family planning, 23rd Edition, M/S Banarsidas Bhanot Publishers, Jabalpur, India, 485.
- Prabhat, A., & Begum, K. (2012). Food consumption pattern and nutritional status of women laborers from coastal areas of Karnataka. *National Journal of Community Medicine*, 3(2), 321-325.
- Pradeep.,R., Mohan., Anjana.,R.M., Joshi.,S.R., Bhansali.,A., Deepa.,M., Joshi., .P.,DhandaniaV.K.,...Das., A.K. (2015). Prevalence of generalized and abdominal obesity in urban and rural India- the ICMR-India B study (phase 1)(ICMR- INDIAB-3). *Indian Journal of Medical Research*, 142, 139-150. DOI: 10.4103/0971-5916.164234.
- Prakruthi B.S.,& Jamuna Prakash. (2013). Nutritional status and dietary pattern of Indian rural women with reference to energy intake and expenditure. *Journal of Community Nutrition and Health*, 2(1), 44-51.
- Premakumari, S., Kowsalya, S., & Kalai Selvi, E. (2012). Knowledge, Attitude and Practices of consumers towards food safety. *Ind. J. Nutr. Dietet*, 49(10), 409- 416.
- Press Information Bureau. (2014).Supplementary nutrition programme, Ministry of Women and Child Development, Government of India.
- Pullakhandam R., & Failla, ML.(2007). Micellarization and intestinal cell uptake of beta-carotene and lutein from drumstick (*Moringa oleifera*) leaves. *J. Med. Food* , 10,252-257.
- Ra,S.H.,& Ruma, D. (2012). The waist circumference measurement: a simple method for assessing the abdominal obesity. *J. Clin Diagn Res*, 6(9), 1510-3, doi: 10.7860/JCDR/2012/4379.2545.
- Rahi., J.S., Sripathi., S., Gilbert., C.E., & Foster., A. (2015). Childhood blindness due to vitamin A deficiency in India: regional variations archives of disease in childhood, 72, 330-333.

- Rahman, T.(2013). Empowering rural women through self help groups and corporate partnership, International monthly refereed journal of research in management and technology, II, 94-101.
- Raj ,S.D. (2004). SHGs and women's empowerment. *Social Welfare*, 34(6),40.
- Rajasekaran, R.,& Sindhu, R. (2013). Entrepreneurship and small business – a study with reference to women self help groups. *Global Journal of Management and Business Studies*, 3(7), 703.
- Rajesh Pandathil. (2015). Socioeconomic survey : three fourth of rural india's highest income below Rs. 5000, Business news.
- Rajeswari, R., Bharati, P., Ramachandranai, K., & Naganur, S. (2013). Dehydration of amaranthus leaves and its quality evaluation. *Karnataka Journal of Agriculture Science*, 26 (2), 276-280.
- Ramakrishnan, U.(2002). Prevalence of micronutrient malnutrition worldwide. *Nutrition reviews* 60, S46-S52.
- Rani , S.R. & Antony.U. (2014). Effect of germination and fermentation on polyphenols in finger millet (Eleusine Coracana). *International journal of Nutritional Sciences*, 3(1), 65-68.
- Ransom., E.I., & Elder, L.K. (2015). Nutrition of women and adolescent girls : why it matters, Population Reference Bureau.
- Rao, M., Balakrishna, N., Arlappa, A., Laxmaiah., & Brahman, GNV. (2010). Diet and nutritional status of women in India. *J Hum Ecol*, 29(3), 165-170.
- Reddy, C.V.K.(1999). Greens for good health. *Nutrition*. 33(3):3-8,
- Reji. (2013). Economic empowerment of women through self help groups in Kerala. *International Journal of marketing, financial services and management research*, 2(3), 97-113.
- Rekha, R., & Gaonkar. (2001). Working and impact of Self help groups in Goa. *Indian Journal of Agricultural Economics*, 56(3), 465

- Ruel, M.T., & Levin, C.E. (2000). Assessing the potential for food based strategies to reduce Vitamin A and iron deficiencies: a review of recent evidence. FCND discussion paper No. 92, Food Consumption and nutrition Division, Washington, DC, International Food Policy Research Institute, 62
- Saikrishna, S., Sushama Rani, T., & Jadhav, B.A.(2011). Impact of nutritionally enriched banana cake with the incorporation of Finger Millet. *Ind. J. Nutr. Dietet.*, 48(9), 158- 161.
- Sangeetha., N., & Premakumari, S. (2010), Effect of micronutrient supplementation on the nutritional and immune status of school going children with upper and lower respiratory tract infections. *Ind. J. Nutr. Dietet*, 47(1), 1-11.
- Sankar, R. (2004). Effective ways to combat micronutrient deficiencies in India through food fortification , Scientific session, Symposia – II: Bridging the nutrition gap through value addition, XXXVI Annual meet of NSI, 45
- Sanou,D., Turgeon, O., Brien, H., & Desrosiers, T. (2010). Nutrition intervention and adequate hygiene practices to improve iron status of vulnerable preschool Burkinabe children. *Journal of Nutrition*, 26(1), 68-74, doi:10.1016/j.nut.2009.05.017.
- Saranya, B., & Vishnupriya, K. (2015). Self help group- a tool for women empowerment. *Zenith International Journal of Multidisciplinary Research*, 5(2), 85-91.
- Saravanakumar and Mamta, S. (2012). Self help groups in socioeconomic transformation with special reference to Coimbatore. *International Journal of Research in Commerce, economics and management*, 2(9), 87-94.
- SCN. (2004). Standing Committee on Nutrition , Nutrition and the Millennium Development Goals, No. 28,1-86.
- Sekhampu.,T.J., & Niyimbanira., F. (2013). Analysis of the factors influencing household expenditure in a south African township. *International Business and Economics Research Journal*, 12(3), 279-284.

- Shanthi, M., & Ganapathi, R. (2012). Impact of micro finance towards empowerment of women self help groups with special ference to Coimbatore district. *Prestige International Journal of Management and It- Sanchayan*, 1(1), 67-90.
- Sharma, K.K. (2003). Improving bioavailability of iron in Indian diets through food based approaches for the control of iron deficiency anaemia, *fna.ana*, 32, 55.
- Sharma, P., & Varma, S.K. (2008). Women empowerment through entrepreneurial activities of self help groups. *Indian Res. J. Ext. Edu.* 8(1), 46.
- Sharma, S., Rao, P.K., & Sharma, R. (2013). Role of women in decision making related to farm: A study of Jammu district of J&K state. *International Journal of Scientific and Research Publications*. 3(1): 1- 4.
- Shatrugna, V., Kulkarni, B., Kumar, PA., Rani, KU.,& Balakrishna, N. (2005). Bone status of Indian women from a low-income group and its relationship to the nutritional status. *Osteoporos Int.* 1827, 16
- Shetty, P. (2011). Addressing micronutrient malnutrition to achieve nutrition security, FAOs edited volume of combating micronutrient deficiencies : food based approaches, 28-37.
- Sindhu, S., Mangala, S., & Sherry, B. (2013). Efficacy of Moringa oleifera in treating iron deficiency anaemia in women of reproductive age group. *International Journal of Physiotherapy Research*, 3(4), 15-20.
- Singh, S., & Banu, S. (2014). Drumstick (Moringa oleifera Lam): A universal agent against micronutrient malnutrition. *The Ind J Nutr. Dietet.*, 51(4).
- Singh., P. (2007). Micronutrient deficiency in India. *J. Ind. Soc. Agril. Statist*, 61(2), 128-131.
- Socioeconomic and Caste Census (SECC). (2011-2012). <http://secc.gov.in/reportlistcontent>
- Solomons, NW . (2002). Methods for the measurement of nutrition impact and adaptation of laboratory methods into field settings to enhance and support community based nutrition research. *Nutrition Reviews*, 60 : S126-S131.

- Sommer, A. (2008). Vitamin A deficiency and clinical disease: an historical overview. *The Journal of Nutrition*, 138(10),1835–1839, 2008.
- Sood, R. (1990). Medical laboratory technology – methods and interpretations, 3rd edition, Jaypee brothers Pvt Ltd., 148-180.
- Sreedevi, A. (2015). An overview of the development and status of national nutritional programs in India. *Journal of Medical nutrition and Nutraceuticals*, 4(1),5-13.
- Srilakshmi B. (2007). Nutrition Science. 2nd ed. New Delhi: New Age International (P) Ltd. 333, 336, 344
- Srivastava, R.P., & Kumar, S. (2002). Fruits and vegetable preservation principles and practices, III edition, International Book Distributing Co., Lucknow, India, 1-25, 35-39.
- Stoltzfus., R.J.. (2003). Iron deficiency: global prevalence and consequences, *Food Nutr Bull*, 24(4), S99-103.
- Stransky, M., & Rysava, L. (2009). Nutrition as prevention and treatment of osteoporosis, *physiol. Res.* 58(1), S7-S11.
- Subodh Varma. (2015). 92% village homes run on less than Rs. 10,000 a month, *The times of India*, July 4.
- Suchdev, PS., Ruth, LJ, Woodruff,BA.,Mbakaya, C., Mandaya, U., Flores Ayala, R., Jefferds, MC., &Quick, R. (2012). Selling sprinkles micronutrient powder reduces anaemia, iron deficiency and vitamin A deficiency in young children in western Kenya: a cluster – randomized controlled trial. *Am J Clin Nutr*, 95(5), 1223-30. Doi: 10.3945/ajcn.111.030072.
- Suja, S. (2012). *Global Management Review*, 6(3).
- Sujata, D., Wangkheirakpam., Wasrjeet, S., & Litonjam. (2012). Comparative study of leaves of *Ficus pomifera* Wall., *Ficus hispida*, *Ficus religiosa* Linn. For the biochemical contents, minerals and trace elements. *Indian Journal of national products and resources*, 3(2), 184-188.

- Swaminathan., M. (2009). Advanced Textbook on Food and Nutrition, Volume 2, The Bangalore Printing and Publishing Co, Ltd., No.88, Mysore Road, Bangalore , 340, 343.
- Sylvia Subapriya, M., & Usha Chandrasekhar (2011), Effect of Nutrition education on KAP of preganant women. *Ind. J. Nutr. Dietet.*, 48(2), 51 – 50.
- Tarnus ,E., & Bourdon, E. (2006). Anthropometric evaluations of body composition of undergraduate students at the university of La Reunion.,*Adv Physiol Educ*, 30(4), 248-253.
- TCDW (2013). Tamil Nadu Corporation for Development of Women, Rural Development and Panchayat Raj Department <http://www.tamilnadumahalir.org/sample-sites/mahalir/shgs.html?id=84>
- Tenth five year plan (2002-2007).
- Tesoriero., F. (2005). Strengthening communities through self help groups in south india. *Oxford University Press and Community Development Journal*, 41(3), 331. DOI: 10.1093/cdj/bsi066.
- Thangamani, S., :& Muthuselvi, S. (2013). A study on women empowerment through self help groups with special reference to mettupalayam taluk in Coimbatore District. *IOSR Journal of Business and Management*, 8(6), 17-24.
- The Times of India, April 6, 2009. <http://timesofindia.indiatimes.com/life-style/health-fitness/2-of-3-women-in-Indian-cities-obese-Study/articleshow/4363630.cms>
- Thompson, B., & Amoroso, L. (2011). Combating micronutrient deficiencies: food based approaches, FAO, 1-6.
- Tietz, N.W (1976).Fundamentals of clinical chemistry, W.B. Saunders and co,928.
- Tulchinsky, TH. (2015). The key role of governments in addressing the pandemic of micronutrient deficiency conditions in Southeast Asia, *Nutrients*, 7(4), 2518-23, doi: 10.3390/nu7042518.

- Tulchinsky.T.H (2010).micronutrient deficiency conditions: global health issues, Public health reviews, 32(1), 243-255.
- Ukpabi, V.J., & Ejidoh, J.i. (1989). Effect of deep out frying on the oxalate content and the degree of itching of cocoyams. (Xanthosoma and colocassia spp). Technical paper presented at the 5th annual conference of the Agriculture society of Nigeria. Federal University of Technology, Owerri, Nigeria, 3-6.
- UNICEF. (2004). Vitamin and mineral deficiency, A global damage assessment report, 2., 1-9.
- UNICEF. (2009). Investing in the future, a united call to action on vitamin and mineral deficiencies, Global report, 1.
- UNICEF. (2011). The adolescent girls anaemia control programme, breaking the inter-generational cycle of under nutrition in India with a focus on adolescent girls, Briefing paper series, Innovations, Lessons and Good practices, 1-20.
- UNICEF.(2006). For every child health, education, equality, protection, information sheet, UNICEF, Nigeria.
- UNICEF.(2012). Nutrition glossary, a resource for communication, 8*
[www.unicef.org/lac/Nutrition_Glossary_\(3\).pdf](http://www.unicef.org/lac/Nutrition_Glossary_(3).pdf)
- United Nations. (2000). Fourth Report on the World Nutrition Situation, January 2000: Nutrition Throughout the Life Cycle. Geneva: Administrative Committee on Coordination/Sub-Committee on Nutrition (ACC/SCN) in collaboration with IFPRI.
- University of Illinois Medical Centre (2006)
- Usha Chandrasekhar. (2002). Food science and applications in Indian cookery, Phoenix publishers Pvt Ltd.
- Varley, H.(1988). Practical clinical biochemistry, B. William Heinemann medical books Ltd., London, 470, 474, 525.
- Venkatesh, J., & Kala, K. (2010). Self Help Groups: Tools to Boost up Women Empowerment, Management and labour studies, 35(1),75-83.

- Verma V., & Patel S. (2013). Value added products from nutri-cereals: finger millet (*Eleusine coracana*). Emirates. *J Food Agri.* 25(3) : 169-176.
- Vijayaraghavan, K. (2002). Control of micronutrient deficiencies in India: obstacles and strategies. *Nutr Rev.* 60, S73-6.
- Vijayaraghavan, K.(2007). Iron deficiency anaemia in India and its control. *Ind. J. Nutr. Dietet.*,44,107-114.
- Viteri, F.E., & Gonzalez, H. (2002). Adverse outcomes of poor micronutrient status in childhood and adolescence, *Nutrition reviews* 60, S77 – S83.
- Wasantwisut E.U., Rosado, J.L., & Gibson, R.S.(2011). Nutritional assessment: methods for selected micronutrients and calcium, The role of food, agriculture, forestry and fisheries in Human Nutrition, Vol. IV, 2-13.
- Webster. J. G. (2004). Bioinstrumentation, John Wiley & Sons, 175. ISBN : 978 – 81-265-1369 – 7.
- Welborn, T.A. and Dhaliwal, S.S. (2007). Preferred clinical measures of central obesity for predicting mortality. *European Journal of Clinical Nutrition*, 61, 1373-1379.
- West., K.P.,Klemm.,R.D., & Sommer.,A. (2010). Vitamin A saves lives: sound science, sound policy, Journal of the world public health nutrition association. *World Nutrition*, 1(5), 211-229, www.wphna.org.
- WHO (1995). Physical status: the use and interpretation of anthropometry, WHO technical report series, report of a WHO expert committee, WHO, Geneva, 1-405.
- WHO (2000). Obesity: Preventing and managing the global epidemic. Report of a WHO consultation. *World Health Organ Tech Rep Ser* 2000; 894:1–253.
- WHO (2004). WHO Expert Consultation. Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet* 2004; 363: 157–163.

- WHO (2011). Haemoglobin concentrations for the diagnosis of anaemia and assessment of severity, vitamin and mineral nutrition information system, Department of Nutrition for Health and Development (NHD)., 1-6.
- WHO . (2007). Preventing and controlling micronutrient deficiencies in populations affected by an emergency, Joint statement by the World Health Organization, World Food Programme and UNICEF.
- WHO, (2011). Physical status: The use and interpretation of Anthropometry. Report of a WHO expert committee, WHO technical report series 854 Geneva, World Health Organization, Vol.86(3), P.280.
- WHO. (2001). World sanitation health, water related diseases, Anaemia, Department of Nutrition for Health and Development (NHD) and the Water, Sanitation and Health Unit (WSH), World Health Organization (WHO), Geneva. http://www.who.int/water_sanitation_health/diseases/anemia/en/
- WHO. (2002). Global strategy on diet, physical activity and health, The world health report.
- WHO. (2007). Preventing and controlling micronutrient deficiencies in population affected by an emergency, Joint statement by the World Health Organization, the World Food Programme and the United Nations Children's Fund.
- WHO. (2008). Waist circumference and waist-hip-ratio, report of a WHO expert consultation, Geneva, 8-11, 1-47.
- WHO. (2008). Worldwide prevalence of anaemia 1993-2005, WHO global database on anaemia, Geneva, WHO.
- WHO. (2009). Global prevalence of vitamin A deficiency in populations at risk 1995-2005, WHO global database on vitamin A deficiency, 10.
- WHO. (2015). Health in 2015 from Millennium Development Goals to Sustainable Development Goals, 3-203.
- WHO.(2008). Worldwide prevalence of anaemia 1993-2005, WHO global database on anaemia, World Health Organization, Centers for Disease Control and Prevention, Atlanta, Edited by Benoist, B.D., Mclean, E., Egli, I., & Cogswell, M.,7.

- Willett., W.,&Hu., F. (2013). Anthropometric measures and body composition, Nutritional Epidemiology, 3rd edition.
- Wish, B.J.(2006).Assessing iron status: beyond serum ferritin and transferrin saturation. *clinical journal of the American society of Nephrology*, 1(1), S4-S8. DOI: 10.2215/CJN. 01490506.
- World Health Organization (2000). World Health Report, Health systems: improving performance, World Health Organization, Geneva. <http://www.who.int/whr/2000/en/>
- World Health Organization (2009). Global prevalence of vitamin A deficiency in population at risk 1995- 2005, WHO global database on vitamin A deficiency, Geneva.
- World Health Organization (2009).Global health risks: Mortality and burden of disease attributable to selected major risks, Geneva.
- World Health Organization/Food and Agriculture Organization of the United Nations (2004). *Fruit and Vegetables for Health. Report of a Joint FAO/WHO Workshop, 1–3 September 2004, Kobe, Japan*. WHO, Geneva, Switzerland; available at <http://www.fao.org/ag/magazine/FAO-WHO-FV.pdf>
- Wunderlich., S. (2013). The importance of appropriate nutrition assessment and nutrition education for older adults. *J Nutr. Food Sci*, 3(5), 1000e121.
- Yankanchi, G.M.,Naik, R.K.,& Gaonkar, V. (2002). Nutritional status of rural pre-school children by anthropometry, *Ind J Nutr Dietet*, 139, 404-409.
- Zakaria, M., Simpson, K.L., Brown, P.R., & Kurtulovic, A. (1979), The use of Reversed Phase HPLC Analysis for the Determination of Provitamin A Carotenes in tomatoes. *Journal of Chromatography*, 176, 109-117.
- Zimmermann, MB. (2009). Iodine deficiency in pregnancy and the effects of maternal iodine supplementation on the offspring: a review. *Am J Clin Nutr* , 89(2):668S-72S.
- Zittermann, A.(2007). Osteoporose. *Ernährungs-Umschau* 54: B 33-38.

Zulfiqar, A., Bhutta., Salam, R.A., &Das, J.K. (2013). Meeting the challenges of micronutrient malnutrition in the developing world, *British Medical Bulletin* , 106(1), 7-17..

Websites

<http://www.who.int/nutrition/topics/ida/en/>

<http://www.who.int/whr/2000/en/>

<http://www.apfmj.com/content/13/1/15>

<http://timesofindia.indiatimes.com/life-style/health-fitness/2-of-3-women-in-Indian-cities-obese-Study/articleshow/4363630.cms>

<http://www.tamilnadumahalir.org/sample-sites/mahalir/shgs.html?id=84>

<http://www.fao.org/docrep/x0051t/x0051t09.htm>

<http://www.tfjournal.org/article.php/20051201124931586>

http://www.dsm.com/en_US/downloads/dnp/Nutriview_2008_4.pdf.

www.vitalah.com/.../EDU_WomensHealth-0907

<http://micronutrient.org/mi-in-the-world/asia/india/>

<http://www.a2zproject.org/node/6>

http://www.who.int/water_sanitation_health/diseases/anemia/en/

www.wphna.org.

<https://ods.od.nih.gov/factsheets/Calcium-HealthProfessional/>

<http://www.iofbonehealth.org/osteoporosis-musculoskeletal-disorders>

www.merineews.com/catFull.jsp?articleID=126993

<http://www.unsystem.org/scn/archives/scnnews09/ch2.htm>

<http://www.who.int/nutrition/en>

<http://www.apfmj.com/content/13/1/15>

<http://www.prb.org/Publications/Articles/2003/NutritionofWomenandAdolescentGirlsWhyItMatters.aspx>