

## LIST OF TABLES

<b>TABLE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
<b>I</b>	Contents of inulin and oligofructose (g/100 g)	<b>17</b>
<b>II</b>	Choice of ingredients	<b>51</b>
<b>III</b>	Formulation of cakes	<b>53</b>
<b>IV</b>	Age and gender distribution	<b>69</b>
<b>V</b>	Education status	<b>71</b>
<b>VI</b>	Occupation status	<b>72</b>
<b>VII</b>	Family income status	<b>73</b>
<b>VIII</b>	Awareness on prebiotic concept	<b>74</b>
<b>IX</b>	Sources of information	<b>75</b>
<b>X</b>	Association of awareness with gender	<b>77</b>
<b>XI</b>	Association of awareness with education	<b>78</b>
<b>XII</b>	Association of awareness with occupation	<b>79</b>
<b>XIII</b>	Association of awareness with income	<b>80</b>
<b>XIV</b>	Perception on prebiotic foods	<b>81</b>
<b>XV</b>	Association of perception of prebiotics with gender	<b>82</b>
<b>XVI</b>	Association of perception of prebiotics with education	<b>83</b>
<b>XVII</b>	Association of prebiotic perception with occupation	<b>84</b>
<b>XVIII</b>	Frequency of consumption of prebiotic foods	<b>86</b>
<b>XIX</b>	Prebiotic foods available in market	<b>87</b>
<b>XX</b>	Energy contribution of snacks consumed	<b>88</b>
<b>XXI</b>	Formulation of biscuits	<b>89</b>
<b>XXII</b>	Product characteristics of the biscuits	<b>90</b>

<b>TABLE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
<b>XXIII</b>	Nutrient content of biscuits	<b>91</b>
<b>XXIV</b>	Mean acceptability scores of prebiotic biscuits	<b>93</b>
<b>XXV</b>	Nutrient content of the selected prebiotic biscuit per serving	<b>94</b>
<b>XXVI</b>	Microbial count (g/100 g) of the developed biscuits	<b>94</b>
<b>XXVII</b>	Cost estimation of the selected prebiotic biscuit	<b>95</b>
<b>XXVIII</b>	Demographic profile of subjects screened for hyperlipidemia	<b>96</b>
<b>XXIX</b>	Body mass index	<b>98</b>
<b>XXX</b>	Waist hip ratio	<b>99</b>
<b>XXXI</b>	Screening of lipid profile among the subjects	<b>99</b>
<b>XXXII</b>	Association of demographic factors with lipid profile	<b>101</b>
<b>XXXIII</b>	Age and gender distribution of the experiment and control subjects	<b>102</b>
<b>XXXIV</b>	Mean body mass index of selected subjects	<b>103</b>
<b>XXXV</b>	Mean waist to hip ratio of selected subjects	<b>104</b>
<b>XXXVI</b>	Mean blood pressure levels of the selected subjects	<b>105</b>
<b>XXXVII</b>	Diet pattern	<b>106</b>
<b>XXXVIII</b>	Consumption of fats and oils	<b>107</b>
<b>XXXIX</b>	Frequency of consumption of fats and oils	<b>108</b>
<b>XL</b>	Consumption of coffee	<b>109</b>
<b>XLI</b>	Consumption of prebiotic foods	<b>110</b>
<b>XLII</b>	Dietary inulin availability from the consumed prebiotic foods	<b>111</b>
<b>XLIII</b>	Total dietary inulin intake	<b>113</b>
<b>XLIV</b>	Mean nutrient intake of experimental subjects	<b>114</b>
<b>XLV</b>	Mean nutrient intake of control subjects	<b>115</b>

<b>TABLE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
<b>XLVI</b>	Mean serum lipid pattern of the hyperlipidemic subjects	<b>116</b>
<b>XLVII</b>	Trends in hyperlipidemic condition	<b>117</b>
<b>XLVIII</b>	Effect of supplementation on mean lipid profile parameters of experiment and control subjects	<b>118</b>
<b>XLIX</b>	Anacova for lipid profile at 60 <sup>th</sup> day for male and female subjects	<b>121</b>
<b>L</b>	Repeated measures of anova for lipid profile of male subjects	<b>123</b>
<b>LI</b>	Repeated measures of anova for lipid profile of female subjects	<b>125</b>

## LIST OF FIGURES

<b>FIGURE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
1	Chemical structure of inulin (n= number of fructosyl units)	14
2	Steps involved in industrial production process of inulin	16
3	Metabolic Fate of Inulin-type Prebiotics	18
4	Research design	43
5	Product formulation flow chart	50
6	Flowchart for biscuit formulation	55
7	Age and gender distribution of selected subjects	70
8	Awareness of prebiotic concept	74
9	Nutrient content of prebiotic biscuits	92
10	Demographic profile of the screened subjects	97
11	Mean intake of prebiotic foods	112
12	Total dietary inulin intake	113
13	Mean serum lipid profile of experiment subjects	119
14	Mean serum lipid profile of control subjects	119

## LIST OF PLATES

<b>PLATE NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
<b>I</b>	Interviewing the subjects to elicit details on knowledge, awareness and practice of prebiotic foods	<b>48</b>
<b>II</b>	Formulation of biscuits	<b>57</b>
<b>III</b>	Eliciting details from screened subjects	<b>59</b>
<b>IV</b>	a. Measurement of height	<b>61</b>
	b. Measurement of weight	<b>61</b>
	c. Measurement of hip circumference	<b>62</b>
	d. Measurement of waist circumference	<b>63</b>
<b>V</b>	Assessment of biochemical parameters	<b>64</b>
<b>VI</b>	Counselling of subjects before intervention	<b>65</b>

## LIST OF APPENDICES

<b>APPENDIX NO.</b>	<b>TITLE</b>	<b>PAGE NO.</b>
<b>I</b>	Ethical clearance certificate	<b>166</b>
<b>II</b>	Interview schedule to assess knowledge, awareness and practice of prebiotic foods	<b>167</b>
<b>III</b>	24 hr. Recall form	<b>169</b>
<b>IV</b>	Sensory evaluation	<b>170</b>
<b>V</b>	Procedure used to analyse nutrient content of the biscuits	<b>171</b>
<b>VI</b>	Determination of the aerobic colony count in foods by HPB method	<b>181</b>
<b>VII</b>	Interview schedule to elicit details for identification of subjects with hyperlipidemia	<b>185</b>
<b>VIII</b>	Informed consent form	<b>188</b>
<b>IX</b>	Estimation of Lipid Profile	<b>189</b>