

## BIBLIOGRAPHY

- AccrueHitList, <http://www.accrue.com/index.html>, Last Accessed During November, 2014.
- Agrawal, R., Imielinski, T. and Swami, A. (1993) Mining association rules between sets of items in large databases, Proceedings of the 1993 ACM SIGMOD International Conference on Management of Data, May 25-28, ACM, New York, USA, Pp. 207-216.
- Agrawal, R. and Srikant, R. (1994a) Fast Algorithm for Mining Association Rules. Proceedings of the 20th VLDB Conference, Pp. 487-499
- Agrawal, R. and Srikant, R. (1994b) Fast algorithms for mining association rules in large databases, In Jorge B. Bocca, Matthias Jarke, and Carlo Zaniolo, editors, Proceedings of the 20th International Conference on Very Large Data Bases, VLDB, Santiago, Chile, Pp. 487-499.
- Agrawal, R. and Srikant, R. (1995) Mining Sequential Patterns, Proceedings of 11th International Conference on Data Eng., Pp. 3-14.
- Agrawal R. and Shafer, J.C. (1996) Parallel mining of association rules: design, implementation, and experience, IEEE Trans Knowl Data Eng., Vol. 8, Pp.962–969
- Agrawal, R., Mannila, H., Srikant, R., Toivonen, H., and Verkamo, A. I. (1996) Fast discovery of association rules, Fayyad, U. M., Piatetsky-Shapiro, G., Smyth, P., and Uthurusamy, R., editors, Advances in Knowledge Discovery and Data Mining, AAAI/MIT Press, Pp. 307–328.
- Aggarwal, C.C., Li, Y., Wang, J. and Wang, J. (2009) Frequent pattern mining with uncertain data, International Conference on Knowledge Discovery and Data Mining, Proceedings of the 15th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, ACM, Pp. 29-38.
- Alexandros, N., Ros, N., Katsaros, D. and Yannis, M. (2003) A data mining algorithm for generalized web prefetching. IEEE Trans. Knowledge Data Eng., Vol. 15, Pp. 1155-1169.

- Ali, J.Z. and Ghorbani, A. (2004) The Reconstruction of User Sessions from a Server Log Using Improved Time-oriented Heuristics, Proceedings of the Second Annual Conference on Communication Networks and Services Research, IEEE, PP.23-26.
- Al-Khajri, Z., Kutti, S., Hatem, M. and Khajri, H.A. (2005) A Classification Technique for Web Usage Analysis, Journal of Computer Science, ISSN Publication, Pp. 413-418.
- Almeida, V., Bestavros, A., Crovella, M. and Oliveira, A. (1996) Characterizing reference locality in the www, Technical Report TR-96-11, Boston University.
- AlMurtadha, Y.M., Sulaiman, M.N.B., Mustapha, N. and Udzir, N.I. (2010) Mining web navigation profiles for recommendation system, Inform. Technol. Journal, Vol. 9, Pp. 790-796.
- Amini, M. and Gallinari, P. (2003) Semi-supervised learning with an explicit label-error model for misclassified data, IJCA, Pp. 1-8.
- Analog, <http://www.analog.cx>, Last Accessed During November, 2014.
- Anderson, C. R., Domingos, P. and Weld, D.S. (2001) Adaptive Web Navigation for Wireless Devices, Pp. 879-884.
- Anitha. A. (2010) A New Web Usage Mining Approach for Next Page Access Prediction, International Journal of Computer Applications, Vol. 8, No. 11, Pp. 7-10.
- Ansari, S., Kohavi, R., Mason, L., Zheng, Z. (2001) Integrating E-Commerce and Data Mining: Architecture and Challenges, Proceedings of the Data mining, Pp. 27-34.
- Arlitt, M.F. and Williamson, C.L. (1997) Internet web servers: Workload characterization and performance implications, IEEE/ACM Transaction Networking, Pp.631-645.

- Arumugam G. and Suguna S, (2009) Optimal Algorithms for Generation of User Session Sequences Using Server Side Web User Logs, ESRGroups, France, Pp. 89-92.
- Asiedu, M. and Safo, J.O. (2013) A multi-dimensional service delivery among mobile network providers in Ghana : A case of customer satisfaction, European Scientific Journal, Vol. 9, No. 23, Pp. 86-101.
- Badhe, N. and Shirsat, K.P. (2013) A Novel Approach for Web Recommendation System based on Sequential Access Patterns, IJAIS Proceedings on International Conference and workshop on Advanced Computing, Vol. 4, Pp. 36-40
- Banerjee, A. and Ghosh, J. (2002) On scaling up balanced clustering algorithms, Proceedings of the 2nd SIAM ICDM, 333-349, Arlington, VA.
- Baowen, X. (2001) A rough set based self-adaptive Web search engine. IEEE NSFC, Pp. 377-382.
- Baraglia, R. and Palmerini, P. (2002) Suggest: A web usage mining system, Proceedings of IEEE International Conference on Information Technology: Coding and Computing.
- Baraglia, R. and Silvestri, F. (2004) An online recommender system for large Web sites. Proceedings of the IEEE/WIC/ACM International Conference on Web Intelligence, Pp. 20–24.
- Baraglia, R. and Silvestri, F. (2007) Dynamic personalization of web sites without user intervention, Communications of the ACM, Vol. 50, No. 2, Pp. 63-67.
- Basheera, I.A and Haimeer, M. (2000) Artificial neural networks: fundamentals, computing, design, and application, Journal of Microbiological Methods, Vol. 43, Issue 1, Pp. 3–31
- Batista, P and Silva, M (2001) Prospeccao dos Dados de Acesso a um Servidor de Noticias na Web, 2nd Conferencia sobre Redes de Computadores, Evora, Portugal

- Batista, P., Ario, M. and Silva, J. (2002) Mining web access logs of an on-line newspaper, International Conference on Distributed Computing Systems, Pp. 416-422.
- Bayir, M.A., Toroslu, I.H., Cosar, A. and Fidan, G. (2008) Discovering more accurate Frequent Web Usage Patterns, arXiv0804.1409v1, Pp.1-8.
- Bayir, M.A., Toroslu, I.H., Cosar, A. and Fidan, G. (2009) Smart Miner:A new Framework for Mining Large Scale Web Usage Data, International World Wide Web Conference Committee, ACM, Pp.110-118.
- BenHamza, A., Luque, P., Martinez, J. and Roman, R. (1999) Removing noise and preserving details with relaxed median filters, J. Math. Imag. Vision, Vol. 11, No. 2, Pp. 161–177.
- Berendt, B., Hotho, A. and Stumme, G. (2002) Towards semantic web mining, Proceedings of the First International Semantic Web Conference (ISWC02). Sardinia, Italy, Pp. 1-4.
- Berners-Lee, T., Hendler, J. and Lassila, O. (2001) The Semantic Web, Scientific Am., Vol. 284, No. 5, Pp. 34-43.
- Berry, M.J.A. and Linoff, G. (1997) Data mining Techniques: For Marketing, Sales, and Customer Support, John Wiley & Sons. P. 454.
- Bertot, J.C., McClure, C.R., Moen, W.E. and Rubin, J. (1997) Web usage statistics: Measurement issues and analytical techniques, Government Information Quarterly, Vol. 14, No.4, Pp. 373-395.
- Bin, Y., Xiangjun, D. and Fufu, S. (2009) Research of WEB Usage Mining Based on Negative Association Rules, International Forum on Computer Science-Technology and Applications (IFCSTA '09), Vol. 1, Pp. 196-199.
- Blackett, C., O'Kane, M., Toolan, F., Carthy, J., Drummond, A. and Dunnion, J. (2003) Incident/Accident Analysis using Machine Learning and Root Causal Analysis, Proceedings of the 3rd Conference on Information Technology and Communications in the Institute of Technology and Industry, Letterkenny, Pp 1-8.

- Borges, J. and Levene, M. (1998) Mining Association Rules in Hypertext Databases, Proceedings of the 4th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD98), Menlo Park, CA, USA, Pp. 149-153.
- Borges, J. and Levene, M. (2005) A clustering based approach for modeling user navigation with increased accuracy, Proceedings of the 2nd International Workshop on Knowledge Discovery from Data Streams (IWKDDs) in conjunction with PKDD 2005, Porto, Portugal, Outubro.
- Brin, S., Motwani, R., Ullman, J. and Tsur, S. (1997) Dynamic itemset counting and implication rules for market basket data, Proceedings of the International ACM SIGMOD Conference, Tucson, Arizona, USA, Pp. 255–264.
- Brin, S. and Page, L. (1998) The anatomy of a large-scale hypertextual Web search engine, Computer Networks and ISDN Systems, Vol. 30, No. 1-7, Pp.107–117.
- Buchner, A.G. and Mulvenna, M.D. (1998) Discovering Internet marketing intelligence through online analytical web usage mining, SIGMOD Record, Vol. 27, No.4, Pp. 54-61.
- Buzikashvili, N. (2007) Sliding window technique for the web log analysis, Proceedings of the WWW 2007, Pp. 1213–1214.
- Cadez, I., Heckerman, D., Meek, C., Smyth, P. and White, S. (2000) Visualization of navigation patterns on a Web site using model-based clustering, Proceedings of the sixth ACM SIGKDD international conference on Knowledge discovery and data mining, Pp. 280-284.
- Cadez, I.V., Heckerman, D., Meek, C., Smyth, P. and White, S. (2003) Model based clustering and visualization of navigation patterns on a web site, Data Mining Knowledge Discovery, Vol. 7, Pp. 399-424.
- Catledge, L. and Pitkow, J. (1995) Characterizing browsing behaviors on the World Wide Web, Computer Networks and ISDN Systems, Vol. 27, No. 6, Pp. 1065-1073.

- Chakrabarti, S., Dom, B., Indyk, P. (1998) Enhanced hypertext categorization using hyperlinks, International Conference on Management of Data, Proceedings of the 1998 ACM SIGMOD international conference on Management of data, Pp. 307-318.
- Chen, M.S., Jan, J. and Yu, P.S. (1996a) Data Mining: An Overview from a Database Perspective, IEEE Transactions on Knowledge and Data Engineering, Vol.8, No.6, Pp 866-883.
- Chen, M.S., Park J.S. and Yu, P.S. (1996b) Data mining for path traversal patterns in a web environment, Proceeding of the 16th International Conference on Distributed Computing Systems, Pp. 385–392.
- Chen, J. and Liu, W. (2006.) Research for Web Usage Mining Model, IEEE International Conference on Computational Intelligence for Modelling Control and Automation, Pp. 5-12.
- Chen, Y., Yu, Y., Zhang, W. and Shen, J. (2008) Analyzing User Behavior History for constructing user profile, Proceedings of the IEEE International Symposium Medicine and Education, Pp. 343–348.
- Chen, J. (2010) An UpDown Directed Acyclic Graph Approach for Sequential Pattern Mining, IEEE Transactions on Knowledge and Data Engineering, Vol.22, No.7, Pp.913-928.
- Chi, E.H., Pitkow, J., Mackinlay, J., Pirolli, P., Gossweiler, R. and Card, S.K. (1998) Visualizing the evolution of web ecologies, Proceedings of the Conference on Human Factors in Computing Systems CHI'98, Proceedings of the SIGCHI conference on Human factors in computing systems, Pp.400-407.
- Chitraa, V. and Davamani, A.S. (2010) A Survey on Preprocessing Methods for Web Usage Data, International Journal of Computer Science and Information Security, Vol. 7, No. 3, Pp.78-83.
- Choi, D.H. and Ahn, B.S. (2009) Eliciting Customer Preferences for Products from Navigation Behavior on the Web: A Multicriteria Decision Approach with Implicit Feedback” IEEE Trans. Systems, Man, and Cybernetics, Part A, Vol. 39, No. 4, Pp. 880-889.

- Cimiano, P., Staab, S. and Tane, J. (2003) Deriving Concept Hierarchies from Text by Smooth Formal Concept Analysis, Proceedings of GI Workshop Lehren-Lernen-Wissen-Adaptiv, Pp. 72-79.
- Cingil, I., Dogac, A. and Azgin, A. (2000) A broader approach to personalization, Communications of the ACM, Vol.43, No.8, Pp.136-141.
- Clark, L., Ting, I.H., Kimble, C., Wright, P. and Kudenko, D. (2006) Combining ethnographic and clickstream data to identify user Web browsing strategies, Information Research, Vol. 11, No. 2, Pp. 1-9.
- Claypool, M., Gokhale, A., Miranda, T., Murnikov, P., Netes, D., & Sartin, M. (1999) Combining content-based and collaborative filters in an online newspaper, Proceedings of the ACM SIGIR '99 Workshop on Recommender Systems: Algorithms and Evaluation, Berkeley, California, Pp. 23-29.
- Clerkin, P., Cunningham, P. and Hayes, C. (2001) Ontology Discovery for the Semantic Web Using Hierarchical Clustering, Proceedings of First Semantic Web Mining Workshop, Pp. 44-48.
- Cohen, E., Krishnamurthy, B. and Rexford, J (1998) Improving end-to-end performance of the web using server volumes and proxy filters, Proceedings of ACM SIGCOMM, Pp. 241-253.
- Collins, M. and Duffy, N. (2001) Parsing with a Single Neuron: Convolution Kernels for Natural Language Problems, Technical Report UCS-CRL-01-10, UC Santa Cruz.
- Cooley, R., Mobasher, B., and Srivastava, J. (1997) Web mining : Information and Pattern Discovery on the World Wide Web, International Conference on Tools with Artificial Intelligence, Pp. 558-567.
- Cooley, R., Mobasher, B. and Srivastava, J. (1999) Data preparation for mining world wide web browsing patterns. Journal of Knowledge and Information Systems, Vol.1, No.1, Pp. 122-123.
- Cooley, R. (2000) Web Usage Mining: Discovery and Application of Interesting Patterns from Web Data, PhD thesis, University of Minnesota.

- Cooley, R., Mobasher, B. and Srivastava, J. (2000) Automatic Personalization Based on Web Usage Mining, Proceedings of the Communications of the ACM, Pp. 142–151.
- Cortes, C. and Vapnik, V. (1995) Support vector networks, *Machine Learning*, Vol. 20, Pp.1-25.
- Cove, J. F. and Walsh, B. C. (1988) Online text retrieval via browsing, *Information Processing and Management*, Vol.24, No.1, Pp. 31-37.
- Dai, H., Luo, T., Mobasher, B., Nakagawa, M., Sung, Y. and Wiltshire, J. (2000) Discovery of Aggregate Usage Profiles for Web Personalization, Proceedings of the Mining For Ecommerce Workshop (WebKDD'2000, held in conjunction with the ACM-SIGKDD on Knowledge Discovery in Databases KDD'2000), Pp. 61–82.
- Dai, H. and Mobasher, B. (2002) Using Ontologies to Discover Domain-Level Web Usage Profiles, Proceedings of Second Semantic Web Mining Workshop at ECML/PKDD, Pp. 7-12.
- Data\_Mining\_Tools, <http://www.rulequest.com/see5-info.html>, Last Accessed During November, 2014.
- De Maio, C., Fenza, G., Loia, V. and Senatore, S. (2009a) Towards an Automatic Fuzzy Ontology Generation, Proceedings of IEEE International Conference on Fuzzy Systems, Pp. 1044-1049.
- De Maio, C., Fenza, G., Loia, V. and Senatore, S. (2009b) A Multi Facet Representation of a Fuzzy Ontology Population, Proceedings of IEEE/WIC/ ACM International Joint Conference on Web Intelligence and Intelligent Agent Technology, Pp. 401-404.
- Dell, R.F., Roman, P.E. and Velasquez, J.D. (2008) Web User Session Reconstruction Using Integer Programming, IEEE/ACM International Conference on Web Intelligence and Intelligent Agent, Pp. 26-32.
- Deshpande, M. and Karypis, G. (2004) Selective markov models for predicting web page accesses. *ACM Transact. Internet Technol.*, Vol. 4, Pp. 163-184.

- Desikan, P., Srivastava, J., Kumar, V. and Tan, P.N. (2002) Hyperlink Analysis, Techniques and Applications, Technical Report 2002-152, Army High Performance Computing Research Center, Pp.1-42.
- Dolan, R.J. (2002) Emotion, Cognition, and Behavior, *Science*, Vol. 298, No. 5596, Pp. 1191-1194.
- Domenech, J.M. and Lorenzo, J. (2007) A Tool for Web Usage Mining, 8th International Conference on Intelligent Data Engineering and Automated Learning, Pp.27-31.
- Dong, Y., Tai, X. and Zhao, J. (2005) A Distributed Algorithm Based on Competitive Neural Network for Mining Frequent Patterns, International Conference on Neural Networks and Brain, ICNN&B '05, IEEE Explore Digital Library, Vol. 1, Pp. 499-503.
- Dong, Y., Zhuang, Y. and Tai, X. (2007) A novel incremental mining algorithm of frequent patterns for web usage mining, *Journal of Natural Sciences*, Vol. 12, No. 5, Pp.777-782.
- Duda, R.O., Hart, P.E. and Stork, D.G. (2000) *Pattern classification*, P. 637.
- Dunham, M.H. (2003) *Data mining: introductory and advanced topics*. Upper Saddle River, NJ: Pearson Education.
- Eirinaki, M. and Vazirgiannis, M. (2003) Web mining for web personalization, *ACM Transactions on Internet Technology (TOIT)*, Vol. 3, Issue 1, Pp. 1-27.
- Eirinaki, M., Vazirgiannis, M. and Varlamis, I. (2003) SEWeP: Using Site Semantics and a Taxonomy to Enhance the Web Personalization Process, *Proceedings of Ninth ACM SIGKDD International Conference Knowledge Discovery and Data Mining*, Pp. 99-108, 2003.
- Etminani, K., Delui, A.R., Yanehsari, N.R. and Rouhani, M. (2009) Web usage mining: Discovery of the users' navigational patterns using SOM, *First International Conference on Networked Digital Technologies (NDT '09)*, Pp. 224 – 249.

- Etzioni, O. (1996) The World Wide Web: Quagmire or gold mine? Communications of the ACM, Vol. 39, No.11, Pp.65–68.
- Facca, F. M., Lanzi, P. L. (2005) Mining interesting knowledge from weblogs: a survey, Data & Knowledge Engineering, Vol. 53, No.3, Pp. 225–241.
- Fang, G., Wang, J.L., Ying, H. and Xiong, J. (2009) A Double Algorithm of Web Usage Mining Based on Sequence Number, International Conference on Information Engineering and Computer Science (ICIECS), Pp. 1 – 4.
- Farzan, R. (2004) Adaptive socio-recommender system for open-corpus e-learning. In Doctoral consortium of the third international conference on adaptive hypermedia and adaptive web-based systems.
- Faulstich, L. C., Pohle, C., Spiliopoulou, M. (1999) Improving the Effectiveness of a Web Site with Web Usage Mining, Proceedings of the KDD Workshop WEBKDD'99, Pp. 142–162
- Fawcett, T. and Provost, F. (1999) Activity monitoring: Noticing interesting changes in behavior, Fifth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, San Diego, CA, Pp.53-56.
- Fayyad, U., Piatetsky-Shapiro, G. and Smyth, P.(1994) From data mining to knowledge discovery: An overview, Proceedings of ACM KDD, Pp. 23-39.
- Fayyad, U. M. (1996) Advances in knowledge discovery and data mining, AAAI Press: MIT Press, P. 543.
- Feng, T. and Murtagh, F. (2000) Towards knowledge discovery from WWW log data. In: Proceedings of the IEEE International Performance, Computing, and Communications Conference. Phoenix, AZ, Pp. 302–307.
- Fesenmaler, D.R., Wober, K.W. and Werthner H. (2006) Destination Recommendation Systems, CAB International, Destination Recommendation Systems : Behavioural Foundations and Applications, Chapter 13, Pp. 205-248.
- Fong, A.C.M., Zhou, B., Hui, S.C., Tang, J. and Hong, G.Y. (2012) Generation of personalized ontology based on consumer emotion and behavior analysis, IEEE Transactions on Affective Computing, Vol. 3, No. 2, Pp. 152-164.

- Foody, G.M. and Mathur, A. (2004) A relative evaluation of multiclass image classification by support vector machines, *IEEE Transactions on Geoscience and Remote Sensing*, Vol. 42, Issue 6, Pp. 1335-1343.
- Fraternali, P., Matera, M. and Maurino, A. (2003) Conceptual-Level Log Analysis for the Evaluation of Web Application Quality, *Proceedings of First Conference Latin Am. Web Congress*, Pp. 46-57.
- Frias-Martinez, E. and Karamcheti, V. (2003) Reduction of user perceived latency for a dynamic and personalized site using web-mining techniques, *Proceedings of WebKDD*, Pp. 47-57.
- Gangrade, A., Mishra, D.K. and Patel, R. (2009) Classification Rule Mining through SMC for Preserving Privacy Data Mining: A Review, *International Conference on Machine Learning and Computing IPCSIT*, Singapore, IACSIT Press, Vol.3, Pp. 431-434.
- Geerts, F., Goethals, B. and Bussche, J. (2001) A tight upper bound on the number of candidate patterns, *Proceeding of the 2001 International Conference on Data Mining (ICDM'01)*, San Jose, CA, Pp. 155–162.
- Gibson, D., Kleinberg, J.M. and Raghavan, P. (1998) Inferring Web Communities from Link Topology, *UK Conference on Hypertext*, Pp. 225-234.
- Goldberg J. (2003) Why Web usage statistics are (worse than) meaningless, <http://www.goldmark.org/netrants/Webstats>, Last Accessed During November, 2014.
- Grahne, G. and Zhu, J. (2003) Efficiently using prefix-trees in mining frequent itemsets, *Proceeding of the ICDM'03 International Workshop on Frequent Itemset Mining Implementations (FIMI'03)*, Melbourne, FL, Pp. 123–132.
- Han, J., Mortazavi-Asl, B., Pei, J., Zhu, H. (2000a) Mining Access Pattern efficiently from Web logs, *Proceedings of the Pacific-Asia Conf. on Knowledge Discovery and Data Mining (PAKDD'00)*, Pp. 396–407.
- Han, J., Pei, J. and Yin, Y. (2000b) Mining frequent patterns without candidate generation, *Proceeding of the 2000 ACM-SIGMOD International Conference on Management of Data (SIGMOD'00)*, Dallas, TX, Pp. 1–12.

- Han, J. and Kamber, M. (2001) Data mining: concepts and techniques, Academic Press, San Diego, CA.
- Han, Q., Gao, X. and Wu, W. (2008) Study on Web Mining Algorithm based on Usage Mining, 9th International Conference on Computer-Aided Industrial Design and Conceptual Design (CAID/CD 2008), Pp. 1121 – 1124.
- Hand, D., Mannila, H. and Smyth, P. (2001) Principles of data mining, P. 594.
- Haykin, S.S. (1999) Neural networks: a comprehensive foundation, P.591.
- Heydari, M., Helal, R.A. and Ghauth, K.I. (2009) A Graph-Based Web Usage Mining Method Considering Client Side Data, International Conference on Electrical Engineering and Informatics, IEEE, Pp. 33-41.
- Holland, J.H. (1975) Adaptation in Natural and Artificial Systems. MIT Press.
- Holsheimer, M., Kersten, M., Mannila, H. and Toivonen, H. (1995) A perspective on databases and data mining, Proceeding of the 1995 International Conference on Knowledge Discovery and Data Mining (KDD'95), Montreal, Canada, Pp. 150-155.
- Hsien, T.I., Kimble, C. and Kudenko, D. (2005) UBB Mining: Finding Unexpected Browsing Behaviour in Clickstream Data to Improve a Web Site's Design, IEEE/WIC/ACM International Conference on Web Intelligence (WI'05), Pp.179-185.
- <http://scikit-learn.org/stable/modules/tree.html>, Last Accessed During November, 2014.
- <http://www.eiaa.net>, EIAA\_Mediascope, Last Accessed During November, 2014.
- <http://www.factshunt.com/2014/01/total-number-of-websites-size-of.html>, Last Accessed during November, 2014.
- <http://www.internetlivestats.com/total-number-of-websites>, Last Accessed during November, 2014.
- <http://www.internetretailer.com/commentary/2014/06/26/how-many-e-commerce-companies-are-there>, Last Accessed during November, 2014.

- <https://www.isc.org>, Internet\_Systems\_Consortium, Last Accessed During November, 2014.
- Huang, K.Y., Chang, C.H., Tung, J.H. and Ho, C.T. (2006) COBRA: Closed Sequential Pattern Mining Using Bi-phase Reduction Approach, Lecture Notes in Computer Science, Springer Berlin / Heidelberg, Vol. 4081, Pp. 280-291.
- Huberman, B., Pirolli, P., Pitkow, J. and Kukose, R. (1998) Strong regularities in World Wide Web surfing, Technical report, Xerox PARC.
- Hussain, T., Asghar, S. and Fong, S. (2010a) A hierarchical cluster based preprocessing methodology for Web Usage Mining, 6th International Conference on Advanced Information Management and Service (IMS), Pp. 472 – 477.
- Hussain, T., Asghar, S. and Masood, N. (2010b) Web usage mining: A survey on preprocessing of web log file, International Conference on Information and Emerging Technologies (ICIET), Pp. 1-6.
- Huysmans, J., Baesens, B. and Vanthienen, J. (2003) Web Usage Mining: A Practical Study, Katholieke Universiteit Leuven, Dept. of Applied Economic Sciences.
- Iswarya, T. and Sivakumar, E. (2013) Fast sequential pattern mining with updown directed acyclic graph, International Journal of Research in Engineering & Advanced Technology, Volume 1, Issue 1, Pp. 1-7.
- Ivancsy, R. and Vajk, I. (2006) Frequent Pattern Mining in Web Log Data, Vol. 3, No.1, Acta Polytechnica Hungarica, Pp. 1-14.
- Jain, N., Mobasher, B., Han, E.H.S. and Srivastava, J. (1996) Web Mining Pattern Discovery from World Wide Web Transactions, Technical Report, Department of Computer Science, University of Minnesota.
- Jain, N., Han, E., Mobasher, B., Srivastava, J. (1997) Web Mining: Pattern Discovery from World Wide Web Transactions, Proceedings of the Int. Conference on Tools with Artificial Intelligence, Pp. 558–567.

- Jalali, M., Mustapha, N., Sulaiman, M. N. B. and Mamat, A. (2008a) OPWUMP: An Architecture for Online Predicting in WUM-Based Personalization System, *Communications in Computer and Information Science, Advances in Computer Science and Engineering*, Springer Berlin Heidelberg, Vol. 6, Pp. 838–841.
- Jalali, M., Mustapha, N., Sulaiman, N. B. and Mamat, A. (2008b) A Web Usage Mining Approach Based on LCS Algorithm in Online Predicting Recommendation Systems," 12th International on Information Visualisation, IV'08, London, UK, Pp. 302-307.
- Jenhani, I., Amor, N.B. and Elouedi, Z. (2008) Decision trees as possibilistic classifiers, *International Journal of Approximate Reasoning*, Vol. 48, Issue 3, Pp. 784–807.
- Jespersen S.E., Thorhauge J., and Bach T. (2002), A Hybrid Approach to Web Usage Mining, *Data Warehousing and Knowledge Discovery*, LNCS 2454, Y. Kambayashi, W. Winiwarter, M. Arikawa (Eds.), Pp. 73-82.
- Joachims, T., Freitag, D. and Mitchell, T. (1997) Webwatcher: A tour guide for the world wide web, *The 15th International Conference on Artificial Intelligence*, Nagoya, Japan.
- Jorgen, B.J. (2008) 2.1 Acyclic Digraphs, *Digraphs: Theory, Algorithms and Applications*, Springer Monographs in Mathematics (2nd ed.), Springer-Verlag, Pp. 32–34.
- Joshi, A.J., Porikli, F. and Papanikolopoulos, N. (2009) Multi-Class Active Learning for Image Classification, *IEEE Conference on Computer Vision and Pattern Recognition, CVPR 2009*, Pp. 2372-2379.
- Kalbach, J. (2007) *Designing Web Navigation*, O'Reilly.
- KanthRavi, K.V. and Ravada, S. (2002) Personalization and Location-based Technologies for Ecommerce Applications, *Journal for e-commerce tools and applications*, Vol. 1, No.1, Pp.1–5.
- Karin, K.(2004) *New Techniques for Clustering Complex Objects* Dissertation, LMU München: Faculty of Mathematics, Computer Science and Statistics.

- Khalil, F., Li, J. and Wang, H. (2006) A framework of combining markov model with association rules for predicting web page accesses, Proceedings of the 5th Australasian Conference on Data Mining and Analytics, (AusDM'06), Australian Computer Society, Inc., Pp. 177-184.
- Khalil, F., Li, J. and Wang, H. (2007) Integrating markov model with clustering for predicting web page accesses, Proceedings of the 13th Australasian World Wide Web Conference (AusWeb 2007), Coffs Harbor, Australia, Pp 1-26.
- Khalil, F., Li, J. and Wang, H. (2008) Integrating recommendation models for improved web page prediction accuracy. Proceedings of the 31th Australasian Computer Science Conference, (ACSC'08), Wollongong, NSW, Pp. 91-100.
- Khilrani, A. and Shandilya, S.K.(2011) Implementation of User's Browse Log Monitoring Tool for Effective Web Usage Mining, International Journal of Computer Science and Information Technologies, Vol. 2, No. 3, Pp. 1061-1064.
- Khosravi, M. and Tarokh, M.J. (2010) Dynamic mining of users interest navigation patterns using naive Bayesian method, IEEE International Conference on Intelligent Computer Communication and Processing (ICCP), Pp. 119 – 122.
- Kim, D.H., Im, I.L. and Atluri, V. (2005) A clickstream-based collaborative filtering recommendation model for e-commerce, Proceedings of the 7th IEEE International Conference on E-commerce Technology, July 19-22, IEEE Computer Society, Washington, DC., USA, Pp. 84-91.
- Kimble, I.T. and Kudenko, D.C. (2007) Applying Web Usage Mining Techniques to Discover Potential Browsing Problems of Users, Seventh IEEE International Conference on Advanced Learning Technologies, ICALT 2007, Pp. 929 - 930
- Klyne, G. and Carroll, J.J. (2004) Resource Description Framework (RDF): Concepts and Abstract Syntax, W3C Recommendation, <http://www.w3.org/TR/rdf-concepts>.

- Kohavi, R., Masand, B., Spiliopoulou, M. and Srivastava, J. (2001a) Mining Log Data Across All Customer Touchpoints, Proceedings of WebKDD2001, San Francisco, CA.
- Kohavi, R., Spiliopoulou, M. and Srivastava, J. (2001b) Web Mining for E-Commerce - Challenges and Opportunities, Proceedings of WebKDD2000, San Francisco, CA.
- Kohavi, R. (2001) Mining e-commerce data: The good, the bad, and the ugly, Foster Provost and Ramakrishnan Srikant, editors, Proceedings of the Seventh ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, Pp. 8–13.
- Kosala, R. and Blockeel, H. (2000) Web Mining Research: A Survey. SIGKDD: SIGKDD Explorations: Newsletter of the Special Interest Group (SIG) on Knowledge Discovery & Data Mining, ACM, Vol.2, No.1, Pp.1-15.
- Kotler, P. and Kelvin, K. (2006) Marketing Management, 12th Edition, Pearson Education Inc., New Jersey.
- Kriegel, H.P., Kroger, P., Mashaël, Z., Pfeifle, M., Potke, M. and Seidl, T.(2003a) Effective Similarity Search on Voxelized CAD Objects, Proc.8th International Conference on Database Systems for Advanced Applications (DASFAA '03), Kyoto, Japan, Pp.27–36.
- Krishnapuram, R., Joshi, A., Nasraoui, O., Yi, L. 2001. Low-Complexity Fuzzy Relational Clustering Algorithms for Web Mining, in Ieee Transactions on Fuzzy Systems. Vol. 9, No.4, Pp. 595–607.
- Kumar, B.S. and Rukmani, K.V. (2010) Implementation of Web Usage Mining Using Apriori and FP Growth Algorithms, Int. J. of Advanced Networking and Applications, Vol. 01, Issue 06, Pp. 400-404
- Kumar, P.R. and Singh, A.K. (2010) Web Structure Mining: Exploring Hyperlinks and Algorithms for Information Retrieval, American Journal of Applied Sciences, Vol. 7, No.6, Pp. 840-845.
- Lakshmi, N., Tripathi, D. and Goya, P. (2011) Customer Relationship Management, VSRD International Journal of Business and Management Research, Vol. 1, No. 7, Pp. 471-478.

- Lavrac, N., Vavpetc, A., Soldatova, L., Trajkovski, I. and Novak, P.K. (2011) Using Ontologies in Semantic Data Mining with SEGS and G-SEGS, Proceedings of the 14th International Conference on Discovery Science, Espoo, Pp. 165-178.
- Lazarevic, A., Dokas, P., Ertöz, L., Kumar, V., Srivastava, J. and Tan, P.N. (2002) Data mining for network intrusion detection, NSF Workshop on Next Generation Data Mining, Pp.21-30.
- Lee, S.D. and Park, H.C. (2007) Mining Weighted Frequent Patterns from Path Traversals on Weighted Graph, International Journal of Computer Science and Network Security, VOL.7 No.4, Pp. 20-27.
- Lee, Y.S. and Yen, S.J. (2008) Incremental and interactive mining of web traversal patterns, Information Sciences, Vol. 178, No.2, Pp. 287–306.
- Levene, M. and Loizou, G. (1999) Computing the entropy of user navigation in the web, Research Note RN/99/42, Department of Computer Science, University College, London.
- Li, H.F., Lee, S.Y. and Shan, M.K.(2005) DSM-PLW : Single-pass mining of path traversal patterns over streaming Web click-sequences, Elsevier, Pp.1-14.
- Li, H.F, Lee, S.Y. and Shan, M.K. (2006) DSM-PLW: single-pass mining of path traversal patterns over streaming web click-sequences, Journal of Computer and Telecommunications Networking, Vol. 50, No.10, Pp. 1474–1487
- Li, T. (2001) Web-document prediction and presending using association rules sequential classifiers, Simon Fraser University.
- Li, X. (1991) Library Web page usage: a statistical analysis, Bottom Line, Vol. 12, No. 4, Pp.153–159.
- Li, X., wang, L. and Sung, E. (2004) Multilabel SVM active learning for image classification, International Conference on Image Processing ICIP '04, Vol. 4, Pp.2207-2210.
- Li, Y., Feng, B. and Mao, Q. (2008) Research on Path Completion Technique in Web Usage Mining, IEEE International Symposium on Computer Science and Computational Technology, Vol. 1, Pp. 554-559.

- Li, Y. and Feng, B. (2009) The Construction of Transactions for Web Usage Mining, International Conference on Computational Intelligence and Natural Computing, IEEE, Pp. 40-48.
- Li, Y. and Feng, B. (2009) The Construction of Transactions for Web Usage Mining, IEEE International Conference on Computational Intelligence and Natural Computing, Vol. 1, Pp. 121 – 124.
- Lieberman, H.(1995) Letizia: An agent that assists web browsing, Proceedings of the 1995 International Joint Conference on Artificial Intelligence, Montreal, Canada.
- Lin, I. Y., Huang, X. M., Chen, M. S. (1999) Capturing User Access Patterns in the Web for Data Mining, Proceedings of the Tools with artificial intelligence, Pp. 345–348.
- Lin, N.P., Hao, W.H., Chen, H.J., Chueh, H.E. and Chang, C.I. (2008) Fast Mining of Closed Sequential Patterns, WSEAS Transactions on Computers, Vol. 7, No. 4, Pp. 133-139.
- Lin, W., Alvarez, S.A. and Ruiz, C. (2002) Efficient Adaptive-Support Association Rule Mining for Recommender Systems, Data Mining and Knowledge Discovery, Vol. 6, No. 1, Pp. 83-105.
- Liu, G., Lu, H., Lou, W. and Yu, J.X. (2003) On computing, storing and querying frequent patterns, Proceeding of the 2003 ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD'03), Washington, DC, Pp. 607–612
- Liu, H. amd Keselj, V. (2007) Combined mining of Web server logs and web contents for classifying user navigation patterns and predicting users' future requests, Data & Knowledge Engineering, Elsevier, Pp. 21-23.
- Liu, J., Pan, Y., Wang, K. and Han, J. (2002) Mining frequent item sets by opportunistic projection, SIGKDD '02: Proceedings of the eighth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining, ACM Press New York, USA, Pp. 229–238.

- Losarwar, V. and Joshi, M. (2012) Data Preprocessing in Web Usage Mining, International Conference on Artificial Intelligence and Embedded Systems, Singapore, Pp. 1-8.
- Lu, L., Dunham, M. and Meng, Y. (2005a) Discovery of significant usage patterns from clusters of clickstream data, Proceeding of WebKDD 2005: KDD Workshop on Web Mining and Web Usage Analysis, in Conjunction with the 11th ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD 2005), Aug. 21-24, Chicago, IL., Pp. 1-12.
- Lu, S.H., Chiang, D.A., Keh, H.C. and Huang, H.H. (2010) Chinese text classification by the Naïve Bayes Classifier and the associative classifier with multiple confidence threshold values, Knowledge-Based Systems, Vol. 23, Issue 6, Pp. 598–604.
- Ma, Z.M., Lv, Y. and Yan, L. (2008) A Fuzzy Ontology Generation Framework from Fuzzy Relational Databases, J. Semantic Web Information Systems, Vol. 4, No. 3, Pp. 1-15.
- Madria, S.K., Bhowmick, S.S., Ng, W.K and Lim, E.P (1999) Research Issues in Web Data Mining, Data Warehousing and Knowledge Discovery, Pp. 303–312.
- Maedche, A. and Staab, S. (2000) Discovering Conceptual Relations from Text, Proceedings of 14th European Conference Artificial Intelligence, Pp. 321-325.
- Maedche, A. and Staab, S. (2001) Ontology Learning for the Semantic Web, IEEE Intelligent Systems, Vol. 16, No. 2, Pp. 72-79.
- Manley, S.L. (1997) An Analysis of Issues Facing World Wide Web Servers, Undergraduate, Harvard.
- Mannila, H., Toivonen, H. and Verkamo, A.I. (1994) Efficient algorithms for discovering association rules, Proceeding of the AAAI'94 Workshop Knowledge Discovery in Databases (KDD'94), Seattle, WA, Pp 181–192.
- Markov, Z. and Larose, D. T. (2007) Data mining the web, P.218.

- Maruster, L., Faber, N. R., Jorna, R. J., R., H. (2008) Analysing agricultural users' patterns of behaviour: The case of OPTIRasTM, a decision support system for starch crop selection, *Agricultural Systems*, Vol. 98, No.3, Pp. 159–166.
- Mary, S.A. and Malarvizhi, M. (2010) Improving Web Navigation Technique using Weighted Order Representation, *International Journal of Research and Reviews in Computer Science (IJRRCS)* Vol. 1, No. 2, Pp. 55-60.
- Masand, B. and Spiliopoulou, M. (2000) Web Usage Analysis and User Profiling, *WEBKDD'99*, LNAI 1836, Springer-Verlag, Berlin, Heidelberg, Pp. 1-6.
- Masand, B., Spiliopoulou, M., Srivastava, J. and Zaiane, O. Eds. Schulz, A.G. and Hahsler, M. (2002) Evaluation of Recommender Algorithms for an Internet Information Broker based on Simple Association Rules and on the Repeat-Buying Theory, *Proceedings of WebKDD2002 - Workshop on Web Usage Patterns and User Profiling*, Pp.1-15.
- McGuinness, D.L. and Van Harmelen, F. (2004) OWL Web Ontology Language Overview, W3C Recommendation, <http://www.w3.org/TR/owl-features..>
- Mehta, B., Nangia, S. and Gupta, M. (2008) Detecting image spam using visual features and near duplicate detection. In *Proceeding of the 17th international conference on World Wide Web (WWW '08)*. ACM, New York, NY, USA, 497-506.
- Mencar, C., Castiello, C., Cannone, R. and Fanelli, A.M. (2011) Design of fuzzy association rule-based classifier, *Information Sciences*, Vol. 181, Issue 20, Pp. 4361–4377.
- Meo, R. Lanzi, P.L., Matera, M. and Esposito, R. (2004) Integrating Web Conceptual Modeling and Web Usage Mining, *Proceedings of WebKDD Workshop Web Mining and Web Usage Analysis*, Pp. 105-115.
- Miao, C., Yang, Q., Fang, H. and Goh, A. (2007) A Cognitive Approach for Agent-Based Personalized Recommendation,” *Knowledge-Based Systems*, Vol. 20, Pp. 397-405.
- MINEit, <http://www.mineit.com/products/easyminer>, Last Accessed During November, 2014.

- Mobasher, B. and Moore, J. (1998) Webace: a web agent for document categorization and exploration, Proceedings of the 2nd International Conference on Autonomous Agents, ACM Press, Pp. 408-415
- Mobasher, B., Cooley, R. and Srivastava, J. (1999) Creating adaptive web sites through usage-based clustering of urls, Knowledge and Data Engineering Workshop.
- Mobasher, B., Cooley, R. and Srivastava, J. (2000) Automatic Personalization Based on Web Usage Mining, Communications of the ACM, Vol. 43, Issue 8, Pp: 142 - 151
- Mohanty, B.K. and Passi, K. (2010) Agent based e-commerce systems that react to buyers' feedbacks – A fuzzy approach, International Journal of Approximate Reasoning, Vol. 51, Issue 8, Pp. 948–963
- Montejo-Raez, A. (2005) Automatic Text Categorization of documents in the High Energy Physics domain, CERN-THESIS-2006-008.
- Moore, R.J. (2014) How many e-Commerce websites are there ?, <http://blog.rjmetrics.com/2014/06/18/how-many-ecommerce-companies-are-there>, Last Accessed during November, 2014.
- Moreno, M.N., Garcia, F.J., Polo, M.J. and Lopez, V.F. (2004) Using Association Analysis of Web Data in Recommender Systems, Proceedings of Fifth International Conference on E-Commerce and Web Technologies, Pp. 11-20.
- Mulvenna, M., Anand, S.S. and Buchner, A. G. (2000) Personalization the net using Web mining, Communication of ACM, Vol. 43, No.8, Pp.14-17.
- Murata, T. and Saito, K. (2006) Extracting Users Interests from Web Log Data, Proceedings of the IEEE/WIC/ACM International Conference on Web Intelligence, Hong Kong, China. Pp.343-346.
- Mustapha, N., Jalali, M. and Jalali, M. (2009) Expectation Maximization Clustering Algorithm for User Modeling in Web Usage Mining Systems, European Journal of Scientific Research, Vol. 32, No. 4, Pp.467-476.

- Nakagawa, M. and Mobasher, B. (2003) A hybrid web personalization model based on site connectivity. Proceedings of WebKDD, Pp.59-70.
- Nasraoui, O., Krishnapuram, R. and Joshi, A. (1999) Mining Web Access Logs Using a Relational Clustering Algorithm Based on a Robust Estimator, Proceedings of Eighth International World Wide Web Conference, Pp. 40-41.
- Nasraoui, O. and Krishnapuram, R. (2000) A Novel Approach to Unsupervised Robust Clustering Using Genetic Niching, Proceedings of Ninth IEEE International Conference on Fuzzy Systems (FUZZ '00), Pp. 170-175.
- Nasraoui, O. and Krishnapuram, R. (2002) A New Evolutionary Approach to Web Usage and Context Sensitive Associations Mining, International Computational Intelligence and Applications, special issue on Internet intelligent systems, vol. 2, no. 3, pp. 339-348.
- Nasraoui, O. and Petenes, C. (2003) An Intelligent Web Recommendation Engine Based on Fuzzy Approximate Reasoning, The 12th IEEE International Conference on Fuzzy Systems, Vol. 2, Pp.1116-1121.
- Nasraoui, O., Soliman, M., Saka, E., Badia, A. and Germain, R.(2008) A Web Usage Mining Framework for Mining Evolving User Profiles in Dynamic Web Sites, IEEE Transactions on Knowledge and Data Engineering, Vol. 20, No. 2, Pp. 202 – 215.
- Nayab, N. (2011) Disadvantages to Using Decision Trees, Jean Scheid (Ed.) Bright Hum, Project Management, <http://www.brighthubpm.com/project-planning/106005-disadvantages-to-using-decision-trees/>
- Ngu, D.S.W. and Wu, X. (1997) Sitehelper: A localized agent that helps incremental exploration of the world wide web, 6th International World Wide Web Conference, Santa Clara, CA.
- Nicholas, D., Huntington, P., Lievesley, N. and Wasti, A. (2000) Evaluating consumer Website logs: a case study of The Times/The Sunday Times Website. J Inf Sci., Vol.26, No.6, Pp.399–411.

- Nicos, C. (1975) Graph theory: an algorithmic approach, Academic Press, Pp. 170–174.
- Nielsen, J. (1990) Hypertext and Hypermedia, 1 Ed., Boston, MA, USA, Academic Press.
- Nierman, A. and Jagadish, H.V.(2002) Evaluating Structural Similarity in XML Documents.In Proc.5th Int.Workshop on the Web and Databases (WebDB 2002), Madison, WI, Pp.61–66.
- Niranjan, U., Subramanyam, R.B.V. and Khanaa, V. (2010) Developing a Web Recommendation System Based on Closed Sequential Patterns, Information and Communication Technologies, Communications in Computer and Information Science, Vol. 101, Pp 171-179
- Noy, N.F. and McGuinness, D.L. (2001) Ontology Development 101: A Guide to Creating Your First Ontology, Technical Report, Stanford Medical Informatics, Palo Alto, California.
- Oates, T. and Jensen, D. (1997)The Effects of Training Set Size on Decision Tree Complexity, Proceedings of 14th International Conference on Machine Learning (ICML 97), Morgan Kaufmann, Pp.254–262.
- Oberle, D., Berendt, B., Hotho, A. and Gonzalez, J. (2003) Conceptual User Tracking, Proceedings of First International Atlantic Web Intelligence Conference, Pp. 155-164.
- Ouamani, F., Jrad, Z., Aufaure, M.A. and Zghal, H.B. (2007) PWUM : A web usage mining multi-agent Architecture for web personalization, IADIS International Conference WWW/Internet, Pp. 272-276.
- Pabarskait, P. (2003) Decision trees for web log mining, Intelligent Data Analysis., Vol. 7, Issue 2, Pp. 141-154.
- Padmanabhan, B. and Tuzhilin, A. (1998) A belief driven method for discovering unexpected patterns, Fourth International Conference on Knowledge Discovery and Data Mining, New York, Pp. 94-100.

- Pagar, Y.S., Mote, V.R. and Bramhane, R.S. (2012) Web Personalization using Web Mining Techniques, IJCA Proceedings on Emerging Trends in Computer Science and Information Technology, Vol. 1, Pp. 1-4.
- Pallis, G., Angelis, L. and Vakali, A. (2007) Validation and interpretation of web users, sessions clusters, Int. J. Inform. Process. Manage., Vol. 43, Pp. 1348-1367.
- Park, J.S., Chen, M.S. and Yu, P.S. (1995) An effective hash-based algorithm for mining association rules. Proceeding of the 1995 ACM-SIGMOD International Conference on Management of Data (SIGMOD'95), San Jose, CA, Pp 175–186.
- Park, S., Suresh, N.C. and Jeong, B.K. (2008) Sequence-based clustering for Web usage mining: A new experimental framework and ANN-enhanced K-means algorithm, Data and Knowledge Engineering, Vol. 65, Issue 3, Pp.512-543.
- Pazzani, M. (1999) A framework for collaborative, content-based and demographic filtering, Artificial Intelligence Review, Vol.13, Issue 5-6, Pp. 393-408.
- Pei, J., Han, J., Mortazavi-Asl, B., Pinto, H., Chen, Q., Dayal, U. and Hsu, M.C. (2001) PrefixSpan: mining sequential patterns efficiently by prefix-projected pattern growth, Proceeding of the 2001 International Conference on Data Engineering (ICDE'01), Heidelberg, Germany, Pp. 215–224
- Peng, L., Collier, R., Mur, A., Lillis, D., Toolan, F., and Dunnion, J. (2005) A Self-Configuring Agent-Based Document Indexing System, Proceedings of the 4th International Central and Eastern European Conference on Multi-Agent Systems, Budapest, Hungary.
- Perkowitz, M. and Etzioni, O. (1998) Adaptive web sites: Automatically synthesizing web pages, Fifteenth National Conference on Artificial Intelligence, Madison, WI, Pp.1-6.
- Perkowitz, M. and Etzioni, O. (2000a) Adaptive Web sites, Communications of the ACM, Vol. 43, Pp. 152-158.

- Perkowitz, M. and Etzioni, O. (2000b) Towards Adaptive Web Sites: Conceptual Framework and Case Study, *Artificial Intelligence*, Vol. 118, No.1–2, Pp. 245–275.
- Piron, F. (1993) A Comparison of Emotional Reactions Experienced by Planned, Unplanned and Impulse Purchasers, *Advances in Consumer Research*, Vol. 20, Nos. 341-344, Pp. 199-204.
- Pitkow, J. (1997) In Search of Reliable Usage Data on the WWW, *Proceedings of the The Sixth International World Wide Web Conference*, Pp. 451–463.
- Prasetyo, B., Pramudiono, I., Takahashi, K., Toyoda, M. and Kitsuregawa, M. (2002) Naviz user behavior visualization of dynamic page, *Pacific-Asia Conference on Knowledge Discovery and Data Mining*, Pp. 4-6.
- Punin, J., Krishnamoorthy, M. and Zaki, M. (2001) *Web usage mining: Languages and algorithms*, *Studies in Classification, Data Analysis, and Knowledge Organization*. Springer-Verlag.
- Quan, T.T., Hui, S.C., Fong, A.C.M. and Cao, T.H. (2006) Automatic Fuzzy Ontology Generation for Semantic Web, *IEEE Trans. Knowledge and Data Eng.*, Vol. 18, No. 6, Pp. 842-856.
- Raghavendra, P.S., Chowdhury, S.R. and Kameswari, S.V. (2010) Comparative study of neural networks and k-means classification in web usage mining, *International Conference for Internet Technology and Secured Transactions (ICITST)*, Pp. 1-7.
- Raguraman, P., Hariharan S. and Celin, J.J.A. (2013) A Novel Approach for Scalability – Two Way Sequential Pattern Mining using UDDAG, *Global Journal of Computer Science and Technology Software & Data Engineering*, Vol. 13, Issue 10, Pp.1-5.
- Ranganath, S. (2005) Contour extraction from cardiac MRI studies using snakes, *IEEE Transactions on Medical Imaging*, Vol. 14, No.2, Pp.328–338.
- Resnick, P. and Varian, H. (1997) Recommender Systems, *Comm. ACM*, Vol. 40, No. 3, Pp. 56–58.

- RFC 1413 (2010) Identification Protocol, <http://www.rfceditor.org/rfc/rfc1413.txt>.
- Robb, R.A. (1999) *Biomedical Imaging, Visualization, and Analysis*, Wiley-Liss.
- Romero, C., Ventura, S., Zafra, A. and de Bra, P. (2009) Applying Web usage mining for personalizing hyperlinks in Web-based adaptive educational systems, *Computers and Education*, Vol. 53, Issue 3, Pp. 828-840.
- Ryals, L. and Knox, S. (2001) Cross-functional issues in the implementations of relationship marketing through CRM, *European Management Journal*, Vol. 19, Issue 5, Pp. 534-542.
- Salin, S. and Senkul, P. (2009) Using semantic information for web usage mining based recommendation, 24th International Symposium on Computer and Information Sciences (ISCIS 2009), Pp. 236 – 241.
- Santra, A. K. and Jayasudha, S. (2012) Classification of Web Log Data to Identify Interested Users Using Naïve Bayesian Classification, *International Journal of Computer Science Issues*, Vol. 9, Issue 1, No 2, Pp. 381-387.
- Sarawagi, S., Thomas, S. and Agrawal, R (1998) Integrating association rule mining with relational database systems: alternatives and implications, *Proceeding of the 1998 ACM-SIGMOD International Conference on Management of Data (SIGMOD'98)*, Seattle, WA, Pp. 343–354
- Sarwar, B.M., Karypis, G., Konstan, J. AND Riedl, J. (2000) Analysis of recommender algorithms for e-commerce, *Proceedings of the 2nd ACM E-Commerce Conference (EC'00)*, Pp. 1-8.
- SAS\_Webhound, <http://www.sas.com/products/webhound/index.html>, Last Accessed During November, 2014.
- Savasere, A., Omiecinski, E. and Navathe, S. (1995) An efficient algorithm for mining association rules in large databases, *Proceeding of the 1995 International Conference on Very Large Databases (VLDB'95)*, Zurich, Switzerland, Pp 432–443.

- Schall, D., Skopik, F. and Dustdar, S. (2012) Expert Discovery and Interactions in Mixed Service-Oriented Systems, IEEE Transactions on Services Computing, Vol. 5, No.02, Pp. 223-245.
- Schechter, S., Krishnan, M. and Smith, M.D. (1998) Using path profiles to predict http requests, 7th International World Wide Web Conference, Brisbane, Australia.
- Schmitt, E., Manning, H., Yolanda, P. and Tong, J. (1999) Measuring Web Success, Vol.23, No.2, Pp. 2-7.
- Seo, H., Yang, J., and Choi, J. (2001) Building Intelligent Systems for Mining, Information Extraction Rules from Web Pages by Using Domain Knowledge, Pp.18--24.
- Shahabi, C. and Kashani, F.B. (2003) Efficient and Anonymous Web-Usage Mining for Web Personalization, INFORMS Journal on Computing , Vol. 15, Issue 2, Pp. 123-147.
- Shen, L., Cheng, L. and Steinberg, T. (2000) Mining the most interesting web access associations,” in WebNet 2000-World Conference on the WWW and Internet, Pp. 489-494.
- Shen, Y., Xing, L., Peng, Y. (2007) Study and Application of Web-based Data Mining in E-Business, Proceedings of the Software Engineering, Artificial Intelligence, Networking, and Parallel/Distributed Computing, Eighth ACIS International Conference on Software Engineering, Artificial Intelligence, Networking, and Parallel/Distributed Computing, Pp. 812-816.
- Shinde, S.K. and Kulkarni, U.V.(2008) A New Approach for on Line Recommender System in Web Usage Mining, International Conference on Advanced Computer Theory and Engineering, Pp. 973- 977.
- Shiu, S.C.K. and Pal, S.K. (2004) Case-Based Reasoning: Concepts, Features and Soft Computing, Applied Intelligence, Vol. 21, No. 3, Pp. 233-238.
- Silvestri, F., Baraglia, R., Palmerini, P. and Serrano, M. (2004) On-line generation of suggestions for web users, Proceedings of IEEE International Conference on Information Technology: Coding and Computing, Pp. 1-6.

- Singh, V., Alsabti, K. and Ranka, S (1998) CLOUDS: A Decision Tree Classifier for Large Datasets, Proceedings of KDD 98, 4th International Conference on Knowledge discovery and Data Mining, New York City, Pp.2-8.
- Spiliopoulou, M. (1999) Data Mining for the Web, Proceedings of the Proceedings of the Third European Conference on Principles of Data Mining and Knowledge Discovery, Vol. 1704, Pp.588-589.
- Spiliopoulou, M., Faulstich, L.C. and Winkler, K. (1999) A Data Miner analyzing the Navigational Behaviour of Web Users, Proceedings of the Workshop on Machine Learning in User Modelling of the ACAI99, Pp.1-6.
- Spilipoulou, M., Mobasher, B. and Berendt, B. (2003) A framework for the Evaluation of Session Reconstruction Heuristics in Web Usage Analysis, INFORMS Journal on Computing Spring, Vol. 15, No. 2, Pp. 171 – 190.
- Spirtes, P., Glymour, C., and Scheines, R. (1993) Causation, Prediction, and Search, Springer-Verlag Lecture Notes in Statistics 81, N.Y.
- Spirtes, P., Richardson, T. and Meek, C. (1997) The Dimensionality of Mixed Ancestral Graphs, Technical Report CMU-PHIL-83, Department of Philosophy, Carnegie Mellon University, Pp. 1-18.
- Srikantaiah, K.C., Krishnakumar, N. Venugopal, N.K.R. and Patnaik, L.M. (2013) Bidirectional Growth based Mining and Cyclic Behaviour Analysis of Web Sequential Patterns, International Journal of Data Mining & Knowledge Management Process (IJDKP), Vol.3, No.2, Pp. 1-19.
- Srivastava, J., Cooley, R., Deshpande, M. and Tan, P.N. (2000) Web Usage Mining: Discovery and Applications of Usage Patterns from Web Data, SIGKDD Explorations, ACM SIGKDD, Vol. 1, Issue 2, Pp. 12-23.
- Stabin, T. and Owen, I. (1997)Gathering usage statistics at an environmental health library Web site., Comput Libr., Vol. 17, No.3, Pp.32–37.
- Steinwart, I. (2002) Support Vector Machines are Universally Consistent, Journal of Complexity, Vol. 18, Issue 3, Pp. 768–791

- Stumme, G., Berendt, B. and Hotho, A. (2002) Usage Mining for and on the Semantic Web, Proceedings of NSF Workshop Next Generation Data Mining, Pp. 77-86.
- Suguna, R. and Sharmila. D. (2013) An Efficient Web Recommendation System using Collaborative Filtering and Pattern Discovery Algorithms. International Journal of Computer Applications, Vol. 70, No.3, Pp. 37-44
- Sun, L. and Zhang, X. (2004) Efficient Frequent Pattern Mining on Web Logs, Advanced Web Technologies and Applications, Lecture Notes in Computer Science, Vol. 3007/2004, 533-542.
- Sun, X. and Zhao, W. (2009) Design and Implementation of an E-Learning Model Based on WUM Techniques, International Conference on E-Learning, E-Business, Enterprise Information Systems, and E-Government, Pp.248-251.
- Suneetha, K.R. and Krishnamoorthi, R. (2010) Classification of web log data to identify interested users using decision trees, International Conference on Computing, Communications and Information Technology Applications, (CCITA 2010), Coimbatore, India.
- Sure, Y., Erdmann, M., Angele, J., Staab, S., Studer, R. and Wenke, D. (2002) OntoEdit: Collaborative Ontology Development for the Semantic Web, Proceedings of First International Semantic Web Conference Semantic Web, Pp. 221- 235.
- Suzuki, J., Hirao, T., Sasaki, Y. and Maeda, E. (2003) Hierarchical Directed Acyclic Graph Kernel: Methods for Structured Natural Language Data, Meeting of the Association for Computational Linguistics, Pp. 32-39.
- Tan, P. and Kumar, V.(2002) Discovery of web robot sessions based on their navigational patterns, Data Mining and Knowledge Discovery, Vol. 6, Pp.9-35.
- Tanasa D. and Trousse B. (2004) Advanced Data Preprocessing for Intersites Web Usage Mining. In IEEE Intelligent Systems, Vol. 19, No.2, Pp. 59-65.

- Termier, A., Tamada, Y., Numata, K., Imoto, S., Washio, T. and Higuchi, T. (2007) DIGDAG, a first algorithm to mine closed frequent embedded sub-DAGs, The 5th International Workshop on Mining and Learning with Graphs (MLG '07), Pp. 1-5.
- Tho, Q.T., Sui, S.C. and Fong, A. (2003) Web mining for identifying research trends, Lecture Notes in Computer Science, Springer Berlin / Heidelberg, Digital Libraries: Technology and Management of Indigenous Knowledge for Global Access, Vol. 2911, Pp. 290-301.
- Thompson, B. (2004) Successful CRM : Turning customer loyalty into profitability, Pp. 1-16, [http://aquafactory.optimaitconsulting.com/menu/CRM/Successful\\_CRM\\_Turning %20Customer%20Loyalty% 20Into%20Profitability.pdf](http://aquafactory.optimaitconsulting.com/menu/CRM/Successful_CRM_Turning_%20Customer%20Loyalty%20Into%20Profitability.pdf) , Last Access During March, 2014.
- Thulasiraman, K. and Swamy, M. N. S. (1992), 5.7 Acyclic Directed Graphs, Graphs: Theory and Algorithms, John Wiley and Son, P. 118.
- Todorascu, A., De Beuvron, F., Galea, D. and Rousselot, F. (2000) Using Description Logics for Ontology Extraction, Proceedings of First Workshop Ontology Learning at the 14th European Conference Artificial Intelligence, Pp.1-8.
- Toivonen, H. (1996) Sampling large databases for association rules, Proceeding of the 1996 International Conference on Very Large Data Bases (VLDB'96), Bombay, India, Pp. 134–145
- Toolan, F. and Kushmerick, N. (2002) Mining Web logs for personalized site maps, Workshop on Mining for Enhanced Web Search, International Conference on Web Information Systems Engineering (Singapore)
- Toolan, F., Carthy, J., Drummond A. and Dunnion, J. (2003), Automating Incident Analysis: A Challenge Paper, Proceedings of the 2nd Workshop on the Investigation and Reporting of Incidents and Accidents, (IRIA03), Virginia.
- Tzvetkov, P., Yan, X. and Han, J. (2005) TSP: Mining top-k closed sequential patterns, Knowledge and Information Systems, Vol. 7, No. 4, Pp. 438-457.

- Uno, T., Asai, T., Uchida, Y., and Arimura, H. (2004) An Efficient Algorithm for Enumerating Closed Patterns in Transaction Databases", Lecture Notes in Computer Science, Springer Berlin / Heidelberg, Vol. 3245, Pp. 16-31.
- Vakali, A., Pokorny, J. and Dalamagas, T. (2004) An overview of web data clustering practices, Proceedings of the Workshops on Current Trends in Database Technology, March 14-18, Springer-Verlag, Berlin, Heidelberg, Pp. 597-606.
- Verma, T. and Pearl, J. (1990) Equivalence and synthesis of causal models Proceedings of Sixth Conference on Uncertainty in AI, Association for Uncertainty in AI, Inc., Mountain View, CA.
- Wang, C., Wang, W., Pei, J., Zhu, Y. and Shi, B. (2004) Scalable mining of large disk-base graph databases, Proceeding of the 2004 ACM SIGKDD International Conference on Knowledge Discovery in Databases (KDD'04), Seattle, WA, Pp. 316–325.
- WCA (2010) Web characterization terminology and definitions, <http://www.w3.org/1999/05/WCA-terms>.
- Webb, G.I. (2000) Efficient Search for Association Rules, R. Ramakrishnan and S. Stolfo (Eds.), Proceedings of the Sixth ACM SIGKDD International Conference on Knowledge Discovery and Data Mining (KDD-2000) Boston, MA. New York: The Association for Computing Machinery, Pp. 99-107.
- Wei, C., Sen, W., Yuan, Z. and Lian-Chang, C. (2009) Algorithm of mining sequential patterns for web personalization services, ACM SIGMIS Database, Vol. 40, No. 2, Pp. 57-66.
- Weinberg, P. and Gottwald, W. (1982) Impulsive Consumer Buying as a Result of Emotion, J. Business Research, Vol. 10, No. 1, Pp. 43-57.
- Wong, C., Shiu, S. and Pal, S. (2001) Mining Fuzzy Association Rules for Web Access Case Adaptation, Proceedings of Fourth International Conference on Case-Based Reasoning, Case-Based Reasoning Research and Development, Pp. 213-220.

- WUM, <http://wum.wiwi.hu-berlin.de>, Last Accessed During November, 2014.
- Xiao, J. and Zhang, Y. (2001) Clustering of Web Users Using Session-based Similarity Measures, Proceedings of the IEEE, Computer Networks and Mobile Computing, Pp. 223–228.
- Xu, X., Wu, Y. and Chen, J. (2010) Fuzzy FCA Based Ontology Mapping, Proceedings of First International Conference on Networking and Distributed Computing, Pp. 181-185.
- Xue, G.R., Zeng, H.J., Ma, W.Y. and Lu, C.J. (2002) Log mining to improve the performance of the methods from statistics, neural nets, Machine Learning and Experts System, Morgan Kaufman.
- Ya, L. (2012) The Comparison of Personalization Recommendation for E-Commerce Physics Procedia, Vol. 25, Pp. 475–478
- Yan, W.T., Jacobsen, M., Garcia-Molina, H. and Umeshwar, (1996) From user access patterns to dynamic hypertext linking, Computer Networks and ISDN Systems, Proceedings of the Fifth International World Wide Web Conference, Elsevier, Computer Networks and ISDN Systems, Vol. 28, Issues 7-11, Pp. 1007-1014
- Yan, Z., Zhang, P. and Vasilakos, A.V. (2014) A survey on trust management for Internet of Things, Journal of Network and Computer Applications, Vol. 42, Pp. 120-134.
- Yang, C.C., Hsinchun, C. and Kay, H. (2003a) Visualization of large category map for Internet browsing, Decision Support Systems, Vol. 35, No.1, Pp. 89-102.
- Yang, Q., Huang, J.Z. and Ng, M. (2003b) A data cube model for prediction based web prefetching. Intelligent Inform. Syst., Vol. 20, Pp. 11-30.
- Yang, Z., Wang, Y. and Kitsuregawa, M. (2006) An Effective System for Mining Web Log, LNCS, Vol. 3841, Pp.40-52.
- Yergeau, F., Bray, T., Paoli, J., Sperberg-McQueen, C.M. and Maler, E. (2004) Extensible Markup Language (XML) 1.0 (Third Ed.), W3C Recommendation, <http://www.w3.org/TR/2004/REC-xml-20040204>.

- Yu, P., Own, C. and Lin, L. (2001) On learning behavior analysis of web based interactive environment, Proceedings of ICCEE, Oslo/Bergen, Norway.
- Yu, J.X., Ou, Y., Zhang, C. and Zhang, S. (2005) Identifying Interesting Visitors through Web Log Classification, IEEE Computer Society, Pp. 55-59.
- Zadeh, L.A. (1975) Fuzzy Logic and Approximate Reasoning, Synthese, Vol. 30, Pp. 407-428.
- Zaiane, O.R., Xin, M. and Han, J. (1998) Discovering web access patterns and trends by applying OLAP and data mining technology on web logs, ADL '98: Proceedings of the Advances in Digital Libraries Conference, Washington, DC, USA: IEEE Computer Society, Pp. 1-19
- Zaki, M. (2001) SPADE: an efficient algorithm for mining frequent sequences, Machine Learning, Vol. 40, Pp.31–60.
- Zaki, M.J., Parthasarathy, S., Ogihara, M. and Li, W. (1997) Parallel algorithm for discovery of association rules, Data Mining and Knowledge Discovery, Vol. 1, Pp.343–374
- Zhou, B, Hui, S.C and Chang, K. (2004) An intelligent recommender system using sequential Web access patterns, IEEE Conference on Cybernetics and Intelligent Systems, Vol. 1, Pp. 393 - 398.
- Zhou, B., Hui, S.C. and Fong, A.C.M. (2006a) An Effective Approach for Periodic Web Personalization, Proceedings of the 2006 IEEE/WIC/ACM International Conference on Web Intelligence, Pp. 284-292.
- Zhou, B., Hui, S.C., Cheuk, A. and Fong, M. (2006b) Efficient sequential access pattern mining for web recommendations, International Journal of Knowledge-based and Intelligent Engineering Systems, Vol. 10, No. 2, Pp. 155-168.
- Zhu, J., Hong, J. and Hughes, J.G. (2002) Using Markov Chains for Link Prediction in Adaptive Web Sites, Springer-Verlag, Berlin Heidelberg.
- Zorrilla, M. E., Alvarez, E. (2008) MATEP: Monitoring and Analysis Tool for E-Learning Platforms, Proceedings of the Advanced Learning Technologies, Pp. 611–613.