



## BIBLIOGRAPHY

- Abtahi, F., Kianpour, Z., Zibaenezhad, M.J., Naghshzan, A., Heydari, S.T., Beigi, B.M., Zamirian, M. (2011). Correlation between cigarette smoking and blood pressure and pulse pressure among teachers residing in Shiraz, Southern Iran. *Iran Cardiovascular Research Journal*, 5(3), 97-102.
- Aburto, N.J., Hanson, S., Gutierrez, H., Hooper, L., Elliott, P., Cappuccio, F.P. (2013). Effect of increased potassium intake on cardiovascular risk factors and disease: systematic review and meta-analyses. *Thebmj*, 346. doi: <http://dx.doi.org/10.1136/bmj.f1378>.
- Adams, M. (2009). Potassium normalizes high blood pressure. Retrieved from [http://www.naturalnews.com/027407\\_potassium\\_blood](http://www.naturalnews.com/027407_potassium_blood).
- Adroque, H.J., and Madias, N.E. (2007). Sodium and potassium in the pathogenesis of hypertension. *The New England journal of medicine*, 356, 1966-1978.
- Aerde, M.A., Soedamah-muthu, S.S., Geleijnse, J.M., Snijder, M.B., Nijpels, G., Stehouwer, C.D.A., Dekker, J.M. (2013). Dairy intake in relation to cardiovascular disease mortality and all-cause mortality the horn study. *European Journal of Nutrition*, 52(2), 609-616. doi:10.1007/s00394-012-0363-z.
- Agarwal, S., and Ebrahim, S. (2013). Association between legume intake and self reported diabetes among adult men and women in India. *BMC public health*, 13, 706. doi:10.1186/1471-2458-13-706.
- Alexandros, B., Agarwal, V., M.D., Messerli, F.H. (2012). Alcohol consumption and the risk of hypertension in men and women: A systematic review and meta analysis. *The Journal of Clinical Hypertension*, 14(11), 792-798.
- Aley, G. (2014). Beat high blood pressure with dal or lentils. International Pulse Trade and Industrial Confederation, UAE.
- Al-Hamdan, N., Al-Zalabani, A., Saeed, A. (2012). Comparative study of physical activity of hypertensives and normotensives: A cross-sectional study of adults in Saudi Arabia. *Journal of Family Community Medicine*, 162-166.
- Alissa, E.M., and Ferns, G.A. (2012). Functional Foods and Nutraceuticals in the primary prevention of cardiovascular diseases. *Journal of Nutrition and Metabolism*, 2012. doi.org/10.1155/2012/569486.
- Alleyne, T., Roache, S., Thomas, C., Shirley, A. (2005). The control of hypertension by use of coconut water and mauby: two tropical food drinks. *Western Indian medical journal*, 54(1), doi.org/10.1590/S0043-31442005000100002.
- Alonso, A., Beunze, J.J., Rastrollo, M.B., Pajares, R.M., Gonzalez, M.A. (2006). Vegetable protein and fiber from cereal are inversely associated with the risk of hypertension in a Spanish cohort. *Archives of Medical Research*, 37, 778-786. doi:10.1016/j.arcmed.2006.01.007.
- American Heart Association, (2015). Retrieved from <http://aha-365.ascendeventmedia.com/books/aha-connections-summer-2015>.
- Amita, S., Prabhakar, S., Manoj, I., Harminder, S., Pavan, T. (2009). Effect of yoga-nidra on blood glucose level in diabetic patients. *Indian Journal of Physiology and Pharmacology*, 53(1), 97-101.

- Anand, M.P. (2010). Epidemiology of hypertension India. *Indian Heart Journal*, 62, 388-393.
- Anand, M.P., Maiya, M., Mukherjee, S., Munjal, Y.P., Wander, G.S., Kamat, S. (2007). Indian hypertension guidelines -2007. Retrieved from [http://www.apiindia.org/pdf/pg\\_med\\_2007/Chapter-36.pdf](http://www.apiindia.org/pdf/pg_med_2007/Chapter-36.pdf).
- Anchala, R., Kannuri, N.K., Pant, H., Khan, H., Franco, O.H., Angelantonio, E., Prabhakaran, D. (2014). Hypertension in India: a systematic review and meta-analysis of prevalence, awareness and control of hypertension. *Journal of Hypertension*, 32(6), 1170-1177. doi:10.1097/HJH.000000000000146.
- Ando, K., Matsui, H., Fujita, M., Fujita, T. (2010). Protective effect of dietary potassium against cardiovascular damage in salt-sensitive hypertension: possible role of its antioxidant action. *Curr Vasc Pharmacol*, 8(1), 59-63.
- Anjana, M., Pradeepa, R., Das, A.K., Deepa, M., Bhansali, A., Joshi, S.R., ... Shukla D.K. (2014). Physical activity and inactivity patterns in India – results from the ICMR-INDIAB study (Phase-1) [ICMR-INDIAB-5]. *International Journal of Behavioural Nutrition and Physical activity*, 11-26.
- Ankad, R., Herur, A., Patil, S., Shashikala, G.V., Chinagudi, S. (2011). Effect of short term pranayama and meditation on cardiovascular functions in healthy individuals. *Heart Views*, 12(2), 58-62. doi:10.4103/1995-705X.86016.
- Annapoorna, K., Vasanthlaxmi, K. (2014). Effect of yoga therapy on obesity and quality of life in women: A longitudinal study. *International Journal of Yoga and Allied science*, 2(1), 17-23.
- Appel, L.J. (2009). ASH position paper: Dietary approaches to lower blood pressure. *The Journal of Clinical Hypertension*, 111(7), 358-368, doi:10.1111/j.1751-7176.2009.00136.x.
- Arora, S., Bhattacharjee, J. (2008). Modulation of immune responses in stress by yoga. *International Journal of Yoga*. 1(12), 45-55, doi:10.4103/0973-6131.43541.
- Artham, S.M., Lavie, C.J., Milani, R.V., Ventura, H.O. (2009). Obesity and hypertension, heart failure, and coronary heart disease—Risk factor, paradox, and recommendations for weight Loss. *The Ochsner Journal*, 9(3), 124-132.
- Arya, S.N. (2008). The challenges of hypertension in obese subjects-Indian perspective. *Medicine Update*, 18, 548-556.
- Ashwell, M., Gunn, P., Gibson, S. (2012). Waist-to-height ratio is a better screening tool than waist circumference and BMI for adult cardio metabolic risk factors: systematic review and meta-analysis. *Obesity Reviews*, 13 (3), 275-286.
- Asian scientist news room. (2013). Retrieved from <http://www.asianscientist.com>.
- Balasuriya, B.W., Rupasinghe, V. (2011). Plant flavonoids as angiotensin converting enzyme inhibitors in regulation of hypertension. *Functional Foods in Health and Disease*, 5, 172-188.
- Bamji, M.s., Krishnaswamy, K., Brahman, G.N.V. (2009). Diet and diabetes mellitus, Text book of human nutrition, 3<sup>rd</sup> edition, oxford and IBH publishing Co-P.Ltd, NewDelhi, 362.
- Bastos, P.C., Villalba, M.F., O'keefe, J.H., Lindeberg, S., Cordain, L. (2011). The Western diet and lifestyle and disease of civilization. *Research Reports in Clinical Cardiology*, 19.
- Bellows, L., and Moore, R. (2015). Diet and hypertension. *Extension State of Possibilities*. <http://www.extension.colostate.edu/topic-areas>.
- Bernard, M.Y., and Li, C. (2012). Diabetes and hypertension: Is there a common metabolic pathways?. *Current Atherosclerosis Reports*. 14(2). 160-166. doi:10.1007/s11883-012-0227-2.

- Bernard, M.Y., and Cheung, Cho Li. (2013). Diabetes and hypertension : Is there a common metabolic pathway. *Current Atherosclerosis reports*, 14 (2), 160-166. doi: 10.1007/s11883-012-0227-2
- Bernstein, L.H. (2015). Insights in blood pressure. *iMedpub Journals*, 1(1:1), 1-8. <http://blood-pressure.imedpub.com/archive.php>.
- Bethesda. (2004). The Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure. National High Blood Pressure Education Program. <http://www.nationalheartlunganbloodinstitute.us>.
- Bhadoria, A., Kasar, P.K., Toppo, N.A., Bhadoria, P., Pradhan, S., Vikrant, K. (2014). Prevalence of hypertension and associated cardiovascular risk factors in Central India. *Journal of Family Community Medicine*, 21(1), 29-38. doi:10.4103/2230-8229.128775.
- Birdee, G.S., Legedza, A.T., Saper, R.B., Bertisch, S.M., Eisenberg, D.M., Phillips, R.S. (2008). Characteristics of yoga users: Results of a national survey, *J Gen Intern Med*, 23(10), 1653-1658, doi:10.1007/s11606-008-0735-5.
- Black, H. (2010). Controlling hypertension: from Mechanisms to management. Retrieved from <http://www.medscape.org>.
- Blom, K., How, M., Dai, M., Baker, B., Irvine, J., Abbey, S., ... Tobe, S.W. (2012). Hypertension analysis of stress reduction using mindfulness meditation and yoga (The harmony study): study protocol of a randomized control trial. *BMI Open*, 2(2), doi:10.1136/bmjopen-2012-000848.
- Bosu, W.K. (2015). The prevalence, awareness, and control of hypertension among workers in West Africa: A systematic review. *Global Health Action*, 8, doi:10.3402/gha.v8.26227.
- Bower, J., Lawrence, J., Matsushita, K., Hunter, J., Alonso, A., Brancati, F.L.,...Young, J.H. (2012). Glycated haemoglobin and risk of hypertension in the atherosclerosis risk in communities study. *Diabetes Care*, 35, 1031-1037.
- Bromfield, S., Muntner, P. (2013). High blood pressure: The leading global burden of disease risk factors and the need for worldwide prevention programs. *Current Hypertension Report*, 15(3), 134-136. doi:10.1007/s11906-013-0340-9.
- Brown, I.J., Tzoulaki, I., Candeias, V., Elliott, P. (2009). Salt intakes around the world: Implications for public health. *International Journal of Epidemiology*, 38, 791-813.
- Buendia, J., Bradlee, M.L., Singer, M.R., Moore, L.L. (2014). Diets higher in protein predict lower high blood pressure risk in Framingham offspring study adults. *American Journal of Hypertension Advances*, 1-8, doi:10.1093/ajh/hpu157.
- Calhoun, D.A., Jones, D., Textor, S., Goff, D.C., Murphy, T.P., Toto, R.D. (2008). Resistant hypertension: Diagnosis, Evaluation and treatment. *American Heart Association*, 117, e510-e526. doi:10.1161/CIRCULATIONAHA.108.189141.
- Campos, M.R., Chel-Guerrero, L.A., Betancur- Ancona, D.A. (2013). Vigna Unguiculata as source of angiotensin-I converting enzyme inhibitory and antioxidant peptides. Bioactive food peptides in health and disease, doi:10.5772/53045.
- Carretero, O.A., and Oparil, A. (2000). Definition and etiology, Essential hypertension. Part I: definition and etiology. *Circulation*, 101(3), 329-335.
- Carson, A.P., Lewis, C.E., Jacobs, D.R., Peralta, C., Steffen, L.M., Bower, J.K., Person, S.D., Muntner, P. (2013). Evaluating the Framingham hypertension risk prediction model in young adults- The Coronary Artery Risk Development in young adults (CARDIA) Study. *Hypertension*, 62, 1015-1020.
- Chakraborty, R., Bose, K., Bisai, S. (2009). Body mass index and blood pressure among adult Bengalee male slum dwellers of Kolkata, India. *Journal of Public Health*, 17, 301-308. doi:10.1007/s10389-009-0254-9.

- Chandola, T., Britton, A., Brunner, E., Hemingway, H., Malik, M., Kumar, M., Badrick, E., Kivimaki, M., Marmot, M. (2008). Work stress and coronary heart disease: what are the mechanisms?. *European Heart Journal*, 29(5), 640-648. doi:10.1093/eurheartj/ehm584.
- Chang, C., Tsai, G., Hsieh, C.J. (2013). Psychological, immunological and physiological effects of a laughing Qigong program (LQP) on adolescents. *Complementary Therapies in Medicine*, 21(6), 660-668, doi:10.1016/j.ctim.2013.09.004.
- Chatterjee, (2015). Foods high in sodium may increase blood pressure. NDTV food, Retrieved from <http://www.food.ndtv.com>.
- Chatterjee, R., Yeh, H., Edelman, D., Brancati, F. (2011). Potassium and risk of type 2 diabetes. *Expert Rev Endocrinol Metab*, 6(5), 665-672. doi:10.1586/eem.11.60.
- Chaudhuri, A., Ray, M., Saldanha, D., Bandopadhyay, A.K. (2014). Cardio-respiratory response of young adult Indian male subjects to stress: Effects of progressive muscle relaxation. *Medical Journal of Dr.D.Y. Patil University*, 7(3), 304-308. doi:10.4103/0975-2870.128971.
- Chaya, M.S., Kataria, M., Nagendra, R. (2008). The effects of hearty extended unconditional (HEU) laughter using laughter yoga techniques on physiological, psychological, and immunological parameters in the workplace: A randomized control trial. American Society of Hypertension 2008 annual meeting, New Orleans, LA. Retrieved from <http://www.webmed>.
- Chen, Z.Y., Peng, C., Jiao, R., Wong, Y.M., Yang, N., Huang, Y. (2009). Anti-hypertensive Nutraceuticals and Functional foods. *Journal of Agricultural Food Chemistry*, 57(11), 4485-99.
- Cheung, B., Li, C. (2012). Diabetes and hypertension: Is there a common metabolic pathway?, *Current Atherosclerosis Reports*, 14(2), 160-166. doi:10.1007/s11883-012-0227-2.
- Chimkode, S., Kumaran, S., Kanhere, V.V., Shivanna, R. (2015). Effect of yoga on blood glucose levels in patients with type 2 diabetes. *Journal of Clinical & Diagnostic Research*, 9(4), CC01-CC03. doi:10.7860/JCDR/2015/12666.5744.
- Chockalingam, K., Vedhachalam, C., Rangasamy, S., Sekar, G., Adinarayanan, S., Swaminathan, S., Menon, A. (2013). Prevalence of tobacco use in urban, semi urban and rural areas in and around Chennai city, India. *PLoS One*, 8 (10), e76005. doi:10.1371/journal.pone.0076005.
- Choi, M., Scholl, U., Yue, P., Björklund, P., Zhao, B., Williams, C.N.,...Lifton, R.P. (2011). K<sup>+</sup> Channel mutations in adrenal aldosterone-producing adenomas and hereditary hypertension. *Science*, 331, 768-772. doi: 10.1126/science.1198785.
- Chopra, H.K. (2014). India national salt reduction campaign targets blood pressure, heart disease, stroke. Retrieved from <http://www.thecitynews.in>.
- Chow, C.K., Teo, K.K., Rangarajan, S., Islam, S., Gupta, R., Avezum, A.,... Yudof, S. (2013). *JAMA*, 310(9), 1-10. doi:10.1001/jama.2013.184182.
- Churilla, J.R., and Ford, E.S. (2010). Comparing physical activity patterns of hypertensive and nonhypertensive US adults. *American Journal of Hypertension*, 23(9), 987-993. doi:10.1038/ajh.2010.88.
- Cintra, I., Passos, M., Santos, L., Machado, H., Fisberg, M. (2014). Waist-to-Height ratio percentiles and cutoffs for obesity: A cross sectional study in Brazilian adolescents. *Journal of Health Population Nutrition*, 32(3), 411-419.
- Cogswell, M.E., Elliott, P., Wang, c., Rhodes, D.G., Pfeiffer, C.M., Loria. (2013). Assessing U.S. sodium intake through dietary data and urine biomarkers. *Advances in Nutrition*, 4, 560-562. doi: 10.3945/an.113.004309.
- Cohen, D.L. (2013). Yoga and hypertension. *Journal of Yoga and Physical Therapy*, 3, 144, doi:10.4172/2157-7595.1000144.

- Cohen, D.L., Bloedon, L., Rothman, R., Farrar, J., Galantino, M., Volger, S.,...Townsend, R. (2011). Iyengar yoga versus enhanced usual care on blood pressure in patients with prehypertension to stage I hypertension: A randomized controlled trial. *Evidence Based Complementary and Alternative medicine*, 2011 (2011). doi.org/10.1093/ecam/nep130.
- Cordain, L., Eaton, S.B., Sebastian, A., Mann, N., Lindeberg, S., Watkins, B.A., O'Keefe, J.H., Brand-Miller, J. (2005). Origins and evolution of the Western diet: health implications for the 21<sup>st</sup> century. *American Journal of Clinical Nutrition*, 81(2), 341-354.
- Cuylits, N., Borne, P. (2006). Acute cardiovascular and sympathetic effects of Nicotine replacement therapy. *Hypertension*, 47(6), 1162-1167.
- Danaei, G., Finucane, M., Lin, J., Singh, G.M., Paciorek, C.J., Cowan, M.J., Mohan, V. (2011). National, regional, and global trends in systolic blood pressure since 1980: systematic analysis of health examination surveys and epidemiological studies with 786 country-years and 5.4 million participants. *The Lancet*, 377(9765), 568-577.
- Das, A., Blakrishnan, V., Vasudevam, D.M. (2006). Alcohol: Its health and social impact in India. *The National Medical Journal of India*, 94-99.
- Delgado, M.C. (2004). Potassium in hypertension. *Current Hypertension Reports*, 6(1), 31-35.
- Devi, P., Rao, M., Sigamani, A., Faruqui, A., Jose M., Gupta, R. (2013). Prevalence, risk factors and awareness of hypertension in India: a systematic review. *Journal of Human Hypertension*, 27, 281–287. doi:10.1038/jhh.2012.33.
- Dhemia, S., and Varma, K. (2015). Salt intake in India- An alarming situation. *International Journal of Food, Agriculture and Veterinary Science*, 5, 1-10.
- Dikshit, P., Tyagi, M.K., Shukla, K., Gambhir, J.K., Shukla, R. (2015). Antihypercholesterolemic and antioxidant effect of sterol rich methanol extract of stem of *Musa sapientum* (Banana) in cholesterol fed wistar rats. *Journal of Food Science and Technology*, 1-8, Springer link.
- Dobe, N. (2013). Hypertension: the prevention paradox. *Indian Journal of Public Health*, 57, 1-3.
- Dodani, S., Sullivan, D., Pankey, S., Champagne, C. (2011). HEALS: A Faith-based hypertension control and prevention program for African American churches: Training of church leaders as program interventionists. *International Journal of Hypertension*. doi:10.4061/2011/820101.
- Dua, S., Bhuker, M., Sharma, P., Dhall, M., and Kapoor, S. (2014). Body Mass Index relates to blood pressure among adults. *National American Journal of Medical Science*, 6 (2), 89-95. doi:10.4103/1947-2714.127751.
- Duke medicine. (2011). Low income, less education tied to high blood pressure in young adults. Retrieved from <http://www.corporate.dukemedicine.org>.
- Durrani, A.M., Fatima, W. (2014). Effect of physical activity on blood pressure distribution among school children. *Advances in Public Health*, 2015, doi.org/10.1155/2015/379314.
- Edwards, S., Allman, B., Schellhardt, T., Ferreira, C., Farquhar, W., Edwards, G. (2014). Lower potassium intake is associated with increased wave reflection in young healthy adults. *Nutrition Journal*, 13, 39. doi:10.1186/1475-2891-13-39.
- Eguchi, K., Pickering, T.G., Schwartz, J.E., Hoshida, S., Ishikawa, J., Ishikawa, S...Kario, K. (2013). Short sleep duration is an independent predictor of cardiovascular events in Japanese hypertensive patients. *Arch Intern Med*, 168 (20). doi:10.1001/archinte.168.20.2225.
- Engberink, M.F., Hendriksen, M.A.H., Schouten, E.G., Rooij, F.V., Hofman, A., Witteman, C.M., Geleijnse, J. (2009). Inverse association between dairy intake and HTN: The Rotterdam Study. *American Journal of Clinical Nutrition*, 89 (6), 1877-1883. doi:10.3945/ajcn.2008.27064.

- Evaluation of indigenous grains from the Peruvian Andean region for antidiabetes and antihypertension potential using in vitro methods. *Journal Medical Food*, 12(4), 704-713.
- Fang, J.R., Zhang, Z.M., Ma, L.Y., Zhao, X.B. (2009). Gene polymorphism of myeloperoxidase and genetic susceptibility to essential hypertension. *Journal of Clinical Cardiology*, 25(3), 202-204.
- Feng, X.L., Pang, M., Beard, J. (2014). Health system strengthening and hypertension awareness, treatment and control: data from the china health and retirement longitudinal study. *Bull World Health Organ*, 92, 29-41, doi:<http://dx.doi.org/10.2471/BLT.13.124495>.
- Ferdinand, K.C., and Ferdinand, D.P. (2008). Race-based therapy for hypertension: possible benefits and potential pitfalls. *Expert Review Cardiovascular Therapy*, 10(6), 1357-1366.
- Figuroa, A., Sanchez-Gonzalez, M.A., Perkins-Veazie, P.M., Arjmandi, B.H. (2011). Effects of watermelon supplementation on aortic blood pressure and wave reflection in individuals with prehypertension: a pilot study. *American Journal of Hypertension*, 24(1), 40-44.
- Friedwald, W.T. (1972). Estimation of the concentration of lipid profile in plasma without use of preparative ultra centrifuge, *American Journal of Clinical Nutrition*, 3, 12.
- Frisoli, T.M., Schmieder, R.E., Grodzicki, T., Messerli, F.H. (2011). Salt and hypertension: is salt dietary reduction worth the effort?. *American Journal of Medicine*, 125(5), 433-439. doi:10.1016/j.amjmed.2011.10.023.
- Ganguly, S., Czarina, S. (2014). Food consumption of the middle classes in India and the Philippines: Intersections and contradictions of class and culture. <http://www.gc2014.org>.
- Gangwisch, J.E. (2006). Short sleep duration as a risk factor for hypertension: analyses of the first National Health and Nutrition Examination Survey. *Hypertension*, 47, 833-839.
- Gasperin, D., Netuveli, G., Soares, D., Patrussi, M.P. (2009). *Cad. Saude Publication*, 25(4). doi.org/10.1590/S0102-311X2009000400002.
- Ghosh, A., Sarkar, D., Mukherji, B., Pai, R. (2013). Prevalence and risk correlates of hypertension among adult rural population in Bihar. *Tropical Medicine and Public health*, 6, 71-75.
- Ghosh, J.D., Dasgupta, S., Ranjini, Banerjee, I., Biswas, U.K. (2014). Risk factors for acute myocardial infarction among rural population of Bihar: A community –based study. *Scholar Journal of Applied Medical Sciences*, 2(3c), 1075-1080.
- Giroto, E., Andrade, S., Cabrera, M. (2009). Prevalence of abdominal obesity in hypertensive patients registered in a family health unit. Retrieved from <http://www.scielo.br/pdf/>.
- Gopalan, B.V., Sastri, R., Balasubramanian, (2012). Nutritive value of Indian foods, National Institute of Nutrition, Hyderabad.
- Gouda, J., and Prusty, R. (2014). Overweight and obesity among women by economic stratum in urban *Indian Journal of Health Population and Nutrition*, 32 (1), 79-88.
- Goyal, A., and Singh, N.P. (2007). Consumer perception about fast food in India: an exploratory study. *British Food Journal*, 109 (2), 182-195. doi:10.1108/00070700710725536.
- Guasch-ferre, M., Bullo, M., Gonzalea, M.A., Corella, D., Estruch, R., Covas, M.,... Salvado, J. (2012). Wasit-to-height ratio and cardiovascular risk factors in elderly individuals at high cardiovascular risk. *PLoS One*, 7(8), doi:10.1371/journal.pone.0043275.
- Gupta, A., Tomar, D., Mohan, J.C., Gupta, P. (2011). Prehypertension –time to act. *Medicine update*, 61-64. Retrieved from [http://apiindia.org/pdf/medicine\\_update\\_2011/12\\_prenhypertension\\_time.pdf](http://apiindia.org/pdf/medicine_update_2011/12_prenhypertension_time.pdf).
- Gupta, M., Patil, R., Khan, M., Gupta, S.K. (2011). The prevalence of obesity and hypertension in urban Tamil Nadu. *Journal of Clinical and Diagnostic Research*, 5(3), 586-588.
- Gupta, R. (2013). India's blood pressure skyrockets. *European Society of Cardiology*, <http://www.escardio.org>.

- Gupta, R., and Guptha, S. (2010). Strategies for initial management of hypertension. *Indian Journal of Medical Research*, 132, 531-542.
- Gupta, R., and Yusufi, S. (2014). Towards better hypertension management in India. *Indian Journal of Medical Research*, 139(5), 657-660.
- Gupta, R., Guptha, S., Sharma, K.K., Gupta, A., Deedwania, P. (2012). Regional variations in cardiovascular risk factors in India: India Heart Watch. *World Journal of Cardiology*, 4, 112–120.
- Gupta., R. (2015). Convergence in urban–rural prevalence of hypertension in India. *Journal of Human Hypertension*, [www.nature.com](http://www.nature.com).
- Guthold. R., Ono, T., Strong, K.L., Chatterji, S., Morabia, A. (2008). Worldwide variability in physical inactivity: a 51-country survey. *American Journal of Preventive Medicine*, 34, 486–494. doi:10.1016/j.amepre.2008.02.013.
- Ha, V., Sievenpiper, J.L., Souza, R.J., Jayalath, V.H., Mirrahimi, A., Agarwal, A.,...Jenkins, A.J.A. (2014). Effect of dietary pulse intake on established therapeutic lipid targets for cardiovascular risk reduction: a systematic review and meta-analysis of randomized controlled trials. *Canadian Medical Association Journal*, 186(8), 252-262, doi:10.1503/cmaj.131727.
- Hackam, D.G. (2010). The 2010 Canadian hypertension education program recommendations for the management of hypertension: Part 2-therapy. Canadian Hypertension Education Program. *Canadian Journal of Cardiology*, 26, 249–58.
- Hackam, D.G., Quinn, R.R., Ravani, P., Rabi, D.M., Dasgupta. K., Daskalopoulou, S.S., ...Padwal, R.S. (2013). The 2013 Canadian Hypertension Education Program recommendations for blood pressure measurement, diagnosis, assessment of risk, prevention, and treatment of hypertension. *Canadian Journal of Cardiology* , 29, 528–542.
- Hagins, M., States, R., Selfe, T., Innes, K. (2013). Effectiveness of yoga for hypertension: Systematic review and meta-analysis. *Evidence-Based Complementary and Alternative Medicine*, doi.org/10.1155/2013/649836.
- Hall, J. (2007). Fast foods boost blood pressure: study. Retrieved from <http://www.thestar.com>.
- Hallal, P.C., Andersen, L.B., Bull, F., Guthold, R., Haskell, W., Ekelund, U. (2012). Global physical activity levels: surveillance progress, pitfalls, and prospects. *The Lancet*, 380, 247-257.
- Harsha, D.W., and Bray, G.A. (2008), Weight loss and blood pressure control (pro). *American Heart Association*, 51, 1420-1425, doi:10.1161/HYPERTENSIONAHA.107.094011.
- Harshfield, (2012). Stress, fried foods contribute equally to high blood pressure, study shows. Retrieved from <http://www.huffingtonpost>.
- Haskell, W.L., Lee, I.M., Pate, R.R., Powell, K.E., Blair, S.N., Franklin, B.A.,... Bauman, A. (2007). Physical activity and public health: updated recommendation for adults from the American College of Sports Medicine and the American Heart Association. *Medical Science Sports Exercise*, 1423-1434.
- He, F.J., Norm, R.C., Campbell and MacGregor, G.A. (2012). Reducing salt intake to prevent hypertension and cardiovascular disease. *Review Panam Salud Publication*, 32(4), 293-300.
- Hirsch, K.R. (2014). Complementary and alternative treatments for high blood pressure. <http://www.healthline.com>
- Holmes, L., Hossain, J., Ward, D., Opara, F. (2013). Racial/Ethnic variability in hypertension prevalence and risk factors in national interview survey. *International Scholarly Research Notices*, 2013. doi.org/10.5402/2013/257842
- Houston, K., Alison, J., Sussman, M., Horn, W., Holit, C., Trohbaugh, J....Hullett, S. (2011). Culturally Appropriate story telling to improve blood pressure: A randomized trail, *Annals of Internal Medicine*, 154(2), 77-84.

- Houston, M. (2013). Nutrition and nutraceutical supplements for the treatment of hypertension: Part II, *The Journal of Clinical Hypertension*, 15(1), 845-851.
- hscic. (2013). Statistics on obesity physical activity and diet. Health & social care information centre, <http://www.hscic.gov.uk/catalogue>.
- Huang, N. (2008). Lifestyle management of hypertension. *Australian Prescriber*, 31(6), 150-153.
- Hypertension: Diagnosis, Evaluation, and Treatment. A scientific statement from the American heart association professional education committee of the council for high blood pressure research. *Hypertension*, 51, 1403-1419.
- ICMR. (2010). Dietary guidelines for Indians, A manual, National Institute of nutrition, Hyderabad.
- IIPS (International Institute for Population Sciences). (2006). World Health Survey, 2003 India. World Health Organisation (WHO)-India-WR office, New Delhi.
- Iqbal, M. (2011). Clinical perspective on the management of hypertension. *Indian Journal of Clinical Medicine*, 21-17. doi:10.4137/IJCM.S5475.
- Issac, B.R. (2014). Correlates of body mass index and body composition of adults in Kochi. [shodhganga.inflibnet.ac.in](http://shodhganga.inflibnet.ac.in).
- Iwaniak A, Dziuba J. 2009. Animal and plant origin proteins as the precursors of peptides with ACE inhibitory activity. Proteins evaluation by means of *in silico* methods. *Food Technology Biotechnology* 47(4):441–9.
- Iwaniak, A., Minkiewicz, P., Darewicz, M. (2014). Food originating ACE inhibitors, including antihypertensive peptides, as preventive food components in blood pressure reduction. *Comprehensive Reviews in Food Science and Food Safety*. 13(2),114-134.
- Jagadesan, K., Suseela, V., Panicker, T.M., Suresh, V., Angelina, Jagadeesan, K. (2015). Assessment of metabolic status in yoga and in vigorous physical exercise. *JIMSA*, 28 (1), 18-20.
- Jalali, S.F. (2008). Effect of laughter therapy on blood pressure patients with essential hypertension. *Journal of Babol University of Medical Sciences*, 10(5), 35-40.
- Jamaican, 2009, Salt never calls itself sweet. *Indian Journal of Medical Research*, 129, 472-477.
- Jani, H.A., Bhandari, P.C., Sharma, C., Padalia, M. (2014). Comparative study of serum lipid profile between prehypertensive and normotensive. *International Journal of Research in Medical Sciences*, 1(4), 1648-1651. doi:10.5455/2320-6012.ijrms20141175.
- Jayalath, V., Souza, R.J., Sievenpiper, J.L., Ha, V., Chiavaroli, L., Mirrahimi, A., ...Jenkins, D.J.A. (2014). Effect of dietary pulses on blood pressure: A systematic review and meta analysis of controlled feeding trails. *American Journal of hypertension*, 27(1), 56-64, doi:10.1093/ajh/hpt155.
- Jeemon, P., Prabhakaran, D., Goenka, S., Ramakrishnan, L., Padmanabhan, S., Huffman, M. (2012). Sentinel surveillance in industrial populations study group impact of comprehensive cardiovascular risk reduction. *Indian Journal of Medical Research*, 135(4), 485-493.
- Jerkins, D.J., Kendall, C.W., Livia, S.A., Mitchell, S., Pudaruth, S.S., Mejia, S.B.,...Josse, R.G. (2012). Effect of legumes as part of a low glycemic index diet on glycemic control and cardiovascular risk factors in type 2 diabetes mellitus.- A randomized controlled trail. *Internal Medicine*, 172(21), 1653-1660, doi:10.1001/2013.jamainternmed.70.
- Jha, P., Jacob, B., Gajalakshmi, V., Gupta, P.C., Dhingra, N. (2008). A nationally representative case-control study of smoking and death in India. *The New England Journal of Medicine*, 358(1), 1137-47. doi:10.1056/NEJMsa0707719.
- Jian, Z., Stark, G.R. (2001). IL-1-induced NFkappa B and c-Jun N-terminal kinase (JNK) activation diverge at IL-1 receptor-associated kinase (IRAK). *Proc Natl Acad Sci*, 98, 4461–4465.

- JNC. (2008). The seventh report of the Joint National Committee on prevention, detection, evaluation and treatment of high blood pressure. NIH publications.
- Joint WHO/FAO Committee (2007). Cereals, pulses, legumes and vegetable proteins. Retrieved from: [ftp://ftp.fao.org/codex/Publications/Booklets/Cereals/CEREALS\\_2007\\_EN.pdf](ftp://ftp.fao.org/codex/Publications/Booklets/Cereals/CEREALS_2007_EN.pdf)
- Joshi, P., Islam, S., Pais, P., Reddy, S., Dorairaj, P. (2007). Risk factors for early myocardial infarction in South Asians compared with individuals in other countries. *JAMA*, 297(3), 286-294.
- Joshi, S.R., Parikh, R.M. (2007). India-Diabetes capital of the world: now heading towards hypertension. *Journal of the Association of Physicians of India*, 55, 323-324.
- Joshi, S.R., Saboo, B., Vadivale, M., Dani, S.I., Mithal, A. Kaul, U.,...Dalal, J. (2012). Prevalence of diagnosed and undiagnosed diabetes and hypertension in India – Results from the screening India's Twin Epidemic (SITE) study. *Diabetes Technology and Therapeutics*, 14 (1), 8-16.
- Joshi, U., Modi, B., Yadav, S. (2010). A study on prevalence of chewing form of tobacco and existing quitting patterns in urban population of Jamnagar, Gujarat. *Indian Journal of Community Medical*, 35 (1), 105-108. doi:10.4103/0970-0218.62560
- Kalpana, M. (2015). Smoking and hypertension. Retrieved from <http://www.uptodate.com>.
- Kalpana, M., and Mount, B. (2015). Potassium and hypertension. Retrieved from <http://www.uptodate.com>.
- Kamble, S.V., and Phalke, D.B. (2011). Study of occupational stress as a risk factor for various morbidities among policemen. *Journal of Indian Medical Association*, 109(4), 238-240.
- Kantha, K., Indira, A. (2015). Prevalence of hypertension among the adults in coastal and non coastal areas. *International Journal of Development Research*, 5(01), 3134-3139.
- Kar, S. S., Thakur, J.S., Viridi, N.K., Jain, S., and Kumar, R. (2010). Risk Factors for cardiovascular Diseases: Is the Social Gradient Reversing in Northern India? *National Medical Journal of India*, 23, 206–209.
- Karppanen, H., Karppanen, P., Mervaala, E. (2005). Why and how to implement sodium, potassium, calcium and magnesium changes in foods items and diets?. *Journal of Hypertension*, 3, S10-19.
- Kaspar, D.R., Baldwin, A., Johnson, M.S., Edling, N., Sethi, G.K. (2012). Effect of laughter yoga on mood and heart rate variability in patients awaiting organ transplantation: a pilot study. *Alternative Therapy Health Medicine*, 18(5), 61-66.
- Kataki, R. (2015). Stress the lifestyle killer. Retrieved from [www.newindianexpress.com](http://www.newindianexpress.com).
- Kaur, S., and Walia, I. (2007). Body mass index, waist circumference and waist hip ratio among nursing students. *Nursing and Midwifery Research Journal*, 3(2), 84 – 90.
- Kenchaiah, S., Evans, J.C., Levy, D. (2002), Obesity and the risk of heart failure. *The New England Journal of Medicine: Research & Review*, 347,305–13.
- Khan, J.M., and Beevers, D.G. (2005). Management of hypertension in ethnic minorities. *Heart*, 91(8), 1105-1109. doi:10.1136/hrt.2004.044560.
- Kim Y.K., Lim, Ch.W., Yeun, S.M., Lee, M.H., Moon, H.S., Cho, H.A., Yoon, N.Y., Yoon, H.D., Park, H.Y., Lee, D.S. (2011). Dipeptide (Tyr-Ile) acting as an inhibitor of angiotensin-I-converting enzyme (ACE) from the hydrolysate of jellyfish *Nemopilema nomurai*. *Fish Aquatic Science*, 14(4), 283–288.
- Klatsky, A.L., and Gunderson, E. (2008). Alcohol and hypertension: a review. *Journal of American Society of Hypertension*, 2(5), 307-317.

- Kokiwar, P.R., Gupta, S.S., Durge, P.M. (2012). Prevalence of Hypertension in a Rural Community of Central India. *JAPI*, 60, 26-29.
- Kothari, C.R., (2004). Research methodology: Methods and techniques, New Age International (P) limited.
- Krishnan, A., Garg, R., Kahandaliyanage, A. (2013). Hypertension in the South. East Asia Region: an overview. *Regional Health Forum*, 17(1), 7-14.
- Kruchik, G. (2014). The effects of fast foods on the body. Health line. <http://www.healthline>.
- Kumar, K.P., Bhowmik, D., Duraivel, S., Umadevi, M. (2012). Traditional and medicinal uses of banana. *Journal of Pharmacology and Phytochemistry*, 1(3), 51-63.
- Kumari, S., Gowda, D., Sukesh, N., Madhu, L.N., Kathyayani. (2011). Effect of yoga therapy on body mass index and oxidative status. *Nitte University Journal of Health Science*, 1(1-3), 10-14.
- Lambers, S.W.J. (2005). Ethnic Variations in Blood Pressure and Hypertension, Retrieved from [repub.eur.nl/pub/7158/051208\\_Agyemang-CO.pdf](http://repub.eur.nl/pub/7158/051208_Agyemang-CO.pdf)
- Landsbergies, P.A., Schnall, P.L., Pickering, T.G., Warren, K., Schwartz, J.E. (2003). Lower socioeconomic status among men in relation to the association between job strain and blood pressure. *Scandinavian Journal of Work, Environment & Health*, 29(3), 206-215.
- Langston, K. (2011). <http://www.karenlangston.com>
- Larstorp, A.C.K., Ariansen, I., Gjesdal, K., Olsen, M.H., Ibsen, H., Devereux, R.B.,... Wachtel, K. (2012). *Hypertension*, 60, 347-353. doi:10.1161/hypertensionaha.112.195032
- Laxmiah, A., Meshram, I.I., Arlappa, N., Balakrishna, N., Mallikharjuna, K., Reddy, C.G.,...Brahman, G.N.V. (2015). Socio-economic & demographic determinants of hypertension & knowledge, practices & risk behaviour of tribals in India. *International Journal of Medical Research*, 141, 697-708.
- Lee, J., Lim, N., Baek, T., Park, S., Park, H. (2015). Anthropometric indices as predictors of hypertension among men and women aged 40-69 years in the Korean population: the Korean genome and epidemiology study. *BMC Public Health*, 15, 140. doi:10.1186/s12889-015-1471-5.
- Lee, Y.P., Puddey, I.B., Hodgson, J.M. (2008). Protein, fibre and blood pressure: Potential benefit of legumes. *Clinical and Experimental Pharmacology and Physiology*, 35(4), 473-476. doi:10.1111/j.1440-1681.2008.04899.
- Li, S.M., Zhang, L.J., Liu, D., Huang, G.Q. (2006). Separation and purification of corn anti-hypertensive peptides. *Food Science*, 27(7), 69-71.
- Lu, X, Yong-Chen, H., Jing, L., Wang, W., Wang, M., Guo-Qi, L.,... Zhao, D. (2015). Associations between serum potassium and sodium levels and risk of hypertension: A community based cohort study. *Journal of Geriatric Cardiology*, 12(2). doi:10.11909/j.issn.1671-5411.2015.02.009.
- Luo, Y.B., Zhu, T.Y., Chen, Z., Wu, J.X., Peng, X.J. (2010). Mechanisms of obesity -related hypertension: recent progress. *Academic Journal of Second Military Medical University*, 31(4), 442- 444.
- Lyalomhe, G.B.S., Lyalomhe, S.I. (2010). Hypertension related knowledge, attitudes and life-style practices among hypertensive patients in a sub-urban Nigerian community. *Journal of Public Health and Epidemiology*, 2(4), 71-77.
- Maaik, S.M., Mourik, V., Cameron, A., Ewen, M., Laing, R. (2010). Availability, price and affordability of cardiovascular medicines: A comparison across 36 countries using WHO/HAI data. *BMC Cardiovascular Disorder*, 10 (25). <http://www.biomedcentral.com>.
- MacGregor, G.A., He, F.J. (2008). Beneficial effects of potassium on human health. *Physiology of Plant*, 133(4),725-735.

- Manchanda, S.C., Madan, K. (2014). Yoga and hypertension. *Journal of Preventive Cardiology*, 2(4), 361-364.
- Mahal, A., Karan, A., Engelgau, M. (2010). The economic implications of non-communicable disease for India.
- Malaguti, M., Dinelli, G., Leoncini, E., Bregola, V., Bosi, D., Cicero, A.F.G., Hrelia, S. (2014). Bioactive Peptides in Cereals and Legumes: Agronomical, Biochemical and Clinical Aspects. *Indian Journal of Molecular Science*, 15(11), 21120-21135.
- Malathi and Kamath, 2013, [www.powerofbreakfast.in](http://www.powerofbreakfast.in).
- Mandge, V.A. (2007). Beverage consumption and hypertension: Findings from the third national health and nutrition examination survey. Retrieved from [dc.etsu.edu/cgi](http://dc.etsu.edu/cgi).
- Marsh, K., Zeuschner, C., Saunders, A. (2012). Health implications of a vegetarian diet: A Review. *American Journal of Lifestyle Medicine*, 10(10), 1-18.
- Masuo, K., Lambert, G.W. (2011). Relationships of adrenoceptor polymorphisms with obesity. *Journal of Obesity*. doi:10.1155/2011/609485.
- Matyas, E., Jeitler, K., Horvath, K., Semlitsch, T., Hemkens, L.G., Pignitter, N., Siebenhofer, A. (2011). Benefit assessment of salt reduction in patients with hypertension: systematic overview. *Journal of Hypertension*, 29, 821-828. doi:10.1097/HJH.0b013e3283442840.
- Mccrory, M., Hamaker, B., Lovejoy, J., Eichelsdoerfer, P. 2010. Pulse consumption, satiety and weight management. *Advance in Nutrition*, 1(1), 17-30. doi:10.3945/an.110.1006
- McGowan, M. P., & McGowan-Chopra, J. (2001). *The Hypertension Sourcebook*. Chicago, IL: Contemporary Books.
- McGrane, M., Essery, E., Obbagy, J., Lyon, J., Macneil, P., Spahn, J., Horn, L.V. (2011). Dairy consumption, blood pressure and risk of hypertension: An evidence based review of recent literature. *Current Cardiovascular Risk Report*, 5(4), 287-298. doi:10.1007/s12170-011-0181-5
- Med India, (2015). [www.medindia.com](http://www.medindia.com).
- Merchant, A.T., Kelemen, L.E., Koning, L. (2008). Interrelation of saturated fat, trans fat, alcohol intake, and subclinical atherosclerosis. *American Journal of Clinical Nutrition*, 87(1), 168-174.
- Meshram. (2012). Prevalence of hypertension, its correlates and awareness among adult tribal population of Kerala state, India. *Journal of Postgraduate Medicine*, 58(4), 255-261.
- Mierlo, J.V., Greyling, A., Zock, P.L., Kok, F.J., Geleijnse, J.M. (2010). Suboptimal Potassium Intake and Potential Impact on Population Blood Pressure. *Internal Medicine*, 170(16), 1501-1502, doi:10.1001/archinternmed.2010.284
- Miller, J.B. (2005). Origins and evolution of the western diet: health implications for the 21st century. *American society for clinical nutrition*, 81, 341-354.
- Ministry of Statistics & Programme Implementation. (2011). Situation analysis of elderly in India. Government of India, [http://www.mospi.nic.in/mospi\\_new](http://www.mospi.nic.in/mospi_new).
- Mishra, P.E., Shastri, L., Thomas, T., Duggan, C., Bosch, R., Mcdonal, C.M., Kurpad, A.V., Kuriyan, R. (2015). Wast-to-height as an indicator of high blood pressure in urban Indian school children. *Indian Pediatrics*, 52, 773-778.
- Misra, A., and Khurana, L. (2008). Salt intake and hypertension: walking the tight rope. Retrieved from <http://www.japi.org/june2007>.
- Mitsiou, E.K. (2013). Do we need functional foods for the treatment of hypertension?. *The open Hypertension Journal*, 5, 29.

- Moghul, S. (2013). Foods to avoid in hypertension. *The Times of India*, August 20, [www.timesofindia.indiatimes.com](http://www.timesofindia.indiatimes.com).
- Mohamed, S. (2014). Functional foods against metabolic syndrome (obesity, diabetes, hypertension and dyslipidemia and cardiovascular disease). *Trends in Food Science & Technology*, 35 (2014), 114-128.
- Mohan , S., Campbell, N., Chockalingam, A. (2013). Time to effectively address hypertension in India. *Indian Journal of Medical Research*, 137, 627-631.
- Mohan, S., and Prabhakaran, D. (2013). Technical training group meeting on regional action plan and targets for prevention and control of non communicable diseases Bangkok, Thailand. WHO, (2013).
- Mohan, S., Campbell, N., Chockalingam, A. (2013). Time to effectively address hypertension in India. *Indian Journal of Medical Research*, 137(4), 627-631.
- Mohan, V., Seedat, Y.K., Pradeepa, R. (2013). The Rising Burden of Diabetes and Hypertension in Southeast Asian and African Regions: Need for Effective Strategies for Prevention and Control in Primary Health Care Settings. *International Journal of Hypertension*, 2013. <http://dx.doi.org/10.1155/2013/409083>.
- Mondal, S., Kundu, B., Saha, S. (2014). Blood sugar and lipid profile adaptations to yoga therapy. *Journal of Yoga and Physical Therapy*, 4, doi:10.4172/2157-7595.1000175.
- Morrison, C.A., Carrick, M.M., Norman, M.A., Scott, B.G., Welsh, F.J., Tsai, P. (2011). Hypotensive resuscitation strategy reduces transfusion requirements and severe postoperative coagulopathy in trauma patients with hemorrhagic shock: preliminary results of a randomized controlled trial. *Journal of Trauma*, 70(3), 652-663. doi:10.1097/TA.0b013e31820e77ea.
- Mosser, M. (1992). High blood pressure, Heart book, Yale University School of Medicine Heart Book, Retrieved from <http://doc.med.yale.edu/heartbk/12.pdf>
- Mozaffarian, D., Benjamin, E.J., Amett, D.K., Blaha, M.J., Cushman, M., Ferranti, S.,...Turner, M. (2015). Heart disease and stroke statistics -2015 update, A report from the American heart association. doi:10.1161/CIR.000000000000152.
- Nadkarni, A., Murthy, P., Crome, I.B., Rao, R. (2013). Alcohol use and alcohol-use disorders among older adults in India: a literature review. *Aging Ment Health*, 17 (8), 979-991. doi:10.1080/13607863.2013.793653.
- Nadkarni, S. (2010). High blood pressure is a disease with deadly consequences. Health and fitness, <http://www.health.gmnews.com/news>.
- Naik, D., and Thomas, N. (2015). Yoga-a potential solution for diabetes and metabolic syndrome. *Indian Journal of Medical Research*, 141(6), 753-756.
- Nail, D., and Thomas, N. (2015).Yoga-a potential solution for diabetes & metabolic syndrome. *Indian Journal of Medical Research*, 141(6), 753-756. doi:10.4103/0971-5916.160689.
- Najem, B., Houssie`re, A., Pathak, A., Janssen, C., Lemogoum, D., Xhae, X., Nancy, J.A., Hanson, S., Gutierrez, H., Hooper, L., Elliott, P., Cappuccio, F. (2013). Effect of increased potassium intake on cardiovascular risk factors and disease: systematic review and meta-analyses. *British Medical Journal*. Retrieved from <http://www.medscape.com/viewarticle/782214>.
- Narkiewicz, K., Kjeldsen, S.E. Hedner, T. (2006), Hypertension and cardiovascular disease in women: Progress towards better understanding of gender-specific differences?, *Blood Pressure*, 15(2):68-70.
- Nath, L. (2014). Indian youth is under burden of heart disease. *Express Health Care*. Retrieved from <http://www.financialexpress.com/article/healthcare/best-of-east>

- Nayak, H., Gadhavi, R., Vyas, S., Kapoor, R., Brahmbhatt, K. (2013). Epidemiological determinants of the physical activity among the urban community of Ahmedabad, India: A cross sectional study. *Global Journal of Medicine and Public Health*, 2 (6), www.gjmedph.org.
- NCEP. (2012). National Cholesterol Education Program-ATP IV Guidelines, (2012).
- Nezhad, M.J., Eftekhari, M.H., Aghasadeghi, K. (2012). Modulation of blood pressure in hypertensive patients by vitamin C. 3(1), 16-20.
- Nguyen, H., Odelola, O., Rangaswami, J., Amanullah, A. (2013). A review of nutritional factors in hypertension management. *International Journal of Hypertension*, 2013 (2013), doi.org/10.1155/2013/698940.
- Niazi, S.H., Mirmiran, P., Amiri, Z., Esfahani, F., Shakeri, N., Azizi, F. (2012). Legume intake is inversely associated with metabolic syndrome in adults. *Arch Iran Med*, 15(9), 538-544.
- NSSO. (2010). "In focus Rural India. Where is it?". www.dhanbank.com.
- Nwankwo, T., Yoon, S.S., Burt, V., Gu, Q. (2013). Hypertension among adults in the United States: National health and nutrition examination survey, 2011-2012. NCHS data brief, 133. Retrieved from <http://www.cdc.gov/nchs/data/databriefs>.
- Oboh, H., Osagie, A., Omotosho, A. (2010). Glycemic response of some boiled legumes commonly eaten in Nigeria. *Diabetologia Croatica*, 39(4), 125-131.
- Ogedegbe, G., and Pickering, T. (2010). Principles and techniques of blood pressure measurement. *Cardiology Clinic*, 28 (4), 571-586. doi:10.1016/j.ccl.2010.07.006
- Ogwumike, O.O., Adeniyi, A.F., Dosa, B.T., Sanya, A.O., Awolola, K.O. (2014). Physical activity and pattern of blood pressure in postmenopausal women with hypertension in Nigeria. *Ethiopian Journal of Health Science*, 24 (2), 153-160.
- Okonta, N.R. (2012). Does yoga therapy reduce blood pressure in patients with hypertension?: an integrative review. *Holistic Nursing Practice*, 26(3), 137-141. doi:10.1097/HNP.0b013e31824ef647.
- Omidvar, S., and Begum, K. (2014). Dietary pattern, food habits and preferences among adolescents and adult student girls from an urban area, South India. *Indian Journal of Fundamental and Applied Life Sciences*, 4 (2), 465-473.
- Osuji, C.U., Omejuna, E.G., Onwubuya, E.I., Ahaneku, G.I. (2012). Serum lipid profile of newly diagnosed hypertensive patients in Nnewi, south –East Nigeria. *International Journal of Hypertension*, 2012 (2012). <http://dx.doi.org/10.1155/2012/710486>.
- Owen, N., Healy, G.N., Matthews, C.E., Dunstan, D.W. (2010). Too Much Sitting: The Population-Health Science of Sedentary Behavior. *Exercise sports science review*, 38(3), 105-113.
- Pack, (2009). Antihypertensive nutraceuticals and functional foods. *Journal of Agricultural Food Chemistry*, 57(11), 4485-4499.
- Padyal, A., and Sharma, Y. (2014). Effects of 12-week yoga programme on physiological parameters- (Lipid profile- LDL, HDL and cholesterol). *Physical Education*, 3 (6), 35-36.
- Panesar, A., Chaturvedi, S., Saini, N.K., Avasthi, R., Quadri, S.S., Singh, A. (2013). Current status of the 'rule of haves' of hypertension: a survey among the residents of slum resettlement colony from east Delhi. *Health Line*, 4 (20), 69-73.
- Panesar, S., Chaturvedi, S., Saini, N.K., Avasthi, R., Singh, A. (2013). Prevalence and predictors of hypertension among residents aged 20-59 years of a slum-resettlement colony in Delhi, India. *WHO South-East Asia Journal of Public Health*, 2, 83-87.
- Parveen, N. (2009). Investigating occupational stress among married and unmarried working women in Hyderabad. *Bahria Journal of Professional Psychology*, 5, 21-31.

- Patel, V., Chatterji, S., Chisholm, D., Ebrahim, S., Gopalakrishna, G., Mathers, C. (2011). Chronic diseases and injuries in India. *The Lancet*, 377, 413–28.
- Patil, S., Rajaram, D.R., Nandakumar, B.S., Seeri, J.S. (2015). Correlation of waist hip ratio and BMI with hypertension and diabetes mellitus in an urban area of Bangalore city. *Journal of community medicine*, 6(1), 82-85.
- Pawar, A.B., Paresh, B., Shaishav, P., Pate, H.B., Padariya, P.K., Patel, G.H. (2010). Prevalence of hypertension among elderly women in slums of Surat city. *National Journal of Community Medicine*, 1(1), 39-40.
- Perez, V., and Chang, E.T. (2014). Sodium to potassium ratio and blood pressure, hypertension and related factors, *Advances in Nutrition*, 5, 712-741, doi:10.3945/an.114.006783.
- Pikilidou, M., Lasaridis, A., Sarafidis, P., Tziolas, M., Zebekakis, P., dombros, N., Giannoulis, E. Blood pressure and serum potassium levels in hypertensive patients receiving or not receiving antihypertensive treatment. *Clinical and Experimental Hypertension*, 29, 563-573.
- Pooja and Mittal, Y. (2014). Fasting blood glucose level in patients suffering from hypertension. *Asian Journal of Biomedical and Pharmaceutical Sciences*, 4(29), 19-22.
- Prabhavathi, Y., Kishore, N.T., Kumar, M.R. (2014). Consumer preference and spending pattern in Indian fast foods industry. *International Journal of Scientific and Research Publications*, 4 (2), 1-5.
- Prasad, R. (2012). Prevalence of hypertension in rural Tamil Nadu: study. *The Hindu*, Retrieved from <http://www.thehindu.com/sci-tech>.
- Prasad, D.S., Kabir, Z., Suganthy, J.P., Dash, A.K., Das, B.C. (2013). Appropriate anthropometric indices to identify cardiometabolic risk in South Asians. *WHO South-East Asia Journal of Public Health*, 2(3-4), 142-148.
- Preeti, S., and Raut, D.K.,(2012). Prevalence and pattern of tobacco consumption in India. *International Research Journal of Social Science*, 1(4), 36-43.
- Priyanka, D., Rampure, D., Praveen, C., Rao, R. (2014). A study on serum sodium and potassium levels in newly diagnosed primary hypertension. *Scholars journal of applied medical sciences*, 2 (5E), 1848-1853.
- Puddey, I.B., Beilin, L.J. (2006). Alcohol is bad for blood pressure. *Clin Exp Pharmacol Physiol*, 33 (9), 847-852.
- Radhakrishnan, S., Balamurugan, S. (2013). Prevalence of diabetes and hypertension among geriatric population in a rural community of Tamilnadu. *Indian Journal of Medical Sciences*, 67(5), 130-136.
- Radhika, G., Sathya, R.M., Sudha, V., Ganesan, A., Mohan, V. (2007). Dietary salt intake and hypertension in an urban south Indian population – (cures-53). *Journal of the Association of Physicians of India*, 55, 405-411.
- Rafey, M.A. (2013). *Hypertension*. Retrieved from <http://www.clevelandclinicmeded.com>
- Ramachandran, A., Mary, S., Yamuna, A., Murugesan, N., Snehalatha, C. (2008). High prevalence of diabetes and cardiovascular risk factors associated with urbanization in India. *Diabetes Care*, 31, 893–898.
- Rani, M., Bonu, S., Jha, P., Nguyen, S.N., Jamjoum, L. (2003). Tobacco use in India: prevalence and predictors of smoking and chewing in a national cross sectional household survey. *Tobacco Control*, <http://www.tobaccocontrol.bmj.com>.
- Ranilla, L.G., Apostolidis, E., Genovese, M.I., Lajolo, F.M., Shetty, K. (2009). Programme on risk factor clustering associated with elevated blood pressure in an Indian industrial pressure in patients with treated but uncontrolled hypertension: A randomised controlled trial. *Maturitas*, 67(2), 144-151.

- Ray, S., Kulkarni, B., Sreenivas, A. (2011). Prevalence of prehypertension in young military adults & its association with overweight & dyslipidaemia, *Indian Journal of Medical Research*, 134(2), 162-167.
- Rebholz, C.M., Friedman, E.E., Powers, L.J., Arroyave, W.D., He, J., Kelly, T.N. (2012). Dietary protein intake and blood pressure: A meta-analysis of randomized controlled trials. *American Journal of Epidemiology*, 176(7), S27-S43. doi:10.1093/aje/kws245.
- Reddy, K. S., Prabhakaran, D., Jeemon, P., Thankappan, K.P., Joshi, P. (2007). Educational Status and Cardiovascular Risk Profile in Indians. *Proceedings of National Academy of Science USA*, 104, 16263–68.
- Reddy, K.S. (2007). India wakes up to the threat of cardiovascular disease. *Journal of the American College of Cardiology*, 50(14), 1370-1372. doi:10.1016/j.jacc.2007.04.097
- Reddy, K.S., Prabhakaran, D., Chaturvedi, V.(2006). "Methods for establishing a surveillance system for cardiovascular diseases in Indian industrial populations," *Bulletin of the World Health Organization*, 84(2),. 461–469.
- Ried, K., Frank, O.R., Stocks, N.P. (2010). Aged garlic extract lowers blood pressure in patients with treated but uncontrolled hypertension: a randomized controlled trial. *Mauritas*, 37(2), 144-50.
- Rosenthal, T., and Alter, A. (2011). Occupational stress and hypertension. *Journal of the American Society of Hypertension*, 6, 2-22, 2011.
- Sajjadi, F., Gharipour, M., Mohammadifard, N., Nouri, F., Maghroun, M., Alikhasi, H. (2014). Relationship between legumes consumption and metabolic syndrome: Findings of the Isfahan Healthy Heart Program. *Arya Atherosclerosis*, 10 (1).
- Samal, D., Greisenegger, S., Auff E., Lang, W., Lalouschek, W. (2007). The relation between knowledge about and education in hospitalized patients with stroke in Vienna. *American Heart Association Journal*, <http://www.stroke.ahajournals.org>.
- Samal, D., Greisenegger, S., Auff, E., Lang, W., Lablouschek, W. (2007). The relation between knowledge about hypertension and education in hospitalized patients with stroke in Vienna. *Stroke*, 38, 1304-1308.
- Sanya, A.O., Ogwumike, O.O., Ige, A.P., Ayanniyi, O.A. (2009). Relationship of waist-hip ratio and body mass index to blood pressure of individuals in Ibadan North local government. *AJPAR*, 1(1), 7-11.
- Sarah, W. (2011). Can herbs and supplements treat hypertension?. Retrieved from <http://www.livescience.com>.
- Sarkkinen, E.S., Kastarinen, M., Niskanen, T., Karjalainen, P., Venalainen, T., Udani, J.K., Niskanen, L. (2011). Feasibility and antihypertensive effect of replacing regular salt with mineral salt -rich in magnesium and potassium- in subjects with mildly elevated blood pressure, *Nutrition Journal*, 10 (88), 2-9.
- Saxena, P., and Praksh, D. (2014). A correlation study on hypertension and anthropometric parameters in rural population of Tehri-Garhwal. *Indian Journal of Preventive Social Medicine*, 45(1-2), 35-41.
- Sayeed, M., Mahtab, H., Sayeed, S., Begum, T., Khanam, P., Banu, A. (2010). Prevalence of factors of coronary heart disease in a rural population of Bangladesh. *Ibrahim Medical College Journal*, 4(2), 37-43.
- Schutter, A., Lavie, C.J., Gonzalez, J., Milani, R.V. (2011). Body Composition in Coronary Heart Disease: How Does Body Mass Index Correlate With Body Fatness?. *The Ochsner Journal*, 11(3), 220-225.
- Segura-Campos, M.R., Chel-Guerrero, L.A. and Betancur-Ancona, D.A. (2011) Purification of angiotensin I-converting enzyme inhibitory peptides from a cowpea (*Vigna unguiculata*) enzymatic hydrolysate. *Process Biochemistry*, 46, 864-872. doi.org/10.1016/j.procbio.2010.12.008.

- Sen, D.S. (2014). All you need to know about hypertension. *The Times of India*, <http://www.timesofindia.indiatimes.com>
- Sengupta, P. (2012). Health impacts of yoga and pranayama: A state of the art review. *International Journal of Preventive Medicine*, 3(7), 444-458.
- Shah, S., Billimoria, A., Kamath, A.S., Maiya, M., Mukherjee, S., Munjal, Y.P., Wande, G.S. (2013). Indian Guidelines on Hypertension (I.G.H.) –III. *Journal of the Association of Physicians of India*, 61, [www.japi.org](http://www.japi.org).
- Shah. (2015). [www.eater.com](http://www.eater.com).
- Shanthirani, C.S., Pradeepa, R., Deepa, R., Premalatha, G., Saroja, R., Mohan, V. (2003). Prevalence and risk factors of hypertension in a selected South Indian population--the Chennai Urban Population Study. *Journal of Association of Physicians India*, 51, 20-27.
- Sharma, D.C., (2012). Rise in oil consumption by Indians sets off alarm. *India Today*, April 2, [www.indiatoday.intoday.in](http://www.indiatoday.intoday.in)
- Shi, Z., Taylor, A.W., Atlantis, E., Wittert, G.A. (2012). Empirically derived dietary patterns and hypertension, *Current Nutrition Report*, 1, 73-86, doi:10.1007/s13668-012-10015.
- Shihab, H.M., Meoni, L.A., Chu, A.Y., Wang, N.Y., Ford, D.E., Liang, K.Y., Gallor, J.J., Klag, M.J. (2012). Body mass index and risk of incident hypertension over the life course: the Johns Hopkins Precursors study. *Circulation*, 126 (25), 2983-3009. doi:10.1161/CIRCULATIONAHA.112.117333.
- Shukla, A.N., Madan, T., Thakkar, B.M., Parmar, M.M., Shah, K. (2014). Prevalence and predictors of undiagnosed hypertension in an apparently healthy western Indian population. *Advances in Epidemiology*, 2015, <http://dx.doi.org/10.1155/2015/649184>.
- Sinatra, S. (2015). Reduce your blood pressure naturally by lowering stress. Heart health. Retrieved from <http://www.drsinatra.com>.
- Singal, S. (2009). A comparative study on consumption patterns of soft drinks and fruit juices. Retrieved from [www.slidshare.net](http://www.slidshare.net).
- Singh, A., Kyizom, T., Singh, K.P., Tandon, O.P., Madhu, S.V. (2008). Influence of pranayamas and yoga asanas on serum insulin, blood glucose and lipid profile in type 2 diabetes. *Indian Journal of Clinical Biochemistry*, 23(4), 365-368.
- Singh, S., Kyizom, T., Singh, K.P., Tandon, O.P., Madhu, S.V. (2008). Influence of pranayamas and yoga-asanas on serum insulin, blood glucose and lipid profile in type 2 diabetes. *Indian Journal of Clinical Biochemistry*, 23 (4), 365-368.
- Sinha, K. (2010). Stem cell shot helps stroke patients recover: study. *The Times of India*, [www.timesofindia.indiatimes.com](http://www.timesofindia.indiatimes.com).
- Sinha, K. (2011). Chewing tobacco sends heart pounding. *The Times of India*, [www.timesofindia.indiatimes.com](http://www.timesofindia.indiatimes.com).
- Sivakami, P.L., and Sarojini, K.S. (2013). *American Journal of Food Technology*, 8, 207-212. doi:10.3923/ajft.2013.207.212.
- Slavin, J.L., and Lloyd, B. (2012). Health Benefits of fruits and vegetables. *Advances in Nutrition*, 3, 506-516. doi:10.3945/an.112.002154.
- Smith, P.J., Blumenthal, J.A., Babyak, M.A., Craighead, L., Welsh-Bohmer, K.A., Browndyke, J.N.,...Sherwood, A. (2010). Effects of the dietary approaches to stop hypertension diet, exercise and caloric restriction on neurocognition in overweight adults with high blood pressure, *Hypertension*, 55(6), 1331-1338.
- Srivathsan, A. (2013). Chennai 4<sup>th</sup> in urban agglomerations. *The Hindu*. Retrieved from <http://www.thehindu.com/news/cities>.

- Staff, H.C. (2013). Alternative approaches to hypertension. *Intelligent medicine*. Retrieved from <http://drhoffman.com/article/alternative-approaches-to-hypertension-2/>.
- Stamatikos, A., Deyhim, F., Apgar, G., Banz, W. (2012), Fiber treating metabolic syndrome. *Journal of Metabolic Syndrome*, 2 (2), 1-7. doi:10.4172/2167-0943.1000130.
- Steffen, .LM., Kroenke, C.H., Yu, X., Pereira, M.A., Slattery, M.L., Horn, V.L., Gross, M.D., Jacobs, D.R. Association of plant food, dairy product, and meat intakes with 15-y incidence of elevated blood pressure in young black and white adults: the coronary artery risk development in young adults (CARDIA) study. *American Journal of Clinical Nutrition*, 82(6), 1169-1177.
- Stephoe, A., and McMunn, A. (2009). Health behavior patterns in relation to hypertension: the English longitudinal study of ageing. *Journal of Hypertension*, 27 (2), 224-230. doi:10.1097/HJH.0b013e3283193e6e.
- Steyn, N.P., Labadarios, D. (2011). Street foods and fast foods: How much do south Africans of different ethnic groups consume?. *Ethnicity and Disease*, 21, 462-466.
- Stone and Sidel. (1993). Sensory Evaluation is defined as "A scientific discipline used to evoke, measure, analyze, and interpret those responses to products that are perceived by the senses of sight, smell, touch, taste, and hearing. Retrieved from <http://www.ift.org>.
- Streppel, M.T., Arends, L.R., Veer, P., Grobbee, D.E., Geleijnse, J.M. (2005). Dietary fiber and blood pressure: a meta-analysis of randomized placebo-controlled trials. *Internal Medicine*, 165(2), 150-156.
- Sugawars, J., Tarumi, T., Tanaka, H. (2010). Effect of mirthful laughter on vascular function. *The American Journal of Cardiology*, 106(6), 856-859, doi:org/10.1016/j.amjcard.2010.05.011
- Teo, K.K., Ounpuu, S., Hawken, S., Pandey, M.R., Valentin, V., Hunt, D.,... Yusuf, S. (2006). Tobacco use and risk of myocardial infarction in 52 countries in the INTERHEART study: A case-control study. *The Lancet*, 368(9536), 647-658.
- Tesfaye, F., Nawi, N.G., Minh, H.V., Byass, P., Berhane, Y., Bonita, R., Wall, S. (2007). Association between body mass index and blood pressure across three populations in Africa and Asia. *Journal of Human Hypertension*, 21, 28-37.
- Tharani, N., and Amirthaveni.M. (2013). Obesity related health risks and its impact on dietary intervention and lifestyle modification. <http://hdl.handle.net/10603/27455>.
- The Hindu. (2013). Coimbatore district has 2.8 lakh diabetics, says study. Retrieved from <http://www.thehindu.com/news/cities/Coimbatore>.
- The Hindu. (2015). Healthy lifestyle essential to keep heart disease at bay. Retrieved from <http://www.thehindu.com/news/cities/Tiruchirappalli>.
- The times of India. (2015). Hypertension rising steeply in India. Retrieved from <http://www.timesofindia.indiatimes.com>.
- Thomas, J. (2012). Effect of physical activity on the cognitive performance of middle aged New Zealand workers. Retrieved from <http://aut.researchgateway.ac.nz/bitstream/handle/10292/4548>.
- Thomas, M. (2007). Clinical features and investigations. *Hospital Pharmacist*, 14, 11-116.
- Times of India. (2011). <http://www.timesofindia.indiatimes.com>.
- Tseng, C. (2008). Betel nut chewing is association with hypertension in Taiwanese type 2 diabetic patients. *Hypertension Research*, 417-423.
- Tyagi, A., Cohen, M., Reece, J., Telles, S. (2014). An explorative study of metabolic responses to mental stress and yoga practices in yoga practitioners, non-yoga practitioners and individuals with metabolic syndrome. *BMC Complement Alternative Medicine*, 14, 445. doi:10.1186/1472-6882-14-445

- Vaidyanathan, K. (2015). Yoga as a moderator on the effects of stress on hypertension. <https://www.kon.org/urc/v4>
- Vaishali, K., Kumar, K.V., Adhikari, P., and Unnikrishnan, B. (2012). Effects of Yoga-Based Program on Glycosylated Hemoglobin Level Serum Lipid Profile in Community Dwelling Elderly Subjects with Chronic Type 2 Diabetes Mellitus—A Randomized Controlled Trial. *Physical & Occupational Therapy in Geriatrics*, 30(1), 22-30.
- Varma, S. (2013). Indians consume twice the recommended salt intake, new global study finds. The Times of India, Dec.25, [www.timesofindia.indiatimes.com](http://www.timesofindia.indiatimes.com).
- Venn, B., Perry, T., Green, T.M., Skeaff, C.M., Aitken, W., Moore, N.,... Williams, S. (2013). The effect of increasing consumption of pulses and whole grains in obese people: A randomized controlled trial. *Journal of the American College of Nutrition*, 29(4), doi:10.1080/07315724.2010.10719853.
- Vijayabasker, M and Sundaram, N (2012). A study on purchasing attitude towards ready to eat/cook products by health conscious consumers in southern India with respect to tier-1 cities. *Indian Journal of Physical and Social sciences*, 2(4), 417-436.
- Vijayakumar, N., and Sumathy, C. (2015). Review on antiulcerogenic activity of *Musa Sapientum* on experimental peptic ulcers in rats. *World Journal of Pharmaceutical Research*, 4 (5), 832-846.
- Vijayalaxmi, P., Madanmohan., Bhavnani, A.B., Patil, A., Babu, K. (2004). Modulation of stress induced by isometric handgrip test in hypertensive patients following yogic relaxation training. *Indian Journal of Physiology Pharmacology*, 48, 59–64.
- Vijver, S., Akinyi, H., Oti, S., Olajide, A., Agyemang, C., Aboderin, I., Kyobutungi, C. (2013). Status report on hypertension in Africa-consultative review for the 6<sup>th</sup> sessions of the African Union Conference of Ministers of Health on NCD's. *The Pan African Medical Journal*, 16, 38, doi:10.11604/pamj.2013.16.38.3100.
- Virdis, A., Giannarelli, C., Neves, N.F., Taddei, S., Ghiadoni, L. (2010). Cigarette smoking and hypertension. *Current Pharmaceutical Design*, 16(23), 2518-2525.
- Walker, H.K., Hall, W.d., Hurst, J.W. (1990). Clinical methods: The history, physical and laboratory examinations, 3rd edition, Butterworths publications, Atlanta.
- Wang, C., Sun, G., Yan, X.L., Ding, Y.C. (2007). Study of  $\alpha$ -adducin and endothelial nitric oxide synthase gene polymorphism in patients with essential hypertension in mongolia population. *Journal of Clinical Cardiology*, 23(7), 525-527.
- Wang, F., Tiwari, V.K., Wang, H. (2014). Risk factors for hypertension in India and China: A Comparative study. *Health and Population*, 37 (1 &2), 40-49.
- Wang, Y., Chen, J., Wang, K., Edwards, C.L. (2009). Education as an important risk factor for the prevalence of hypertension and elevated blood pressure in Chinese men and women. *Journal of Hypertension*, [www.nature.com](http://www.nature.com).
- Warrell, D., Cox, T.M., and Firth, J.D. (2015). Oxford text book of medicine, 5<sup>th</sup> edition, doi:0.1093/med/9780199204854.003.161701\_update\_001
- Warren, T., Wilcox, S., Dowda, M., Baruth, M. (2012). Independent association of waist circumference with hypertension and diabetes in African American women, South Carolina, 2007-2008. *Preventive Chronic Disease*, 9. doi:10.5888/pcd9.110170.
- Whitaker, J. (2014). Potassium benefits include lower blood pressure. Retrieved from <http://www.drwhitaker.com>
- WHO, (2012). Potassium intake for adults and children. [www.who.int](http://www.who.int).
- WHO. (2004). Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *The Lancet*, 157-163.

- WHO. (2004). Report on oral tobacco use and its implications in south-east Asia, WHO SEARO.
- WHO. (2005). <http://www.who.int>.
- WHO. (2008). Global Health Observatory Data Repository ,Geneva. Retrieved from <http://apps.who.int/gho/data/view.mai>.
- WHO. (2009) Global health risks: mortality and burden of disease attributable to selected major risks. Retrieved from [http:// www.who.int/nmh/publications/ncd\\_report](http://www.who.int/nmh/publications/ncd_report)
- WHO. (2009). Global recommendations on physical activity for health. Retrieved from [http://www.who.int/nmh/publications/ncd\\_report](http://www.who.int/nmh/publications/ncd_report)
- WHO. (2010). Global recommendations of physical activity for health. Retrieved from <http://www.who.int/dietphysicalactivity/publications/9789241599979/en/>
- WHO. (2011). Non-communicable diseases country profiles 2011. [http://www.who.int/nmh/countries/ind\\_en.pdf](http://www.who.int/nmh/countries/ind_en.pdf)
- WHO. (2011).. Global status report on non-communicable diseases 2010.Geneva.
- WHO. (2013). A global brief on hypertension- Silent killer, global public health crisis. <http://www.who.int>.
- WHO. (2013). <http://www.searo.who.int/entity/>.
- WHO. (2015). Global Physical Activity Questionnaire. [www.who.int/chp/steps](http://www.who.int/chp/steps).
- WHO. (2015). Mean Systolic Blood Pressure (SBP) Situation and trends. Retrieved from [www.who.int/gho/ncd/risk\\_factors](http://www.who.int/gho/ncd/risk_factors).
- Wiernik, E., Nabi, H., Pannier, B., Czernichow, S., Hanon, O., Simon, T.,...Danchin, N., (2014). Perceived stress, sex and occupational status interact to increase the risk of future high blood pressure: the IPC cohort study. *American Journal of Hypertension*, 32(10), 1979-1986.
- Willer, A.K., Dorner, T., Jensby, A., Rieder, A. (2012). Women show a closer association between educational level and hypertension or diabetes mellitus than males: a secondary analysis from the Austrian HIS. *BMJ Public Health*, 12, 392. doi:10.1186/1471-2458-12-392.
- Win, A.M., Yen, L.W., Tan, K.H., Lim, R.B., Chia, K.S., Riemenschneider, F.M. (2015). Patterns of physical activity and sedentary behavior in a representative sample of a multi-ethnic South-East Asian population: a cross-sectional study. *BMC Public Health*, 15,318, doi:10.1186/s12889-015-1668-7.
- Winkelmayer, W.C., Stampfer, M.J., Willett, W.C., Curhan, C.C. (2005). Habitual caffeine intake and the risk of hypertension in women. *JAMA*, 294 (18), 2330-2335.
- Wolff, M., Sundquist, K., Lonn,S.L., Midlov, P. (2013). Impact of yoga on blood pressure and quality of life in patients with hypertension-a controlled trial in primary care, matched for systolic blood pressure. *Biomedical Central Cardiovascular Disorders*, 13, 1-9, [www.biomedcentral.com](http://www.biomedcentral.com)
- World health statistics. (2012). <http://www.who.int>.
- Xin,Z., Liu, c., Niu, W.Y., Feng, J.P., Zhao, L., Ma, Y.H., Hua, L., and Yang, J.K. (2012). Identifying obesity indicators which best correlate with type 2 diabetes in a Chinese population. *BMC Public Health*, 12(732), 1-6.
- Yadav, S., Boddula, R., Genitta, G., Bhatia, V., Bansal, B., Kongara, S., Julka, S. (2008). Prevalence & risk factors of pre-hypertension & hypertension in an affluent north Indian population. *Indian Journal of Medical Research*, 128, 712-720.
- Yang, G.D., Wu, L.Y., Jiang, B., Yang, W., Qi, J.S., Cao, K.,...Wang, R. (2008). H2S as a physiologic vasorelaxant: hypertension in mice with deletion of cystathioninelyase. *Science*, 322(5901), 587-590.

- Yang, H., Schnall, P., Jauregui, M., Su, T., Baker, D. (2006). Work Hours and Self-Reported Hypertension Among Working People in California. *American Heart Association Journal*, 48, 744-750.
- Yang, K. (2007). A review of yoga programs for four leading risk factors of chronic diseases, *Evidence Based Complementary and Alternative Medicine*, 4(4), 487-491. doi:10.1093/ecam/nem154.
- Yang, L., Wu, Y.F. (2011). Salt restriction and challenges in China for hypertension control. *Current Cardiovascular Risk Report*, 5(2), 180-186.
- Yury, Z.P., Pervichko, E.I., Ostroumova, O.D. (2013). Psychological mechanisms of mental stress reactions in patients with "hypertension at work" and patients with essential hypertension: A comparative analyses. *Psychology in Russia: State of the Art*, 78-94. doi:10.11621/pir.2013.0308.
- Zabeen, B., Tayyeb, S., Naz, F., Ahmed, G., Rahman, M., Nahar, J., Nahar, N., Azad, K. (2015). Prevalence of obesity and central obesity among adolescent girls in a district school in Bangladesh. *Indian Journal of Endocrinology and Metabolism*, 19(5), 649-652.
- Zafar, S., Haque, I., Butt, A.R., Mirza, H.G., Shafiq, F., Rehman, A., Ullahch, N. (2007). Relationship of body mass index and waist to hip ratio measurement with hypertension in young adult medical students. *Pakistan Journal of Medical Science*, 23(4), 574-579.
- Zeng, Y., Du, J., Pu, X., Yang, S., Yang, T., Jia, P. (2011). Strategies of functional food for hypertension prevention in China. *Journal of Medicinal Plants Research*, 5(24), 5671-5676.
- Zhang, Y., Qin, X., Li, J., Cui, Y., Liu, Z., Zhao, Z.,... Huo, Y. (2013). Factors underlying the association of body mass index with serum ALT in Chinese hypertensive adults without known hepatic diseases. *Journal of Zhejiang University Science B*, 14(8), 743-748. doi:10.1631/jzus.B1200330.
- Zhang, Z., Lanza, E., Etherton, P., Colburn, N., Bagshaw, D., Rovine, M.,... Hartman, T. (2010). *Lipids*, 45(9), 765-775. doi:10.1007/s11745-010-3463-7.
- Zhao, G., Ford, E., Li, C., Mokdad, A. (2009). Weight control behaviors in overweight/obese U.S. adults with diagnosed hypertension and diabetes. *Cardiovascular Diabetology*, 8, 13. doi:10.1186/1475-2840-8-13.
- Zhong, G.W., Luo, Y.H., Li, W., Zhong, C.G., Zhang, C. (2010). Role of epigenetic regulatory mechanisms in the mechanism of essential hypertension. *Current Hypertensive Review*, 6, 282-284.

## Website

[www.heart.org](http://www.heart.org)  
[www.huffingtonpost.com](http://www.huffingtonpost.com)  
[www.laughteryoga.org](http://www.laughteryoga.org)  
[www.researchgate.net](http://www.researchgate.net)  
[www.beaninstitute.com](http://www.beaninstitute.com)  
[www.wikipedia.com](http://www.wikipedia.com)  
[www.worldheartfederation.org](http://www.worldheartfederation.org)  
[www.cadiresearch.org](http://www.cadiresearch.org). (2012).  
[www.drtytus.com](http://www.drtytus.com)

[www.health.harvard.edu](http://www.health.harvard.edu).  
[www.healthyeating.sfgate.com](http://www.healthyeating.sfgate.com)  
[www.news.bbc.co.uk](http://www.news.bbc.co.uk).  
[www.healthy.eatingsaafegate.com](http://www.healthy.eatingsaafegate.com)  
[www.laughteryoga.org](http://www.laughteryoga.org)  
[www.lifeextension.com](http://www.lifeextension.com), (2015).  
[www.obesityaction.org](http://www.obesityaction.org)  
[www.searo.who.int/india](http://www.searo.who.int/india)