



---

## **Bibliography**

## BIBLIOGRAPHY

- Aadahl, M., Smith, L.V.H., Pisinger, C., Toft, U.N., Glümer, C., Borch-Johnsen, K. and Jørgensen, T. (2009) Five-year change in physical activity is associated with changes in cardiovascular disease risk factors: The Inter99 study. *Preventive Medicine*, Vol. 48(4), pp. 326-331.
- Afilalo, J., Karunanathan, S., Eisenberg, M.J., Alexander, K.P. and Bergman, H. (2009) Role of frailty in patients with cardiovascular disease. *Am. J. Cardiol.*, Vol. 103(11), pp 1616-1621.
- Agudo, A., Cabrera, L., Amiano, P., Ardanaz, E., Barricarte, A., Berenguer, T., Chirlaque, M.D, Dorronsoro, M., Jakszyn, P., Larrañaga, N., Martínez, C., Navarro, C., Quirós, J.R., Sánchez, M.J., Tormo M.J. and González C. A. (2007) Fruit and vegetable intakes, dietary antioxidant nutrients, and total mortality in Spanish adults: findings from the Spanish cohort of the European Prospective Investigation into Cancer and Nutrition. *Am. J. Clin. Nutr.*, Vol. 85(6), 1634-1642.
- Ahmed, A.A., Ahmed, M., Desai, R.V., Guichard, J., Mujib, M., Zhang, Y., Feller, M.A., Fonarow, G.C. and Ahmed A. (2010) Abstract 17788: Heavy Smoking in the Past Is a Risk Factor for Incident Heart Failure in Older Adults Despite  $\geq 15$  Years of Abstinence: Findings from a Prospective Population Study. *Circulation*, Vol. 122, pp. A17788.
- Albert, N., Trochelman, K., Li, J. and Lin, S. (2010) Signs and Symptoms of Heart Failure: Are You Asking the Right Questions? *Am. J. Crit. Care*, Vol. 19(5), pp. 443-452.
- Ali, R., Athar, M., Abdullah, U., Abidi S.A. and Qayyum, M. (2009) Nutraceuticals as natural healers: Emerging evidences. *Afr. J. Biotechnol.*, Vol. 8(6), pp. 891-898.
- Al-Kharusi, L.M., Elmardi, M.O., Ali, A., Al-Said, F.A.J., Abdelbasit, K.M. and Al-Rawahi, S. (2009) Effect of mineral and organic fertilizers on the chemical characteristics and quality of date fruits. *Int. J. Agric Biol.*, Vol. 11, pp. 290-296.
- Alagona, P. (2009) Beyond LDL cholesterol: The role of elevated triglycerides and low HDL cholesterol in residual CVD risk remaining after statin therapy, *Am. J. Manag. Care.*, Vol. 15(3), pp. S65-S73.
- American Diabetes Association (2009) International expert committee report on the role of the A1c assay in the diagnosis of diabetes, *Diabetes Care*, Vol. 32, pp. 1327-1334.
- American College of Cardiology Foundation/American Heart Association (2009) Expert consensus document on pulmonary hypertension, *J. Am. Coll. Cardiol.*, Vol. 53, pp. 1573-1619.
- American College of Cardiology Foundation/American Heart Association (2011) Scientific Statement, Triglycerides and Cardiovascular Disease. *Circulation*, Vol. 123, pp. 2292-2333.
- American Heart Association Statistics Committee and Stroke Statistics Subcommittee (2009) Heart Disease and Stroke Statistics—2009 Update. *Circulation*, Vol. 119, pp. 480-486.

- American Heart Association (2010) Heart disease and stroke statistics--2010 update. *Circulation*, Vol. 121(7), pp. 23.
- American Heart Association (2011a) Heart Disease and Stroke Statistics—2011 Update. *Circulation*, Vol. 123, pp. e18-e209.
- American Heart Association (2011b) Effectiveness-Based Guidelines for the Prevention of Cardiovascular Disease in Women—2011 Update. *J. Am. Coll. Cardiol.*, Vol. 57, pp. 1404-1423.
- Ansari, J.A. and Inamdar, N.N. (2010) The promise of traditional medicines, *Int. J. Pharm.*, Vol. 6 (6), pp. 808-812.
- Antony, B., Benny, M. and Kaimal, T.N.B. (2008) A Pilot clinical study to evaluate the effect of *Emblica officinalis* extract (Amlamax™) on markers of systemic inflammation and dyslipidemia. *Indian J. Clin Biochem.*, Vol. 23(4), pp. 378-381.
- Anuurad, E., Enkhmaa, B., Gungor, Z., Zhang, W., Tracy, R.P., Pearson, T.A., Kim, K. and Berglund, L. (2011) Age as a modulator of inflammatory cardiovascular risk factors. *Arterioscler. Thromb. Vasc. Biol.*, Vol. 31, pp. 2151-2156.
- Anwar, F., Latif, S., Ashraf, M. and Gilani, A.H. (2007) *Moringa oleifera*: a food plant with multiple medicinal uses. *Phytother Res*, Vol. 21, pp. 17-25.
- AOAC (1995) Official Methods of Analysis of AOAC International. 16th ed. AOAC Int., Gaithersburg, MD, pp. 524-722.
- Aragon, I.B., Saavedra, G., Tessier, F.J., Galinier, A., Ameer, L.A., Lacoste, F., Niamba, C.N., Alt, N., Somoza, V., and Lecerf, J.M. (2010) A diet based on high-heat-treated foods promotes risk factors for diabetes mellitus and cardiovascular diseases. *Am. J. Clin. Nutr.*, Vol. 91(5), pp. 1220-1226.
- Arnlov, J., Ingelsson, E., Sundström, J. and Lind, L. (2010) Impact of body mass index and the metabolic syndrome on the risk of cardiovascular disease and death in middle-aged men, *Circulation*, Vol. 121, pp. 230-236.
- Atawodi, S.E., Atawodi, J.C., Idakwo, G.A., Pfundstein, B., Haubner, R., Wurtele, G., Bartsch, H. and Owen, R.W. (2010) Evaluation of the polyphenol content and antioxidant properties of methanol extracts of the leaves, stem, and root barks of *Moringa oleifera* Lam. *J. Med. Food*, Vol. 13(3), pp. 710-716.
- Bainey, K.R. and Jugdutt, B.I. (2009) Increased burden of coronary artery disease in South-Asians living in North America-Need for an aggressive management algorithm. *Atherosclerosis*, Vol. 204(1), pp. 1-10.
- Baker and Frank. (1988) Determination of serum tocopherol by colorimetric method. In: Text Book of Clinical Chemistry. Tietz, N. and W, Heinmann eds., Professional Publishing, 6<sup>th</sup> edition, W.B. Saunders Company, Philadelphia, pp. 900-902.
- Bakris, G., Böhm, M., Dagenais, G., Diener, H.C., Fujita, T., Gorelick, P., Kjeldsen, S.E., Laakso, M., Mancia G. and Pitt, B. (2008) Cardiovascular protection for all individuals at high risk: evidence-based best practice. *Clin. Res. Cardioi.*, Vol. 97(10), pp. 713-725.
- Barakat, I. A. H., Abbas, O. A., Ayad S. and Hassan, A. M. (2011) Evaluation of radio protective effects of wheat germ oil in male rats. *Journal of American Science*, Vol. 7(2), pp. 664-673.

- Barnes, P.M., Adams, P.F. and Powell-Griner, E. (2008) Health characteristics of the Asian adult population: United States, 2004–2006. Advance Data From Vital and Health Statistics; No. 394. Hyattsville, Md: National Center for Health Statistics; January 22, 2008.
- Bassett, C.M.C., Rodriguez-Leyva, D. and Pierce, G.N. (2009) Experimental and clinical research findings on the cardiovascular benefits of consuming flax seed. *Appl. Physiol. Nutr. Metab.*, Vol. 34(5), 965-974.
- Bazzano, L. A., Thompson, A. M., Tees, M. T. et al. (2011) Non-soy legume consumption lowers cholesterol levels: A meta-analysis of randomized controlled trials. *Nutr. Metab. Cardiovasc. Dis.*, Vol. 21(2), pp. 94-103.
- Beaglehole, R. and Bonita R. (2008) Global public health: A scorecard. *Lancet*, Vol. 372(9654):1988–1996.
- Bell, D.S.H. (2003) Heart Failure, The frequent, forgotten, and often fatal complication of diabetes, *Diabetes Care*, Vol. 26(8), pp. 2433-244.
- Birse, R.T., Choi, J., Reardon, K., Rodriguez, J., Graham, S., Diop S., Ocorr, K., Bodmer, R. and Oldham S. (2010) High-Fat-Diet-Induced Obesity and Heart Dysfunction Are Regulated by the TOR Pathway in *Drosophila*. *Cell Metab.*, Vol. 12(5), pp. 533-544.
- Blom, D.J. (2010) Hypertriglyceridaemia: Aetiology, Complications and Management. *JEMDSA*, Vol. 15(1), pp. 11-17.
- Borg, R., Kuenen, J.C., Carstensen, B., Zheng, H., Nathan, D.M., Heine, R.J., Nerup, J., Borch-Johnsen, K., Witte, D.R. (2011) HbA<sub>1c</sub> and mean blood glucose show stronger associations with cardiovascular disease risk factors than do postprandial glycaemia or glucose variability in persons with diabetes: the A1C-Derived Average Glucose (ADAG) study. *Diabetologia*, Vol. 54, pp. 69–72.
- Bowtell, J.L. and Weissbort, R. (2010), Exercise and physical activity and long-term management of HIV. In: *Nutrition and HIV*, Pribram, V. (ed), John Wiley and Sons, pp. 302 – 323
- Bozan, B. and Temelli, F. (2008) Chemical composition and oxidative stability of flax, safflower and poppy seed and seed oils. *Bioresource Technol.*, Vol. 99, pp. 6354-6359.
- Braunwald, E. (2010) Approach to the patient with possible Cardiovascular disease, In: *Harrison's Cardiovascular Medicine* Author Joseph Loscalzo Ed: Loscalzo, J., Mc Graw-Hill Prof Med/Tech, pp. 26-30.
- Brunner, E., Rees, K., Ward, K., Burke, M. and Thorogood, M. (2009) Dietary advice for reducing cardiovascular risk. *Cochrane Database of Systematic Reviews*, 4.
- Brunzell, J.D., Davidson, M., Furberg, C.D., Goldberg, R.B., Howard, B.V., Stein, J.H., and Witztum, J.L. (2008) Lipoprotein management in patients with cardiometabolic risk. *Diabetes Care*, Vol. 31(4), pp. 811-822.
- Burnard, P. (1992) *Counseling skills for Health Professionals*. 1st ed. London: Chapman and Hall, pp. 22.
- Campos-Vega, R., Loarca-Piña, G. and Oomah, B.D. (2010) Minor components of pulses and their potential impact on human health. *Food Research International*, Vol. 43(2), pp. 461-482.

- Capewell, S., Ford, E.S., Croft, J.B., Critchley, J.A., Greenlund, K.J. and Labarthe, D.R. (2010) Cardiovascular risk factor trends in the US population and options for reducing future CHD mortality. *Bull. World Health Organ.*, Vol. 88, pp. 120–130.
- Carnethon, M., Whitsel, L.P., Franklin, B.A., Kris-Etherton, P., Milani, R., Pratt, C.A. and Wagner G.R. (2009) Worksite wellness programs for cardiovascular disease prevention. *Circulation*, Vol. 120, pp. 1725-1741.
- Casanueva, F.F., Moreno, B., Azeredo, R.R., Massien, C., Conthe, P., Formiguera, X., Barrios, V. and Balkau, B. (2010) Relationship of abdominal obesity with cardiovascular disease, diabetes and hyperlipidaemia in Spain. *Clin Endocrinol*, Vol. 73 (1), pp. 35–40.
- Centre for Disease Control and Prevention (2009) Application of lower sodium intake recommendations to adults -- United States, 1999-2006. *Morbidity and Mortality Weekly Report*, 2009; Vol. 58, pp. 281-283.
- Chen, C.W., Lin, C.T., Lin, Y.L., Lin, T.K. and Lin, C.L. (2011) Taiwanese Female Vegetarians Have Lower Lipoprotein-Associated Phospholipase A2 Compared with Omnivores. *Yonsei Med. J.*, Vol. 52(1), pp. 13–19.
- Chobanian, A.V., Bakris, G.L., Black, H.R., Cushman, W.C., Green, L.A., Izzo, J.L., Jones, D.W., Materson, B.J., Oparil, S., Wright, J.T., Roccella, E.J. (2003) Seventh Report of the Joint National Committee on Prevention, Detection, Evaluation, and Treatment of High Blood Pressure: the JNC 7 complete report. *Hypertension*, Vol. 42, pp. 1206–1252.
- Chow, C.K., Jolly, S., Melacini, P.R., Fox, K.A.A., Anand, S.S. and Yusuf, S. (2010) Association of diet, exercise, and smoking modification with risk of early cardiovascular events after acute coronary syndromes. *Circulation*, Vol. 121, pp. 750-758.
- Christensen, D.L., Eis, J., Hansen, A.W., Larsson, M.W., Mwaniki, D.L., Kilonzo, B., Tetens, I., Boit, M.K., Kaduka, L., Borch-Johnsen, K. and Friis, H. (2008) Obesity and regional fat distribution in Kenyan populations: impact of ethnicity and urbanization. *Ann. Hum. Biol.*, Vol. 35(2), pp. 232-249.
- Chung, I.M., Yeo, M.A., Kim, S.J. and Moon H.I. (2010), Protective effects of organic solvent fractions from the seeds of *Vigna radiata* L.wilczek against antioxidant mechanisms. *Hum. Exp. Toxicol.*, Vol. 30(8), pp. 904-909.
- Cimmino, G., Ibanez, B. and Badimon, J.J. (2010) Pathophysiology of vulnerability caused by thrombogenic (vulnerable) blood. In: *Asymptomatic Atherosclerosis*, pp- 53-58.
- Cohen, H.W., Hailpern, S.M. and Alderman, M.H. (2008), Sodium intake and mortality follow-up in the Third National Health and Nutrition Examination Survey (NHANES III). *J. Gen. Intern. Med.*, Vol. 23, pp. 1297–1302.
- Committee on Preventing the Global Epidemic of Cardiovascular Disease. (2010) Epidemiology of cardiovascular disease. In: *Promoting cardiovascular health in the developing world*. Fuster, V. and Kelly, B. B. eds., The National Academies Press, Washington Dc, pp. 49-124.
- Cook, N.R., Cutler, J.A., Obarzanek, E., Buring, J.E., Rexrode, K.M., Kumanyika, S.K., Appel, L.J. and Whelton, P.K. (2007) Long term effects of dietary sodium

- reduction on cardiovascular disease outcomes: observational follow-up of the Trials of Hypertension Prevention (TOHP). *BMJ*, Vol. 334, pp. 885–888.
- Cooney, M.T., Vartiainen, E., Laakitainen, T., Juolevi, A., Dudina, A. and Graham, I.M. (2010) Elevated resting heart rate is an independent risk factor for cardiovascular disease in healthy men and women. *Am. Heart J.*, Vol. 159(4), pp. 612-619.
- Costell, E., Tárrega, A. and Bayarri S. (2009) Food acceptance: the role of consumer perception and attitudes. *Chemosens. Percept.*, Vol. 3 (1), pp. 42-50.
- Coylewright, M., Reckelhoff, J.F. and Ouyang, P. (2008) Menopause and hypertension an age-old debate. *Hypertension*, Vol. 51, pp. 952-959.
- Daleprane, J.B., Batista, A., Pacheco, J.T., Da Silva, A.F.E. Costa, C.A., Resende, A.C. and Boaventura, G.T. (2010) Dietary flaxseed supplementation improves endothelial function in the mesenteric arterial bed. *Food Res. Int.*, Vol. 43 (8), pp. 2052-2056.
- Després, J.P. and Lamarche, B. (1993) Effects of diet and physical activity on adiposity and body fat distribution: implications for the prevention of cardiovascular disease. *Nutr. Res. Rev.*, Vol. 6(1), pp.137-59.
- Després, J.P., Lemieux, I., Bergeron, J., Pibarot, P., Mathieu, P., Larose, E., Rodés-Cabau, J., Bertrand, O.F. and Poirier, P. (2008) Abdominal obesity and the metabolic syndrome: contribution to global cardiometabolic risk. *Arterioscler. Thromb. Vasc. Bio.*, Vol. 28, pp. 1039-1049.
- Devine, P.J., Carlson, D.W. and Taylor, A.J. (2006) Clinical value of carotid intima-media thickness testing. *J. Nucl. Cardiol.*, Vol. 13 (5), pp. 710-718.
- Dhindsa, S, Kochhar, A. and Sachdeva (2008) Efficacy of stevia leaf powder supplementation and nutrition counselling on blood glucose and lipid profile of NIDDM subjects, *Ind. J. Nutr. Dietet.*, 45 (10), 422-430.
- Björntorp, P. (1991), Metabolic implications of body fat distribution. *Diabetes Care*, Vol. 14(12), pp. 1132–1143.
- Diaz, A., Bourassa, M.G., Guertin, M.C. and Tardif, J.C. (2005) Long-term prognostic value of resting heart rate in patients with suspected or proven coronary artery disease. *Eur. Heart J.*, Vol. 26, pp. 967–974.
- Domingo, B.K., Chertow, G.M., Coxson, P.G., Moran, A., Lightwood, J.M., Pletcher, M.J. and Goldman, L. (2010) Projected effect of dietary salt reductions on future cardiovascular disease. *N. Engl. J. Med.*, Vol. 362, pp. 590-599.
- Eapen, D., Kalra, G.L., Merchant, N., Arora, A. and Khan B.V. (2009) Metabolic syndrome and cardiovascular disease in South Asians. *Vasc. Health Risk. Manag.*, Vol. 5, pp. 731–743.
- Eeg-Olofsson, K., Cederholm, J., Nilsson, P.M., Zethelius, B., Svensson, A., Gudbjörnsdóttir, S. and Eliasson, B. (2010) Glycemic control and cardiovascular disease in 7,454 patients with type 1 diabetes. *Diabetes Care*, Vol. 33(7), pp. 1640-1646
- Elmadfa, I. and Meyer, A.L. (2010) Importance of food composition data to nutrition and public health. *Eur. J. Clin. Nut.*, Vol. 64, pp. S4-S7.
- Epifanov, V.A. and Apanasenko, G.L. (1990), *Lechebnaya fizkul'tura i vrachebny kontrol'* (Exercise Therapy and Health Care), Moscow, Meditsina, pp. 24-68.

- Evans, L.S. (2009) The adult years. In: Nutrition: a lifespan approach, John Wiley and Sons, pp. 196-200.
- Ezzati, M., Hoorn, S.V., Rodgers, A., Lopez, A.D., Mathers, C.D. and Murray, C.J. Comparative Risk Assessment Collaborating Group (2003) Estimates of global and regional potential health gains from reducing multiple major risk factors. *Lancet*, Vol. 362, pp. 271-80.
- FAO (2003) Food energy-methods of analysis and conversion factors, Report of a technical workshop. FAO, Food and Nutrition Paper No. 77. Rome, pp. 1-7.
- Farshchi, H.R., Taylor, M.A. and Macdonald, I.A. (2005) Beneficial metabolic effects of regular meal frequency on dietary thermogenesis, insulin sensitivity, and fasting lipid profiles in healthy obese women. *Am. J. Clin. Nutr.*, Vol. 81(1), pp. 16-24.
- Ferra, L.A. (2005) Body mass index and health. Nova Science Publishers.inc. , New York. Pp. 138-146.
- Ferrari, R. (2003) Prognostic benefits of heart rate reduction in cardiovascular disease. *Eur. Heart J.*, Vol. 5(S), pp. G10–G4.
- Ferrario, M.M, Veronesi, G., Chambless, L.E., Segal, R., Fornari, C., Bonzini, M. and Cesana, G. (2011) The contribution of major risk factors and job strain to occupational class differences in coronary heart disease incidence: the MONICA Brianza and PAMELA population-based cohorts. *Occup. Environ. Med.*, Vol. 68, pp. 717-722.
- Filippi, A., Tedeschi, L., Parretti, D., Ricci, S., Morelli, P., Grilli, P., Rossi, A. and Innocenti, F. (2009) Lifestyle counselling in primary care: Long-term effects on cholesterol level. *Eur. J. Gen. Pract.* Vol. 15(3), Pp.136-140.
- Flack, J.M., Nasser, S.A., Goel, A., Flowers, M.T., O'Connor, S. and Faucett, E. (2010) Unmasking racial/ethnic disparities in cardiovascular disease: Nutritional, socioeconomic, cultural, and health-care-related contributions. *Contemporary Cardiology*, pp. 51-79.
- Flegal, K., Carroll, M., Ogden, C., and Curtin, L.R. (2010) Prevalence and trends in obesity among US adults, 1999-2008. *J. Am. Med. Assoc.*, Vol. 303(3), pp. 235-241.
- Forrester, J.S. and Libby, P. (2007) The inflammation hypothesis and its potential relevance to statin therapy. *Am. J. Cardiol.*, Vol. 99, pp. 732–738.
- Flint, A.J., Hu, F.B., Glynn, R.J., Caspard, H., Manson, H., Willett, W.C. and Rimm, E.B. (2010), Excess weight and the risk of incident coronary heart disease among men and women. *Obesity*, Vol. 18(2), pp. 377–383.
- Fox, C.S., Pencina, M.J., Wilson, P.W., Paynter, N.P., Vasan, R.S. and D'Agostino, R.B. (2008) Lifetime risk of cardiovascular disease among individuals with and without diabetes stratified by obesity status in the Framingham Heart Study. *Diabetes Care*; Vol. 31, pp. 1582–1584.
- Font, M. C. and Gil, J. M. (2009) Risk perceptions, risk attitudes and the formation of consumer acceptance of Genetically Modified (GM) food. <http://ageconsearch.umn.edu/bitstream/58001/2/CostaFont.pdf> (accessed January, 26, 2012).

- Fox, K., Borer, J.S., Camm, A.J., Danchin, N., Ferrari, R., Sendon, J.L.L., Steg, P.G., Tardif, J.C., Tavazzi, L., Tendera, M. and Heart Rate Working Group (2007) Resting heart rate in cardiovascular disease. *J. Am. Coll. Cardiol.*, Vol. 50(9), pp. 823-830.
- Franco, M., Cooper, R.S., Bilal, U. and Fuster, V. (2011) Challenges and opportunities for cardiovascular disease prevention. *Am. J. Med.*, Vol. 124(2), pp. 95-102.
- Franklin, S.S., Lopez, V.A., Wong, N.D., Mitchell, G.F., Larson, M.G., Vasan, R.S. and Levy, D. (2009) Single versus combined blood pressure components and risk for cardiovascular disease: the Framingham Heart Study. *Circulation*, Vol. 119, pp. 243-250.
- Fraser, G.E. (2009) Vegetarian diets: what do we know of their effects on common chronic diseases?, *Am. J. Clin. Nutr.*, Vol. 89(5), pp. 1607S-1612S.
- Friedwald, W.T., Levy, R.I. and Fredrickson, D.S. (1972) Estimation of plasma low density lipoprotein cholesterol concentration without use of the preparative ultracentrifuge. *Clin. Chem.*, Vol. 18, pp. 499-512.
- Galili, O., Versari, D., Sattler, K.J., Olson, M.L., Mannheim, D., McConnell, J.P., Chade, A.R., Lerman, L.O. and Lerman, A. (2007) Early experimental obesity is associated with coronary endothelial dysfunction and oxidative stress. *Am. J. Physiol. Heart Circ. Physiol.*, Vol. 292, pp. H904-H911.
- Gallagher, D. and Javed, F. (2009) Assessment of human body composition, *Handbook of assessment methods for eating behaviours and weight-related problems*. Second Edition, Allison, D.B. and Baskin, M.L. (eds), SAGE Publications Inc., USA, pp. 487.
- Ganda, O.P. and Fonseca, V.A. (2010) Salt sensitivity, insulin resistance, and public health in India. *Endocrine Practice*, Vol. 16(6), pp. 940-944.
- Gaziano, T.A., Bitton, A., Anand, S., Abrahams-Gessel, S. and Murphy, A. (2010) Growing epidemic of coronary heart disease in low- and middle-income countries. *Curr. Probl. Cardiol.*, Vol. 35(2), pp. 72-115.
- Geleijnse, J.M., De Goede, J. and Brouwer, I.A. (2010) Alpha-linolenic acid: is it essential to cardiovascular health?. *Curr. Atheroscler. Rep.*, Vol. 12, pp. 359-367.
- Gibbons, R.J., Abrams, J., Chatterjee, K., Daley, J., Deedwania, P.C., Douglas, J.S., Ferguson, T.B., Fihn, S.D., Fraker T.D., Gardin, J.M., O'Rourke, R.A., Pasternak, R.C. Williams, S.V. Gibbons, R.J. Alpert, J.S. Antman, E.M. Hiratzka, L.F. Fuster, V., Faxon, D.P., Gregoratos, G., Jacobs A.K. and Smith, S.C. (2003) ACC/AHA 2002 Guideline Update for the Management of Patients With Chronic Stable Angina—Summary Article. *Circulation*, Vol. 107, pp. 149-158
- Gidding, S.S., Lichtenstein, A.H., Faith, M.S., Karpyn, A., Mennella, J.A., Popkin, B., Rowe, J., Horn, L.V. and Whitsel, L. (2009) Implementing American Heart Association pediatric and adult nutrition guidelines. *Circulation*, Vol. 119, pp. 1161-1175.
- Giles, T.D., Materson, B.J., Cohn, J.N. and Kostis, J.B. (2009) Definition and Classification of Hypertension: An Update. *J. Clin. Hypertens.*, Vol. 11(11), pp. 611-614.

- Giridhari, V. A., Malathi, D. and Geetha K. (2011) Anti diabetic property of drumstick (*Moringa oleifera*) leaf tablets. *Int. J. Health Nut.*, Vol. 2(1), pp. 1-5.
- Goenka, S., Prabhakaran, D., Ajay, V.S. and Reddy, K.S. (2009) Preventing cardiovascular disease in India – translating evidence to action. *Current Science*, Vol. 97(3), pp. 367-377.
- Goldstein, D.E., Little, R.R. and England, J.D. (1986) Methods for quantitating glycosylated haemoglobins: high performance liquid chromatography and thiobarbituric acid colorimetry. In: *Methods in Diabetes Research*. Clarke, W. L., Lerner, J., Pohl, S. L. eds., Vol. 2., Clinical Methods. New York, John Wiley, pp. 475-504.
- Goodpaster, B.H., DeLany, J.P., Otto, A.D., Kuller, L., Vockley, J., South-Paul, J.E., Thomas, S.B., Brown, J., McTigue, K., Hames, K.C., Lang, W. and Jakicic, J.M. (2010) Effects of diet and physical activity interventions on weight loss and cardiometabolic risk factors in severely obese adults. *J. Am. Med. Assoc.*, Vol. 304(16), pp. 1795-1802.
- Gopalan, C., Sastri, B.V.R. and Balasubramanian (2007) Food composition tables, Nutritive value of Indian Foods, pp. 47-98.
- Gothwal, H., Kedawat, S. and Kumar, R. (2011) Cardiac arrhythmias detection in an ECG beat signal using fast fourier transform and artificial neural network. *J. Biomed. Sci. Engg.*, Vol. 4, pp. 289-296.
- Goyal, S. and Khan, S. (2010) International Journal of botany Induced Mutagenesis in Urdbean (*Vigna mungo* L. Hep per): A Review. *Int. J. Bot.*, Vol. 6(3), pp. 194-206.
- Goyal, A. and Yusuf, S. (2006). The burden of cardiovascular disease in the Indian subcontinent, *Indian J. Med. Res.*, Vol. 124, pp. 235-244.
- Greenland, P., Abrams, J., Aurigemma, G. P., Bond, G., Clark, L.T., Criqui, M.H., Crouse, J.R., Friedman, L., Fuster, V., Herrington, D.M., Kuller, L.H., Ridker, P.M., Roberts, W.C., Stanford, W., Stone, N., Swan, J., Taubert, K.A. and Wexler, L. (2000) Prevention Conference V: Beyond secondary prevention: identifying the high-risk patient for primary prevention: noninvasive tests of atherosclerotic burden: Writing Group III. *Circulation*, Vol. 101, pp. E16–E22.
- Guillaume, C.P., Joly, L. and Benetos, A. (2009) Heart Rate as a Risk Factor for Cardiovascular Disease. *Progress in Cardiovascular Diseases*, Vol. 52(1), pp. 6-10.
- Gulcin, I. (2010) Antioxidant properties of resveratrol: A structure–activity insight, *Innov. Food. Sci. Emerg. technol.*, Vol 11(1), pp. 210-218.
- Gupta, R., Kaul, V., Agrawal, A., Guptha, S. and Gupta V.P. (2010) A Cardiovascular risk according to educational status in India. *Prev. Med.*, Vol. 51(5), pp. 408–411.
- Hageman, P.A., Pullen, C.H., Walker, S.N. and Boeckner, L.S. (2010) Blood pressure, fitness, and lipid profiles of rural women in the wellness for women project. *Cardiopulm. Phys. Ther. J.*, Vol. 21(3), pp. 27–34.
- Han, L.K., Gang, X.J. and Kawan, O.S. (2005) Antiobesity action of *Zingiber officinale* Rosc. *Yakugaku Zasshi*, Vol. 125(2), pp. 213-217.
- Hashimoto, T. and Nagayama, T. (2004) Chemical composition of ready to eat fresh carrot. *J. Food Hyg. Soc. Japan*, Vol. 39, pp. 324-328.

- Haskell, W.L., Lee, I.M., Pate, R.R., Powell, K.E., Blair, S.N., Franklin, B.A., Macera, C.A., Heath, G.W., Thompson, P.D., Bauman, A. (2007) Physical Activity and Public Health: Updated Recommendation for Adults from the American College of Sports Medicine and the American Heart Association. *Med. Sci. Sports. Exerc.*, Vol. 39(8), pp. 1423-1434.
- Hassan, H.M.M., Afify, A.S., Basyiony, A.E. and Ghada, A.T. (2010) Nutritional and functional properties of defatted wheat protein isolates. *Aus. J. Basic Appl. Sci.*, Vol. 4(2), pp. 348-358.
- He, F.J., Nowson, C.A. and Mac Gregor, G.A. (2009) Fruit and vegetable consumption and stroke: meta-analysis of cohort studies. *Lancet*, Vol. 367, pp. 320–326.
- Heidemann, C., Schulze, M.B., Franco, O.H., VanDam, R.M., Mantzoros, C.S. and Hu, F.B. (2008) Dietary patterns and risk of mortality from cardiovascular disease, cancer, and all causes in a prospective cohort of women. *Circulation*, Vol. 118, pp. 230–237.
- Heidenreich, P.A., Trogon, J.G., Khavjou, O.A., Butler, J., Dracup, K., Ezekowitz, M.D., Finkelstein, E.A., Hong, Y., Johnston, S.C., Khera, A., Lloyd-Jones, D.M., Nelson, S.A., Nichol, G., Orenstein, D., Wilson, P.W. and Woo Y.J. (2011) Forecasting the future of cardiovascular disease in the United States: a policy statement from the American Heart Association. *Circulation*, Vol. 123(8), 933-44.
- Herrera, B.M., Lindgren, C.M. (2010) The genetics of obesity. *Curr. Diab. Rep.*, Vol. 10(6), pp. 498-505.
- Hervert-Hernández, D., García, O.P., Rosado, J.L. and Goñi, I. (2011) The contribution of fruits and vegetables to dietary intake of polyphenols and antioxidant capacity in a Mexican rural diet: Importance of fruit and vegetable variety. *Food Res. Int.*, Vol. 44(5), pp. 1182-1189.
- Honarbaksh, S. and Schachter, M. (2009) Vitamins and cardiovascular disease. *Br. J. Nutr.*, Vol. 101, pp. 1113–1131.
- Honjo, K., Iso, H., Tsugane, S., Tamakoshi, A., Satoh, H., Tajima, K., Suzuki, T. and Sobue T., (2010) The effects of smoking and smoking cessation on mortality from cardiovascular disease among Japanese: pooled analysis of three large-scale cohort studies in Japan. *Tob. Control*, Vol. 19, pp. 50-57.
- Hsieh, S.D. and Muto, T. (2010) Waist-to-height ratio is the best anthropometric index for screening the risk of obesity-related disorders. In: *Asian Perspectives and Evidence on Health Promotion and Education*. Muto, T., Naakahara, T. and Nam, E. W. eds., Springer, New York, pp. 358-365.
- Hsieh, S.D., Yoshinaga, H. and Muto, T. (2003) Waist-to-height ratio, a simple and practical index for assessing central fat distribution and metabolic risk in Japanese men and women. *Int. J. Obes.*, Vol. 27, pp. 610–616.
- HUDCO (2006) Data Sheet, Housing and Urban Development Corporation Ltd., Mumbai.
- Hu, F.B. (2003) Plant-based foods and prevention of cardiovascular disease: an overview. *Am. J. Clin. Nutr.*, Vol. 78 (3), pp. 544S-551S
- Hu, C., Yuan, V. and Kitts, D. (2007) Antioxidant activities of the flaxseed lignan secoisolariciresinol diglucoside, its aglycone secoisolariciresinol and the

- mammalian lignans enterodiol and enterolactone *in vitro*. *Food Chem. Toxicol.*, Vol. 45, pp. 2219-2227.
- Hu, F.B. (2009) Diet and lifestyle influences on risk of coronary heart disease. *Curr. Atheroscler. Rep.*, Vol. 11(4), pp. 257-263.
- Hu, G., Jousilahti, P., Antikainen, R., Katzmarzyk, P.T. and Tuomilehto J. (2010) Joint effects of physical activity, body mass index, waist circumference, and waist-to-hip ratio on the risk of heart failure. *Circulation*. Vol. 121, pp. 237-244.
- Human Development Report (1990) Defining and measuring human development. United Nations Development Programme, New York, pp. 1-4.
- ICMR (2002) Nutrient Requirements and Recommended Dietary Allowances for Indians. NIN, Hyderabad, pp. 24-26.
- ICMR (2009) Programme and Background material, Assessment of Nutritional Status and Dissemination of the New RDA for Indians, NIN, ICMR, Hyderabad, pp.3-15.
- IDF (2006) The IDF consensus worldwide definition of the metabolic syndrome. International Diabetes Federation, pp. 1-7.
- Imai, S. and Kajiyama, S. (2010) Eating order diet reduced the postprandial glucose and glycated haemoglobin levels in Japanese patients with type 2 diabetes. *J. Rehabil. Health Sci.*, Vol. 8, pp. 1-7.
- Institute of Medicine (2005), Sodium and chloride. In: Dietary Reference Intakes for Water, Potassium, Sodium, Chloride, and Sulfate. Washington (DC), National Academies Press, pp. 169-173.
- International Expert Committee (2009) Report on the role of the A1C assay in the diagnosis of diabetes. *Diabetes Care*, Vol. 32, pp. 1327–1334.
- Ip, S., Lichtenstein, A.H., Chung, M., Lau, J. and Balk, E.M. (2009) Systematic review: association of low-density lipoprotein subfractions with cardiovascular outcomes. *Ann. Intern. Med.*, Vol. 150, pp. 474–484.
- Iyer, A. and Brown, L. (2011) Fermented wheat germ extract (avemar) in the treatment of cardiac remodeling and metabolic symptoms in rats. *Evid. Based Complement. Alternat. Med.*, Vol. 2011, Article ID 508957, pp. 1-10.
- Janssen, I., Katzmarzyk, P.T. and Ross, R. (2004) Waist circumference and not body mass index explains obesity-related health risk. *Am. J. Clin. Nutr.*, Vol. 79(3), pp. 379–384.
- Jenkins, D.J.A., Jones, P.J.H., Lamarche, B., Kendall, C.W.C., Faulkner, D., Cermakova, L., Giguere, I., Ramprasath, V., De Souza, R., Ireland, C., Patel, D., Srichaikul, K., Abdunour, S., Bashyam, B., Collier, C., Hoshizaki, S., Josse, R. G., Leiter, L.A., Connelly, P.W. and Frohlich, J. (2011) Effect of a dietary portfolio of cholesterol-lowering foods given at 2 levels of intensity of dietary advice on serum lipids in hyperlipidemia. *J. Am. Med. Assoc.*, Vol. 306(8), pp. 831-839.
- Jezierny, D., Mosenthin, R. and Bauer, E. (2010) "The use of grain legumes as a protein source in pig nutrition: A review". *Anim. Feed Sci. Technol.*, Vol. 157, pp. 111–128.
- Jimenez, G.E., Rivera, G.F., Martínez, H.R., Garza, E.J.M. and Villarreal, H.J. (2011) Knowledge of Ischemic Stroke Risk Factors and Warning Signs After a Health Education Program by Medical Students. *Stroke*, Vol. 42, pp. 897-901.

- Jimmy, J., Merz, B. and Noel C. (2011) Is cardiovascular disease in women inevitable?: preparing for menopause and beyond. *Cardiology in Review*, Vol. 19(2), pp. 76-80.
- Jingjun, L., Zhengxing, C., Xiao, G., Jing, L., Mingdi, Z. and Baocai, X. (2010) Optimization of germination conditions to enhance hydroxyl radical inhibition by water-soluble protein from stress millet. *Food Chem.*, Vol. 121, pp. 387-392.
- Jisha, S. and Padmaja, G. (2011) Whey protein concentrate fortified baked goods from cassava-based composite flours: Nutritional and functional properties. *Food Bioprocess Tech.*, Vol. 4(1), pp. 92-101.
- Joint National Committee (2004) Blood pressure and cardiovascular risk, The seventh report of the Joint National Committee on prevention, detection, evaluation, and treatment of high blood pressure, U.S. Department of health and human services, USA, pp. 9-17.
- Jones, L.W., Eves, N.D., Haykowsky, M., Freedland, S.J. and J.R, Mackey (2009) Exercise intolerance in cancer and the role of exercise therapy to reverse dysfunction. *Lancet*, Vol. 10(6), pp. 598–605.
- Joshi, P. and Mehta, D. (2010) Effect of dehydration on the nutritive value of drumstick leaves. *Journal of Metabolomics and Systems Biology*, Vol. 1(1), pp. 5-9.
- Joshi, R., Cardona, M., Iyengar, S., Sukumar, A., Raju, C.R., Raju, K.R., Raju, K., Reddy, K.S., Lopez, A. and Neal, B. (2006) Chronic diseases now a leading cause of death in rural India – mortality data from the Andhra Pradesh Rural Health Initiative. *Int. J. Epidemiol.*, Vol. 35(6), pp. 1522–1529.
- Kadowaki, S., Okamura, T., Hozawa, A., Kadowaki, T., Kadota, A., Murakami, Y., Nakamura, K., Saitoh, S., Nakamura, Y., Hayakawa, T., Kita, Y., Okayama, A. and Ueshima, H. (2008) Relationship of elevated casual blood glucose level with coronary heart disease, cardiovascular disease and all-cause mortality in a representative sample of the Japanese population. *Diabetologia*, Vol 51(4), pp. 575-82.
- Kamal, R. and Aleem, S. (2009) Clinical evaluation of the efficacy of a combination of Zanjabeel (*Zingiber officinale*) and amla (*Emblica officinalis*) in hyperlipidemia, *Indian journal of traditional knowledge*. Vol. 8(3), pp. 413-416.
- Kamini, S. and Sarita, S. Quality characteristics of finger millet based baby food preparation as affected by its varieties and processing techniques. *Journal of Functional and Environmental Botany*, Vol. 1(1), pp. 77-84.
- Kaplan, N.M. and Victor R.G. (2009) Hypertension in childhood and adolescence, In: *Kaplan's Clinical Hypertension*, Edn10, Lippincott Williams & Wilkins, pp. 8.
- Karthikeyan, G., Teo, K.K., Islam, S., McQueen, M.J., Pais, P., Wang, X., Sato, H., Lang, C.C., Sitthi-Amorn, C., Pandey, M.R., KazmiJohn, K., Sanderson, E. and Yusuf, S. (2009) Lipid profile, plasma apolipoproteins, and risk of a first myocardial infarction among Asians- An analysis from the INTERHEART study. *J. Am. Coll. Cardiol.*, Vol. 53, pp. 244-253.
- Kawashima, A., Madarame, T., Koike, H., Komatsu, Y. and Wise, J.A. (2007) Four week supplementation with mixed fruit and vegetable juice concentrates

- increased protective serum antioxidants and folate and decreased plasma homocysteine in Japanese subjects. *Asia Pac. J. Clin. Nutr.*, Vol. 16(3), 411-21.
- Kearney, P.M., Whelton, M., Reynolds, K., Muntner, P., Whelton, P.K. and He, J. (2005) Global burden of hypertension: analysis of worldwide data. *Lancet*, Vol. 365, pp. 217–23.
- Khalafalla, M.M., Abdellatef, E., Dafalla, H.M., Nassrallah, A.A., Aboul-Enein, K.M., Lightfoot, D.A., El-Deeb, F.E. and El-Shemy, H.A. (2010) Active principle from *Moringa oleifera* Lam Leaves effective against two leukemias and a hepatocarcinoma. *Afr. J. Biotechnol.*, Vol. 9(49), pp. 8467-8471.
- Khan, K.H. (2009) Roles of *Emblca officinalis* in medicine, *Bot. Res. Int.*, Vol. 2(4), pp. 218-228.
- Killewo, J., Heggenhougen, K. and Quah S.R. (2010) Risk factors of cardiovascular diseases, In: *Epidemiology and Demography in Public Health*, Killewo, J., Heggenhougen, K. and Quah, S. R. eds., Academic Press, pp. 137–142.
- Kim, H.Y., Okubo, T., Juneja, L.R. and Yokozawa, T. (2010) The protective role of amla (*Emblca officinalis* Gaertn.) against fructose-induced metabolic syndrome in a rat model. *Br. J. Nutr.*, Vol. 103, pp. 502-512.
- Kim, M.Y., Cheong, S.H., Kim, M.H., Son, C.W., Yook, H.S., Sok, D.E., Kim, J.H., Cho, Y.S., Chun, H.K. and Kim, M.R. (2009) Sociodemographic patterning of non-communicable disease risk factors in rural India: a cross sectional study. *J. Med. Food*. 2009, Vol. 12(4), pp. 877-884.
- Kinra, S., Bowen, L.J., Lyngdoh, T., Prabhakaran, D., Reddy, K.S., Ramakrishnan, L., Gupta, R., Bharathi, A.V., Vaz, M., Kurpad, A.V., Smith, G.D., Shlomo, Y.B. and Ebrahim, S. (2010) Sociodemographic patterning of non-communicable disease risk factors in rural India: a cross sectional study, *BMJ*, Vol. 341, pp. c4974.
- Klein, S., Allison, D.B., Heymsfield, S.B., Kelley, D.E., Leibel, R.L., Nonas, C. and Kahn, R. (2007) Waist circumference and cardiometabolic risk: a consensus statement from Shaping America's Health: Association for Weight Management and Obesity Prevention. *Am. J. Clin. Nutr.*, Vol. 85, pp. 1197–1202.
- Koivisto, T., Hutri-Kähönen, N., Juonala, M., Aatola, H., Koobi, T., Lehtimäki, T., Viikari, J.S.A., Raitakari, O.T. and Kähönen, M. (2011) Metabolic syndrome in childhood and increased arterial stiffness in adulthood — The Cardiovascular Risk in Young Finns Study. *Annal. Med.*, Vol. 43(4), pp. 312-319.
- Kokkinos, P. (2010) Cardiovascular disease epidemiology and physical activity. In: *Physical Activity and Cardiovascular Disease Prevention*, Jones and Bartlett Publishers, LLC, pp. 181-183.
- Kones, R. (2011) Primary prevention of coronary heart disease: integration of new data, evolving views, revised goals, and role of rosuvastatin in management. *Drug Des. Devel. Ther.*, Vol. 5, pp. 325–380.
- Kontogianni, M., Yannakoulia, M., Kuhn, L., Shah, S., Day, K. and Mantzoros, C.S. (2009) Nutrition recommendations and interventions for subjects with cardiovascular disease. In: *Nutrition and Health*, Mantzoros, T.S. Ed. Part 4, Humana Press, New York, pp. 221-244.

- Kourlaba, G., Panagiotakos, D.B. (2009) Dietary quality indices and human health: A review. *Maturitas*, Vol. 62(1), pp. 1-8.
- Krishna, K.V.R. (2010) Early markers and Management of Malnutrition. In: *Concepts and Skills for Practical Dietetics*, Bhaskarachary, K., Rao, V.S. and Rao, G.S. eds., Indian Dietetic Association, Hyderabad, pp. 14-16.
- Kubota, Y., Iso, H., Date, C., Kikuchi, S., Watanabe, Y., Wada, Y., Inaba, Y. and Tamakoshi, A. (2011) Dietary Intakes of Antioxidant Vitamins and Mortality From Cardiovascular Disease-The JACC Study. *Stroke*. Vol. 42, pp. 1665-1672.
- Kullo, I.J. and Ding, K. (2007) Mechanisms of disease: the genetic basis of coronary heart disease. *Nat. Clin. Pract. Cardiovasc. Med.*, Vol. 4, pp. 558–69.
- Kumar, B.N., Grøtvedt, L., Meyer, H E., Sjøgaard, A.J. and Strand, B.H. (2008) The Oslo Immigrant Health Profile. Norwegian Institutt of Public Health 7: Rapport, pp. 4-20.
- Kumar, B.N., Selmer, R., Lindman, A.S., Tverdal, A., Falster, K. and Meyer, H.E. (2009) Ethnic differences in SCORE cardiovascular risk in Oslo. *Eur J Cardiovasc Prev Rehabil*, Vol. 16, pp. 229-34.
- Kumar, P., Yadava, R.K., Gollen, B., Kumar, S., Verma, R.K. and Yadav, S. (2011) Nutritional Contents and Medicinal Properties of Wheat: A Review, *Life Sciences and Medicine Research*.
- Labarthe, D. (2010) Cardiovascular disease- A global public health challenge. In: *Epidemiology and Prevention of Cardiovascular Diseases: A Global Challenge*, Edn 2, Jones & Bartlett Learning, pp. 1-7.
- Lachance, P.A., Nakat, Z., Jeong, W.S. (2001) Antioxidants: An Integrative Approach. *Nutr*, Vol. 17, pp. 835-838.
- LaMontagne, A. (2010) The need for expanded job stress intervention effort at the organizational level, *Physical Therapy Reviews*, Vol. (15)1, pp. 38-39.
- Lang, R. and Jebb, S A. (2009) Whole grains. In: *Guide to Nutritional Supplements*, Ed. Caballero, B., Academic Press, pp. 495.
- Lavie, C.J., Milani, R.V. and Ventura, H.O. (2009) Obesity and Cardiovascular Disease: Risk Factor, Paradox, and Impact of Weight Loss. *Journal of the American College of Cardiology*, Vol. 53(21), pp. 1925-1932.
- Lawes, C.M.M., Hoorn, S.V., Law, M.R., Elliott, P., MacMahon, S. and Rodgers, A. (2006) Blood pressure and the global burden of disease 2000: part 1: estimates of blood pressure levels. *J. Hypertens.*, Vol. 24, pp. 413–422.
- Leenhardt, F., Fardet, A., Lyan, B., Gueux, E., Rock, E., Mazur, A., Chanliaud, E., Demigné, C. and Rémésy, C. (2008) Wheat germ supplementation of a low vitamin E diet in rats affords effective antioxidant protection in tissues. *J. Am. Coll. Nutr.*, Vol. 27(2), pp. 222-228.
- Legro, R.S. (2009) Insulin resistance in women's health: why it matters and how to identify it. *Curr. Opin. Obstet. Gynecol.*, Vol. 21(4) – pp. 301-305.
- Lenz, T.L. (2007) *Dyslipidemia, Lifestyle Modifications in Pharmacotherapy*. Lippincott Williams & Wilkins, pp. 133-140.

- Levine, G.N., Frei, B., Koulouris, S.N., Gerhard, M.D., Keaney, J.F. and Vita, J.A. (1996) Ascorbic acid reverses endothelial vasomotor dysfunction in patients with coronary artery disease. *Circulation*, Vol. 93(6), pp. 1107-13.
- Levine, H.J. (1997) Rest heart rate and life expectancy. *J Am Coll Cardiol*, Vol. 30, pp. 1104–1106.
- Liberopoulos, E.N., Florentin, M., Mikhailidis, D.P., and Elisaf, M.S. (2008) Compliance with lipid-lowering therapy and its impact on cardiovascular morbidity and mortality. *Informa Healthcare*, Vol. 7(6), pp. 717-725.
- Lichtenstein, A.H., Appel, L.J., Brands, M., Carnethon, M., Daniels, S., Franch, H.A., Franklin, B., Etherton, P.K., Harris, W.S., Howard, B., Karanja, N., Lefevre, M., Rudel, L., Sacks, F., Horn, L.V., Winston, M. and Rosett J.W. (2006) AHA Scientific Statement Diet and Lifestyle Recommendations Revision 2006, *Circulation*, Vol. 114, pp. 82-96.
- Lieb, W., Sullivan, L.M., Harris, T.B., Roubenoff, R., Benjamin, E.J., Levy, D., Fox, S., Wang, T.J., Wilson, P.W., Kannel, W.B. and Vasani, R.S. (2009) Plasma leptin levels and incidence of heart failure, cardiovascular disease, and total mortality in elderly individuals. *Diabetes Care*, Vol. 32(4), pp. 612-616.
- Limami, A.M., Rouillon, C., Glevarec, G., Gallais, A. and Hirel, B. (2002) Genetic and physiological analysis of germination efficiency in maize in relation to nitrogen metabolism reveals the importance of cytosolic glutamine synthetase. *Plant Physiol.*, Vol. 130, pp. 1860-1870.
- Lindgaard, B., Hansen, T., Hvid, T., VanHall, G., Plomgaard, P., Ditlevsen, S., Gerstoft, J. and Pedersen B. K. (2008) The Effect of Strength and Endurance Training on Insulin Sensitivity and Fat Distribution in Human Immunodeficiency Virus-Infected Patients with Lipodystrophy. *J. Clin. Endocrinol. Metab.*, Vol. 93(10), pp. 3860–3869.
- Lin, J.S., O'Connor, E., Whitlock, E.P., Beil, T.L., Zuber, S.P., Perdue L.A., Plaut, D. and Lutz, K. (2010) Behavioral counseling to promote physical activity and a healthful diet to prevent cardiovascular disease in adults. *Evidence Syntheses*, pp. 79.
- Lin, L.Y., Kuo, H.K., Li, H.Y., Hwang, J.J., Lin, J.W. (2008) Confirming a biological pathway in the metabolic syndrome-Insight from the NHANES 1999-2002. *Obesity* Vol. 16, pp. 2676-2681.
- Liu, C., Feng, M., Fang, X.H., Mu, L.Y., Liu, H.J., Zhang, H.M., Qin, X.M., Jiang, B. and Jin, S.L. (2011a) Metabolic syndrome is an independent risk factor for cardiovascular disease events in patients with ischemic stroke. *Zhonghua Xin Xue Guan Bing Za Zhi*, Vol. 39(4), pp. 358-62.
- Liu, L., Deseo, M.A., Morris, C., Winter, K.M. and Leach, D.N. (2011b) Investigation of  $\alpha$ -glucosidase inhibitory activity of wheat bran and germ. *Food Chem.*, Vol. 126(2), pp. 553–561.
- Lloyd-Jones, D., Adams, R., Carnethon, M., De Simone, G., Ferguson, T.B., Flegal, K., Ford, E., Furie, K., Go, A., Greenlund, K., Haase, N., Hailpern, S., Ho, M., Howard, V., Kissela, B., Kittner, S., Lackland, D., Lisabeth, L., Marelli, A., McDermott, M., Meigs, J., Mozaffarian, D., Nichol, G., O'Donnell, C., Roger, V., Rosamond, W., Sacco, R., Sorlie, P., Stafford, R., Steinberger, J., Thom, T.,

- Smoller, S.W., Wong, N., Rosett, J.W. and Hong, Y. (2009) Heart Disease and Stroke Statistics—2009 Update. *Circulation*, Vol. 119, pp. e21-e181.
- Lloyd-Jones, D., Adams, R.J., Brown, T.M., Carnethon, M., Dai, S., De Simone, G., Ferguson, T.B., Ford, E., Furie, K., Gillespie, C., Go, A., Greenlund, K., Haase, N., Hailpern, S., Ho, P.M., Howard, V., Kissela, B., Kittner, S., Lackland, D., Lisabeth, L., Marelli, A., McDermott, M.M., Meigs, J., Mozaffarian, D., Mussolino, M., Nichol, G., Roger, V.L., Rosamond, W., Sacco, R., Sorlie, P., Stafford, R., Thom, T., Wasserthiel-Smoller, S., Wong, N.D. and Rosett, J.W. (2010) Heart Disease and Stroke Statistics—2010 Update, *Circulation*, Vol. 121, pp. e46-e215.
- Lobo, V., Patil, A., Phatak, A. and Chandra, N. (2010) Free radicals, antioxidants and functional foods: Impact on human health. *Phcog. Rev.*, Vol. 4, 118-2.
- Lotfi, M.H., Kannan, A.T., Dwivedi, S. and Sundaram, K.R. (2009) The Role of Socio-economic Indicators in the Causation of Coronary Artery Disease. *J. Tums. Ac. Ir.* Vol. 47(4), pp. 301-307.
- Luqman, S. and Kumar, R. (2011) Attenuation of hydroxyl radical formation by extracted constituent of *Moringa oleifera*. *Curr. Chem. Biol.*, Vol. 5(3), pp. 213-218.
- MacDonald, M.R., Petrie, M.C., Fisher, M. and McMurray, J.J.V. (2009) Pharmacologic management of patients with both heart failure and diabetes. *Curr. Heart. Fail. Rep.*, Vol. 6(2), pp. 126-132.
- Madhuri, S., Govind, P. and Verma, K.S. (2011) Antioxidant, immunomodulatory and anticancer activities of *Emblica officinalis*: An overview. *IRJP*, Vol. 8, pp. 38-42.
- Madurai Corporation (2006) <http://203.101.40.168/newmducorp/publichealth.htm> (accessed February 9, 2012).
- Magnussen, C.G., Venn, A., Thomson, R., Juonala, M., Srinivasan, S.R., Viikari, J.S.A., Berenson, G.S., Dwyer, T. and Raitakari, O.T. (2009) The association of pediatric low- and high-density lipoprotein cholesterol dyslipidemia classifications and change in dyslipidemia status with carotid intima-media thickness in adulthood, *J. Am. Coll. Cardiol.*, Vol. 53(10), pp. 860–869.
- Maheshwari, V.K. (2011) Qualitative Research – Leveraging Interviews. <http://www.vkmaheshwari.com/WP/?p=29> Accessed February 9, 2012.
- Malathy, R., Narmadha, M.P., Ramesh, S., Alvin, J.M. and Dinesh, B.N. (2011) Effect of a diabetes counseling programme on knowledge, attitude and practice among diabetic patients in Erode district of South India. *J. Young Pharm.*, Vol. 3(1), pp. 65–72.
- Mani, U.V., Mani, I., Biswas, M. and Kumar, S.N. (2011) An open-label study on the effect of flax seed powder (*Linum usitatissimum*) supplementation in the management of diabetes mellitus. *J. Diet. Suppl.*, Vol. 8(3), pp. 257-265.
- Marfell-Jones, M., Olds, T., Stewart, A. and Carter, L. (2001) International standards for anthropometric assessment. International Society for the Advancement of Kinanthropometry, ISAK, International standards for anthropometric assessment. The International Society for the Advancement of Kinanthropometry, Australia.

- Marma, A.K., Berry, J.D., Ning, H., Persell, S.D. and Lloyd-Jones, D.M. (2010) Distribution of 10-year and lifetime predicted risks for cardiovascular disease in US adults. *Circulation*, Vol. 3, pp. 8-14.
- Mathavan, A., Chockalingam, A., Chockalingam, S., Bilchik, B. and Saini, V. (2009) Madurai Area Physicians Cardiovascular Health Evaluation Survey (MAPCHES) – an alarming status. *Can. J. Cardiol.*, Vol. 25(5), pp. 303–308.
- Mathers C.D. and Loncar, D. (2006) Projections of global mortality and burden of disease from 2002 to 2030. *PLoS Med.*, Vol. 3(11), pp. e442.
- Martin, C., Butelli, E., Petroni, K. and Tonellib, C. (2011) How can research on plants contribute to promoting human health?, *The plant cell*, Vol. 23, pp. 1685–1699.
- Martin, S.S., Qasim, A. and Reilly, M.P. (2008), Leptin resistance. *J. Am. Coll. Cardiol.*, Vol. 52, pp. 1201–10.
- Matriniuk, A.L.C., Lee, C.M.Y., Lawes, C.M.M., Ueshima, H., Suh, I., Lam, T.H., Gu, D. and Woodward, M. (2007) Hypertension: its prevalence and population-attributable fraction for mortality from cardiovascular disease in the Asia-Pacific region. *J. Hypertens.*, Vol. 25, pp. 73–79.
- McCullough, R.S., Edel, A.L., Bassett, C.M.C., LaValle'e, R.K., Dibrov, E., Blackwood, D.P., Ander, B.P. and Pierce, G.N. (2011) The alpha linolenic acid content of flaxseed is associated with an induction of adipose leptin expression. *Lipids*, Vol. 46, pp. 1043–1052.
- McDermott, M.M., Ferrucci, L., Liu, K., Guralnik, J.M., Tian, L., Kibbe, M., Liao, Y., Tao, H. and Criqui, M.H. (2011) Women with peripheral arterial disease experience faster functional decline than men with peripheral arterial disease. *J. Am. Coll. Cardiol.*, Vol. 57, pp. 707-714.
- McDermott, M.M., Liu, K., Ferrucci, L., Tian, L., Guralnik, J.M., Liao, Y. and Criqui, M. H. (2011) Decline in functional performance predicts later increased mobility loss and mortality in peripheral arterial disease. *J. Am. Coll. Cardiol.*, Vol. 57, pp. 962-970.
- McEvoy, C. and Woodside, J.V. (2010) Vegetarian and Vegan Diets: Weighing the Claims. *Nutrition Guide for Physicians, Nutrition and Health*, pp. 81-93.
- McCarthy, H.D., Cole, T.J., Fry, T., Jebb, S.A., Prentice, A.M. (2006) Body fat reference curves for children. *Int. J. Obes.*, Vol. 30, pp. 598–602.
- McKenney, J.M. and Hawkins, D. (2001) Handbook on the management of lipid disorders, 2<sup>nd</sup> ed, St. Louis: National Pharmacy Cardiovascular Council, pp. 18-24.
- Mellen, P.B., Palla, S.L., Goff, D.C. and Bonds, D.E. (2004) Prevalence of nutrition and exercise counseling for patients with hypertension. *J. Gen. Intern. Med.*, Vol. 19, pp. 917–24.
- Mellen, P.B., Walsh, T.F. and Herrington, D.M. (2008) Whole grain intake and cardiovascular disease: a meta-analysis. *Nutr. Metab. Cardiovasc. Dis.*, Vol. 18, pp. 283–290.
- Mensah, G.A. (2007) Healthy endothelium: the scientific basis for cardiovascular health promotion and chronic disease prevention. *Vascul. Pharmacol.*, Vol. 46, pp. 310–4.

- Merz, C.N.B., Alberts, M.J., Balady, G.J., Ballantyne, C.M., Berra, K., Black, H.R., Blumenthal, R.S., Davidson, M.H., Fazio, S.B., Ferdinand, K.C., Fine, L.J., Fonseca, V., Franklin, B.A., McBride, P.E., Mensah, G.A., Merli, G.J., O'Gara, P.T., Thompson, P.D. and Underberg, J.A. (2009) ACCF/AHA/ACP 2009 competence and training statement: A curriculum on prevention of cardiovascular disease. *Circulation*, Vol. 120, pp. e100-e126.
- Mestas, J. and Ley, K. (2008) Monocyte-Endothelial Cell Interactions in the Development of Atherosclerosis. *Trends in Cardiovascular Medicine* Vol. 18(6), pp. 228-232.
- Metzger, B.T. and Barnes, D.M. (2009) Polyacetylene diversity and bioactivity in orange market and locally grown colored carrots (*Daucus carota* L.). *Agric. Food Chem.*, Vol. 57(23), pp. 11134–11139.
- Micha, S.R., Wallace, K. and Mozaffarian, D. (2009) Red and Processed Meat Consumption and Risk of Incident Coronary Heart Disease, Stroke, and Diabetes Mellitus. *Circulation*, Vol. 121, pp. 2271-2283.
- Miraglia, M.L., and Dwyer, J.T. (2009) Dietary Recommendations for Primary Prevention: An Update. *Am. J. Lifestyle Med.*, Vol. 5(2), pp. 144-155.
- Mitra, A., Pradhan R. and Mukherjee S. (2009) Importance of Heart-Healthy Diet. *J Hum Ecol.*, Vol. 27(1) pp. 53-61
- Mitrou, P.N., Kipnis, V., Thiébaud, A.C., Reedy, J., Subar, A.F., Wirfält, E., Flood, A., Mouw, T., Hollenbeck, A.R., Leitzmann, M.F. and Schatzkin, A. (2007) Mediterranean dietary pattern and prediction of all-cause mortality in a US population: results from the NIH-AARP Diet and Health Study. *Arch. Intern. Med.*, Vol. 167, pp. 2461–2468.
- Moghaddasi, M.S. (2011) Linseed and usages in human life. *Adv. Enot. Biol.*, Vol. 5(6), pp. 1380-1392.
- Mohan, V., Deepa, M., Farooq, S., Prabhakaran, D. and Reddy K.S. (2007) Surveillance for risk factors of cardiovascular disease among an industrial population in southern India. *Natl. Med. J. India*, Vol. 21 (1), pp. 8-9.
- Morgan, E.H. and Worsley, T. (2011) Expert Perspectives on Fruit and Vegetable Consumption in Australia. *Am. J. Health Promo.*, Vol. 26(1), pp. 10-13.
- Motlhanka D.M. and Makhabu, S.W. (2011) Medicinal and edible wild fruit plants of Botswana as emerging new crop opportunities. *J. Med. Plant. Res.*, Vol. 5(10), pp. 1836-1842.
- Moyo, B, Masika, P.J., Hugo, A. and Muchenje, V. (2011) Nutritional characterization of Moringa (*Moringa oleifera* Lam.) leaves. *Afr. J. Biotechnol.*, Vol. 10(60), pp. 12925-12933.
- Mozaffarian, D., Appel, L.J. and Horn, V.L. (2011) Components of a cardioprotective diet. *Circulation*, Vol. 123, pp. 2870-2891.
- Mridha, M.O.F., Noor, P., Khaton, R., Islamb D. and Hossain, M. (2010) Effect of spirulina platensis on lipid profile of long evans rats. *Bangladesh J. Sci. Ind. Res.*, Vol. 45(3), pp. 249-254.
- Myers, J. (2008) Principles of exercise prescription for patients with chronic heart failure. *Heart Failure Reviews*, Vol. 13(1), pp. 61-68.

- Nagura, J., Iso, H., Watanabe, Y., Maruyama, K., Date, C., Toyoshima, H., Yamamoto, A., Kikuchi, S., Koizumi, A., Kondo, T., Wada, Y., Inaba, Y. and Tamakoshi, A. (2009) Fruit, vegetable and bean intake and mortality from cardiovascular disease among Japanese men and women: the JACC Study, *Br. J. Nutr.*, Vol. 102, pp. 285–292.
- Nambiar, V.S., Guin, P., Parnami, S. and Daniel, M. (2010) Impact of antioxidants from drumstick leaves on the lipid profile of hyperlipidemics. *J. Herb. Med. Toxicol.*, Vol. 4(1), pp. 165-172.
- Nandave, M., Ojha, S.K., Joshi, S., Kumari, S. and Arya, D.S. (2009) Moringa oleifera leaf extract prevents Isoproterenol-induced myocardial damage in rats: evidence for an antioxidant, antiperoxidative, and cardio protective intervention. *J. Med. Food*, Vol. 12(1), pp. 47-55.
- Narayana, A. (2010) Emerging category of functional foods for human health-challenges for scientists, marketers and regulators in India, Indian dietetic association. Souvenir and abstracts, XXXIII Annual National Conference, NIN, Hyderabad, pp. 19.
- NCEP (2002) Third report of the National Cholesterol Education Programme expert panel on detection, evaluation, and treatment of high blood cholesterol in adults (Adult Treatment Panel III): final report. *Circulation*, Vol. 106, pp. 3143–3421.
- Ndiokwelu, E. and Ndiokwelu, C. (2006) Dietary Counseling in the Prevention and Control Of Oral Diseases – A Review. *African Journal of oral Health*, Vol. 2, pp. 26-36.
- Nelkin, D. (2003). Foreword: The social meanings of risk. In B. Harthorn & L. Oaks (Eds.), *Risk, Culture, and Health Inequality: Shifting Perceptions of Danger and Blame*. Westport: CT: Praeger, pp. vii-xiii.
- Nelson, N.J. (1999) Purple carrots, margarine laced with wood pulp? Nutraceuticals move into the supermarket. *J. Natl. Cancer. Inst.*, Vol. 91(9), pp. 755-757.
- Nielsen, J.V., Jönsson, E., Ivarsson, A. (2005) A low carbohydrate diet in type 1 diabetes: clinical experience – a brief report. *Ups. J. Med. Sci.*, Vol. 110(3), pp. 267-273.
- Nimptsch, K., Brand-Miller, J.C., Franz, M., Sampson, L., Willett, W.C. and Giovannucci, E. (2011) Dietary insulin index and insulin load in relation to biomarkers of glycemic control, plasma lipids, and inflammation markers. *Am. J. Clin. Nutr.*, Vol. 94(1), pp. 182-190.
- Ning, F., Tuomilehto, J., Pyörälä, K., Onat, A., Söderberg, S. and Qiao, Q. (2010) Cardiovascular disease mortality in europeans in relation to fasting and 2-h plasma glucose levels within a normoglycemic range. *Diabetes Care*, Vol. 33(10), pp. 2211-2216.
- NIN/ICMR (1982) Some Common Indian Recipes and Their Nutritive Value, NIN, Hyderabad.
- Njelekela, M. A., Mpembeni, R., Muhihi, A., Mligiliche, N. L., Spiegelman, D., Hertzmark, E., Liu, E., Finkelstein, J. L., Fawzi, W. W., Willett W. C. and Mtabaji, J. (2009) Gender-related differences in the prevalence of cardiovascular disease risk factors and their correlates in urban Tanzania. *BMC Cardiovascular Disorders*, Vol. 9, pp. 30.

- Noda, H., Iso, H., Irie, F., Sairenchi, T., Ohtaka, E. and Ohta, H. (2010) Gender difference of association between LDL cholesterol concentrations and mortality from coronary heart disease amongst Japanese: the Ibaraki Prefectural Health Study. *J. Intern. Med.*, Vol. 267(6), pp. 576–587.
- Norris, C and Clark, A.M. (2009) Assessment of cardiovascular function. In: 'Brunner and Suddarth's Textbook of Medical-Surgical Nursing, (2nd Ed) Day, P. ed Canadian Edition, Lippincott Williams pg 732-770.
- Oduro, I., Ellis, W.O. and Owusu, D. (2008) Nutritional potential of two leafy vegetables, *Moringa oleifera* and *Ipomoea batatas* leaves. *Sci. Res. Essays*, Vol. 3(2), pp. 057-060.
- O'Neil, B.J., Hoekstra, J., Pride, Y.B., Lefebvre, C., Diercks, D., Peacock, W.F., Fermann, G.J., Gibson, C.M., Pinto, D., Giglio, J.F., Chandra, A., Cairns, C.B., Clark, C., Massaro, J. and Krucoff, M. (2010) Incremental Benefit of 80-Lead Electrocardiogram Body Surface Mapping Over the 12-Lead Electrocardiogram in the Detection of Acute Coronary Syndromes in Patients Without ST-elevation Myocardial Infarction. *Academic Emergency Medicine*, Vol. 17(9), pp. 932–939.
- Paganini-Hill, A. (2011), Lifestyle practices and cardiovascular disease mortality in the elderly: The Leisure World Cohort Study. *Cardiol. Res. Pract.* doi: 10.4061/2011/983764.
- Pande, R., Mishra, H.N. and Singh, M.N. (2011) Adsorption Sorption Isotherms of Raw and Microwave Optimized Green Gram (*Vigna radiata*). Louisville, Kentucky, pp. 7-10.
- Park, D., Desai, P., Aiyengar, J. and Balladur, A. (1998) Geographic differences in the characteristics of coronary artery disease in India. *Int. J. Cardiol.*, Vol. 67(2), pp. 187-9.
- Parker, E.D., Pereira, M.A., Stevens, J. and Folsom, A.R. (2009) Association of Hip Circumference With Incident Diabetes and Coronary Heart Disease, *Am. J. Epidemiol.*, Vol. 169(7), pp. 837-847.
- Pasupathi, P., Rao, Y.Y., Farook, J., Saravanan, G. and Bakthavathsalam, G. (2009) Effect of Cigarette Smoking on Lipids and Oxidative Stress Biomarkers in Patients with Acute Myocardial Infarction. *Research Journal of Medicine and Medical Sciences*, Vol. 4(2), pp. 151-159.
- Patel, J.V., Lim, H.S., Gunarathne, A., Tracey, I., Durrington, P.N., Hughes, E.A. and Lip, G.Y. (2008) Ethnic differences in myocardial infarction in patients with hypertension: effects of diabetes mellitus. *QJM*, Vol. 101(3), pp. 231-6.
- Paynter, N.P., Chasman, D.I., Buring, J.E., Shiffman, D., Cook, N.R. and Ridker P.M. (2009) Cardiovascular Disease Risk Prediction With and Without Knowledge of Genetic Variation at Chromosome 9p21.3. *Annal. Inter. Med.*, Vol. 150(2), pp. 65-72.
- Paynter, N.P., Chasman, D., Paré, G., Buring, J.E., Cook, N.R., Miletich, J.P. and Ridker, P.M. (2010) Association between a literature-based genetic risk score and cardiovascular events in women. *J. Am. Med. Assoc.*, Vol. 303(7), pp. 631-637.

- Perez, G.F.J., Salinas, A.C.A., Valdes, A.P., Ramos, C.D., Garber, L.I. and Rull, J.A. (2010) HbA1c for the diagnosis of diabetes mellitus in a developing country. *Arch. Med. Res.*, Vol. 41(4), pp. 302-308.
- Perkovic, V., Huxley, R., Wu, Y., Prabhakaran, D. and MacMahon, S. (2007) The burden of blood pressure-related disease: a neglected priority for global health. *Hypertension*, Vol. 50, pp. 991-997.
- Peterson, J., Dwyer, J., Adlercreutz, H., Scalbert, A., Jacques, P. and McCullough, M. L. (2010) Dietary lignans: physiology and potential for cardiovascular disease risk reduction. *Nutr. Rev.*, Vol. 68(10), pp. 571-603.
- Pickering, T.G., Hall, J.E., Appel, L.J., Falkner, B.E., Graves, J., Hill, M.N., Jones, D.W., Kurtz, T., Sheps, S.G. and Roccella, E.J. (2005) Recommendations for Blood Pressure Measurement in Humans and Experimental Animals. *Circulation*, Vol. 111, pp. 697-716.
- Pihl, E., Fridlund, B. and Mårtensson, J. (2011) Patients' experiences of physical limitations in daily life activities when suffering from chronic heart failure; a phenomenographic analysis. *Scand. J. Caring. Sci.*, Vol. (25)1, pp. 3-11.
- Pischon, T., Boeing, H., Hoffmann, K., Bergmann, M., Schulze, M.B., Overvad, P.H. K., Van Der Schouw, Y.T., Spencer, E., Moons, K.G.M., Tjønneland, A., Halkjaer, J., Jensen, M.K., Stegger, J., Clavel-Chapelon, F., Boutron-Ruault, M.C., Chajes, V., Linseisen, J., Kaaks, R., Trichopoulou, A., Trichopoulos, D., Bamia, C., Sieri, S., Palli, D., Tumino, R., Vineis, P., Panico, S., Peeters, P. H. M., May, A. M., Bueno-de-Mesquita, H.B., van Duijnhoven, F.J.B., Hallmans, G., Weinehall, L., Manjer, J., Hedblad, B., Lund, E., Agudo, A., Arriola, L., Barricarte, A., Navarro, C., Martinez, C., Quirós, J.R., Key, T., Bingham, S., Khaw, K.T., Chir, B., Boffetta, P., Jenab, M., Ferrari, P., and Riboliet, E. (2008) General and abdominal adiposity and risk of death in Europe. *N. Engl. J. Med.*, Vol. 359, pp. 2105-2120.
- Potter, A. S., Foroudi, S., Stamatikos, A., Patil B. S. and Deyhim, F. (2011) Drinking carrot juice increases total antioxidant status and decreases lipid peroxidation in adults. *Nutr. J.*, Vol. 10, pp. 96.
- Poudyal, H., Panchal, S. and Brown, L. (2010) Comparison of purple carrot juice and  $\beta$ -carotene in a high-carbohydrate, high-fat diet-fed rat model of the metabolic syndrome. *Br. J. Nutr.*, Vol. 104, pp. 1322-1332.
- Power, C., Atherton, K. and Manor, O. (2008) Co-occurrence of risk factors for cardiovascular disease by social class: 1958 British birth cohort. *J Epidemiol Community Health*, Vol. 62, pp. 1030-1035.
- Pozharitskaya, O.N., Ivanova, S.A., Shikov A.N. and Makarov, V.G. (2007) Separation and evaluation of free radical-scavenging activity of phenol components of *Embllica officinalis* extract by using an HPTLC-DPPH method. *J. Sep. Sci.*, Vol. 30(9), pp. 1250-1254.
- Prabhakaran, D., Yusuf, S., Mehta, S., Pogue, J., Avezum, A., Budaj, A., Cerumzynski, L., Flather, M., Fox, K., Hunt, D., Lisheng, L., Keltai, M., Parkhomenko, A., Pais, P., Reddy, S., Ruda, M., Hiquing, T. and Jun, Z. (2005) Two-year outcomes in patients admitted with non-ST elevation acute coronary syndrome. *Indian Heart J.*, Vol. 57, pp. 217-25.

- Prasad, K. (2009) Flax lignan complex slows down the progression of atherosclerosis in hyperlipidemic rabbits. *J. Cardiovasc. Pharmacol. Ther.*, Vol. 14, pp. 38–48.
- Prineas, R.J., Crow, R.S. and Blackburn, H. (1982) The first steps. In: The Minnesota code manual of electrocardiographic findings: Standards and procedures for measurement and classification. Boston, Mass Wright, pp. 1-12.
- Prineas, R.J., Crow, R.S. and Zhang, Z.M. (2010) Criteria for significant electrocardiographic change, The minnesota code of electrocardiographic findings. Springer-Verlag London Ltd., London, pp. 226-260.
- Pullen, P.R., Thompson, W.R., Benardot, D., Brandon, L.J., Mehta, P.K., Rifai, L.Y., Vadnais, D.S., Parrott, J.M. and Khan, B.V. (2010) Benefits of yoga for African American heart failure patients. *Med. Sci. Sport. Exerc.*, Vol. 42(4), pp. 651-657.
- Purup, S., Larsen, E. and Christensen, L.P. (2009) Differential Effects of Falcarinol and Related Aliphatic C<sub>17</sub>-Polyacetylenes on Intestinal Cell Proliferation, *J. Agric. Food Chem.*, Vol. 57(18), pp. 8290–8296.
- Raghuramulu, N., Nair, K.M. and Kalyanasundaram, S. (2003), Analytical methods, A Manual of Laboratory Techniques, NIN, Hyderabad, pp. 55-195.
- Ramaa, C.S., Shirode, A.R., Mundada A.S. and Kadam, V.J. (2006) utraceuticals- an emerging era in the treatment and prevention of cardiovascular diseases. *Curr. Pharm. Biotechnol.*, Vol. 7, pp. 15-23.
- Ramachandran, A., Snehalatha, C., Yamuna, A. and Murugesan, N. (2008) High prevalence of cardiometabolic risk factors among young physicians in India. *J. Assoc. Physicians*, Vol. 56, pp. 17-20.
- Rao, D. (2010). Diet and CVD, Indian dietetic association. Souvenir and abstracts, XXXXIII Annual National Conference, NIN, Hyderabad, pp.21.
- Raphael, C.E., Whinnett, Z.I., Davies, J.E., Fontana, M., Ferenczi, E.A., Manisty, C.H., Mayet, J. and Francis, D.P. (2009) Heart failure and cardiomyopathy Quantifying the paradoxical effect of higher systolic blood pressure on mortality in chronic heart failure. *Heart*, Vol. 95, pp. 56-62.
- Redberg, R.F., Benjamin, E.J., Bittner, V., Braun, L.T., Goff, D.C., Havas, S., Labarthe D.R., Limacher, M.C., Lloyd-Jones, D.M., Mora, S., Pearson, T.A., Radford, M.J., Smetana, G.W., Spertus, J.A. and Swegler, E.W. (2009) Performance measures for primary prevention of cardiovascular disease in adults, A report of the American College of Cardiology Foundation/American Heart Association Task Force on Performance Measures. *J. Am. Coll. Cardiol.*, Vol. 54, pp. 1364-1405.
- Reddy, A.A. (1987) Extension programme building, Extension Education, Sree Lakshmi Press, Bapatla, pp. 139-187.
- Reddy, K.S. (2004) Cardiovascular disease in non-western countries. *N. Engl. J. Med.*, Vol. 350, pp. 2438-40.
- Reddy, K.S., Shah, B., Varghese, C. and Ramdoss, A. (2005) Responding to the challenge of chronic diseases in India. *Lancet*, Vol. 366, pp. 1744-1749.
- Reddy, S.D., Kumar C.V. and Raghunath, M. (2009) Antioxidant activity of commonly consumed cereals, millets, pulses and legumes in India. *Indian J Biochem. Biophys.*, Vol. 46, pp. 112-115.

- Reddy, T.S. (2008) Introduction. In: Study conducted at Cuddapah district of Andhra Pradesh- education. India, Mittal Publications, pp. 1-18.
- Rehm, J., Mathers, C., Popova, S., Thavorncharoensap, M., Teerawattananon, Y. and Patra, J. (2009) Global burden of disease and injury and economic cost attributable to alcohol use and alcohol-use disorders. *Lancet*, Vol. 373(9682), pp. 2223-2233.
- Rezq, A.A. and Mahmoud, M.Y. (2011) Preventive effect of wheat germ on hypercholesteremic and atherosclerosis in rats fed cholesterol-containing diet. *Pak. J. Nutr.*, Vol. 10(5), pp. 424-432.
- Riccioni, G., Bucciarelli, T., Mancini, B., Corradi, F., Dillio, C., Mattei, P.A. and D'Orazio, N. (2007) Antioxidant vitamin supplementation in cardiovascular diseases. *Ann. Clin. Lab. Sci.*, Vol. 37, pp. 89-95.
- Rigotti, N.A., Pipe, A.L., Benowitz, N.L., Arteaga, C., Garza, D. and Tonstad, S. (2010) Efficacy and Safety of Varenicline for Smoking Cessation in Patients With Cardiovascular Disease. *Circulation*, Vol. 121, pp. 221-229.
- Rikli, R.E., & Jones, C.J. (2001) Senior fitness test manual. Champaign, IL: Human Kinetics.
- Roberfroid, M.B. (2007) Concepts and strategy of functional food science: the European perspective. *Am. J. Clin. Nutr.*, Vol. 71, pp. 1660-4.
- Robinson et al. (1997) Basic Nutrition and Diet Therapy, New Jersey: Von Hoftman, pp. 20 - 21.
- Romiszowski, A.J. (1968) The Selection and Use of Teaching Aids. International Text Book Co., Ltd., Parkgate Road, England.
- Ros, E. (2009) Nuts and novel biomarkers of cardiovascular disease. *Am. J. Clin. Nutr.*, Vol. 89(5), pp. 1649S-1656S.
- Ross, A., & Thomas, S. (2010). The Health Benefits of Yoga and Exercise: A Review of Comparison Studies. *J. Altern. Complem. Med.*, 16(1), 3-12.
- Rothwell, P.M., Howard, S.C., Dolan, E., O'Brien, E., Dobson, J.E., Dahlöf, B., Sever, P.S. and Poulter, N.R. (2010) Prognostic significance of visit-to-visit variability, maximum systolic blood pressure, and episodic hypertension. *Lancet*, Vol. 375(9718), pp. 895-905.
- Rowe, S., Alexander, N., Clydesdale, F.M, Applebaum, R.S., Atkinson, S., Black, R.M., Dwyer, J.T., Hentges, E., Higley, N.A., Lefevre, M., Lupton, J.R., Miller, S.A., Tancredi, D.L., Weaver, C.M., Woteki, C.E. and Wedral, E. (2009) Funding food science and nutrition research: financial conflicts and scientific integrity. *Am. J. Clin. Nutr.*, Vol. 89, pp. 1285-1291.
- Roy, F., Bye, J.I. and Simpson, B.K. (2010) Bioactive proteins and peptides in pulse crops, pea, chickpea and lentil. *Food Research Int.*, 43, pp. 432- 422.
- Salminen, M., Kuoppamaki, M., Vahlberg, T., Raiha, I., Irjala K. and Kivela, S.L. (2011) Metabolic syndrome and vascular risk: a 9-year follow-up among the aged in Finland, *Acta Diabetol.*, Vol. 48, pp. 157-165.
- Sandhu, M.S., Waterworth, D.M., Debenham, S.L., Wheeler, E., Papadakis, K., Zhao, J.H., Song, K., Yuan, X., Johnson, T., Ashford, S., Inouye, M., Luben, R., Sims, M., Hadley, D., McArdle, W., Barter, P., Kesäniemi, Y.A., Mahley, R.W., McPherson, R., Grundy, S.M., Bingham, S.A., Khaw, K.T., Loos, R.J.F.,

- Waeber, G., Barroso, I., Strachan, D.P., Deloukas, P., Vollenweider, P., Wareham, N.J. and Mooser, V. (2008) LDL-cholesterol concentrations: a genome-wide association study. *Lancet*, Vol. 371(9611), pp. 483–491.
- Saremi, A. and Arora, R. (2010) Vitamin E and cardiovascular disease. *Am. J. Ther.*, Vol. 17(3), pp. e56-e65.
- Sarwar, N., Gao, P., Seshasai, S.R., Gobin, R., Kaptoge, S., Angelantonio, D.E., Ingelsson, E., Lawlor, D.A., Selvin, E., Stampfer, M., Stehouwer, C.D., Lewington, S., Pennells, L., Thompson, A., Sattar, N., White, I.R., Ray, K.K. and Danesh, J. (2010) Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies. *Lancet*, Vol. 375(9733), pp. 2215-22.
- Sayeed, M.A., Mahtab, H., Sayeed, S., Begum, T., Khanam, P.A. and Banu, A. (2010) Prevalence and risk factors of coronary heart disease in A rural population of Bangladesh, *Ibrahim Med. Coll. J.*, Vol. 4(2), pp. 37-43.
- Scartezzini, P., Antognoni, F., Raggi, M. A., Poli, F. and Sabbioni, C. (2006) Vitamin C content and antioxidant activity of the fruit and of the Ayurvedic preparation of *Embllica officinalis* Gaertn. *J Ethnopharmacol.*, Vol. 104(1-2), 113-8.
- Scott, R., O'Brien, R., Fulcher, G., Pardy, C., d'Emden, M., Tse, D., Taskinen, M.R., Ehnholm, C. and Keech, A. (2008) Effects of fenofibrate treatment on cardiovascular disease risk in 9,795 individuals with type 2 diabetes and various components of the metabolic syndrome-The FIELD study. *Diabetes Care*, Vol. 32(3), pp. 493-8.
- Seth, S., Martin, B.S., Qasim, A. and Reilly, M.P. (2008) A Possible Interface of Inflammation and Metabolism in Obesity-Related Cardiovascular Disease. *J. Am. Coll. Cardiol.*, Vol. 52, pp. 1201-1210.
- Shah, A.S., Dolan, L.M., Kimball, T.R., Gao, Z., Khoury, P.R., Daniels, S.R. and Urbina, E.M. (2009) Influence of duration of diabetes, glycemic control, and traditional cardiovascular risk factors on early atherosclerotic vascular changes in adolescents and young adults with type 2 diabetes mellitus. *J. Clin. Endocrinol. Metab.*, Vol. 94(10), pp. 3740-5.
- Sharma, K.D., Karki, S., Thakur, N.S. and Attri, S. (2010) Chemical composition, functional properties and processing of carrot—a review. *J. Food Sci. Technol.*, Vol. 49(1), pp. 22-32.
- Shay, C.M., Stamler, J., Dyer, A.R., Brown, I.J., Chan, Q., Elliott, P., Zhao, L., Okuda, N., Miura, K., Daviglius, M.L. and Horn, L.V. (2011) Nutrient and food intakes of middle-aged adults at low risk of cardiovascular disease: the international study of macro-/micronutrients and blood pressure (INTERMAP). *Eur. J. Nutr.*, Nov 6, PMID: 22057680
- Shewry, P.R., (2009) The Healthgrain programme opens new opportunities for improving wheat for nutrition and health. *Nutr. Bull.*, 34(2), pp. 225–231.
- Shi, S.D., Jin, Q., Hu, Y., Chi, X., Gao, Y., Tao, Y., Sun, J. and Niu, J.Q. (2011) Dyslipidemia in northeastern China. *Cent. Eur. J. Med.*, Vol. 6(2), pp. 220-226.
- Simmons, R.K., Alberti, K.G.M.M., Gale, E.A.M. Colagiuri, S., Tuomilehto, J., Qiao, Q., Ramachandran, A., Tajima, N., Mirchov, I.B., Ben-Nakhi, A., Reaven, G., Sambo, B.H., Mendis S. and Roglic, G. (2010) The metabolic syndrome: useful

- concept or clinical tool?-Report of a WHO Expert Consultation. *Diabetologia*, Vol. 53, pp. 600–605.
- Simon, M.A., Dong, X.Q., Nonzee, N. and Bennett, C.L. (2009) Heeding Our Words: Complexities of Research Among Low-Literacy Populations, *JCO*, Vol. 27(12), pp. 1938-1940.
- Singh, R.B., Rastogi, S.S., Goyal, R.K., Vajpayee, S., Fedacko, J., Pella D. and Meester, F.D. (2010a) Social class, food intakes and risk of coronary artery disease in the developing world: The Asian paradox. *Nutrition and Health*, Vol. 1, pp. 43-70.
- Singh, K., Dhongade, H., Singh N. and Kashyap, P. (2010b) Hypolipidemic activity of ethanolic extract of daucus carota seeds in normal rats. *Int. J. Biomed. Adv. Res.*, Vol. 1(3), pp. 73-80.
- Singh, L., Kaur, N. and Kumar, P. (2009) Reactive oxygen species (ros), oxidative damage and antioxidative defence systems with emphasis on herbal antioxidants and human and cattle health. *Biochem. Cell. Arch.*, Vol. 9(2), pp. 135-144.
- Soltoft, M., Bysted, A., Madsen, K.H., Mark, A.B. Bügel, S.G., Nielsen, J. and Knuthsen, P. (2011) Effects of organic and conventional growth systems on the content of carotenoids in carrot roots, and on intake and plasma status of carotenoids in humans. *J. Sci. Food Agric.*, Vol. 91(4), pp. 767–775.
- Sreeramulu, D., Reddy, V.K. and Raghunath, M. (2009) Antioxidant activity of commonly consumed cereals, millets, pulses and legumes in India, *Indian J. Biochem. Biophys.*, Vol. 46, pp. 112-115.
- Strazzullo, P., D'Elia, L., Kandala, N.B. and Cappuccio, F.P. (2009) Salt intake, stroke, and cardiovascular disease: meta-analysis of prospective studies. *Br. Med. J.* Vol. 339, pp. b4567.
- Steinberger, J., Daniels, S.R., Eckel, R.H., Hayman, L., Lustig, R.H., McCrindle, B. and Mietus-Snyder, M.L. (2009) Progress and challenges in metabolic syndrome in children and adolescents. *Circulation*, Vol. 119, pp. 628-647.
- Sultanpur, C.M., Deepa, K. and Kumar, S.V. (2010) Comprehensive review on hba1c in diagnosis of diabetes mellitus. *Int. J. Pharm. Sci. Rev. Res.*, Vol. 3(2), pp. 119.
- Suryanarayan, P., Saraswat, M., Petrash J.M. and Reddy, G.B. (2007) Emblica officinalis and its enriched tannoids delay streptozotocin-induced diabetic cataract in rats. *Mol. Vis.*, Vol. 24(13), pp. 1291-7.
- Tanumihardjo, S.A., Valentine, A.R., Zhang, Z., Whigham, L.D., Lai, H.J. and Atkinson, R.L. (2009) Strategies to increase vegetable or reduce energy and fat intake induce weight loss in adults. *Exp. Biol. Med.* Vol. 234, pp. 542–52.
- Tatiana, Y., Warren, M.S., Barry, V., Hooker, S. P. Sui, X., Church, T.S. and Blair, S.N. (2010) Sedentary behaviors increase risk of cardiovascular disease mortality in men. *Med. Sci. Sports. Exerc.*, Vol. 42(5), pp. 879–885.
- Taylor, A.E., Ebrahim, S., Ben-Shlomo, Y., Martin, R.M., Whincup, P.H., Yarnell, J.W., Wannamethee, S.G. and Lawlor D.A. (2010) Comparison of the associations of body mass index and measures of central adiposity and fat mass with coronary heart disease, diabetes, and all-cause mortality: a study using data from 4 UK cohorts. *Am J Clin Nutr.*, Vol. 91(3), pp. 547-556.

- Terao, J. (2009) Dietary flavonoids as antioxidants. In: Yoshikawa T (ed), *Food Factors for Health Promotion. Forum Nutr. Basel.*, Karger, Vol. 6, pp 87–94,
- Terry L. (2011) Potato and other root crops. In: *Health-promoting properties of fruits and vegetables*, CABI, pp. 218-227.
- Thakur, G., Mitra, A., Pal, K., and Rousseau, D. (2009) Effect of flaxseed gum on reduction of blood glucose and cholesterol in type 2 diabetic patients. *Diabetes Care*, 32(3), 493-498.
- Tharanathan, R.N. and Mahadevamma, S. (2003) Grain legumes—a boon to human nutrition. *Trends in Food Science and Technology*, Vol. 14(12), pp. 507-518.
- The Emerging Risk Factors Collaboration (2010) Diabetes mellitus, fasting blood glucose concentration, and risk of vascular disease: a collaborative meta-analysis of 102 prospective studies. *Lancet*, Vol. 375(9733), pp. 2215–2222.
- The Prevention of Food Adulteration Act (1954) (ACT 37 OF 1954) (29th September 1954), <http://dbtbiosafety.nic.in/act/PFA%20Acts%20and%20Rules.pdf> (accessed December 2, 2011).
- Thompson, A.M., Hu, T., Eshelbrenner, C.L., Reynolds, K., He J., and Bazzano, L.A. (2011) Antihypertensive treatment and secondary prevention of cardiovascular disease events among persons without hypertension. A Meta-analysis, Vol. 305(9), pp. 913-922.
- Thompson, P.D., Buchner, D., Pina, I.L., Balady, G.J., Williams, M.A., Marcus, B.H., Berra, K., Blair, S.N., Costa, F., Franklin, B., Fletcher, G.F., Gordon, N.F., Pate, R.R., Rodriguez, B.L., Yancey, A.K. and Wenger, N.K. (2003) Exercise and physical activity in the prevention and treatment of atherosclerotic cardiovascular disease: a statement from the Council on Clinical Cardiology. *Circulation*, Vol. 107(24), pp. 3109-16.
- Thomas, P.R. and Earl, R. (1994) Committee on Opportunities in the Nutrition and Food Sciences, Institute of Medicine: research challenges and the next generation of investigators. Washington, DC: National Academy Press, pp. 109.
- Tibazarwa, K., Ntyintyane, L., Sliwa, K., Gerntholtz, T., Carrington, M., Wilkinson, D. and Stewart, S. (2009) A time bomb of cardiovascular risk factors in South Africa. *Int. J. Cardiol.*, Vol. 132(2), pp. 233-9.
- Tietz, N.W. (1986). "In; Text book of clinical chemistry, Tietz, N. W. ed., W B Saunders company, Philadelphia, London, Toronto", pp.960- 962.
- Toprak, A., Wang, H., Chen, W., Paul, T., Ruan, L., Srinivasan, S. and Berenson, G. (2009) Prehypertension and black-white contrasts in cardiovascular risk in young adults: Bogalusa Heart Study. *J. Hypertens.*, Vol. 27, pp. 243-250.
- Tran, A.T., Straand, J., Diep, L.M., Meyer, H.E., Birkeland K.I. and Jenum, A.K. (2011) Cardiovascular disease by diabetes status in five ethnic minority groups compared to ethnic Norwegians. *BMC Public Health*, Vol. 11, pp. 554.
- Traylor, A.H., Subramanian, U., Uratsu, C.S., Mangione, C.M., Selby, J.V. and Schmittiel, J.A. (2010) Patient race/ethnicity and patient-physician race/ethnicity concordance in the management of cardiovascular disease risk factors for patients with diabetes. *Diabetes Care*, Vol. 33(3), pp. 520-525.

- Tzou, W.S., Douglas, P.S., Srinivasan, S.R., Bond, M.G., Tang, R., Li, S., Chen, W., Berenson, G.S. and Stein, J.H. (2007) Distribution and Predictors of Carotid Intima-Media Thickness in Young Adults. *Prev. Cardiol.*, Vol. 10(4), pp. 181–189.
- Udeniqwe, C., Lu, Y., Han, C., Hou, W. and Aluko, R. (2009) Flaxseed protein-derived peptide fractions: Antioxidant properties and inhibition of lipopolysaccharide-induced nitric oxide production in murine macrophages. *Food Chem.*, Vol. 116, 277-284.
- Ueshima, H. (2007) Explanation for the Japanese paradox: prevention of increase in coronary heart disease and reduction in stroke. *J. Atheroscler. Thromb.*, Vol. 14, pp. 278–286.
- Ueshima, H., Sekikawa, A., Miura, K., Turin, T.C., Takashima, N., Kita, Y., Watanabe, M., Kadota, A., Okuda, N., Kadowaki, T., Nakamura, Y. and Okamura, T. (2008) Cardiovascular disease and risk factors in Asia. *Circulation*, Vol. 118, pp. 2702-2709.
- Ullah, M.F. and Khan, M.W. (2008) Food as medicine: potential therapeutic tendencies of plant derived polyphenolic compounds. *Asian Pac. J. Cancer Prev.*, Vol. 9(2), pp. 187-95.
- U.S. Department of Health and Human Services (2008) Physical Activity Guidelines Advisory Committee Report. Washington, pp. A-7.
- Valdez, R., Yoon, P.W., Qureshi, N., Green, R.F. and Khoury, M.J. (2010) Family History in Public Health Practice: A Genomic Tool for Disease Prevention and Health Promotion. *Annual Review of Public Health*, Vol. 31, pp. 69-87.
- Vandenberg, A., (2009) Future trends in processing and value added activity, In: *The Lentil: Botany, Production and Uses*, Erskine, W., Muehlbauer, F., Sarker, A. and Sharma B. eds. CABI, UK, pp. 404-406.
- Veena, K., Shanthi, P. and Sachdanandam, P. (2006) The biochemical alterations following administration of *Kalpamrutha* and *Semecarpus anacardium* in mammary carcinoma. *Chem. Biol. Interact.*, Vol. 161(1), pp. 69-78.
- Vepsalainen, T., Soinio, M., Marniemi, J., Lehto, S., Juutilainen, A., Laakso, M. and Ronnema, T. (2011) Physical activity, high-sensitivity C-reactive protein, and total and cardiovascular disease mortality in type 2 diabetes. *Diabetes Care*, Vol. 34(7), pp. 1492-1496.
- Vij, K. (2011) Therapeutic Nutrition or Medical Nutrition Therapy. In: *Textbook of Forensic Medicine and Toxicology, Principles and Practice*, Fourth Edition, Elsevier India, New Delhi, pp. 33.
- Warren, T.Y., Barry, V., Hooker, S.P., Sui, X., Church, T.S. and Blair, S.N. (2010) Sedentary behaviors increase risk of cardiovascular disease mortality in men. *Med Sci Sports Exerc.*, Vol. 42(5), pp. 879-885.
- Weber, C., Erl, W., Weber, K. and Weber, P.C. (1996) Increased adhesiveness of isolated monocytes to endothelium is prevented by vitamin C intake in smokers. *Circulation*, Vol. 93, pp. 1488-1492.
- Wijeyesundera, H.C., Machado, M., Farahati, F., Wang, X., Witteman, W., van der Velde, G., Tu, J.V., Lee, D.S., Goodman, S.G., Petrella, R., O'Flaherty, M., Krahn, M. and Capewell, S. (2010) Association of Temporal Trends in Risk

- Factors and Treatment Uptake With Coronary Heart Disease Mortality, 1994-2005. *J. Am. Med. Assoc.*, Vol. 303(18), pp. 1841-1847.
- Wilkins, K., Campbell, N.R.C., Joffres, M.R., McAlister, F.A., Nichol, M., Quach, S., Johansen, H.L. and Tremblay, M.S. (2010) Blood pressure in Canadian adults. *Statistics Canada, Catalogue no. 82-003-XPE, Health Reports*, Vol. 21(1), pp. 2-7.
- Williamson, P. (2010) Exercise for individuals with cardiovascular disease. *Exercise for Special Populations*, Lippincott Williams & Wilkins, Philadelphia, pp. 210-227.
- Winham, D.M., Hutchins, A.M. and Johnston, C.S. (2007) Pinto bean consumption reduces biomarkers for heart disease risk. *J. Am. Coll. Nutr.*, Vol. 26(3), pp. 243-249.
- Winston, G.J., Barr, R.G., Carrasquillo, O., Bertoni, A.G. and Shea, S. (2009) Sex and racial/ethnic differences in cardiovascular disease risk factor treatment and control among individuals with diabetes in the multi-ethnic study of atherosclerosis (MESA). *Diabetes Care*, Vol. 32(8), pp. 1467-1469.
- World Health Organization (1999) Emerging epidemics of noncommunicable diseases and injuries, *The World Health Report 1999: Making a difference*, Geneva, pp. 14-17.
- World Health Organization (2001) Hypertension Study Group. Prevalence, awareness, treatment and control of hypertension among elderly in Bangladesh and India: a multicentric study. *Bull. World Health Org.*, Vol. 79(6), pp. 490-500.
- World Health Organization (2002a) *The World Health Report 2002: Reducing risks, promoting healthy life*. Geneva: World Health Organization; 2002.
- World Health Organization (2002b) *Noncommunicable diseases in South-East Asia region.-A profile*. World Health Organization, New Delhi.
- World Health Organization (2004) Appropriate body-mass index for Asian populations and its implications for policy and intervention strategies. *Lancet*, Vol. 363, pp. 157-163.
- World Health Organization and the International Diabetes Federation. 2004. *Diabetes Action Now booklet*. <http://www.who.int/diabetes/actionnow/booklet/en> Accessed Jan 2, 2012.
- World Health Organization (2007) *Reducing Salt Intake in Populations: Report of a WHO Forum and Technical Meeting*. Paris, France. Geneva, WHO.
- World Health Organization (2008a) *Waist circumference and waist-hip ratio: Report of a WHO expert consultation*. Geneva, WHO, Geneva, pp. 27.
- World Health Organization (2008b) *2008-2013 Action plan for the global strategy for the prevention and control of non communicable diseases*. WHO, Geneva.
- World Health Organization (2009a) *World health statistics 2009*. Geneva: World Health Organization; 2009.
- World Health Organization (2009b) *Interventions on diet and physical activity: what works: summary report*. WHO Press, Geneva. pp. 3-4.

- World Health Organization (2011) World Heart Federation; World Stroke Organization. (2011), Global atlas on cardiovascular disease prevention and control-Policies, strategies and interventions, [http://www.who.int/cardiovascular\\_diseases/publications/atlas\\_cvd/en/index.html](http://www.who.int/cardiovascular_diseases/publications/atlas_cvd/en/index.html)
- Wu, H., Pan, A., Yu, Z., Qi, Q., Lu, L., Zhang, G., Yu, D., Zong, G., Zhou, Y., Chen, X., Tang, L., Feng, Y., Zhou, H., Chen, X., Li, H., Wahnefried, W.D., Hu, F.B. and Lin, X. (2010) Lifestyle counseling and supplementation with flaxseed or walnuts influence the management of metabolic syndrome. *J. Nutr.*, Vol. 140(11), pp. 1937-1942.
- Wu, S.H., Ho, S.C. and Zhong, L. (2010) Effects of vitamin D supplementation on blood pressure. *Southern Med. J.*, Vol. 103, pp. 729–737.
- Yamada, T., Hayasaka, S., Shibata, Y., Ojima, T., Saegusa, T., Gotoh, T., Ishikawa, S., Nakamura Y. and Kayaba, K. (2011), Frequency of citrus fruit intake is associated with the incidence of cardiovascular disease: The Jichi Medical School Cohort Study. *J. Epidemiol.*, Vol. 21, pp.169-175.
- Yan, W., Bingxian, H., Hua, Y., Jianghong, D., Jun, C., Dongliang, G., Yujian, Z., Ling, L., Yanying, G., Kaiti, X., Xiaohai. F. and Da, M. (2007) Waist-to-height ratio is an accurate and easier index for evaluating obesity in children and adolescents. *Obesity*, Vol. 15, 748–752.
- Yokozawa, T., Kim, H.Y., Kim, H.J., Tanaka, T., Sugino, H., Okubo, T., Chu, D.C. and Juneja, L.R. (2007) Amla (*Emblica officinalis* Gaertn.) attenuates age-related renal dysfunction by oxidative stress. *J. Agric. Food Chem.*, Vol. 55 (19), pp 7744–7752.
- Zhang, L., Yang, Y., Xu, Z., Gui, Q. and Hu, Q. (2010) Chewing substances with or without tobacco and risk of cardiovascular disease in Asia: a meta-analysis. *J Zhejiang Univ Sci B.*, Vol. 11(9), pp. 681–689.
- Zia-UI-Haq, M., Ahmad M. and Iqbal, S. (2008) Characteristics of Oil from Seeds of 4 Mungbean [*Vigna radiata* (L.) Wilczek] Cultivars Grown in Pakistan. *J. Am. Oil Chem. Soc.*, Vol. 85 (9), pp. 851-856.
- Ziegelstein, R.C., Thombs, B.D., Coyne, J.C. and De Jonge, P. (2009) Routine screening for depression in patients with coronary heart disease. *J. Am. Coll. Cardiol.*, Vol. 54, pp. 886-890.

