

BIBLIOGRAPHY

- Abasali, H. and Mohamad, S. (2010). Immune response of common carp (*Cyprinus carpio*) fed with herbal immunostimulants diets. *Journal of Animal and Veterinary Advances*. 9 (13): 1839-47.
- Abdelmonem, A.I., S.M.M. Shalaby and A.Y. El-Dakar. (2002). Response of red tilapia to different levels of some medical plants by-products: Black seed and roquette seed meals. *Proceedings of the 1st Conference of Egyptian Aquacultural Society*, December 13-15, 2002, Arish, Egypt, pp: 247-260.
- Abdel-Hakim, N.F., Abo State, H.A., Al-Azab, A.A., & ElKholy, F.K. (2009). Effect of feeding regimes on growth performance of juvenile hybrid tilapia (*Oreochromis niloticus* x *Oreochromis aureus*). *World Journal of Agricultural Science*, 5 (1), 49-54.
- Abdel-Monem, A., Shalaby, S.M. & El-Dakar, A.Y. 2002. Response of red tilapia to different levels of some medicinal plants by-products black seed and roquette seed meals. *1st Conference in Aquaculture. Egyptian Aquaculture Society, El-Arish, Egypt*, pp. 247-280.
- Aberoumad A and Pourshafi K. (2010). Chemical and proximate composition properties of different fish species obtained from Iran. *World Journal of fish and marine science*, 2 (3): 237 – 239.
- Abouzeid.R.H.(1998). Evaluation of some medicinal plants as a feed additive of some medicinal plants as a feed additive in diets of Nile Tilapia (*Oreochromis niloticus*).M.Sc., *Faculty of Agriculture*, El-Fayorum, Cairo University.
- Abutbul S, Avi Golan OZ, Baarazani Dina Zilberg.(2004). Use of *Rosmarinus officinalis* as a treatment against *Streptococcus iniae* in *Oreochromis mossambicus*. *Aquaculture*, 238(1-4): 97-105.
- Abutbul S., Golan-Goldhirsh A., Barazani O., Ofir R and D.Zilberg.(2005). Screening of the desert plants for the use against bacterial pathogens in fish. *Israeli J. Aquacult- Bamidegh*, 57:71-80.
- Adekunle A. (2012). Effects of herbal growth promoter feed additive in fish meal on the performance of Nile Tilapia (*Oreochromis niloticus* (L.)). *Egypt. Acad. J. Biolog. Sci.*, 4(1): 111-117 B.

- Adigüzel, A., G. Medine, B. Meryem, U.T.C. Hatice, A. Fikrettin and K. Üsa. (2005). Antimicrobial effects of *Ocimum basilicum* (Labiatae) extract. *Turkey Journal of Biology* 29:155-160.
- Ali, M.A., Gyulai, G., Hidvégi, N., Kerti, B., Al Hemaïd, F.M., Pandey, A.K. and Lee, J.(2014). The changing epitome of species identification–DNA barcoding. *Saudi journal of biological sciences*, 21(3), pp.204-231
- Aly, M. S., Mohammed, M. F. and John, G. (2008): *Echinacea* as immunostimulatory agent in Nile Tilapia (*Oreochromis niloticus*) via earthen pond experiment. *8th International Symposium on Tilapia in Aquaculture*, 1033-1041.
- Aly, S. M., N.M.A. Atti and M.F. Mohamed, 2006. Effect of garlic on the survival, growth, resistance and quality of *Oreochromis niloticus*. *Animal Health Science*, 1-22.
- Annalaskshmi, T., Fatima, K. M., Innocent, S. A., and Sivagurunathan X. B (2013): Evaluation of immunostimulatory potential of *Phyllanthus amarus* in *Labeo rohita* infected with *Aeromonas hydrophila*, hematological assessment. *IJRAP* 4: 96-100.
- AOAC(1999). Official Method of Analysis. 2nd edition, Association of Official Analytical Chemists, Washington D.C.
- Ardo L, Yin G, Xu P, Vardi L, Szigeti G, Jeney Z, Jeney G. (2008). Chinese herbs (*Astragalus membranaceus* and *Lonicera japonica*) and boron enhance and non-specific immune response of Nile tilapia (*Oreochromis niloticus*) and resistance against *Aeromonas hydrophila*. *Aquaculture* 275: 26- 33.
- Aruldoss, K., Kannan, R. and Chandira, A. (2014): Effect of *Cynodon dactylon* on the hematological parameters in the blood of *Oreochromis mossambicus*. *International Journal of Modern Research and Reviews*, 2: 17-177.
- Asadi MS, Mirvaghefi AR, Nematollahi MA, Banaee M, Ahmadi K.(2012). Effects of Watercress (*Nasturtium nasturtium*) extract on selected immunological parameters of rainbow trout (*Oncorhynchus mykiss*). *Open Veterinary Journal*;2: 32-39.

- Ashraf MA and Goda, S. (2008). Effect of dietary Ginseng herb (Ginsana® G115) supplementation on growth, feed utilization, and hematological indices of Nile Tilapia, *Oreochromis niloticus* (L.), fingerlings. *J World Aquac Soc.* 39(2):205–214.
- Austin B , Austin DA.(1999). Bacterial fish pathogens disease in farmed and wild fish .3rd edition. Springer-Praxis Godalming UK.
- Awad, E.S. (2010). Studies on plant based dietary supplements for control of *Aeromonas hydrophila* infections in rainbow trout (*Oncorhynchus mykiss*, Walbaum). A thesis submitted for the degree of Doctor of Philosophy, School of Life Sciences, Heriot Watt University, Edinburgh, UK.
- Baba.E, Acar.U,Ontas.C, Kesbie.O.S and Yilmaz.S.(2016).The use of *Avena sativa* extract against *A.hydrophila* and its effect on growth performance, haematological and immunological parameters in common carp(*Cyprinus carpio*). *Italin Journal of Animal Science*, 15:2,325-333.
- Bahrami Babahydari, S., Dorafshan, S., Paykan Heyrati, F., Mahboobi Soofiani, N. and Vahabi, M.R.(2014). The physiological changes, growth performance and whole body composition of common carp, *Cyprinus carpio* fed on diet containing wood betony, *Stachys lavandulifolia* extract. *Journal of Agriculture Science Technology*, 16:1565-1574.
- Bairwa MK, Kumar J, Satyanarayana JY, Reddy DA.(2012). Animal and plant originated immunostimulants used in aquaculture. *Scholars Research Library*, 2 :397-400.
- Balasubramani S.P. and Michael.R.D. (2002). Immunomodulation by the fruit extract of Indian Gooseberry, *Phyllanthus emblica* (L) in *Oreochromis mossambicus* (Peters), M.Sc. Project Report, The American College, Madurai.
- Balch JF and Balch PA (2000). Prescription for Nutritional Healing. New York: A very, *Penguin Putnam Inc*, pp.267-270.
- Barton BA, Iwama GK. (1991).Physiological changes in fish from stress in aquaculture with emphasis on the response and effects of corticosteroids. *Annu. Rev. Fish Dis*, 1:3- 26.
- Barua P, Pervez , M.A, Sarkar, D. and Sarker,S. (2012). Proximate biochemical composition of some commercial marine fishes from Bay of Bengal, Bangladesh.

Mesopot. J. Mar. Sci., 27 (1): 59 – 66.

- Begum B.R and Devi G.T. (2003). Antibacterial activity of selected seaweeds from Kovalam southwest coast of India. *Asian J Micorbiol Biotech Env Sci* , 5: 319-322.
- Begum, S.S. and Navaraj, P.S. (2012). Synergistic effect of plant extract supplemented diets on immunity and resistance to *Aeromonas hydrophila* in *Mystus*. *IOSR J Pharmacy Biological Sci.* 2(4): 30-36.
- Behera T, Swain P, Sahoo SK, Mohapatra D, Das PK. (2011). Immunostimulatory effects of curcumin in fish *Labeo rohita*. *Indian J of natural products and resources*, 2:184-188.
- Bello.O.S, Emikpe.B.O and Olaifa.F.E.2012. The Body Weight Changes and Gut Morphometry of *Clarias gariepinus juveniles* on Feeds Supplemented with Walnut (*Tetracarpidium conophorum*) Leaf and Onion (*Allium cepa*) Bulb Residues, *International Journal of Morphology.*, 30 (1):253-257.
- Bhaskar A, Vidya VG, Ramya M. (2008). Hypoglycemic effect of *Mucuna pruriens* seed extract on normal and streptozotocin-diabetic rats. *Fitoterapia* ,79: 539-543.
- Blaxhall, P.C. (1972). The hematological assessment of the health of freshwater fish. A review of selected literature. *J. Fish. Biol.* 4: 593-604.
- Bornemann H. (1989). Investigation of the occurrence of antibiotic resistant strains of *Aeromonas* in mirror carps (*Cyprinus carpio*). Dissertation *Freie Universitaet, Berlin*, 146pp.
- Boschung, H.T and Mayden, R.L. (2004). Mozambique Tilapia: *Oreochromis mossambicus* (Peters). Pp.620. In: *Fishes of Alabama*. Smithsonian Books. Washington D.C. 960.
- Breinholt, 1999. Desirable versus harmful levels of intake of flavonoids and phenolic acids. In: J. Kumpulainen and J.E. Salonen, (Eds.) *Natural Antioxidants and Anticarcinogens in Nutrition*, bayerischen Teilkollektiv der Nationalen Health and Diseases. *The Royal Society of Chem., Cambridge*, 37: 190-197.
- Britto AJD, Jerin SG (2011). Efficacy of fruits of *Jasminum grandiflorum* Linn. Against plant and animal pathogens, *Asian journal of pharmacology and clinical research*, iss. 4,4:74-75.
- Bruton, M.N. and Bolt, R.E. (1975). Aspects of the biology of *Tilapia mossambica*

- Peters (Pisces: Cichlidae) in a natural freshwater lake (Lake Sibaya, South Africa). *Journal of Fish Biology* **7**, 423-445
- Bulfon, C., Volpatti, D and Galeotti, M.(2015). Current research on the use of plant-derived products in farmed fish. *Aquac. Res.* **46**, 513–551.
 - Burt S A and Reminders,R.D. (2003). Antibacterial activity of selected plant essential oils against *Escherichia coli* 0157:H7. *Letters in Applied Microbiology*.**36**(3):162-7.
 - Ceulemans S, Coutteau P, Robles R. (2009). Innovative feed additives improve feed utilization in Nile tilapia. *Global Aquacult Adv*, Nov/Dec. 63–65.
 - Chacko, P.I. and Krishnamoorthi, B. (1954). Observations on *Tilapia mossambica* in Madras. *Journal of Bombay Natural History Society* **52**, 98
 - Chakrabarti, R. and Rao, V. Y. (2006): *Achyranthus aspera* stimulates the immunity and enhances the antigen clearance in *Catla catla*. *International Immunopharmacology*, **6**: 782-790.
 - Chakrabarty, S.B. and Hancz, C., 2011. Application of phytochemicals as immunostimulant, antipathogenic and antistress agents in finfish culture. *Reviews in Aquaculture*, **3**,103-119.
 - Chansue, N., Ponpornpisit, A., Endo, M., Sakai, M. and Satoshi, Y. (2000).Improved immunity of tilapia *Oreochromis niloticus* by C-UP III, an herb medicine. *Fish Pathology*, **35**: 89-90.
 - Charula.S, Sharma.L.L and Sharma .B.K.(2007).The herb kaunch (*Mucuna pruriens*) as growth promoter in supplementary diet of common carp fingerlings. *Fishing chimes*, **26**(10): 69-71.
 - Chen, X., Wu.Z ,Yin .Jand Li,L.(2003). Effects of four species of herbs on immune function of *Carassius auratus gibelio*. *J. Fish. Sci. China*, **10**: 36-40.
 - Chinabut, S., Roberts, R.J., Willoughby, L.G. and Pearson, M.D. (1995). Histopathology of snakehead, *Channa striatus* (Bloch), experimentally infected with the specific *Aphanomyces* fungus associated with epizootic ulcerative syndrome (EUS) at different temperatures. *Journal of Fish Diseases* **18**, 41-47.
 - Chinasamy, A., Kamaraj, M., Devakumar, C., Durai, P., Sivagnanam., S. (2013). Effect of dietary administration of *Zingiber officinale* on growth, survival and immune response of Indian major Carp, *Catla catla* (Ham). *International Journal of Pharmacy Sciences*, **5**: 108-115.
 - Chitra, G.(2003). Immunomodulatory effect of the medicinal plant extracts on

Indian major carp, *Catla catla* M.Sc. Project Report, submitted to Ayya Nadar Janaki Ammal College (Autonomous), Sivakasi.

- Chopra RN, Nayar SL, Chopra IC. (1956). *The glossary of Indian medicinal plants*. New Delhi:CSIR; .p.74.
- Christyapita D , Divyagnaneswari M, Michael R.D. (2007). Oral administration of *Eclipta alba* leaf aqueous extract enhances the non-specific immune responses and disease resistance of *Oreochromis mossambicus*. *Fish Shellfish Immunology*,23(4) : 840-852.
- Citarasu, T., 2010. Herbal biomedicines: a new opportunity for aquaculture industry. *Aquaculture international*, 18:403–414.
- Cooper, G. R., and McDaniel, N. (1970). The determination of glucose by the ortho-Toluidine method. *Standard Methods of Clinical Chemistry*, Vol. 6, p. 159. Ed. by R. MacDonald. Academic Press, New York and London.
- Dada A.A. and Ikuerowo M. (2009). Effect of ethanolic extracts of *Garcinia kola* seeds on growth ,and hematology of catfish (*Clarias gariepinus*) broodstock. *African Journal of Agriculture Research* 4, 334-347.
- Dada A.A and B. D. Olugbemi.(2013). Dietary effects of two commercial feed additives on growth performance and body composition of African catfish *Clarias gariepinus* fingerlings. *Afr. J. Food Sci.* 7(9) pp. 325-328
- Daniel, V.N.; Daniang, L.E. and Nimyel, N.D.(2011). Phytochemical analysis and mineral elements composition of *Ocimum basilicum* obtained in JOS Metropolis, Plateau State ,Nigeria. *International Journal of Engineering and Technology* ,11 :06 , P 135 – 137.
- Davidson, W. W. and Henry, W. W. (1969). *Clinical Diagnosis by laboratory Methods*, 14th ed. London, Toronto: W. B. Saunders.
- Devi, S. K., Annapoorani, S. and Ashokkumar, K. (2011): Hepatic antioxidative potential of ethylacetate fraction of *Cynodon dactylon* in Balbc Mice. *Journal of Medicinal Plants Reasearch*, 5: 992-996.
- Dey, R.K.(1997). On the use of herbal materials for managing diseases and health conditions of fish during sustainable aquaculture practices. Abstract, National Workshop on Fish and Shellfish Health Management. CIFA, Bhubaneswar,India.

- Dharmananda S.(2003). Gallnuts and the uses of tannins in chinese medicine. A paper delivered at the Institute for Traditional Medicine, Portland, Oregon.
- Dial, R.S. and Wainright, S.C. (1983). New distributional records for non-native fishes in Florida. *Florida Scientist* **46**, 8-15.
- Dias.T.M and Moraes F.R (2007) Haematological and biochemical reference intervals for farmed channel catfish. *J Fish Biol*, 71:383–388. Dugenci, S.K., N. Arda and A. Candan,(2003). Some medicinal plants as immunostimulant for fish. *Ethnopharmacol.*, 88: 99-106.
- Durairaj, Sangeetha Srinivasan, P Lakshmana perumalsamy. (2009). In vitro antibacterial activity and stability of garlic extract at different Ph and temperature, *Electronic: Jour. of biology*, **5**(1):5-10.
- Duthie, 2000. Plant polyphenols in cancer and heart disease: Implications as nutritional antioxidants, *Nut. Res. Rev.*, 13: 79-106.
- Ekam VS and Ebong PE. (2007). Serum protein and enzyme levels in rats following administration of antioxidant vitamins during caffeine and non – caffeinated paracetamol induced hepatotoxicity. *Nig. J. Physiol Sci.*, 22 (1-2): 65-68.
- El-Beshbishy, H.A.; Singab, A.N.B.; Sinkkonen, J.; Pihlaja, K.(2006). Hypolipidemic and antioxidant effects of *Morus alba* L. (egyptian mulberry) root bark fractions supplementation in cholesterol-fed rats. *Life Sci.*, 78, 2724–2733
- El-Dakar A.Y, Hassanien G.D.I, Gad S.S and Sakr S.E. (2004a). Use of medical and aromatic plants in fish diets: I. Effect of dried marjoram leaves on performance of hybrid tilapia *Oreochromis niloticus* × *Oreochromis aeneus*, fingerlings. *J Egypt Acad Soc Environ Dev (B Aquacult)*. 5:67–83. 19.
- El-Dakar A.Y, Hassanien G.D.I, Gad S.S and Sakr S.E.(2004b). Use of medical and aromatic plants in fish diets: 2. Effect of dried basil leaves on performance of hybrid tilapia *Oreochromis niloticus* × *Oreochromis aeneus*, fingerlings. *3rd Inter. Conf. on Animal Production and Health in Semi-Arid Areas, Suez Canal, Egypt: Suez Canal University* 265–277. 2.
- El-Dakar.A.Y, Hassanien.G.D, Gad.S.S and Sakr.S.E.(2008). Use of Dried Basil Leaves as a Feeding Attractant for Hybrid Tilapia, *Oreochromis niloticus* X

- Oreochromis aureus*, Fingerlings. *Mediterranean Aquaculture Journal*, 1(1):35-44.
- El-Marakby H.I., Amani M.D. El Mesallamy, Nagwa A.B. El-Hakm, Somayah M.M. Awad and 1Fatma S. Abd El-Naby.(2014). Evaluation of rocket Leaves (*Eruca sativa*) as a feed additive on growth performance of Nile tilapia, *Oreochromis niloticus*, challenged with *Aeromonas jandaei*. *Middle East Journal of Applied Sciences*, 4(2): 191-199.
 - El Sayed M.A. Garling L.D. Abd El Aziz S.H. Alexandria Univ. (Egypt). Faculty of Science [Corporate Author]. Protein and energy requirements of (Tilapia zillii) fingerlings. [1988]. Agricultural science and technology information.
 - El-Sayed .S.S, Abd El-Galil S.Y and Rashied A.N.(2014). Effects of some herbal plants as natural feed additives in comparison with antibiotic on growth performance and immune status of nile tilapia (*Oreochromis niloticus*). *International Journal of Research in Fisheries and Aquaculture*, 4(1): 22-30.
 - Estrada A, Katselis GS, Laarveld B, Barl B. (2000). Isolation and evaluation of immunological adjuvant activities of saponins from *Polygala senega* L. comparative immunology. *Microbiol. Infecs. Dis.* 23:27–43.
 - Fakhroo, A and Sreerama.L(2016).Qualitative analysis of phytochemical compounds in *Ocimum basilicum* grown in Qatar. 1(4): 1–7.
 - Farahi, A., Kasiri, M., Sudagar, M., Iraei, M.S. and Shahkolaei, M.D.(2010). Effect of garlic (*Allium sativum*) on growth factors, some hematological parameters and body compositions in rainbow trout (*Oncorhynchus mykiss*). *International Journal of the Bioflux Society*, 3(4), 317-323.
 - Farahi.A, M., Kasiri, M. Sudagar, M. Soleimani iraei, S.M.J. Zorriehzahra.(2012). Effect of dietary supplementation of *Melissa officinalis* and *Aloe vera* on hematological traits, lipid oxidation of carcass and performance in rainbow trout (*Oncorhynchus mykiss*). *Journal of animal and feed research* ,2(1): 01-05.
 - Farombi, E.O., Ogundipe, O.O., Uhunwagho, E.S., Adeyanju, M.A. and Moody, J.O. (2003). Antioxidant properties of extracts from *Alchornea laxiflora* (benth) Pax and Hoffman. *Phytotherapy Res.* 7: 713-716.
 - Folch,J.,Lees,M., Sloane Stanley,G.H(1957). J.Biol Chem.226(1):497-509.

- Francis, G, Makkar, HPS & Becker, K (2001 *b*) Effects of *Quillaja* saponins on growth, metabolism, egg production, and muscle cholesterol in individually reared Nile tilapia (*Oreochromis niloticus*). *Comparative Biochemistry and Physiology* 129C, 105–114.
- Francis, G, Makkar, HPS and Becker, K. (2002 *b*). Effects of cyclic and regular feeding of *Quillaja* saponin supplemented diet on growth and metabolism of common carp (*Cyprinus carpio* L). *Fish Physiology and Biochemistry* 24, 343–350.
- Frankic T, Voljc M, Salobir J and Rezar V.(2009). Use of herbs and spices and their extracts in animal nutrition. *Acta agriculturae Slovenica*, 94(2): 95-102.
- Fryer G., and Illes, T.D. (1972). *The Cichlid Fishes of the Great Lakes of Africa*. TFH Publishing, Hong Kong, pp.610
- Ganguly T and Saini KB. (2001). Inhibition of cellular immune response by *Tylophora indica* in experimental models, *Phytomed.*, 8(5), 348-355.
- George, F., P.S.M. Harinder and K. Becker.(2002 *a*). Dietary supplementation with a *Quillaja* saponin mixture improves growth performance and metabolic efficiency in common carp (*Cyprinus carpio* L.). *Aquaculture*, 203: 311-320
- George.B and S.Shanmugam.(2014). Phytochemical screening and antimicrobial activity of fruit extract of *Sapindus mukorossi*. *Int.J.Curr.Microbiol.App.Sci*,3(10) :604-611.
- Giresha, O., Ramesha, T.J., Varghese, T.J. and Manjappa, K. (2002). Impact of dietary Livol on the growth, biochemical composition and gut digestive enzyme activity of Catla (*Catla catla*). *Journal of Aquaculture in Tropics*, 17(1): 35-42.
- Girish,K.(2016). Antimicrobial activities of *Coleus aromaticus* Benth. *Journal of Pharmacy Research*,10(10),635-646.
- Gopalakannan, A. and V. Arul .(2006). Immunomodulatory effects of dietary intake of chitin, chitosan and levamisole on the immune systems of *Cyprinus carpio* and control of *Aeromonas hydrophila* infection in ponds. *Aquacult.*, 255:179-187.
- Gopalakrishnan C, Shankaranarayan D, Kameswaran L, Natarajan S. (1979). Pharmacological investigations of tylophorin, the major alkaloid of *Tylophora indica*, *Indian J. Med. Res.*, 69:513-520.

- Gupta A , Mahajan S and Sharma.R . (2015) . Evaluation of antimicrobial activity of *Curcuma longa* rhizome extract against *Staphylococcus aureus*. *Biotechnology Reports*, 6 : 51–55.
- Haghghi.M, RohaniM.S, Pourmoghim.H. Toliat.T, Samadi.M, Tavoli.M, Islami.M and Yusefi.R.(2014). Haemato-immunological indices in rainbow trout (*Oncorhynchus mykiss*) fry fed with Aloe vera extract supplemented feed .*Journal of Coastal Life Medicine* , 2(5): 350-356
- Haliloglu.I.H, Arslan Murat, Lee Bong-Joo and Dabrowski Konrad.(2012).The Effect of dietary Turnip (*Brassica rapa*) and Biofuel Algae on Growth and Chemical Composition in Rainbow Trout (*Oncorhynchus mykiss*) Juveniles.*Turkish Journal of Fisheries and Aquatic Sciences.*,12:323-329.
- Haniffa M.A and K .Kavitha. (2012). Antibacterial activity of medicinal herbs against the fish pathogen *Aeromonas hydrophila*. *Jour. of Agri. Tech.*, 8(1):205-211.
- Haniffa MA and Shanthi P. (2012). Phytochemical analysis and antibacterial screening of medicinal plants against *Aeromonas hydrophila*. *Asian jour of phar. and cli. Res.*, 5:101-103.
- Hara.T.J.(1973).Olfactory responses to amino acids in rainbow trout *Salmo gairdneri*. *Comparative Biochemistry and Physiology. A*.44 (2):407-416.
- Harada K (1990). Attraction activities of spices for oriental weather fish and yellowtail. *Bull Jap Soc Sci Fish.* 56; 2029-2033.
- Harikrishna R and Balasundaram C.(2008). In vitro and in vivo studies of the use of some medicinal herbs against the pathogen *A.hydrophila* in goldfish.*J.Aqua. Ani. Health*,20(3)-165.
- Harikrishnan R, Balasundaram C, Kim MC, Kim JS, Han YJ ,Heo MS. (2010).Effect of a mixed herb enriched diet on the innate immune response and disease resistance of *Paralichthys olivaceus* against *Philasterides dicentrarchi* infection. *J Aquatic Animal Health* , 22:4:235-243.
- Harikrishnan R, Rani CN, Balasundaram C.(2003). Hematological and biochemical parameters in common carp, *Cyprinus carpio*, following herbal treatment for *Aeromonas hydrophila* infection. *Aquaculture*, 221: 41-50.
- Hasan, A.J.Z, Khan, U. (2013). Protein sparring effect and the efficiency of

- different compositions of carbohydrates, lipids and protein on the growth of rohu (*Labeo rohita*) fingerlings. *World J Fish Mar Sci* 5:244- 250.
- Haslam E(1996). Natural polyphenols (vegetable tannins) as drugs: possible modes of action. *Journal of Natural Products*, 59(2):205-215
 - Hedge,J.E and Hofreiter,B.T.(1962).In : Carbohydrate chemistry,17 (Eds Whistler RL and Be Miller,JN) Academic Press Newyork.
 - Heo, G.J, Kim J.H Jeon B.G Park.K.Y and Ra J.C.(2004).Effects of FST chitosan mixture on cultured rockfish (*Sebastes schlegeli*) and Olive flounder (*Paralichthys olivaceus*).*Kor J Vet Pub Health* , 25: 141-149
 - Hoque MMD, Bari ML, Inalsu Y, Juneja VV, Kawamoto S. (2007). Antibacterial activity of guava and neem extracts against food borne pathogens and spoilage bacteria. *Food borne pathog. Dis.,winter*, 4(4):481-488.
 - Immanuel, G., Uma, P.R. and Iyapparaj, P. (2009). Dietary medicinal plant extracts improves growth, immune activity and survival of tilapia (*Oreochromis mossambicus*). *Journal of Fish Biology* 74: 1462-1475.
 - Innocent, B. X., Fatima, M. S. A. and Dhanalakshmi, (2011a). Studies on immunostimulant activity of *Coriandrum sativum* and resistance to *Aeromonas hydrophila* in *Catla catla*. *Journal of Applied Pharmaceutical Science*, 1: 132-135.
 - JainP.K , Soni.A , Jain. P and Bhawsar.J. (2016).Phytochemical analysis of *Mentha spicata* plant extract using UV-VIS, FTIR and GC/MS technique. *Journal of Chemical and Pharmaceutical Research*, 8(2): 1-6.
 - Janakiraman.N, Johnson.M and Sahaya.S.S. 2012 GC–MS analysis of bioactive constituents of *Peristrophe bicalyculata* (Retz.) Nees. (Acanthaceae). *Asian Pacific Journal of Tropical Biomedicine* 2(1):S46–S49
 - Jayaprakash,V. and Eupharsia,J.(1996) Growth performance of Labeo rohita fed Livol (IHF-1000), an herbal product , *Proceedings of Indian National Science Academy*,63(2): 1-10
 - Jayasinghe.C , Gotoh.N, Aoki.T and Wada.S.(2003). Phenolics Composition and Antioxidant Activity of Sweet Basil (*Ocimum basilicum* L.). *J. Agric. Food Chem*, 51, 4442–4449.
 - Jeney, G. and Jeney, Z. (2002). Application of immunostimulants for modulation of the non-specific defense mechanisms in sturgeon hybrid: *Acipenser ruthenus* x

A. baeri. *Journal of Applied Ichthyology* 18, 416- 418

- Ji, S.C., Takaoka, O., Jeong, G.S., Lee, S.W., Ishimaru, K., Seoka, M. and Takii, K. (2007). Dietary medicinal herbs improve growth and some non-specific immunity of red sea bream *Pagrus major*. *Fisheries Science*, 73: 63-69. doi: 10.1111/j.1444-2906.2007.01302.x
- Jian J. and Wu Z. (2004) Influence of traditional Chinese medicine on nonspecific immunity of Carp (*Cyprinus carpio* var. Jian). *Fish and Shellfish Immunology* 16, 185-191.
- Jisika M, Ohigashi H, Nogaka H, Tada T, Hirota M (1992). Bitter steroid glycosides, venom sides A1, A2 and A3 and related B1 from the possible medicinal plant *Vernonia amygdalina* used by wild chimp. *Tetrahedron* ,48:625-630.
- John Britto., Senthil Kumar, S., Senthil Kumar, J., 2004. Antibacterial activity of some orchids biodiversity conservation (Esiter John Britto) Pup Rapinat Herbartium St.Joseph college, Tiruchirapalli 2004;288-305.
- Joseph.J and George.M. (2014).Antimicrobial susceptibility of selected medicinal fruit *Myristica fragrans*. *Der Pharmacia Lettre*, 6 (6):396-402
- Julianeli T.D.L., Jackson R.G.S., Kelly S., Ana Silvia S.C. (2011). Selective spasmolytic effect of a new furanoflavoquinone derivative from diplotropin on guinea-pig trachea. *J Chem Pharm Res.*, 3(1): 249-258.
- Just M.J, Reccio M.G, Gner. R.M, Cuellar M.J, Marez S, Bilia A.R, Rios ,J. (1998). Anti-inflammatory activity of unusual lupane saponins from *Buleurum fruiticescens*. *Planta Med.* 64(5): 404-407.
- Kadhim M.J, Sosa A.A and Hameed I.H. (2016) Evaluation of anti-bacterial activity and bioactive chemical analysis of *Ocimum basilicum* using Fourier transform infrared (FT-IR) and gas chromatography-mass spectrometry (GC-MS) techniques. *Journal of Pharmacognosy and phytotherapy*, 8(6):127-146.
- Kaleeswaran B,Ilavenil S,Ravikumar S.(2010).Screening of phytochemical properties and antibacterial activity of *Cynodon dactylon* (L.).*Int J Curr Res* , 3:83-88.
- Kaleeswaran, B., Ilavenil, S. and Ravikumar, S. (2012a): Changes in biochemical, histological and specific immune parameters in *Catla catla* (Ham.) by *Cynodon*

dactylon (L.) *Journal of King Saud University (Science)*, 24:139-152.

- Kaya I, Yiğit .N and Benli.M. (2008).Antimicrobial activity of various extracts of *Ocimum basilicum* and observation of the inhibition effect on bacterial cells by use of scanning electron microscopy. *Afr. J. Trad. CAM* , 5 (4): 363 - 369
- Kemp,W (1991). Energy and electromagnetic spectrum. In *Organic Spectroscopy*; Kemp,W., ED; *Macmillan Press*; London, pp:1-7.
- Kemp,W(1991). Infrared spectroscopy. In *Organic Spectroscopy* Kemp,W., ED; *Macmillan Press*; London, pp: 19-56.
- Khattab YA, Shalaby AMS, Sharaf SM, EL-Marakby HI, Rizhalla EH.(2004). The physiological changes and growth performance of the Nile tilapia *Oerochromis niloticus* after feeding with Biogen® as growth promoter. *Egypt J. Aquatic. Biol Fish*,8:145–158.
- Kirtikar KR and Basu B.D. (1975).Indian medicinal plants.*Dehradun:International Book Distributors*;p.1971
- Kleerekoper.H.(1969).Olfaction in fishes, *Indiana University Press*, USA.
- Knaggs, E.H. (1977). Status of the genus *Tilapia* in California's estuarine and marine waters. *California-Nevada Wildlife Transactions* 60-67.
- Kumar S.S.J and Ananthraja K.(2016) Herbal Health care in Aquaculture- the Indian experience: *Infofish International*.
- Kumar J.A,Pal A.K,Sahu N.P,Shivendra. K,Haemato S.C.M. (2007).Immunological responses to dietary yeast RNA, $\omega\beta$ fatty acid and β carotene in *Catla catla* juveniles. *Fish Shellfish Immunol*, 23:917-27.
- Kumari, J., Sahoo, P. K. and Giri, S. S. (2007): Effects of poly herbal formulation of 'Immuplus' on immunity and disease resistance of Indian major carp, *Labeo rohita* at different stages of growth. *Indian Journal of Experimental Biology*, **45**: 291-298.
- Larsson, A., Haux, C. and Sjo Beck .(1985). Fish Physiology and Metal Pollution, Results and Experience from Laboratory and field Studies. *Ecotoxicology, Environment and Safety*,9: 250-281.
- Latife C. İrkin, Murat Yigit. (2016).The use of garlic (*Allium sativum*) meal as a natural feed supplement in diets for European seabass (*Dicentrarchus labrax*)

- juveniles. *Journal of aquaculture engineering and fisheries research*, 2(3): 128-141.
- Lee Dong-Hoon, Ra Chang –Six, Song Young-Han, Sung Kyung-II and Kim Jeong-Dae.(2012). Effects of Dietary Garlic Extract on Growth, Feed Utilization and Whole Body Composition of Juvenile Sterlet Sturgeon (*Acipenser ruthenus*).*Asian-Aust.J.Anim.Sci.*, 25(4):577-583.
 - Lee J.Y and Gao Y.(2012). Review of the application of garlic, *Allium sativum*, in aquaculture. *J World Aquac Soc*, 43: 447-458.
 - Lipton A.P.(2000). Disease management using Immunostimulants and other additives.Training Course on fin fish and shell fish disease investigation CMFRI,Vizhinjam.
 - Logambal S.M., S. Venkatalakshmi, and R.D. Michael.(2000). Immunostimulatory effect of leaf extract of *Ocimum sanctum* L. in *Oreochromis mossambicus* (Peters). *Hydrobiologia*, 430: 113–120.
 - Logambal, S.M and R.D. Michael.(2001).Immunostimulatory effect of Azadirachtin in *Oreochromis mossambicus*. *J.Aquacult Trop.*, 16:339-347.
 - Logambal, S.M. and R.D. Michael.(2000). Immunostimulatory effect of Azadirachtinin *Oreochromis mossambicus* . *Indian J.Exp. Biol.*, 38:1092-1096.
 - Logambal, S.M., Venkatalakshmi, S. and Michael, R.D. (2000). Immunostimulatory effect of leaf extract of *Ocimum sanctum* Linn. *Oreochromis mossambicus* (Peters). *Hydrobiologia*, 430, 113-120.
 - Lokesh J, Fernandes JMO, Korsnes K, Bergh O, Brinchmann MF, KironV.(2012). Transcriptional regulation of cytokines in the intestine of Atlantic cod fed yeast derived mannan oligosaccharide or β -glucan and challenged with *Vibrio anguillarum*. *Fish Shellfish Immunol*, 33: 629–631.
 - Lowry, O.H., Rose brough, N.J., Farr, A. L and R. J, Randall. (1951). Protein measurement with Follin phenol Reagent. *J. Biol. Chem.*193:265-276.
 - Madhuri.S , Mandloi A.K. , Govind.P and Sahni Y.P.(2012). Antimicrobial activity of some medicinal plants against fish pathogens. *International Research Journal of Pharmacy*,3(4): 28-30.
 - Magesh.R, Poorani .R.M, Karthikeyan.V, Sivakumar.K, Mohanapriya.C.(2015). Proportionate phytochemical screening and assessment of antioxidant potency on

selected species of Lamiaceae Family. *International Journal of Pharmacognosy and Phytochemical Research* ; 7(5); 1066-1072.

- Mahdavi M, Hajimoradloo A, Ghorbani R. (2013).Effect of *Aloe vera* extract on growth parameters of common carp (*Cyprinus carpio*). *World J Med Sci* ,9(1): 55-60.
- Mahesha,M.P., Vishnumurthy, K.A and Vasudeva, A.A. (2015). Extraction, characterization and biological studies of phytochemicals from *Mammea suriga* . *Journal of Pharmaceutical Analysis*, 5, 3, 182–189.
- Maheshappa,K.,Ramesha, T.R., Gangadhar, B. and Varghese, T.S. (2002) .Effect of feeding livol incorporated diet on nutrient digestibility, body indices and organoleptic quality of rohu, *Labeo rohita*. *Indian journal of fisheries*,49(4): 447-450.
- Maria Lysete A B, Maria Raquel F L, Lucia M C, Vânia S A, Eliana MM R and Rosangela PL L (2009). Studies on the antimicrobial activity and brine shrimp toxicity of *Zeyheria tuberculosa* (Vell.) Bur. (Bignoniaceae) extracts and their main constituents. *Ann Clin Microb Antimic.*(8):16.
- Maryam Kamgar, Reza Pourgholam, M. Ghiasi and Masood Ghane .(2013). Studies on *Bacillus subtilis*, as potential probiotics, on the biochemical parameters of rainbow trout, *Oncorhynchus mykiss* (Walbaum) to challenge infections. *Advanced Studies in Biology*, 5, (1): 37 - 50
- Megbowon, Il ., Adejonwo, O.A2 ., Adeyemi, Y.B3 . Kolade O.Y4 , Adetoye, A.A.A5 , C.A, Edah6 , B, Okunade, O.A7 and Adedeji, A.K8(2013). Effect of garlic on growth performance, nutrient utilization and survival of an Ecotype Cichlid, ‘Wesafu’. *IOSR Journal of Agriculture and Veterinary Science*, 6(3): 10-13.
- Mehrangiz K.K., Seyed A.E., Masoud S.G., Esmaeel A.S., Amirhossein S.(2009). Anti viral activities of aerial subsets of *Aretimisia* species against Herpes Simplex virus type I (HSV 1) in vitro.*Asi Biomed* 5:63-68.
- Mercy, R.R. (2006). Influence of leaf extract of *Phyllanthus emblica* (Linn) on immunological, haematological and biochemical responses in freshwater fish, *Cirrhinus mrigala* artificially infected with bacterial pathogen, *Pseudomonas fluorescens*. M.Sc. Thesis, SPKCES, M.S. University, Tirunelveli, India.

- Metawally MAA. (2009).Effect of garlic (*Allium sativum*) on some antioxidant activity in Tilapia Nilotica (*Oreochromis niloticus*). *World Journal of Fish and Marine Sciences*, 1(1):56-64.
- Michael, R.D., C.G. Quin and S.Venkatalakshmi, 1998. Modulation of humoral immune response by ascorpic acid in *Oreochromis mossambicus*. *Indian. J.Exp.Biol.*, **36**:1038-1040.
- Mishra L and Wagner H. (2006).Lipid derivatives from *Mucuna pruriens* seeds. *Indian journal of chemistry* , 45(B): 801-804.
- Mohamad S, Abasali H. (2010). Effect of plant extracts supplemented diets on immunity and resistance to *Aeromonas hydrophila* in Common Carp (*Cyprinus carpio*). *J Agri* , 5:119-127.
- Mohamad, S. and Abasali, H. (2010). Effect of plant extracts supplemented diets on immunity and resistance to *Aeromonas hydrophila* in common carp (*Cyprinus carpio*). *Research Journal of Animal Sciences*. 4(1): 26-34.
- Mohamed, A. H.; El-Saidy, B. E. and El-Seidy, I. A. (2003). Influence of some medicinal plants supplementation: 1- On digestibility, nutritive value, rumen fermentation and some blood biochemical parameters in sheep. *Egyptian J. Nut. and Feeds.*, 6 (2): 139-150.
- Morgan. J.D.; Iwama. G.K. (1997). Measurements of stressed states in the field. In: Fish stress and health in aquaculture. University Press, Cambridge, p. 247-270.
- Mortar MLR, Thomas G, Barbosa Fillo Jm (1985). Effects of *Anarcadium occidentale* stem bark extract on in vivo inflammatory models. *J. Ethnopharmacol.* 95(2-3): 139-142.
- Moyle, P.B. (1976). Inland Fishes Of California. University Of California Press, Berkeley. pp. 405.
- Muniruzzaman M,Chowdhurry M.B.R .(2004). Sensitivity of fish pathogenic bacteria to various medicinal herbs, Bangladesh.*J.Vet.Med.*,2(1):75-82.
- Munkittrick, K.R. and Leatherland, J.F. (1983). Haematocrit values in feral goldfish, *Carassius auratus* L. as indicators of the health of the population. *J. Fish Biol.* 23: 153-162.

- Muthu.R, Rajan.M.K and Rajeshwari.S.(2018).Modulation of immune response in edible fish against *A.hydrophila*. *Journal of Clinical Microbiology and Biochemical Technology*, 4(1):1-5.
- Mydeen K.P and Haniffa M.A. (2011). Evaluation of antibacterial activity of medicinal plants of fish pathogen, *Aeromonas hydrophila*. *J. Res. Biol.*, 1: 1-5.
- Nadkarni A.K.(1996). Indian material medica..Bombay: *Popular Prakashan*;,pp.371-372.
- Nahak, G. and Sahu, R. K. (2014). Immunomodulatory activity of aqueous leaf extract of *Ocimum basilicum* Linn in *Clarias batrachus*. *International Journal of Pharmacy and Pharmaceutical Sciences*, (6), 6.
- Nahak, G. and Sahu, R.K. (2014). Immunomodulatory Activity of aqueous leaf extract of *Ocimum kilimandscharicum* Guerke in *Clarias batrachus*. *Int. J. Pharm. Sci. Rev. Res.* 28(2): 137-146.
- Nakatani, N. (1997). Antioxidants from spices and herbs. In F. Shahidi (Ed.), *Natural antioxidants: chemistry, health effects, and applications* Champaign, IL: *AOCS Press*. p. 64–75.
- Narayanan.G, Ramya.C,Vaseeharan.B,Malaikozhundan.B, Kumar.S.V,Murugan.K and Benelli.G.(2016).*Oreochromis mossambicus* diet supplementation with *Psidium gujava* leaf extracts enhance growth, immune, antioxidants response and resistance to *Aeromonas hydrophila*.*Fish and Shell fish Immunology*, 58:572-583.
- Narendra,K. J. Swathi, K. M. Sowjanya,A. and Krishna Satya. (2012) .*Phyllanthus niruri*: A Review on its Ethno Botanical, Phytochemical and Pharmacological Profile. *Journal of Pharmacy Research* ,5(9),4681-4691.
- Nargis, A., Khatoon, M. and Talukder, D. (2011): Use of medicinal plants in the remedy of fish diseases. *Bangladesh Research Publication Journal*, 5: 192-195.
- New, M.B. 1989. Formulated aquaculture feeds in Asia: some thoughts on comparative economics, industrial potential, problems and research needs in relation to the small-scalefarmer, p. 19-30. *In* Report of the Workshop on Shrimp and Finfish Feed Development, 25-29 October, Johor Bahru, Malaysia; ASEAN/UNDP/FAO Regional Small-Scale Coastal Fisheries Development Project, Manila, Philippines.

- Nithya T.G., Dahineeswari. V, Chowdhury.S.R , Sivakumar.S(2011). Antibacterial activity of *Thaaleesaadhi chooranam* against human pathogens. *Int. J. of Drug Discovery & Herbal Research*,1(4): 224 – 230.
- Nithyadevi,J and Sivakumar.R .(2015) Phytochemical Screening and GC-MS, FT-IR Analysis of Methanolic Extract Leaves of *Solanum torvum* Sw. *International Journal of Research Studies in Biosciences*, 3(9): 61-66.
- Njume, C.; Afolayan, A.J.; Ndip, R.N. (2009). An overview of antimicrobial resistance and the future of medicinal plants in the treatment of *Helicobacter pylori* infections. *Afr. J. Pharm. Pharmacol.*, 3, 685-699.
- Nya E.J and Austin B.(2009). Development of immunity in rainbow trout (*Oncorhynchus mykiss*) of *A.salmonicida* antigens.*Veterinary Immunology and Immunopathology* ,19:153–164.
- Nyak .V and Uma D.P. (2005). Protection of mouse bone marrow against radiation-induced chromosome damage and stem cell death by *Ocimum* flavonoids Orientin and vicenin. *Radi. Res.*, 2005; 163: 165-171.
- Obi C.L, Ramalivhana J, Samie A, Igumboi EO. (2007). Prevalence, Pathogenesis, Antibiotic susceptibility profiles and *invitro* activity of selected medicinal plants against *Aeromonas* isolates from stool samples of patients in the venda region of south Africa. *Jour. of hea. Pou. and nut.*, 25(4):428–435.
- Ohlsson. A and Aher S.M.(2014). Early erythropoietin for preventing red blood cell transfusion in preterm and/or low birth weight infants. *Cochrane Database of Systematic Reviews*, 4. Art. No.: CD004863. DOI: 10.1002/14651858.CD004863.pub4.
- Ojha M.L, Chadha N.K, Saini V.P, Damroy .S, Gupta .C and Sawant P.B. (2013).Effect of *Mucuna pruriens* on growth and haematology of *Labeo rohita* fingerlings. *Ecology Environment and conservation* , 19(3):907-912.
- Oliveira, R.F. and Almada, V.C. (1995). Sexual dimorphism and allometry of external morphology in *Oreochromis mossambicus*. *Journal of Fish Biology* **46**, 1055-1064
- Opalachenoiwa G and Obreshkova D. (2003).Comparatve studies on the activity of basil-an essential oil from *Ocimum basilicum* L.-against multidrug resistant clinical

isolates of the genera *Staphylococcus*, *Enterococcus* and *Pseudomonas*. *J. Micro. Method.*, 2003; 54: 105-10.

- Pandian, T.J. and Muthukrishnan, J. (1988). Identification of sex in economically important fishes. In: DBT workshop on research methods for chromosome manipulation in fish, Madurai Kamaraj University, Madurai, India
- Pandey, G., Sharma, M. and Mandloi, A. K. (2012a): Medicinal plants useful in fish diseases. *Plant Archives*, 12: 1-4.
- Pandey, G., Sharma, M. and Mandloi, A. K. (2012b): Immunostimulant effect of medicinal plants on fish. *International Research Journal of Pharmacy*, 3: 112-114.
- Panikar, N.K. and Thambi, P.R.S. (1954). Studies on the mouth breeding cichlid, *Tilapia mossambica* (Peters). *Indian Journal of Fisheries* **1**, 217-230
- Parikh Vikas.C and Karkhanis.V.V (2011).Spectrometric estimation of Gemfibrozil in bulk and pharamaceutical dosage forms. *International Research Journal of Pharmacy*: 2 (6) :106-109.
- Park, K. H. and Choi, S. H. (2012): The effect of mistletoe, *Viscum album coloratum*, extract on innate immune response of Nile tilapia (*Oreochromis niloticus*). *Fish and shellfish Immunology*, 32: 1016-1021.
- Passey,R.B, Gilum,R.L, Baron,M.L. 1982.Glucose, O- toluidine method.Selected methods for small clinical chemistry laboratory, 249-253.
- Patel K, Rao A, Saraswah G & Srinivasan K.(2002). Digestive stimulant action of three indian spice mixes in experimental rats. *Die Nahrung*, 46: 394-398.
- Pavaraj, M., Balasubramanian, V., Baskaran, S. and Ramasamy, P. (2011): Development of immunity by the extract of *Ocimum sanctum* on common carp *Cyprinus carpio* (L.). *Research Journal of Immunology*, **4**: 12-18.
- Pearson's square method. (2002). Feed formulation and feeding practices in fish culture. National Agricultural Extension and Research Liaison Services, Ahmadu Bello University, Zaria. Extension Bulletin No. 152. Fisheries series No.7.
- Petursewicz, K.. and Macfutyen., 1970. Productivity of terrestrial animals. IBS Hand Book B.Oxford Backwell.
- Pirakadeaswari C., Sanjana K. and Karpagam.B.(2019). Antibacterial activity of medicinal plants against *Aeromonas hydrophila*. *wjpmr*, ,5(5), 154-155.

- Prasad .G and Mukthiraj.(2011).Effect of Methanolic Extract of *Andrographi paniculata* (Nees) on Growth and Haematology of *Oreochromis mossambicus*(Peters).*World Journal of Fish and Marine Sciences.*, 3(6):473-479.
- Prasad, G and Priyanka, S.(2011). Effect of fruit rind extract of *Garcinia gummy gatta* on haematology and plasma biochemistry of cat fish *Pangasianodon hypophthalmus*. *Asian journal of Biochemistry* ,6(3): 24 – 251.
- Prasad, G. and Mukthiraj, S. (2011): Effect of methanolic extract of *Andrographis paniculata* (Nees) on growth and haematology of *Oreochromis mossambicus* (Peters). *World Journal of Fish and Marine Sciences*, 3: 473-479.
- Pratheepa, V. and Sukumaran, N.P. (2014). Effect of *Euphorbia hirta* plant leaf extract on immunostimulant response of *Aeromonas hydrophila* infected *Cyprinus carpio*. *PeerJ*. pp: 1-17 DOI 10.7717/peerj.671.
- Punitha, S. M. J., Babu, M. M., Sivaram, V., Shankar, V. S., Dhas, S. A., Mahesh, T. C., Immanuel, G. and Citarasu, T. (2008): Immunostimulating influence of herbal biomedicines on nonspecific immunity in grouper *Epinephelus tauvina* juvenile against *Vibrio harvey* infection. *Aquaculture International*, **16**: 511-523.
- Ragavendran, P., Sophia, D., Arul, R.C and Gopalakrishnan,V.K. (2011), Functional group analysis of various extracts of *Aerva lanata* (L) by FTIR spectrum. *Pharmacology Online*, 1,4,358- 364.
- Rajaram, N. and K. Janardranan.(1991). Chemical composition and nutritional potential of the tribal pulse, *Bauhinia purpurea*, *B. racemosa* and *B. vahlii*. *J. Sci. Food Agric.*, 55: 423-431.
- Rajendran, R. S., Hemalatha, K. Akasakalai, C.H. MadhuKrishna, Bavan Sohil, Vittal and R. Meenakshi Sundaram D. (2009).Hepatoprotective activity of *Mimosa pudica* leaves against Carbontetrachloride induced toxicity. *Journal of Natural Products*, 2:116-122.
- Rao, V.Y., Das, B. K., Jyotymayee, P. and Chakrabarti, R. (2006): Effect of *Achyranthes aspera* on the immunity and survival of *Labeo rohita* infected with *Aeromonas hydrophila*. *Fish Shellfish Immunology*, 20: 263-273.
- Sahli, H., Lehrbuch der Klinischen Untersuchungs-Methoden, Leipsic, a, 5th edition, 1969, 845; b, 6th edition, 1915, ii, 293.

- Sahoo Y, Pattnaik SK and Chand PK.(1997). *In vitro* clonal propagation of a medicinal plant *Ocimum basilicum* L. (Sweet basil) by axillary shoot proliferation. *In Vitro Cell. Dev. Biol. Plant*, 33: 293-296.
- Sahu. S, Das .J, Pradhan .B.C, Mohapatra B.K, Mishra .N and Sarangi .S.(2006). Effect of *Magnifera indica* kernel as a feed additive on immunity and resistance to *Aeromonas hydrophila* in *Labeo rohita* fingerlings. *Fish Shellfish Immunol*, 23:109–118.
- Sahu, S. Das, B. K, Mishra, B. K., Pradhan, J. and Sarangi, N. (2007a): Effect of *Allium sativum* on the immunity and survival of *Labeo rohita* infected with *Aeromonas hydrophila*. *Journal of Applied Ichthyology*, 23: 80-86.
- Sahu, S., Das, B. K., Pradhan, J., Mohapatra, B. C., Mishra, B. K. and Sarangi, N. (2007b): Effect of *Magnifera indica* kernal as a feed additive on immunity and resistance to *Aeromonas hydrophila* in *Labeo rohita* fingerlings. *Fish Shellfish Immunology*, **23**: 109-118.
- Sakai M. (1999). Current research status of fish immunostimulants. *Aquaculture*, 172:63–92.
- Sakr, S.S. (2003). Studies on the feeding attractants for fish. M.Sc., Faculty of Environmental Sciences, Suez Canal University, El-Arish, Egypt.
- Sangeetha, S., Archit, R and Sathiavelu, A. (2014), Phytochemical testing, antioxidant activity, HPTLC and FTIR analysis of antidiabetic plants *Nigella sativa*, *Eugenia jambolana*, *Andrographis paniculata* and *Gymnema sylvestre*. *Research Journal of Biotechnology*, 9,9, 66-72.
- Sanjana.K, Pirakadeaswari.C and B. Karpagam. (2019). Effect of *Ocimum basilicum* and *Phyllanthus emblica* on specific immune response of *Cirrhinus mrigala* infected with *Aeromonas hydrophila* .European Journal of Pharmaceutical and Medical Research, 6(5): 368-371.
- Sanni.S, Onyeyli P.A. and Sanni F.S. (2008). Phytochemical analysis, elemental determination and some in vitro antibacterial activity of *Ocimum basilicum* L. leaf extracts. *Research journal of phytochemistry* 2(2): 77-83.
- Sasidharan,S., Chen,Y., Saravanan,D., Sundram,K.M and Yoga, L.L. (2011). Extraction, isolation and characterization of bioactive compounds from plant

extracts, *African Journal of Traditional, Complementary and Alternative medicines*, 8,1,1–10

- Scalbert A (1991). Antimicrobial properties of tannin. *Phytochem.*30:3875-3883.
- Shadakshari ,G.S.(1993) Effect of bioboost forte ,Livol and Amchemin AQ on growth and body composition of common carp, *Cyprinus carpio* (lin),M.F.Sc.thesis,university of Agriculture Sciences, Bangalore, India.
- Shahidi, F and Naczk, M. (1995). Food phenolics: sources, chemistry, effects, applications. Lancaster: Technomic Publishing Co. Inc.,.
- Shalaby S.M.M. (2004). Response of Nile tilapia, *Oreochromis niloticus*, fingerlings to diets supplemented with different levels of fenugreek seeds (Hulba). *J Agric Mansoura Univ*, 29:2231–2242.
- Shalaby S.M.M, Abd Elmonem A.I and El-Dakar A.Y. (2003).Enhancement of growth performance, feed and nutrient utilization of Nile tilapia (*Oreochromis niloticus*), using of licorice roots (Erksous) as a feed attractive. *J. Egypt. Acad. Soc. Environ. Develop. (B-Aquaculture)* ,4:119–142.
- Shalaby, A.M., Y.A. Khattab and A.M.A. Rahman.(2006).Effects of garlic (*Allium sativum*) and chloramphenicol on growth performance, physiological parameters and survival of Nile tilapia. *J. Venom. Anim. Toxins.*, 12(2): 172– 201.
- Showmya J , Pradeepa M and Geetha N.(2014). Spectroscopic study on methanolic extract of citrus reticulata blanco fruit peel. *World Journal of Pharmaceutical Research*,4(1): 1302-1310.
- Shubha Ratna Shakya, Shyam Narayan Labh. (2014). Medicinal uses of garlic (*Allium sativum*) improves fish health and acts as an immunostimulant in aquaculture. *European Journal of Biotechnology and Bioscience*. Vol. 2, Issue 4:44-47.
- Singh P, Maqsood S, Samoon MH, Phulia V, Danish M, Chalal RS. Exogenous supplementation of papain as growth promoter in diet of fingerlings of *Cyprinus carpio*. *Journal of International Aquatic Research*. 2011; 3:1-9.
- Sivagurunathan, A., Amila Meera, K. and Innocent, B. X. (2011): Investigation of immunostimulant potential of *Zingiber officinale* and *Curcuma longa* in *Cirrhinus mrigala* exposed to *Pseudomonas aeruginosa* haematological Assessment. *IJRAP*, 2: 899-904.

- Sivagurunathan.A, Innocent.X.B, Saraswathi.G.S and ariappan.A. (2012). Immunostimulatory potential of dietary Amala (*Phyllanthus emblica*) in growth and haematology of *Tilapia mossambicus* challenged with *Pseudomonas aeruginosa*. *International Research Journal of Pharmacy*, 3(7): 165-168.
- Soivio, A. and Oikari, A. (1976). Haematological effects of stress on a teleost, *Esox lucius* L. *J. Fish Biol.* 8: 397-411.
- Soltani M.N,Sheikhzadeh .H, Mousavei A.E and Zargar .A. (2010).Effects of *Zataria multiflora* essential oil on innate immune responses of common carp (*Cyprinus carpio*). *J Aquat Sci* ,5:191-199.
- Sterba, G. (1962). Freshwater fishes of the world. Vista books, Langaor Press Ltd, London
- Straek D, Lykkeberg AK, Christensen J, Budnik BA, Abe F, Jaroszewki JW. (2002). *In vitro* cytotoxic activity of phenanthroindolizidine alkaloids from *Cyanthum vincetoxicum* and *Tylophora tanake* against drug sensitive and multidrug resistant cancer cells, *J.nat. Prod.*, 65(9):1299-1302.
- Suman.B.C, Molnar .T, Ardo.L, Jeney.G and Hancz.C.(2015). Oral administration of *Basella alba* leaf methonal extract and genistei enhances the growth and non specific immune response of *O.niloticus*.*Turkish Journal of Fisheries and Aquatic Sciences*, 15:167-173.
- Suresh R.N and Amolkumar H.(2009). Evaluation of Immunomodulatory activity of an extract of Andrographolides from *Andrographis paniculata*. *Thieme Journal of planta Medicine*, 75(8):785-791. 61.
- Tang .Q.L, Kang .A.R and Lu C.X.(2016). Phytochemical Analysis, Antibacterial Activity and Mode of Action of the Methanolic Extract of *Scutellaria barbata* Against Various Clinically Important Bacterial Pathogens. *International Journal of Pharmacology* , 12 (2): 116-125.
- Takano, T. (1993). Effects of the ratio of Ca and K in the nutrient solution on the growth nutrient uptake essential oil content and composition of baic Acta Cort 331, p. 129.
- Takei.M, (1967).Studies on fish favorite foods: I. Feeding test of carp, yellow tail and rainbow trout. *Bulletin of the Takei Regional Fisheries Research Laboratory*, 49:119-129.

- Thanikachalam, Karthik, Kasi, Marimuthu Rathinam, Xavier.(2010). Effect of garlic peel on growth, hematological parameters and disease resistance against *Aeromonas hydrophila* in African catfish *Clarias gariepinus*(Bloch) fingerlings. *Asian Pacific Journal of Tropical Medicine* , 3:614- 618.
- Thiagarajan P, Lakshmi Bhavani A, Ebbie MG, Chandra G. (2014). A study on the control of *Aeromonas hydrophila* infection in the catfish by medicinal plants. *Scholars academic journal of biosciences*, 2(2):144-150.
- Tiwari, P., Bimlesh,K., Mandeep,K., Gurpreet,K and Harleen,K. (2011). Phytochemical screening and extraction: a review, *Internationale Pharmaceutica Scientia*, 1,1, 98-106.
- Trease, E.G and Evans, W.C. (1989), *Text book of Pharmacognosy*, 546.
- Trewevas, E. (1983). Tilapiine fishes of the genera *Sarotherodon*, *Oreochromis* and *Danakilia*. British museum of natural history, Publication number 878, Comstock Publishing Associates, Ithaca, New York, pp.583.
- Tyler, R. T., C. G. Youngs and F. W. Sosulski. 1981. Air classification of legumes.I.separation efficiency, yield, and composition of the starch and protein fractions. *Cereal Chemistry* ,58: 144-147.
- Unnikrishnan,G.(1995). Effect of livol on growth, food utilization and body composition of the Indian major carp, *Catla Catla* (Ham) Msc., Thesis, university of Kerala, India.
- Vasantha kumar D., Aruna D., Mujeebunisa M., Saravanan S and Dhivya V.(2015). Antibacterial activity of *Rosa damascenapetal* extracts against the fish pathogen *Aeromonas hydrophila*.*European Journal of Experimental Biology*,5(8):56-59.
- Vasudeva R.Y., B.K. Das, P. Jyotirmayee and R. Chakrabarti.(2006). Effect of *Achyranthes aspera* on the immunity and survival of *Labeo rohita* infected with *Aeromonas hydrophila*. *Fish & Shellfish Immunol.*, 20(3): 263-273.
- Venkatalakshmi S, Michael DR. 2001. Immunostimulation by leaf extract of *Ocimum sanctum* Linn. in *Oreochromis mossambicus* (Peters). *J Aqua Tropics* 16(1): 1-10.

- VijayaKumar.I, Chelladurai.G, Veni.T, S. Peeran.S.H and Mohanraj .J. (2014).Medicinal plants as immunostimulants for health management in Indian cat fish. *Journal of Coastal Life Medicine*, 2(6): 426-430
- Wassom D.L and Kelly E.A.B. (1990).Role of the major histocompatibility complex in resistance to parasite infections. *Critical reviews in immunology*, 10: 31-52.
- Wepener, V., Van Vuren, J.H.J. and Du Perez, H.H. (1992). Effects of Manganese and Iron at a neutral and acidic pH on the haematology of the banded tilapia (*Tilapia sparrmani*). *Bull. Environ. Contam. Toxicol.* 49, 613- 619.
- Wink (2010). Biochemistry, Physiology and Ecological functions of secondary metabolites. *Annual Plant Reviews* 40, 1-19.
- Xie, J., Liu, B., Zhou, Q., Su, Y., He, Y., Pan, L., Ge, X. and Xu, P.(2008). Effects of anthraquinone extract from rhubarb *Rheum officinale* Bail on crowding stress response and growth of common carp *Cyprinus carpio* var. *Jian. Aquaculture*, 281, 5-11.
- Xu .H, Fairman J.W, Wijerathna S.R, Kreischer N.R, LaMacchia .J, Helmbrecht .E, Cooperman B.S and Dealwis .C .(2008). The structural basis for peptidomimetic inhibition of Eukaryotic ribonucleotide reductase:a conformationally flexible pharmacophore. *J.Med.Chem* 51(15):4653-9.
- Yilmaz, S., Ergiin, S. and Celik, E. S. (2012): Effect of herbal supplement on growth performance of sea bass (*Dicentrarchus labrax*) change in body composition and some blood parameters. *Journal of Biosciences and Biotechnology* 1, 217- 222.
- Yin G, Ardo ´L, Thompson KD, Adams A, Jeney Z, Jeney G. (2009) Chinese herbs (*Astragalus radix* and *Ganoderma lucidum*) enhance immune response of carp, *Cyprinus carpio*, and protection against *Aeromonas hydrophila*. *Fish and Shellfish Immunol.* 26: 140–145.
- Yin, G., Jeney, G., Racz, T., Xu, P., Jun X. and Jeney Z. (2006). Effect of two Chinese herbs (*Astragalus radix* and *Scutellaria radix*) on non-specific immune response of tilapia, *Oreochromis niloticus*. *Aquaculture* 253: 39-47.
- Yu, M.C., Li, Z.J., Lin, H.Z., Wen, G.L. and Ma, S., (2008). Effects of dietary bacillus and medicinal herbs on the growth, digestive enzyme activity, and serum

biochemical parameters of the shrimp *Litopenaeus vannamei*. *Aquaculture International*, 16, 471-480.

- Zak, B., Moss, N., Boyle, A. J., Zlatkis, A. (1954). *Anal. Chem.*, 26, 776.
- Zakes Z, Kowalska A, Demska-Zakes K, Jeney G & Jeney Z. (2008). Effect of two medicinal herbs (*Astragalus radix* and *Lonicera japonica*) on the growth performance and body composition of juvenile pike perch (*Sander lucioperca*). *Aquacult.* 2008 39:1149-1160.
- Zheng, Z. L., J. Y. Tan, H. Y. Liu, X. H. Zhou, X. Xiang, K. Y. Wang. (2009). Evaluation of oregano essential oil (*Origanum heracleoticum* L.) on growth, antioxidant effect and resistance against *Aeromonas hydrophila* in channel catfish (*Ictalurus punctatus*). *Aquaculture*, 292 (3) : 214-218