
BIBLIOGRAPHY

- Adom, K.K., Sorrells, M.E. and Liu, R.H. (2005). Phytochemicals and antioxidant activity of milled fractions of different wheat varieties. *J .Agric. Fd .Chem.*, 53: Pp.2297–2306.
- Ahmed, W.A. and Huma, W. (2009). Obesity, Hyperlipidemia and hyperuracemia in young and old hypertensive patients. *J .Ayu. Med .Coll. Abbottabad.*, 21(4): Pp.53-56.
- American Association of Cereal Chemists International(AAAC). AACCC members agree on definition of whole grain: <http://www.aaccnet.org/news/pdfs/wgPR.pdf>.
- American Chemical Society (ACS) (2013). Obesity combined with exposure to cigarette smoke may pose new health. www.sciencedaily.com.
- American Heart Association (2013). Coffee, green tea, may help lower stroke risk, research shows. www.ScienceDaily.com.
- Anderson, J.W., Davidson, M.H. and Blonde, L. (2007). Long-term cholesterol-lowering effects of psyllium as an adjunct to diet therapy in the treatment of hypercholesterolemia. *Am .J .Clin. Nutr.*, 71: Pp. 1433–1438.
- Anderson,J.W. (2008). Dietary fiber and associated phytochemicals in prevention and reversal of diabetes. In: Pasupuleti VK, Anderson JW, eds. *Nutraceuticals, Glycemic Health and Type 2 Diabetes*. Ames, Iowa: Blackwell Publishing Professional; Pp.111–142.
- Anderson,J.W. and Conley, S.B. (2007). Whole grains and diabetes. In: Marquart L, Jacobs DR Jr, McIntosh GH, Poutanen K, Reicks M, eds. *Whole Grains and Health*. Ames, Iowa: Blackwell Publishing Professional; Pp. 29–45.
- Andon,M.B. (2008). State of the Art Reviews: The Oatmeal-Cholesterol Connection: 10 Years Later. *Am.J. Lifestyle Medi.*, 2: Pp. 51-57.
- Andreasen, C.H., Stender, P.K.L., Mogensen, M.S., Torekov, S.S., Wegner, L., Andersen, G., Nielsen, A.L., Albrechtsen, A., Borch.J.K., Rasmussen, S.S., Clausen, J.O., Sandbaek, A., Lauritzen, T., Hansen, L., Jorgensen, T., Pedersen, O. and Hansen,T. (2008). Low physical activity accentuates the effect of the FTO polymorphism on body fat accumulation. *Diabetes*. 57(1): Pp. 95–101.

- Andreasen, M.F., Kroon, P.A., Williamson, G. and Garcia, C.M.T. (2001). Intestinal release and uptake of phenolic antioxidant diferulic acids. *Free. Radic. Biol. Med.*, 31: Pp. 304–314.
- Anuradha, R., Hemachandran, S., and Ruma, D. (2012). The waist circumference measurement: A simple method for assessing the abdominal obesity. *J. Clin. Diagn. Res.*, 6(9): Pp. 1510-1513.
- Ashwani, K. (2011). The Changing face of family and its implications on the mental health profession in Delhi. *Delhi Psychiatry J.*, 14: p.1.
- Australian Institute of Health and Welfare (AIHW). (2006). Australia's health 2006. AIHW cat. No. AUS 73. Canberra:
- Bamji, M.S., Prashad Rao, N and Reddy, V. (2004). Diet and diabetes mellitus, Text book of Human Nutrition, Oxford and IBH Publishing Co. P. Ltd., New Delhi, P.362.
- Banerjee, K.P., Franz, M., Sampson, L., Liu, S., Jacobs, D.R., Spiegelman, D., Willett, W. and Rimm, E. (2004). Changes in whole-grain, bran and cereal fiber consumption in relation to 8-y weight gain among men. *Am. J. Clin. Nutr.*, 80: Pp. 1237–1245.
- Barnes, L.A., Opitz, J.M. and Gilbert, B.E. (2008). Obesity: Genetic, molecular, and environmental aspects. *Am. J. Med. Genet.*, 143A (24): Pp. 3016–3034.
- Baron and John (2010). Black Rice Bran, the Next Superfood?. Baseline of Health Foundation.
- Batterham, R.L. (2003). Inhibition of food intake in obese subjects by peptide YY 3-36. *N. Engl. J. Med.*, 349: Pp. 941–948.
- Bell, C.G., Walley, A.J. and Froguel, P. (2005). The genetics of human obesity. *Nat. Rev. Genet.*, 6: Pp. 221-234.
- Bell, J.F. and Zimmerman, F.J. (2010). Shortened nighttime sleep duration in early life and subsequent childhood obesity. *Arch. Pediatr. Adolesc. Med.*, 164(9): Pp. 840-845.
- Bensimhon, D.R., Kraus, W.E. and Donahue, M.P. (2006). Obesity and physical activity: A review. *Amer. Heart J.*, 151: Pp. 598–603.
- Bhardwaj, S., Misra, A., Khurana, L., Gulati, S., Shah, P. and Vikram, N.K. (2008). Childhood obesity in Asian Indians; A burgeoning cause of insulin resistance, diabetes and sub-clinical inflammation. *Asia Pac. J. Clin. Nutr.*, 17(1): Pp. 172–175.

- Bhatnagar, P.C. (2005). A look at diabetes. *Health for million*. 30: Pp. 17-21.
- Bo, S., Durazzo, M. and Guidi, S. (2006). Dietary magnesium and fiber intakes and inflammatory and metabolic indicators in middle-aged subjects from a population-based cohort. *Am. J. Clin. Nutr.*, 84: Pp. 1062–1069.
- Borer, K.T., Wuorineen, E.C., Lukos, J.R., Denver, J.W., Porges, S.W. and Burant, F. (2009). Two bouts of exercise before meals but not after meals, lower fasting blood glucose. *Med. Scien. Sports and Exerc.*, 41 (8): Pp. 1606–1614.
- Bouchard, C. (2010). Defining the genetic architecture of the predisposition to obesity: A challenging but not insurmountable task. *Am. J. Clin. Nutr.*, 91: Pp. 5-6.
- Bray, G.A. and Ryan, D.H. (2012). Medical therapy for the patient with obesity. *Circulation*. 125: p. 1695.
- Breslow, R.A., and Smothers, B.A. (2005). Drinking pattern and body mass index in never smokers: National Health Survey, 1997-2001. *Am. J. Epidemiol.*, 161(4): Pp. 368-376.
- Brian, R.S., Phil, S., Ninh, T.N. (2011). Surgical approaches to the treatment of obesity: Bariatric Surgery. *Med. Clin. N. Am.*, 95: Pp. 1009–1030.
- Brownson, R.C., Boehmer, T.K. and Luke, D.A. (2005). Declining rates of physical activity in the United States: What are the contributors?. *Annu. Rev. Public Health.*, 26: Pp. 421–443.
- Brunner, E. J., Tarani, C. and Michael, G. M. (2007). Prospective effect of job strain on general and central obesity in the Whitehall II Study. *Am. J. Epidemiol.*, 165(7): Pp. 828-837.
- Buettner, R., Scholmerich, J. and Bollheimer, L.C. (2007). High-fat diets: Modeling the metabolic disorders of human obesity in rodents. *Obesity.*, 15: Pp. 798-808.
- Bujjirao, G. and Ratna Kumar, P.K (2013). Anti-obese therapeutics from medicinal plants-A review. *Int. J. Bioassays.*, 2 (10): Pp. 1399-1406.
- Caballero, B. (2007). The global epidemic of obesity: An overview. *Epidemiol. Rev.*, 29: Pp. 1–5.

- Cannon, C.P. and Kumar, A. (2009). Treatment of overweight and obesity: Lifestyle, pharmacologic, and surgical options. *Clin. Cornerstone.*, 9(4): Pp. 55-68.
- Chandrasekhar,U. (2002). Food Science and it Applications in Indian Cookery, Printed at chamman offset, New Delhi, Pp.126-140.
- Chiles, C. and Van Wattum, P.J. (2010). Psychiatric aspects of the obesity crisis. *Psychiatr. Times.*, 27 (4): Pp. 47–51.
- Chiolero, A., Faeh, D., Paccaud, F. and Cornuz, J. (2008). Consequences of smoking for body weight, body fat distribution and insulin resistance. *Am. J. Clin. Nutr.*, 87 (4): Pp. 801–809.
- Chopra, S.M., Misra, A., Gulati, S. and Gupta, R. (2013). Overweight, obesity and related non-communicable diseases in Asian Indian girls and women. *Eur.J.Clin.Nutr.*, 67(7): Pp. 688-696.
- Choquet, H. and Meyre, D. (2011). Genetics of obesity: What have we learned? *Curr. Genomics.*, 12: Pp. 169-179.
- Costa, D.L.A., Arora, P., García, B.B., Karmali, M., Sohemy, E.A. and Badawi, A. (2012). The association between obesity, cardiometabolic disease biomarkers, and innate immunity-related inflammation in Canadian adults. *Diab. Metab. Syndr .Obes.*, 5: Pp. 347-355.
- Courneya, K.S. and Friedenreich, C.M. (2011). Physical activity and cancer: An introduction. *Cancer Res.*, 186: Pp. 1-10.
- Cowey, S. and Hardy, R.W. (2006). The metabolic syndrome: A high-risk state for cancer? *Am.J. Pathol.*, 169: Pp. 1505–1522.
- Curioni, P.P. and Lourenco, P .M. (2005). Long-term weight loss after diet and exercise: a systematic review *Intern.J. Obes.*, 29, Pp. 1168–1174.
- Cynthia, L., Ogden. and Margaret, D.C. (2008). Prevalence of Overweight, Obesity, and Extreme Obesity Among Adults: United States, Trends 1960–1962 Through 2007–2008, *Division of Health and Nutrition Examination Surveys, NCHS Health E-Stat.*
- Davidson,S. (1990). Clinical biochemistry, 7, Pp.4-8.

- Davis, M.M., Gance, C.B., Hassink, S., Johnson, R., Paradis, G. and Resnicow, K. (2007). Recommendations for prevention of childhood obesity. *Pediat.*, 120 (4): Pp. S229-S253.
- Delzenne, N.M. and Cani, P.D. (2005). A place for dietary fibre in the management of the metabolic syndrome. *Curr .Opin .Clin Nutr .Metab. Care.*, 8: Pp. 636–640.
- Department of Health and Ageing, Australia (DOHA). (2010). The healthiest country by 2020. Technical Report No 1, Obesity in Australia: a need for urgent action, Pp.5-11.
- Diaz, R.M., Moreno, E.O.C., Rey, E. and Locke, G.R. (2004). Prevalence, duration, severity and associated symptoms in a Spanish population. *Aliment. Pharmacol. Ther.*, 19: Pp. 95-105.
- Diaz, V.A., Mainous, A.G. and Everett, C.J. (2005). The association between weight fluctuation and mortality: results from a population-based cohort study. *J .Comm. Health.*, 30: Pp. 153-165.
- Ellegard, L. and Andersson, H. (2007). Oat bran rapidly increases bile acid excretion and bile acid synthesis: an ileostomy study. *Eur. J. Clin. Nutr.*, 61: Pp. 938-945.
- Erkkila, A.T. Herrington, D.M., Mozaffarian, D. and Lichtenstein, A.H. (2005). Cereal fiber and whole-grain intake are associated with reduced progression of coronary-artery atherosclerosis in postmenopausal women with coronary artery disease. *Am .Heart .J.*, 150(1): Pp. 94-101.
- Flegal, K.M., Graubard, K.I., Williamson, D.F. and Gail, M.H. (2005). Excess deaths associated with underweight, overweight and obesity. *J.Amer.Med.Assoc.*, 293: Pp. 1861-1867.
- Food and Drug Administration (FDA). (2008). FDA/CFSAN A Food Labeling Guide: Appendix C Health Claims, April 2008.
- Friedwald., W.T. (1972). Estimation of the concentration of lipid profile in plasma without use of the preparative ultra centrifuge, *Am.J.clin.Nutr.*, (3): p.12.
- Gaal, V.L.F., Rissanen, A.M., Scheen, A.J., Ziegler, O. and Rossner, S. (2005). Effects of the cannabinoid-1 receptor blocker rimonabant on weight reduction and cardiovascular risk factors in overweight patients: 1-year experience from the RIO-Europe study. *Lancet.*, 365: Pp. 1389–1392.

- Garcia, A.L., Otto, B. and Reich, S.C. (2007). Arabinoxylan consumption decreases postprandial serum glucose, serum insulin and plasma total ghrelin response in subjects with impaired glucose tolerance. *Eur. J. Clin. Nutr.*, 61: Pp.334–341.
- Greenfield, J.R., Samara, K., Hayward, C.S., Chisholm, D.J., and Campbell, L.V. (2005). Beneficial postprandial effect of a small amount of alcohol on diabetes and cardiovascular risk factors: Modification by insulin resistance. *J. Clin. Endocrinol. Metabol.*, 90: Pp. 661-672.
- Gu, D., He, J., Duan, X., Reynolds, K., Wu, X., Chen, J. and Huang, G. (2006). Body weight and mortality among men and women in China. *J. Am. Med. Assoc.*, 295: Pp. 776-83.
- Haimoto, H., Sasakabe, T. and Umegaki, H. (2009). Acute metabolic responses to a high-carbohydrate meal in outpatients with type 2 diabetes treated with a low-carbohydrate diet: A crossover meal tolerance study. *Nutri. Metabol.*, 6: p. 52.
- Hainer, V., Toplak, H. and Mitrakou, A. (2008). Treatment modalities of obesity: what fits whom?, *Diab. Care.*, 2: Pp. S269-S277.
- Harland J.I. and Garton, L.E. (2008). Whole-grain intake as a marker of healthy body weight and adiposity. *Pub. Health Nutri.*, 11(6): Pp. 554-563.
- Haslam, D.W. and James, W.P. (2005). Obesity. *Lancet.*, 366 (9492): Pp. 1197–1209.
- Health zest (2013). Make Dietary Fiber a Regular Part of Your Diet, ZEST MAGAZINE, p.17.
- Howard, B.V., Ruotolo, G. and Robbins, D.C. (2008). Obesity and dyslipidemia. , *Endocrinol. Metab. Clin. North. Am.*, 32(4): Pp. 855-867.
- Hu ., Manson, J., Stampfer, M. and Graham, C. (2001). Diet, lifestyle, and the risk of type 2 diabetes mellitus in women. *New Engl. J. Med.*, 345 (11): Pp. 790–797.
- Huus, K., Ludvigsson, J.F., Enskar, K. and Ludvigsson, J. (2007). Risk factors 89. in childhood obesity-findings from the all babies In: Southeast Sweden (ABIS) cohort. *Acta. Paediatr.*, 96 : Pp. 1321-1325.
- ICMR (2010). Dietary Guidelines for Indians. A Manual by ICMR. National Institute of Nutrition, Hyderabad. Pp. 252-255.

- ICMR (2013). Based on the proceedings of workshop of 45th National Conference on current priorities in nutrition research, methodology and report writing and prevention of lifestyle diseases - Role of Food Science and Nutrition. Pp.60-65.
- International Obesity Taskforce (2010). The Global Epidemic. IASO/IOTB. <http://www.iaso.org/iotf/obesity/obesitytheglobalepidemic/>
- Ito, M.K., McGowan, M.P. and Moriarty, P.M. (2011). "Management of familial hypercholesterolemias in adult patients: recommendations from the National lipid association expert panel on familial hypercholesterolemia". *J .Clin .Lipidol .*,**5** (3): Pp. S38–45.
- Jagadesan, S., Harish, R., Rajendra, P. and Viswanathan, M. (2010). Obesity Reduction and awareness and screening of Noncommunicable Diseases through Group Education in Children and Adolescents (ORANGE): Methodology Paper (ORANGE-1). *J. Diab. Sci. Technol.*, 4(5): Pp. 1256–1264.
- Jakicic, J.M. and Otto,A.D. (2005). Physical activity considerations for the treatment and prevention of obesity. *Am. J .Clin. Nutr.*,82(1): Pp. 226S-229S.
- James, W., Anderson, P., Richard, H.D., Stefanie, F., Mary, K., Ashraf, K., Valerie, W. and Christine, L. W. (2009). Health benefits of dietary fiber, *Nutri. Rev.*, 67(4): Pp. 188–205.
- James, W.P. (2008). The epidemiology of obesity: The size of the problem. *J. Intern. Med.*, 263: Pp. 336-352.
- Jared, P. R., Catherine, M. L., Cora, E., Lewis., Tiffany, M., Powell, W., Gina, S., Wei., J. Jeffrey, C.J., James, G., Terry. and Kiang, L. (2013). Association Between Duration of Overall and Abdominal Obesity Beginning in Young Adulthood and Coronary Artery Calcification in Middle Age, *J. Am. Med. Assoc.*, 310(3): Pp. 280-288.
- Jason, M. and Ed, D. (2008). Physical Activity and Health (Abstract). *Nasm .Pro.*, Pp. 08-25.
- Jean, P.C. and Angelo, T. (2009), Obesity and Physical Inactivity: The Relevance of Reconsidering the Notion of Sedentariness. *Obes. Facts.*, 2(4): Pp. 249-254.

- Jeemon, P., Prabhakaran, D., Mohan, V., Thankappan, K.P., Joshi, P.P., Ahmed, F., Chaturvedi, V. and Reddy, K.S. (2009). Double burden of underweight and overweight among children (10–19 years of age) of employees working in Indian industrial units. SSIP Investigators. *Natl. Med. J. India.*, 22(4): Pp.172–176.
- Jenkins, D.T.A. (2004). Trend in dietary management of diabetes mellitus on update. *J. Am. Diet. Assoc.*, 4: Pp. 111-125.
- Jenkins, I., Jenkins, D. J .A., Zdravkovic, U., Würsch, P. and Vuksan, V. (2002). Depression of the glycemic index by high levels of beta-glucan fiber in two functional foods tested in type 2 diabetes. *Euro. J. Clin. Nutri.*, 56, (7): Pp. 622-628.
- Jensen, M.K., Banerjee, K.P., Hu, F.B., Franz, M., Sampson, L., Gronbaek, M. and Rimm, E.B. (2004). Intakes of whole grains, bran, and germ and the risk of coronary heart disease in men. *Am. J. Clin. Nutr.*, 80(6): Pp. 1492-1499.
- Jessica., Nolen. and Odom, B.S.N, (2006), Overweight and obesity in women: A literature review, A Master's Project Submitted to the Faculty of the College of nursing in partial fulfillment of the requirements for the degree of Master of Science in Nursing, In the graduate college, of Arizona, P.62.
- Kalra, S. and Unnikrishnan, A.G. (2012). Obesity in India: The weight of the nation. *J. Med. Nutr. Nutraceut.*, 1: Pp. 37-41.
- Keith, S.W., Redden, D.T., Katzmarzyk, P.T., Boggiano, M.M., Hanlon, E.C., Bencia, R.M., Ruden, D., Pietrobelli, A., Barger, J.L., Fontaine, K.R., Wang, C., Aronne, L.J., Wright, S.M., Baskin, M., Dhurandhar, N.V., Lijoi, M.C., Grilo, C.M., DeLuca, M., Westfall, A.O. and Allison, D.B. (2006). Putative contributors to the secular increase in obesity: Exploring the roads less travelled, *Intern. J. Obes.*, 30: Pp. 1585–1594.
- Kelly, T., Yang, W., Chen, C.S., Reynolds, K. and He, J. (2008). Global burden of obesity in 2005 and projections to 2030. *Int. J. Obes.*, 32(9): Pp. 1431-1437.
- Khoury, D., Cuda, C., Luhovyy, B.L. and Anderson, G.H.J. (2012). Beta glucan: Health benefits in obesity and metabolic syndrome. *Nutr. Metab.*, 2012:851362.
- Kim, H.M. and Kim, J. (2013). The effects of green tea on obesity and Type 2 diabetes. *Diab. Metab. J.*, 37(3): Pp. 173–175.

- Klaus, S., Pultz, S., Thone, R.C. and Wolfram, S. (2005). Epigallocatechin gallate attenuates diet-induced obesity in mice by decreasing energy absorption and increasing fat oxidation. *Intern.J. Obes.*, 29, Pp. 615–623.
- Kothari, C.R., (2011). Research Methodology- Methods and Techniques, Published by Wishwa Prakshan, 4835/24, Ansari Rod, Daryaganj, New Delhi.
- Kotsis, V., Stabouli, S., Papakatsika, S., Rizos, Z. and Parati, G. (2010). Mechanisms of obesity-induced hypertension. *Hyperten. Res.*, 33, Pp. 386–393.
- Kristal, A.R., Littman, A.J., Benitez, D. and White, E. (2005). Division of Public Health Sciences, Fred Hutchinson Cancer Research Center, Seattle, Wash, USA. *Altern. Ther. Health Med.*, 11(4): Pp. 28-33.
- Kristensen, M. A . (2011). Diet rich in oat bran improves blood lipids and hemostatic factors, and reduces apparent energy digestibility in young healthy volunteers. *Europ. J.Clin. Nutri.*, 65(9): Pp. 1053-1058.
- Lairon, D., Arnault, N. and Bertrais, S. (2005). Dietary fiber intake and risk factors for cardiovascular disease in French adults. *Am .J. Clin. Nutr.*, 82: Pp. 1185–1194.
- Laren, L. (2008). Socioeconomic status and obesity. *Epidemiol. Rev.*, 29: Pp. 29–48.
- Lattimer, J.M. and Haub, M.D. (2010). Effects of dietary fiber and its components on metabolic health. *Nutrients.*, 2(12): Pp. 1266-1289.
- Lau, D.C., Douketis, J.D., Morrison, K.M., Hramiak, I.M., Sharma, A.M. and Ur, E. (2007). 2006 Canadian clinical practice guidelines on the management and prevention of obesity in adults and children [summary]". *C.M.A.J .*, 176 (8): Pp.S1–13.
- Leila, A., Pamela, J., Surkan., Ahmad, E. and Walter, C. W. (2011). The Dietary Approaches to Stop Hypertension Eating Plan Affects C-Reactive Protein, Coagulation Abnormalities, and Hepatic Function Tests among Type 2 Diabetic Patients .*J. Nutr.*, 141(6): Pp. 1083-1088.
- Leskinen, T., Sipila, S., Alen, M., Cheng, S., Pietilainen, K.H., Usenius, J.P., Suominen, H., Kovanen, V., Kainulainen, H., Kaprio, J. and Kujala, U.M. (2009), Leisure-time physical activity and high-risk fat: A longitudinal population-based twin study. *Int .J .Obes (Lond).*, 33: Pp. 1211–1218.

- Lindstrom, J., Peltonen, M. and Eriksson, J.G. (2006). High-fibre, low fat diet predicts long-term weight loss and decreased type 2 diabetes risk: The Finnish Diabetes Prevention Study. *Diabetologia.*, 49: Pp. 912–920
- Liu, S. (2002). Intake of refined carbohydrates and whole grain foods in relation to risk of type 2 diabetes mellitus and coronary heart disease. *J. Am. Coll. Nutr.*, 21: Pp.298–306.
- Loos, R.J. and Bouchard, C. (2008). FTO: The first gene contributing to common forms of human obesity. *Obes. Rev.*, 9 (3): Pp. 246–250.
- Maki, K.C., Galant, R., Samuel, P., Tesser, J., Witchger, M.S, Ribaya-Mercado, J.D., Blumberg, J.B. and Geohas, J. (2007). Effects of consuming foods containing oat beta-glucan on blood pressure, carbohydrate metabolism and biomarkers of oxidative stress in men and women with elevated blood pressure. *Eur. J. Clin. Nutr.*, 61(6): Pp.786-795.
- Malleshi, N.G., Giri, L.P. and Nair, P.K. (2001). Processing of small millet for food and industrial uses: Processing of first international small millet work-shop, Bangalore, October 29., P.12.
- Malnick, S.D.H. and Knobler, H. (2006). The medical complications of obesity. *QJM: An Intern. J. Med.*, 99(9):Pp. 565-579.
- Mark, B. A. and James, W. A. (2008). The Oatmeal-Cholesterol Connection: 10 Years Later *Am.J. Lifestyle. Med.*, 2: P. 51.
- Mathur, K., Susman, J.L. and Helseth, L.D. (2005). Reducing the complications of Type 2 diabetes a patient centered approach, *Am. Fam. Physician*, 56, Pp.471-480.
- McKeown, N.M., Yoshida, M., Shea, M.K., Jacques, P.F., Lichtenstein, A.H., Rogers, G., Booth, S.L. and Saltzman, E. (2009). Whole-grain intake and cereal fiber are associated with lower abdominal adiposity in older adults. *J. Nutr.*, 139: Pp.1950–1955.
- Meetoo, D., McGovern, P. and Safadi, R. (2007). An epidemiological overview of diabetes across the world. *Brit. J.Nursing.*, 16 (16): Pp. 1002–1007.

- Meydani, M. (2006). Mechanism by which avenanthramide-c, a polyphenol of oats, blocks cell cycle progression in vascular smooth muscle cells. *Free. Radic. Biol. Med.*, 41(5): Pp. 702-708.
- Meyer, K.A., Kushi, L.H., Jacobs, D.R., Jr., Slavin, J., Sellers, T.A. and Folsom, A.R. (2000). Carbohydrates, dietary fiber, and incident Type 2 diabetes in older women. *Am. J. Clin. Nutr.*, 71, Pp. 921-930.
- Misra, A., Pandey, R.M., Devi, J.R., Sharma, R., Vikram, N.K. and Khanna, N. (2007). High prevalence of diabetes, obesity and dyslipidaemia in urban slum population in northern India. *Int. J. Obes. Relat. Metab. Disord.*, 25(11): Pp. 1722-1729.
- Mohan and Deepa. (2006). Obesity and abdominal obesity in Asian Indians. *Indian J. Med. Res.*, 12(3): Pp 593-596.
- Molly, C. C. and John, D. B . (2005). Abdominal Obesity and Dyslipidemia in the Metabolic Syndrome: Importance of Type 2 Diabetes and Familial Combined Hyperlipidemia in Coronary Artery Disease Risk. *J. Clin. Endocrinol. Met.*, 89. (6): Pp. 2601-2607.
- Moura, F.F., Lewis, K.D. and Falk, M.C. (2009). Applying the FDA definition of whole grains to the evidence for cardiovascular disease health claims. *J. Nutri. Bethesda.*, 139 (11): Pp. 2220S-2226S.
- Mozaffarian, D., Hao, T., Rimm, E.B., Willett, W.C. and Hu, F.B. (2011). Changes in diet and lifestyle and long-term weight gain in women and men. *N. Engl. J. Med.*, 364(25): Pp. 2392-2404.
- Mrkedal, B., Romundstad, P. R. and Vatten, L.J. (2011). Informativeness of indices of blood pressure, obesity and serum lipids in relation to ischaemic heart disease mortality: The HUNT-II study. *Euro. J. Epidemiol.*, 26 (6): Pp. 457–461.
- Mueising , R.A., Judd,J.T., Cleivedence, B.A., Wittes,J., Sunkin,M.E. and Rodozasy. (2006). Dietary trans fatty acids: effects of plasma lipids and lipoproteins, *J. Ind. Med.*, 59, (4): Pp.861-868.
- Mukerjee, A. (2009). Smoking and Diabetes, Hindustan Times, February 05.
- Mumford, S.L., Schisterman, E.F., Siega-Riz, A.M., Gaskins, A.J., Wactawski-Wende, J. and VanderWeele, T.J. (2011). Effect of dietary fiber intake on lipoprotein cholesterol levels independent of estradiol in healthy premenopausal women. *Am. J. Epidemiol.*, 15; 173(2): Pp. 145-56

- Musaiger, A.O., Hazzaa, H., Abahussain, N.A., Sobayel, H. and Qahwaji, D.M. (2012). Lifestyle factors associated with overweight and obesity among Saudi adolescents. *B.M.C. Pub.Health.*, 12: p.354.
- National Cholesterol Education Program-ATP IV Guidelines, (2012).
- National Health and Nutrition Examination Survey, (2013). U.S. Department of Health and Human Services. Centers for Disease Control and Prevention. National Center for Health Statistics. <http://www.cdc.gov/nchs/data/nhanes/databriefs/adultweight.pdf>
- National Heart Foundation of Australia (2007). Physical activity and energy balance. Quick reference guide for health professionals.
- National Institute of Advanced Industrial Science and Technology (AIST), (2013). The Anti-obesity Effect of Wheat Polyphenols.
- National Institute of Diabetes and Digestive and Kidney Diseases. Weight-control Information Network (WIN). Understanding Adult Obesity. win.niddk.nih.gov
- Naukkarinen, J., Rissanen, A., Kaprio, J. and Pietilainen, K.H. (2012). Causes and consequences of obesity: The contribution of recent twin studies. *Int. J. Obes.*, 36(8): Pp. 1017-1024.
- Ness, A.R. and Apovian, C.M. (2006). Diet modification for treatment and prevention of obesity. *Endocrine.*, 29 (1): Pp. 5–9.
- Neyrinck, A.M., Van Hee V.F., Piront, N., De Backer, F., Toussaint, O., Cani, P.D. and Delzenne, N.M. (2012). Wheat-derived arabinoxylan oligosaccharides with prebiotic effect increase satietogenic gut peptides and reduce metabolic endotoxemia in diet-induced obese mice. *Nutr. Diabet.*, 2(1): p. 28.
- Nutritive value of Indian foods (2012). National Institute of Nutrition, Ed. Gopalan, C., Rama Sastri, B.V. and Balasubramniam, S.C. p. 2.
- Okarter, N. and Liu, R.H. (2010). Health benefits of whole grain phytochemicals. *Crit. Rev. Fd Sci. Nutr.*, 50: Pp. 193–208.
- Pannerselvam, R. (2006). Data collection and presentation. Research Methodology, Prentice Hall of India Private Limited, New Delhi, p.18.
- Pappachan, M.J. (2011). Increasing prevalence of lifestyle diseases: high time for action. *Ind. J. Med. Res.*, 134(2): Pp. 143–145.

- Pedersen, B.K. (2013). Muscle as a secretory organ.. American Physiological Society. *Compr Physiol.*, 3: Pp. 1337-1362.
- Pednekar, M.S. (2008). Association of body mass index with all-cause and cause-specific mortality: Findings from a prospective cohort study in Mumbai, India. *Int .J .Epidemiol.*, 37: Pp. 524-535.
- Petruzzello, L., Iacopini, F., Bulajic, M., Shah, S. and Costamagna, G. (2006). Uncomplicated diverticular disease of the colon. *Aliment. Pharmacol .Ther.*, 23: Pp. 1379–1391.
- Poirier, P., Giles, T.D. and Bray, G.A. (2006). Obesity and cardiovascular disease: pathophysiology, evaluation, and effect of weight loss. *Arterioscler. Thromb. Vasc. Biol.*, 26 (5): Pp. 968–976.
- Pontiroli, A.E., Folli, F. and Paganelli, M. (2005). Laparoscopic gastric banding prevents type 2 diabetes and arterial hypertension and induces their remission in morbid obesity: A 4-year case-controlled study. *Diab. Care.*, 28(11): Pp. 2703–2709.
- Popkin, B.M., Adair, L.S. and Ng, S.W. (2012). Global nutrition transition and the pandemic of obesity in developing countries. *Nutr. Rev.*, 70: Pp. 3-21.
- Powell, A.G., Apovian, C.M. and Aronne, L.J. (2011). New Drug Targets for the Treatment of Obesity, *Clin. Pharm. Therapeut.*, 90 (1): Pp. 40-51.
- Premanath, M., Basavanagowdappa, H., Shekar, M.A., Vikram, S.B. and Narayanappa, D. (2010). Mysore childhood obesity study. *Ind. Pediatr.*, 47: Pp. 171–173.
- Press Trust of India (2008), India achieves 27% decline in poverty.
- Ramachandran, A . and Snehalatha, C. (2010). Rising burden of obesity in Asia. *J. Obes.*, 2010: 868573.
- Ray, K.S., Subbulakshmi,G. and Subhadra,M. (2011). Methodologies for fitness assessment, Based on proceedings of Workshop organised by NSI Mumbai chapter.
- Rehm, J., Baliunas, D. and Borges, G.L. (2010). The relation between different dimensions of alcohol consumption and burden of disease: An overview. *Addiction.*, 105(5): Pp. 817–843.

- Renehan, A.G., Tyson, M., Egger, M., Heller, R.F. and Zwahlen, M. (2008). Body-mass index and incidence of cancer: a systematic review and meta-analysis of prospective observational studies. *Lancet.*, 371: Pp. 569–578.
- Report of the Technical Group [11th Five Year Plan: 2007-12] on Estimation of Urban Housing Shortage, Government of India, Ministry of Housing and Urban Poverty Alleviation, P.13.
- Richard, F. And Gary, W. (2010). Effects of obesity and smoking on US life expectancy. *N. Engl. J. Med.*, 362: Pp. 855-857.
- Rob, C.M., Van, K., Elskens, V. and Frank, L.J.V. (2009). Obesity and Cancer: The role of dysfunctional adipose tissue, *Can. Epidemiol. Biomark. Prev.*, 18: P. 2569.
- Sacks F.M., Bray, G.A. and Carey, V.J. (2009). Comparison of weight-loss diets with different compositions of fat, protein, and carbohydrates. *N. Engl. J. Med.*, 360 (9): Pp. 859–873.
- Sahlin, K., Sallstedt, E.K., Bishop, D. and Tonkonogi, M. (2008). Turning down lipid oxidation during heavy exercise—what is the mechanism? *J. Physiol. Pharmacol.*, 59 (7): Pp. 19–30.
- Schatzkin, A., Mouw, T., Park, Y., Subar, A.F., Kipnis, V., Hollenbeck, A., Leitzmann, M.F. and Thompson, F.E. (2007). Dietary fiber and whole grain consumption in relation to colorectal cancer. *Am.J. Clin. Nutr.*, 85: Pp. 1353–1360.
- Schulte, P.A., Wagner, G.R., Ostry, A., Blanciforti, L.A., Cutlip, R.G., Krajnak, K.M., Luster, M., Munson, A.E., Callaghan, J.P., Parks, C.G., Simeonova, P.P. and Miller, D.B. (2007). Work, Obesity and Occupational Safety and Health. *Am. J. Public. Health.*, 97(3):Pp. 428–436.
- Serag, H.B., Graham, D.Y., Sattia, J.A. and Rabeneck, L. (2008), Obesity is an independent risk factor for GERD symptoms and erosive esophagitis. *Am.J. Gastroenterol.*, 14(2): Pp.53–57.
- Silvia, C.R., Francisco, A. F., Soraia, H.K., Flávio, T.M., Tatiana, H., Ney, C. B., Ronilson, A.M., Vinicius, M.R., Fernanda, C. S. and Maria, C. I. (2011). The role of soluble fiber intake in patients under highly effective lipid-lowering therapy, *Nutri.J.*, 10: P.80.

- Sjostrom, L., Lindroos, A.K., Peltonen, M., Torgerson, J., Bouchard, C. and Carlsson, B. (2004). Lifestyle, diabetes and cardiovascular risk factors 10 years after bariatric surgery. *N. Engl. J. Med.*, 351: Pp. 2683.
- Sjostrom, L., Narbro, K. and Sjostrom, C.D. (2007). Effects of bariatric surgery on mortality in Swedish obese subjects. *N. Engl. J. Med.*, 357(8): Pp.741–752.
- Slavin, J. (2004). Whole grains and human health. *Nutr. Res. Rev.*, 17: Pp. 99–110.
- Spear, B.A., Barlow, S.E., Ervin, C., Ludwig, D.S., Saelens, B.E. and Schetzina, K.E. (2007). Recommendations for treatment of child and adolescent overweight and obesity. *Pediat.*, 120 (4): Pp. S254-S288.
- Srinivas, N., Saisudha, K., Chinnala, K.M. and Boini, K.M. (2004). Obesity: An overview on its current perspectives and treatment options, *Nutr. J.*, p. 3.
- Strychar, I. (2006). Diet in the management of weight loss. *C.M.A.J.* , 174 (1): Pp. 56–63.
- Sugathan, T.N., Soman, C.R. and Sankaranarayanan, K. (2008). Behavioural risk factors for non communicable diseases among adults in Kerala, India, *Ind. J. Med. Res.*, 127: Pp. 555-563.
- Suresh, V., Rupnath, K., Ramesh, V., Rojarani, M., Ramadevi, T. and Sambasivarao, K. R. S. (2011). *J. Toxicol. Environ. Health. Sci.*, 3(1): Pp. 1-7.
- Suzuki, R., Rylander, R.T. and Ye, W. (2008). Dietary fiber intake and risk of postmenopausal breast cancer defined by estrogen and progesterone receptor status: A prospective cohort study among Swedish women. *Int. J. Cancer.*, 122(2): Pp. 403-412.
- Sweeting, H.N. (2007), Measurement and definitions of obesity in childhood and adolescence: A field guide for the uninitiated. *Nutr. J.* , 6 (1): p.32.
- Tamura, U., Tanaka, T., Okamura, T., Kadowaki, T., Yamato, H., Tanaka, H., Nakamura, M., Okayama, A., Ueshima, H. and Yamagata, Z. (2010). Changes in Weight, cardiovascular risk factors and estimated risk of coronary heart disease following smoking cessation in Japanese male workers: HIPOP-OHP study. *J Atheroscler. Thromb.*, 17(1): Pp.12-20.

- Tanamas,S.K., Magliano,D.J., Lynch,B., Sethi,P., Willenberg,L., Polkinghorne,K.R., Chadban,S., Dunstan,D. and Shaw,J.E. (2012).The Australian Diabetes, Obesity and Lifestyle study (AusDiab), p.6.
- Tappy L, Gugolz E, Würsch P. (1996). Effects of breakfast cereals containing various amounts of beta-glucan fibers on plasma glucose and insulin responses in NIDDM subjects. *Diabet. Care.*,19: Pp. 831-834.
- Teresa, K., Andrew, S., DO., Jackie, R., Helen, C., Anne, E. and Sarina, S. (2011). Obesity and women's health: An evidence-based review. *J. Am. Board Fam. Med.*, 24(1): Pp. 75-85.
- Theodore, A. and Kotchen, (2010), Obesity-Related Hypertension: Epidemiology, Pathophysiology, and Clinical Management, *Amer. J. Hypert.*, 23(11): Pp.1170-1178.
- Theodore, A. and Kotchen. (2008). Obesity-related hypertension?. *Hyperten.*, 52: Pp. 801-802.
- Therese,M. (2009). Diabetic diet, Health Action. p.14.
- Tirosh, A., Shai, I., Tekes, M.D., Israeli, E., Pereg, D. and Shochat,T. (2005). Normal fasting plasma glucose levels and Type 2 diabetes in young men. *N. Engl. J. Med.*, 353: Pp. 1454-1462.
- Tirosh,A., Shai, I., Afek,A., Dubnov,R.G., Ayalon, N., Gordon, B., Derazne, E., Tzur, D., Shamis, A., Vinker,S. and Rudich, A. (2011). Adolescent BMI trajectory and risk of diabetes versus coronary disease. *N. Engl. J.Med.*, 364(14), Pp.1315-1325.
- Tonsin, H.V., Marshal,J.A., HAMmam, R.F. and Baxter,J. (2003). High fat, low carbohydrate diet and the etiology of Non-insulin dependent diabetes: the san Luir Valley diabetes study. *Am. J. Epidimiol.*, 134 (6): Pp. 590-603.
- Toplak, H., Hamann, A., Moore, R., Masson, E., Gorska, M., Vercruysse, F., Sun,X. and Fitchet, M. (2007). Efficacy and safety of topiramate in combination with metformin in the treatment of obese subjects with type 2 diabetes: A randomized, double-blind, placebo-controlled study. *Int .J. Obes.*, 31: Pp.138–146.
- Toplak, H., Ziegler, O., Keller, U., Hamann, A., Godin, C., Wittert, G., Zanella, M.T., Zuniga, G.S. and Gaal, V.L.F. (2005). X-PERT: Weight reduction with orlistat in obese subjects receiving a mildly or moderately reduced-energy diet: early

- response to treatment predicts weight maintenance. *Diab. Obes. Metab.*, 7: Pp. 699–708.
- Tucker L.A., Thomas K.S. (2009). Increasing total fiber intake reduces risk of weight and fat gains in women. *J. Nutr.*, 139: Pp. 576–581.
- U.S. Department of Health and Human Services. *2008 Physical Activity Guidelines for Americans. October 2008.* <http://www.health.gov/paguidelines>
- U.S. Department of health and services, National Institutes of Health, National heart, Lung and Blood Institutes , NIH publication 05-5215, August 2005. National Institutes of Health, National Heart, Lung, and Blood Institute. The Practical Guide: Identification, Evaluation, and Treatment of Overweight and Obesity in Adults. NIH Publication Number 00-4084.
- Ulmius, M., Johansson, A. and Onning, G. (2009). The influence of dietary fibre source and gender on the postprandial glucose and lipid response in healthy subjects. *Eur. J. Nutr.*, 48: Pp. 395-402.
- USDA (2005). Dietary Reference Intakes for Energy, Carbohydrate, fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids (Macronutrients, Chapter 7: Dietary, Functional and Total fiber.". US Department of Agriculture, National Agricultural Library and National Academy of Sciences, Institute of Medicine, Food and Nutrition Board.
- USDA (2009). Agricultural Research Service. USDA National Nutrient Database for Standard Reference, Release 22. Nutrient Data Laboratory Home Page; 2009 : <http://www.ars.usda.gov/ba/bhnrc/ndl>.
- Van, D.R.M, Hu, F.B., Rosenberg, L., Krishnan, S. and Palmer, J.R. (2006). Dietary calcium and magnesium, major food sources, and risk of type 2 diabetes in U.S. Black women. *Diab. Care.*, 29(10): Pp. 2238-2243.
- Vergara, C.A, Castillo, M.L, Colín, R.E. and Orea,T.A. (2010). Overweight, obesity, high blood pressure and lifestyle factors among Mexican children and their parents. *Environ. Health .Prev. Med.*, 15(6): Pp. 358-366.
- Vos, A.P., M'Rabet, L., Stahl, B., Boehm, G. and Garssen, J. (2007). Immune modulatory effects and potential working mechanisms of orally applied nondigestible carbohydrates. *Crit .Rev. Immunol.*, 27: Pp. 97–140.

- Wadden, T., Berkowitz, R., Womble, L., Sarwer, D., Phelan, S., Cato, R., Hesson, L., Oser, S., Kaplan, R. and Stunkard, A. (2005). Randomized trial of lifestyle modification and pharmacotherapy for obesity. *N .Engl. J .Med.*, 353: Pp. 2111–2120.
- Wang, L., Gaziano, J.M, Liu,S., Manson, J.E., Buring, J.E. and Sesso, H.D. (2007). Whole and refined-grain intakes and the risk of hypertension in women. *Ame. J .Clin. Nutr.*, 86: Pp. 472–479.
- Wang, Y., Chen, H.J., Shaikh, S. and Mathur, P. (2009). Is obesity becoming a public health problem in India? Examine the shift from under- to over nutrition problems over time. *Obes. Rev.*, 10: Pp. 456–474.
- Wardley, J., Jo, W. and Martin, J. J. (2002). Sex differences in the association of socioeconomic status with obesity. *Am. J. Public. Health.*, 92(8): Pp. 1299–1304.
- Weiss, A.M. (2009), Cardiovascular disease in women. *Prim. Care.*, 36: Pp. 73–102.
- WHO expert consultation, (2004). Appropriate body mass index for Asian populations and its implications for policy and intervention strategies. *Lancet.*, Pp. 157-163.
- WHO obesity and overweight (2008). [www.who.int/mediacentre/factsheets /fs31 1/en /index.html](http://www.who.int/mediacentre/factsheets/fs311/en/index.html).
- Wijga, A.H., Scholtens, S., Bemelmans, W.J, DeJongste, J.C., Kerkhof,M. and Schipper, M. (2010). Comorbidities of obesity in school children: a cross-sectional study in the PIAMA birth cohort. *BMC Public Health.*, 10: P. 184.
- Williams, P.G., Grafenauer, S.J. and OShea, J.E. (2008). Cereal grains, legumes, and weight management: A comprehensive review of the scientific evidence. *Nutr .Rev.*, 66(4): Pp. 171-182.
- Wislett, U., Ellingsen, O. and Kemi, O. (2009). High-Intensity interval training to maximize cardiac benefit of exercise taining?. *Exercise and Sports Sciences Revi.*, 37 (3): Pp. 139–146.
- Woodhouse, R. (2008). Obesity in art: A brief overview. *Front. Horm. Res.*, 36: Pp. 271–286.
- World Health Organisation (2013). WHO Technical Report Series 916. Diet, nutrition and the prevention of chronic diseases. Report of a joint WHO/FAO expert consultation. Geneva: World Health Organisation.

- World Health Organisation. WHO Technical Report Series 916. Diet, nutrition and the prevention of chronic diseases. Report of a joint WHO/ FAO expert consultation. Geneva: World Health Organisation, 2012.
- Wu, A.H., Tseng, C.C., Hankin ,J. and Bernstein, L. (2007). Fiber intake and risk of adenocarcinomas of the esophagus and stomach. *Cancer Causes Control.*, 18: Pp. 713–722.
- Wu, H., Dwyer, K.M., Fan, Z., Shircore, A., Fan, J. and Dwyer ,J.H. (2003). Dietary fiber and progression of atherosclerosis: The Los Angeles atherosclerosis study. *Am .J. Clin .Nutr.*, 78: Pp. 1085–1091.
- Yadav, K., Krishnan, A. (2008). Changing patterns of diet, physical activity and obesity among urban, rural and slum populations in north India. *Obes. Rev.*, 9 (5): Pp. 400–408.
- Yamini. (2013). Green Gram or Green Moong: A superfood for weight loss and much more, <http://www.thevibrantwriter.com/green-gram-or-green-moong-a-superfood-for-weight-loss-and-much-more/>.
- Yang, W., Kelly, T. and He, J. (2007). Genetic epidemiology of obesity. *Epidemiol. Rev.*, 29: Pp. 49–61.
- Yeomans, M.R. (2010). Alcohol, appetite and energy balance: Is alcohol intake a risk factor for obesity? *Physiol. Behav.*, 100(1): Pp. 82–89.
- Your Guide to Physical Activity (NHLBI produced publications: Color). The National Heart, Lung, and Blood Institute (NHLBI). 2007.
- Yusuf, S., Hawken, S., Ounpuu, S., Bautista, L., Franzosi, M.G. and Commerford, P. (2005). Obesity and the risk of myocardial infarction in 27000 participants from 52 countries: A case control study. *Lancet.*, 366: Pp. 1640-1649.

Websites

<http://www.apjcn.nhri.org/> Whole grains, cereals and cereal products - nutritional profile, health benefits and food labelling of whole grains.

<http://health.sify.com/ayurveda-qa-sucking-lemon-wedges-reduces-saliva-formation.>

<http://healthyeating.sfgate.com/benefits-eating-oat-bran-5400.html>

http://ilphyd.blogspot.in/2009_10_01_archive.html

<http://kaheel7.com/eng/index.php/health-a-medicine/381-some-benefits-of-the-wheat-bran>

<http://shp.missouri.edu/vhct/case2500/refs.htm>

<http://spiritfoods.net/wheat-bran/>

<http://wholegrainscouncil.org/whole-grains-101/what-are-the-health-benefits.>

<http://www.cdc.gov/nchs,> 2010.

<http://www.cdc.gov/vitalsigns/AdultObesity/index.html>

<http://www.diabetes.co.uk/references.html#10> UK fat alert: 26 million will be obese by 2030 - *Jeremy Laurance, published August 26, 2011.*

<http://www.diabetesnews.com>

<http://www.diethealthclub.com>

<http://www.eatmoreoats.com/health.html>

<http://www.fitday.com/fitness-articles/nutrition/healthy-eating/uncovering-the-truth-can-drinking-green-tea-help-with-weight-loss.html.>

<http://www.healthcentral.com/high-blood-pressure/c/88/2219/high.>

http://www.ikisan.com/Crop%20Specific/Eng/links/ap_greengramHistory.shtml

[http://www.mediweightlossclinics.com/patients/resources/articles/obesity-facts/.](http://www.mediweightlossclinics.com/patients/resources/articles/obesity-facts/)

http://www.medschool.lsuhs.edu/genetics_center/louisiana/article_obesitydiabetes.htm.

- <http://www.nhlbi.nih.gov/health/health-topics/topics/obe/treatment.html>
- <http://www.nhs.uk/Conditions/weight-loss-surgery/Pages/Introduction.aspx>
- <http://www.obesityinamerica.org/understandingObesity/diseases.cfm>.
- <http://www.patient.co.uk/health/Physical-Activity-For-Health>.
- http://www.rxlist.com/wheat_bran/supplements.htm
- <http://www.sciencedaily.com/releases/2009/06/090621143236.htm>
- <http://www.ultimatelifestyleblog.com/wheat-bran/>
- <http://www.webmd.com/diet/what-is-obesity?>
- <http://www.whfoods.com/genpage.php?tname=foodspice&dbid=54#descrvan>
- <http://www.who.int/features/qa/49/en/index.html>, 10 facts on physical activity. 2013.
- <http://www.win.niddk.nih.gov>.
- <http://www.yogamag.net/archives/1997/ese97/obesity.shtml>
- http://yogahealthfoundation.org/health_benefits_of_yoga_explained
- www.providence.net/bariatrics/internal.php
- www.aaccnet.org/news/pdfs/OatBran.pdf
- www.change4health.gov.hk
- www.fiberfacts.com
- www.flexmodo.com
- www.healthguidance.org
- www.naturalnews.com
- www.obesitysurgeryindia.com/download/Facts-Tips-Obesity.
- www.rnrmarketresearch.com/epicast-report-overweight-and-obesity-epidemiology-forecast-to-2022-market-report.html .

- www.who.int/healthinfo/global.../GlobalHealthRisks_report_part2.pdf.2013/
- www.webmd.boots.com/diet/guide/weight-loss-health-risksassociated with obesity.
- <http://www.obesitytopics.com/2006/07/10/an-introduction-to-obesity/>.
- <http://www.self.com/fooddiet/2010/03/20-superfoods-slideshow#slide=1>
- <http://fitnessanddietdetails.blogspot.in/2010/09/fitness-and-diet.html>
- <http://alternativemethodforbetterhealth.wordpress.com/2011/12/31/green-gram-health-benefits-overviews/>
- <http://medicalxpress.com/news/2012-02-key-role-obesity.html><http://medicalxpress.com/news/2012-02-key-role-obesity.html>
- <http://www.nfhsindia.org/nfhs3.html>. Accessed on 6 March, 2012.
- <http://www.foxnews.com/health/2012/09/25/unexpected-foods-to-help-lose-weight/>