

BIBLIOGRAPHY

- Abdalla, M.Y. (2011) Glutathione as potential target for cancer therapy; more or less is good? (mini-review), *Jordan J. Bio. Sci.*, 4, 119-124.
- Abdulazeez, S. and Thiruvengadam, D. (2013) Effect of lycopene on oxidative stress induced during α -galactosamine/lipopolysaccharide-sensitized liver injury in rats, *Pharm. Biol.*, 51, 1592-1599.
- Abid-Essefi, S., Bouaziz, C., Golli-Bennour, E.E., Ouanes, Z. and Bacha, H. (2009) Comparative study of toxic effects of zearalenone and its two major metabolites α -zearalenol and β -zearalenol on cultured human Caco-2 cells, *J. Biochem. Mol. Toxicol.*, 23, 233-243.
- Abiramasundari, G., Sumalatha, K.R. and Sreepriya, M. (2012) Effects of *Tinospora cordifolia* (Menispermaceae) on the proliferation, osteogenic differentiation and mineralization of osteoblast model systems *in vitro*, *J. Ethnopharmacol.*, 141, 474-480.
- Abirami, P. and Rajendran, A. (2012) GC-MS analysis of methanol extracts of *Vernonia cinerea*, *Euro. J. Exp. Bio.*, 2, 9-12.
- Abraham, N.N., Kanthimathi, M.S. and Abdul-Aziz, A. (2012) *Piper betle* shows antioxidant activities, inhibits MCF-7 cell proliferation and increases activities of catalase and superoxide dismutase, *BMC Complement. Altern. Med.*, Doi: 10.1186/1472-6882-12-220.
- Acharya, A., Das, I., Chandhok, D. and Saha, T. (2010) Redox regulation in cancer: a double-edged sword with therapeutic potential, *Oxid. Med. Cell Longev.*, 3, 23-34.
- Adefuye, A.O. and Ndip, R.N. (2013) Phytochemical analysis and antibacterial evaluation of the ethyl acetate extract of the stem bark of *Bridelia micrantha*, *Pharmacogn. Mag.*, 9, 45-50.
- Ademiluyi, A.O., Obboh, G., Owoloye, T.R., Agbebi, O.J. and Omonkhua, A.A. (2013) Modulatory effects of dietary inclusion of garlic (*Allium sativum*) on gentamycin-induced hepatotoxicity and oxidative stress in rats, *Asian Pac. J. Trop. Biomed.*, 3, 470-475.
- Aeschlach, R., Loliger, J., Scott, B.C., Mureia, A., Butter, J., Halliwell, B. and Aruoma, O.I. (1994) Antioxidant actions of thymol, carvacrol, 6-gingerol, zingerone and hydroxyl tyrosol, *Food Chem. Toxicol.*, 32, 31-36.
- Agarwal, A., Hamada, A. and Esteves, S.C. (2012a) Insight into oxidative stress in varicocele-associated male infertility: part 1, *Nat. Rev. Urol.*, 9, 678-690.
- Agarwal, A., Aponte-Mellado, A., Premkumar, B.J., Shaman, A. and Gupta, S. (2012b) The effects of oxidative stress on female reproduction: a review, *Reprod. Biol. Endocrinol.*, doi: 10.1186/1477-7827-10-49.
- Agarwal, A., Prasad, R. and Jain, A. (2010) Effect of green tea extract (catechins) in reducing oxidative stress seen in patients of pulmonary tuberculosis on DOTS Cat I regimen, *Phytomedicine*, 17, 23-27.
- Aghbali, A., Hosseini, S.V., Delazar, A., Gharavi, N.K., Shahneh, F.Z., Orangi, M., Bandehagh, A. and Baradaran, B. (2013) Induction of apoptosis by grape seed extract (*Vitis vinifera*) in oral squamous cell carcinoma, *Bosn. J. Basic Med. Sci.*, 13, 186-191.
- Aguilar, M.I. (2003) HPLC of peptides and proteins: basic theory and methodology, *Springer Protocols*, 251, 3-8.
- Ahmad, B., Khan, M.R., Shah, N.A. and Khan, R.A. (2013) *In vitro* antioxidant potential of *Dicliptera roxburghiana*, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-13-140.
- Ahmed, M., Chavan, A., Lakshmikantha, Y.R., Satwadi, L.P.R. and Thimmappanahalli, K.B., (2012) Evaluation of Antidiabetic Activity of *Vitis vinifera* Stem Bark, *J. Pharm.Res.*, 5, 5239-5242.
- Ai, G., Liu, Q., Hua, W., Huang, Z. and Wang, D. (2013) Hepatoprotective evaluation of the total flavonoids extracted from flowers of *Abelmoschus manihot* (L.) Medic: *In vitro* and *in vivo* studies, *J. Ethnopharmacol.*, 146, 794-802.
- Ajiboye, T.O., Komolafe, Y.O., Bukoye Oloyede, H.O., Yakubu, M.T., Adeoye, M.D., Abdulsalami, I.O., Oladiji, A.T. and Akanji, M.A. (2013) Diethylnitrosamine-induced redox imbalance in rat microsomes: protective role of polyphenolic-rich extract from *Sorghum bicolor* grains, *J. Basic. Clin. Physiol. Pharmacol.*, 24, 41-49.
- Alfadda, A.A. and Sallam, R.M. (2012) Reactive oxygen species in health and disease, *J. Biomed. Biotechnol.*, doi: 10.1155/2012/936486.
- Ali, M.N., Yusof, M.H., Long, K., Yeap, S.K., Ho, W.Y., Beh, B.K., Koh, S.P., Abdullah, M.P. and Alitheen, N.B. (2013) Antioxidant and hepatoprotective effect of aqueous extract of germinated and fermented mung bean on ethanol-mediated liver damage, *Biomed. Res. Int.*, doi: 10.1155/2013/693613.
- Aliev, G., Obrenovich, M.E., Tabrez, S., Jabir, N.R., Reddy, V.P., Li, Y., Burnstock, G., Cacabelos, R. and Kamal, M.A. (2013) Link between cancer and Alzheimer disease via oxidative stress induced by nitric oxide-dependent mitochondrial DNA overproliferation and deletion, *Oxid. Med. Cell Longev.*, doi: 10.1155/2013/962984.
- Alwi, S.S.S., Cavell, B.E., Donlevy, A. and Packham, G. (2012) Differential induction of apoptosis in human breast cancer cell lines by phenethyl isothiocyanate, a glutathione depleting agent, *Cell Stress Chaperones*, 17, 529-538.
- Aly, H.A., El-Shitany, N.A., El-Beshbishy, H.A. and Ashour, O.M. (2013) Ameliorative effect of lycopene against 2,3,7,8-tetrachlorodibenzo-p-dioxin- induced rat liver microsomal toxicity: An *in vitro* study, *Toxicol. Ind. Health*, doi: 10.1177/0748233713475504.

- Amengual, J., Lobo, G.P., Golczak, M., Li, H.N.M., Klimova, T., Hoppel, C.L., Wyss, A., Palczewski, K. and Lintig, J.V. (2010) A mitochondrial enzyme degrades carotenoids and protects against oxidative stress, *FASEB J.*, 25, 948-959.
- Ando, R., Ueda, S., Yamagishi, S.I., Miyazaki, H., Kaida, Y., Kaifu, K., Yokoro, M., Nakayama, Y., Obara, N., Fukami, K., Takeuchi, M. and Okuda, S. (2013) Involvement of advanced glycation end product-induced asymmetric dimethylarginine generation in endothelial dysfunction, *Diab. Vasc. Dis. Res.*, 10, 436-441.
- Annegowda, H.V., Bhat, R., Min-Tze, L., Karim, A.A. and Mansor, S.M. (2012) Influence of sonication treatments and extraction solvents on the phenolics and antioxidants in star fruits, *J. Food Sci. Technol.*, 49, 510-514.
- Anusuya, N. and Manian, S. (2013) Antioxidant and free radical scavenging potential of different solvent extracts of *Indigofera tinctoria* L. leaves, *Int. J. Pharm. Pharm. Sci.*, 5, 142-147.
- Aparna, S. (2000) A study on the level of antioxidant in the flowers of *Caesalpinia pulcherrima*, Swartz. A thesis submitted to Avinashilingam University in partial fulfillment of the requirements of the degree of Master of Science in Biochemistry.
- Aranjani, J.M., Manuel, A., Rao, M.C., Udupa, N., Rao, J.V., Joy, A.M., Gandhi, P. and Radhakrishnan, E.K. (2013) Preliminary evaluation of *in vitro* cytotoxicity and *in vivo* antitumor activity of *Xanthium strumarium* in transplantable tumors in mice, *Am. J. Chin. Med.*, 41, 145-162.
- Armania, N., Yazan, L.S., Musa, S.N., Ismail, I.S., Foo, J.B., Chan, K.W., Noreen, H., Hisyam, A.H., Zulfahmi, S. and Ismail, M. (2013) *Dillenia suffruticosa* exhibited antioxidant and cytotoxic activity through induction of apoptosis and G2/M cell cycle arrest, *J. Ethnopharmacol.*, 146, 525-535.
- Arriaga-Alba, M., Rios, M.Y. and Déciga-Campos, M. (2013) Antimutagenic properties of affinin isolated from *Heliopsis longipes* extract, *Pharm. Biol.*, 51, 1035-1039.
- Ashafa, A.O. (2013) Medicinal potential of *Morella serata* (Lam.) Killick (*Myricaceae*) root extracts: biological and pharmacological activities, *BMC Complement. Altern. Med.*, doi:10.1186/1472-6882-13-163.
- Ashokkumar, R. and Ramaswamy, M. (2013) Determination of DPPH free radical scavenging oxidation effects of methanolic leaf extracts of some Indian medicinal plant species, *J. Chem. Biol. Phys. Sci.*, 3, 1273-1278.
- Atif, F., Sayeed, I., Ishrat, T. and Stein, D.G. (2009) Progesterone with vitamin D affords better neuroprotection against excitotoxicity in cultured cortical neurons than progesterone alone, *Mol. Med.*, 15, 328-336.
- Aydın, S., Tokaç, M., Taner, G., Arıkök, A.T., Dündar, H.Z., Ozkardeş, A.B., Taşlıpınar, M.Y., Kılıç, M., Başaran, A.A. and Başaran, N. (2013) Antioxidant and antigenotoxic effects of lycopene in obstructive jaundice, *J. Surg. Res.*, 182, 285-295.
- Ayesha, Jahan, N., Rahman, K. and Nosheen, S. (2013) Gemmomodification: an emerging source of natural antioxidants from *Silybum marianum*, *Pak. J. Pharm. Sci.*, 26, 585-591.
- Ayranci, E. and Erkan, N. (2013) Radical scavenging capacity of methanolic *Phillyrea latifolia* L. extract: anthocyanin and phenolic acids composition of fruits, *Molecules*, 18, 1798-1810.
- Azadmehr, A., Oghyanous, K.A., Hajiaghvae, R., Amirghofran, Z. and Azadbakht, M. (2013) Antioxidant and neuroprotective effects of *Scrophularia striata* extract against oxidative Stress-induced neurotoxicity, *Cell Mol Neurobiol.*, 33, 1135-1141.
- Azizi, E., Abdolmohammadi, M. H., Fouladdel, Sh., Shafiee, A., Amin, Gh. and Ghaffari S. M. (2009) Evaluation of p53 and Bcl-2 genes and proteins expression in human breast cancer T47D cells treated with extracts of *Astrodaucus persicus* (Boiss.) Drude in comparison to Tamoxifen, *DARU J. Pharm. Sci.*, 17, 181-186.
- Babykutty, S., Padikkala, J., Sathiadevan, P.P., Vijayakurup, V., Azis, T.K.A., Srinivas, P. and Gopala, S. (2009) Apoptosis induction of *Centella asiatica* on human breast cancer cell, *Afr. J. Complement. Altern. Med.*, 6, 9-16.
- Bahmani, M. and Eftekhari, Z. (2012) An ethnoveterinary study of medicinal plants in treatment of diseases and syndromes of herd dog in southern regions of Ilam province, Iran, *Comp. Clin. Path.*, 22, 403-407.
- Balachandar, B. Jayachitra, A., Paramasivam, S. and Arulkumar, A. (2013) Evaluation of antioxidant activity of *Clitoria ternatea* and *Alternanthera sessilis* plant extracts using model system for yeast cells, *African J. Basic Appl. Sci.*, 5, 134-138.
- Balasubramanian, K. and Padma, P.R. (2013a) *Zea mays* leaf extracts protect *Saccharomyces cerevisiae* cell against oxidative stress-induced cell death, *J. Acute Med.*, 3, 83-92.
- Balasubramanian, K. and Padma, P.R. (2013b) Anticancer activity of *Zea mays* leaf extracts on oxidative stress-induced Hep2 cells, *J. Acupunct. Meridian. Stud.*, 6, 149-158.
- Balasubramanian, K. and Padma, P.R. (2012) Protection of precision-cut-goat liver slices by *Zea mays* leaf extracts from hydrogen peroxide induced oxidative stress *in vitro*, *Int. J. Pharm. Bio. Sci.*, 3, 201-210.
- Baldwin, E.L. and Osheroff N. (2005) Etoposide, topoisomerase II and cancer, *Curr Med. Chem. Anticancer Agents*, 5, 363-372.
- Baskar, R., Lee, K.A., Yeo, R. and Yeoh, K.W. (2012) Cancer and radiation therapy: current advances and future directions. *Int. J. Med. Sci.*, 9, 193-199.

- Baskić, D., Popović, S., Ristić, P. and Arsenijević, N.N. (2006) Analysis of cycloheximide-induced apoptosis in human leukocytes: fluorescence microscopy using annexin V/propidium iodide versus acridin orange/ethidium bromide, *Cell Biol. Int.*, 30, 924-932.
- Bassil, N.M., Abdel-Massih, R., El-Chami, N., Smith, C.A. and Baydoun, E. (2012) *Pleurotus ostreatus* and *Ruscus aculeatus* extracts cause non-apoptotic Jurkat cell death, *J. Plant Studies*, 1, 14-22.
- Bayfield, R.F. and Cole, E.R. (1980) Colorimetric estimation of vitamin A with trichloroacetic acid, *Meth. Enzymol.*, 67, 189-195.
- Behravan, J., Mosafa, F., Soudmand, N., Taghiabadi, E., Razavi, B.M. and Karimi, G. (2011) Protective effects of aqueous and ethanolic extracts of *Portulaca oleracea* L. aerial parts on H₂O₂-induced DNA damage in lymphocytes by comet assay, *J. Acupunct. Meridian. Stud.*, 4, 193-197.
- Bekir, J., Mars, M., Souchard, J.P. and Bouajila, J. (2013) Assessment of antioxidant, anti-inflammatory, anti-cholinesterase and cytotoxic activities of pomegranate (*Punica granatum*) leaves, *Food Chem. Toxicol.*, 55, 470-475.
- Benarba, B., Meddah, B. and Aoues, A. (2012) *Bryonia dioica* aqueous extract induces apoptosis through mitochondrial intrinsic pathway in BL41 Burkitt's lymphoma cells, *J. Ethnopharmacol.*, 141, 510-516.
- Benn, P. and Delach, J. (2008) Human lymphocyte culture and chromosome analysis. *CSH Protoc.*, doi: 10.1101/pdb.prot5035.
- Berg, R.M., Møller, K. and Bailey, D.M. (2011) Neuro-oxidative-nitrosative stress in sepsis, *J. Cereb. Blood Flow Metab.*, 31, 1532-1544.
- Bhanushali, M., Bagale, V., Shirod, A., Joshi, Y. and Kadam, V. (2010) An *in-vitro* toxicity testing - a reliable alternative to toxicity testing by reduction, replacement and refinement of animals, *Int. J. Adv. Pharm. Sci.*, 1, 15-31.
- Bigoniya, P., Singh, S., Singh, C.S. and Shukla, A. (2013) Anti-anemic potential estimation on mice and characterization of flavonoids using high performance thin layer chromatography in *Wrightia tinctoria* bark fraction, *J. Nat. Pharm.*, 4, 47-56.
- Birben, E., Sahiner, U.M., Sackesen, C., Erzurum, S. and Kalayci, O. (2012) Oxidative stress and antioxidant defense, *World Allergy Organ J.*, 5, 9-19.
- Board, P.G. and Menon, D. (2013) Glutathione transferases, regulators of cellular metabolism and physiology, *Biochem. Biophys. Acta.* 1830, 3267-3288.
- Bocci, V. and Valacchi, G. (2013) Free radicals and antioxidants: how to reestablish redox homeostasis in chronic diseases? *Curr. Med. Chem.*, 20, 3397-3415.
- Bogeski, I., Kappl, R., Kummerow, C., Gulaboski, R., Hoth, M. and Niemeyer, B.A. (2011) Redox regulation of calcium ion channels: chemical and physiological aspects, *Cell Calcium*, 50, 407-423.
- Bokhari, J., Khan, M.R., Shabbir, M., Rashid, U., Jan, S. and Zai, J.A. (2013) Evaluation of diverse antioxidant activities of *Galium aparine*, *Spectrochim. Acta. A Mol. Biomol. Spectrosc.*, doi: 10.1016/j.saa.2012.09.056.
- Bonassi, S., El-Zein, R., Bolognesi, C. and Fenech, M. (2011) Micronuclei frequency in peripheral blood lymphocytes and cancer risk: evidence from human studies, *Mutagenesis*, 26, 93-100.
- Bopp, S.K. and Lettieri, T. (2008) Comparison of four different colorimetric and fluorometric cytotoxicity assays in a zebrafish liver cell line, *BMC Pharmacol.*, doi: 10.1186/1471-2210-8-8.
- Boraschi, D. and Maurizi, G (1998) Quantitation of DNA fragmentation with diphenylamine. In apoptosis - A laboratory manual of experimental methods, GCI Publications, 153-161.
- Boulaaba, M., Tsolmon, S., Ksouri, R., Han, J., Kawada, K., Smaoui, A., Abdelly, C. and Isoda, H. (2013) Anticancer effect of *Tamarix gallica* extracts on human colon cancer cells involves Erk1/2 and p38 action on G2/M cell cycle arrest, *Cytotechnol.*, doi:10.1007/s10616-013-9564-4.
- Boyum, A. (1968) Isolation of mononuclear cells and granulocytes from human blood. *A. Scand. J. Clin. Lab. Invest.*, 21, 77-89.
- Brennan, L.A. and Kantorow, M. (2009) Mitochondrial function and redox control in the aging eye: role of MsrA and other repair systems in cataract and macular degenerations, *Exp. Eye Res.*, 88, 195-203.
- Brieger, K., Schiavone, S., Miller, F.J. and Krause, K.H. (2012) Reactive oxygen species: from health to disease, *Swiss Med. Wkly.*, doi: 10.4414/smww.2012.13659.
- Butler, M.S. (2008) Natural products to drugs: natural product-derived compounds in clinical trials, *Nat. Prod. Rep.*, 25, 475-516.
- Cai, Z. and Yan, L.J. (2013) Protein oxidative modifications: beneficial roles in disease and health, *J. Biochem. Pharmacol. Res.*, 1, 15-26.
- Cardile, V., Russo, A., Formisano, C., Rigano, D., Senatore, F., Arnold, N.A. and Piozzi, F. (2009) Essential oils of *Salvia bracteata* and *Salvia rubifolia* from Lebanon: Chemical composition, antimicrobial activity and inhibitory effect on human melanoma cells, *J. Ethnopharmacol.*, 126, 265-272.
- Cariddi, L.N., Escobar, F.M., Sabini, M.C., Toress, C.V., Zygaldó, J.A. and Sabibi, L. (2010) First approaches in the study of cytotoxic and mutagenic damage induced by cold aqueous extract of *Baccharis articulata* on normal cells, *Mol. Med. Chem.*, 41, 4-7.

- Carmona-Gutierrez, D., Eisenberg, T., Büttner, S., Meisinger, C., Kroemer, G. and Madeo, F. (2010) Apoptosis in yeast: triggers, pathways, subroutines, *Cell Death Differ.*, 17, 763-773.
- Cavalcanti, B.C., da Costa, P.M., Carvalho, A.A., Rodrigues, F.A., Amorim, R.C., Silva, E.C., Pohlitz, A.M., Costa-Lotuf, L.V., Moraes, M.O. and Pessoa, C. (2012) Involvement of intrinsic mitochondrial pathway in neosergeolide-induced apoptosis of human HL-60 leukemia cells: the role of mitochondrial permeability transition pore and DNA damage, *Pharm. Biol.*, 50, 980-993.
- Cemek, M., Aymelek, F., Büyükkuroğlu, M.E., Karaca, T., Büyükben, A. and Yilmaz, F. (2010) Protective potential of Royal Jelly against carbon tetrachloride induced-toxicity and changes in the serum sialic acid levels, *Food Chem. Toxicol.*, 48, 2827-2832.
- Cerella, C., Radogna, F., Dicato, M. and Diederich, M. (2013) Natural compounds as regulators of the cancer cell metabolism, *Int. J. Cell Biol.*, doi: 10.1155/2013/639401.
- Ceriello, A. and Testa, R. (2009) Antioxidant anti-inflammatory treatment in type 2 Diabetes, *Diab. Care*, 32, 232-236.
- Chandel, M., Sharma, U., Kumar, N., Singh, B. and Kaur, S. (2012) Antioxidant activity and identification of bioactive compounds from leaves of *Anthocephalus cadamba* by ultra-performance liquid chromatography/electrospray ionization quadrupole time of flight mass spectrometry, *Asian Pac. J. Trop. Med.*, 5, 977-985.
- Chandrashekar, S., Umesha, S., Kumar, C.M. and Chandan, S. (2010) Inhibition of pro-oxidant induced DNA damage in isolated human peripheral lymphocytes by methanolic extract of Guduchi (*Tinospora cordifolia*) leaves, *Int. J. Pharm. Sci. Res.*, 10, 445-450.
- Chang, M.C., Uang, B.J., Wu, H.L., Lee, J.J., Hahn, L.J. and Jeng, J.H. (2002), Inducing the cell cycle arrest and apoptosis of oral KB carcinoma cells by hydroxychavicol : roles of glutathione and reactive oxygen species, *Br. J. Pharmacol.*, 135, 619-630.
- Chaudhary, A., Bhandari, A. and Pandurangan, A. (2012) Antioxidant potential and total phenolic content of methanolic bark extract of *Madhuca indica* (koenig) Gmelin, *Anc. Sci. Life.*, 31, 132-136.
- Chen, K.C., Peng, C.C., Chiu, W.T., Cheng, Y.T., Huang, G.T., Hsieh, C.L. and Peng, R.Y. (2010) Action mechanism and signal pathways of *Psidium guajava* L. aqueous extract in killing prostate cancer LNCaP cells, *Nutr. Cancer*, 62, 260-270.
- Chen, Y.F., Yang, J.S., Chang, W.S., Tsai, S.C., Peng, S.F. and Zhou, Y.R. (2013) *Houttuynia cordata* Thunb extract modulates G0/G1 arrest and Fas/CD95-mediated death receptor apoptotic cell death in human lung cancer A549 cells, *J. Biomed. Sci.*, doi: 10.1186/1423-0127-20-18.
- Cheng, N., Ren, N., Gao, H., Lei, X., Zheng, J. and Cao, W. (2013) Antioxidant and hepatoprotective effects of *Schisandra chinensis* pollen extract on CCl₄-induced acute liver damage in mice, *Food Chem. Toxicol.*, 55, 234-240.
- Cheung, H.H., Liu, X., and Rennert, O.M. (2012) Apoptosis: reprogramming and the fate of mature cells, *ISRN Cell Biol.*, doi:10.5402/2012/685852.
- Chiang, L.C., Chiang, W., Liu, M.C. and Lin, C.C. (2003) *In vitro* antiviral activities of *Caesalpinia pulcherrima* and its related flavonoids, *Antimicrob. Chemother.*, 52, 194-198.
- Chichioco-Hernandez, C.L. and Leonido, F.M.G. (2011) Weight-lowering effects of *Caesalpinia pulcherrima*, *Cassia fistula* and *Senna alata* leaf extracts, *J. Med. Plants Res.*, 5, 452-455.
- Chih, H.W., Chill, H.F., Tang, K.S., Chang, F.R. and Wu, Y.C. (2001) Bullatacin, a potent antitumour annonaceous acetogenin, inhibits proliferation of human hepatocarcinoma cell line 2.2.15 by apoptosis induction, *Life Sci.*, 69, 1321-1331.
- Chiu, H.J., Fischman, D.A. and Hammerling, U. (2008) Vitamin A depletion causes oxidative stress, mitochondrial dysfunction, and PARP-1-dependent energy deprivation, *FASEB J.*, 22, 3878-3887.
- Chorvatova, A., Aneba, S., Mateasik, A., Chorvat, D. and Comte, B. (2013) Time-resolved fluorescence spectroscopy investigation of the effect of 4-hydroxynonenal on endogenous NAD(P)H in living cardiac myocytes, *J. Biomed. Opt.*, doi: 10.1117/1.JBO.18.6.067009.
- Christenson, K., Thorén, F.B. and Bylund, J. (2012) Analyzing cell death events in cultured leukocytes, *Methods Mol. Biol.*, 844, 65-86.
- Chung, S.S., Kim, M., Youn, B.S., Lee, N.S., Park, J.W., Lee, I.K., Lee, Y.S., Kim, J.B., Cho, Y.M., Lee, H.K. and Park, K.S. (2009) Glutathione peroxidase 3 mediates the antioxidant effect of peroxisome proliferator-activated receptor gamma in human skeletal muscle cells, *Mol. Cell Biol.*, 29, 20-30.
- Ciccone, S., Maiani, E., Bellusci, G., Diederich, M. and Gonfloni, S. (2013) Parkinson's disease: a complex interplay of mitochondrial DNA alterations and oxidative stress, *Int. J. Mol. Sci.*, 14, 2388-2409.
- Cieśla, Ł.M. and Waksmundzka-Hajnos, M. (2010) Application of thin-layer chromatography for the quality control and screening the free radical scavenging activity of selected pharmaceutical preparations containing *Salvia officinalis* L. extract, *Acta. Pol. Pharm.*, 67, 481-485.
- Cilerdzic, J., Stajic, M., Vukojevic, J. and Duletic-Lausevic, S. (2013) Oxidative stress and species of genus *Ganoderma* (higher Basidiomycetes), *Int. J. Med. Mushrooms*, 15, 21-28.
- Circu, M.L. and Aw, T.Y. (2010) Reactive oxygen species, cellular redox systems and apoptosis, *Free Radic. Biol. Med.*, 48, 749-762.

- Çoban, J., Bingül, I., Yesil-Mizrak, K., Dogru-Abbasoglu, S., Oztezcan, S. and Uysal, M. (2013) Effects of carnosine plus vitamin E and betaine treatments on oxidative stress in some tissues of aged rats, *Curr. Aging Sci.*, 6, 199-205.
- Colombo, M.L. (2010) An update on vitamin E, tocopherol and tocotrienol-perspectives. *Molecules*, 15, 2103-2013.
- Costa, V., Quintanilha, A. and Moradas-Ferreira, P. (2007) Protein oxidation, repair mechanisms and proteolysis in *Saccharomyces cerevisiae*, *IUBMB Life.*, 59, 293-298.
- Cronje, C., George, G.M., Fennie, A.R., Bekker, J., Kossmann, J. and Bauer, R. (2012) Manipulation of L-ascorbic acid biosynthesis pathways in *Solanum lycopersicum*: elevated GDP-mannose pyrophosphorylase activity enhances L-ascorbate levels in red fruit, *Planta.*, 235, 553-564.
- Cui, H., Kong, Y., and Zhang, H. (2012) Oxidative stress, mitochondrial dysfunction, and aging, *J. Sig. Transd.*, doi:10.1155/2012/646354.
- da Costa, C.A., de Oliveira, P.R., de Bem, G.F., de Cavalho, L.C, Ognibene, D.T., da Silva, A.F., Dos Santos Valença, S., Pires, K.M., da Cunha Sousa, P.J., de Moura, R.S. and Resende, A.C. (2012) *Euterpe oleracea* Mart.-derived polyphenols prevent endothelial dysfunction and vascular structural changes in renovascular hypertensive rats: role of oxidative stress, *Naunyn Schmiedebergs Arch. Pharmacol.*, 385, 1199-1209.
- Dahiya, P. and Purkayastha, S. (2013) Phytochemical screening and antimicrobial activity of some medicinal plants against multi-drug resistant bacteria from clinical isolates, *Indian J. Pharm. Sci.*, 74, 443-450.
- Dai, J. and Mumper, R.J. (2010) Plant phenolics: extraction, analysis and their antioxidant and anticancer properties, *Molecules*, 15, 7313-7352.
- Dalonso, N. and Petkowicz, C.L. (2012) Guarana powder polysaccharides: characterisation and evaluation of the antioxidant activity of a pectic fraction, *Food Chem.*, 134, 1804-1812.
- Das, N., Sikder, K., Ghosh, S., Fromenty, B. and Dey, S. (2012) *Moringa oleifera* Lam. leaf extract prevents early liver injury and restores antioxidant status in mice fed with high-fat diet, *Indian J. Exp. Biol.*, 50, 404-412.
- Dato, S., Crocco, P., D'Aquila, P., de Rango, F., Bellizzi, D., Rose, G. and Passarino, G. (2013) Exploring the role of genetic variability and lifestyle in oxidative stress response for healthy aging and longevity, *Int. J. Mol. Sci.*, 14, 16443-16472.
- David, M. and Richard, J.S. (1983), In : *Methods of enzymatic analysis*, Bergmeyer, J. and Marianne Grab (eds.), Verlag Chemie Weinheim Deer Field, Beach Floride, P. 358.
- Dawane, J.S. and Pandit, V.A. (2012) Understanding redox homeostasis and its role in cancer, *J. Clin. Diagn. Res.*, 6, 1796-1802.
- Dawidowicz, A.L. and Olszowy, M. (2012) Mechanism change in estimating of antioxidant activity of phenolic compounds, *Talanta*, 15, 312-317.
- de Graaf, I.A., Groothuis, G.M.M. and Olinga, P. (2007) Precision-cut tissue slices as a tool to predict metabolism of novel drugs, *Expert Opin. Drug Metab. Toxicol.*, 3, 879-898.
- de Graaf, I.A., Olinga, P., de Jager, M.H., Merema, M.T., de Kanter, R., van de Kerkhof, E.G. and Groothuis, G.M. (2010) Preparation and incubation of precision-cut liver and intestinal slices for application in drug metabolism and toxicity studies, *Nat. Protoc.*, 9, 1540-1551.
- Debska, K., Bogatek, R. and Gniazdowska, A. (2012) Protein carbonylation and its role in physiological processes in plants, *Postepy Biochem.*, 58, 34-43.
- Demirci, O. and Hamamci, D.A. (2013) Antioxidant responses in *Phanerochaete chrysosporium* exposed to astrazone red FBL textile dye, *Cell Biochem. Funct.*, 31, 86-90.
- Deng, J.S., Chang, Y.C., Wen, C.L., Liao, J.C., Hou, W.C, Amagaya, S., Huang, S.S. and Huang, G.J. (2012) Hepatoprotective effect of the ethanol extract of *Vitis thunbergii* on carbon tetrachloride-induced acute hepatotoxicity in rats through anti-oxidative activities, *J. Ethnopharmacol.* 142, 795-803.
- Dizdaroglu, M. (2012) Oxidatively induced DNA damage: mechanisms, repair and disease, *Cancer Lett.*, 327, 26-47.
- Djordjevic, D., Jakovljevic.V., Cubrilo, D., Zlatkovic, M., Zivkovic, V. and Djuric, D. (2010) Coordination between nitric oxide and superoxide anion radical during progressive exercise in elite soccer players, *The Open Biochem.*, J., 4, 100-106.
- Dodge, J.T., Mitchel, C. and Hangan, V. (1963) The preparation and chemical characteristics of haemoglobin free erythrocytes, *Arch. Biochem. Biophys.*, 100, 119-130.
- D'Orazio, N., Gammone, M.A., Gemello, E., De Girolamo, M., Cusenza, S. and Riccioni, G. (2012) Marine bioactives: pharmacological properties and potential applications against inflammatory diseases, *Mar. Drugs*, 10, 812-833.
- dos Santos, V.C., Longo, T.B., Garcia, A.L., Richter, M.F., Guecheva, T.N., Henriques, J.A., Ferraz Ade, B. and Picada, J.N. (2013) Evaluation of the mutagenicity and genotoxicity of *Arrabidaea chica* Verlot (*Bignoneaceae*), an Amazon plant with medicinal properties, *J. Toxicol. Environ. Health A.*, 76, 381-390.
- Dragoni, S., Franco, G., Regoli, M., Bracciali, M., Morandi, V., Sgaragli, G., Bertelli, E. and Valoti, M. (2012) Gold nanoparticles uptake and cytotoxicity assessed on rat liver precision-cut slices, *Toxicol. Sci.*, 128, 186-197.
- Dudhatra, G.B., Mody, S.K., Awale, M.M., Patel, H.B., Modi, C.M., Kumar, A., Kamani, D.R. and Chauhan, B.N. (2012) A comprehensive review on pharmacotherapeutics of herbal bioenhancers, *Sci. Worl. J.*, doi: 10.1100/2012/637953.

- Dwivedi, V., Shrivastava, R., Hussain, S., Ganguly, C. and Bharadwaj, M. (2011) Comparative anticancer potential of clove (*Syzygium aromaticum*)-an Indian spice-against cancer cell lines of various anatomical origin, *Asian Pac. J. Cancer Prev.*, 12, 1989-1993.
- Ebrahimzadeh, M.A. and Bahramian, F. (2009) Antioxidant activity of *Crataegus pentaegyna subsp. elburensis* fruits extracts used in traditional medicine in Iran, *Pak. J. Biol. Sci.*, 12, 413-419.
- Ebrahimzadeh, M.A., Nabavi, S.M., Nabavi, S.F., Bahramian, F. and Bekhradnia, A.R. (2010) Antioxidant and free radical scavenging activity of *H. officinalis*, L., *Var. angustifolius*, *V. odorata*, *B. hyrcana* and *C. speciosum*, *Pak. J. Pharm. Sci.*, 23, 29-34.
- Eissa, T.F., González-Burgos, E., Carretero, M.E. and Gómez-Serranillos, M.P. (2013) Biological activity of HPLC-characterized ethanol extract from the aerial parts of *Haplophyllum tuberculatum*, *Pharm. Biol.*, doi:10.3109/13880209.2013.819517.
- Elahi, M.M., Kong, Y.X. and Matata, B.M. (2009) Oxidative stress as a mediator of cardiovascular disease, *Oxid. Med. Cell Longev.*, 2, 259-269.
- El-Boghdady, N.A. (2013) Increased cardiac endothelin-1 and nitric oxide in adriamycin-induced acute cardiotoxicity: protective effect of *Ginkgo biloba* extract, *Indian J. Biochem. Biophys.*, 50, 202-229.
- El-Haci, I.A., Bekkara, F.A., Mazari, W., Hassani, F. and Didi, M.A. (2013) Screening of biological activities of *Polygonum maritimum* L. from Algerian coast, *Asian Pac. J. Trop. Biomed.*, 3, 611-616.
- Elizabeth, K. and Rao, M.N.A. (1990) Oxygen radical scavenging activity of curcumin, *Int. J. Pharm.*, 58, 237-240.
- El-Khawaga, O.Y. and Abou-Seif, M.A. (2010) Biochemical studies on antioxidant and oxidant activities of some plant extracts, *Eur. Rev. Med. Pharmacol. Sci.*, 14, 731-738.
- Elmore, S. (2007) Apoptosis: A Review of Programmed Cell Death, *Toxicol. Pathol.*, 35, 495-516.
- El-Sayed, W.M. and Hussin, W.A. (2013) Antimutagenic and antioxidant activity of novel 4-substituted phenyl-2,2'-bichalcophenes and aza-analogs, *Drug Des. Devel. Ther.*, 7, 73-81.
- Enujughha, V.N., Talabi, J.Y., Malomo, S.A. and Olagunju, A.I. (2012) DPPH radical scavenging capacity of phenolic extracts from African Yam Bean (*Sphenostylis stenocarpa*), *Food Nutr. Sci.*, 2012, 3, 7-13.
- Eroğlu, H.E., Hamzaoglu, E., Aksoy, A., Budak, U. and Albayrak, S. (2010) Cytogenetic effects of *Helichrysum arenarium* in human lymphocytes cultures, *Turk. J. Biol.*, 34, 253-259.
- Erol, N.T., Sari, F. and Velioglu, Y.S. (2010) Polyphenols, alkaloids and antioxidant activity of different grades Turkish black tea, *GIDA J. Food*, 35, 161-168.
- Esmaeili, M.A., Kanani, M.R. and Sonboli, A. (2010) *Salvia reuterana* extract prevents formation of advanced glycation end products: an *In vitro* study, *Iranian J. Pharm. Sci.*, 6, 33-50.
- Esposito, E. and Cuzzocrea, S. (2009) Superoxide, NO, peroxynitrite and PARP in circulatory shock and inflammation, *Front. Biosci.*, 14, 263-296.
- Ezhilan, B.P. and Neelamegam, R. (2012) GC-MS analysis of phytochemicals in the ethanol extract of *Polygonum chinense* L., *Pharmacognosy Res.*, 4, 11-14.
- Fadeyi, S.A., Fadeyi, O.O., Adejumo, A.A., Okoro, C. and Myles, E.L. (2013) *In vitro* anticancer screening of 24 locally used Nigerian medicinal plants, *BMC Comp. Alt. Med.*, doi: 10.1186/1472-6882-13-79.
- Fakurazi, S., Sharifudin, S.A. and Arulselvan, P. (2012) *Moringa oleifera* hydroethanolic extracts effectively alleviate acetaminophen-induced hepatotoxicity in experimental rats through their antioxidant nature, *Molecules*, 17, 8334-8350.
- Farmer, E.E. and Mueller, M.J. (2013) ROS-mediated lipid peroxidation and RES-activated signalling, *Annu. Rev. Plant Biol.*, 64, 429-450.
- Fedorova, M., Kuleva, N. and Hoffmann, R. (2009) Reversible and irreversible modifications of skeletal muscle proteins in a rat model of acute oxidative stress, *Biochem. Biophys. Acta.*, 1792, 1185-1193.
- Feng, L., Au-yeung, W., Xu, Y.H., Wang, S.S., Zhu, Q. and Xiang, P. (2011) Oleanolic acid from *Prunella vulgaris* L. induces SPC-A-1 cell line apoptosis via regulation of bax, bad and bcl-2 expression, *Asian Pacific J. Cancer Prev.*, 12, 403-408.
- Flora, S.J. (2009) Structural, chemical and biological aspects of antioxidants for strategies against metal and metalloid exposure, *Oxid. Med. Cell Longev.*, 2, 191-206.
- Förstermann, U. and Sessa, W.C. (2012) Nitric oxide synthases: regulation and function, *Heart J.*, 33, 829-837.
- Francis, G.L. (2010) Albumin and mammalian cell culture: implications for biotechnology applications, *Cytotechnol.*, 62, 1-16.
- Friedlich, A.V., Smith, M.A., Zhu, X., Takeda, A., Nunomura, A., Moreira, P.I. and Perry, G. (2009) Oxidative stress in Parkinson's Disease, *The Open Path. J.*, 3, 38-42.
- Fulda, S. (2009) Apoptosis pathways and their therapeutic exploitation in pancreatic cancer. *J. Cell. Mol. Med.*, 13, 1221-1227.
- Ganea, G.M., Kolic, P.E., El-Zahab, B. and Warner, I.M. (2011) Ratiometric coumarin-neutral red (CONER) nanoprobe for detection of hydroxyl radicals, *Anal. Chem.*, 83, 2576-2581.

- Ganie, S.A., Haq, E., Hamid, A., Masood, A. and Zargar, M.A. (2011) Long dose exposure of hydrogen peroxide (H₂O₂) in albino rats and effect of *Podophyllum hexandrum* on oxidative stress, Eur. Rev. Med. Pharmacol. Sci., 15, 906-915.
- Ganie, S.A., Zargar, B.A., Masood, A. and Zargar, M.A. (2013) Hepatoprotective and antioxidant activity of rhizome of *Podophyllum hexandrum* against carbon tetra chloride induced hepatotoxicity in rats, Biomed. Environ. Sci., 26, 209-221.
- Geetha, D., Rajeswari, M. and Jayashree, I. (2013) Chemical profiling of *Elaeocarpus serratus* L. by GC-MS, Asian Pac. J. Trop. Biomed., 3, 985-987.
- Gengan, R.M., Anand, K., Phulukdaree, A. and Chuturgoon, A. (2013) A549 lung cell line activity of biosynthesized silver nanoparticles using *Albizia adianthifolia* leaf, Colloids Surf B. Biointerfaces, 105, 87-91.
- Georgakilas, A.G. (2012) Oxidative stress, DNA damage and repair in carcinogenesis: have we established a connection? Cancer Lett., 31, 3-4.
- Georgakilas, A.G., Holt, S.M., Hair, J.M. and Loftin, C.W. (2010) Measurement of oxidatively-induced clustered DNA lesions using a novel adaptation of single cell gel electrophoresis (comet assay), Curr. Protoc. Cell Biol., doi: 10.1002/0471143030.cb0611s49.
- Geronikaki, A.A., Pitta, E.P.a and Liaras, K.S. (2013) Thiazoles and thiazolidinones as antioxidants, Curr. Med. Chem., 20, 4460-4480.
- Ghaffari, H., Ghassam, B.J. and Prakash, H.S. (2012) Hepatoprotective and cytoprotective properties of *Hyptis suaveolens* against oxidative stress-induced damage by CCl₄ and H₂O₂, Asian Pac. J. Trop. Med., 5, 868-874.
- Gharagozloo, P. and Aitken, R.J. (2011) The role of sperm oxidative stress in male infertility and the significance of oral antioxidant therapy, Hum. Reprod., 26, 1628-1640.
- Ghosh, D., Pal, S., Saha, C., Chakrabarti, A.K., Datta, S.C. and Dey, S.K. (2012) Black tea extract: a supplementary antioxidant in radiation-induced damage to DNA and normal lymphocytes, J. Environ. Pathol. Toxicol. Oncol., 31, 155-166.
- Ghosh, S., Sarma, S.M., Patra, A. and Hazra, B. (2010) Anti-inflammatory and anticancer compounds isolated from *Ventilago madraspatana* Gaertn., *Rubia cordifolia* Linn. and *Lantana camara* Linn., J. Pharm. Pharmacol., 62, 1158-1166.
- Giacco, F. and Brownlee, M. (2010) Oxidative stress and diabetic complications, Circ. Res., 107, 1058-1070.
- Gill, S.S. and Tuteja, N. (2010) Reactive oxygen species and antioxidant machinery in abiotic stress tolerance in crop plants, Plant Physiol. Biochem., 48, 909-930.
- Gillet, J.P., Varma, S. and Gottesman, M.M. (2013) The clinical relevance of cancer cell lines, J. Nat. Cancer. Inst., 105, 452-458.
- Giménez-Bonafé, P., Tortosa, A. and Pérez-Tomás, R. (2009) Overcoming drug resistance by enhancing apoptosis of tumor cells, Curr. Cancer Drug Targets, 9, 320-340.
- Glorieux, C., Dejeans, N., Sid, B., Beck, R., Calderon, P.B. and Verrax, J. (2011) Catalase overexpression in mammary cancer cells leads to a less aggressive phenotype and an altered response to chemotherapy, Biochem. Pharmacol., 82, 1384-1390.
- Gökbulut, A., Ozhan, O., Satılmış, B., Batçioğlu, K., Günal, S. and Sarer, E. (2013) Antioxidant and antimicrobial activities, and phenolic compounds of selected *Inula* species from Turkey, Nat. Prod. Commun., 8, 475-478.
- Goldstein, M. and Watkins, S. (2008) Immunohistochemistry, Curr. Protocols Mol. Biol., doi: 10.1002/0471142727.mb1406s81
- Gomathi, D., Ravikumar, G., Kalaiselvi, M., Devaki, K. and Uma, C. (2013) Efficacy of *Evolvulus alsinoides* (L.) L. on insulin and antioxidants activity in pancreas of streptozotocin induced diabetic rats, J. Diabetes Metab. Disord., doi: 10.1186/2251-6581-12-39.
- González-Siso, M.I. and Cerdán, M.E. (2012) *Kluyveromyces lactis*: a suitable yeast model to study cellular defense mechanisms against hypoxia-induced oxidative stress, Oxid. Med. Cell Longev., doi: 10.1155/2012/634674.
- Goyal, M.M. and Basak, A. (2012) Hydroxyl radical generation theory: a possible explanation of unexplained actions of mammalian catalase, Int. J. Biochem. Mol. Biol., 3, 282-289.
- Goyal, P.K. (2012) Cancer Chemoprevention by Natural Products: Current & Future Prospects, J. Integr. Oncol., doi:10.4172/jio.1000e101.
- Grimm, D., Wehland, M., Pietsch, J., Infanger, M. and Bauer, J. (2011) Drugs interfering with apoptosis in breast cancer, Curr. Pharm. Des., 17, 272-283.
- Grimsrud, P.A., Xie, H., Griffin, T.J. and Bernlohr, D.A. (2008) Oxidative stress and covalent modification of protein with bioactive aldehydes, J. Biol. Chem., 283, 21837-21841.
- Gu, L., Bai, W., Li, S., Zhang, Y., Han, Y., Gu, Y., Meng, G., Xie, L., Wang, J., Xiao, Y., Shan, L., Zhou, S., Wei, L., Ferro, A. and Ji, Y. (2013) Celastrol prevents atherosclerosis via inhibiting Lox-1 and oxidative stress, PLoS One, doi: 10.1371/journal.pone.0065477.
- Guan, N., Blomsma, S.A., Fahy, G.M., Groothuis, G.M. and de Graaf, I.A. (2013) Analysis of gene expression changes to elucidate the mechanism of chilling injury in precision-cut liver slices, Toxicol. In vitro, 27, 890-899.

- Guedes, A.C., Amaro, H.M., Gião, M.S. and Malcata, F.X. (2013) Optimization of ABTS radical cation assay specifically for determination of antioxidant capacity of intracellular extracts of microalgae and cyanobacteria, *Food Chem.*, 138, 638-643.
- Gugliucci, A., Bastos, D.H., Schulze, J. and Souza, M.F. (2009) Caffeic and chlorogenic acids in *Ilex paraguariensis* extracts are the main inhibitors of AGE generation by methylglyoxal in model proteins, *Fitoterapia.*, 80, 339-344.
- Guha, G., Rajkumar, V., Mathew, L. and Kumar, A.R. (2011) The antioxidant and DNA protection potential of Indian tribal medicinal plants, *Turk. J. Biol.*, 35, 233-242.
- Gulaboski, R., Mirčeski, V. and Mitrev, S. (2013) Development of a rapid and simple voltammetric method to determine total antioxidative capacity of edible oils, *Food Chem.*, 138, 116-121.
- Gulubova, M., Vlaykova, T., Yovchev, Y., Dimov, D., Vlaykova, D., Chiligirov, P. and Zhelev, N. (2011) Glutathione S-transferase in development, progression and therapy of colorectal cancer, *Colorectal Cancer Biol.*, 1, 82-106.
- Gutowski, M. and Kowalczyk, S. (2013) A study of free radical chemistry: their role and pathophysiological significance, *Acta Biochem. Pol.*, 60, 1-16.
- Habig, W.H., Pabst, M.J. and Jokoby, W.B. (1974), Glutathione transferase: A first enzymatic step in mercapturic acid III formation, *J. Biol. Chem.*, 249, 7130-7139.
- Halliwell, B. (2011) Free radicals and antioxidants - quo vadis? *Trends Pharmacol. Sci.*, 32, 125-130.
- Hamad, I., Erol-Dayi, O., Pekmez, M., Öney-Uçar, E. and Arda, N. (2010) Antioxidant and cytotoxic activities of *Aphanes arvensis* extracts, *Plant Foods Hum. Nutr.*, 65, 44-49.
- Hamedeyazdan, S., Fathiazad, F., Sharifi, S. and Nazemiyeh, H. (2012) Antiproliferative activity of *Marrubium persicum* extract in the MCF-7 human breast cancer cell line, *Asian Pac. J. Cancer Prev.*, 13, 5843-5848.
- Haneef, J., Parvathy, M., Thankayyan, R.S.K., Sithul, H. and Sreeharshan, S. (2012) Bax translocation mediated mitochondrial apoptosis and caspase dependent photosensitizing effect of *Ficus religiosa* on cancer cells, *PLoS One*, doi: 10.1371/journal.pone.0040055.
- Haniya, A.K. (2010) Antioxidant and apoptosis-modulating effects of *Artemisia vulgaris* leaf extracts on *in vitro* systems subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biotechnology.
- Haniya, A.M.K. and Padma, P.R. (2013) Antioxidant effect of *Artemisia vulgaris* leaf extracts on oxidatively stressed precision-cut liver slices, *Int. Res. J. Pharm.*, 4, 55-60.
- Hansson, G.K. and Hermansson, A. (2011) The immune system in atherosclerosis, *Nat. Immunol.*, 12, 204-212.
- Harborne, J.B. (1973) *Phytochemical methods – A guide to modern techniques of plant analysis*, Chapman and Hall Publ., Pp. 33-56.
- Harlev, E., Nevo, E., Solowey, E. and Bishayee, A. (2013) Cancer preventive and curative attributes of plants of the *Cactaceae* family: A review, *Planta. Med.*, 79, 713-722.
- Harsha, S.N. and Anilakumar, K.R. (2013) Anxiolytic property of *Lactuca sativa*, effect on anxiety behaviour induced by novel food and height, *Asian Pac. J. Trop. Med.*, 6, 532-536.
- Hashim, A., Khan, M.S., Khan, M.S., Baig, M.H. and Ahmad, S. (2013) Antioxidant and α -amylase inhibitory property of *Phyllanthus virgatus* L.: An *in vitro* and molecular interaction study, *Biomed. Res. Int.*, doi: 10.1155/2013/729393.
- Hassan, H.M.M. (2012) Hepatoprotective effect of red grape seed extracts against ethanol-induced cytotoxicity, *Global J. Biotech. Biochem.*, 7, 30-37.
- Hassan, S.Z., Gheita, T.A., Kenawy, S.A., Fahim, A.T., El-Sorougy, I.M. and Abdou, M.S. (2011) Oxidative stress in systemic lupus erythematosus and Rheumatoid arthritis patients: relationship to disease manifestations and activity, *Int. J. Rheum. Dis.*, 14, 325-331.
- Haw, K.Y., Chakravarthi, S., Haleagrahara, N. and Rao, M. (2012) Effects of *Etilingera elatior* extracts on lead acetate-induced testicular damage: A morphological and biochemical study, *Exp. Ther. Med.*, 3, 99-104.
- Hazra, B., Biswas, S. and Mandal, N. (2008) Antioxidant and free radical scavenging activity of *Spondias pinnata*, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-8-63.
- Hazra, B., Sarkar, R., Biswas, S. and Mandal, N. (2010) The antioxidant, iron chelating and DNA protective properties of 70% methanolic extract of 'katha' (heartwood extract of *Acacia catechu*), *J. Complement. Integr. Med.*, 7, 1-11.
- He, X.L., Zhang, P., Dong, X.Z., Yang, M.H., Chen, S.L., and Bi, M.G. (2012) JR6, a new compound isolated from *Justicia procumbens*, induces apoptosis in human bladder cancer EJ cells through caspase-dependent pathway, *J. Ethnopharmacol.*, 144, 284-292.
- Hegde, M.L., Mantha, A.K., Hazra, T.K., Bhakat, K.K., Mitra, S. and Szczesny, B. (2012a) Oxidative genome damage and its repair: implications in aging and neurodegenerative diseases, *Mech. Ageing Dev.*, 133, 157-168.
- Hegde, M.L., Izumi, T. and Mitra, S. (2012b) Oxidized base damage and single-strand break repair in mammalian genomes: role of disordered regions and posttranslational modifications in early enzymes, *Prog. Mol. Biol. Transl. Sci.*, 110, 123-153.
- Hemalatha, G., Pugalendi, K.V. and Saravanan, R. (2013) Modulatory effect of sesamol on DOCA-salt-induced oxidative stress in uninephrectomized hypertensive rats, *Mol. Cell Biochem.*, 379, 255-265.

- Henriksen, E.J., Stanic, D.M.K. and Marchionne, E.M. (2010) Oxidative stress and the etiology of insulin resistance and type 2 Diabetes, *Free Radic. Biol. Med.*, 51, 993-999.
- Hernandez, M.S. and Britto, L.R. (2012) NADPH oxidase and neurodegeneration, *Curr. Neuropharmacol.*, 10, 321-327.
- Honma, T., Tsuduki, T., Sugawara, S., Kitano, Y., Ito, J., Kijima, R., Tsubata, M., Nakagawa, K. and Miyazawa, T. (2013) Aging decreases antioxidant effects and increases lipid peroxidation in the apolipoprotein E deficient mouse. *J. Clin. Biochem. Nutr.*, 52, 234-240.
- Huabprasert, S., Kasetsinsombat, K., Kangsadalampai, K., Wongkajornsilp, A., Akarasereenont, P., Panich, U. and Laohapand, T. (2012) The *Phyllanthus emblica* L. infusion carries immunostimulatory activity in a mouse model, *J. Med. Assoc. Thai.*, 95, 75-82.
- Hulsmans, M., Van Dooren, E. and Holvoet, P. (2012) Review: Mitochondrial reactive oxygen species and risk of atherosclerosis, *Curr. Atheroscler. Rep.*, 14, 264-276.
- Humeera, N., Kamili, A.N., Bandh, S.A., Amin, S.U., Lone, B.A. and Gousia, N. (2013) Antimicrobial and antioxidant activities of alcoholic extracts of *Rumex dentatus* L., *Microb. Pathog.*, 57, 17-20.
- Hung, C.Y., Tsai, Y.C. and Li, K.Y. (2012) Phenolic antioxidants isolated from the flowers of *Osmanthus fragrans*, *Molecules*, 17, 10724-10737.
- Husain, N. and Kumar, A. (2012) Reactive oxygen species and natural antioxidants: a review, *Adv. Biores.*, 3, 164-175.
- Hussain, A. and Ramteke, A. (2012) Flower extract of *Nyctanthes arbor-tristis* modulates glutathione level in hydrogen peroxide treated lymphocytes, *Pharmacognosy Res.*, 4, 230-233.
- Hyun, T.K., Kim, M.O., Lee, H., Kim, Y., Kim, E. and Kim, J.S. (2013) Evaluation of anti-oxidant and anti-cancer properties of *Dendropanax morbifera* Léveillé., *Food Chem.*, 141, 1947-1955.
- Ibrahim, M.A., Koorbanally, N.A. and Islam, M.S. (2013) *In vitro* anti-oxidative activities and GC-MS analysis of various solvent extracts of *Cassia singueana* parts, *Acta Pol. Pharm.*, 70, 709-719.
- Igarashi, M. and Miyazawa, T. (2001) The growth inhibiting effect of conjugated linoleic acid on a human hepatoma cell line HepG2, is induced by a change in fatty acid metabolism but not the facilitation of lipid peroxidation in cells, *Biochem. Biophys. Acta/Mol. Cell Biol. Lipids*, 1530, 162-171.
- Inamake, M.R., Shelar, P.D., Kulkarni, M.S., Katekar, S.M. and Rashmi, T. (2010) Isolation and analytical characterization of stevioside from leaves of *Stevia rebaudiana* Bert; (*Astraceae*), *Int. J. Ayur. Pharm.*, 1, 572-581.
- Inzunza, R.G., Salas, B.V., Wiener, M.S., Beltran, M.C., Koytchev, R.Z., Stilianova, M.S., Irigoyen, R.R., Osuna, L.V., Gaynor, J.T. (2013) Aqueous extract of creosote bush (*Larrea tridentata*) leaves as green inhibitor for carbon steel in hydrochloric acid solution, *Int. J. Electrochem. Sci.*, 8, 6433-6448.
- Islam, S.M., Ahmed, K.H.T, Manik, M.K., Wahid, M.A., Kamal, C.S. and Al Mahmud, Z. (2013a) A comparative study of the antioxidant, antimicrobial, cytotoxic and thrombolytic potential of the fruits and leaves of *Spondias dulcis*, *Asian Pac. J. Trop. Biomed.*, 3, 682-691.
- Islam, S., Nasrin, S., Khan, M.A., Hossain, A.S., Islam, F., Khandokhar, P., Mollah, M.N., Rashid, M., Sadik, G., Rahman, M.A. and Alam, A.H. (2013b) Evaluation of antioxidant and anticancer properties of the seed extracts of *Syzygium fruticosum* Roxb. growing in Rajshahi, Bangladesh, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-13-142.
- Jaganjac, M., Čačev, T., Čipak, A., Kapitanović, S., Trošelj, K.G. and Žarković, N. (2012) Even stressed cells are individuals: second messengers of free radicals in pathophysiology of cancer, *Croat Med. J.*, 53:304-309.
- Jähn, K. and Stoddart, M.J. (2011) Viability assessment of osteocytes using histological lactate dehydrogenase activity staining on human cancellous bone sections, *Methods Mol. Biol.*, 740, 141-148.
- Jain, D. and Kumar, S. (2012) Snake venom: a potent anticancer agent, *Asian Pacific J. Cancer Prev.*, 13, 4855-4860.
- Janakiraman, N., Sathish, S. S. and Johnson, M. (2011) UV-Vis and FTIR spectroscopic studies on *Peristrophe bicalyculata* (retz.) nees, *Asian J. Pharm. Clin. Res.*, 4, 125-129.
- Jarerattanachat, V., Karttunen, M. and Wong-Ekkabut, J. (2013) Molecular dynamics study of oxidized lipid bilayers in NaCl solution, *J. Phys. Chem. B.*, 117, 8490-8501.
- Jaszewska, E., Kosmider, A., Kiss, A.K. and Naruszewicz, M. (2010) *Oenothera paradoxa* defatted seeds extract containing pentagalloylglucose and procyanidins potentiates the cytotoxicity of vincristine, *J. Physiol. Pharmacol.*, 61, 637-643.
- Jayachitra, A. and Padma, P.R. (2012) Antioxidant potential of *Clitoria ternatea* leaf extracts *in vitro*, *Int. J. Pharm. Bio. Sci.*, 3, 753-763.
- Jayasena, T., Poljak, A., Smythe, G., Braid, N., Münch, G. and Sachdev, P. (2013) The role of polyphenols in the modulation of sirtuins and other pathways involved in Alzheimer's disease, *Ageing Res. Rev.*, 12, 867-883.
- Jean, K.B., Jagtap, T.G. and Verlecar, X.N. (2010) Antioxidative potential of *Perna Viridis* and its protective role against ROS induced lipidperoxidation and protein carbonyl, *Curr. Trends in Biotech. Pharm.*, 4, 862-870.
- Jena, N.R. (2012) DNA damage by reactive species: mechanisms, mutation and repair, *J. Biosci.*, 37, 503-517.

- Jiang, P., Gan, M. and Yen, S.H. (2013) Dopamine prevents lipid peroxidation-induced accumulation of toxic α -synuclein oligomers by preserving autophagy-lysosomal function, *Front Cell Neurosci.*, doi: 10.3389/fncel.2013.00081.
- Jiménez-Estrada, M., Velázquez-Contreras, C., Garibay-Escobar, A., Sierras-Canchola, D., Lapizco-Vázquez, R., Ortiz-Sandoval, C., Burgos-Hernández, A. and Robles-Zepeda, R.E. (2013) *In vitro* antioxidant and antiproliferative activities of plants of the ethnopharmacopeia from northwest of Mexico, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-13-12.
- Jiménez-Ferrer, E., Badillo, F.H., González-Cortazar, M., Tortoriello, J. and Herrera-Ruiz, M. (2010) Antihypertensive activity of *Salvia elegans* Vahl. (Lamiaceae): ACE inhibition and angiotensin II antagonism, *J. Ethnopharmacol.*, 130, 340-346.
- Jing, L. and Zon, L.I. (2011) Zebrafish as a model for normal and malignant hematopoiesis, *Dis. Model Mech.*, 4, 433-438.
- Jones, J., Estirado, A., Redondo, C. and Martinez, S. (2013) Stem cells from wildtype and friedreich's ataxia mice present similar neuroprotective properties in dorsal root ganglia cells, *PLoS One*, doi: 10.1371/journal.pone.0062807.
- Joshi, Y.B. and Praticò, D. (2012) Vitamin E in aging, dementia, and Alzheimer's disease, *Biofactors*, 38, 90-97.
- Jothy, S.L., Chen, Y., Kanwar, J.R. and Sasidharan, S. (2013) Evaluation of the genotoxic potential against -radical-mediated DNA damage and acute oral toxicity of standardized extract of *Polyalthia longifolia* leaf, *Evid. Based. Complement. Alternat. Med.*, doi: 10.1155/2013/925380.
- Kaewpiboon, C., Lirdprapamongkol, K., Srisomsap, C., Winayanuwattikun, P., Yongvanich, T., Puwapisrisiran, P., Svasti, J. and Assavalapsakul, W. (2012) Studies of the *in vitro* cytotoxic, antioxidant, lipase inhibitory and antimicrobial activities of selected Thai medicinal plants, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-12-217.
- Kahkeshani, N., Farahanikia, B., Mahdavian, P., Abdolghaffari, A., Hassanzadeh, G., Abdollahi, M. and Khanavi, M. (2013) Antioxidant and burn healing potential of *Galium odoratum* extracts, *Res. Pharm. Sci.*, 8, 197-203.
- Kalaiselvi, M., Narmadha, R., Ragavendran, P., Raj, A., Sophia, D., Gomathi, D., Uma, C. and Kalaivani, K. (2011) *In vivo* simulated in vitro model of *Jasminum sambac* (Linn.) using mammalian liver slice technique, *Asian Pac. J. Trop. Biomed.*, 1, 216-219.
- Kalyanaraman B. (2013) Teaching the basics of redox biology to medical and graduate students: Oxidants, antioxidants and disease mechanisms, *Redox Biol.*, 1, 244-257.
- Kamal, A., Ashraf, M., Vardhan, M.V.V., Faazil, S. and Nayak, V.L. (2014) Synthesis and anticancer potential of benzothiazole linked phenylpyridopyrimidinones and their diones as mitochondrial apoptotic inducers, *Bioorg. Med. Chem. Lett.*, 24, 147-151.
- Karimi, E., Jaafar, H.Z. and Ahmad, S. (2013) Antifungal, anti-inflammatory and cytotoxicity activities of three varieties of *Labisia pumila benth*: from microwave obtained extracts, *BMC Comp. Alt. Med.*, doi: 10.1186/1472-6882-13-20.
- Karthikeyan, S., Sivakumar, A., Anbalagan, M., Nalini, E. and Gothandam, K.M. (2013) Finger Printing of alkaloids, steroids and flavonoids using HPTLC of *Leucas aspera* L. whole plant methanolic extract, *J. Pharm. Sci. Res.*, 5, 67-71.
- Karuppanapandian, T., Moon, J.C., Kim, C., Manoharan, K. and Kim, W. (2011) Reactive oxygen species in plants: their generation, signal transduction, and scavenging mechanisms, *Aust. J. Crop Sci.*, 5, 709-725.
- Katoch, O., Kumar, A., Adhikari, J.S., Dwarakanath, B.S. and Agrawala, P.K. (2013) Sulforaphane mitigates genotoxicity induced by radiation and anticancer drugs in human lymphocytes, *Mutat. Res.*, doi: 10.1016/j.mrgentox.2013.08.009.
- Kaur, M., Agarwal, C. and Agarwal, R. (2009) Anticancer and cancer chemopreventive potential of grape seed extract and other grape-based products, *J. Nutr.*, 139, 1806S-1812S.
- Kayraldiz, A., Yavuz kocaman, A., Rencüzoğullari, E., Istifli, E.S., Ila, H.B., Topaktaş, M., and Dağlioğlu, Y.K. (2010) The genotoxic and antigenotoxic effects of *Aloe vera* leaf extract *in vivo* and *in vitro*, *Turk. J. Biol.*, 34, 235-246.
- Kazemzadeh, L., Cvijovic, M. and Petranovic, D. (2012) Boolean model of yeast apoptosis as a tool to study yeast and human apoptotic regulations, *Front Physiol.*, doi: 10.3389/fphys.2012.00446.
- Kedare, S.B. and Singh, R.P. (2011) Genesis and development of DPPH method of antioxidant assay, *J. Food Sci. Technol.*, 48, 412-422.
- Kędzierska, M., Malinowska, J., Kontek, B., Kołodziejczyk-Czepas, J., Czernek, U., Potemski, P., Piekarski, J., Jeziorski, A. and Olas, B. (2013) Chemotherapy modulates the biological activity of breast cancer patients plasma: the protective properties of black chokeberry extract, *Food. Chem. Toxicol.*, 53, 126-132.
- Kerr, J.F., Wyllie, A.H. and Currie, A.R. (1972) Apoptosis: a basic biological phenomenon with wide-ranging implications in tissue kinetics, *Br. J. Cancer*, 26, 239-257.
- Kesavanarayanan, K.S., Sathiyar, S., Kalaivani, P., Ranju, V., Sunil, A.G., Babu, S.C., Kavimani, S. and Prathiba, D. (2013) DIA-2, a polyherbal formulation ameliorates hyperglycemia and protein-oxidation without increasing the body weight in type II diabetic rats, *Eur. Rev. Med. Pharmacol. Sci.*, 17, 356-369.

- Khan, M.A., Rahman, A.A., Islam, S., Khandokhar, P., Parvin, S., Islam, M.B., Hossain, M., Rashid, M., Sadik, G., Nasrin, S., Mollah, M.N. and Alam, A.H. (2013a) A comparative study on the antioxidant activity of methanolic extracts from different parts of *Morus alba* L. (*Moraceae*), BMC Res. Notes, doi: 10.1186/1756-0500-6-24.
- Khan, G.M., Ansari, S.H. and Ahmad, F. (2013b) Pharmacognostic standardization, antioxidant and free radical scavenging activity of the seeds of *Triticum aestivum* L - A dietary staple, J. Young Pharm., 5, 54-59.
- Khan, R.A., Khan, M.R., Sahreen, S. and Ahmed, M. (2012a) Evaluation of phenolic contents and antioxidant activity of various solvent extracts of *Sonchus asper* (L.) Hill, Chem. Cent. J., doi: 10.1186/1752-153X-6-12.
- Khan, R.A., Khan, M.R., Ahmed, M., Sahreen, S., Shah, N.A., Shah, M.S., Bokhari, J., Rashid, U., Ahmad, B. and Jan, S. (2012b) Hepatoprotection with a chloroform extract of *Launaea procumbens* against CCl₄-induced injuries in rats, BMC Complement. Altern. Med., doi: 10.1186/1472-6882-12-114.
- Khan, R.A., Khan, M.R. and Sahreen, S. (2012c) CCl₄-induced hepatotoxicity: protective effect of rutin on p53, CYP2E1 and the antioxidative status in rat, BMC Complement. Altern. Med., doi: 10.1186/1472-6882-12-178.
- Khandelwal, K.R. (2002) Practical pharmacognosy-techniques and experiments, 1X Edition, Nirali Prakashan Publisher, Pune, Pp. 149-157.
- Kim, H.G., Lee, J.S., Han, J.M., Lee, J.S., Choi, M.K., Son, S.W., Kim, Y.K. and Son, C.G. (2013) Myelophil attenuates brain oxidative damage by modulating the hypothalamus-pituitary-adrenal (HPA) axis in a chronic cold-stress mouse model, J. Ethnopharmacol., 148, 505-514.
- Kim, H.J., Suh, H.J., Kim, J.H., Park, S., Joo, Y.C. and Kim, J.S. (2010) Antioxidant activity of glyceollins derived from soybean elicited with *Aspergillus sojae*, J. Agric. Food. Chem., 58, 11633-11638.
- Kirsch-Volders, M., Decordier, I., Elhajouji, A., Plas, G., Aardema, M.J. and Fenech, M. (2011) *In vitro* genotoxicity testing using the micronucleus assay in cell lines, human lymphocytes and 3D human skin models, Mutagenesis, 26, 177-184.
- Kiruthika, B., Sudha Devi, M. and Padma, P.R. (2013) *Zea mays* leaf extracts protects primary chick embryo fibroblast cells from apoptosis induced by hydrogen peroxide *in vitro*, J. Pharm. Res., 6, 638-646.
- Kiss, A.K., Filipek, A., Czerwińska, M. and Naruszewicz, M. (2010) *Oenothera paradoxa* defatted seeds extract and its bioactive component penta-O-galloyl-β-D-glucose decreased production of reactive oxygen species and inhibited release of leukotriene B₄, interleukin-8, elastase, and myeloperoxidase in human neutrophils, J. Agric. Food. Chem., 58, 9960-9966.
- Kligerman, A.D., Erexson, G.L. and Wilmer, J.L. (1984) Development of rodent peripheral blood lymphocyte culture systems to detect cytogenetic damage *in vivo*, Basic Life Sci., 29, 569-584.
- Kocot, J., Kielczykowska, M., Dąbrowski, W., Piłat, J., Rudzki, S. and Musik, I. (2013) Total antioxidant status value and superoxide dismutase activity in human colorectal cancer tissue depending on the stage of the disease: a pilot study, Adv. Clin. Exp. Med., 22, 431-437.
- Korade, Z., Xu, L., Harrison, F.E., Ahsen, R., Hart, S.E., Folkes, O.M., Mirmics, K. and Porter, N.A. (2013) Antioxidant supplementation ameliorates molecular deficits in Smith-Lemli-Opitz syndrome, Biol. Psychiatry, doi: 10.1016/j.biopsych.2013.06.013.
- Kovacic, P. and Somanathan, R. (2012) Redox processes in neurodegenerative disease involving reactive oxygen species, Curr. Neuropharmacol., 10, 289-302.
- Kowalczyk, A., Biskup, I. and Fecka, I. (2012) Total phenolic content and antioxidative properties of commercial tinctures obtained from some *Lamiaceae* plants, Nat. Prod. Commun., 7, 1631-1634.
- Krishan, A. (1975) Rapid flow cytofluorometry analysis of mammalian cell cycle by propidium iodide staining, J. Cell Biol., 66, 188-193.
- Krumschnabel, G. and Podrabsky, J.E. (2009) Fish as model systems for the study of vertebrate apoptosis, Apoptosis, 14, 1-21.
- Kryston, T.B., Georgiev, A.B., Pissis, P. and Georgakilas, A.G. (2011) Role of oxidative stress and DNA damage in human carcinogenesis, Mutat. Res., 711, 193-201.
- Kuete, V., Fankam, A.G., Wiench, B. and Efferth, T. (2013) Cytotoxicity and modes of action of the methanol extracts of six Cameroonian medicinal plants against multidrug-resistant tumor cells, Evid. Based Complement. Alternat. Med., doi: 10.1155/2013/285903.
- Kulkarni, A.V., Patwardhan, A.A., Lele, U. and Malpathak, N.P. (2010) Production of camptothecin in cultures of *Chonemorpha grandiflora*, Pharmacognosy Res., 2, 296-299.
- Kumar, M., Chandel, M., Sharma, N., Kumar, S. and Kaur, S. (2012) Efficacy of golden rain tree against free radicals and H₂O₂-induced damage to pUC18/calf thymus DNA, Asian Pac. J. Trop. Biomed., S781-S787.
- Kunwar, A. and Priyadarsini, K.I. (2011) Free radicals, oxidative stress and importance of antioxidants in human health, J. Med. Allied Sci., 1, 53-60.
- Laborde, E. (2010). Glutathione transferases as mediators of signaling pathways involved in cell proliferation and cell death. Cell Death Differ., 17, 1373-1380.
- Lake, B.G. and Price, R.J. (2013) Evaluation of the metabolism and hepatotoxicity of xenobiotics utilizing precision-cut slices, Xenobiotica, 43, 41-53.

- Lalnundanga, Ngente, L. and Lalrinkima, R. (2012) Phytochemical analysis of the methanol extract of root bark of *Hiptage benghalensis* (L.), *Kurz Sci. Vis.*, 12, 8-10.
- Langner, E. and Rzeski, W. (2012) Dietary derived compounds in cancer chemoprevention, *Contemp Oncol (Pozn)*, 16, 394-400.
- Lavranos, G., Balla, M., Tzortzopoulou, A., Syriou, V. and Angelopoulou, R. (2012) Investigating ROS sources in male infertility: a common end for numerous pathways, *Reprod. Toxicol.*, 34, 298-307.
- LeCluyse, E.L., Witek, R.P., Andersen, M.E. and Powers, M.J. (2012) Organotypic liver culture models: meeting current challenges in toxicity testing, *Crit. Rev. Toxicol.*, 42, 501-548.
- Lee, J.H., Khor, T.O., Shu, L., Su, Z.Y., Fuentes, F. and Kong, A.N. (2013) Dietary phytochemicals and cancer prevention: Nrf2 signaling, epigenetics, and cell death mechanisms in blocking cancer initiation and progression, *Pharmacol. Ther.*, 137, 153-171.
- Lee, S.E. and Park, Y.S. (2013) Role of lipid peroxidation-derived α , β -unsaturated aldehydes in vascular dysfunction, *Oxid. Med. Cell. Longev.*, doi: 10.1155/2013/629028.
- Lee, S.F. and Pervaiz, S. (2011) Assessment of oxidative stress-induced DNA damage by immunofluorescent analysis of 8-oxodG, *Methods Cell Biol.*, 103, 99-113.
- Li, J., Yang, L., Qin, W., Zhang, G., Yuan, J. and Wang, F. (2013) Adaptive induction of growth differentiation factor 15 attenuates endothelial cell apoptosis in response to high glucose stimulus, *PLoS One*, doi: 10.1371/journal.pone.0065549.
- Li, S.Y., Fu, Z.J. and Lo, A.C. (2012a) Hypoxia-induced oxidative stress in ischemic retinopathy, *Oxid. Med. Cell Longev.*, doi: 10.1155/2012/426769.
- Li, C., Hashimi, S.M., Good, D.A., Cao, S., Duan, W., Plummer, P.N., Mellick, A.S. and Wei, M.Q. (2012b) Apoptosis and microRNA aberrations in cancer, *Clin. Exp. Pharmacol. Physiol.*, 39, 739-746.
- Li, F.R., Jiao, P., Yao, S.T., Sang, H., Qin, S.C., Zhang, W., Zhang, Y.B. and Gao, L.L. (2012c) *Paris polyphylla* Smith extract induces apoptosis and activates cancer suppressor gene connexin26 expression, *Asian Pac. J. Cancer Prev.*, 13, 205-209.
- Li, M.Y., Leung, J., Kong, A.W., Liang, N.C., Wu, K., Hsin, M.K., Deng, Y.F., Gong, X., Lv, Y., Mok, T.S., Underwood, M.J. and Chen, G.G. (2010) Anticancer efficacy of 5F in NNK-induced lung cancer development of A/J mice and human lung cancer cells, *J. Mol. Med.*, 88, 1265-1276.
- Liang, T., Yue, W. and Li, Q. (2010) Chemopreventive effects of *Peucedanum praeruptorum* DUNN and its major constituents on SGC7901 gastric cancer cells, *Molecules*, 15, 8060-8071.
- Limberger, K.M., Westphalen, G.H., Menezes, L.M. and Medina-Silva, R. (2011) Cytotoxicity of orthodontic materials assessed by survival tests in *Saccharomyces cerevisiae*, *Dent. Mater.*, 27, e81-e86.
- Lin, Y.T., Huang, A.C., Kuo, C.L., Yang, J.S., Lan, Y.H., Yu, C.C., Huang, W.W. and Chung, J.G. (2013) Induction of cell cycle arrest and apoptosis in human osteosarcoma U-2 OS cells by *Solanum lyratum* extracts, *Nutr. Cancer*, 65, 469-479.
- Lin, L., Pang, W., Chen, K., Wang, F., Gengler, J., Sun, Y. and Tong, Q. (2012a) Adipocyte expression of PU.1 transcription factor causes insulin resistance through upregulation of inflammatory cytokine gene expression and ROS production. *Am. J Physiol. Endocrinol. Metab.*, doi: 10.1152/ajpendo.00462.2011.
- Lin, X., Liu, X., Huang, Q., Zhang, S., Zheng, L., Wei, L., He, M., Jiao, Y., Huang, J., Fu, S., Chen, Z., Li, Y., Zhuo, L. and Huang, R. (2012b) Hepatoprotective effects of the polysaccharide isolated from *Tarphochlamys affinis* (Acanthaceae) against CCl₄-induced hepatic injury, *Biol. Pharm. Bull.*, 35, 1574-1580.
- Linardaki, Z.I., Orkoula, M.G., Kokkosis, A.G., Lamari, F.N. and Margaritis, M. (2013) Investigation of the neuroprotective action of saffron (*Crocus sativus* L.) in aluminum-exposed adult mice through behavioral and neurobiochemical assessment, *Food Chem. Toxicol.*, 52, 163-170.
- Lipinski, B. (2011) Hydroxyl radical and its scavengers in health and disease, *Oxid. Med. Cell Longev.*, doi: 10.1155/2011/809696.
- Lisa A.G., Petrelli, N.J., Jia, X. and Farach-Carson, M.C. (2010) 3D matrices for anti-cancer drug testing and development, *Oncol. Issues*, 10, 20-25.
- Lisjak, M., Teklic, T., Wilson, I.D., Whiteman, M. and Hancock, J.T. (2013) Hydrogen sulfide: environmental factor or signalling molecule? *Plant Cell Environ.*, 36, 1607-1616.
- Liu, X., Ji, X.M., Du, X.N., Zong, X.C., Liang, D.F., Ma, L., Wu, H.T. and Zhang, S.Q. (2013a) Molecular cloning, expression, bioinformatics analysis, and bioactivity of TNFSF13 (APRIL) in the South African clawed frog (*Xenopus laevis*): A new model to study immunological diseases, *OMICS.*, 17, 384-392.
- Liu, W.B., Hu, L., Hu, Q., Chen, N.N., Yang, Q.S. and Wang, F.F. (2013b) New resveratrol oligomer derivatives from the roots of *Rheum lhasaense*, *Molecules*, 18, 7093-7102.
- Liu, J.P., Feng, L., Zhu, M.M., Wang, R.S., Zhang, M.H., Hu, S.Y., Jia, X.B. and Wu, J.J. (2012) The *in vitro* protective effects of curcumin and demethoxycurcumin in *Curcuma longa* extract on advanced glycation end products-induced mesangial cell apoptosis and oxidative stress, *Planta Med.*, 78, 1757-1760.

- Liu, Y., Yadev, V.R., Aggarwal, B.B. and Nair, M.G. (2010a) Inhibitory effects of black pepper (*Piper nigrum*) extracts and compounds on human tumor cell proliferation, cyclooxygenase enzymes, lipid peroxidation and nuclear transcription factor-kappa-B, *Nat. Prod. Commun.*, 5, 1253-1257.
- Liu, J., Zhang, W., Jing, H. and Popovich, D.G. (2010) Bog bilberry (*Vaccinium uliginosum* L.) extract reduces cultured Hep-G2, Caco-2, and 3T3-L1 cell viability, affects cell cycle progression, and has variable effects on membrane permeability, *J Food Sci.*, 75, H103-H107.
- Lobo, V., Patil, A., Phatak, A. and Chandra, N. (2010) Free radicals, antioxidants and functional foods: Impact on human health, *Pharmacogn. Rev.*, 4, 118-126.
- Loganayaki, N. and Manian, S. (2012) Antitumor activity of the methanolic extract of *Ammannia baccifera* L. against Dalton's ascites lymphoma induced ascitic and solid tumors in mice, *J. Ethnopharmacol.*, 142, 305-309.
- Lowary, P. T. and Widom, J. (1989) Higher-order structure of *Saccharomyces cerevisiae* chromatin, *Proc. Natl. Acad. Sci. USA*, 86, 8266-8270.
- Lu, D.Y., Chang, C.S., Yeh, W.L., Tang, C.H., Cheung, C.W., Leung, Y.M., Liu, J.F. and Wong, K.L. (2012) The novel phloroglucinol derivative BFP induces apoptosis of glioma cancer through reactive oxygen species and endoplasmic reticulum stress pathways, *Phytomed.*, 19, 1093-1100.
- Lu, X., Liu, W., Wu, J., Li, M., Wang, J., Wu, J. and Luo, C. (2013) A polysaccharide fraction of adlay seed (*Coixlachryma-jobi* L.) induces apoptosis in human non-small cell lung cancer A549 cells, *Biochem. Biophys. Res. Commun.*, 430, 846-851.
- Luck, H. (1974), In: *Methods in enzymatic analysis*, II Edn., Bergmeyer, Academic Press, New York, pp. 805.
- Luqman, S., Kaushik, S., Srivastava, S., Kumar, D.U.R., Pal, B.A., Darokar, M.P. and Khanuja, S.P.S. (2009) Protective effect of medicinal plant extracts on biomarkers of oxidative stress in erythrocytes, *Pharm. Biol.*, 47, 483-490.
- Lushchak, V.I. (2006) Budding yeast *Saccharomyces cerevisiae* as a model to study oxidative modification of proteins in eukaryotes, *Acta Biochemica Polonica*, 53, 679-684.
- Ma, F., Onoda, T., Li, W., Sasaki, T., Ma, L., Zhang, Q. and Koike, K. (2013) A new flavonoid glycoside and other chemical constituents from leaves of *Rosa davurica* and their antioxidant activity, *Nat. Prod. Res.*, 27, 2178-2182.
- Mabry, T.J., Markham, K.R. and Thomas, M. B. (1970) *The systematic identification of flavonoids*, Springer-Verlag, New York-Heidelberg-Berlin: 41-57. ISBN: 978-3-642-88460-3
- Machana, S., Weerapreeyakul, N. and Barusrux, S. (2012) Anticancer effect of the extracts from *Polyalthia evecta* against human hepatoma cell line (HepG2), *Asian Pac. J. Trop. Biomed.*, 2, 368-374.
- Madeo, F., Fröhlich, E. and Fröhlich K. U. (1997) A yeast mutant showing diagnostic markers of early and late apoptosis, *J. Cell Biol.*, 139, 729-734.
- Magnander, K. and Elmroth, K. (2012) Biological consequences of formation and repair of complex DNA damage, *Cancer Lett.*, 327, 90-96.
- Mahantesh, S.P., Gangawane, A.K. and Patil, C.S. (2012) Free radicals, antioxidants, diseases and phytomedicines in human health: future prospects, *World Res. J. Medi. Arom. Plan.*, 1, 6-10.
- Mahdi-Pour, B., Jothy, S.L., Latha, L.Y., Chen, Y., Sasidharan, S. and Dharmaraj, S. (2012) Antioxidant activity of methanol extracts of different parts of *Lantana camara*, *Asian Pac. J. Trop. Biomed.*, 2, 960-965.
- Mahfudh, N. and Pihie, A.H.L. (2008) Eurycomanone induces apoptosis through the upregulation of p53 in human cervical carcinoma cells, *J. Cancer Mol.*, 4, 109-115.
- Mahmud, Z., Bachar, S. and Qais, N. (2012) Antioxidant and hepatoprotective activities of ethanolic extracts of leaves of *Premna esculenta* Roxb. against carbon tetrachloride-induced liver damage in rats, *J. Young Pharm.*, 4, 228-234.
- Majsterek, I., Merez, A., Sliwinska, A., Kosmalski, M., Kasznicki, J. and Drzewoski, J. (2012) Role of Oxidative DNA Damage in Pathogenesis of Diabetic Neuropathy, *World Academy of Science, Engineering and Technology*, 70, 735-742.
- Makker, K., Agarwal, A. and Sharma, R. (2009) Oxidative stress & male infertility, *Indian J. Med. Res.*, 129, 357-367.
- Makri, O.E., Ferlemi, A.V., Lamari, F.N. and Georgakopoulos, C.D. (2013) Saffron administration prevents selenite-induced cataractogenesis, *Mol. Vis.*, 19, 1188-1197.
- Maksimenko, A.V., Vavaev, A.V. and Tischenko, E.G. (2010) Enzymatic antioxidants: next phase of pharmacological effort to fight oxidative stress? *Open Conf. Proc. J.*, 1, 219-223.
- Malathy, N. (2008) Effects of *Triticum aestivum* leaf extract on the apoptotic events in *Saccharomyces cerevisiae* cells subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Master of Science in Biotechnology.
- Maliyakkal, N., Udupa N, Pai, K.S.R. and Rangarajan, A. (2013) Cytotoxic and apoptotic activities of extracts of *Withania somnifera* and *Tinospora cordifolia* in human breast cancer cells, *Int. J. Appl. Res. Nat. Prod.*, 6, 1-10.
- Mamta, S. and Jyoti, S. (2012) Evaluation of phytoconstituents of *Acorus calamus* by FTIR and UV-VIS spectroscopic analysis, *Int. J. Biol. Pharm. Res.*, 3, 498-501.

- Mandal, S.K., Biswas, R., Bhattacharyya, S.S., Paul, S., Dutta, S., Pathak, S. and Khuda-Bukhsh, A.R. (2010) Lycopodine from *Lycopodium clavatum* extract inhibits proliferation of HeLa cells through induction of apoptosis via caspase-3 activation, *Eur. J. Pharm.*, 626, 115-122.
- Manju, K., Jat, R.K. and Anju, G. (2012) A review on medicinal plants used as a source of anticancer agents, *Int. J. Drug Res. Tech.*, 2, 177-183.
- Manosroi, A., Jantrawut, P., Sainakham, M., Manosroi, W. and Manosroi, J. (2012) Anticancer activities of the extract from Longkong (*Lansium domesticum*) young fruits, *Pharm. Biol.* 50, 1397-1407.
- Marimuthu, S., Balakrishnan, P. and Nair, S. (2013) Phytochemical investigation and radical scavenging activities of *Melia azedarach* and its DNA protective effect in cultured lymphocytes, *Pharm. Biol.*, 51, 1331-1340.
- Maron, B.A. and Michel, T. (2012) Subcellular localization of oxidants and redox modulation of endothelial nitric oxide synthase, *Circ. J.*, 76, 2497-2512.
- Marsh, E.K., Robin C. and May, R.C. (2012) *Caenorhabditis elegans*, a model organism for investigating immunity, *Appl. Environ. Microbiol.*, 78, 2075-2081.
- Martínez, V., Ugartondo, V., Vinardell, M.P., Torres, J.L. and Mitjans, M. (2012) Grape epicatechin conjugates prevent erythrocyte membrane protein oxidation, *J. Agric. Food Chem.*, 60, 4090-4095.
- Martino, R.F., Davicino, R.C., Mattar, M.A., Casali, Y.A., Correa, S.G. and Micalizzi, B. (2011) *In vivo* effect of three fractions of *Larrea divaricata* Cav. (jarilla) on the innate immune system: macrophage response against *Candida albicans*, *Mycoses.*, 54, e718-725.
- Mata, M., Sarrion, I., Milian, L., Juan, G., Ramon, M., Naufal, D., Gil, J., Ridocci, F., Fabregat-Andrés, O. and Cortijo J. (2012) PGC-1 α induction in pulmonary arterial hypertension, *Oxid. Med. Cell Longev.*, doi: 10.1155/2012/236572.
- Matić, I.Z., Aljančić, I., Žižak, Ž., Vajs, V., Jadranin, M., Milosavljević, S. and Juranić, Z.D. (2013a) *In vitro* antitumor actions of extracts from endemic plant *Helichrysum zivojinii*, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-13-36.
- Matić, S., Stanić, S., Bogojević, D., Vidaković, M., Grdović, N., Dinić, S., Solujić, S., Mladenović, M., Stanković, N. and Mihailović, M. (2013b) Methanol extract from the stem of *Cotinus coggygia* Scop., and its major bioactive phytochemical constituent myricetin modulate pyrogallol-induced DNA damage and liver injury, *Mutat. Res.*, 755, 81-89.
- May, J.M. and Harrison, F.E. (2013) Role of vitamin C in the function of the vascular endothelium, *Antioxid. Redox Signal*, doi:10.1089/ars.2013.5205.
- Mazid, M., Khanb, T.A. and Mohammad, F. (2012) Medicinal plants of rural India: A review of use by Indian folks, *Indo Global J. Pharm. Sci.*, 2, 286-304.
- Mdel, J.V.C., Carranza-Álvarez, C., Alonso-Castro, A.J., González-Alcaraz, V.F., Bravo-Acevedo, E., Chamarro-Tinajero, F.J. and Solano, E. (2013) Ethnobotany of medicinal plants used in Xalpatlahuac, Guerrero, México, *J. Ethnopharmacol.*, 148, 521-527.
- Meghashri, S. and Gopal, S. (2012) Biochemical characterization of radical scavenging polyphenols from *Nyctanthes arbortristis*, *J. Pharm. Bioallied. Sci.*, 4, 341-344.
- Mehta, D.K., Das, R. and Bhandari, A. (2013) Phytochemical screening and HPLC analysis of flavonoid and anthraquinone glycoside in *Zanthoxylum armatum* fruit, *Int. J. Pharm. Pharm. Sci.*, 5, 190-193.
- Meiyanto, E., Hermawan, A. and Anindyajati (2012) Natural products for cancer-targeted therapy: citrus flavonoids as potent chemopreventive agents, *Asian Pacific J. Cancer Prev.*, 13, 427-436.
- Meng, J.F., Fang, Y.L., Qin, M.Y., Zhuang, X.F. and Zhang, Z.W. (2012) Varietal differences among the phenolic profiles and antioxidant properties of four cultivars of spine grape (*Vitis davidii* Foex) in Chongyi County (China), *Food Chem.*, 134, 2049-2056.
- Mensor, C.C., Menezes, F.S., Leitao, G.G., Reis, A.S., Dos Santos, T.C., Coube, C.S. and Leitao, S.G. (2001) Screening of Brazilian plant extracts for antioxidant activity by the use of DPPH free radical method, *Phytother. Res.*, 15, 127-130.
- Mercille, S. and Massie, B. (1994) Induction of apoptosis in nutrient-deprived cultures of hybridoma and myeloma cells, *Biotech. Bioengin.*, 44, 1140-1154.
- Middha, S.K., Usha, T. and Pande, V. (2013) HPLC evaluation of phenolic profile, nutritive content, and antioxidant capacity of extracts obtained from *Punica granatum* fruit peel, *Adv. Pharmacol. Sci.*, doi: 10.1155/2013/296236.
- Miller, E.W., Dickinson, B.D. and Chang, C.J. (2010) Aquaporin-3 mediates hydrogen peroxide uptake to regulate downstream intracellular signalling, *Proc. Natl. Acad. Sci. U.S.A.*, 107, 15681-15686.
- Mir, A.M., Sawhney, S.S. and Jassal, M.M.S. (2013) Qualitative and quantitative analysis of phytochemicals of *Taraxacum officinale*, *Wudpecker J. Pharm. Pharmacol.*, 2, 1-5.
- Miri, A., Monsef-Esfahani, H.R., Amini, M., Amanzadeh, Y., Hadjiakhoondi, A. and Hajiaghaee, R. (2011) Determination of phenolics and flavonoid contents, antioxidant capacity and major flavonoids structure in *Teucrium persicum* Boiss, *J. Anim. Vet. Adv.*, 10, 1258-1261.

- Mishra, T., Khullar, M. and Bhatia, A. (2010) Anticancer Potential of Aqueous Ethanol Seed Extract of *Ziziphos mauritiana* against Cancer Cell Lines and Ehrlich Ascites Carcinoma, *Evid. Based Complement Alternat. Med.*, pii: 765029.
- Misra, H.P. and Fridovich, I. (1972) The role of superoxide anion in the autooxidation of epinephrine and a simple assay for superoxide dismutase, *J. Biol. Chem.*, 247: 3170-3175.
- Mittler, R., Vanderauwera, S., Suzuki, N., Miller, G., Tognetti, V.B., Vandepoele, K., Gollery, M., Shulaev, V. and Breusegem, V.F. (2011) ROS signaling: the new wave?, *Trends Plant Sci.*, 16, 300-309.
- Moche, H., Chevalier, D., Barois, N., Lorge, E., Claude, N. and Nesslany, F. (2013) Tungsten carbide - cobalt (WC-Co) as a nanoparticulate reference positive control in *in vitro* genotoxicity assays, *Toxicol. Sci.*, doi: 10.1093/toxsci/kft222.
- Modi, M., Vinu, N., Pancholi, B., Kulshrestha, S., Rawat, A.K., Malhotra, S. and Gupta, S.K. (2013) Anti-HIV-1 activity, protease inhibition and safety profile of extracts prepared from *Rhus parviflora*, *BMC Complement. Altern. Med.*, doi:10.1186/1472-6882-13-158
- Mohammad, M., Dar, A., Soomro, M.T., Tariq, M. and Latif, M. (2009) Antioxidants / antioxidative agents and superoxide: An electrochemical monitoring device, *Int. J. Genet. Mol. Biol.*, 1, 105-114.
- Mohammadi, M., Khole, S., Devasagayam, T.P. and Ghaskadbi, S.S. (2009) *Pterocarpus marsupium* extract reveals strong *in vitro* antioxidant activity, *Drug Discov. Ther.*, 3, 151-161.
- Mohsenzadegan, M and Mirshafiey, A. (2012) The immunopathogenic role of reactive oxygen species in Alzheimer disease, *Iran J. Allergy Asthma Immunol.*, 11, 203-216.
- Mokudai, T., Nakamura, K., Kanno, T. and Niwano, Y. (2012) Presence of hydrogen peroxide, a source of hydroxyl radicals, in acid electrolyzed water, *PLoS ONE*, doi:10.1371/journal.pone.0046392.
- Montecucco, A. and Biamonti, G. (2007) Cellular response to etoposide treatment, *Cancer Lett.*, 252, 9-18.
- Moron, M.S., Depierre, J.N. and Mannervik, V.C. (1979) Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver, *Biochem. Biophys. Acta.*, 582, 67-68.
- Morrone, M.D.S., de Assis, A.M., da Rocha, R.F., Gasparotto, J., Gazola, A.C., Costa, G.M., Zucolotto, S.M., Castellanos, L.H., Ramos, F.A., Schenkel, E.P., Reginatto, F.H., Gelain, D.P. and Moreir, J.C.F. (2013) *Passiflora manicata* (Juss.) aqueous leaf extract protects against reactive oxygen species and protein glycation *in vitro* and *ex vivo* models, *Food Chem. Toxicol.*, 60, 45-51.
- Mourad, I. M. and Noor, N. A. (2011) Aspartame and oxidative stress in the rat cerebral cortex, *Int. J. Pharm. Biomed. Sci.*, 2, 4-10.
- Mradu, G., Saumyakanti, S., Sohini, M. and Arup, M. (2012) HPLC profiles of standard phenolic compounds present in medicinal plants, *Int. J. Pharm. Phytochem. Res.*, 4, 162-167.
- Mukherjee, A., Sikdar, S., Bishayee, K., Boujedaini, N. and Khuda-Bukhsh, A.R. (2013) Flavonol isolated from ethanolic leaf extract of *Thuja occidentalis* arrests the cell cycle at G2-M and induces ROS-independent apoptosis in A549 cells, targeting nuclear DNA, *Cell Prolif.*, doi: 10.1111/cpr.12079.
- Munakata, M. (2012) Exhaled nitric oxide (FeNO) as a non-invasive marker of airway inflammation, *Allergol. Int.*, 61, 365-372.
- Murphy, M.P., Holmgren, A., Larsson, N.G., Halliwell, B., Chang, C.J., Kalyanaraman, B., Rhee, S.G., Thornalley, P.J., Partridge, L., Gems, D., Nyström, T., Belousov, V., Schumacker, P.T. and Winterbourn, C.C. (2011) Unraveling the biological roles of reactive oxygen species, *Cell Metab.*, 13, 361-366.
- Muslim, N.S., Nassar, Z.D., Aisha, A.F., Shafaei, A., Idris, N., Majid, A.M. and Ismail, Z. (2012) Antiangiogenesis and antioxidant activity of ethanol extracts of *Pithecellobium jiringa*, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-12-210.
- Muthappa, N.A., Gupta, S., Yengkokpam, S., Debnath, D., Kumar, N., Pal, A.K. and Jadhao, S.B. (2013) Lipotropes promote immunobiochemical plasticity and protect fish against low-dose pesticide-induced oxidative stress, *Cell Stress Chaperones*, 19, 61-81.
- Muttigi, M.S., Kedage, V., Suvarna, R., Rao, S.S., Joshi, C., Shetty, M.S. and Prakash, M. (2009) Serum GST activity and total thiols status in patients with liver disease secondary to various disorders, *The Open Hepatology J.*, 1, 5-8.
- Mwitari, P.G., Ayeka, P.A., Ondicho, J., Matu, E.N. and Bii, C.C. (2013) Antimicrobial activity and probable mechanisms of action of medicinal plants of Kenya: *Withania somnifera*, *Warbugia ugandensis*, *Prunus africana* and *Plectranthus barbatus*, *PLoS One*, doi: 10.1371/journal.pone.0065619.
- Naito, Y., Lee, M.C.I., Kato, Y., Nagai, R. and Yonei, Y. (2010) Oxidative Stress Markers, *J. Anti. Aging Med.*, 7, 36-44.
- Nakamura, T. and Lipton, S.A. (2011) Redox modulation by S-nitrosylation contributes to protein misfolding, mitochondrial dynamics, and neuronal synaptic damage in neurodegenerative diseases, *Cell Death Differ.*, 18, 1478-1486.
- Nakano, T., Masuda, M., Suzuki, T. and Ohshima, H. (2012) Inhibition by polyphenolic phytochemicals and sulfurous compounds of the formation of 8-chloroguanosine mediated by hypochlorous acid, human myeloperoxidase, and activated human neutrophils, *Biosci. Biotechnol. Biochem.*, 76, 2208-2213.

- Nam, T.W., Ziegelhoffer, E.C., Lemke, R.A. and Donohue, T.J. (2013) Proteins needed to activate a transcriptional response to the reactive oxygen species singlet oxygen, *MBio.*, doi: 10.1128/mBio.00541-12.
- Nandhakumar, E. and Indumathi, P. (2013) *In vitro* antioxidant activities of methanol and aqueous extract of *Annona squamosa* (L.) fruit pulp, *J. Acupunct. Meridian. Stud.*, 6, 142-148.
- Nariya, P.B., Bhalodia, N.R., Shukla, V.J., Acharya, R. and Nariya, M.B. (2013) *In vitro* evaluation of antioxidant activity of *Cordia dichotoma* (Forst f.) bark, *Ayu.*, 34, 124-128.
- Nasrullah, A.A., Zahari, A., Mohamad, J. and Awang, K. (2013) Antiplasmodial alkaloids from the bark of *Cryptocarya nigra* (*Lauraceae*), *Molecules*, 18, 8009-8017.
- Nazneen B.M.D., Wesel, E.G. and Johnson, M (2012) FT-IR studies on the leaves of *Albizia lebbek* benth, *Int. J. Pharm. Pharm. Sci.*, 4, 293-296.
- Ndhlala, A.R., Moyo, M. and van Staden, J. (2010) Natural antioxidants: fascinating or mythical biomolecules? *Molecules*, 15, 6905-6930.
- Neha, S. and Jyoti, S. (2013) Phytochemical analysis of *Bougainvillea Glabra* Choisy by FTIR and UV-VIS spectroscopic analysis, *Int. J. Pharm. Sci. Rev. Res.*, 21, 196-198.
- Neofytou, E., Tzortzaki, E.G., Chatziantoniou, A. and Siafakas, N.M. (2012) DNA damage due to oxidative stress in chronic obstructive pulmonary disease (COPD), *Int. J. Mol. Sci.*, 13, 16853-16864.
- Niehaus, W.G. and Samuelsson, B. (1968), Formation of malondialdehyde from phospholipids arachidonate during microsomal lipid peroxidation, *Eur. J. Biochem.*, 6, 126-130.
- Nikam, P.H., Kareparamban, J., Jadhav, A and Kadam, V. (2012) Future trends in standardization of herbal drugs, *J. Appl. Pharm. Sci.*, 2, 38-44.
- Niki, E. (2009) Lipid peroxidation: physiological levels and dual biological effects, *Free Radic. Biol. Med.*, 47, 469-484.
- Niki, E. (2013) Biomarkers of lipid peroxidation in clinical material, *Biochim. Biophys. Acta.*, doi: 10.1016/j.bbagen.2013.03.020.
- Nikolova, G. (2012) Oxidative stress and Parkinson disease, *Trakia J. Sci.*, 10, 92-100.
- Nikolova, M. (2011) Screening of radical scavenging activity and polyphenol content of Bulgarian plant species, *Pharmacognosy Res.*, 3, 256-259.
- Nirmala Priyadarshini, P. (2001) Studies on the antioxidant potential of the flowers of *Caesalpinia pulcherrima*, Swartz. A thesis submitted to Avinashilingam University in partial fulfillment of the requirements of the degree of Master of Science in Biochemistry.
- Nirmala, M.J., Samundeeswari, A. and Sankar, P.D. (2011) Natural plant resources in anti-cancer therapy-A review, *Res. Plant Biol.*, 1, 1-14.
- Nirmaladevi, R. (2008) Antioxidant responses evoked by *Rhinacanthus nasutus* leaf extracts in oxidatively stressed *in vitro* systems, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Nirwane, B. and Patil, R. (2012) Effect of *Punica granatum* seeds on doxorubicin-induced hepatotoxicity in Wistar rats, *J. Pharm. Res.*, 5, 4625-4628.
- Nisa, S., Bibi, Y., Zia, M., Waheed, A. and Chaudhary, M.F. (2013) Anticancer investigations on *Carissa opaca* and *Toona ciliata* extracts against human breast carcinoma cell line, *Pak. J. Pharm. Sci.*, 23, 1009-1012.
- Nishaa, S., Vishnupriya, M. and Gopalakrishnan, V.K. (2013) Qualitative assessment of the ethanolic extract of *Maranta arundinacea* L. rhizome using HPTLC, *Int. J. Res. Pharm.*, 4, 76-83.
- Nishida, Y., Wada, K., Toyohisa, D., Tanaka, T., Ono, M. and Yasuda S. (2013) Homoisoflavones as the antioxidants responsible from bulbs of *Scilla scilloides*, *Nat Prod Res.*, 27, 2360-2362.
- Njayou, F.N., Moundipa, P.F., Tchana, A.N., Ngadjui, B.T. and Tchouanguep, F.M. (2008) Inhibition of microsomal lipid peroxidation and protein oxidation by extracts from plants used in Bamun folk medicine (Cameroon) against hepatitis, *Afr. J. Tradit. Complement. Altern. Med.*, 5, 278-289
- Nyembo, K., Kikakedimau, N., Mutambel, H., Mbaya, N., Ekalakala, T. and Bulubulu, O. (2012) *In vitro* antibacterial activity and phytochemical screening of crude extracts from *Jatropha curcas* Linn, *Eur. J. Med. Plants.*, 2, 242-251.
- Obdoni, B. O. and Ochuko, P.O. (2001), Phytochemical studies and comparative efficacy of the crude extracts of some homeostatic plants in the delta of Nigeria, *Glob. J. Pure Appl. Sci.*, 8, 203-208.
- Obrenovich, M.E., Li, Y., Parvathaneni, K., Yendluri, B.B., Palacios, H.H., Leszek, J. and Aliev, G. (2011) Antioxidants in health, disease and aging, *CNS Neurol. Disord. Drug Targets*, 10, 192-207.
- Ocampo, A. and Barrientos, A. (2011) Developing yeast models of human neurodegenerative disorders, *Methods Mol. Biol.*, 793, 113-127.
- Ohta, Y., Yashiro, K., Ohashi, K., Imai, Y., Kusumoto, C., Matura, T., Hidaka, M. and Fukuzawa, K. (2013) Vitamin E depletion enhances liver oxidative damage in rats with water-immersion restraint stress, *J. Nutr. Sci. Vitaminol.* (Tokyo), 59, 79-86.

- Okhawa, H., Ohishi, N. and Yagi, K. (1979) Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction, *Anal. Biochem.*, 95, 351-358.
- Omodara, N.B., Amoko, J.S., Obijole, O.A. and Ojo, B.M (2012) Infrared and ultraviolet spectroscopic analysis of methanol extract of *Phyllanthus muellerianus* root, *Greener J. Phys. Sci.*, 3, 159-164.
- Omoruyi, B.E., Bradley, G. and Afolayan, A.J. (2012) Antioxidant and phytochemical properties of *Carpobrotus edulis* (L.) bolus leaf used for the management of common infections in HIV/AIDS patients in Eastern Cape Province, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-12-215.
- Orjuela-Sánchez, P., Duggan, E., Nolan, J., Frangos, J.A. and Carvalho, L.J. (2012) A lactate dehydrogenase ELISA-based assay for the *in vitro* determination of *Plasmodium berghei* sensitivity to anti-malarial drugs, *Malar. J.*, doi: 10.1186/1475-2875-11-366.
- Ortiz, B., Wassef, L., Shabrova, E., Cordeddu, L., Banni, S. and Quadro, L. (2009) Hepatic retinol secretion and storage are altered by dietary CLA: common and distinct actions of CLA c9,t11 and t10,c12 isomers, *J. Lipid Res.*, 50, 2278-2289.
- Otang, W.M., Grierson, D.S. and Ndip, R.N. (2012) Phytochemical studies and antioxidant activity of two South African medicinal plants traditionally used for the management of opportunistic fungal infections in HIV/AIDS patients, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-12-43.
- Ozkanlar, S. and Akcay, F. (2012) Antioxidant vitamins in atherosclerosis-animal experiments and clinical studies, *Adv. Clin. Exp. Med.*, 21, 115-123.
- Padma, P.R., Sumathi, S. and Aparna, S. (2000) Antioxidant status of the flowers of *Caesalpinia pulcherrima*, *J. Med. Arom. Plant Sci.*, 22, 36-37.
- Palaniswamy, R. (2012) Antioxidant potential of *Majorana hortensis* leaves and its effect on oxidant induced molecular events *in vitro*, A thesis submitted to Avinashilingam Institute for Home Science and Higher Education for Women in partial fulfilment of the requirements of the degree of Doctor of Philosophy in Biotechnology.
- Palaniswamy, R. and Padma, P.R. (2011a) Antioxidant activity of *Majorana hortensis* leaves subjected to oxidative stress in an *in vitro* system, *Int. Res. J. Pharm.*, 6, 153-157.
- Palaniswamy, R. and Padma, P.R. (2011b) Effect of *Majorana hortensis* leaf extracts on the apoptotic events in *Saccharomyces cerevisiae* cells subjected to oxidative stress, *Biotechnol. Bioinf. Bioeng.*, 1, 119-124.
- Pan, J.S., Hong, M.Z. and Ren, J.L. (2009) Reactive oxygen species: a double-edged sword in oncogenesis, *World J. Gastroenterol.*, 15, 1702-1707.
- Pan, L., Chai, H.B. and Kinghorn, A.D. (2012) Discovery of new anticancer agents from higher plants, *Front Biosci.*, 4, 142-156.
- Pan, S.Y., Zhou, S.F., Gao, S.H., Yu, Z.L., Zhang, S.F., Tang, M.K., Sun, J.N., Ma, D.L., Han, Y.F., Fong, W.F. and Ko, K.M. (2013) New perspectives on how to discover drugs from herbal medicines: CAM's outstanding contribution to modern therapeutics, *Evid. Based Complement. Alternat. Med.*, doi: 10.1155/2013/627375.
- Panahi, Y., Mostafazadeh, B., Abrishami, A., Saadat, A., Beiraghdar, F., Tavana, S., Pishgoo, B., Parvin, S. and Sahebkar, A. (2013) Investigation of the effects of *Chlorella vulgaris* supplementation on the modulation of oxidative stress in apparently healthy smokers, *Clin. Lab.*, 59, 579-587.
- Pandey, U.B. and Nichols, C.D. (2011) Human disease models in *Drosophila melanogaster* and the role of the fly in therapeutic drug discovery, *Pharmacol. Rev.*, 63, 411-436.
- Park, K.H., Kim, J.R., Lee, J.S., Lee, H. and Cho, K.H. (2010) Ethanol and water extract of purple sweet potato exhibits anti-atherosclerotic activity and inhibits protein glycation, *J. Med. Food*, 13, 91-98.
- Parks, D.R., Bryan, V.M., Oi, V.T. and Herzenberg, L.A. (1979) Antigen-specific identification and cloning of hybridomas with fluorescence- activated cell sorter, *Proc. Nat. Acad. Sci. USA.*, 76, 1962-1966.
- Pascucci, B., D'Errico, M., Parlanti, E., Giovannini, S. and Dogliotti, E. (2011) Role of nucleotide excision repair proteins in oxidative DNA damage repair: an updating, *Biochemistry (Mosc.)*, 76, 4-15.
- Patra, K.C., Kumar, J.K. and Ahirwar, D.K. (2013) Gastroprotective effect of standardized extract of Amukkara choornam on experimental gastric ulcer in rats, *J. Nat. Med.*, doi:10.1007/s11418-013-0792-x.
- Pawar, C.R., Gulecha, V.S., Mohan, M., Kasture, V.S. and Pal, S.C. (2008) Anti-inflammatory activity of heartwood extracts of *Caesalpinia pulcherrima* (Caesalpiniceae), *J. Nat. Rem.*, 8, 72-75.
- Pawar, P., Gilda, S., Sharma, S., Jagtap, S., Paradkar, A., Mahadik, K., Ranjekar, P. and Harsulkar, A. (2011) Rectal gel application of *Withania somnifera* root extract expounds anti-inflammatory and muco-restorative activity in TNBS-induced inflammatory bowel disease, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-11-34.
- Peluso, M., Munnia, A., Risso, G.G., Catarzi, S., Piro, S., Ceppi, M., Giese, R.W. and Brancato, B. (2011) Breast fine-needle aspiration malondialdehyde deoxyguanosine adduct in breast cancer, *Free Radic. Res.*, 45, 477-482.
- Peng, H., Chen, W., Cheng, Y., Hakuna, L., Strongin, R. and Wang, B. (2012) Thiol reactive probes and chemosensors, *Sensors (Basel)*, 12, 15907-15946.
- Percival, S.S., van den Heuvel, J.P., Nieves, C.J., Montero, C., Migliaccio, A.J. and Meadors, J. (2012) Bioavailability of herbs and spices in humans as determined by *ex vivo* inflammatory suppression and DNA strand breaks, *J. Am. Coll. Nutr.*, 31, 288-294.

- Pereira, C., Bessa, C., Soares, J., Leão, M. and Saraiva, L. (2012) Contribution of yeast models to neurodegeneration research, *J. Biomed. Biotechnol.*, doi: 10.1155/2012/941232.
- Pereira, R.B., Sousa, C., Costa, A., Andrade, P.B. and Valentão, P. (2013) Glutathione and the antioxidant potential of binary mixtures with flavonoids: synergisms and antagonisms, *Molecules*, 18, 8858-8872.
- Perez-Vizcaino, F., Cogolludo, A. and Moreno, L. (2010) Reactive oxygen species signaling in pulmonary vascular smooth muscle, *Respir. Physiol. Neurobiol.*, 174, 212-220.
- Perron, N.R. and Brumaghim, J.L. (2009) A review of the antioxidant mechanisms of polyphenol compounds related to iron binding, *Cell Biochem. Biophys.*, 53, 75-100.
- Perry, J.J., Shin, D.S., Getzoff, E.D. and Tainer, J.A. (2010) The structural biochemistry of the superoxide dismutases, *Biochem. Biophys. Acta.*, 2, 245-262.
- Ping, K.Y., Darah, I., Chen, Y., Sasidharan, S. and Dharmaraj, S. (2013) Cytotoxicity and genotoxicity assessment of *Euphorbia hirta* in MCF-7 cell line model using comet assay, *Asian Pac. J. Trop. Biomed.*, 3, 692-696.
- Pipaliya, H. and Vaghasiya, J. (2012) Cardio protective effect of vitamin A against isoproterenol-induced myocardial infarction, *J. Nutr. Sci. Vitaminol. (Tokyo)*, 58, 402-407.
- Placzek, W.J., Wei, J., Kitada, S., Zhai, D., Reed, J.C. and Pellecchia, M. (2010) A survey of the anti-apoptotic Bcl-2 subfamily expression in cancer types provides a platform to predict the efficacy of Bcl-2 antagonists in cancer therapy, *Cell Death Dis.*, doi: 10.1038/cddis.2010.18.
- Podsędek, A. (2007) Natural antioxidants and antioxidant activity of Brassica vegetables: A review, *LWT-Food Sci. Technol.*, 40, 1-11.
- Pohanka, M., Pejchal, J., Snopkova, S., Havlickova, K., Karasova, J.Z., Bostik, P. and Pikula, J. (2012) Ascorbic acid: an old player with a broad impact on body physiology including oxidative stress suppression and immunomodulation: a review, *Mini Rev. Med. Chem.*, 12, 35-43.
- Policegoudra, R.S., Saikia, S., Das, J., Chattopadhyay, P., Singh, L. and Veer, V. (2012) Phenolic content, antioxidant activity, antibacterial activity and phytochemical composition of *Garcinia lancifolia*, *Indian J. Pharm. Sci.*, 74, 268-271.
- Poljsak, B., Suput, D. and Milisav, I. (2013) Achieving the balance between ROS and antioxidants: when to use the synthetic antioxidants, *Oxid. Med. Cell Longev.*, doi: 10.1155/2013/956792.
- Pourova, J., Kottova, M., Voprsalova, M. and Pour, M. (2010) Reactive oxygen and nitrogen species in normal physiological processes, *Acta Physiol.*, 198, 15-35.
- Prakash, B.D., Manjunath, S., Kadi, S.K. and Vanishree, C.J. (2010) Oxidative stress and enzymatic antioxidant status in Rheumatoid arthritis: a case control study, *Eur. Rev. Med. Pharm. Sci.*, 14, 959-967.
- Prakash, M., Shetty, M.S., Tilak, P. and Anwar, N. (2009) Total thiols: biomedical importance and their alteration in various disorders, *Online J. Health Allied Med.*, 8, 1-8.
- Preethy, C.P., Padmapriya, R., Periasamy, V.S., Riyasdeen, A., Srinag, S., Krishnamurthy, H., Alshatwi, A.A. and Akbarsha, M.A. (2012) Antiproliferative property of n-hexane and chloroform extracts of *Anisomeles malabarica* (L). R. Br. in HPV16-positive human cervical cancer cells, *J. Pharmacol. Pharmacother.*, 3, 26-34.
- Presnell, C.E., Bhatti, G., Numan, L.S., Lerche, M., Alkhateeb, S.K., Ghalib, M., Shammaa, M. and Kavdia, M. (2013) Computational insights into the role of glutathione in oxidative stress, *Curr. Neurovasc. Res.*, 10, 185-194.
- Puertollano, M.A., Puertollano, E., de Cienfuegos, G.Á. and de Pablo, M.A. (2011) Dietary antioxidants: immunity and host defense, *Curr. Top. Med. Chem.*, 11, 1752-1766.
- Radha, P. (2010), Antioxidant responses evoked *in vitro* by *Bacopa monnieri* leaf extracts, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biochemistry.
- Radha, P. and Padma, P.R. (2013) Antioxidant status of oxidant challenged rats treated with *Bacopa monnieri* leaf extract, *Int. J. Pharm. Pharm. Sci.*, 5, 555 – 558.
- Rahzani, K., Malekirad, A.A., Zeraatpishe, A., Hosseini, N., Seify, S.M. and Abdollahi, M. (2013) Anti-oxidative stress activity of *Stachys lavandulifolia* aqueous extract in human, *Cell J.*, 14, 314-317.
- Rajamanikandan, S., Sindhu, T., Durgapriya, D., Sophia, D., Ragavendran, P. and Gopalakrishnan, V.K. (2012) Protective effect of *Mollugo nudicaulis* Lam. on acute liver injury induced by perchloroethylene in experimental rats, *Asian Pac. J. Trop. Med.*, 5, 862-867.
- Rajan, T. and Muthukrishnan, S. (2013) Characterization of phenolic compounds in *Pseudarthria viscida* root extract by HPLC and FT-IR analysis, *Asian J. Pharm. Clin. Res.*, 6, 274-276.
- Ramasamy, S., Wahab, A.N., Abidin, Z.N. and Manickam, S. (2013) Effect of extracts from *Phyllanthus watsonii* Airy Shaw on cell apoptosis in cultured human breast cancer MCF-7 cells, *Exp. Toxicol. Pathol.*, 65, 341-349.
- Ramchoun, M., Harnafi, H., Alem, C., Benlyys, M., Elrhaffari, L. and Amrani, S. (2009) Study on antioxidant and hypolipidemic effects of polyphenol rich extract from *Thymus vulgaris* and *Lavandula multifida*, *Pharmacognosy Res.*, 1, 106-111.

- Ramteke, A., Hussain, A., Kaundal, S. and Kumar, G. (2012) Oxidative stress and modulatory effects of the root extract of *Phlogacanthus tubiflorus* on the activity of glutathione S-transferase in hydrogen peroxide treated lymphocyte, *J. Stress Physiol. Biochem.*, 8, 6-15.
- Ranganatha, N. and Kuppast, I.J. (2012) A review on alternatives to animal testing methods in drug development, *Int. J. Pharm. Pharm. Sci.*, 4, 28-32.
- Rashmi, R., Kumar, S.T.R. and Karunakaran, D. (2003) Human colon cancer cells differ in their sensitivity to curcumin-induced apoptosis and heat shock protects them by inhibiting the release of apoptosis-inducing factor and caspases, *FEBS Lett.*, 538, 19-24.
- Raza, H. (2011) Dual localization of glutathione S-transferase in the cytosol and mitochondria: implications in oxidative stress, toxicity and disease, *FEBS J.*, 278, 4243-4251.
- Razak, F.A., Z Mohd Majid, Z.M., Rahman, M.A. and Zuraiza, M. (2011) Cytotoxic activity of selected plants extracts on normal and cancerous oral mucosal cells, *Planta. Med.*, doi: 10.1055/s-0031-1282964
- Reddy, K.P., Subhani, S.M., Khan, P.A. and Kumar, K.B. (1995), Effect of light and benzyladenine on dark treated growing rice (*Oryza sativa*) leaves-changes in peroxidase activity, *Plant Cell Physiol.*, 26, 987-994.
- Rejiya, C.S., Cibin, T.R. and Abraham, A. (2009) Leaves of *Cassia tora* as a novel cancer therapeutic--an *in vitro* study, *Toxicol. In vitro*, 23, 1034-1038.
- Ribeiro, G.F., Côrte-Real, M. and Johansson, B. (2006) Characterization of DNA damage in yeast apoptosis induced by hydrogen peroxide, acetic acid, and hyperosmotic shock, *Mol. Biol. Cell.*, 17, 4584-4591.
- Riccioni, G., D'Orazio, N., Salvatore, C., Franceschelli, S., Pesce, M. and Speranza, L. (2012) Carotenoids and vitamins C and E in the prevention of cardiovascular disease, *Int. J. Vitam. Nutr. Res.*, 82, 15-26.
- Risdian, C., Widowati, W., Mozef, T., Wargaseti, T.L. and Khiong, K. (2011) Free radical scavenging activity of ethanolic leaves extract and its different solvent fractions of *Piper betle* L. *in vitro*, *Indonesian J. Cancer Chemoprevention*, 2, 141-145.
- Risipail, N., Hauck, B., Bartholomew, B., Watson, A.A., Nash, R.J. and Webb, K. J. (2010) Secondary metabolite profiling of the model legume *Lotus japonicus* during its symbiotic interaction with *Mesorhizobium loti*, *Symbiosis*, 5, 119-128.
- Roe, J.H. and Kuether, C.A. (1943) The determination of ascorbic acid in whole blood and urine through 2, 4-dinitrophenylhydrazine derivative dehydro ascorbic acid, *J. Biol. Chem.*, 147, 399-407.
- Rosarin, F.S., Arulmozhi, V., Nagarajan, S. and Mirunalini, S. (2013) Antiproliferative effect of silver nanoparticles synthesized using amla on Hep2 cell line, *Asian Pac. J. Trop. Med.*, 6, 1-10.
- Rosenberg, H.R. (1992) Chemistry and physiology of the vitamins, Interscience Publisher, New York, pp.452-453.
- Roudsari, M.T., Bahrami, A.R. and Dehghani, H. (2012) Bracken-fern extracts induce cell cycle arrest and apoptosis in certain cancer cell lines, *Asian Pac. J. Cancer Prev.*, 13, 6047-6053.
- Rousar, T., Parík, P., Kucera, O., Bartos, M. and Cervinková, Z. (2010) Glutathione reductase is inhibited by acetaminophen-glutathione conjugate *in vitro*, *Physiol. Res.*, 59, 225-232.
- Ruch, R.J., Cheng, S. and Klaunig, J.E. (1989) Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea, *Carcinogenesis*, 10, 1003-1008.
- Saenjum, C., Chaivasut, C., Kadchumsang, S., Chansakaow, S. and Suttajit, M. (2010) Antioxidant activity and protective effects on DNA damage of *Caesalpinia sappan* L. extract, *J. Med. Plant Res.*, 4, 1594-1600.
- Sahreen, S., Khan, M.R. and Khan, R.A. (2011) Hepatoprotective effects of methanol extract of *Carissa opaca* leaves on CCl₄-induced damage in rat, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-11-48.
- Saklani, A. and Kutty, S.K. (2008) Plant-derived compounds in clinical trials, *Drug Discov. Today*, 13, 161-171.
- Salem, B.I., Fekih, S., Sghaier, H., Bousselmi, M., Saidi, M., Landoulsi, A. and Fattouch, S. (2013) Effect of ionising radiation on polyphenolic content and antioxidant potential of parathion-treated sage (*Salvia officinalis*) leaves, *Food Chem.*, 141, 1398-1405.
- Salimifar, M., Fatehi-Hassanabad, Z. and Fatehi, M. (2013) A review on natural products for controlling type 2 diabetes with an emphasis on their mechanisms of actions, *Curr. Diabetes Rev.*, 9, 402-411.
- Salminen, A., Ojala, J., Kaarniranta, K. and Kauppinen, A. (2012) Mitochondrial dysfunction and oxidative stress activate inflammasomes: impact on the aging process and age-related diseases, *Cell Mol. Life Sci.*, 69, 2999-3013.
- Samarakoon, S.R., Thabrew, I., Galhena, P.B., De Silva, D and Tennekoon, K.H. (2010) A comparison of the cytotoxic potential of standardized aqueous and ethanolic extracts of a polyherbal mixture comprised of *Nigella sativa* (seeds), *Hemidesmus indicus* (roots) and *Smilax glabra* (rhizome), *Pharmacognosy Res.*, 2, 335-342.
- Samarghandian, S., Borji, A., Delkhosh, M.B. and Samini, F. (2013) Safranal treatment improves hyperglycemia, hyperlipidemia and oxidative stress in streptozotocin-induced diabetic rats, *J. Pharm. Pharm. Sci.*, 16, 352-362.
- Sameer, J.S., Vijay, S.R. and Chandrakant, M.S. (2013) Daily consumption of antioxidants: prevention of disease is better than cure, *Asian J. Pharm. Res.*, 3, 34-40.
- Sann, N., Werner, K., Rückert, F., Saeger, H.D., Grützmann, R. and Pilarsky, C. (2011) The role of apoptosis in the pathology of pancreatic cancer, *Cancers*, 3, 1-16.

- Sampathkumar, S. and Ramakrishnan, N. (2011) Chromatographic fingerprint analysis of *Naringi crenulata* by HPTLC Technique, Asian Pac. J. Trop. Biomed., 1S, 195-198.
- Sankari, S.L., Masthan, K.M., Babu, N.A., Bhattacharjee, T. and Elumalai, M. (2012) Apoptosis in cancer-an update, Asian Pac. J. Cancer Prev., 13, 4873-4878.
- Sarkar, R., Hazra, B. and Mandal, N. (2013) Anti-oxidative protection against iron overload-induced liver damage in mice by *Cajanus cajan* (L.) Millsp. leaf extract, Indian J. Exp. Biol., 51, 165-173.
- Sarker, K.P., Obara, S., Nakata, M., Kitajima, I. and Maruyama, I. (2000) Anandamide induces apoptosis of PC-12 cells: involvement of superoxide and caspase-3, FEBS Lett., 472, 39-44.
- Sasaki, T., Li, W., Zaike, S., Asada, Y., Li, Q., Ma, F., Zhang, Q. and Koike, K. (2013) Antioxidant lignoids from leaves of *Ribes nigrum*, Phytochem., 95C, 333-340.
- Sathish, S. S., Janakiraman, N. and Johnson, M. (2012) Phytochemical analysis of *Vitex altissima* L. using UV-VIS, FTIR and GC-MS, Int. J. Pharm. Sci. Drug Res., 4, 56-62.
- Sathya, L. (2006) Effects of *Artemisia vulgaris* leaves on the molecular events related to apoptosis in *Saccharomyces cerevisiae* cells subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Master of Philosophy in Biotechnology.
- Sathya, M. and Kokilavani, R. (2012) Antiuro lithiatic effect of ethanolic root extract of *Saccharum spontaneum* on glycolic acid induced nephrolithiasis in male wistar albino rats. J. Pharm. Res., 5, 5152-5154.
- Sathya, V., Bharathidasan, R., Selvi, S.T., Rebeccal, N.S., Ilakkiya, R. and Prabakaran, M. (2013) Quantitative, qualitative phytochemical analysis and *in vitro* antibacterial activity of *Bauhinia tomentosa* L., J. Nat. Prod. Plant Resour., 3, 31-36.
- Savino, C., Pelicci, P. and Giorgio, M. (2013) The P66Shc/mitochondrial permeability transition pore pathway determines neurodegeneration, Oxid. Med. Cell Longev., doi: 10.1155/2013/719407.
- Saxena, M. and Shukla, S. (2012) Reversal of carbon tetrachloride-induced hepatic injury by aqueous extract of *Artemisia absinthium* in Sprague-Dawley rats, J. Environ. Pathol. Toxicol. Oncol., 31, 325-334.
- Schaffer, L.F., Peroza, L.R., Boligon, A.A., Athayde, M.L., Alves, S.H., Fachineto, R. and Wagner, C. (2013) *Harpagophytum procumbens* prevents oxidative stress and loss of cell viability *in vitro*, Neurochem. Res., 38, 2256-2267.
- Schetter, A.J., Heegaard, N.H.H. and Harris, C.C. (2010) Inflammation and cancer: interweaving microRNA, free radical, cytokine and p53 pathways, Carcinogenesis, 31, 37-49.
- Schiborr, C., Schwamm, D., Kocher, A., Rimbach, G., Eckert, G.P. and Frank, J. (2013) The senescence-accelerated mouse-prone 8 is not a suitable model for the investigation of cardiac inflammation and oxidative stress and their modulation by dietary phytochemicals, Pharmacol. Res., doi: 10.1016/j.phrs.2013.06.004.
- Schippers, J.H., Nguyen, H.M., Lu, D., Schmidt, R. and Mueller-Roeber, B. (2012) ROS homeostasis during development: an evolutionary conserved strategy, Cell. Mol. Life Sci., 69, 3245-3257.
- Sedlack, J. and Lindsay, R.H. (1968), Estimation of total protein and non-protein sulphhydryl groups in tissues with Ellman's reagent, Anal. Biochem., 25, 192-198.
- Selvamangai, G. and Bhaskar, A. (2012) GC-MS analysis of phytocomponents in the methanolic extract of *Eupatorium triplinerve*, Asian Pac. J. Trop. Biomed., S1329-S1332.
- Sen, S., Chakraborty, R., Sridhar, C., Reddy, Y.S.R. and Biplab, D. (2010) Free radicals, antioxidants, diseases and phytomedicines: Current status and future prospect, Int. J. Pharm. Sci. Rev. Res., 3, 91-100.
- Sena, L.A. and Chandel, N.S. (2012) Physiological roles of mitochondrial reactive oxygen species, Mol. Cell., 48, 158-167.
- Senthilkumar, R., Parimelazhagan, T., Chaurasia, O.P. and Srivastava, R.B. (2013) Free radical scavenging property and antiproliferative activity of *Rhodiola imbricata* Edgew extracts in HT-29 human colon cancer cells, Asian Pac. J. Trop. Med., 6, 11-19.
- Seppanen, C.M., Song, Q.H. and Csallany, A.S. (2010) The antioxidant functions of tocopherol and tocotrienol homologues in oils, fats, and food systems, J. Am. Oil Chem. Soc., 87, 469-481.
- Sesti, F., Tsitsilonis, O.E., Kotsinas, A. and Trougakos, I.P. (2012) Oxidative stress-mediated biomolecular damage and inflammation in tumorigenesis, *In vivo*, 26, 395-402.
- Shabbir, M., Khan, M.R. and Saeed, N. (2013) Assessment of phytochemicals, antioxidant, anti-lipid peroxidation and anti-hemolytic activity of extract and various fractions of *Maytenus royleanus* leaves, BMC Complement. Altern. Med., doi: 10.1186/1472-6882-13-143.
- Shakya, G., Manjini, S., Hoda, M. and Rajagopalan, R. (2013) Hepatoprotective role of kaempferol during alcohol- and Δ PUFA-induced oxidative stress, J. Basic Clin. Physiol. Pharmacol., 24, 1-7.
- Sharma, P., Jha, A.B. and Pessaeakli, M. (2012) Reactive oxygen species, oxidative damage, and antioxidative defense mechanism in plants under stressful conditions, J. Bot., doi:10.1155/2012/217037.
- Sharmila, K. and Padma, P.R. (2013) Anticancer activity of *Artemisia vulgaris* on hepatocellular carcinoma (HepG2) cells, Int. J. Pharm. Pharm. Sci., 5, 479-483.

- Shen, H., Barakat, A.I. and Anastasio, C. (2010) Generation of hydrogen peroxide from San Joaquin Valley particles in a cell-free solution, *Atmos. Chem. Phys. Discuss.*, 10, 21323-21356.
- Shim, S.Y. and Kim, H.S. (2013) Oxidative stress and the antioxidant enzyme system in the developing brain, *Korean J. Pediatr.*, 56, 107-111.
- Shinomol, G.K., Bharath, M.M. and Muralidhara (2012) Neuromodulatory propensity of *Bacopa monnieri* leaf extract against 3-nitropropionic acid-induced oxidative stress: *in vitro* and *in vivo* evidences, *Neurotox. Res.*, 22, 102-114.
- Shinomol, G.K., Ravikumar, H. and Muralidhara (2010) Prophylaxis with *Centella asiatica* confers protection to prepubertal mice against 3-nitropropionic-acid-induced oxidative stress in brain, *Phytother. Res.*, 24, 885-892.
- Shirwaikar, A., Prabhu, K.S. and Punitha, I.S.R. (2006) *In vitro* antioxidant studies of *Sphaeranthus indicus* (Linn), *Ind. J. Exp. Biol.*, 44, 993-996.
- Shivashri, C., Rajarajeshwari, T. and Rajasekar, P. (2013) Hepatoprotective action of celery (*Apium graveolens*) leaves in acetaminophen-fed freshwater fish (*Pangasius sutchi*), *Fish Physiol. Biochem.* 39, 1057-1069.
- Shyam, P.M., Ramachandran, A.P., Chandola, H., Harisha, C.R. and Shukla, V.J. (2012) Pharmacognostical and phytochemical studies of *Curcuma neilgherrensis* (Wight) leaf - A folklore medicine, *Ayu.*, 33, 284-288.
- Siegel, R. Naishadham, D. and Jemal, A. (2012) Cancer statistics, *CA Cancer J. Clin.*, 62, 10-29.
- Sies, H. (1991) Oxidative stress: from basic research to clinical application, *Am. J. Med.*, 91, 31-38.
- Sikander, M., Malik, S., Parveen, K., Ahmad, M., Yadav, D., Hafeez, Z.B. and Bansal, M. (2013) Hepatoprotective effect of *Origanum vulgare* in Wistar rats against carbon tetrachloride-induced hepatotoxicity, *Protoplasma.*, 250, 483-493.
- Singh, M.K., Yadav, S.S., Gupta, V. and Khattri, S. (2013) Immunomodulatory role of *Emblica officinalis* in arsenic induced oxidative damage and apoptosis in thymocytes of mice, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-13-193.
- Singh, M., Dang, T.N., Arseneault, M. and Ramassamy, C. (2010) Role of by-products of lipid oxidation in Alzheimer's disease brain: a focus on acrolein, *J. Alzheimers Dis.*, 21, 741-756.
- Singh, P.P., Mahadi, F., Roy, A. and Sharma, P. (2009a) Reactive oxygen species, reactive nitrogen species and antioxidants in etiopathogenesis of diabetes mellitus type-2, *Indian J. Clin. Biochem.*, 24, 324-342.
- Singh, B.N., Singh, B.R., Singh, R.L., Prakash, D., Dhakarey, R., Upadhyay, G. and Singh, H.B. (2009b) Oxidative DNA damage protective activity, antioxidant and anti-quorum sensing potentials of *Moringa oleifera*, *Food Chem. Toxicol.*, 47, 1109-1116.
- Singh, N.P., Mc Coy, M.T., Tice, R.R. and Schneider, E.L. (1988) A simple technique for quantification of low levels of DNA damage in individual cells, *Exp. Cell. Res.*, 175, 184-196.
- Sinha, S., Bhat, J., Joshi, M., Sinkar, V. and Ghaskadbi, S. (2011) Hepatoprotective activity of *Picrorhiza kurroa* Royle Ex. Benth extract against alcohol cytotoxicity in mouse liver slice culture, *Int. J. Green Pharm*, 5, 244-253.
- Sivaprabha, J., Dharani, B., Padma, P.R. and Sumathi, S (2013) *In vitro* cytotoxicity testing of *Curcuma amada* Roxb using oxidatively stressed *Saccharomyces cerevisiae* cells, *Indo American J. Pharmaceut. Res.*, 3, 5386-5394.
- Sivaprabha, J., Dharani, B., Padma, P.R. and Sumathi, S. (2012) *In vitro* prevention of oxidative damage by *Curcuma amada* in goat liver slices exposed to oxidative stress, *J. Pharm. Res.*, 5, 1108-1110.
- Siveen, K.S. and Kuttan, G. (2013) Inhibition of B16F-10 melanoma-induced lung metastasis in C57BL/6 mice by *Aerva lanata* via induction of apoptosis, *Integr. Cancer Ther.*, 12, 81-92.
- Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D. And Warren, J.T., Bokesch, H., Kenney, S. and Boyd, M.R. (1990) New colorimetric cytotoxicity assay for anticancer drug screening, *J. Natl. Cancer Inst.*, 82, 1107-1112.
- Skommer, J., Akagi, J., Takeda, K., Fujimura, Y., Khoshmanesh, K. and Wlodkowic, D. (2013) Multiparameter Lab-on-a-Chip flow cytometry of the cell cycle, *Biosens. Bioelectron.*, doi: 10.1016/j.bios.2012.11.008.
- Soares, M.O., Alves, R.C., Pires, P.C., Oliveira, M.B. and Vinha, A.F. (2013) Angolan *Cymbopogon citratus* used for therapeutic benefits: Nutritional composition and influence of solvents in phytochemicals content and antioxidant activity of leaf extracts, *Food Chem. Toxicol.*, 60, 413-418.
- Solar-Rivas, C., Carlos-Espino, V. and Wichrs, H.J. (2000), An easy and fast test to compare total free radical scavenging capacity of food stuffs, *Phytochem. Anal.*, 11, 330-338.
- Soldatow, V.Y., Lecluyse, E.L., Griffith, L.G. and Rusyn, I. (2013) *In vitro* models for liver toxicity testing, *Toxicol. Res. (Camb)*, 2, 23-39.
- Souza, C.E., Maitra, D., Saed, G.M., Diamond, M.P., Moura, A.A., Pennathur, S. and Abu-Soud, H.M. (2011) Hypochlorous acid-induced heme degradation from lactoperoxidase as a novel mechanism of free iron release and tissue injury in inflammatory diseases, *PLoS One*, doi: 10.1371/journal.pone.0027641.
- Sreeja, V.S. (2006) Effects of *alternanthera sessilis* and *Bacopa monnieri* Leaves on the molecular events related to apoptosis in cells subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Master of Science in Biotechnology.
- Sreelatha, S. and Padma, P.R. (2010) Protective mechanisms of *Moringa oleifera* against CCl₄-induced oxidative stress in precision-cut liver slices, *Forsch Komplementmed.*, 17, 189-194.

- Sreelatha, S. and Padma, P.R. (2009a) Antioxidant activity and total phenolic content of *Moringa oleifera* leaves in two stages of maturity, *Plant Foods Hum. Nutr.*, 64, 303-311.
- Sreelatha, S., Padma, P.R. and Umadevi, M. (2009b) Protective effects of *Coriandrum sativum* extracts on carbon tetrachloride-induced hepatotoxicity in rats. *Food Chem. Toxicol.*, 47, 702-708.
- Stadler, K. (2012) Oxidative stress in Diabetes, *Adv. Exp. Med. Biol.*, 771, 272-287.
- Stankevičius, M., Akuņeca, I., Jākobsone, I. and Maruška, A. (2010) Analysis of phenolic compounds and radical scavenging activities of spice plants extracts, *Food chem. Technol.*, 44, 84-91.
- Stewart, P., Boonsiri, P., Puthong, S. and Rojpiibulstit, P. (2013) Antioxidant activity and ultrastructural changes in gastric cancer cell lines induced by Northeastern Thai edible folk plant extracts, *BMC Complement. Altern. Med.*, doi: 10.1186/1472-6882-13-60.
- Strüh, C.M., Jäger, S., Kersten, A., Schempp, C.M., Scheffler, A. and Martin, S.F. (2013) Triterpenoids amplify anti-tumoral effects of mistletoe extracts on murine B16.f10 melanoma *in vivo*, *PLoS One*, doi: 10.1371/journal.pone.0062168.
- Strzelczyk, J.K. and Wiczowski, A. (2012) Oxidative damage and carcinogenesis, *Wspolczesna Onkol.*, 16, 230-233.
- Sultan, O.A. and Tülay, A. C. (2013) Antioxidant, cytotoxic and apoptotic activities of extracts from medicinal plant *Euphorbia platyphyllos* L., *J. Med. Plant Res.*, 7, 1293-1304.
- Sumathi, S., Iswariya, G.T., Sivaprabha, J., Dharani, B., Radha, P. and Padma, P.R. (2013a) Comparative study of radical scavenging activity and phytochemical analysis of fresh and dry rhizomes of *Curcuma zedoaria*, *Int. J. Pharmaceut. Sci. Res.*, 4, 1069-1073.
- Sumathi, S., Dharani, B., Sivaprabha, J., Sonia Raj, K. and Padma, P.R. (2013b) Cell death induced by methanolic extract of *Prosopis cineraria* leaves in MCF-7 breast cancer cell line, *Int. J. Pharm. Sci. Inv.*, 2, 21-26.
- Sumathi, S., Sowmini, C.M., Dharani, B., Sivaprabha, J. and Padma, P.R. (2011a) Antioxidant status of goat liver slices treated with methanolic leaf extract of *Nyctanthes arbor-tristis* exposed to oxidative stress, *Int. J. Pharma and BioSci*, 2, 376-382.
- Sumathi, S., Malathy, N., Dharani, B., Sivaprabha, J., Hamsa, D., Radha, P. and Padma, P.R. (2011b) Cytotoxic studies of latex of *Euphorbia antiquorum* in *in vitro* models, *J. Med. Plant Res.*, 5, 4715-4720.
- Sumathi, S., Padma, N., Radha, P., Priyadharshini, N. and Padma, P.R. (2010) Protective effect of leaf and herbal extracts of *Withania somnifera* against oxidative damage to DNA and lipids, *Adv. Pharmacol. Toxicol.*, 4, 31-36.
- Sumathi, S. and Padma, P.R. (2010) Studies to substantiate the candidature of *Alternanthera sessilis* as novel source of antioxidants, *Adv. Plant Sci*, 23, 427-430.
- Sun, C., Wang, Z., Liu, Y., Li, H., Di, C., Wu, Z., Gan, L. and Zhang, H. (2013) Carbon ion beams induce hepatoma cell death by NADPH oxidase-mediated mitochondrial damage, *J. Cell Physiol.*, doi: 10.1002/jcp.24424.
- Sundarraj, S., Thangam, R., Sreevani, V., Kaveri, K., Gunasekaran, P., Achiraman, S. and Kannan, S. (2012) γ -Sitosterol from *Acacia nilotica* L. induces G2/M cell cycle arrest and apoptosis through c-Myc suppression in MCF-7 and A549 cells, *J. Ethnopharmacol.*, 141, 803-809.
- Sutachan, J.J., Casas, Z., Albarracin, S.L., Stab, B.R., Samudio, I., Gonzalez, J., Morales, L. and Barreto, G.E. (2012) Cellular and molecular mechanisms of antioxidants in Parkinson's disease, *Nutr. Neurosci.*, 15, 120-126.
- Suzuki, Y.J., Carini, M. and Butterfield, D.A. (2010) Protein carbonylation, *Antioxid. Redox Signal*, 12, 323-325.
- Szabo, C. (2009) Role of nitrosative stress in the pathogenesis of diabetic vascular dysfunction, *Br. J. Pharmacol.*, 156, 713-727.
- Szabó, C. and Módis, K. (2010) Pathophysiological roles of peroxynitrite in circulatory shock, *Shock*, 34, 4-14.
- Tanaka, T., Shnimizu, M. and Moriwaki, H. (2012) Cancer chemoprevention by carotenoids, *Molecules*, 17, 3202-3242.
- Tandogan, B., Sengezer, C. and Ulusu, N.N. (2011a) *In vitro* effects of imatinib on glucose-6-phosphate dehydrogenase and glutathione reductase, *Folia Biol. (Praha)*, 57, 57-64.
- Tandogan, B., Güvenç, A., Çalıř, İ. and Ulusu, N.N. (2011b) *In vitro* effects of compounds isolated from *Sideritis brevibracteata* on bovine kidney cortex glutathione reductase, *Acta. Biochim. Pol.*, 58, 471-475.
- Tandogan, B. and Ulusu, N.N. (2010) A comparative study with colchicine on glutathione reductase, *Protein J.*, 29, 380-385.
- Tang, Y.Q., Jaganath, I.B., Sekaran, S.D. (2010) *Phyllanthus* spp. induces selective growth inhibition of PC-3 and MeWo human cancer cells through modulation of cell cycle and induction of apoptosis, *PLoS One.*, 5: e12644.
- Tanih, N.F. and Ndip, R.N. (2013) The acetone extract of *Sclerocarya birrea* (Anacardiaceae) possesses antiproliferative and apoptotic potential against human breast cancer cell lines (MCF-7), *Scientific World J.*, doi: 10.1155/2013/956206.
- Taraborrelli, D., Lawrence, M. G., Crowley, J. N., Dillon, T. J., Gromov, S., Grosz, C. B. M., Vereecken, L. and Lelieveld, J. (2012) Hydroxyl radical buffered by isoprene oxidation over tropical forests, *Nature Geosci.*, doi:10.1038/ngeo1405.

- Tawfik, S.S., Abouelella, A.M. and Shahein, Y.E. (2013) Curcumin protection activities against gamma-rays-induced molecular and biochemical lesions, *BMC Res.*, doi: 10.1186/1756-0500-6-375.
- Tayade, A.B., Dhar, P., Sharma, M., Chauhan, R.S., Chaurasia, O.P. and Srivastava, R.B. (2013) Antioxidant capacities, phenolic contents, and GC/MS analysis of *Rhodiola imbricata* Edgew. root extracts from Trans-Himalaya, *J. Food Sci.*, 78, C402-C410.
- Taylor-Fishwick, D.A. (2013) NOX, NOX Who is there? The contribution of NADPH oxidase one to beta cell dysfunction, *Front Endocrinol. (Lausanne)*, doi: 10.3389/fendo.2013.00040.
- Telang, P.S. (2013) Vitamin C in dermatology, *Indian Dermatol. Online J.*, 4, 143-146.
- Terao, J., Minami, Y. and Bando, N. (2011) Singlet molecular oxygen-quenching activity of carotenoids: relevance to protection of the skin from photoaging, *J. Clin. Biochem. Nutr.*, 48, 57-62.
- Tew, K.D. and Townsend, D.M. (2012) Glutathione-S-transferases as determinants of cell survival and death, *Antioxid. Redox Signal.*, 17, 1728-1737.
- Thind, T.S., Rampal, G., Agrawal, S.K., Saxena, A.K. and Arora, S. (2010) Diminution of free radical induced DNA damage by extracts/fractions from bark of *Schleichera oleosa* (Lour.) Oken., *Drug Chem. Toxicol.*, 33, 329-336.
- Tiong, S.H., Looi, C.Y., Hazni, H., Arya, A., Paydar, M., Wong, W.F., Cheah, S.C., Mustafa, M.R. and Awang, K. (2013) Antidiabetic and antioxidant properties of alkaloids from *Catharanthus roseus* (L.) G. Don, *Molecules*, 18, 9770-9784.
- Tolossa, K., Debela, E., Athanasiadou, S., Tolera, A., Ganga, G. and Houdijk, J.G. (2013) Ethno-medicinal study of plants used for treatment of human and livestock ailments by traditional healers in South Omo, Southern Ethiopia. *J Ethnobiol. Ethnomed.*, doi: 10.1186/1746-4269-9-32.
- Tomasetti, M., Nocchi, L., Neuzil, J., Goodwin, J., Nguyen, M., Dong, L., Manzella, N., Staffolani, S., Milanese, C., Garrone, B., Alleva, R., Borghi, B., Santarelli, L. and Guerrieri, R. (2012) Alpha-tocopheryl succinate inhibits autophagic survival of prostate cancer cells induced by vitamin K3 and ascorbate to trigger cell death, *PLoS One*, doi: 10.1371/journal.pone.0052263.
- Tomczyk, M., Paduch, R., Wiater, A., Pleszczyńska, M., Kandefer-Szerszeń, M. and Szczodrak, J. (2013) The influence of aqueous extracts of selected *Potentilla* species on normal human colon cells, *Acta Pol. Pharm.*, 70, 523-531.
- Tripathi, M., Singh, B.K., Raisuddin, S. and Kakkar, P. (2011) Abrogation of nimesulide induced oxidative stress and mitochondria mediated apoptosis by *Fumaria parviflora* Lam. extract, *J. Ethnopharmacol.*, 136, 94-102.
- Tsao, R. (2010) Chemistry and biochemistry of dietary polyphenols, *Nutrients*, 2, 1231-1246.
- Tseng, S.K., Chang, M.C., Su, C.Y., Chi, L.Y., Chang, J.Z., Tseng, W.Y., Yeung, S.Y., Hsu, M.L. and Jeng, J.H. (2012) Arecoline induced cell cycle arrest, apoptosis, and cytotoxicity to human endothelial cells, *Clin. Oral Investig.*, 16, 1267-1273.
- Tsutsui, H., Kinugawa, S. and Matsushima, S. (2011) Oxidative stress and heart failure, *Am. J. Physiol. Heart Circ. Physiol.*, 301, H2181-H2190.
- Tudek, B., Winczura, A., Janik, J., Siomek, A., Foksinski, M. and Oliński, R. (2010) Involvement of oxidatively damaged DNA and repair in cancer development and aging, *Am. J. Transl. Res.*, 15, 254-284.
- Ulbricht, C.E. and Chao, W. (2010) Phytochemicals in the oncology setting, *Curr. Treat Options Oncol.*, 11, 95-106.
- Ungvari, Z.I. and Dikalov, S.I. (2013) Role of mitochondrial oxidative stress in hypertension, *Am. J. Physiol. Heart Circ. Physiol.*, doi: 10.1152/ajpheart.00089.2013.
- Upadhyay, R., Chaurasia, J.K., Tiwari, K.N. and Singh, K. (2013) Comparative antioxidant study of stem and stem induced callus of *Phyllanthus fraternus* webster—an important antiviral and hepatoprotective plant, *Appl. Biochem. Biotechnol.*, 171, 2153-2164.
- Urso, C. and Caimi, G. (2011) Oxidative stress and endothelial dysfunction, *Minerva Med.*, 102, 59-77.
- Usatyuk, P.V. and Natarajan, V. (2012) Hydroxyalkenals and oxidized phospholipids modulation of endothelial cytoskeleton, focal adhesion and adherens junction proteins in regulating endothelial barrier function, *Microvasc. Res.*, 83, 45-55.
- Valavanidis, A., Vlachogianni, T., Fiotakis, K. and Loridas, S. (2013) Pulmonary oxidative stress, inflammation and cancer: respirable particulate matter, fibrous dusts and ozone as major causes of lung carcinogenesis through reactive oxygen species mechanisms, *Int. J. Environ. Res. Public Health*, 10, 3886-3907.
- van de Bovenkamp, M., Groothuis, G.M.M., Meijer, D.K.F. and Olinga, J. (2007) Liver fibrosis in vitro: Cell culture models and precision-cut liver slices, *Toxicol. in vitro*, 21, 545-557.
- van Midwoud, P.M., Janssen, J., Merema, M.T., de Graaf, I.A., Groothuis, G.M. and Verpoorte, E. (2011) On-line HPLC analysis system for metabolism and inhibition studies in precision-cut liver slices, *Anal. Chem.*, 83, 84-91.
- van Norman, J.M. and Benfey, P.N. (2009) *Arabidopsis thaliana* as a model organism in systems biology, *Wiley Interdiscip. Rev. Syst. Biol. Med.*, 1, 372-379.
- Vanerkar, A. P., Satyanarayan, S. and Dharmadhikari D. M. (2013) Full Scale Treatment of Herbal Pharmaceutical Industry Wastewater, *Int. J. Che. Pharm. Sci.*, 2, 52-62.

- Varalakshmi, K.N., Sangeetha, C.G., Samee, U.S., Irum, G., Lakshmi, H. and Prachi, S.P. (2011) *In vitro* safety assessment of the effect of five medicinal plants on human peripheral lymphocytes, *Trop. J. Pharm. Res.*, 10, 33-40.
- Varma, A., Padh, H. and Shrivastava, N. (2011) Andrographolide: a new plant-derived antineoplastic entity on horizon, *Evid. Based Comp. Alternat. Med.*, doi: 10.1093/ecam/nep135.
- Vasieva, O. (2011). The many faces of glutathione transferase pi, *Curr. Mol. Med.*, 11, 129-139.
- Vasudev, S.S., Ahmad, F.J., Khar, R.K., Bhatnagar, A., Kamal, Y.T., Talegaonkar, S. and Iqbal, Z. (2012) Validated HPLC method for the simultaneous determination of taxol and ellagic acid in a *Punica granatum* fruit extract containing combination formulation, *Pharmazie.*, 67, 834-838.
- Vázquez, M.C., Balboa, E., Alvarez, A.R. and Zanlungo, S. (2012) Oxidative stress: a pathogenic mechanism for Niemann-Pick type C disease, *Oxid. Med. Cell Longev.*, doi: 10.1155/2012/205713.
- Veeresham, C. (2012) Natural products derived from plants as a source of drugs, *J. Adv Pharm. Tech. Res.*, 3, 200-201.
- Venkatesh, S., Deecaraman, M., Kumar, R., Shamsi, M.B. and Dada, R. (2009) Role of reactive oxygen species in the pathogenesis of mitochondrial DNA (mtDNA) mutations in male infertility, *Indian J. Med. Res.*, 129, 127-137.
- Vergara, M.N. and Canto-Soler, M.V. (2012) Rediscovering the chick embryo as a model to study retinal development, *Neural Dev.*, doi: 10.1186/1749-8104-7-22.
- Veskokoukis, A.S., Tsatsakis, A.M. and Kouretas, D. (2012) Dietary oxidative stress and antioxidant defense with an emphasis on plant extract administration, *Cell Stress Chaperones*, 17, 11-21.
- Vetrani, C., Costabile, G., Marino, D.L. and Rivellesse, A.A. (2013) Nutrition and oxidative stress: a systematic review of human studies, *Int. J. Food. Sci. Nutr.*, 64, 312-326.
- Vichai, V. and Kirtikara, K. (2006) Sulforhodamine B colorimetric assay for cytotoxicity screening, *Nat. Protoc.*, 1, 1112-1116.
- Vickers, A.E. (2009) Tissue slices for the evaluation of metabolism-based toxicity with the example of diclofenac, *Chem. Biol. Interact.*, 179, 9-16.
- Vijayachandran, L. (2007) Influence of *Clitoria ternatea* leaves on the molecular events related to apoptosis in oxidatively stressed *Saccharomyces cerevisiae* cells, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Master of Science in Biotechnology.
- Vijayalakshmi, A., Kumar, P.R., Priyadarsini, S. and Meenaxshi, C. (2013) *In vitro* antioxidant and anticancer activity of flavonoid fraction from the aerial parts of *Cissus quadrangularis* Linn. against human breast carcinoma cell lines, *J. chem.*, doi:10.1155/2013/150675.
- Viridis, A., Duranti, E., and Taddei, S. (2011) Oxidative stress and vascular damage in hypertension: role of angiotensin II, *Int. J. Hypertension*, doi:10.4061/2011/916310.
- Visconti, R. and Grieco, D. (2009) New insights on oxidative stress in cancer, *Curr. Opin. Drug Discov. Devel.*, 12, 240-245.
- Vishnupriya, M., Nishaa, S., Sasikumar, J.M. and Gopalakrishnan, V.K. (2012) Antioxidant Activity and hydroxyl radical induced DNA damage protection effect of aqueous extract of *Curcuma amada* ROXB, *Res. J. Pharm. Biol. Chem. Sci.*, 4, 89-96.
- Vitale, A.A., Acher, A. and Pomillio, A.B. (1995), Alkaloid of *Datura ferox* from Argentina, *J. Ethnopharmacol.*, 49, 81-89.
- von Lintig, J. (2012) Provitamin A metabolism and functions in mammalian biology, *Am. J. Clin. Nutr.*, 96, 1234S-1244S.
- Wahle, K.W., Brown, I., Rotondo, D. and Heys, S.D. (2010) Plant phenolics in the prevention and treatment of cancer, *Adv. Exp. Med. Biol.*, 698, 36-51.
- Wang, C.Z., Li, B., Wen, X.D., Zhang, Z., Yu, C., Calway, T.D., He, T.C., Du, W. and Yuan, C.S. (2013a) Paraptosis and NF-κB activation are associated with protopanaxadiol-induced cancer chemoprevention, *BMC Comp. Alt. Med.*, doi: 10.1186/1472-6882-13-2.
- Wang, X., Fang, H., Huang, Z., Shang, W., Hou, T., Cheng, A. and Cheng, H. (2013b) Imaging ROS signaling in cells and animals, *J. Mol. Med. (Berl.)*, 91, 917-927.
- Wang, S., Liu, S.S., Lin, Z.M., Li, R.J., Wang, X.N., Zhou, J.C. and Lou, H.X. (2013c) Terpenoids from the Chinese liverwort *Plagiochila pulcherrima* and their cytotoxic effects, *J. Asian Nat. Prod. Res.*, 15, 473-481.
- Wang, J., Zhang, Y., Zhang, Y., Cui, Y., Liu, J. and Zhang, B. (2012) Protective effect of *Lysimachia christinae* against acute alcohol-induced liver injury in mice, *Biosci. Trends*, 6, 89-97.
- Wang, Y., Wang, X., Sun, M., Zhang, Z., Cao, H. and Chen, X. (2011a) NF-κB activity-dependent P-selectin involved in ox-LDL-induced foam cell formation in U937 cell, *Biochem. Biophys. Res. Commun.*, 411, 543-548.
- Wang, W., Wang, F., Ji, X., Liu, S., Yuan, C. and Sun, M. (2011b) Cloning characterization of a psychrophilic catalase gene from an antarctic bacterium, *Afr. J. Microbiol. Res.*, 5, 3195-3199.
- Weidner, S., Amarowicz, R., Karamać, M. and Dąbrowski, G. (1999) Phenolic acids in caryopses of two cultivars of wheat, rye and triticale that display different resistance to pre-harvest sprouting, *European Food Research and Technol.* 210, 109-113.

- Wellinger, R.J. and Zakian, V.A. (2012) Everything you ever wanted to know about *Saccharomyces cerevisiae* telomeres: beginning to end, *Genetics*, 191, 1073-1105.
- Wesam, R.K., Ghanya, A.N., Mizaton, H.H., Ilham, M. and Aishah, A. (2013) Assessment of genotoxicity and cytotoxicity of standardized aqueous extract from leaves of *Erythroxylum cuneatum* in human HepG2 and WRL68 cells line, *Asian Pac. J. Trop. Med.*, 6, 811-816.
- Whalley, L.K., Furneaux, K.L., Goddard, A., Lee, J.D., Mahajan, A., Oetjen, H., Read, K.A., Kaaden, N., Carpenter, L.J., Lewis, A.C., Plane, J.M.C., Saltzman, E.S., Wiedensohler, A., and Heard, D.E. (2010) The chemistry of OH and HO₂ radicals in the boundary layer over the tropical Atlantic Ocean, *Atmos. Chem. Phys.*, 10, 1555-1576.
- Williams, R.B., Martin, S.M., Hu, J.F., Garo, E., Rice, S.M., Norman, V.L., Lawrence, J.A., Hough, G.W., Goering, M.G., O'Neil-Johnson, M., Eldridge, G.R. and Starks, C.M. (2012) Isolation of apoptosis-inducing stilbenoids from four members of the *Orchidaceae* family, *Planta Med.*, 78, 160-165.
- Winczura, A., Zdzalik, D. and Tudek, B. (2012) Damage of DNA and proteins by major lipid peroxidation products in genome stability, *Free Radic. Res.*, 46, 442-459.
- Wlodkowic, D., Skommer, J. and Darzynkiewicz, Z. (2012) Cytometry of apoptosis; historical perspective and new advances, *Exp. Oncol.*, 34, 255-262.
- Wong, R.S. (2011) Apoptosis in cancer: from pathogenesis to treatment, *J. Exp. Clin. Cancer Res.*, 30, 1-14.
- Wong, R.S.W. and Radhakrishnan, A.K. (2012) Tocotrienol research: past into present, *Nutr. Rev.*, 70, 483-490.
- Wruck, C.J., Fragoulis, A., Gurzynski, A., Brandenburg, L.O., Kan, Y.W., Chan, K., Hassenpflug, J., Freitag-Wolf, S., Varoga, D., Lippross, S. and Pufe, T. (2011) Role of oxidative stress in Rheumatoid arthritis: insights from the Nrf2-knockout mice, *Ann. Rheum. Dis.*, 70, 844-850.
- Wu, B. and Dong, D. (2012) Human cytosolic glutathione transferases: structure, function, and drug discovery, *Trends Pharmacol. Sci.*, 33, 656-668.
- Wu, J. (2013) DNA damage and tumorigenesis, *J. Mol. Cell Biol.*, 5, 155-156.
- Wu, Z., Zhao, Y. and Zha, B. (2010) Superoxide anion, uncoupling proteins and Alzheimer's disease, *J. Clin. Biochem. Nutr.*, 46, 187-194.
- Xiang, Q.S., Xiao, H., Gao, S.B., Wen, M.T., Ren, X.M. and Liu, X.B. (2012) *In vitro* antioxidant properties of *Rosa roxburghii* aqueous extracts, *Aust. J. Crop Sci.*, 6, 854-860.
- Xie, Q., Guo, F.F. and Zhou, W. (2012) Protective effects of cassia seed ethanol extract against carbon tetrachloride-induced liver injury in mice, *Acta. Biochim. Pol.*, 59, 265-270.
- Xu, F., Zang, J., Chen, D., Zhang, T., Zhan, H., Lu, M. and Zhuge, H. (2012) Neohesperidin induces cellular apoptosis in human breast adenocarcinoma MDA-MB-231 cells via activating the Bcl-2/Bax-mediated signaling pathway, *Nat. Prod. Commun.*, 7, 1475-1478.
- Xu, Z., Duc, D.K., Holcman, D. and Teixeira, M.T. (2013) The length of the shortest telomere as the major determinant of the onset of replicative senescence, *Genetics*, 194, 847-857.
- Yadav, S.S., Srikanth, E., Singh, N. and Rathaur, S. (2013) Identification of GR and TrxR systems in *Setaria cervi*: Purification and characterization of glutathione reductase, *Parasitol. Int.*, 62, 193-198.
- Yamashoji, S. and Matsuda, T. (2013) Synergistic cytotoxicity induced by α -solanine and α -chaconine, *Food Chem.*, 141, 669-674.
- Yamuna, S.T. (2004) Molecular level studies on the antioxidant properties of the flowers of *Caesalpinia pulcherrima*, Swartz. A thesis submitted to Avinashilingam University in partial fulfillment of the requirements of the degree of Master of Philosophy in Biochemistry.
- Yan, L.J. (2009) Analysis of oxidative modification of proteins, *Curr. Protoc. Protein Sci.*, doi: 10.1002/0471140864.ps1404s56.
- Yan, L.J. and Forster, M.J. (2011) Chemical probes for analysis of carbonylated proteins: a review, *J. Chromatogr. B. Analyt. Technol. Biomed. Life Sci.*, 879, 1308-1315.
- Yáñez, A., Murciano, C., Llopis, S., Fernández-Espinar, T., Gil, M. L. and Gozalbo, D (2009) *In vivo* and *in vitro* studies on virulence and host responses to *saccharomyces cerevisiae* clinical and non-clinical isolates, *Open Mycol. J.*, 3, 37-47.
- Yang, S., Zhao, Q., Xiang, H., Liu, M., Zhang, Q., Xue, W., Song, B. and Yang, S. (2013a) Antiproliferative activity and apoptosis-inducing mechanism of constituents from *Toona sinensis* on human cancer cells, *Cancer Cell Int.*, doi: 10.1186/1475-2867-13-12.
- Yang, Y.J., Liu, X., Wu, H.R., He, X.F., Bi, Y.R., Zhu, Y. and Liu, Z.L. (2013b) Radical scavenging activity and cytotoxicity of active quinic acid derivatives from *Scorzonera divaricata* roots, *Food Chem.*, 138, 2057-2063.
- Yang, C.C., Fang, J.Y., Hong, T.L., Wang, T.C., Zhou, Y.E. and Lin, T.C. (2013c) Potential antioxidant properties and hepatoprotective effects of an aqueous extract formula derived from three Chinese medicinal herbs against CCl₄-induced liver injury in rats, *Int. Immunopharmacol.*, 15, 106-113.
- Yang, C.Q., Wu, X.M., Ruan, J.X., Hu, W.L., Mao, Y.B., Chen, X.Y. and Wang, L.J. (2013d) Isolation and characterization of terpene synthases in cotton (*Gossypium hirsutum*), *Phytochem.*, doi: 10.1016/j.phytochem.2013.09.009.

- Yang, Z. and Ming, X.F. (2013) Arginase: the emerging therapeutic target for vascular oxidative stress and inflammation, *Front Immunol.*, doi: 10.3389/fimmu.2013.00149.
- Yang, J.I., Yeh, C.C., Lee, J.C., Yi, S.C., Huang, H.W., Tseng, C.N. and Chang, H.W. (2012) Aqueous extracts of the edible *Gracilaria tenuistipitata* are protective against H₂O₂-induced DNA damage, growth inhibition, and cell cycle arrest, *Molecules*, 17, 7241-7254.
- Yang, W., Wang, P., Jing, Y., Yang, Z., Zhang, C., Jiang, S. and Zhang, G. (2010) Effects of vitamin A on growth performance, antioxidant status and blood constituents in lactating grey goat, *Am. J. Anim. Vet. Sci.*, 5, 274-281.
- Yen, S.S. (2011) Proteasome degradation of brain cytosolic tau in Alzheimer's disease, *Int. J. Clin. Exp. Pathol.*, 4, 385-402.
- Yoshida, Y., Umeno, A. and Shichiri, M. (2013) Lipid peroxidation biomarkers for evaluating oxidative stress and assessing antioxidant capacity *in vivo*, *J. Clin. Biochem. Nutr.*, 52, 9-16.
- Yu, J. and Chen, Q. (2013) The plant extract of *Pao pereira* potentiates carboplatin effects against ovarian cancer, *Pharm. Biol.*, 52, 36-43.
- Yu, J., Wang, Y., Qian, H., Zhao, Y., Liu, B. and Fu, C. (2012) Polyphenols from *Taxus chinensis* var. *mairei* prevent the development of CCl₄-induced liver fibrosis in rats, *J. Ethnopharmacol.*, 142, 151-160.
- Yurdakök, B. and Baydan, E. (2013) Cytotoxic effects of *Eryngium kotschyi* and *Eryngium maritimum* on Hep2, HepG2, Vero and U138 MG cell lines, *Pharm Biol.*, 51, 1579-1585.
- Zadra, M., Piana, M., Brum, T.F., Boligon, A.A., Freitas, R.B., Machado, M.M., Stefanello, S.T., Soares, F.A. and Athayde, M.L. (2012) Antioxidant Activity and phytochemical composition of the leaves of *Solanum guaraniticum* A. St.-Hil, *Molecules*, 17, 12560-12574.
- Zakizadeh, M., Nabavi, S.F., Nabavi, S.M. and Ebrahimzadeh, M.A. (2011) *In vitro* antioxidant activity of flower, seed and leaves of *Alcea hyrcana* Grossh, *Eur. Rev. Med. Pharmacol. Sci.*, 15, 406-412.
- Zaremba, T. and Oliński, R. (2010) Oxidative DNA damage – analysis and clinical significance, *Postepy Biochem.*, 56, 124-138.
- Zatalia, S.R. and Sanusi, H. (2013) The role of antioxidants in the pathophysiology, complications, and management of diabetes mellitus, *Acta. Med. Indones-Indones J. Intern. Med.*, 45, 141-147.
- Zhang, H., Yu, C.H., Jiang, Y.P., Peng, C., He, K., Tang, J.Y. and Xin, H.L. (2012) Protective effects of polydatin from *Polygonum cuspidatum* against carbon tetrachloride-induced liver injury in mice, *PLoS One.*, doi: 10.1371/journal.pone.0046574.
- Zhang, R.C., Liu, B., Sun, Z.X. and Xu, D.Y. (2010) Effects of extract of *Polygonum multiflorum* on cell cycle arrest and apoptosis of human liver cell line L02, *Zhong Xi Yi Jie He Xue Bao.*, 8, 554-561.
- Zhang, X., Feng, M., Liu, F., Qin, L., Qu, R., Li, D. and Wang, Z. (2013) Subacute oral toxicity of BDE-15, CDE-15, and HODE-15 in ICR male mice: assessing effects on hepatic oxidative stress and metals status and ascertaining the protective role of vitamin E, *Environ. Sci. Pollut. Res. Int.*, 3, 421-428.
- Zheng, Y., Zhou, M., Ye, A., Li, Q., Bai, Y. and Zhang, Q. (2010) The conformation change of Bcl-2 is involved in arsenic trioxide-induced apoptosis and inhibition of proliferation in SGC7901 human gastric cancer cells, *World J. Surg. Oncol.*, doi: 10.1186/1477-7819-8-31.
- Zhu, Q., Zhang, N.Q., Lau, C.F., Chao, J., Sun, Z., Chang, R.C., Chen, F. and Wang, M. (2012) *In vitro* attenuation of acrolein-induced toxicity by phloretin, a phenolic compound from apple, *Food Chem.*, 135, 1762-1768.
- Ziech, D., Anastopoulos, I., Hanafi, R., Voulgaridou, G.P., Franco, R., Georgakilas, A.G., Pappa, A. and Panayiotidis, M.I. (2012) Pleiotrophic effects of natural products in ROS-induced carcinogenesis: the role of plant-derived natural products in oral cancer chemoprevention, *Cancer Lett.*, 327, 16-25.
- Zimmermann, M., Lampe, J., Lange, S., Smirnow, I., Königsrainer, A., Hann-von-Weyhern, C., Fend, F., Gregor, M., Bitzer, M., Lauer, U.M. (2009) Improved reproducibility in preparing precision-cut liver tissue slices, *Cytotechnology*, 61, 145-152.
- Zitka, O., Skalickova, S., Gumulec, J., Masarik, M., Adam, V., Hubalek, J., Trnkova, L., Kruseova, J., Eckschlager, T. and Kizek, R. (2012) Redox status expressed as GSH:GSSG ratio as a marker for oxidative stress in paediatric tumour patients, *Oncol. Lett.*, 4, 1247-1253.
- Zou, X., Zhao, H., Yu, Y. and Su, H. (2013) Formation of guanine-6-sulfonate from 6-thioguanine and singlet oxygen: a combined theoretical and experimental study, *J. Am. Chem. Soc.*, 135, 4509-4515.