

BIBLIOGRAPHY

BIBLIOGRAPHY

- ✎ Abidi, F., Limam, F. and Marzouki, M. (2007). Purification and characterization of an alkaline protease prot1 from *Botrytis cinerea*. *Applied Biochemistry and Biotechnology*, 141: 361-376.
- ✎ Amiza, M.A., Nurul Ashikin, S. and Faazaz , A. L (2011). Optimization of enzymatic protein hydrolysis from silver catfish (*Pangasius* sp.) frame. *International Food Research Journal* 18: 775-781.
- ✎ Amoozegara, M.A., Fatemia, A.Z. and Ksrbaeai-Heidarib, H.R., Razavic M.R.R. (2007). Production of extracelluylar alkaline protease from a newly isolated, moderately halophilie *Salinivibrio* sp. Strain AF-2004. *Microbiol. Res.* 162: 369-377.
- ✎ Anson, M. L. (1938). Folin and Ciocalteau, (1929). Enzymatic assay of protease. *J. Gen. physiol.* 22: 79-89.
- ✎ Anwar, A. and Saleemuddin, (2000). M. Alkaline protease from *Spilosoma obliqua*: potential applications in bio-formulation. *Biotechnology and Applied Biochemistry*, 31,85-89.
- ✎ Arnesen, J.A. and Gildberg, A. 2007. Extraction and characterization of gelatine from Atlantic salmon (*Salmo salar*) skin. *Bioresource Technology* 98: 53–5
- ✎ Arruda, L.F.D., Borghesi, R. and Oetterer, M.(2007). Use of fish waste as silage, A review., *Brazilian Archives of Biology and Technology.*, 5 : 879-886.
- ✎ Arulmani, M., Aparanjini, K., Vasanthi, K., Arumugam, P., Arivuchelvi, M. and Kalaichelvan, P. (2007). Purification and partial characterization of serine protease from thermo stable alkalophilic *Bacillus laterosporos-AK₁*. *World J. Microbial Biotechnol.*, 23: 475-481

- ✎ Banik, R.M. and Prakash, M. (2004): Laundry detergent compatibility of the alkaline protease from *Bacillus cereus*. *Microbiol. Res.*, 159(2):135-140.
- ✎ Beltagy, A.E., Adawy, T.A.E.L., Rahma, E.H. and Bedaway, A.A. (2004). Purification and characterization of an alkaline protease from the viscera of Bolti fish., *Journal of Food Biochemistry.*, 29: 445-458
- ✎ Bhaskar, N. and Mahendrakar, N.S. 2008. Optimization of enzymatic hydrolysis of visceral waste proteins of Catla (*Catla catla*) for preparing protein hydrolysate using a commercial protease. *Bioresource Technology* 99(10): 4105-4111.
- ✎ Bhaskar, N., Sudeepa, E.S., Rashmi, H.N., Tamilselvi, A. (2006). Partial purification and characterization of protease of *Bacillus proteolyticus* CFR3001 isolated from fish processing waste and its antibacterial activities. *Bioresource Technology* 98: 2758-2764.
- ✎ Borghesi, R. (2004), Avaliacao Fisco - qiomiea ebiologica das silagers acida, biologica E enzimatica com descarte e residue do beneficaiciamento da tilapia do nilo (*Oreochromis nilotices*). Dissertacao (Mestrado). Escola superive de Agriculture "Leriz de Queirox", Univeridade de sao Paulo, Piraciaba, 108
- ✎ Chakrabarti, R. and Sharma.J.G (2005) Digestive physiology of fish larvae during ontogenic development : a brief overview. *Indian J. Animal Sci.*, 75, 1337-147.
- ✎ Dodia, M. S., Rawal, C. M., Bhimani, H. G., Joshi, R. H., Khare, S.K. and Singh, S. P. (2008). Purification and stability characteristics of an alkaline serine protease from a newly isolated *Haloalkaliphilic bacterium* Sp.AH-6. *J. Ind Microbial Biotechnol.* 35: 121-131.

- ✎ El-Beltagy, A.E., T.A. El-Adawy, E.H. Rahma and A.A. El-Bedawey. (2004). Purification and characterization of an acidic protease from the viscera of bolti fish (*Tilapia nilotica*). *Food Chem.* 86: 33-39.
- ✎ Esteban, M.B., Garcia, A.J., Ramos, P. and Marquez, M.C. (2006). Evaluation of fruit–vegetable and fishesen amd fil wastes as alternative feedstuffs in pig diets., *Waste Management.*,27: 193–200
- ✎ FAO: (2010). Waste management of fish and fish products, Sorting catch from the discards which require appropriate disposal. *Courtesy of NOAA*
- ✎ Gao, M.T., M., Toorisaka, E.,Hano, T., (2006). Acid hydrolysis of fish wastes for lactic acid fermentation. *Bio Res. Technol.* 97, 2414-2420.
- ✎ Giongo, J., Lucas, F., Casarin, F., Heleb, P. and Brandelli, A. (2007). Keratinolytic protease of *Bacillus species* isolated from the Amazon basin showing remarkable de-hairing activity. *J. Microbiol Biotechnol*, 23: 375-382.
- ✎ Gomez-Gillen, M. C., Turnay, J., Fernandez-Diaz, M. D., Ulmo, N., Lizarbe, M. A., & Montero, P. (2002). Structural and physical properties of gelatin extracted from different marine species: A comparative study. *Food Hydrocolloids*, 16, 25–34.
- ✎ Gupta, R., Beg, Q. K. and Lorenz, P. (2002). Bacterial alkaline proteases molecular approaches and industrial applications. *Appl.Microbiol Biotechnol.* 59: 15-32
- ✎ Haq, I. and Mukhtar, H. (2006). Biosynthesis of protease from *Lacto bacillus paracasei*: Kinetic analysis of fermentation parameters. *Ind. J. Biochem and Biophysics*, 43: 377-381.
- ✎ Hinsui, J., Worawattananateekul, W., Raksakulthai, N. and Runglerdkriangkrai, J. (2006), Characterisation of partially purified trypsin and chymotrypsin from viscera of Nile Tilapia (*Oreochromis niloticus Linneaus*), *Kasertsart Journal (Nature Science)*, 40: 242-248.

- ✎ [http://en.wikipedia.org/wiki/Indian oil sardine](http://en.wikipedia.org/wiki/Indian_oil_sardine)
- ✎ <http://www.kidszone.ws/animals/fish/.htm>
- ✎ <http://www.rubin.no/eng/>
- ✎ <http://www.iwrc-online.org.org/kids/facts/fish/fish.htm>
- ✎ Ikoma, T., Kobayashi, H., Tanaka, J., Walsh, D., & Mann, S. (2003). Microstructure, mechanical, and biomimetic properties of fish scales from *Pagrus major*. *Journal of Structural Biology*, 142, 327–333
- ✎ Jellouli, K., Bougatef, A., Manni, L., Agrebi, R., Siala, R., Younes, I., Nasri, M., (2009). Molecular and biochemical characterization of an extracellular serine-protease from *Vibrio metschnikovii* J1. *J. Ind. Microbiol. Biotechnol.* 36, 939–948
- ✎ Jung, S.Y., Park, P.J., Jung, W.K., Jung, S.K., Kim, S.K. (2004) Purification and characterization of an antioxidative peptide from enzymatic hydrolysate of yellow fin sole (*Linanda aspera*) frame protein, *Eur. Food Res. Technol.* 219: 20-26.
- ✎ Kim, S. Mendis, E. (2006). Bioactive compounds from marine processing byproducts – A review. *Food Research International*. 39: 383–393.
- ✎ Kim, W.J and Kim, S.M. (2005). Purification and characterization of *Bacillus subtilis* JM-3 protease from Anchovy sauce., *Journal of Food Biochemistry*., 29: 591-560.
- ✎ Kishimura, H., Hayashi, K., Miyashita, Y and Nonami, Y. (2005), Characteristics of two Trypsin isozyme from the Viscera of Japanese Anchovy (*Engraulis japonica*). *J. Food Biochem.* 29, 459-469.
- ✎ Klomklao, S., Benjakul, S. and Visessanguan, W. (2007). Purification and Characterization of trypsins from Skipjack tuna (*Katsuwonus pelamis*) spleen. *Food chem.* 100: 1580-1589.

- ✎ Kurtovic, I., Marshall, S.N. and Simpson, B.K. (2006), Isolation and characterization of trypsin fraction from the pyloric cecae of Chinook salmon (*Oncorhynchus tshawytscha*), *Comparative Biochemistry and Physiology*, 143: 432-440.
- ✎ Laufenberg, G., Kunz, B. and Nystroem, M. (2003). Transformation of vegetable waste into value added products, *Bioresource Technology*, 87: 167–198
- ✎ Lowry, O. H., Rosebrough, N. J, Farr, A. J and Randell, R. J. (1951). Protein measurement with Folin phenol reagents. *Journal of Biological Chemistry*, 193: 265-275.
- ✎ Morimura, S., Nagata, H., Vemura, A., Fahmi, T., Shigematsu, K. and Kida. (2002). Development of an effective process for utilization of collagen from livestock and fish waste. *Process Biochemistry*. 37: 1407-1412.
- ✎ Nagai, T. and Suzuki, N. (2000). Purification and characterization of several fish Bone collagens. *Journal of Food Biochemistry*. 24: 427-436.
- ✎ Nagai, T., Izumi, M., & Ishii, M. (2004). Fish scale collagen. Preparation and partial characterization. *International Journal of Food Science and Technology*, 39, 239–244.
- ✎ Naidu.S.K., (2011). Characterization and purification of protease enzyme. *Journal of applied Pharmaceutical science* 01(03) 2011: 107-112
- ✎ Najafi,F.M., Deobagkar,D., Deobagkar,D. (2005), Potential application of protease isolated from *Pseudomonas aeruginosa* PD100, *Electronic Journal of Biotechnology*, 8 (2),DOI : 10.2225.
- ✎ Nigam, A., Ayyagarai, A. (2007), Lab manual in Biochemistry, Immunology and Biotechnology, First edition, Tata Mcgraw hill publishing company,113-117.

- ✎ Nilegaonkar, S. S, Kanekar, P. P., Sarnaik, S. S. and Kelkar, A. S (2002). Production, isolation and characterization of extra cellular protease of an alkaliphilic strain of *Arthrobacter ramosus*, MCM B-351 isolated from the alkaline lake of Lonar. India. *World J. Microbiol & Biotechnol.* 18: 785-789.
- ✎ Nilsang, S., Lertsiri, S., Suphantharika, M. and Assavanig,A. (2005). Optimization of enzymatic hydrolysis of fish soluble concentrate by commercial protease. *Journal of Food Engineering.* 70: 571-578.
- ✎ Normah, I., Jamilah, B., Saari, N. and Che Man Yaakob, B. (2005). Optimization of hydrolysis conditions for the production of threadfin bream (*Nemipterus japonicus*) hydrolysate by Alcalase®. *Journal of Muscle Foods* 16: 87 - 102.
- ✎ Onokpise, O., Abazinge, M., Atikpo, M., Baptiste, J. J., Louime, C., Uckelmann., H. and Awumbilla, B. (2008). Stabilization and utilization of seafood processing waste as a slow release Nitrogenous Fertilizer for production of cabbage in Florida, USA and Mushroom in Ghana, Africa. *American-Eurasian J. Agric & Environ. Sci.* 3(3): 292-297
- ✎ Ozturk, B., Mihneva, V., Shinganora, T. (2011). First records of *Bolinopsis vitrea* (L.Agassiz, 1860) (Ctenophora: Lobata) in the black sea. *Aquatic Invasions.* Volume 6, issue 3 : 455-460.
- ✎ Page, M.J., Di cera, E. (2008) serine peptidases: classification, structure and function, *Cell Mol. life Sci.*,65:1220-1236.
- ✎ Park, P. J., Lee, S. H., Byun, H. G., Kim, S. H., & Kim, S. K. (2002). Purification and characterization of a collagenase from the mackerel, *Scomber japonicus*. *Journal of Biochemistry and Molecular Biology*, 35, 576–582.

- ✎ Prasertsan ., P. and Prachumratana., T. (2008). Comparison and selection of protease and lipase sources from visceral organs of three tuna species. *J.Sci. Technol.*, 30 (Suppl.1), 73-76.
- ✎ Qi, H., Dong, X. P., Eong, L. N., Gao, Y., Lui. L., Mikino, T. and Zhu, B.W. (2007). Purification and characterization of a cysteine- like protease from the body wall of Sea cucumber (*Stichopus japonicas*). *Fish. Physiol Biochem.* 33.181-188.
- ✎ Radha, S., Nithya, V.J., Himakiran Babu, R., A. Sridevi, N.B.L., Prasad and G. Narasimha. (2011) Production and optimization of acid protease by *Aspergillus spp* under submerged fermentation *Archives of Applied Science Research*, 3 (2):155-163.
- ✎ Rai, S.K. and Mukherjee, A.K., 2010. Statistical optimization of production, purification and industrial application of a laundry detergent and organic solvent-stable subtilisin-like serine protease (Alzwiprase) from *Bacillus subtilis* DM-04. *Biochem. Eng. J.* 48, 173–180.
- ✎ Ristic, M.D., Filipovic, S.S., Sakac, M.L.J. (2002), Liquid protein feedstuffs from freshwater fish by products as a component of animal feed, *Romanian Biotechnological Letters*, 7, 729 – 736A.
- ✎ Rustad, T. (2003). Utilization of Marine By-Products-*EJEAF Che*, 2 (4). 458-463.
- ✎ Sadasivam, S and Manickam, A. (2008), *Biochemical Methods*, Third Edition, New Age International (p) limited, 87-88. sardine (*Sardinops sagax Caerulea*) viscera. *Food Chem.* 85: 343-350.
- ✎ Sareen. R, Mishra. P, (2008). Purification and characterization of organic solvent stable protease from *Bacillus lichniformis*RSP-09-37. *Appl. Microbiol. Biotechnol.*79: 399-405.

- ✎ Seenappa D. and Devaraj .K.V (1995). Effect of different levels of protein , fats and carbohydrates on growth, feed utilisation and body carcass composition of fingerlings in *Catla catla* (Ham.). *Aquaculture*, 129,243-249.
- ✎ Shahidi, F. and Kamil, Y.V.A.J. 2001. Enzymes from fish and aquatic invertebrate and their application in food industry. *Trends Food Sci. Technol.* 12: 435-464.
- ✎ Sjodahl, J., Emmer, A., Vincent, J., and Roeraade, J. (2002), Characterization of proteases from Antarctic krill (*Euphausia superba*). *Protein Expression and purification*, 26(1), 153 - 161.
- ✎ Souza, A.A.G., Amaral, I.P.G., Santo, A.R., Carvalho, L.B. and Bezerra, R.S. (2007), trypsin like enzyme from intestine and *pyloric caeca* of spotted goatfish (*Pseudupeneus maculates*), *Food Chemistry*, 100: 1429-1434.
- ✎ Venugopal, V. 2006. Seafood processing adding value through quick freezing, retortable packaging, and cook-chilling. Boca Raton: CRC Taylor & Francis Group.
- ✎ Wasswa, J., Tang, J. and Xiao, H.G. 2008. Optimization of the production of hydrolysates from Grass carp (*Ctenopharyngodon idella*) skin using Alcalase®. *Journal of Food Biochemistry*. 32: 460-473.
- ✎ Yandri, A.S, Suhartati, T., Herasari, D. and Hadi, S., (2008). The chemical modification of protease enzyme isolated from local bacteria isolate *Bacillus subtilis* 1TBCCB148 with cynauric chloride – poly – ethyleneglycol. *Eur. J. Sci. Res.*, 23(1): 177-186.