

Bibliography



BIBLIOGRAPHY

- ✓ Ahmedna, M., Marshall, W.F., Husseiny, A.A., Rao, R.M and Goktepe ,I. (2004), The use of nutshell carbons in drinking water filters for removal of tracemetals, Watre Res, 38(4):1064-1068.
- ✓ Aksu, Z. (2003), Reactive dye bioaccumulation by *Saccharomyces cerevisiae*, *Process Biochem*, 38: 1437-1444.
- ✓ Aksu, Z. (2005). Application of biosorption for the removal of organic pollutants: a review. *Process biochem*, 40: 997-1026.
- ✓ Ali,N., Hammed, A., Ahmed, S. and Khan, A.G. (2008), Decolorization of structurally different textile dyes by *Aspergillus niger* SAL, *World J.Microbiol.Boitechnolo*, 24: 1067-1072.
- ✓ Anjaneyalu, Y., Sreedharachary, N. and Raj, S. S. (2005), Decolourization of Industrial effluents-available methods and engineering technologies: A review ,*Environ Sci and Biotechnology*,4: 245-273.
- ✓ Annual report (2004),Ministry of textiles, Government of India, Delhi.
- ✓ APHA. (1998), Standard methods for the examination of water and waste water, 20th edition, American public health association, American water works association, Water Environment federation, Washington DC, 2005-2605, 2.36-2.39, 2.58, 3.1-3.99, 4.105 – 4.178, 5.2-5.10.
- ✓ Asad, S., Ammozegar, M.A., Paurbabae, A.A., Sarbolouki, M.N., Dastgheib, S.M.M. (2007), Decolourization of textile azodyes by newly isolated halophilic and halotolerant bacteria, *Bioresour Technol*, 98: 2082 – 2088.

- ✓ Asgher, M., Bhatti, H.N., Shah, S.A.H., Asad, J.M. and Legge, R.L. (2007), Decolourization potential of mixed microbial consortia for reactive and disperse textile dye stuffs, *Biodegradation*, 18: 311-316.
- ✓ Bae, J.S. and Freeman, H.S. (2007), aquatic toxicity evaluation of new direct dyes to the *Daphnia magna*, *Dyes Pigm*, 73: 81-85.
- ✓ Bakshi, D.k., Saha, S., Sindhu, J. and Sharma, P. (2006), Use of *Phanerochaete chrysosporium* biomass for the removal of textile dyes from a synthetic effluent, *World Journal of Microbiology and Biotechnology*, 22: 835 -839.
- ✓ BIS (2009), Indian Standard Drinking Water Specification (IS : 10500), New Delhi : Bureau of Indian Standards.
- ✓ Blackburn, R.S. (2004), Natural polysaccharide and their interactions with dye molecule: Application in effluent treatment, *Environmental Science and Technology*, 38(18): 4905-4909.
- ✓ Buan A.C.J., Soliven A.A.D., Cao E.P., Barraquio, V.L. and Barraquio, W.L. (2009), Congo Red Decolorizing Activity Under Microcosm and Decolourization of other dyes by Congo Red Decolorizing Bacteria, *Philippine Journal of science*, 138(2):125-132.
- ✓ Bustard, M., McMullan, G. and Michale, A.P. (2003), Biosorption of textile dyes by biomass derived from *kluyveromyces marxianus*, IMB3, *Bioprocess Engineering*, 19: 427- 430.
- ✓ Chen, B.Y. (2002), Understanding decolourization characteristics of reactive azodyes by *Pseudomonas luteola*: toxicity and kinetics. *Process Biochemistry*, 38: 437-446.
- ✓ Chen, K.C., Wu, J.Y., Huang, C.C., Liang, Y.M and Szhwang, C.J. (2003), Decolourization of azodye using PVA-immobilized microorganisms, *J.Biotechnol*, 101: 241-252.

- ✓ Chhabra, M., Mishra, T.R.S and Sreekrishnan. (2008), Mediator assisted Decolourization and detoxification of textile Dyes/Dye mixture by *Cyathus bulleri* Laccase, *Appl Biochem Biotechnol*, 151: 587-598.
- ✓ Cing, S., Asma, D., Apohan, E. and YelLand, O. (2003), Decolourization of textile dyeing waste water by *Phanerochaete chrysosporium*, *Folia Microbiol*, 47(5): 639-642.
- ✓ Corso, C.R. and Almedia, A.C.M. (2009), Bioremediation of dyes in textile effluents by *Aspergillus oryzae*, *Microb Ecol*, 57: 384-390.
- ✓ Daneshvar, N., Ayazloo, N., Khataee, A.R. and Pourhassan, M. (2006), Biological decolorization of dye solution containing malachite green by microalgae *Cosmarium* sp, *Bioresource technology*, 67-71.
- ✓ Dastida, K.M.G and Sreekrishnan, T.R. (2009), Effect of Process parameters on Aerobic decolorization of Reactive azodye using mixed culture, *World Academy of Science, Engineering and Technology*, 58: 962-965.
- ✓ Dawkar, V.V., Jadhav, U.V., Ghodake, G.S. and Govindwar, S.P. (2009), Effect of inducers on the decolorization and biodegradation of textile azodye Navy blue 2GL by *Bacillus* sp. VUS, *Biodegradation*, 20: 777-787.
- ✓ Diaz, I.M.P. and Mcfeeters, R.F. (2009), Modification of azodyes by lactic acid bacteria, *Journal of Applied Microbiology*, 107: 584-589.
- ✓ Donbak, L., Rencuzogullari, E., Topaktas, M. and Sahin, G. (2006), A Biomonitoring study on the workers from textile dyeing plants, *Russian Journal of Genetics*, 42(6): 613-618.
- ✓ Dossantos, A.B., Cervantes, F.J., Beas, R.E.Y. and Lier, J.B.V. (2003), Effect of redox mediator, AQDS, on the decolourization of a

reactive azodye containing triazine group in a thermophilic anaerobic EGSB reactor, *Enzyme Micro.Technol*, 33: 942-951.

- ✓ Dube, E., Shareck, F., Hurtubise, Beauregard, M. and Daneault, C. (2008), Decolourizatnt of recalcitrant dyes with a laccase from *Streptomyces coelicolor* under alkaline condition, *J.Ind.Microbiol.Biotechnol*, 35: 1123-1129.
- ✓ Dubey, R.C. and Maheswari,D.K. (2002), *practical Microbiology*. 1st edition.
- ✓ Faryal, R. and Hameed, A. (2005), Isolation and characterization of various fungal stains from textile effluent for their use in bioremediation, *Pak J. Bot.*, 37(4): 1003-1008.
- ✓ Ghose, S. (2003), *Environmental Chemistry*, 1 edition, Dominant publishers, New Delhi, 28-30.
- ✓ Giordani, C., Cecchi, S and Zanchi, C. (2005), Phytoremediation of soil polluted by nickel using agricultural crops, *Environmental Management*, 36(5): 675-681.
- ✓ Giusti, F., Mantovanil. L., Martella, A. and Seldenari, S. (2004), Hand dermatitis as an unsuspected presentation of textile dye contact sensitivity, *Contact Dermatitis*, 47: 91-95.
- ✓ Gowd, S.S. and Govil, K.P. (2008), Distribution of heavy metals in surface water of Ranipet industrial area in TamilNadu, India, *Environ.Monit.Assess*, 136: 197-207.
- ✓ Grinevicious, V.M.A.S., Geremias, R., Laus ,R., Battega K.F., Laranjeiras M.C.M., Favere V.T., Filho,D.W. and Pedrosa,R.C. (2009), Textile Effluents induce Biomarkers of Acute toxicity, oxidative stress and genotoxicity, *Arch Environ Contam Toxicol*, 57: 307-314.
- ✓ Gujaro, J.M.M., Perez, J., Dorada, J.M., Guillen, F., Moya, R., Hernandez, M and Arias, E.M. (2009), Detoxification of azodyes by

a novel pH-versatile, salt resistant laccase from *Streptomyces ipomoea*, *International microbiology*, 12:13-21.

- ✓ Gupta, V.k., Mittal, A., Krishnan, L and Gajbe, V. (2004), Adsorption Kinetics and column operations for the removal and recovery of malactite green from green from waste water using ash.sep, *Purifi.Technol*, 40: 87-96.
- ✓ Gurulakshmi, M., Sudarmani, D.N.P and Venba, R. (2008), Biodegradation of leather acid dye by *Bacillus Subtilis*, *Advanced Biotech*, 12-18.
- ✓ Ian,R.H., Xuehengzhao and Danny, E.A. (2003), *Proceedings of the 2003 Georgia water Resources conference*, held April 23-24 at the university of Georgia. Kathryn J.Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, Georia.
- ✓ Jirasripongupun, K., Nasanit, R., Niruntasook, J. and Chotikasatian, B. (2007), Decolourization and degradation of C.I Reactive Red 195 by *Enterobacter* sp, *Thammosat Int.J.Sc.Tech*, 12(4): 6-11.
- ✓ Joe, M.H., Lim, S.Y., Kim, D.H. and Lee, I.S. (2008), Decolourization of reactive dyes by *Clostridium bifermentans* SL186 isolated from contaminated soil, *World J. Microbiol Biotechnol*, 24: 2221-2226.
- ✓ Jones, J.J. and Falkinham III, J.O. (2003), Decolorization of malachite green and crystal violet by waterborne pathogenic *Mycobacteria*, *Appl.Environ.Microbiol*, 47(7): 2323-2326.
- ✓ Kalme, S.D., Parshetti, G.K., Jadhav, S.V. and Govindwar, S.P. (2007), Biodegradation of benzidine based dye direct blue – 6 by *Pseuddomonas desmolyticum* NCIM 2112, *Bioresour Technol*, 98: 1405-1410.

- ✓ Kapdan, I.K., Kargi, F., McMullan, G. and Marchant, R. (2000), Decolourization of textile dyestuffs by a mixed bacterial consortium, *Biotechnology letters*, 22: 1179-1181.
- ✓ Keharia, H. and Madamwar, D. (2003), Bioremediation concepts for treatment of dye containing wastewater : a review, *Indian J.Exp.Bio*, 4: 1068.
- ✓ Keharia, H. and Madawar,D. (2002), Transformation of textile dyes by White Rot Fungus *Trametes versicolor*, *Applied Biochemistry and Biotechnology*, 102-103.
- ✓ Khadijah, O., Lee, K.K., Faiz,F.M. and Abdullah. (2009), Isolation, Screening and development of local bacterial consortia with azodyes decolorizing capability, *Malaysian Journal of Microbiology*, 5(1): 25-32.
- ✓ Khalid, A., Arshad, M. and Crowley, D.E. (2008), Accelerated decolorization of structurally different azodyes by newly isolated bacterial strains, *Appl Microbiol Biotechnol*, 78: 361-369.
- ✓ Khehra, M.S., Saini, H.S., Sharma, D.K., Chadha, B.S. and Chimni, S.S. (2005), Comparative studies on potential of consortium and constituent pure bacterial isolates to decolourize azodyes, *Water Research*, 39: 5135-5141.
- ✓ Kodam, K.M., Soojhawon, I., Lokhande, P.D. and Gawai, K.R. (2005), Microbial decolorization of reactive azodyes under aerobic conditions, *World J. of Microbiology and Biotechnology*, 21:367-370.
- ✓ Krishnasamy, R., Maleekabegaum, S.F. and Suburam, V. (2002), Adsorption and desorption of dyes (congo red and Neolangrey) in soils of TamilNadu, *Journal of Indian Society of soil science*, 50(1): 28-35.

- ✓ Kuhad, R.C., Sood, N., Tripathi, K.K., Singh, A. and Ward, O.P. (2004), Developments in Microbial Methods for the treatment of dye effluents, *Adv Appl. Microbiol*, 56:185.
- ✓ Kumar, K.V., Sivanesan, S. and Ramamurthi, V. (2005), Adsorption of malachite green onto pithophora, S.P., a fresh water algae: equilibrium and kinetic modelling, *Process Biochem*, 40: 2865-2872.
- ✓ Lanciohi, E., Galli, S., Limberti, A. and Giovannelli, L. (2004), Ecotoxicological evolution of waste water treatment plant effluent discharges: A case study in Pnato, *Ann Ig*, 16(4): 558-569.
- ✓ Maleekabegum, S.F., Uma, C., Balamurugan, S. and Kalyani, M. (2005), Adsorption kinetics of direct violet 47 on activated carbon obtained from low cost agricultural waste, *Asian journal of microbial Biotech. Env. Sc*, 7(4): 733-736.
- ✓ Mani, V., Kaur, H. and Mohini, M. (2005), Toxic metals and Environmental pollution, *Journal of Industrial Pollution Control*, 21(1): 101-107.
- ✓ Maier, J., Kandelbauer, A., Erlacher, A., Cavacopaulo, A. and Gubits, G.M. (2004). A new alkali thermostable azo reductase from *Bacillus Sp.* strain SF, *Appl Environ Microbiol*, 70: 837-844.
- ✓ Mathur, N., Krishnatrey, R., Sharama, S. and Sharma, K.P. (2003), Toxic effects of Textile Printing Industry effluents on liver and Testes of Albino Rats, *Bull .Environ. Contam. Toxicol*, 71:453-457
- ✓ Mayadevi and Kaushi, B.D. (2005), Decolourization of textile ye and dye effluent by *Aspergillus Sp*, *Indian Journal of Microbiology*, 45 (1): 41-44.
- ✓ McMullan, G., Meehan, C., Conneely, A., Kirby, N., Robinson, T., Nigam, P., Banat, J.M., Marchant, R. and Smyth, W.F. (2001), Microbial degradation of textile dyes, *Applied Microbiology and Biotechnology*, 56: 81-87.

- ✓ Moosvi, S., keharia, K. and Madamwar, D. (2005), Decolourization of textile dye reactive violet by a newly isolated bacterial consortium RVM 11.1, *World Journal of Microbiology and Biotechnology*, 21: 667-672.
- ✓ Moosvi, S., Kher, X. and Madamwar, D. (2007), Isolation, Characterization of textile dyes by a mixed bacterial consortium JW-2, *Dyes and Pigments*, 74:723-729.
- ✓ Murugasan, K. (2002), Studies on production, purification, characterization and crystallization of laccase from a white rot fungus *Pleurotus sajor.caju* and its application in bioremediation of textile dye effluent and dye contaminated soils, *pH.D Thesis*, submitted Madras university, Chennai.
- ✓ Nachiyar, C.V. and Suseelarajkumar, G. (2003), Degradation of a tannery and textile dye, Navitan Fast Blue S512 by *Pseudomonas aeruginosa*, *World Journal of Microbiology and Biotechnology*, 19: 609-614.
- ✓ Nagarajan, P., Moorthy, T.R., Raj, A.P. (2005), Physicochemical characteristics of water and soil at senthanirpuram, Thiruchirapalli and their influence on germination of green gram and cowpea, *Journal of Ecotoxicology and Environmental Monitoring*, 15(3) : 229-234.
- ✓ Naik, S.J.K., Pawar, A.C., Vani, K., Madhuri, K and Devi, V.V. (2007), Cytogenetic analysis in human to assess the impact of metal pollution from Jeedimetla industrial area, Hyderabad, A.P, *Indian Pollution Research*, 26(2): 263-265.
- ✓ Olukanni, O.D., Osunloki, A.A. and Gbenle, G.O. (2006), Textile effluent biodegradation potentials of textile effluent – adapted and non – adapted bacteria, *African Journal of Biotechnology*, 5(20): 1980-1984.

- ✓ Ong, S.A., Toorisaka, E., Hirata, M. and Hano, T. (2005), Treatment of azodye Orange II in aerobic and anaerobic-SBR systems, *Proc.Biochem*, 40: 2907-2914.
- ✓ Pandey, A., Singh, P. and Lyengar, L. (2007), Bacterial Decolourization and degradation of azodyes, *Int. Bideter. Biodegr*, 59:73-84.
- ✓ Parshetti, G., Kalme, S., Saratale, G. and Govindwar, S. (2006), Biodegradation of malachite Green by *Kocuria rosea* MTCC 1532, *Actachim. Slov*, 53: 492-498.
- ✓ Patil, P.S., Shedbalkar, U.U., Kalyani, D.C. and Jadhav, J.P. (2008), Biodegradation of Reactive Blue 59 by isolated bacteria consortium PMB11, *J.Ind Microbiol Biotechnol*, 35:1181-1190.
- ✓ Pearce, C.I., Lioyd, J.R and Guthrie, G.T. (2003), The removal of colour from textile waste water using whole bacterial cells. A review, *Dye pigment*, 58: 179.
- ✓ Plumb, J.J., Bell, J and Stuckey, D.C. (2001), Microbial populations associated with treatment of an Industrial dye effluent in an anaerobic baffled reactor, *Applied and environmental Microbiology*, 67(7): 3226-3235.
- ✓ Plumb, J.J., Bell, J. and Stuckey, D.C. (2001), Microbial Population Associated with treatment of an Industrial dye effluent in a anaerobic baffled Reactor, *App.Envir.Microbiol*, 67(7): 3226-3235.
- ✓ Pourbabae, Ali, A., Malekzadeh and Fereydon. (2005), Decolourization of Methyl Orange (As a model azodye) by the newly discovered *Bacillus* sp, *Iran. J. Chem. Eng*, 24(3): 41- 45.
- ✓ Punj and John (2008), Purification and identification of an FMN-dependent NAD pH ago reductase from *Enterococcus faecalis*, *Curr.issue, Mol.Biol*, 11:59-66.

- ✓ Puvaneswari, N., Muthukrishnan, J and Gunasekaran, P. (2006). Toxicity assessment and microbial degradation of azodyes, *Indian Journal of experimental Biology*, 44: 618-626.
- ✓ Raghuvanshi, S.P., Singh, R., Kaushik, C.P and Raghav, A.K. (2005), Removal of textile basic dye from aqueous solution using saw dust as bioabsorbent, *International Journal of Env't. Studies*, 62(1-3): 329-339.
- ✓ Rahim, W.M.A., Ardy, O.A.M.E. and Moawad, H. (2008), Aeration as a factor textile dye bioremoval by *Aspergillus niger*, *African Journal of Biochemistry research*, 2(1): 030-039.
- ✓ Ranganathan, K., Jeyapaul, S. and Sharma, D.C. (2007), Assessment of water pollution in different bleaching based paper manufacturing and textile dyeing industries in India, *Environ Monit assess*, 134: 363-372.
- ✓ Rehman, A., Bhatti, H.N. and Athar, H.U.R. (2009), Textile effluents affected seed germination and early growth of some winter vegetable crops: A case study, *Water Air Soil Pollut.* 198:155-163.
- ✓ Saxena, S. and Shrivastava, P. (2002), Ground water quality of a typical urban settlement : A case study of impact of town planning. *Pollution Research*, 21: 223-226.
- ✓ Senan, R.C and Abraham, T.E. (2004), Bioremediation of textile azodyes by aerobic bacterial consortium, *Biodegradation*, 15: 275-280.
- ✓ Stolz, A. (2001), Basic and applied aspects in the microbial decolorization of azodyes, *Appl. Microbiol. Biotechnol*, 56-69.
- ✓ Sundar, I. (2005). Role of economic instrument in pollution control and prevention, A brief overview, *Journal of pollution research*, 389-393.

- ✓ Sundararajan, T. (1995), Microbiology Laboratory Manual, second edition, 48-79.
- ✓ Supaka, N., Juntongjin, K., Damronglerd, S., Delia, M.L. and Strehaiano, P. (2004), Microbial decolorization of reactive azo dyes in a sequential anaerobic- aerobic system, Chemical Engineering Journal, 99: 169-176.
- ✓ Tavares, P.M.A., Cristovao, O.R., Loureiro, M.J., Boaventura, R.R. and Macedo, A.E. (2006), Treatment of textile dyes effluent by laccase mediator system, LSRE.
- ✓ Telke, A.A., Joshi, S.M., Jadhav, S.U., Tamboli, D.P., Govindwar, S.P. (2009), Decolourization and detoxification of congored and textile industry effluent by an isolated bacterium Pseudomonas sp.Su-EBT, Biodegradation.
- ✓ Umbuzeiro, G.A., Freeman, H., Warren, S.H., Oliveria, D.P., Terao, Y., Watanabe, T and Claston, L.D. (2005), the contribution of azodyes to the mutagenic activity of the Cristais River, Chemosphere, 60: 55-64.
- ✓ Vanderzee, F.P., (2002). A naerobic azodye reduction, [Ph.D Dissertaion] retrieved March 2007from <http://www.docstoc.com/docs/8494166/THESIS-Anaerobic-azodye-reduction>
- ✓ Verma, Y., Ruparelia, S. G., Halyan, M.C and Kulkarni, P.K. (2005), Accute toxicity of the waste water (influent and effluent) of textile mills to water flea, Journal of Ecobiology, 17(1): 67-73.
- ✓ Vijaya, P.P., Padamavathy, P. and Sandhya, S. (2003), Decolourization and Biodegradation of reactive azodyes by mixed culture, Indian.J.Biotechnology, 2: 259.
- ✓ Vijaykumar, M.H., Vaishampayan, P.A., Shouche, Y.S. and Karegoudar, T.B. (2007), Decolourization of naphthalene-

- containing sulfonated azodyes by *Kerstersia* Sp strain VKY1, *Enzyme Microbial Technol*, 40: 204211.
- ✓ Vitor, V. and Corso, C.R. (2008), Decolourization of textile dye by *Candida albicans* isolated from industrial effluents, *J. Ind. Microbiol. Biotechnol*, 35: 1353-1357.
 - ✓ Wagh, V., Aher, H.R and Kuchekar, S.R. (2005), Determination of Physio chemical characterization of sewage water from Ioni village, *Indian J. Environ and ecoplan*, 10(2): 419-421.
 - ✓ Wang, C., Hu, X., Chen, M.L and Wu, Y.H. (2005), Total concentrations and fractions of Cd, Cr, Pb, Cu, Ni and Zn in sewage sludge from municipal and industrial waste water treatment plants, *J. Hazard. Mater*, 119: 245-249.
 - ✓ Wesenberg, D., Kyriakides, I and Agathos, S.N. (2003), White rot fungi and their enzymes for the treatment of industrial dye effluents, *Biotechnol. Adv*, 22: 161-187.
 - ✓ Yesilada, O., Yildirim, S.C., Birhanli, E., Apohan, E., Asma, D. and Kuru, F. (2010), The evaluation of pre grown mycelial pellets in decolourization of textile dyes during repeated batch process, *World J Microbiol Biotech*, 26: 33-39.
 - ✓ Yusuff, R. O. and Sonibare, J. A. (2004), Characterisation of textile industrial effluents in Kaduna, Nigeria and pollution implications, *Global nest: the int. J*, 6(3), 212-221.
 - ✓ 13) Yassi, A and Kjellstorm, T. (2004), Lead on extraordinary toxic element, <http://www.ilo.org/encylopedia>.