BIBLIOGRAPHY

Abdel-Halim, R. E., Altwaijiri, A. S., Elfaqih, S. R. and Mitwalli, A. H. (2003) Extraction of urinary bladder stone as described by Abul-Qasim Khalaf Ibn Abbas Alzahrawi (Albucasis), *Saudi Med. J*., 24: 1283–1291.

Abdelkhalek, O., Mohamed, T. and Mohamed, M. (2005) *In vitro* and *in vivo* study on effect of lemon juice on urinary lithogenesis, *Arch. Esp. Urol*., 58: 1.087-1.092.

Aburto, N. J., Ziolkovska, A., Hooper, L., Elliott, P., Cappuccio, F. P. and Meerpohl, J. J. (2013) Effect of lower sodium intake on health: Systematic review and meta-analyses, *Bri. Med. J.*, 346: f1326

Adriano, R., Corrado, V. and Martino, M. (2000) Epidemiology of nephrolithiasis, *J. Neph*., 13: 65-70.

Afolayan, A. J. and Sumonu, T.O. (2011) *Artemisia afra* Jacq. ameliorates oxidative stress in the pancreas of streptozotocin-induced diabetic Wistar rats, *Biosci. Biotech. Biochem*., 75: 2083-2086.

Agarwal, K. and Varma, R. (2012) Inhibition of calcium oxalate crystallization *in vitro* by various extracts of *Hyptis suaveolens* (L.) Poit., *Int. Res. J. Pharm*., 3: 261-264.

Agarwal, K. and Varma, R. (2014) *Ocimum gratissimum* L.: A medicinal plant with promising antiurolithiatic activity, *Int. J. Pharm. Sci. Drug Res*., 6: 78-81.

Aggarwal, A., Singla, S.K. and Tandon, C. (2014) Urolithiasis: Phytotherapy as an adjunct therapy, *Ind. J. Exp. Biol*., 53: 103-111.

Aggarwal, A., Singla, S.K., Gandhi, M. and Tandon, C. (2012) Preventive and curative effects of *Achyranthes aspera* Linn. extracts in experimentally induced nephrolithiasis, *Ind. J. Exp. Biol*., 50: 201-208.

Aggarwal, A., Tandon, S., Singla, S.K. and Tandon, C. (2010) Diminution of oxalate induced renal tubular epithelial cell injury and inhibition of calcium oxalate crystallization *in vitro* by aqueous extract of *Tribulus terrestris*, *Int. Braz. J. Urol*., 36: 480-489.

Aggarwal, D., Sharma, M. and Singla, S.K. (2013) The role of natural antioxidants as potential therapeutic agent in nephrolithiasis, *Asian J. Pharm. Clin. Res*., 6: 48-53.

Aggarwal, K.P., Narula, S., Kakkar, M. and Tandon, C. (2013) Nephrolithiasis: Molecular mechanism of renal stone formation and the critical role played by modulators, *Bio. Med. Res. Int.*, July, Article ID 292953.

Ahmadi, M., Rad, K.A., Rajaei, Z., Hadjzadeh, M.A.R., Mohammadian, N. and Tabasi, N.S. (2014) *Alcea rosea* root extract as a preventive and curative agent in ethylene glycol-induced urolithiasis in rats, *Ind. J. Pharm.*, 44: 304-307.

Ahmed, A., Jahan, N., Wadud, A., Bilal, A. and Hajera, S. (2013) *In vitro* effect of hydro alcoholic extract of *Adiantum capillus-veneris* Linn. on calcium oxalate crystallization, *Int. J Green Pharm*., doi:10.4103/0973-8258.116385.

Ahmed, A., Wadud, A., Jahan, N., Bilal, A. and Hajera, S. (2013a) Efficacy of *Adiantum capillus-veneris* Linn. in chemically induced urolithiasis in rats, *J. Ethanopharm*., 146: 411-416.

Al-Attar, A. M. (2010) Antilithiatic influence of Spirulina on ethylene glycol-induced nephrolithiasis in male rats, *Am. J. Biochem. Biotech*., 6: 25-31.

Ali, M. (1993) Chemical investigation of *Achyranthes aspera* Linn., *Oriental J. Chem*., 9: 84-85.

Al-Rahman, N., Mostafa A. and Abdel-Megeed, A. (2011) Antifungal and antiaflatoxigenic activities of some plant extracts, *Afr. J. Microbiol. Res*., 5: 1342-1348.

Amaro, C. R. P. R., Goldberg, J., Damasio, P. C., Leitao, V. A., Turney, B., Padovani, C.R. and Amaro, J. L. (2014) An update on metabolic assessment in patients with urinary lithiasis, *World J. Urol*., doi.10.1007/s00345-014-1271-z.

Amy. E. H., Evan, A.P. and Lingeman, J. (2010) Brushite-stone diseases as a consequence of lithotripsy, *Urol. Res*., 38: 293-299.

Anand, R. M., Nandakumar, N. Karunakaran, L. Ragunathan, M. and Murugan, V. (2006) A survey of medicinal plants in Kollimalai hill tracts, Tamil Nadu, *Ind. J. Nat. Pdt. Radiance*, 5: 139-143.

Ankur, C., Amarchand, P., Aadarsh, C., Deepa, I., Pawar, R.S. and Patil, U.K. (2010) Potential of medicinal plants in kidney, gall and urinary stones, *Int. J. Drug Develop. Res*., 2: 431-447.

Ansari, M.S. and Gupta, N.P. (2003) Impact of socio-economic status and medical management of urinary stone disease, *Urol. Int*., 70: 255-261.

Arafat, O. M., Tham, S. Y., Sadikum, A., Zhari, I., Haughton, P. J. and Asmawi, M.Z. (2008) Studies on diuretic and hypouricemic effects of *Orthosiphon stamineus* methanol extract in rats, *J. Ethnopharmacol.*, 118: 354-360.

Arts, I.C. and Hollman, P.C. (2005) Polyphenols and disease risk in epidemiologic studies, *Am. J. Clin. Nut*., 81: 317S-325S.

Arunkumar, S. and Muthuselvam. M. (2009) Analysis of phytochemical constituents and antimicrobial activities of *Aloe vera* L. against clinical pathogens, *World J. Agri. Sci*., 5: 572-576.

Ashok Kumar, B.S., Vamshi Krishna, N., Raghavendra, B.S. and Gopisetty, S. (2014) Antiurolithiatic activity of InjiRasayanam: A Siddha formulation, *Asian J. Pharm. Tech. Innov*., 2: 87-90.

Ashok, K., Pankaj, K., and Tarun, K. (2011) The natures and gift to mankind: Neem., *Int. Res. J. Pharm*., 2: 13-15.

Ashtiania, F. and Sefidkonb, F. (2011) Tropane alkaloids of *Atropa belladonna* L. and *Atropa acuminate* Royle ex Miers plants, *J. Med. Plants Res*., 5: 6515-6522.

Asplin, J.R. (2002) Hyperoxaluric calcium nephrolithiasis, *Endocrinol. Metab. Clin. North Am*., 31: 927–949.

Asplin, J.R., Bauer, K.A., Kinder, J., Muller, G., Coe, B.J., Parks, J.H. and Coe, F.L. (2003) Bone mineral density and urine calcium excretion among subjects with and without nephrolithiasis, *Clin. J. Lith*., 34: 287-293.

Atmani, F. and Khan, S.R. (2000) Effect of an extract from *Herniaria hirsute* on calcium oxalate crystallization *in vitro, Braz. J.Urol. Int*., 85: 621-625.

Atmani, F., Farell, G. and Lieske, J. C. (2004) Extract from *Herniaria hirsuta* coats calcium oxalate monohydrate crystals and blocks their adhesion to renal epithelial cells, *J. Urol*., 172: 1510–1514.

Atmani, F., Sadki, C., Aziz, M., Mimouni, M. and Hacht, B. (2009) *Cynodon dactylon* extract as a preventive and curative agent in experimentally induced nephrolithiasis, *Urol. Res*., 37: 75-82.

Atmani, F., Slimani, Y., Mimouni, M. and Hacht, B. (2003) Prophylaxis of calcium oxalate stones by *Herniaria hirsuta* on experimentally induced nephrolithiasis in rats, *Braz. J. Urol. Int*., 92: 137–40.

Awah, F.M., Uzoegwu, P.N., Oyugi, J.O., Rutherford, J., Ifeonu, P., Yao, X., Fowke, K.R., Eze, M.O. (2010) Free radical scavenging activity and immunomodulatory effect of *Stachytarpheta angustifolia* leaf extract, *Food Chem*., 119: 1409-1416.

Awari, D.M., Mute, V., Babhale, S.P. and Chaudhari, P.S. (2009) Antilithiatic effect of *Achyranthus aspera* Linn. leaves extract on ethylene glycol induced nephrolithiasis, *J. Pharm. Res.*, 2: 994-997.

Aydin, S., Yilmaz, O. and Gökçe, Z. (2011) Effectiveness of matured *Morus nigra* L. (Black mulberry) fruit extract on 2,2-diphenyl-1-picrylhydrazyl ($DPPH^{\bullet}$) and hydroxyl ($OH^{\bullet}$) radicals as compared to less matured fruit extract, *Afr. J. Biotechnol*., 10: 16037-16044.

Aziz, S.A., See, T.L., Khuay, L.Y., Osman, K. and Bakar, M.A.B. (2005) *In vitro* effects of *Plantago major* extract on urolithiasis, *Malaysian J. Med. Sci*., 12: 22-26.

Baburao, B., Rao, P.R.S., Reddy, A.R.N., Narasimha, K. and Narender, B. R. (2010) *In vitro* antioxidant activity of methanolic extract of *Baliospermum montanum*, *Int. J. Res. Ayur. Pharm*., 1: 611-615.

Baheti, D.G. and Kadam, S.S. (2013) Antiurolithiatic activity of a polyherbal formulation against calcium oxalate induced urolithiasis in rats, *J. Adv. Phar. Edu. Res*., 3: 31-41.

Bahuguna, Y.M., Rawat, M.S.M., Juyal, V. and Gnanarajan, G. (2009) Antilithiatic effect of grains of *Eleusine coracana*, *Saudi Pharm. J*., 17: 182-187.

Balick, M.J. (1996) Annals of the Missouri botanical garden, Volume 4 Missouri Botanical garden: 57-65.

Barros, M. E., Schor, N. and Boim, M.A. (2003) Effect of an aqueous extract of *Phyllanthus niruri* on calcium oxalate crystallization *in vitro, Urol. Res*., 30: 374-379.

Basavaraj, D.R., Biyani, C.S., Browning, A.J. and Cartledge, J.J. (2007) The role of urinary kidney stone inhibitors and promoters in the pathogenesis of calcium containing renal stones, *EAU-EBU update series*, 5: 126–136.

Bashir, S. and Gilani, A.H. (2009) Antiurolithiatic effect of *Bergenia ligulata* rhizome: An explanation of the underlying mechanisms, *J. Ethnopharmacol*., 122: 106– 116.

Beghalia, M., Ghalem, S., Allali, H., Belouatek, A. and Marouf, A. (2008) Inhibition of calcium oxalate monohydrate crystal growth using Algerian medicinal plant, *Gomal. J. Med. Plant Res*., 2: 66-70.

Beghalia, M., Ghalem, S., Allali, H., Belouatek, A. and Marouf, A. (2008a) Screening for anti-crystallisation calcium oxalate urolithiasis activity in Algerian plants, *Malaysian J. Biochem. Mol. Biol*., 16: 11-15.

Beghalia, M., Ghalem, S., Hocine, A.H., Belouatek, A. and Marouf, A. (2007) Effect of herbal extracts of *Tetraclinis articulate* and *Chamaerops humilis* on calcium oxalate crystals *in vitro*, *Gomal. J. Med. Sci*., 5: 55-58.

Betanabhatla, K.S., Christina, A.J.M., Sundar, B.S., Selvakumar, S., Saravanan, K.S. (2009) Antilithiatic activity of *Hibiscus sabdariffa* Linn. on ethylene glycol induced lithiasis rats, *Nat. Prod. Radiance*, 8: 43-47.

Beula, J.S., Bathula, R., Ramadevi, K., Suhasini, E.G., Nirmala, M. and Sriram, N. (2013) Antilithiatic effect of *Achyranthes aspera* Linn on ethylene glycol-induced lithiasis in male albino Wistar rats, *Int. J. Pharm. Res*., 1: 12-17.

Bhishagratna, K. K. (1963) The Sushrutha Samhita: An English translation based on original Sanskrit text, (2nd edn.), Chowkhamba Sanskrit series office, Varanasi, India.

Bhuiyan, M.R.A., Hoque, M.Z. and Hossain, S.J. (2009) Free radical scavenging activities of *Zizyphus mauritiana*, *World J. Agr. Sci*., 5: 318-322.

Bijarnia, R. K., Kaur, T., Sarinder, K. Singla, S. K. and Tandom, C. (2010) Non- surgical management therapies for kidney stones, *J. Pharm. Edu. Res*., 1: 21-25.

Biren, N., Shah, M., Khodidas, D. and Modi, C.D. (2011) Antiurolithiatic activity studies of *Momordica charantia* Linn. fruit, *Int. J. Pharm. Res. Tech*., 1: 6-11.

Bitsori, M. and Galanakis, E. (2004). Epicurus' death, *World J. Urol.*, 22: 466-469.

Boim, M.A., Ita, P.H., and Schor, N. (2010) *Phyanthus niruri* as a promising alternative treatment for nephrolithiasis, *Int. Braz. J. Urol*., 36: 657-664.

Bones, B. W., and Taussky, H. A. (1945) On the colorimetric determination of creatinine by the Jaffe reaction, *J. Biol. Chem*., 158:581-585

Boonla, C., Wunsumwan, R., Tungsanga, K. and Touskhowong, P. (2007) Urinary 8-hydroxydeoxyguanosine is elevated in pateints with nephrolithiasis, *Urol. Res*., 35: 185-191.

Borghi, L., Meschi, T. Amato, F., Briganti, A., Novarini, A. and Giannini, A. (1996) Urinary volume, water and recurrence in idiopathic calcium nephrolithiasis, A 5 year randomized prospective study, *J. Urol*., 155: 839.

Borghi, L., Meschi, T., Maggiore, U. and Prati, B. (2006) Dietary therapy in idiopathic nephrolithiasis, *Nutr. Rev*., 64: 301- 312.

Boskey, A.L. (1981) Current concept of the physiology and biochemistry of calcification, *Clin. Ortho. Related Res*., 157: 225-257.

Boyce, W. H. (1968) Organic matrix of human urinary concretions, *Am. J. Med*., 45: 673.

Brancalion, A.P.S., Oliveira, R. B., Sousa, J. P.B., Groppo, M., Berretta, A.A., Barros, M.E., Boim, M.A. and Bastos, J.K. (2012) Effect of hydroalcoholic extract from *Copaifera langsdorffii* leaves on urolithiasis induced in rats, *Urol. Res*., 40: 475-481.

Brawer, M.K., Makarov, D.V., Partin, A.W., Roehrborn, C.G., Nickel, J.C., Lu, S.H., Yoshimura, N. and Chancellor, M.B. (2008) Best of the 2008 AUA Annual meeting: Highlights from the 2008 annual meeting of the American urological association, Orlando, *F.L. Rev. Uro.*, 10 (2): 136–56.

Butterweck, V. and Khan, S.R. (2009) Herbal medicine in the management of urolithiasis: Alternative or complementary?, *Planta Med*., 75: 1095-1103.

Buwa, S., Patil, S. Kulkarini, P.H. and Kanase, A. (2001) Hepatoprotective activity of Abhrak bhashma, an ayuvedic drug in albino rats against hepatitis induced by CCl_4, *Ind. J. Exp. Biol*., 39: 1022-1027.

Cameron, G.R., Milton, R.F. and Allan, J.W. (1943) Measurement of flavonoids in plant sample, *Lancet*, p179.

Campos, A.H. and Schor, N. (1999) *Phyllanthus niruri* inhibits calcium oxalate endocytosis by renal tubular cells: its role in urolithiasis, *Nephron*., 81: 393-397.

Caraway, W. T. (1955) Uric acid, standard methods in clinical chemistry, New York Academic Press, 39-43.

Carvalho, M. and Vieira, M.A. (2004) Changes in calcium oxalate crystal morphology as a function of supersaturation, *Int. Braz. J. Urol*., 30: 205-209.

Carvalho, M., Mulinari, R.A. and Nakagawa, Y. (2002) Role of Tamm-Horfall protein and uromodulin in calcium oxalate crystallization, *Braz. J. Medi. Biol. Res*., 35: 1165-1172.

Chaitanya, A. K. D., Kumar, M. S., Reddy, A. M., Mukherjee, N. S. V., Sumanth, M. H. and Ramesh, A. (2010) Antiurolithiatic activity of *Macrotyloma uniflorum* seed extract on ethylene glycol induced urolithiasis in albino rats, *J. Innov. Trends Pharm. Sci*., 1: 216-226.

Chanda, S.V. and Nagani, K.V. (2010) Antioxidant capacity of *Manilkara zapota* L. leaves extracts evaluated by four *in vitro* methods, *Nat. Sci*., 8: 262-266.

Chang, H. and Yang, L. (2010) Radical-Scavenging and rat liver mitochondria lipid peroxidative inhibitory effects of natural flavonoids from traditional medicinal herbs, *J. Med. Plants Res*., 6: 997-1006.

Charafi, S., Kzaiber, F., Hafid, A., Berkani, M. and Oussama, A. (2012) Study of *Ammi visnaga* Lam. On oxalocalcic crystallization, *Global J. Trad. Med. Sys*., 1: 7-12.

Chaudhary, A., Tandon, C., and Singla, S.K. (2009) Calcium oxalate crystal growth inhibition by aqueous extract of *Tamarindus indica*, *Ind. J. Urol*., 24: 105-111.

Chauhan, C. K., Joshi, M. J. and Vaidya, A.D.B. (2008) Growth inhibition of sturvite crystals in the presence of herbal extracts *Commiphora wightii*, *J. Mater. Sci.: Mater. Med.*, 20: 85-92.

Chavada, K.S., Kumar, F.N., Kriti, P.V., Kalpana, P.G. and Tejal, G.R. (2012) Effect of flavonoid rich fraction of *Citru medica* Linn. on ethylene glycol-induced urolithiasis in rats, *J. Drug Delivery Therap*., 2: 109-116.

Cheesman, J. (1948) Classification of the bananas. III. Critical notes on species (c) *Musa paradisiaca* Linn. and *Musa sapientum* Linn., *Kew. Bull.*, 2: 145-154.

Cheryl, A. L. (2006) Ethnomedicines used in Trinidad and Tobago for urinary problems and diabetes mellitus, *J. Ethnobiol. Ethnomed.,* 2: 45.

Chetan, K. C. and Joshi, M.J. (2013) *In vitro* crystallization, characterization and growth-inhibition study of urinary type struvite crystals, *J. Crys. Grow*., 362: 330-337.

Chih, H.W., Chill, H.F., Tang, K.S., Chang, F.R. and Wu, Y.C. (2001) Bullatacin a potent antitumour annonaceous acetogenin, inhibits proliferation of human hepatocarcinoma cell line by apoptosis induction, *Life Sci*., 69: 1321-1331.

Chitme, H.R., Alok, S., Jain, S.K. and Sabharwal, M. (2010) Herbal treatments for urinary stone, *Int. J. Pharm. Sci. Res*., 1: 24-31.

Chitra, V., Gowri, K. and Udhyasri, N. (2012) Antilithiatic activity of alcoholic extract of *Boerhaavia diffusa* roots on ethylene glycol induced lithiasis in rats, *Int. J. Pharm. Pharm. Sci*., 4: 149-153.

Choubey, A., Jain, P., Iyer, D. and Patil, U.K. (2010) Assessment of *Ceiba pentandra* on calcium oxalate urolithiasis in rats, *J. Med. Chem. Pharm. Chem. Comp.*, 2: 144 - 156.

Christina, A.J., Priy Mole, M., Moorthy P. (2002) Studies on the antilithiatic effect of *Rotula aquatica* Lour in male Wistar rats, *Meth. Find. Exp. Clin. Pharm.*, 24: 357-359.

Christina, A.J.M., Najumadeen, N.A.H., Kumar, S.V., Manikandan, N., Tobin, G.C., Venkataraman, S. and Murugesh, N. (2006) Antilithiatic effect of *Melia azedarach* on ethylene glycol–induced nephrolithiasis in rats, *Pharm. Biol*., 44: 480-85.

Clark, E.P. and Collip, J.P. (1985) Determination of calcium, *J. Biol. Chem*., 63: 461-465.

Coe, F.L., Evan, A. and Worcester, E. (2005) Kidney stone disease, *J. Clin. Invest*., 115: 2598-2608.

Coe, F.L., Keck, J. and Norton, E.R. (1977) The natural history of calcium urolithiasis, *J. Am. Med. Assoc*., 238: 1519-1523.

Condemi, V., Gestro, M., Dozio, E., Tartaglino, B., Romanelli, M.M.C., Solimene, U. and Meco, R. (2014) Association with meteo-climatological factors and daily emergency visits for renal colic and urinary calculi in Cuneo, Italy. A retrospective observational study, 2007-2010, *Int. J. Biometerol*., DOI.10.1007/ s00484.014.0861.1

Cotran, R.S., Kumar, V., Nelson, F., Stanley, R.L. and Abbas, A.K. (2005) *Robbins and Cotran pathologic basis of disease*. St. Louis, MO: Elsevier Saunders.

Curhan, G., Willett, W.C., Rimm, E.B. and Stampter, M.J. (2011) Kidney stones in adults, *The New Eng. J. Med*., 328: 833-838.

Curhan, G.C. (2007) Epidemiology of stone disease, *Urol. Clin. N. Am*., 34: 287-293.

Curhan, G.C., Willett, W.C., Speizer, F.E., Spiegelman, D. and Stampfer, M.J. (1997) Comparison of dietary calcium with supplemental calcium and other nutrients as factors affecting the risk for kidney stones in women, *Ann. Int. Med*., 126: 497-504.

Dahanukar, S.A., Kulkarni, R.A., Rege, N.N. (2000) Pharmacology of medicinal plants and natural products, *Ind. J. Pharm.*, 32: S81– S118.

Danpure, C.J. and Purdue, P.E. (1995) In: The metabolic and molecular bases of inherited disease, by C.R. Scriver, A.L. Beaudet, W.S. Sly and D Valle (Eds.), 7th Edn., McGraw Hill, New York, p 2385.

Dardamanis, M. (2013) Pathomechanisms of nephrolithiasis, *Hippokratia*, 17: 100-107.

Dardioti, V., Angelopoulos, N. and Hadjiconstantinou, V. (1997) Renal diseases in the Hippocratic era, *Am. J. Neph*., 17: 214-216.

David, H. and Richard, J.S. (1983) In: Methods of enzymatic analysis, Bergmeyer, J. and Grab, M. (Eds), Verlag Chemie Weinhein Deer Field, Beach Florida, p35.

Deshpande, P. J., Sahu, M. and Pradeep kumar. (1982) *Crataeva nurvala* Hook and Frost (Varuna): The Ayurvedic drug of choice in urinary disorders, *Ind. J. Med. Res.,* 70: 46-53.

Devi, K.V., Jain, N. and Valli, K.S. (2010) Importance of novel drug delivery systems in herbal medicines, *Pharmacogn. Rev*., 4: 27-31.

Dharani, B., Sumathi, S., Sivaprabha, J. and Padma, P.R. (2011) *In vitro* antioxidant potential of *Prosopis cineraria* leaves, *J. Nat. Plant Resour*., 1: 26-32.

Dharmalingam, S.R., Madhappan, R., Chidambaram, K., Ramamurthy, S., Gopal, K., Swetha, P. and Senthilkumar, K.L. (2014) Anti-urolithiatic activity of *Melia azedarach* Linn. leaf extract in ethylene glycol-induced urolithiasis in male albino rats, *Trop. J. Pharm. Res*., 13: 391-397.

Diana, K.J. (2013) Ethanobotanical and crystallographic studies of selected antiurolithiatic medicinal plants, Thesis submitted to Mahatma Gandhi University, Kottayam, Kerala in partial fulfillment of Doctor of Philosophy in Environmental Sciences: Botany.

Doddola, S., Diviti, R., Koganthi, B., and Prasad, K.V.S.R.G. (2010) Effect of ethanolic effect of *Phyla nodiflora* (Linn.) Greene against calculi producing diet induced urolithiasis, *Ind. J. Natural Pdt. Resour*., 1: 314-321.

Doddola, S., Pasupulati, H., Koganti, B. and Prasad K.V.S.R.G. (2008) Evaluation of *Sesbania grandiflora* for antiurolithiatic and antioxidant properties, *J. Natural Med.* 62: 300-307.

Edewor, T. and Usman, L.A. (2012) Cytotoxicity and antibacterial activity of the leaf methanolic extract of *Verbena hastate*, *J. Med. Plants Res*., 6: 55-58.

Eknoyan, G. (2004) History of urolithiasis, *Clin. Rev. Min. Meta*., 2: 177-185.

Elizabeth, K. and Rao, H.N.A. (1990) Oxygen radical scavenging activity of curcumin, *Int. J. Pharm*., 58: 237-240.

Erickson, S.B., Vrtiska, T.J. and Lieske, J.C. (2011) Effect of Cystone on urinary composition and stone formation over a one year period, *Phytomed*., 18: 863-867.

Esterbauer, H., Schwarlz, E. and Hayn, M. (1977) A rapid assay for catechol oxidase and laccase using 2-nitro-5-thiobenzoic acid, *Anal. Biochem*. 77: 486-494.

Evan, A., Lingeman, J., Coe, F.L. and Worcester, E. (2006) Randall's plaque: pathogenesis and role in calcium oxalate nephrolithiasis, *Kid. Int*., 69: 1313-1318.

Evan, A.P. and Willis, L.R. (2007) Extracorporeal shock wave lithotripsy: complications. In: Smith's Textbook on Endourology. (Edited by A.D. Smith., G.H. Badlani., D.H. Bagley., R.V. Clayman., S.G. Docimo). Hamilton, Ontario, Canada: B.C. Decker, Inc. Chapter 41, 353-365.

Evan, A.P., Evan, A.P., Lingeman, J.E., Coe F.I., Shao, Y., Parks, J.H., Bledsoe, S.B., Philip, C.I., Bonsib, S., Worcester, E.M., Kim, S.C. and Grynpas, M. (2005) Crystal-associated nephropathy in patients with brushite nephrolithiasis, *Kid. Int.,* 67: 576-591.

Fan, J., Schwille, P. O., Schmiedl, A., Gottlien, D., Manoharan, M. and Herrmann, U. (1999) Calcium oxalate crystallization in undiluted urine of healthy males: *In vitro* and *in vivo* effects of various citrate compounds, *Scan. Micro*., 13: 307-319.

Farmanesh, S., Chung, J., Sosa, R.D., Kwak, J.H., Karnade, P. and Rimer, J.D. (2014) Natural promoters of calcium oxalate monohydrate crystallization, *J. Am. Chem. Soc*., 136: 12648-12657.

Fedric, L.C., Andrew, E. and Elaine, W. (2005) Kidney Stone Disease, *J. Clin. Invest*., 115: 2598-2608.

Ferguson, N.M. (1956) A Text book of Pharmacognosy, Mac Milan Company, New Delhi, p191.

Fine, J.K., Pak, C.Y.C. and Preminger, G.M. (2010) Effect of medical management and residual fragments on recurrent stone formation following shock wave lithotripsy, *J. Urol*., 153: 27-33.

Finlayson, B. and Reid, F. (1978) The expectation of free and fixed particle in urinary stone disease, *Invest. Urol*., 15: 442-448.

Finlayson, B., Khan, S.R. and Hackett, R.L. (1984) Mechanisms of stone formation - an overview, *Scan. Elec. Micro*., 3: 1419-1425.

Fiske, C.H.J. and Subbarow, Y. (1925) The colorimetric determination of phosphate, *J. Biol. Chem*., 56: 375-381.

Florek, E., Ignatowic, E. and Piekoszewski, W. (2009) Effect of pregnancy and tobacco smoke on the antioxidant activity of rutin in an animal model, *Pharm.col. Reports*, 61: 935-940.

Font-Llitjós, M., Llitjós, Vidal, M.J., Bisceglia, L., Perna, M.D., Sanctis,L.D., Rousaud, F., Zelante, L., Palacín, M. and Nunes, V. (2005) New insights into cystinuria: 40 new mutations, genotype-phenotype correlation, and digenic inheritance causing partial phenotype, *J. Med. Genet.,*42: 58-68.

Forni, M. (2007) Laboratory animal science: A resource to improve the quality of science, *Vet. Res. Comm*., 31: 43-47.

Fouada, A., Yamina, S., Nait, M. A., Mohammed, B. and Abdlekrim, R. (2006) *In vitro* and *in vivo* antilithiasic effect of saponin rich fraction isolated from *Herniaria hirsute*, *J. Braz. Nefrol*., 28: 199–203.

Frietas, A. M., Schor, N. and Boim, M. A. (2002) The effect of *P. niruri* on urinary inhibitors of calcium oxalate crystallization and other factors associated with renal stone formation, *Braz. J. Urol. Int*., 89: 829-834.

Frison, E.A. and Sharrock, S.L. (1999) Introduction: the economic, social and nutritional importance of banana in the world. In: Bananas and Food Security, *Int. Sym*., 21–35.

Gadre, A.P. and Gabhe, S.Y. (1993) Identification of some sterols of *Tridax procumbens* by GC- MS, *Ind. J. Pharm. Sci.*, 55: 191-192.

Galani, V.J. and Panchal, R.R. (2014) *In vitro* evaluation of *Centratherum anthelminticum* seeds for antinephrolithiatic activity, *Homeop. Ayurv. Med*., 3:145. DOI:10.4172/ 2167-1206.1000145.

Gandhi, M., Aggarwal, M., Puri, S. and Singla, S.K. (2013) Prophylactic effect of coconut water (*Cocos nucifera* L.) on ethylene glycol induced nephrocalcinosis in male Wistar rat, *Int. Braz. J. Urol*., 39: 108-117.

Gangu, K.K., Tammineni, G.R., Dadhich, A.S. and Mukkamala, S.B. (2014) Control of phase and morphology of calcium oxalate crystals by natural polysaccharide, Gum Arabic, *Mol. Cryst. Liq. Cryst*., 591: 114-122.

Gangwar, K., Deepali, K. and Gangwar, R. S. (2010). Ethnomedicinal plant diversity in Kumaun Himalaya of Uttarakhand, India, *Nature Sci*., 8: 66-78.

Garimella, T. S., Jolly, C. I. and Narayanan, S. (2001) *In vitro* studies on antilithiatic activity of seeds of *Dolichos biflorus* Linn. and rhizomes of *Berginia ligulata* Wall, *Phyto. Res*., 15: 315-355.

Geetha, D., Rajeswri, M. and Jayashree, I. (2013) Chemical profiling of *Elaeocarpus serratus* L. by GC-MS, *Asia Pac. J. Trop. Biomed*., 3: 985-987.

Gettman, M.T. and Segura, J.W. (2005) Management of ureteric stones: Issues and controversies, *Bri. J. Urol. Int.,* 95: 85–93.

Gilhotra, U.K., Mohan, G. and Christina, A.J.N. (2013) Antilithiatic activity of poly-herbal formulation tablets by *in vitro* method, *J. App. Pharm. Sci*., 3: 43-48.

Gindi, S., Methra, T., Chandu, B.R., Boyina, R. and Dasari, V. (2013) Antiurolithiatic and *in vitro* anti-oxidant activity of leaves of *Ageratum conyzoides* in rat, *World J. Pharm. Pharm. Sci*., 2: 636-649.

Glodny, B., Unterholzner, V., Taferner, B., Hofmann, K.J., Rehder, P., Strasak, A. and Petersen, J. (2009) Normal kidney size and its influencing factors - a 64-slice MDCT study of 1.040 asymptomatic patients, *BMC Urol*. 23: 9-19.

Gnessin, E., Lingeman, J. E. and Evan, A. P. (2010) Pathogenesis of renal calculi, *Turkish J. Urol*., 36:190-199.

Goldfarb, D.S. and Asplin, J.R. (2001) Effect of grapefruit juice on urinary lithogenesity, *J. Urol*., 166: 263-267.

Gopalakrishnan, S. and Vadivel, E. (2011) GC-MS analysis of some bioactive constituents of *Mussaenda frondosa* Linn., *Int. J. Pharm. Bio. Sci*., 2: 313-320.

Gowri, V., Somasundaram, G., Amuthaiswarya, Devi, J. and Kottai Muthu, A. (2014) Free radical scavenging activity of various extracts of whole plants of *Dolichos biflorus* (Linn.): An *in vitro* evaluation, *Int. J. Exp. Pharm.*, 4: 41-45.

Goyal, B., Alok, S., Jain, S.K., Verma, A. and Kumar, M. (2014) Phytochemical and pharmacological investigation on the leaves of *Tamarindus indica* Linn. for antilithiatic activity, *Int. J. Pharm. Sci. Res*., 5: 359-262.

Grases, F. and Costa-Bauza, A. (1990) Study of factors affecting calcium oxalate crystalline aggregation, *Braz. J. Urol*., 66: 240-244.

Grases, F., Costa-Bauza, A. and Prieto, R.M. (2006) Renal lithiasis and nutrition, *Nut. J*., 5:23.

Grases, F., Costa-Bauzá, A., Ramis, M., Montesinos, V. and Conte, A. (2002) Simple classification of renal calculi closely related to their micromorphology and etiology, *Clin. Chim. Acta*., 322: 29-36.

Grases, F., Masarova, L., Costa-Bauza, A., March, J.G., Prieto, R. and Tur, J.A. (1992) Effect of *Rosa canina* infusion and magnesium on the urinary risk factors of calcium oxalate urolithiasis, *Planta Med.,* 58: 509-512.

Grases, F., Prieto, R.M. and Costa-Bauza, A. (1998) *In vitro* models for studying renal stone formation: A clear alternative, *ALTA*, 26: 481-503.

Grases, F., Sanchis, P., Isern, B, Perelló, J. and Costa-Bauzá, A. (2007) Uric acid as inducer of calcium oxalate crystal development, *Scandinavian Urol. Neph*., 41: 26-31.

Guguloth, S., Vivekanandan, L., Singaravel, S., Sharif, S.H. and Thangavel, S. (2011) *In vitro* antioxidant activity of *Vitex negundo* Linn. bark, *Int. Res. J. Pharm*., 2: 105-109.

Gupta, M., Bhayana, S. and Sikka, S.K. (2011) Role of urinary inhibitors and promoters in calcium oxalate crystallization, *Int. J. Res. Pharm. Chem*., 1: 793-794.

Guyton, A.C. and Hall, J.E. (2007) Textbook of medical physiology, Saunders publications, Philadelphia, 11th edition, 308-310.

Habig, W.H., Pabst, M.J. and Jakoby, M. (1974) Glutathione transferase: A first enzymatic step in mercapturic acid formation, *J. Biol. Chem*., 249: 7130-7139.

Hackett, R.L., Shevock, P.N. and Khan, S.R. (1990) Cell injury associated calcium oxalate crystalluria, *J. Urol*., 144: 1535.

Hadjzadeh, M.A., Khoei, A., Hadjzadeh, Z. and Parizady, M. (2007) Ethanolic extract of *Nigella sativa* L. seeds on ethylene glycol-induced kidney calculi in rats, *Urol. J*., 4: 86-90.

Hailu, M., Workneh, T.S. and Belew, D. (2013) Review on postharvest technology of banana fruit, *Afr. J. Biotech*., 12: 635-647.

Harborne, J.B. (1973) Phytochemical methods - A guide to modern techniques of plant analysis, Chapman and Hall Pub., p33-56.

Hariharan, V. and Rangaswami, S. (1970) Strucutre of Saponins A and B from the seeds of *Achyranthes aspera*, *Phytochem*., 9: 409-414.

Heilberg, P. and Schor, N. (2006) Renal stone disease: Causes, evaluation and medical treatment, *Arq. Bras. Endocrinol. Metab*., 50: 823-831.

Hennequin, C., Lalane, V., Daudon, M., Lacour, B. and Drueke, T. (1993) A new approach to studying inhibitors of calcium oxalate crystal growth, *Urol. Res*., 21:101-108.

Hess, B., Nakagawa, Y. and Coe, F.L. (1989) Inhibition of calcium oxalate monohydrate crystal aggregation by urine proteins, *Am. J. Physiol*., 257: 99-106.

Hesse, A. (2005) Reliable data from diverse regions of the word exists to show that there has been a study increase in the prevalence of Urolithiasis, *World J. Urol*., 23: 302- 303.

Hodgkinson, A. and Williams, A. (1972) An improved colorimetric procedure for urine oxalate, *Int. J. Clin. Chem*., 36: 127-132.

Holmes, R. P. and Kennedy, M. (2000) Estimation of the oxalate content of foods and daily oxalate intake, *Kid. Int.,* 57: 1662-1667.

Hoppe, B., Groothoff, J.W., Hulton, S., Cochat, P., Niaudet, P., Kemper, M.J. Deschenes, G., Unwin, R. and Milliner, D. (2011) Efficacy and safety of *Oxalobacter formigens* to reduce urinary oxalate in primary hyperoxaluria, *Neph. Dial. Transplant*., 26: 3609-3615.

Hosseinzadeh, H., Khooei, A., Khashayarmanesh, Z. and Motamed-Shariaty, V. (2010) Antiurolithiatic activity of *Pinus eldarica* Medw. fruits aqueous extracts in rats, *Urol. J*., 7: 232-237.

Huang, H.S., Chen, C.F., Chien, C.T. and Chen, J. (2000) Possible biphasic changes of free radicals in ethylene glycol-induced nephrolithiasis in rats, *Braz. J. Urol. Int*., 85: 1143-1149 .

Hussain, M., Rizvi, S. A., Askari, H., Sultan, G., Lal, M., Ali, B. C. and Naqvi, S. A. (2009) Management of stone disease: 17 years experience of a stone clinic in a developing country, *J. Pak. Med. Assoc*., 59: 843-846.

Hwisa, N.T., Assaleh, F.H., Gindi, S., Mekad, F.E., Chandu, B.R. and Katakam, P. (2014) A study on antiurolithiatic activity of *Melia azadirachta* L. aqueous extract in rats, *Am. J. Pharm. Sci*., 2: 27-31.

Igarashi, M. and Miyazawa, T. (2001) The growth inhibiting effect of conjugated linoleic acid on a human hepatoma cell line Hep G2, is induced by a change in fatty acid metabolism but not the facilitation of lipid peroxidation in cells, *Biochem. Biophys. Acta/Mol. Cell Biol. Lipids*, 1530: 162-171.

Ilhan, M., Ergene, B., Suntar, I., Ozbilgin, S., Citoglu, G. S., Demirel, M.A., Keles, H., Altun, L. and Akkol, E.K. (2014) Preslinal evaluation of antiurolithiatic activity of *Viburnum opulus* L. on sodium oxalate-induced urolithiasis rat model, *Evidence Based Comp. Altern. Med.*, 1-10. Doi:10.1155/2014/578103.

Indian Horticulture Database-2013, National Horticulture Board, Ministry of Agriculture, Government of India, Gurgaon, India, p289.

Jafar, S., Mehri, L., Hadi, B. and Jamshid, M. (2012) The antiurolithiasic and hepatocurative activities of aqueous extracts of *Petroselinum sativum* on ethylene glycol-induced calculi in rats, *Scientific Res. Essays*, 7: 1577-1583.

Jain, S. K. (1963) Studies in ethnobotany: Origin and utility of some vernacular plant names, *Proc. Nat. Acad. Sci.,* 4: 525-530.

Jain, S. K. (1963a) The origin and utility of some vernacular plant names, *Proc. Nat. Acad. Sci*., 33: 525-530.

Jain, S. K. (1963b) Studies in Indian Ethnobotany-II. Plants used in medicine by the tribals of Madhya Pradesh, *Bull. Reg. Res. Lab. Jammu*, 1: 126-128.

Jain, S. K. (1963c) Magio-religious beliefs about plants among the advasis of Bastar, *Q. J. Myth. Soc*., 4: 73-94.

Jawla, S., Gupta, A.K., Singla, R. and Gupta, V. (2009) General awareness and relative popularity of allopathic, ayurvedic and homeopathic systems, *J. Chem. Pharm. Res*., 1: 105-112.

Jeeva, S. and Femila, V. (2012) Ethnobotanical investigation of Nadars in Atoor village, Kanyakumari District, Tamilnadu, *India Asian Pac. J. Trop. Biomed.,* 2: 593-600.

Jeong, B.C., Kim, B.S., Kim, J.I. and Kim, H.H. (2006) Effects of green tea on urinary stone formation: an *in vivo* and *in vitro* study, *J. Endourol*., 20: 356-361.

Jha, U., Shelke, T.T., Oswal, R.J., Adkar, P.P. and Navgire, V.N. (2011) Pharmacological screening of *Musa paradisiaca* Linn. against ethylene glycol induced renal calculi, *Int. J. Res. Ayur. Pharm*., 2: 995-998.

Jimenez, A.M., Martinez-Tome, M., Egea, I., Romojaro, F. and Murcia, M.A. (2008) Effect of industrial processing and storage on antioxidant activity of apricot *(Prunus armeniaca v. bulida), Eur. Food Res. Tech.*, 227: 125–134.

Jiofack, T., Fokunang, C., Guedje, N., Kemeuze V., Fongnzossie F., Nkongmereck, B.A., Mapongmetsem, P.M. and Tsabang, N. (2010) Ethno botanical use of medicinal plant of two ethoecological regions of Cameroon, *Int. J. Med. Med. Sci*., 2: 60-69.

Johnston-Saint, P. (1929). An outline of the history of medicine in India, *Ind. Med. Rec*., 49: 289.

Johri, N., Cooper, B., Robertson, W., Choong, S., Rickards, D. and Unwin, R. (2010) An update and practical guide to renal stone management, *Nephron Clin. Prac.*, 116: 159–171.

Jonassen, J.A., Cooney, R., Kennington, L., Gravel, K., Honeyman, T. and Scheid, C.R. (1999) Oxalate-induced changes in the viability and growth of human renal epithelial cells, *J. Am. Soc. Neph*., 10: 446-451.

Jose, A. M., Ibrahim, M. and Janardhanan, S. (2005). Modulatory effect of *Plectranthus amboinicus* Lour on ethylene glycol induced nephrolithiasis in rats, *Ind. J. Pharm.,* 37: 43-44.

Joseph, K.C., Parekh, B.B. and Joshi, M.J. (2005) Inhibition of growth of urinary type calcium hydrogen phosphate dihydrate crystals by tartaric acid and tamarind, *Curr. Sci*., 88: 1232–1238.

Joy, P.P., Thomas, J., Mathew, S. and Skaria, B.P. (2001) Medicinal plants. Tropical Horticulture vol.2 (Eds. Bose, T.K., Kabir, J., Das, P. and Joy, P.P.) Naya Prokash, Calcutta, 449-632.

Kakkar, P., Das, B. and Viswanathan, P.N. (1984) A modified spectrophotometric assay of superoxide dismutase, *Ind. J. Biochem. Biophys*., 21: 130-162.

Kalaitzidis, R.G., Damigos, D. and Siamopoulos, K.C. (2014) Environmental and stressful factors affecting the occurrence of kidney stones and kidney colic, *Int. Urol. Neph*., DOI.10.1007/sl1255-014-0758-2.

Kalpana, S., Nirmaladevi, R., Shrinidhi Rai, T. and Karthika, P. (2013) Inhibition of calcium oxalate crystallization *in vitro* by extract of banana cultivar Monthan, *Int. J. Pharm. Pharm. Sci*., 5: 649-653.

Kalpana, S., Shrinidhi Rai, T. and Nirmaladevi, R. (2014) Effect of *Tridax procumbens* extract on calcium oxalate crystallization under *in vitro* conditions, *Adv. Applied Sci. Res*., 5: 411-416.

Kanakavalli, K., Parthiban, P., Anbu, J., Rajeswaran, S.P. and Sathyavathy, R. (2013) Lithotriptic activity of siddha drug Megarajanga chooranam on ethylene glycol induced urolithiasis in rats, *Int. J. Pharm. Res. Rev*., 2: 24-32.

Karadi, R.V., Gadge, N. B., Alagawadi, K. R. and Savadi, R. V. (2006) Effect of *Moringa oleifera* Lam. root wood on the ethylene glycol induced urolithiasis in rats, *J. Ethnopharmacol.* 105: 306-311.

Karadi, R.V., Palkar, M.B., Gaviraj, E.N., Gadge, N.B., Mannur, V.S. and Alagawadi, K.R. (2008) Antiurolithiatic property of *Moringa oleifara* root, *Pharm. Biol*., 46: 861-865.

Karthika, K., Paulsamy, S. and Jamuna, S. (2012) Evaluation of *in vitro* antioxidant potential of methanolic leaf and stem extracts, *J. Chem. Pharm. Res*., 4: 3254-3258.

Kaufman, D.F, Kelly, J.P., Curhan, G.C., Anderson, T.E., Dretler, S.P., Preminger, G.M. and Cave, D.R. (2008) Oxalobacter forming genes may reduce the risk of calcium oxalate kidney stones, *J. Am. Soc. Neph*., 19: 1197.

Kaur, C.D. and Saraf, S. (2012) Development of photoprotective creams with antioxidant polyphenolic herbal extracts, *Res. J. Med. Plant*, 6: 83-91.

Kavanagh, J.P. (2006) Superstauration and renal precipitation: the key to stone formation, *Urol. Res.*, 34: 81-85.

Kavitha, D. (2010) *In vitro* and *in silico* approaches for characterizing novel antimicrobials from *Couroupita guianensis* Aubl., A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biotechnology.

Kawai, Y., Nakao, T., Kohda, Y. and Gemba, M. (2006) Relationship of intracellular calcium and oxygen radicals to cisplatin-related renal cell injury, *J. Pharm. Sci*., 100: 65-72.

Khalid, M., Siddiqui, H.H., Fareed, S. (2011) *In vitro* estimation of the antioxidant activity and phytochemical screening of *Boerhaavia diffusa* root extract, *Asian J. Trad. Med.*, 6: 259-267.

Khan, A., Bashir, S., Khan, S.R. and Gilani, A.H. (2011) Antiurolithic activity of *Origanum vulgare* is mediated through multiple pathways, *BMC Comp. Altern. Med*., 11: 96-99.

Khan, A., Khan, S. R., and Gilani, A. H. (2012) Studies on the *in vitro* and *in vivo* antiurolithic activity of *Holarrhena antidysenterica*, *Urol. Res*., 40: 671-681.

Khan, B.A., Akhtar, N., Rasul, A., Khan, A., Murtaza, G., Ali, A., Khan, K.A., Zaman, S., Jameel, A., Waseem, K. and Mahmood, T. (2012a) Human skin, aging and antioxidants, *J. Med. Plants Res*., 6: 1-6.

Khan, S.R. (1997), Animal models of kidney stone formation: An analysis, *World J. Urol*., 15: 236-243.

Khan, S.R., (2004). Crystal-induced inflammation of the kidneys: results from human studies, animal models and tissue-culture studies, *Clin. Exp. Neph*., 8: 75-88.

Khan, S.R., Byer, K.J., Thamilselvan, S. Hackett, R.L., McCormack, W.T. and Benson, N.A. (1999) Crystal-cell interaction and apoptosis in oxalate-assoiciated injury of renal epithelial cells, *J. Am. Soc. Neph*., 10: S457-463.

Khan, Z.A., Assiri, A.M., Hani, M.A., Al-Afghani and Maghrabi, T.M.A. (2001) Inhibition of oxalate nephrolithiasis with *Ammi visnaga* (AI-Khillah), *Int. Urol. Neph*., 33: 605-608.

Khandelwal, K.R. (2002) Practical pharmacognosy-techniques and experiments,1X Edition, Nirali Prakashan Publisher, Pune, p149-157.

Khare, P., Mishra, V.K., Arun, K, Bais, N. and Singh, R. (2014) Study on *in vitro* antilithiatic acitivity of *Phyllanthus niruri* Linn. leaves by homogenous precipitation and turbiditory method, *Int. J. Pharm. Pharm. Sci*., 6:124-127.

Khare, P., Singh, J. and Kakkar, A. (2014a) *In vitro* evaluation of *Coleus aromaticus* leaves for antilithiatic activity, *Int. J. Pharm.*, 1: 45-50.

Khaskhali, M.H., Byer, K.J. and Khan, S.R. (2009) The effect of calcium on calcium oxalate monohydrate crystal- induced renal epithelial injury, *Urol. Res*., 37: 1-6.

Khatun, S., Chatterjee, N. C. and Cakilcioglu, U. (2011) Antioxidant activity of the medicinal plant *Coleus forskohlii* Briq., *Afr. J. Biotech*., 10: 2530-2535.

Kishore, D.V., Moosavi, F. and Varma, R.K. (2013) Effect of ethanolic extract of *Portulaca oleracea* Linn. on ethylene glycol and ammonium chloride induced urolithiasis, *Int. J. Pharm. Pharm. Sci*., 5:134-140.

Knoll, T. (2007) Stone disease, *Eur. Urol. Suppl*., 6: 717-722.

Koide, T., Yamaguchi, S., Utsunomiyo, M., Yoshioka, T. and Sugiyama, T. (1995) The inhibitory effect of Kampou extracts on *in vitro* calcium oxalate crystallization and *in vitro* calcium oxalate crystallization and *in vivo* stone formation in animal model, *Int. J. Urol*., 2: 81-86.

Kok, D.J. and Khan, S.R. (1994) Calcium oxalate nephrolithiasis, a free or fixed particle disease, *Kid. Int*., 46: 847-854.

Kok, D.J., Pappoulos, S.E. and Bijvoet, O.L. (1986) Excessive crystal agglomeration with low citrate excretion in recurrent stone-formers, *Lancet*, 1: 1056-1058.

Koksal, E., Bursal, E., Dikici, E., Tozoglu, F. and Gulcin, I. (2011) Antioxidant activity of *Melissa officinalis* leaves, *J. Med. Pl. Res*., 5: 217-222.

Kolthoff, J.M. (1927) Ein spezifisches Reagens auf Natrium., *Biochem. Z*., 185: 344

Kondakova, K., Tsvetkov, I., Batchvarova, R., Badjakov, I., Dzhambazova, T. and Slavov, S. (2009) Phenol compounds-qualitative index in small fruits, *Biotech. Biotech. Eq*., 23: 1444-1448.

Kore, K.J., Shete, R.V., Jadhav, P.J. and Kabra, M.P. (2011) Antiurolithiatic effects of hydroalcoholic extract of *Lawsonia inermis* leaves, *Int. J. Univ. Pharm. Life Sci*., 1: 81-95.

Kramer, H.J., Choi, H.K., Atkinson, K., Stampfer, M. and Arhan, G.C. (2003) The association between gout and nephrolithiasis in men, *Int. J. Urol*., 64: 1022-1026.

Krishna, D. A. C, Santosh kumar, M., Reddy, A. M, Mukherjee, N. S. V., M.H. Sumanth, M. H., Ramesh, A. (2010) Antiurolithiatic activity of *Macrotyloma uniflorum* seed extract on ethylene glycol induced Urolithiasis in albino rats, 5: 216-226.

Krishna, N. and Amirthalingam, M. (2014) Sacred plants of India. Penguin Books Ltd. p312.

Kulaksizoglu, S., Sofikerim, M. and Cevik, C. (2008) *In vitro* effect of lemon and orange juices on calcium oxalate crystallization, *Int. Urol. Neph*., 40: 589-594.

Kumar, A. and Mahapatra, B. (2014) *In vitro* inhibition of mineralization of urinary stone forming minerals by glycolic acid, *Eur. Chem. Bull*., 3: 835-837.

Kumar, K.P.S., Bhowmik, D., Duraivel, S. and Umadevi, M. (2012) Traditional and Medicinal uses of banana, *J. Pharmacognosy Phytochem*., 1: 51-63.

Kumar, S. M. C., Udupa, A. L., Sammodavardhana, K., Rathnakar, U. P., Shvetha U. and Prabhath Kodancha, G. (2009) Antiurolithiatic activity of aqueous extracts of *Asparagus racemosus* Willd. and *Tamarindus indica* Linn. in rats, *Pharm. online,* 2: 625-630.

Kumar, S., Sigmon, D., Miller, T. Carpenter, B., Khan, S. Malhotra, R., Scheid, C. and Menon, M. (1991) A new model of nephrolithiasis involving tubular dysfunction injury, *J. Urol*., 146: 1384-1389.

Kumar, S.B.N., Kumar, K.G. and Srinivasa, V. and Bilal, S. (2012) A review on urolithasis, *Int. J. Univ. Pharm. Life Sci*., 2: 269-280.

Kumar, V. and Yadav, S.K. (2009) Plant-mediated synthesis of silver and gold nanoparticles and their applications, *Chem. Technol. Biotech*., 84: 151-157.

Kumari, D. and Achal, V. (2008) Effect of different substrates on the production and non-enzymatic antioxidant activity of *Pleurotus ostreatus* (Oyster mushroom), *Life Sci. J*., 5: 73-76.

Kuncha, J., Ganeshkumar, J., Sharmiladevi, V. and Prabhu, P. (2014) Evaluation of antilithiatic potential of aqueous extract of *Trianthema decandra* by *in vitro* calcium and phosphate inhibition assay, *World J. Pharm. Res*., 3: 3186-3192.

Kuo, R.L., Lingeman, J.E., Evan, A.P., Paterson, R.F., Parks, J.H., Bledsoe, S.B., Munch, L.C. and Coe, F.L. (2003) Urine calcium and volume predict coverage of renal papilla by Randall's plaque, *Kid. Int*., 64: 2150-2154.

Kwape, T.E. and Chaturvedi, P. (2012) Antioxidant activities of leaf extract of *Ziziphus mucronata*, *Int. J. Food Agri. Vet. Sci*., 2: 62-69.

Laroubi, A., Touhami, M., Farouk, L. and Aboufatima, R. (2007) Prophylaxis effect of *Trigonella foenum graceum* L. seeds on renal stone formation in rats, *Phyto. Res*., 21: 921-925.

Laszlo, I., Ecaterina, B., Monica, B., Rodica, U., Viorela,C. and Ioan, O. (2014) Influence of mineral water consumption and renal stone formation, Balneo Res. J., 5: 37-43.

Lawrence, A. and Koya, M.P. (2009) Management of urolithiasis – a review, *Samoa. Med. J.*, 41-43.

Lemley, K.V. and Kriz, W. (1991) Anatomy of the renal interstitium, *Kid. Int*., 39: 370-381.

Levis, B.D. (1990) Determination of citrate in urine by simple direct photometry, *Clin. Chem*., 35: 578-579.

Liang, L., Li L., Tian, J., Lee, S.O., Dang, Q., Huang, C.K., Yeh, S., Erturk, E., Bushinsky, D., Chang, L.S., He, D. and Chang, C. (2014) AR enhances kidney stone-CaOx crystal formation via modulation oxalate biosynthesis/oxidative stress, *Mol. Endocri*. 6: 785-789.

Lieske, J.C. (2014) New insights regarding the interrelationship of obesity, diet, physical activity, and kidney stones, *J. Am. Soc. Neph.*, 25: 211-212.

Lieske, J.C., Swift, H., Martin, T., Patterson, B. and Toback, F.G. (1994) Renal epithelial cells rapidly bind and internalize CaOx monohydrate crystals, *Proc. Natl. Acad. Sci*., *USA*, 91: 6987-6991.

Ligeman, J.E, Matlage, B. and Evan, A.P. (2006) Surgical management of urinary lithiasis, *J. Urol*., 44: 1431-1507.

Liu, G. Zhang, G.Z., Yang, B. and He, Wei (2011) A pilot study for evaluation of antioxidant activity of resveratrol from *Polygonum cuspidatum* in senescence-accelerated mice, *J. Med. Plants Res*., 6: 325-330.

Loizzo, M. R., Said, A., Tundis, R., Hawas, U.W., Rashed, K., Menichini, R., Frega, N.G. and Menichini, F. (2009) Antioxidant and antiproliferative activity of *Diospyros lotus* L. extract and isolated compounds, *Plant Foods Hum. Nutr*., 64: 264-270.

Lopez, M. and Hoppe, B. (2010) History, epideminology and regional diversities of urolithiasis, *Pediat*. *Nephrol*., 25: 49-59.

López, V., Martén, S., Pilar, M., Carretero, M.E., Jäger, A.K. and Calvo, M.I. (2009) Neuroprotective and neurological properties of *Melissa officinalis*, *Neurochem. Res*., 34: 1955-1961.

Luck, H. (1974) In: methods in enzymatic analysis, II Edn., Bergmeyer Academic Press, New York, p805.

Luna, L.C. (1968) Manual of histological staining methods for the armed forces, Institute of Pathology, 3rd Ed., Mc Graw Hill Cook Company, New York, P. 125, 1-31.

Mac-Donell, A. A. (1962) A history of Sanskrit literature, Delhi: Motilal Banarsidass: p40.

Madhavan, V., Vedavathi, B., Raju, A., Murali, A. and Yoganarasimhan, S. (2011) Sedative activity studies on the aqueous and alcohol extracts of the stem bark of *Madanaphala*-an ayurvedic drug (*Catunaregam spinosa* (Thunberg) Tiruvengadam), *Asian J. Trad. Med*., 6: 203-210.

Madhuri, S., Pandey, G. and Verma, K.S. (2011) Antioxidant, immunomodulatory and anticancer activities of *Emblica officinalis*: An overview, *Int. Res. J. Pharm*., 2: 38-42.

Malini, M. M., Lenin, M. and Varalakshmi, P. (2000) Protective effect of triterpenes on calcium oxalate crystal-induced peroxidative changes in experimental urolithiasis, *J. Pharm. Res*., 41: 413-418.

Mallick, C.P. and Singh, M.B. (1980) Plant enzymology and plant histoenzymology, Kalyani Publishers, New Delhi, p286.

Mallikharjuna, P.B., Rajanna, L.N., Seetharam, Y.N. and Sharanabasappa, G.K. (2007) Phytochemical studies of *Strychnos potatorum* L.- A medicinal plant, *e-J Chem*., 4: 510-518.

Mamta, K., Abhishek, B. and Rohit, P. (2010) Pharmacognostical evaluation of the root of *Rotula aquatica* Lour., *Int. J. Pharm. Biosci*., 1: 1-4.

Mandal, S. Hazra, B., Sarkar, R., Biswas, S. and Manda, N. (2009b) Species scavenging activity of methanolic extract of *Caesalpinia crista* leaf assessment of the antioxidant and reactive oxygen, eCAM, Page 11, doi:10.1093/ecam/nep072.

Mandavia, D.R., Patel, M.K., Patel, J.C., Anovadiya, A.P. Baxi, S.N. and Tripati, C.R. (2013) Anti-urolithiatic effect of ethanolic extract of *Pedalium murex* Linn. fruits on ethylene glycol-induced renal calculi, *Summer*, 10: 946-952.

Manikandan, P., Anandan, R. and Nagini,, S. (2009) Evaluation of *Azadirachta indica* leaf fractions for *in vitro* antioxidant potential and protective effects against H_2O_2-induced oxidative damage to pBR322 DNA and red blood cells, *J. Agric. Food Chem*., 57: 6990–6996.

Manjula, K., Rajendhran, K., Eevera, T. and Kumaran, S. (2012) Effect of *Costus igneus* stem extract on calcium oxalate urolithiasis in albino rats, *Urol. Res*., 40: 499-510.

Manjula, R. and Hoppe, B. (2012). History, epideminology and regional diversities of Urolithiasis, *Pediatr*. *Neph*., 25: 49-54.

Maoela, M.S., Arotiba, O.A., Baker, P.G.L., Mabusela, W.T., Jahed, N., Songa, E.A. and Iwuoha, E.I. (2009), Electroanalytical determination of catechin flavonoid in ethyl acetate extracts of medicinal plants, *Int. J. Electrochem. Sci*., 4: 1497-1510.

Masdak, H., Mohammad, M.N. and Ghanea, L. (2007) Evaluation of the *Raphanus sativa* effect on urinary pH, *J. Res. Med. Sci*., 12:58.

Mathew, J.B, Varghese E.P. Kurian, S., Thomas, S.M., Raju, S., Pothan, N. and Vasudevan, T.D. (2014) Phytochemical screening and determination of *in vitro* antilithiatic activity of *Solanum anguivi* Lam., *Int. J. Inst. Pharm. Life Sci*., 4: 134-146.

Mattle, D. and Hess, B. (2005). Preventive treatment of nephrolithiasis with alkali citrate – a critical review, *Urol Res*., 33: 73–79.

Maya, S. and Pramod, C. (2014) Evaluation of anti-nephrolithiatic activity of ethanolic leaf extract of *Morus alba* L. in animal models, *Int. Res. J. Pharm*., 5: 427-433.

Mayee, R. and Thosar, A. (2011) Evaluation of *Lantana camara* Linn. (Verbenaceae) for antiurolithiatic and antioxidant activities in rats, *Int. J. Pharm. Clin. Res*., 3: 10-14.

Mazdak, H., Nikkar, M.M. and Ghanea, L. (2014) Evaluation of *Raphanus sativus* effect on urinary pH, *J. Res. Med. Sci*., 12: 58-61.

McQuade, D.J., Dargan, P.I. and Wood, D.M. (2014) Challenges in the diagnosis of ethylene glycol poisoning, *Ann. Clin. Biochem*., 51: 167-178.

Meena, H., Pandey, H.K., Pandey, P., Arya, M.C. and Ahmed, Z. (2012) Evaluation of antioxidant activity of two important memory enhancing medicinal plants *Baccopa monnieri* and *Centella asiatica*, *Ind. J. Pharm.*, 44: 114-117.

Mekap, S.K., Mishra, S., Sahoo, S. and Panda, P.K. (2011) Antiurolithiatic activity of *Crataeva magna* Lour. bark, *Ind. J. Natural Pdt. Resou*., 2: 28-33.

Menon, M. and Koul, H. (1992). Calcium-Oxalate Nephrolithiasis, *J. Clin. Endocri. Meta*., 74: 703-707.

Menon, M. and Resnick, M.I. (2002) Urinary lithiasis: Etiology, diagnosis, and medical management, *Campbell's Urol*., 96: 3229-3232.

Mensor, L.L., Menezer, F.S., Leitae, G.C., Resi, A.S., Dossantos, T.C., Coube, C.S. and Leitaos, G. (2001) Screening of Brasilian plant extract for antiodxidant activity by the use of DPPH free radical method, *Phyto. Res*., 15: 127-130.

Michelle, L. and Bernd, H. (2010) History, epidemiology and regional diversities of urolithiasis, *Pediatr*. *Neph*., 25: 49–59.

Millan, A., Conte, A. Garcia-Raso, A. and Grases, F. (1987) Determination of citrate in urine by simple direct photometry, *Clin. Chem*., 33: 1259-1260.

Miller, N.L. and Lingeman, J.E. (2007) Management of kidney stones, *BMJ*, 334: 468–472.

Minelli, C., Granell, R., Newson, R., Rose-Zerilli, M.J., Torrent, M., Ring, S.M., Holloway, J.W. (2010) Glutathione-S-transferase genes and asthma phenotypes: a Human Genome Epidemiology (HuGE) systematic review and meta-analysis including unpublished data, *Int. J. Epidemiol*., 39: 539-562.

Mitra, S. (2014) Tropical and sub-tropical fruits in India, *J. Trop. Crop Sci*., 1:1-2.

Mitra, S.K., Gopumadhavan, S., Venkataranganna, M.V. and Sundaran, R. (1998) Effect of cystone a herbal formulation on glycolic acid induced urolithiasis, *Phyto. Res*., 12: 372-374

Moe, O.W. (2006) Kidney stones: Pathophysiology and medical management, *The Lancet*, 367(9507): 333–44.

Mohamed, A.N.F., Mozhiyarasi, P. and Nalini, R. (2006) Inhibition of mineralization of urinary stone forming minerals by medicinal plants, *e-J. Chem*., 3: 182-185.

Mohamed, F. N. A., Rajesh, S. and Jamuna M. (2009). Inhibition of mineralization of urinary stone forming minerals by medicinal plants. *e-J. Chem.,* 6: 938-942.

Mohanty, N.K., Nayak, R.L. and Patki, P.S. (2010) Safety and efficacy of an Ayurvedic formulation Cystone in management of ureteric calculi: A prospective randomized placebo controlled study, *Am. J. Pharm. Toxicol*., 5: 58-64.

Monika, J., Anil, B. Aakanksha, B. and Priyanka, P. (2012) Isolation, characterization and *in vitro* antiurolithiatic activity of Cerpegin alkaloid from *Ceropegia bulbosa* var. Lushii root, *Int. J. Drug Devpt. Res*., 4: 154-160.

Moriyama, M.T., Miyazawa, K., Noda, K., Oka, M., Tanaka, M. and Suzuki, K. (2007) Reduction in oxalate-induced renal tubular epithelial cell injury by an extract from *Quercus salicina* Blume/*Quercus stenophylla* Makino., *Urol. Res*., 35: 295-300.

Moron, M. E. (2014) Epistemology and Lithology, *Urol*., 5-15, DOI 10.1007/978-1-4614-8196-6_2.

Moron, M.S., Depierre, J.N. and Mannervik, V.C. (1979) Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver, *Biochem. Biophy. Acta*., 582: 67-68.

Mukhopadhyaya, G. (1929). History of Indian Medicine. Calcutta University Press, Calcutta: p32.

Mulla, W.A., Salunkhe, V.R., Kuchekar, S.B. and Qureshi, M.N. (2009) Free radical scavenging activity of leaves of *Alocasia indica* (Linn.), *Ind. J. Pharm. Sci*., 71: 303-307.

Mushtaq, S., Siddiqui, A.A., Naqvi, Z.A., Rattani, A., Talati, J., Palmberg, C. and Shafquat, J. (2007) Identification of myeloperoxidase, alpha-defensin and calgranulin in calcium oxalate renal stones, *Clin. Chim. Acta*, 384: 41-47.

Nabi, G., Downels, P., Keeley,F., Watson, G, and Mcccliton, S. (2007) Extracorporal shack wave lithotripsy (ESWL) versus ureteroscopic management for ureteric calculi, *Cochrane database*, 3: 34-52.

Nagori, K., Sharma, M., Agrawal, A., Agarwal, A.K. and Sharma, A. (2011) General awareness on allopathic, ayurvedic and homeopathic system of medicine in Chhattisgarh, India, *Int. J. Pharm. Pharm. Sci*., 3: 159-162.

Nain, P., Kumar, A., Sharma, S. and Nain, J. (2011) *In vitro* evaluation of antimicrobial and antioxidants activities of methanolic extract of *Jasminum humile* leaves, *Asian Pac. J. Trop. Med*., 4: 804-807.

Nandagopalan, V., Anand, S.P., Lakshmiprabha, A., Selvakumar, U. and Doss, A. (2011). An ethnobotanical study in the Pudukkottai district, South India, *Asian J. Exp. Biol. Sci*. 2: 412-421.

Narayana, C.K., Ramajayam, D., Evelin Mary, A. and Sathiamoorthy, S. 2003. Value Added Banana Products, (Technical Bulletin- # 8). National Research Centre for Banana, Tiruchirapalli Tamil Nadu, p19.

Neira-Carrillo, A., Vasquez-Quitral, P., Yazdani-Pedram, M. and Arias, A.L. (2010) Selective calcium oxalate crystallization induced by monomethylitaconate grafted polymethylsiloxane, *Mol. Cryst. Liq. Cryst*., 522: 307-317.

Ngo, T. C. and Assimos, D. G. (2007) Uric acid nephrolithiasis: Recent progress and future directions, *Rev. Urol.,* 9: 17–27.

Nirmal, J., Babu, C.S., Harisudhan, T. and Ramanathan, M. (2008) Evaluation of behavioural and antioxidant activity of *Cytisus scoparius* Link in rats exposed to chronic unpredictable mild stress, *BMC Comp. Altern. Med*., 8: 1-8.

Nirmaladevi, R. and Padma, P.R. (2008) A study on the antioxidant potential of three under-exploited plants of medicinal value, *Pl. Arch*., 8: 339-341.

Nirmaladevi, R., Kalpana, S., Kavitha, D. and Padma, P. R. (2012) Evaluation of antilithiatic potential of *Hibiscus rosa-sinesis* Linn., *in vitro*, *J. Pharm. Res*., 5: 4353-4356.

Nirmaladevi, R., Padma, P.R. and Kavitha, D. (2010) Analyses of the methanolic extract of the leaves of *Rhinacanthus nasutus*, *J. Med. Plant Res*., 4: 1554-1560.

Nirmaladevi, R., Uthayachandirika, J., Annadurai, G., Kalpana, S. and Shrinidhi Rai, T. (2013) Evaluation of *Aerva lanata* flower extract for its antilithiatic potential *in vitro* and *in vivo*, *Int. J. Pharm. Pharm. Sci. Res*., 3: 67-71.

Noudeh, G.D., Sharififar, F., Behravan, E., Mohajeri, E. and Alinia, V. (2011) Medicinal plants as surface activity modifiers, *J. Med. Plants. Res*., 5: 5378-5383.

Ohkawa, T., Ebisuno, S., Kitagawa, M., Morimoto, S. and Miyazaki, Y. (1984) Rice-bran treatment for hypercalciuric patients with urinary calculus disease, *J. Urol*., 129: 1009-1011.

Olaiya, O.G., Ailenosi, S.S., Adelaja, A., and Eniola, K. (2011) Effects of aqueous extract of garlic and vitamin C on the kidney of albino rats, *Asian J. Exp. Biol. Sci*., 2: 455-461.

Olorunnisola, O.S., Bradley, G. and Afolayan, A. J. (2012) Antioxidant activity of acetone and ethanolic leaves extracts of *Hippobromus pauciflorus* (L.f.) Radlk., *Afr. J. Biotech*., 11: 1206-1213.

Orčić, D.Z., Mimica-Dukić, N.M., Francišković, M.M., Petrović, S.S. and Jovin, E.D. (2011) Antioxidant activity relationship of phenolic compounds in *Hypericum perforatum* L., *Chem. Cent. J.*, 5: 1-34.

Oyebanji, O. B. and Saba, A. B. (2011) Phytochemistry and *in vitro* anti-oxidant activities of *Stellaria media*, *Cajanus cajan* and *Tetracera potatoria* methanolic extracts, *J. Med. Pl. Res*., 5: 6622-6627.

Pachana, K., Wattanakornsiri, A., Nanuam, J. (2010) Application of small caltrops (*Tribulus terrestris)* to inhibit calcium oxalate monohydrate crystallization, *Sci. Asia*, 36: 165-168.

Padma, V.V., Christie, S.A.D. and Ramkuma, K.M. (2007) Induction of apoptosis by ginger in Hep -2 cell line is mediated by reactive oxygen species, *Basic Clin. Pharm.*, 100: 302-307.

Pak, H.Y., Ohata, and Holt, K.K. (1975) Effect of diphosphonate on crystallization of calcium oxalate *in vitro*, *Kid. Int*., 7: 154-160.

Pandey, G. (2001) *Dravyaguna vijana* (*Materia medica*, Vegetable drugs), Krishnadas academy, Oriental publishers and distributers, Varanasi, Vol. I, II & III.

Paphonngam, A., Kondgee, A. and Buttaraj, K. (2011) Encapsulation of *Acorus Calamus* Linn. extract by polyurethane microcapsules, *Sci. J. UBU*, 2: 12-16.

Paramasivam, M., Aktar, W., Poi, R., Banerjee, H. and Bandyopadhyay, A. (2008) Occurrence of curcuminoids in *Curcuma longa*: A quality standardization by HPTLC, *Bangladesh J. Pharm.*, 3: 55-58.

Parameshwar, K., Wattanakornsire, A., Nanuam, J. (2001) Application of small caltrops (*Tribulus terrestris*) to inhibit calcium oxalate monohydrate crystallization, *Sci. Asia*, 36: 165-168.

Parameshwar, P., Rao, Y.N., Naik, V. and Reddy, S.H (2011) Evaluation of antilithiatic activity of *Adonis aestivalis* Linn. in male Wistar rats, *Der. Pharm.cia. Lettre*, 3: 104-107.

Pareta, K.A. and Watson, G. (2011) Impact of obesity in patients with urolithiasis and its prognostic usefulness in stone recurrence, *J. Urol*., 179: 570-574.

Pareta, S.K., Patra, C.K. and Harwansh, R. (2011) *In vitro* calcium oxalate crystallization inhibition by *Achyranthes indica* Linn. hydroalcoholic extract: An approach to antilithiasis, *Int. J. Pharm. Bio. Sci*., 2: 432-437.

Parikh,V. and Karkhanis, V.V. (2011) Spectrophotometric estimation of gemfibrozil in bulk and pharmaceutical dosage forms, *Int. Res. J. Pharm*., 2: 106-109.

Park, S. and Pearle, M.S. (2007) Pathophysiology and management of calcium stones, *Urol. Clin. North Am*., 34: 295-313.

Patel, B.V., Patel, G. D., Makwana, G.A., Patel, M.J. and Brahmbhatt, R.M. (2010) Comparative study on *Rieva hypocraterforis, Cynodon dactylone* and *Balanita aegypticae* using antilithiatic activity *in vitro*, *Int. J. Pharm. Sci. Res*., 2: 85-87.

Patel, P. K., Nayak, N., Patel, H., Patel, M.A., Saralai, M.G. and Gandhi, T.R. (2010a) Inhibition of calcium oxalate crystallization by the fruits extracts of *Solanum xanthocarpum* Schrad. and Wendl. and *Pedalium murex* Linn., *Int. J. Pharm. Res*., 2: 46-52.

Patel, R.M. and Patel, N.J. (2011) *In vitro* antioxidant activity of coumarin compounds by DPPH, super oxide and nitric oxide free radical scavenging methods, *J. Adv. Pharm. Edu. Res*., 1: 52-68.

Patel, R.R. and Mandal, S.D. (2014) Evaluation of antiurolithiatic activity of *Withania somnifera* in ethylene glycol induced urolithiasis in rats, *Int. J. Pharm. Archive*, 3: 346-355.

Patil, A. G., Joshi, K. A., Patil, D. A. and Chandra, N. (2011b) Biological and chemical sciences pharmacognostical standardization and HPTLC fingerprint of *Cardiospermum halicacabum* L. Stem, *Res. J. Pharm.*, 2: 343-352.

Patil, R.G. (2011) Development of values added products from banana pseudostem, (NAIP, Progress Report), Navsari Agriculture University, Navsari, Gujarat. p25.

Paula, A., Mirian, S. Boim, A. and Bastosb, J. (2012) Effect of hydroalcoholic extract from *Copaifera Langsdorffii* leaves on urolithiasis induced rats, *Urol. Res*., 40: 475-481.

Pawar, A.K., Kalyani, D., Chandrasekar, S.B. and Diwaker, G. (2009) Diuretic activity of extract of *Rubia cordifolia* Linn., *J. Pharm. online*, 1: 597-603.

Penniston, K.L. (2014) Dietary oxalate and calcium oxalate stones: a theoretical or real concern?, Practical controversies in medical management of stone disease, (Eds.) Pearle, M.S., Nakada, S.Y., 7-28.

Pereira, A. and Maraschin, M. (2015) Banana (*Musa* spp) from peel to pulp: Ethanopharmacology, source of bioactive compounds and its relevance for human health, *J. Ethanopharma*., 160: 149-163.

Pereira, C.A., Pereira, L. L. S. and Corrêa, A. D. (2011) High performance liquid chromatography (HPLC) of *Hoodia gordonii* commercial powder, *J. Med. Pl. Res*., 5: 5766-5772.

Phadungkit, M., Somdee, T. and Kangsadalampai, K. (2012) Phytochemical screening, antioxidant and antimutagenic activities of selected Thai edible plant extracts, *J. Med. Plants Res*., 6: 662-666.

Philip, M. and Hall, M.D. (2009) Nephrolithiasis treatment, causes and prevention, *Clevaland Clin. J. Med*., 76: 583-591.

Philips, M.R., Joseph, M., Dellon, E.S., Grimm, I., Farrell, T.M. and Rupp, C.C. (2014) Surgical and endoscopic management of remnant cystic duct lithiasis after cholecystectomy – a case series, *J. Gastroint. Surg*., 18: 1278-1283.

Pietrow, P.K. and Karellas, M.E. (2007) Medical management of common urinary calculi, *SA Fam. Prac*., 49: 44-48.

Ponnambalam, H. and Sellappan, M. (2014) ICP-MS technique for quantification of potassium and sodium in spray-dried extract of shoot juice of banana plant (*Musa balbisiana*) responsible for antiurolithiatic and diuretic acitivity, *Int. J. Med. Chem. Anal*., 4: 170-174.

Prakash, O., Singh, G. N., Singh, R. M., Mathur, S. C., Bajpai, M. and Yadav, S. (2008) Determination of bacoside A by HPTLC in *Bacopa monnieri* extract, *Int. J. Green Pharm*., 2: 173-175.

Pramila, D.M., Xavier, R., Marimuthu, K., Kathiresan, S., Khoo, M.L., Senthilkumar, M., Sathya, K. and Sreeramanan, S. (2012) Phytochemical analysis and antimicrobial potential of methanolic leaf extract of peppermint (*Mentha piperita*: Lamiaceae), *J. Med. Plant Res*., 6: 331-335.

Pranav, J.C., Suhas, P.A. and Samberekar, S.N. (2012) Evaluation of the antiurolithiatic activity of ethanolic extract of *Celosia argentea* (seeds) in rats, *Universal J. Pharm*., 1: 52-60.

Prasad, G. (2011) Assessment of ethno-medicinal plants from the Chamundi Hills, Mysore, *J. Med. Pl. Res.*, 5: 5200-5202.

Prasad, K.V.S.R.G., Bharathi, K. and Srinivasan, K.K. (1993). Evaluation of *Musa paradisiaca* Linn. Cultivar) – "Puttubale" stem juice for antilithiatic activity in albino rats, *Ind. J. Physiol. Pharm.*, 37: 337-341.

Prasad, K.V.S.R.G., Sujatha, D. and Bharti, K. (2007) Herbal drugs in urolithiasis: a review, *Pharmacog. Rev*., 1: 175-178.

Prasobh, G. R. and Revikumar, K. G. (2011) Use of *Musa* AAB in kidney stone treatment and other diseases, *Asian J. Pharm. Clin. Res*., 4: 1352-1360.

Prasobh, G. R. and Revikumar, K. G. (2012) Effect of *Musa* tablet on ethylene glycol-induced urolithiasis in rats, *Int. J. Pharm. Biosci*., 3: 1251-1254.

Priya, A., Nath, S., Biswas, K. and Basu, B. (2010) *In vitro* dissolution of calcium phosphate-mullite composite in simulated body fluid, *J. Mater. Sci: Mater. Med*., 21: 1817-1828.

Prstojevic, J.K., Junuzovic, D., Hasanbegovic, M., Lepara, Z. and Sellmovic, M. (2014) Characteristics of calculi in the urinary tract, *Mater. Sociomed*., 26: 297-302.

Purkayastha, J. and Nath, S.C. (2006) Biological activities of ethnomedicinal claims of some plant species of Assam, *Ind. J. Trad. Know*., 5: 229-236.

Quazi, S., Rathore, P., Sharma, A., Sharma, P., Panchariya, N. and Sharma, S. (2014) Inhibition of calcium oxalate crystallization *in vitro* by *Clitoria ternatea* root, *Ind. J. Drugs*, 2: 24-25.

Rad, A.K., Hajzadeh, M.A.R., Rajaei, Z., Sadeghian, M.H., Hashemi, N. and Keshavarzi, Z. (2011) Preventive effect of *Cynodon dactylon* against ethylene glycol-induced nephrolithiasis in male rats, *Avicenna J. Phytomed*., 1: 14-23.

Radha, P. (2010) Antioxidant responses evoked *in vitro* by *Bacopa monnieri* leaf extracts, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirement for the degree of Doctor of Philosophy in Biochemistry.

Radha, P. (2012) Antioxidant effects of *Majorana hortensis* leaves and its effect on oxidant induced molecular events in *in vitro* systems, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.

Radha, P. and Padma, P.R. (2012) Free radical scavenging activity of *Majorana hortensis* leaves, *Ancient Sci. Life*, 30: 96-99.

Rahman, L. U., Verma, P. C., Singh, D., Gupta, M. M. and Banerjee, S. (2002) Bacosides production by suspension cultures o*f Bacopa monnieri* (L), *Biotech. Letter*, 24: 1427-1429.

Rajan, T. and Muthukrishnan, S. (2013) Characterization of phenolic compounds in *Pseudarthria viscida* roots extracts by HPLC and FT-IR analysis, *Asian J. Pharm. Clin. Res*., 6: 274-276.

Rajkumar, T. and Sinha, B.N. (2010) Chromatographic finger print analysis of budmunchiamines in *Albizia amara* by HPTLC technique, *Int. J. Res. Pharm. Sci*., 1: 313-316.

Ramachandran, S., Vijayakumar, T.M., Saisandeep, V. Ramsai, K. and Dhanaraju, M.D. (2011) Antilithiatic activity of poly-herb extract on ethylene glycol-induced lithiasis in rats, *Euro. J. Biol. Sci*., 3: 36-39.

Rathi, M.A., Meenakshi, P., Kumar, D.G., Raj, A.C., Sunitha, M. and Gopalakrishnan, V.K. (2011) High performance thin layer chromatography analysis of *Spermacoce hispida*, *Pharm. online*, 3: 961-968.

Reddy, C.S. and Vardhaman, P. (2013) Evaluation of *Phoenix dactylifera* fruits for antiurolithiatic activity, *J. Drugs Med*., 5: 135-140.

Reddy, K.P., Subhani, S.M., Khan, P.A. and Kumar, K.B. (1995) Effect of light and benzyladenine on dark treated graving rice (*Oryza sativa*) leaves - changes in peroxidase activity, *Pl. Cell Physiol*., 26: 987-994.

Reilly Jr. RF, (2005) *Chapter 13: Nephrolithiasis*, Reilly Jr. and Perazella, 192–207.

Reitman, S. and Frankel, S. (1957) A colorimetric method for the determination of serum glutamic oxaloacetic and glutamic pyruvic transaminases, *Am. J. Clin. Path*., 28: 56- 63.

Rizvi, S.A.H, Naqvi, S.A.A., Husssain, Z., Hashmi, A., Hussain, M. and Zafar, M.N. (2002) Pediatric urolithiasis, developing nation perspective, *J. Urol*., 168: 1522-1525.

Robertson, W.G. and Peacock, M. (1980) The course of idiopathic calcium disease: Hypercalciuria or hyperoxalauria, *Nephron*., 26: 105-110.

Rodgers, A.L., Webber, D., Ramsout, R. and Gohel, M.D. (2014) Herbal preparations affect the kinectic factors of calcium oxalate crystallization in synthetic urine: implications for kidney stone therapy, *Urolith.*, 42: 221-225.

Roe, J.H. and Keuther, C.A. (1943) The determination of ascorbic acid in whole blood and urine through 2,4-dinitrophenylhydrazine derivative dehydro ascorbic acid, *J. Biol. Chem*., 147: 399-407.

Rosenberg, H.R. (1992) Chemistry and physiology of the vitamins, Interscience Publisher, New York, 452-453.

Roudakova, K. and Monga, M. (2014) The evolving epidemiology of stone disease, *Ind. J. Urol*., 30: 44-48.

Ruch, R.J., Cheng, S. and Klaunig, J.E. (1989) Prevention of cytotoxicity and inhibition of intracellular communication by antioxidant catechins isolated from Chinese green tea, *Carcinogenesis*, 10: 1003-1008.

Russell, W.M.S. and Burch, R.L. (1959) The principle of humane experimental techniques. (Ed.) Methuen, London, p238.

Sachan, D. (2012). Effect of the ethanolic extract of *Moringa oleifera* Linn. plant on ethylene glycol induced lithiatic albino rats, *Int. J. Toxic. Pharm. Res.,* 4: 26-28.

Saha, S. and Verma, R.J. (2011) *Bergenia ciliate* extract prevents ethylene glycol-induced histopathological changes in the kidney, *Acta Poloniae Pharm. Drug Res*., 68: 711-715.

Sahoo, S. Ghosh, G. and Nayak, S. (2012) Evaluation of *in vitro* antioxidant activity of leaf extract of *Alpinia malaccensis*, *J. Med. Pl. Res*., 6: 4032-4038.

Sailaja, B., Bharathi, K. and Prasad, K.V.S.R.G. (2011) Protective effect of *Tridax procumbens* L. on calcium oxalate urolithiasis and oxidative stress, *Pharmanest Int. J. Adv. Pharm. Sci*., 2: 9-14.

Sama, K. and Xavier, V.R. (2011) Preliminary phytochemical screening of root bark of *Delonix regia*, *Int. Res. J. Pharm*., 2: 42-43.

Samak, G., Shenoy, R.P., Manjunatha, S.M. and Vinayak, K.S. (2009) Superoxide and hydroxyl radical scavenging actions of botanical extract of *Wagatea spicata*, *Food Chem*., 115: 631-634.

Saranya, R. and Geetha, N. (2014). Inhibition of calcium oxalate (CaOx) crystallization *in vitro* by the extract of beet root (*Beta culgaris* L.), *Int. J. Pharm. Pharm. Sci*., 6: 361-365.

Saravanan, K. and Aradhya, S.M. (2011) Potential nutraceutical food beverage with antioxidant properties from banana plant bio-waste (pseudostem and rhizome), *Food Func*., 2: 603-610.

Sathiamoorthy, S. and Balamohan, T.N. (1993) Improvement of Banana, In: Advances in Horticulture, ed. Chadha, K.L. and Pareek, O.P., Malhotra Publishing House, New Delhi, 1: 303-336.

Sathish, R, Natarajan, K. and Nikhad, M.M. (2010) Effect of *Hygrophila spinosa* T. Anders on ethylene glycol induced urolithiasis in rats, *Asian J. Pharm. Clin. Res*., 3: 61-63.

Sayana, S.B., Chavan, V.R. and Mudium, R. (2014) Antilithiatic effect of *Cissampelos pareira* leaves in ammonium chloride and ethylene glycol induced urolithiasis in rats, *Asian J. Pharm. Clin. Res*., 7: 103-106.

Sayana, S.B., Khanwelkar, C.C., Nimmagadda, V. and Chavan, V.R. (2014a) Antilithiatic activity of aqueous extract of roots of *Cissampelos pareira* in albino rats, *Asian J. Pharm. Clin. Res*., 7: 49-53.

Scheid, C.R., Koul, H., Hill, W.A., Luber-Narod, J., Kennington, L. and Honeyman, T. (1996) Oxalate toxicity in LLC-PK1 cells: role of free radicals, *Kid. Int*., 49: 413-419.

Schultes, R. E. (1992) Ethnobotany and Technology in Northwest Amazon: A partnership in sustainable harvest and marketing of rain forest products (Eds) M. J. Plotkin & L. M. Famolare. Island Press, Washington, DC. Pp. 7-13, 45-76.

Segura, J.W., Preminger, G.M., Assimos, D.G., Dretler, S.P., Kahn, R.I., Lingeman, J.E. and Macaluso J.N. (1997) Ureteral stones clinical guidelines panel summary report on the management of ureteral calculi, *J. Urol*., 158: 1915-1921.

Selvam, R. (2002) Calcium oxalate stone disease: Role of lipid peroxidation and antioxidant, *Urol. Res*., 30: 35-37.

Selvam, R., Kalaiselvi, P., Govindaraj, A., Murugan, V. B. and Sathishkumar, A. S. (2001) Effect of *Aerva lanata* leaf extract and Vediuppu chunnam on the risk factors of calcium oxalate urolithiasis during experimental hyperoxaluria, *Pharm. Res*., 43: 89-93.

Senthilkumar, R., Ponmozhi, M., Viswanathan, P. and Nalini, N. (2003) Activity of *Cassia auriculata* leaf extract in rats with alcoholic liver injury, *J. Nutr. Biochem*., 14: 452-458.

Senthilkumar, S., Akram, S.A., Ahmed, F.T.S. and Jaabir, M.M.S. (2010) Phytochemical analysis and antimicrobial activity of the ethanolic extract of *Acorus calamus* rhizome, *Oriental J. Chem*., 26: 223-227.

Serhat, G. and Kupeli. B. (2006) Consumption of historically and current phytotheraptic agents for urolitiasis, *J. Urol*., 176: 450-455.

Shad, M.A., Nawaz, H., Yaqoob, M. and Yousuf, B. (2012) Phytochemcial composition and antioxidant properties of rhizomes of *Nilumbo nucifera*, *J. Med. Plants Res*., 6: 972-980.

Shah, G.J., Patel, B.G., Patel, B.S. and Patel, R. (2012) Effect of *Hordeum vulgare* Linn. seeds on glycolic acid induced urolithiasis in rats, *Pharmacognosy Comm*., 2: 34-39.

Shah, J. and Whitfield, H.N. (2002) Urolithiasis through the ages, *Braz. J. Urol*., 89: 801-810.

Shamina, S. and Jishamol, G. (2014) Antiurolithiatic activity of *Scoparia dulcis* in ethylene glycol induced urolithiasis in male albino Wistar rats, *World J. Pharm. Res*., 3: 431-435.

Shamina, S. and Jishamol, G. (2014a) Effect of kidney biochemical enzymes in ethylene glycol induced urolithiatic rats treated with *Scoparia dulcis* (Leaf), *Int. J. Res. Pharm. Chem.*, 4: 2698-2708.

Shamoo, A.E. and Resnik, D.B. (2003) Responsible Conduct of Research, New York, Oxford University Press, USA, p226.

Shashi, A., Monika, S., Mishra, S. B., Singh, P. P. and Man, S. (2009) *In vitro* evaluation on antiurolithiatic activity of roots of *Asparagus racemosus* Willd., *Flora Fauna* (Jhansi), 15: 163-166.

Shattock, J. G. (1905) A prehistoric or predynastic Egyptian calculus, *Trans. Path. Soc. Lon*. 61: 275.

Shelke, T.T., Bhaskar, V.H., Gunjegaokar, S.M., Antre, R.V. and Jha, U. (2014) A pharmacological appraisal of medicinal plants with antilithiatic activity, *World J. Pharm. Pharm. Sci*., 3: 447-456.

Shirwaikar, A., Ram, H.N.A. and Mohapatra, P. (2006) Antioxidant and antiulcer activity of aqueous extract of polyherbal formulation, *Ind. J. Exp. Biol*., 44: 474-480.

Shivaprasad, H.N., Kharya, M.D. and Rana, A.C. (2008) Antioxidant and adaptogenic effect of a herbal preparation, Triphala, *J. Natural Reme.*, 8: 82-88.

Shrinidhi, T., Kalpana, S. and Nirmaladevi, R. (2014) Evaluation of selected medicinal plants for its antilithiatic potential under *in vitro*, *Am. J. Pharm. Health Res*., 2: 203-212.

Silberstein, J., Lakin, C. M. and Parsons, K. J. (2008) Shockwave lithotripsy and renal hemorrhage, *Rev. Urol*., 10: 236-241.

Simmonds, N.W. and Shepherd, K. (1955) The taxonomy and origins of cultivated bananas, *J. Linn. Soc. Bot. Lond*., 55: 302-312.

Singh, A. and Wadhwa, N. (2014) A review on multiple potential of Aroid: *Amorphophallus paeoniifolius*, *Int. J. Pharm. Sci. Rev. Res*., 24: 55-60.

Singh, H.P. and Chadha, K. L. (Eds), Bananas – Improvement, production and utilization, Proceedings of the conference on 'Challenges for banana production and utilization in 21st century', Association of the Improvement in Production and Utilization of banana (AIPUB), National Research Centre for Banana, Trichy, India, 2000, p503.

Singh, K.N., and Kaushal, R. (2007) Comprehensive notes on commercial utilization, characteristics and status of steroid yielding plants in India, *Ethno. Leaflets*, 11: 45-51.

Singh, P., Knoedier, J.J., Krambeck, A.E., Lieske, C.J., Bergstralh, E.J. and Rule, A.D. (2014) Thiazide diuretic prophylaxis for kidney stone and the risk of Diabetes mellitus, *J. Urol*., 192: 1700-1704.

Singh, P.P. and Barjatiya, M.K. (2002) Peroxidative stress and antioxidant status in relation to age in normal population and renal stone formers, *Ind. J. Neph*., 12: 10-15.

Singh, R., Natarajan, K., Nikhad, M. M. (2006) Effect of *Hygrophila spinosa* T. Anders on ethylene glycol induced urolithiasis in rats, *Asian. J. Pharm. Clin. Res*., 3: 61-63.

Singh, R.G., Behura, S.K. and Kumar, R. (2010) Litholytic property of Kulattha (*Dolichous Biflorus*) vs potassium citrate in renal calculus disease: A comparative study, *J. Assoc. Physicians Ind*., 58: 287- 291.

Singh, S., Garg, V., Yadav, D., Beg, N. and Sharma, N. (2012) *In vitro* antioxidative and antibacterial activities of various parts of *Stevia rebaudiana* (Bertoni), *Int. J. Pharm. Pharm. Sci*., 4: 468-473.

Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D., Warren, J.T., Bokesch, H., Kenney, S. and Boyd, M.R. (1990) New colorimetric cytotoxicity assay for anticancer-drug screening, *J. Nat. Cancer Inst*., 82: 1107-1112.

Sky-Peck, H.H. (1964) A method for determination of magnesium in serum and urine, *Clin. Chem*., 10: 391- 398.

Sofidiya, M.O., Jimoh, M.O., Aliero, A.A., Afolayan, A.J., Odukoya, O.A., and Familoni, O.B. (2012) Evaluation of antioxidant and antibacterial properties of six *Sapindaceae* members, *J. Med. Pl. Res*., 6: 154-160.

Solarska, K., Iewińska, A., Karowicz-bilińska., A. and Bartosz, G. (2010) The antioxidant properties of carnitine *in vitro*, *Cell Mol. Biol. Letter*, 15: 90-97.

Sophia, D., Ragavendran, P., Arulraj, C. and Gopalakrishnan, V.K. (2011) *In vitro* antioxidant activity and HPTLC determination of n-hexane extract of *Emilia sonchifolia* (L.) DC, *J. Basic Clin. Pharm*., 2: 179-183.

Soundararajan, P., Mahesh, R., Ramesh, T. and Begum, B.H. (2006) Effect of *Aerva lanata* on calcium oxalate urolithiasis in rats, *Ind. J. Exp. Biol*., 44: 981-986.

Soundararajan, P., Mahesh, R., Ramesh, T. and Begum, B.H. (2007) Biopotency of *Aerva lanata* on membrane bound ATPase and marker enzymes in urolithiatic rats, *Int. J. Biol. Chem*., 1: 221-228.

Sreena, K.P. (2013) Anticarcinogenic effect in DLA transplanted mice and antimicrobial efficacy of *Morinda tinctoria* and *Nerium indicum* and their characterization by *in silico* studies, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.

Srinivas, S., Venkanna, B., Mohan, E.M. and Mohan, C.K. (2012) Urolithiasis: overview, *Int. J. Pharm. Res*., *Biomed. Anal*., 1: 20 -31.

Stamatiou, K. N., Karanasiou, V. I., Lacroix, R. E., Kavouras, N. G., Papadimitriou, V.T., Chlopsios, C., Lebren, F. A. and Sofras, F. (2006) Prevalence of urolithiosis in rural Thebes, Greece, *Rural Remote Health*, 6: 610-615.

Su, C.J., Shevock, P.N., Khan, S.R. and Hackett, R.L. (1991) Effect of magnesium on calcium oxalate urolithiasis, *Braz. J. Urol*., 145: 1092-1095.

Subrat, N. (2002) Ayurvedic and herbal products industry: an overview. In: Proc. on wise practices and experiential learning in the conservation and management of Himalayan medicinal plants, Kathmandu, Nepal, p251.

Sundararajan, P., Mahesh, R., Ramesh, T., Hazeena Begum, V. (2006) Effect of *Aerva lanata* on calcium oxalate urolithiasis in rats, *Ind. J. Exp. Bio*., 44: 981-986.

Susanti, D., Taher, M., Attoumani, N. and Ahmad, F. (2011) Free radical scavenging and antibacterial activities of Malaysian guttiferae plants, *J. Med. Pl. Res*., 5: 6714-6718.

Suzuki, K., Kawamura, K. and Tsugawa, R. (1999) Formation and growth inhibition of calcium oxalate crystals by Takusha (*Alismatis rhizome*), *Scan. Micro*., 13: 183-189.

Swathi, B., Jyothi, C. and Sravanthi, C. (2011) A Review: Pharmacognostic studies and pharmacological actions of *Musa paradisiaca*, *Int. J. Innov. Pharm. Res*., 2: 122-125.

Taylor, E.N., Stamper, M.J. and Curhan, G.C. (2005) Obesity, weight gain, and the risk of kidney stones, *J. Am. Med. Assoc*., 293: 455-462.

Teichman, J.M.H. (2004) Acute renal colic from ureteral calculus, *The New Engl. J. Med*., 350: 684-693.

Thamilselvan, V., Menon, M. and Thamilselvan, S. (2014) Oxalate at physiological urine concentrations induces oxidative injury in renal epithelial cells: Effect of α-tocopherol and ascorbic acid, *Braz. J. Urol*., 114: 140-150.

Thirunavukkarasu, P., Ramanathan, T., Ramkumar, L., Shanmugapriya, R. and Renugadevi, G. (2011) The antioxidant and free radical scavenging effect of *Avicennia officinalis, J. Med. Plant Res*., 5: 4754-4758.

Thomas, W.C. and Howard, J.E. (1959) Studies on the mineralizing propensity of urine from patients with and without renal calculi. *Trans. Ass. Amer. Physicians*., 72: 181.

Tiselius, H. G. (2003) Epidemiology and medical management of stone disease, *Braz. J. Urol. Int*., 91:758-767.

Tiselius, H. G., Alken, P., Buck, C., Gallucci, M., Knoll, T., Sarica, K. and Turk, Chr. (2008) Guidelines on Urolithiasis, European Association of Urology, p128.

Tiwari, A. Soni, V., Londhe, V., Bhandarkar, A., Bandawane, D. and Nipate, S. (2012) An overview on potent indigenous herbs for urinary tract infirmity: urolithiasis, *Asian J. Pharm. Clin. Res*., 5: 7-12.

Torzewska, A. and Różalski, A. (2014) *In vitro* studies on the role of glycosaminoeglycans in crystallization intensity during infectious urinary stones formation, *APMIS*, 122: 505-511.

Touhami, M., Laroubi, A., Elhabazi, K., Louba, F., Zrara, I. Eljahiri, Y. Oussama, A. Grases, F. and Chait, A. (2007) Lemon juice has protective activity in a rat urolithiasis model, *BMC Urol*., 7: 18, DOI:10.1186/1471-2490-7-18.

Trinchieri, A., Lizzano, R., Marchesotti, F., Zanetti, G. (2006) Effect of potential renal acid load of foods on urinary citrate excretion in calcium renal stone formers, *Urol. Res*., 34: 1-7.

Tsai, C.H., Chen, Y.C., Chen, L.D., Pan, T.C., Ho, C.Y., Lai, M.T., Tsai, F.J. and Chen, W.C. (2008) A traditional Chinese herbal antilithiatic formula, Wulingsan, effectively prevent the renal deposition of calcium oxalate crystal in ethylene glycol-fed rats, *Urol. Res*., 36: 17-24.

Uma, S. and Sathiamoorthy, S. (2007) The Genus Musa (Banana and plantain), Chapter 4 In: Biodiversity in Horticultural Crops (Eds. Peter, K.V. and Abraham, Z.) Daya Publishing House, Delhi, 57-70.

Umekawa, T., Byer, K., Uemura, H. and Khan, S.R. (2005). Diphenylebeiodium reduces oxalate ion- and calcium oxalate monohydrate and brushite crystal-induced up-regulation of MCP-1 in NRK 52E cells, *Nephrol. Dial. Transplant*, 20: 870-878.

Uwangbaoje, L.O. (2012) The mineral and phytochemical analysis of the leaves of *Senna alata* and *Cajanus cajan* and their medicinal value, *Int. J. Biol. Pharm. Allied. Sci*., 1: 1-11.

Vala, M.H., Asgarpanah, J., Akbari, M., Bejestani, F.B. and Jamalifar, H. (2012) Preliminary phytochemical screening and evaluation of the antibacterial and mutagenic activity of *Rhynchocorys elephas* (L.) Griseb., *J. Med. Pl. Res*., 6: 336-338.

Vamsi, S. and Pujari, L. (2014) Urolithiasis–An updated review over genetics, pathophysiology and its clinical management, *Int. J. Pharm. Pharm. Sci*., 6: 23-31.

Vamsi, S., Raviteja, M. and Sivakumar, G. (2014) *In vitro* antiurolithiatic potential of various extracts of *Mucuna pruriens*, *Int. J. Pharm. Sci. Res*., 5: 3897-3902.

Vanachayangkul, P., Byer, K., Khan, S. and Butterweck, V. (2010) An aqueous extract of *Ammi visnaga* fruits and its constituents khellin and visnagin prevent cell damage caused by oxalate in renal epithelial cells, *Phytomed.*, 17: 653-658.

Vargas, S.R., Perez, G.R.M., Perez, G. S., Zavala, S. M.A. and Perez, G.C. (1999) Antiurolithiatic activity of *Raphanus sativus* aqueous extract on rats, *J. Ethnopharm.,* 68: 335-338.

Venkataswamy, R., Doss, A., Sukumar, M. and Mubarack, H.M. (2010) Preliminary phytochemical screening and antimicrobial studies of *Lantana indica* Roxb., *Ind. J. Pharm. Sci*., 72: 229-231.

Ventola, L.C. (2010) Current issues regarding complementary and alternative medicine in the United States, *Pharm. Therap*., 35: 461-469.

Venugopal, S. N. (2009). Herbal stone crushers: The Pashanabheda, *ENVIS News letter on Medicinal plants*, 1: 7.

Verkoelen, C.F., van der Boom, B.G., Kok, D.J., Schroder, F.H. and Romijn, J.C. (1999) Attachment sites for particles in the urinary tract, *J. Am. Soc Neph*., 10: 430-435.

Verkoelen, C.F., van der Boom, B.G., Schroder, F.H. and Romijn, J.C. (1997) Cell cultures and nephrolithiasis, *World J. Urol*., 15: 229-235.

Verkoelen. C. E, Wierzbicki. A, and Orme. C. A (2000) Identification of hyaluronan as a crystal-binding molecule at the surface of migrating and proliferating MDCK cells, *Kid. Int*., 58: 1045-1054.

Verma, N.K., Patel, S.S., Saleem, T.S.M., Christina, A.J.M. and Chidambaranathan N. (2009) Modulatory effect of Noni-herbal formulation against ethylene glycol-induced nephrolithiasis in albino rats, *J. Pharm. Sci. Res*., 1: 83-89.

Viel, T. A., Cristina, D., Da Silva, M. A. P., Lima-Landman, M. T. R., Lapa, A.J. and Souccar, C. (1994) Evaluation of the antiurolithiatic activity of the extract of *Costus spiralis* Roscoe in rats, *J. Ethnopharmacol*., 66: 193-198.

Viers, B.R., Cockerill, P.A., Mehta, R. A., Bergstralh, E. J. and Krambeck, E.A. (2014) Extended antimicrobial use in patients undergoing percutaneous nephrolithotomy and associated antibiotic related complications, *J. Urol*., 192: 1667-1672.

Vijaya, T., Venkataramarao, N., Narendrababu, A., Sathishkumar, M., Sharmila, N.P., Venkataewralu, V. and Nadendla, R. (2014) Animal models for urolithiasis – A short review, *Pharmacreations*, 1: 22-28.

Viswanath, A., Mahalingam, K., Uppala, S.K., Velayudam, R. and Ahamed, K.H.A. (2011) Comparative evaluation of antioxidant activity of some Indian traditional medicinal plants, *J. Trad. Med*., 6: 154-162.

von-Unruh, Voss, S., Sauerbruch and Hesse, A. (2004) Dependence of oxalate absorption on the daily calcium intake*, J. Am. Soc. Neph.,* 15(6), 1567-1573.

Vyas, A. S. (2010) Evaluation of polyherbal formulation in renal stone disease, *Int. J. Pharm. Sci*., 8: 2820-2830.

Vyas, N. and Argal, A. (2012) Antiurolithiatic activity of extract and oleanolic acid isolated from the roots of *Lantana camara*, *Phytopharm.*, 3: 326-334.

WHO, (World Health Organization), (2005) Traditional medicine strategy 2002-2005, WHO/ EDM /TRM/2002.1., Geneva.

Widana, K., Adioka, I.G.M., Alit-Widhiartini, I.A., Ernawati, D.K. and Adrianta, A. (2012) Dose and safety of *Hypoetes polythyrsa* Miq. ethanol extract for dissolving renal calculi: an affordable medication, *Indonesian J. Biomed. Sci*., 6: 51-53.

Williams, E.M., Okpako, D.T. and Evans, F.J. (1996) Pharmacological methods in phytotherapy research: Selection, preparation and pharmacological evalution of plant material v.1. Chichester. John Wiley & Sons.

Worcester, E.M. (1994) Urinary calcium oxalate growth inhibitors, *J. Am. Soc. Neph*., 5: S46-S53.

Worcester, E.M. and Coe, F.L. (2008) Nephrolithiasis, *Prim. Care*, 35: 369-391.

Yadav, R. K., Jain, S. K., Alok, S., Mahor, A., Bharti, J. P. and Jaiswal, M. (2011) Herbal plants used in the treatment of urolithiasis: A review, *IJPSR*, 2: 1412-1419.

Yamunadevi, M., Wesley, E.G. and Johnson, M. (2011) Chromatographic finger print analysis of steroids in *Aerva lanata* L. by HPTLC technique, *Asian Pac. J. Trop. Biomed*., 1: 428-433.

Yamunadevi, M., Wesley, E.G. and Johnson, M. (2012) Chromatographic finger studies on saponins of *Aerva lanata* (L.) Juss. Ex schultes by using HPTLC, *Asian Pac. J. Trop. Biomed*., 4: 52-57.

Yang, C.Q., Wu, X.M., Ruan, J.X., Hu, W.L., Mao, Y.B., Chen, X.Y. and Wang, L.J. (2013) Isolation and characterization of terpene synthases in cotton (*Gossypium hirsutum*), *Phytochem*., doi:10.1016/j.phytochem.2013.09.009.

Yin, Y., Heo, S., Roh, K.S. and Wang, M. (2009) Biological activities of fractions from methanolic extract of *Picrasma quassioides*, *J. Plant Biol*., 52: 325-331.

Yoreo, J. J., Qiu, S. R. and Hoyer, J. R. (2006) Molecular modulation of calcium oxalate crystallization, *Am. J. Physiol. Renal. Physiol*., 291: F1123-F1132.

Youssef, R.F., Preminger, G.M. and Lipkin, M.E. (2014) Potassium citrate and calcium stones: benefit or risk?, *Prac. Controversies Med. Manage. Stone Diseases*, 115-130, DOI 10.1007/978-1-4614-9575-8_9.

Zachariah, S.M., Viswanad, V., Aleykutty, N.A., Jaykar, B. and Halima, O.A. (2012) Free radical scavenging and antibacterial activity of *Mirabilis jalapa* Linn. using *in vitro* models, *Asian J. Pharm. Clin. Res*., 5: 115-120.

Zaidi, S.M.A., Jamil, S.S., Singh, K., and Asif, M. (2006) Clinical evaluation of herbo-mineral Unani formulation in urolithiasis, Amala ayurvedic hospital centre, 42.

Zakaria, H., Simpson, K., Brown, R.R. and Krotwarie, A. (1979) Use of reversed phase HPLC analysis for the determination of provitamin A, carotene in tomatoes, *J. Chrom.*, 176: 109-117.

Ze-Kun, L. and Chen-Haixia (2012) GC-MS analysis of volatile oils from *Bupleurum*

chinense DC. *f. vanheurckii* (*Muell*.-Arg.), *J. Med. Pl. Res*., 6: 926-928.

Zhan, G., Huang, J., Du, M., Abdul-Rauf, I., Ma, Y. and Li, Q. (2011) Green synthesis of Au–Pd bimetallic nanoparticles: Single-step bioreduction method with plant extract, *Materials Letter*, 65: 2989-2991.