

REFERENCES

REFERENCES

- Abdul Baki, A.S and Anderson, J.O. (1973), Vigour determination in soybean seed by multiple criteria, *Crop Sci.*, 13, 630 – 633.
- Adewoye, S.O and Fawole, O.O. (2002), Acute toxicity of soap and detergent effluent to fresh water *Clarias gariepinus* fingerlings, *Afr. J. Sci.* (In Press).
- Aery, N.C and Rana, D.K. (2003), Growth and cadmium uptake in barley under cadmium stress, *J. Environ. Biol.*, 24, 117 – 123.
- Agarwal, A., Kumar, V and Pandey, B.D. (2006), Remediation options for the treatment of electroplating and leather tanning effluent containing chromium – A review, *Miner. Proc. Extr. Metall.*, 27, 99 –130.
- Agarwal, M., Luthra, Y.P and Arora, S.K. (1995), The effect of Cd²⁺ on lipid components of sunflower (*Helianthus annuus* L.) seeds, *Plant Foods for Human Nutri.*, 47(2), 149 – 155.
- Aggarwal, N., Laure, J.S and Sheoran, I.S. (1990), Effect of cadmium and nickel on germination, early seedling growth and photosynthesis of wheat and pigeon pea, *Intern. J. Trop. Agric.*, 3(2), 141 – 147.
- Aggarwal, R.K and Kumar, P. (1990), Textile industrial effluents - Implication and possible use for afforestation in Western Rajasathan, *Annals Arid Zone*, 29, 295 – 302.
- Ahluwalia, S.S and Goyal, D. (2003), Removal of lead from aqueous solution by filamentous fungi, *Indian J. Microbiol.*, 43(4), 237 – 241.
- Ahluwalia, S.S and Goyal, D. (2007), Microbial and plant derived biomass for removal of heavy metals from waste water, *Bioresour. Technol.*, 98, 2243 – 2257.
- Ahmed, K.S. (1979), Studies on some aspects of protein metabolism and associated enzymes in the freshwater teleost, *Tilapia mossambica* to malathion exposure, Ph.D., Thesis, S.V. University, Tirupathi, India.
- Akhtar, N., Iqbal, J and Iqbal, M. (2004), Removal and recovery of nickel (II) from aqueous solution by loofa sponge – immobilized biomass of *Chlorella sorokiniana* : Characterization studies, *J. Haz. Mat.*, 108, 85 – 94.
- Akthar, M., Sastry, K and Mohan, P. (1996), Mechanism of metal ion biosorption by fungal biomass, *Biometals*, 9, 21 – 28.
- Ali, N., Hameed, A and Ahmed, S. (2009), Physicochemical characterization and bioremediation perspective of textile effluent, dyes and metals by indigenous bacteria, *J. Haz. Mat.*, 164, 322 – 328.
- Ali, N., Jkramullah, S., Lutfullah, G., Hameed, A and Ahmed, S. (2007), Decolourisation of acid red 151 by *Aspergillus niger* SA1 under different physicochemical conditions, *World J. Microbiol. Biotechnol.*, 10, 9581-86.

- Al-Mohanna, M.M. (1994), Residues of some heavy metals in fishes collected from (Red sea coast) Jizan, Saudi Arabia., J. Environ. Biol., 15(2), 149 – 157.
- Amutha, A. (2001), Decolourisation of reactive dye PBBMR using bacterial strains, M.Sc., Project work, Bharathidasan University, Trichy.
- Anandapandian, K.T.K., Chandrasekarethiran, S., Kirupaa, S and Kumar, R.G. (2003), Detoxification efficiency of four fungal species on dye effluent, Environmental contamination and Bioreclamation, 1st edition, APH Publishing Corporation, New Delhi, 439 – 443.
- Anderson, J.D and Abdul Baki, A.A. (1971), Glucose metabolism of embryos and endosperms from deteriorating barley and wheat seeds, Plant Physiol., 48, 270 – 272.
- Anderson, M.K., Rasmussen, K.R., Storbil, B.W and Hansen, H.C.B. (2004), The effect of tree species and site on the solubility of Cd, Cu, Ni, Pb and Zn in soils, Water Air Soil Polln., 154, 357 – 370.
- Aneja, K.R. (1996), Identification of unknown microorganisms, In: Experiments in microbiology, plant pathology, tissue culture and mushroom cultivation, Second edition, Wishwa Prakashan New Age International (P) Limited, New Delhi, 218 – 234.
- Anilkumar, S.C. (2000), Effect of pre-treated copper ore tailings (cot) on cauliflower (*Brassica oleraceae* var. botrytis L.) in Alfisols, M.Sc., (Agri) thesis, University of Agriculture Science, Dharwad.
- Anithakumari, S and Kumar, N.S. (1997), Histopathological alterations induced by aquatic pollutants in *Channa punctatus* from Hussain sagar lake (A.P.), J. Environ. Biol., 18 (1), 11 – 16.
- Antaryam, S., Pitamber, S and Singh, V.P. (1997), Effect of turpentine factory effluent on the growth and pigment content in pigeon pea, J. Indian Bot. Soc., 78(1-2), 91 – 94.
- APHA (1985), Standard methods for the examination of water and waste water, American Public Health Association, Washington, D.C, 16th Edi., 245 – 246.
- APHA (1989), Standard Methods for the examination of water and wastewater, XVII Edition, American Public Health Association, American Water Works Association, Water Pollution Control Federation, Washington DC, 2005 – 2605, 4.149 – 4.152, 5.2 – 5.10, 4.33 - 4.38 .
- APHA (1998), Standard Methods for the examination of water and wastewater, XX Edition, American Public Health Association, American Water Works Association, Water Pollution Control Federation, Washington DC, 2005 – 2605, 2.36 – 2.39, 2.56 – 2.58, 3.1 – 3.99, 4.105 – 4.178, 5.2 – 5.10.
- Arab, A.A.A.K and Donia, A. (2000), Heavy metals in Egyptian spices and medicinal plants and effect of processing in their levels, J. Agric. Food Chern., 48, 2300 – 2304.

- Arnold, R. W. (1984), Soil standard text book, 1st Edition, CRC Press, Boca Raton, London, 300.
- Arunakhare, S and Singh, S. (2002), Impact of malathion on protein content in the fresh water cat fish *Clarias batrachus*, J. Ecotoxicol. Environ. Monit., 12(2), 129 – 132.
- Asharf, M. (1994), Organic substances responsible for salt tolerance in *Fruca sativa*, Biol. Plant., 36, 255 – 259.
- Assche, V.F and Clijsters, H. (1999), Commissioned Review, Effect of metals on enzyme activity in plants, Plant Cell Environ., 13, 195 – 206.
- Athikesavan, S., Vincent, S., Ambrose, T and Velmurugan, B. (2006), Nickel induced histological changes in the different tissues of freshwater fish *Hypophthalmichthys molitrix* (valenciennes), J. Environ. Biol., 27(2), 391 – 395.
- Augusthy, P.O and Mani, A.S. (2001), Effect of rubber factory effluent on seed germination and seedling growth of *Vigna radiata* L., J. Environ. Biol., 22(2), 137 – 139.
- Awari, B.S and Gaikwad, A.S. (1990), Effect of cadmium on carbohydrate metabolism in *Ambassis ranga*, Proc. Symp. Trends Ecotoxicol., 89 – 92.
- Aydinalp, C and Marinova, S. (2002), Distribution of some heavy metals in the alluvial soil of the Bursa plain, Turkey. J. Agricul. Sci. Forest Sci., 1(2–4), 84 – 88.
- Ayoola, S.O. (2008), Histopathological effects of glyphosphate on juvenile African cat fish (*Clarias gariepinus*), American – Surasian, J. Agric. Environ. Sci., 4(3), 362 – 367.
- Ayyadurai, K., Swaminathan, C.S and Krishnasamy, V. (1994), Studies on heavy metal pollution in the finfish, *Oreochromis mossambicus* from river Cauvery, Indian J. Environ. Hlth., 36(2), 99 – 103.
- Aziz, Q., Inam, A and Rashid, H. (1994), Impact of treated oil refinery effluent on crop productivity and agricultural soils, Indian J. Environ. Hlth., 36, 91 – 98.
- Bachewar, M.S and Mehta, B.H. (2000), Studies on the impact of industrial waste effluent from electroplating industry on soil quality, J. Indl. Polln. Ctrl., 16(1), 75 – 79.
- Bai, S. R and Abraham, T.E. (2001), Biosorption of Cr (VI) from aqueous solution by *Rhizopus nigricans*, Bioresour. Technol., 79, 73 – 81.
- Bajpai, P., Mehna, A and Bajpai, P.K. (1993), Decolourisation of kraft bleach effluent with white rot fungus, Process Biochem., 46, 274 – 276.
- Baker, A.J.M., McGrath, S.P., Reeves, R.D and Smith, J.A.C. (2000), Metal hyper accumulator plants, Lewis Publisher, Boca Raton, F.L. (USA), 85 – 107.

- Bakthavathsalam, R and Rajaretnam, C. (1990), Effects of lindane and atropine sulphate on the digestive tissues of *Anabas testudineus* (Bloch), Indian J. Environ. Hlth., 32(3), 284 – 288.
- Balashouri and Prameeladevi (1995), Effect of tannery effluent on germination and growth of selected pulse and cereal crop plants, J. Ecotoxicol. Environ. Monit., 4, 115 – 120.
- Balasubramanian, P., Saravanan, T.S and Palaniappan, M.K. (1999), Biochemical and histopathological changes in certain tissues of *Oreochromis mossambicus* (Trewaves) under ambient urea stress, Bull. Environ. Contam. Toxicol., 63, 117 – 124.
- Banerjee, A.C, Bajwa, I and Behal, K.K. (2006), Effect of distillery effluents on leaf area and chlorophyll content of *Casuarina equisetifolia*, Ecol. Env. Cons., 12(1), 43 – 46.
- Banu, S.P.K., Ramesh, P.T., Ramasamy, K., Mahimairaja, S and Naidu, R. (1998), It is safe to use tannery as sludge for the growth of vegetables, Glass house study in abstract of the Proc. ACIAR workshop on towards better management of chromium rich tanning wastes, Tamil Nadu Agricultural University, 6.
- Baran, A., Baysal, S.H and Sukatar, A. (2005), Removal of Cr⁶⁺ from aqueous solution by some algae, J. Environ. Biol., 26, 329 – 33.
- Baruah, B.K., Sengupta, S and Das, M. (1998), Effect of paper mill effluent on muscle protein profile of fish *Heteropneustes fossilis* (Bloch), Poll. Res., 25(3), 520 – 524.
- Baskar, M., Dawood, M.S., Kandasawamy, K.G., Ravindran, K., Gopal, H and Bharani, A. (2004), Influence of integrated use of distillery effluent on soil properties and yield of rice (*Oryza sativa*), Indian J. Environ. Ecoplan., 8(2), 437 – 444.
- Beebi, S.K.K., Sridevi, V and Chandanalakshmi, K.V.K. (2009), Biosorption of nickel and copper from single metal aqueous solutions by fungi, J. Environ. Sci. Engg., 51(1), 1 – 6.
- Begum, S.F.M and Subburam, V. (2005), Impact of congo red (textile dye) on soil bacterial population in major soil types of Tamil Nadu, Asian J. Microbiol. Biotech. Env. Sci., 7(4), 737 – 741.
- Begum, S.Y.A and Noorjahan, C.M. (2006), Biodegradation of fertilizer industry effluents, Asian J. Microbiol. Biotech. Env. Sci., 8(3), 585-588.
- Bergey's Manual of Determinative Bacteriology (1994), [Holt, J.G., Kreig, N.R., Sneath, P.H.A., Staley, J.T. and Williams, T (Eds)], Williams and Wilkins, Baltimore, Maryland, USA, 93-94, 151 – 184, 532 – 568.
- Bhanumathi, P., Ganesan, M and Jayabalan, N. (2005), Physiological effect of organic mercury on the growth of peanut (*Arachis hypogea* L.) seedlings, Plant Arch., 5(2) 665 – 669.

- Bharadwaj, R and Sharma, L.L. (1997), Experimental rearing of common carp *Cyprinus carpio* community in a sewage fed pond of Udaipur, Rajasthan, *Fishing Chimes*, 16(11), 13 – 14.
- Bhargava, A.K and Sonali, B. (2005), Effect of paper mill effluent on seed germination and seedling growth of *Vicia faba*, *Adv. Plant Sci.*, 18(2), 721 – 723
- Bhole, B.D., Ganguly, B., Madhuram, A., Deshpande, D and Joshi, J. (2004), Biosorption of methyl violet, basic fuchsin and their mixture using dead fungal biomass, *Curr. Sci.*, 86(12), 1641 – 44.
- Bindhu, S.J and Bera, A.K. (2001), Impact of cadmium toxicity on leaf area, stomatal frequency, stomatal index and pigment content in mungbean seedlings, *J. Environ. Biol.*, 22, 307 – 309.
- BIS (1974), Guide for treatment of effluents of electroplating industry, Indian Standards, IS: 7453 – 1974, Bureau of Indian Standards, New Delhi.
- BIS (1981), Tolerance limits for industrial effluents discharged into inland surface waters, IS: 2490, Part 1, Bureau of Indian Standards, New Delhi.
- BIS (1993), Methods of sampling and test (Physical and Chemical) for water and waste water, Part 4 BOD, First Revision, 1 – 2.
- Bishnoi, N.R., Bajaj, M and Santomba, K. (2005), Biosorption of Zn (II) using *Spirogyra* species from electroplating effluent, *J. Environ. Biol.*, 26(4), 661 – 664.
- Bishnoi, N.R., Kumar, R and Bishnoi, K. (2007), Biosorption of copper (II) with *Trichoderma viride* immobilized fungal biomass and cell free Ca-alginate beads, *Indian J. Exp. Biol.*, 45, 657 – 664.
- Blanco, A. (2000), Immobilisation of nonviable cyanobacteria and their use for heavy metal adsorption from water, In: *Environmental Biotechnology and cleaner bioprocesses*, (O/u guin, E.J., Sanchez and Hernandez, E (Philadelphia, Taylor and Amp. Francis (Eds)), 135.
- Bohner, H., Bohma, H and Bogen, P. (1980), Reciprocal formation of cytochrome C553 and influence of cupric ions an photosynthetic electron transport, *Biochemica et Biophysica Acta*, 592, 103 – 112.
- Borole, D.D and Patil, P.R. (2004), Studies on physicochemical parameters and concentrations of heavy metals in sugar industries, *Poll. Res.*, 23(1), 83 – 86.
- Boyle, R.W. (1981), *Geochemistry of nickel* In : *Effects of nickel in the Canadian environment*, Ottawa, National Research Council of Canada, 31 – 34.
- Brady, W and Duncan, J.R. (1994), Bioaccumulation of metal cations by *Saccharomyces cerevisiae*, *Appl. Microbiol. Biotechnol.*, 41(1), 149 – 154.
- Brombach, H., Weiss, G and Fuchs, S. (2005), A new database on urban run off pollution: Comparison of separate and combined sewer system, *Water Sci. Technol.*, 51(2), 119 – 128.

- Burhan, S.S and Tahira, A. (2001), Effect of zinc and cobalt on germination and seedling growth of *Pennisetum americanum* (L.) Shumann and *Parkinsonia aculeate* L., Pak. J. Biol. Sci., 4(5), 51 – 55.
- Calfa, B.A and Torem, M.L. (2008), On the fundamentals of Cr(III) removal from liquid streams by a bacterial strain, Miner. Eng., 21, 48 – 54.
- Cappuccino, J.G. and Sherman, N. (1999), Microbiology: A laboratory manual, an imprint on Addison Wesley Longman Inc., 135 – 140.
- Chandra, R. (2001), Microbial treatment of tannery effluent, Indian J. Microbiol., 41, 103 – 106.
- Chandravathy, V.M and Reddy, S.L.N. (1994), In vivo recovery of protein metabolism in gill and brain of a fresh water fish, *Anabas scandens* after exposure to lead nitrate, J. Environ Biol., 15, 75 – 82.
- Chatterjee, C., Sinha, P and Dube, B.K. (2005), Zinc stress in mustard as altered by sulphur deficiency, J. Plant Nutri., 28(4), 683 – 690.
- Chattopadhyay, D.N., Saha, M.K and Konar, S.K. (1987), Some bioecological studies of the river Ganga in relation to water pollution, Environ. Ecol., 5(3), 494 – 500.
- Chau, Y. K and Cordeiro, O. T. R. K. (1995), Occurrence of nickel in the Canadian environment, Environ. Rev., 3, 95 – 120.
- Chaudhary, S., Anuradha, R and Sastry, K.V. (2004), Pollution of river Yamuna at Faridabad (Haryana), Poll. Res., 23(4), 749 – 756.
- Chaudhury, S., Rohella, R.S., Manthan, M and Sahoo, N. (1998), Decolourization of kraft paper mill effluent by white-rot fungi, Indian J. Microbiol., 38, 221 – 224.
- Chauhan, S.S., Thakur, R and Sharma, G.D. (2008), Nickel: its availability and reactions in soil, J. Indl. Polln. Ctrl., 24(1), 57 – 62.
- Chen, J.P., Wu, C.H., Tang, J.J and Hu, S.J. (2005), Arbuscular mycorrhizae enhance metal uptake and growth of host plants under a sand culture experiment, Chemosphere, 60, 665 – 671.
- Chen, X.C., Wang, Y.P., Lin, Q., Shi, J.N., Wu, W.X and Chen, Y.X. (2005), Biosorption of zinc (II) from aqueous solution by *Pseudomonas putida* CZ1, Colloid Surf. B-Biointerfaces, 46, 101 – 107.
- Chhonkar, P.K., Datta, S.P., Joshi, H.C and Pathak, H. (2000), Impact of industrial effluents on soil health and agriculture – Indian Experience, Part I-distillery and paper mill effluents, J.Sci. Indian, 59, 352 – 361.
- Chikile, S.J and Sharma, R. (2008), Bioaccumulation of heavy metals in pigeon pea (*Cajanus cajan* L.), Poll. Res., 27(3), 407 – 410.
- Chipman, W.A., Rice, T.R and Price, T.J. (1998), Uptake and accumulation of radioactive zinc by marine plankton, fish and jelly fish, J. Fish Bull., USA, 58, 279 – 292.

- Choudhury, S.K, Jha, A.N and Srivastava, D.K. (2004), Effect of paper mill effluent on seed germination and seedling growth of maize, *Environ. Ecol.*, 5(2), 285 – 287.
- Christy, I. (1995), Respiratory and histopathological responses of *Catla catla* exposed to heavy metal chromium, *J. Ecotoxicol. Environ. Monit.*, 5(4), 263 – 268.
- Chukwu, L.O. (2006), Physicochemical characterization of pollutant load of treated industrial effluents in lagos metropolis, Nigeria, *J. Indl. Polln. Ctrl.*, 22(1), 17 – 22.
- Congeevaram, S., Dhanarani, S., Park, J., Dexilin, M and Thamaraiselvi, K. (2007), Biosorption of chromium and nickel by heavy metal resistant fungal and bacterial isolates, *J. Haz. Mat.*, 146, 270 – 277.
- Dadhich, A.S., Maruthi, Y.A and Srinivas, P. (2002), The fate of chromium in water and soil: A case study of Andhra Pradesh tanneries, *J. Ecotoxicol. Environ. Monit.*, 12(2), 139 – 145.
- Das, A.C., Baruah, B.K., Baruah, D and Sengupta, S. (2000), Histopathological studies on the myxoboliasis of *Cyrrhinus mrigala*, *Indian J. Fish.*, 47(1), 61 – 64.
- Das, B.K and Mukherjee, S.C. (2005), Chronic toxic effects of quinalphos on some biochemical parameters in *Labeo rohita* (Ham.), *Toxicol. Lett.*, 114(1–3), 11 – 18.
- Das, B.K, Roy, A., Koschorreck, M., Mandal, S.M., Potthoff, K.W and Bhattacharya, J. (2009), Occurrence and role of algae and fungi in acid mixed drainage environment with special reference to metals and sulphate immobilization, *Water Res.*, 43, 883 – 894.
- Dash, A.K and Mishra. P.C. (1998), Role of blue green algae, *Westiellopsis prolifica* in reducing pollution load from paper mill waste water, *Indian J. Environ. Prot.*, 19(1), 1 – 5.
- Davis, T.A., Volesky, B and Mucci, A. (2003), A review of the biochemistry of heavy metal biosorption by brown algae, *Water Res.*, 37, 4311 – 4330.
- Debojit, K and Rao, N.J. (1994), Impact of crude oil on seed germination of French bean (*Phaseolus vulgaris* L.), *J. Indl. Polln. Ctrl.*, 10, 139 – 144.
- Deepthi, N., Bhanuprakash, H.D., Ravikumar, M.S., Bidlan, R and Manonmani, H.K. (2005), DDT – Toxicity towards seed – germination and viability, *Asian J. Microbiol. Biotech. Env. Sci.*, 7(1), 23 – 33.
- Delgado, A., Anselmo, A.M and Novais, J.M. (1998), Heavy metal biosorption by dried powdered mycelium of *Fusarium flocciferum*, *Water Environ. Res.*, 70, 370 – 375.
- Deng, S and Ting, Y.P. (2005), Polyethylenimine-modified fungal biomass as a high capacity biosorbent for Cr (VI) anions: sorption capacity and uptake complexes of lead, *Ecotoxicol. Environ. Safe.*, 46, 174 – 180.

- Desai, H.S.N and Panigrahi, J. (2002), Toxicological parameters of freshwater fish *Channa punctatus* (Bloch) under the stress of nickel, J. Environ. Biol., 23(3), 275 – 277.
- Devagi, P., Rajanna, G and Oblisami, G. (2000), Effect of paper mill effluent on soil microflora of maize, J. Indl. Polln. Ctrl., 16(1), 95 – 105.
- Devarajan, L., Rajaraman, G., Ramanathan, G and Oblisami, G. (1994), Effect of one time application of treated distillery effluent on soil fertility status, yield and quality of sugarcane, SISSTA Sugar J. (Madras Seminar Issue), 20, 133 – 134.
- Devarajan, L.S., Rajannan, G and Oblisami, G. (1996), Proc. Nat. Symp., Use of distillery and sugar industry wastes in agriculture, 28th and 29th October, AC & RI, Trichy, 80 – 88.
- Devarajan, S and Sulaiman, S. M. H. (2005), Isolation and characterization of bacterial and fungal isolates from textile effluents contaminated soils, J. Microb. World, 7(1), 77 – 81.
- Devi, I.R.P and Gowri, V.S. (2007), Biological treatment of aquaculture discharge waters by seaweeds, J. Indl. Polln. Ctrl., 23 (1), 135 – 140.
- Devi, K.M and Gopal, V. (1986), Efficiency of biological heavy metal depollution technique, Indian J. Environ. Hlth, 29(3), 189 – 193.
- Devi, M and Kaushik, B.D. (2005), Decolourization of textile dyes and dye effluent by *Aspergillus* sp., Indian J. Microbiol., 45, 41 – 44.
- Dhanam, S. (2009), Effect of dairy effluent on seed germination, seedling growth and biochemical parameters in paddy, Bot. Res. Intl., 2(2), 61 – 63.
- Dhankhar, R and Singh, J. (2007), Soil amendment with the application of combined sugar mill and distillery effluent, Poll. Res., 26(1), 85 – 87.
- Dias, M., Lacerda, I., Pimentel, P., Castro, H.D and Rosa, C. (2002), Removal of heavy metals by an *Aspergillus terreus* strain immobilized in a polyurethane matrix, Lett. Appl. Microbiol., 34, 46 – 50.
- Dikshit, S.N and Pathak, P.K. (1992), Effect of sodicity and salinity on free and protein bound amino acids in gooseberry, Indian J. Agric. Sci., 62, 60 – 63.
- Diniz, M.S., Peres, I., Castro, L., Freitas, A.C., Santos, T.A.P.R., Costa, P.M., Pereira, R and Duacte, H.C. (2009), Effect of ECF – Kraft pulp mill effluent treated with fungi (*Rhizopus oryzae*) on reproductive steroids and liver Cypia of exposed gold fish (*Carassius auratus*), Ecotoxicol., 1117 – 1123.
- Dixit, A.M., Lalman, S and Srivastava, S.K. (1986), Effect of cardboard factory effluent on seed germination and early seedling growth of rice (*Oryza sativa*), Seed Res., 14, 66 – 71.
- Dodor, D.E and Tabatabai, M.A. (2003), Effect of cropping system on phosphatases in soils, J. Plant Nutri. Soil Sci., 166, 7 – 13.

- Drake, H. L. (1982), Occurrence of nickel in carbonmonoxide dehydrogenase from *Clostridium pasteurianum* and *Clostridium thermoaceticum*, J. Bacteriol., 149, 561 – 566.
- Dursan, A.Y. (2006), A comparative study on determination of the equilibrium, kinetic and thermodynamic parameters of biosorption of copper (II) and lead (II) ions onto pretreated *Aspergillus niger*, Biochem. Eng. J., 28, 187 – 195.
- Dwivedi, R.H and Sarin, R. (1996), Histopathological changes in the liver of the catfish, *Heteropneustes fossilis* induced by triaromatic hydrocarbon, J. Ecotoxicol. Environ. Monit., 6 (4), 273 – 78.
- Dyk, J.C.V., Pieterse, G.M and Vuren, J.H.J.V. (2007), Histological changes in the liver of *Oreochromis mossambicus* (Cichlidae) after exposure to cadmium and zinc, Ecotoxicol. Environ. Safe., 66, 432 – 440.
- Einax, J and Soldt, U. (1998), Multivariate geostatistical analysis of soil contaminations, J. Anal. Chem., 361, 10 – 14.
- Elankumaran, S., Baskaran, P and Palanichamy, S. (1992), The dietary influence on food utilization in the freshwater fish *Oreochromis mossambicus* and *Cyprinus carpio* var. communis, J. Ecobiol., 4(4), 271 – 275.
- Engade, K and Gupta, S.G. (2007), Adsorption of synthetic dye and dyes from a textile effluent by dead microbial mass, J. Indl. Polln. Ctrl., 23(1), 145–150.
- EPA (2002), Nickel and nickel compound, Polln. Prevent. Fact Sheet, 96, 1 - 2.
- Erkmen, B., Caliskan, M and Yerli, S.V. (2000), Histopathological effects of cyphenothrin on the gills of *Lebistes reticulates*, Vet. Hum. Toxicol., 42(1), 5 – 7.
- Evers, D., Schmit, C., Mailliet, Y and Hausman, J.F. (1997), Growth characteristics and biochemical changes of poplar shoots invitro under sodium chloride stress, J. Plant Physiol., 151, 748 – 753.
- FAO (1980), Soil testing and plant analysis, Bull. No. 38/1, Food and Agriculture Organisation, Rome, Italy.
- Faryal, R and Hameed, A. (2005), Isolation and characterization of various fungal strains from textile effluent for their use in bioremediation, Pak. J. Bot., 37(4), 1003 – 1008.
- Folch, J.M., Lees, M.P and Stanley, G.H. (1957), A simple method for isolation and purification of total lipids from animal tissues, J. Biol. Chem., 226, 497 – 508.
- Fordsmand, J.J.S. (1997), Toxicity of nickel to soil organisms in Denmark, Rev. Environ. Contam. Toxicol., 148, 1 – 31.
- Gadd, G.M. (1990), Fungi and yeasts for metal accumulation. In: Microbial mineral recovery (Eds. Ehrlich, H.L. and Brierley, C.L), McGraw-Hill Publishers, 249 – 275.

- Gadd, G.M. (1992), Microbial control of heavy metal pollution In: Microbial control of pollution, Cambridge Univ. Press, Cambridge, 59 – 88.
- Galun, M., Galun, E., Siegel, B.Z., Keller, P., Lehr, H and Seigel, S.M. (1987), Removal of metal ions from aqueous solutions by *Penicillium* biomass: Kinetic and uptake parameters, *Water Air Soil Polln.*, 33, 359 – 371.
- Ganesh, K.S., Chidambaram, A.L.A., Sundaramoorthy, P., Baskaran, K and Selvaraju, M. (2006), Influence of chromium and cadmium on germination, seedling growth and photosynthetic pigments of soyabean (*Glycine max* L. Merr.), *Indian J. Environ. Ecoplan.*, 12(2), 291 – 296.
- Garnham, G.W., Godd, G.A and Godd, G.M. (1992), Accumulation of cobalt, zinc and manganese by the estuarine green microalgae *Chorella salina* immobilized in alginate beads, *Environ. Sci. Technol.*, 26, 1764 – 1770.
- Gautam, D.D and Bishnoi, S. (1992), Effect of dairy effluent on wheat *Triticum aestivum*, *J. Ecobiol.*, 4(2), 111 – 115.
- Ghosh, T.K and Chatterjee, S.K. (1989), Influence of nuvan on the organic reserves of Indian freshwater murrel, *Channa punctatus*, *J. Environ. Biol.*, 10, 93 – 99.
- Ghosh, V.C and Konar, S. (1993), Effect of sugar mill effluent on the protein content of *Channa punctatus*, *J. Indl. Polln. Ctrl.*, 19(1), 1 – 8.
- Gilani, S. H and Marano, M. (1980), Congenital abnormalities in nickel poisoning in chick embryos, *Arch. Environ. Contam. Toxicol.*, 9, 17 – 22.
- Goel, P.K. (1997), *Water Pollution: Causes, effects and control*, New Age International (P) Limited Publishers, New Delhi, 269.
- Golab, Z and Orłowska, B. (1991), Biosorption of lead and uranium by *Streptomyces* sp., *Water Air Soil Polln.*, 60, 99 – 106.
- Govindarajan, D. (2007), Impact of heavy metal zinc on body composition of freshwater fish *Oreochromis mossambicus*, *J. Ecobiol.*, 21(2), 163 – 169.
- Greger, M and Lindberg, S. (1986), Effect of cadmium and EDTA on young sugar beets (*Beta vulgaris* L.) cadmium uptake and sugar accumulation, *Physiol. Plant.*, 66, 69 – 74.
- Grimsrud, T.K., Berge, S.R., Martinsen, J.I and Andersen, A. (2003), Lung cancer incidence among Norwegian nickel-refinery workers, *J. Environ. Monit.*, 5, 190 – 197.
- Growther, L and Meenakshi, M. (2009), An ecofriendly microbial system for the decolourisation of textile industrial effluents, *Res. J. Biol. Sci.*, 1(3), 25 – 35.
- Gulay, B., Sema, B and Yakup, A.M. (2003), Biosorption of heavy metals ions on immobilized white-rot fungus *Trametes versicolor*, *J. Haz. Mat.*, 101, 285 – 300.

- Gupta, P. (1991), Effect of electroplating effluent on certain tissues of freshwater teleost *Mystus bleckeri*, using bioassay statistical and histopathological methods, Arch. Hydrobiol., 4, 427 – 434.
- Gupta, P. (2007), Soil, Plant, Water and Fertilizer analysis, Second edition, Agrobios (India), 65 – 151.
- Gupta, S., Bhattacharjee, D., Datta, J.K., Nayek, S and Satpati, S. (2009), Effect of vehicular lead emission on biochemical constituents of leaves, Poll. Res., 28 (2), 157 – 160.
- Hameed, S.V.S.A and Kumaravel, M.K. (2006), Impact of cadmium on the biochemical constituents of freshwater fish *Oreochromis mossambicus*, Indian J. Environ. Sci., 10(1), 63 – 65.
- Harikrishan, U and Kumar, A. (2009), Comparative study on accumulation of cadmium, zinc and nickel by *Lycopersicum esculentum* from soil contaminated with metal solutions, Poll. Res., 28(1), 101 – 104.
- Hatikakoty, G. (2002), Studies on certain aspects of the biology and habitat ecology of *Oreochromis mossambicus* (Peters) from a domestic pond in upper Assam, Ph. D. Thesis, Dibrugarh University, Dibrugarh, 139.
- Hausinger, R.P. (1993), Nickel and human health: Current perspectives In: Biological utilization of nickel, [Nieboer, E., Nriagu (eds)], Wiley and Sons, New York, 21 – 36.
- Hedge, J.E and Hofreiter, B.T. (1962), In Whistler, R.L. and Be Miller, J.N. (eds) Methods in carbohydrates, Chemistry–Academic Press, NewYork, 163–201.
- Himabindhu, T and Reddy, K.J. (2008), The effect of paperboard effluent on the growth of *Oryza sativa* (rice), Adv. Plant Sci., 21(1), 209 – 212.
- Hostynek, J.J and Maibach, H.I. (2002), Nickel and the skin, CRC Press, Boca Raton, 1 – 249.
- Howard, H. (2003), The environment and human health, Ed. Michael Mc. Cually, MIT Press, 98 – 115.
- Hussein, H., Ibrahim, S.F., Kandeel, K and Moawad, H. (2004), Biosorption of heavy metals from waste water using *Pseudomonas* sp., Electronic J. Biotech., 7(1), 38 – 42.
- Ilhan, S., Cabuk, A., Filik, C and Caliskan, F. (2004), Effect of pretreatment on biosorption of heavy metals by fungal biomass, Trakya. Univ. J. Sci., 5(1), 11 – 17.
- Indian Standards Institution (ISI), (1974), Tolerance limits for industrial effluent discharged into inland surface waters, Part-I, First Revision, IS-2296, New Delhi, 1 – 32.
- Indira, S and Mohanty, B.K. (2006), Effect of sugar mill effluent on ragi (*Eleusine coracana*, L.) and growth behaviour of its seedlings, Adv. Plant Sci., 19(11), 463 – 467.

- Indra, K and Singaram, P. (2009), Stabilization of textile dye industry wash water by algal strains, *J. Ecotoxicol. Environ. Monit.*, 19(1), 29 – 34.
- International Agency for Research on Cancer (IARC) (1990), Monographs on the evaluation of carcinogenic risks to humans, Chromium, Nickel and Welding, 49, IARC Scientific publications, Lyon, France, 257 – 445.
- International Programme on Chemical Safety (IPCS) (1991), Environmental Health Criteria Series #108, Nickel, World Health Organization, Geneva, 383.
- International Programme on Chemical Safety (IPCS) (1992), Environmental Health Criteria, Nickel, World Health Organization, Geneva, 108.
- Iyyappan, K., Rao, A.M., Mathivanan, V and Karpagaganapathy, P.R. (1998), 'Fishkills' in the uppanar estuary – An indication of abnormal aquatic pollution, *J. Ecotoxicol. Environ. Monit.*, 8(3), 4 – 7.
- Jackson, W. (1973), Soil chemical analysis, Prentice Hall of India Private Ltd., New Delhi, 46 – 50.
- Jain, R and Mishra, K.D. (1993), Acute toxicity of butachlor to *Puntius ticto*, A teleost, *Bull. Env. Sci.*, 11, 1 – 15.
- Jalali, V.K., Wali, P., Pareek, N., Arora, S., Abrol, V., Sharma, V and Model, A.K. (2006), Heavy metal pollution through sewage and industrial effluents in some vegetable growing soils of Jammu, *Indian J. Ecol.*, 33(1), 1 – 4.
- James, R., Sampath, K and Lakshminarasimhan, K. (1994), Toxic effect of decamethrin on growth and metabolism in *Cyprinus carpio*, *Indian J. Fish.*, 41(1), 24 – 27.
- James, R., Sampath, K., Sivakumar, V and Manithramoorthy, S. (1991), Individual and combined effects of heavy metals on survival and biochemistry of *Oreochromis mossambicus*, *Indian J. Fish.*, 38, 49 – 54.
- Jana, S and Bandyopadhyay, N. (1987). Effect of heavy metals on some biochemical parameters in the fresh water fish, *Channa punctatus*, *Environ. Ecol.*, 5(3), 488 – 493.
- Janaki, P. (2001), Hardness and water quality, *Kisan World*, 25, 30 – 31.
- Jasmine, J.D and Sasikumar, C.S. (2006), Effective heavy metal $[Zn]^{2+}$ removal using *Pseudomonas* sp. isolated from electroplating and metal mining soil, *J. Curr. Sci.*, 9(2), 925 – 930.
- Jayakumar, K and Vijayarengan, P. (2006), Influence of cobalt on seed germination and seedling growth of *Vigna mungo* (L.) Hepper, *Plant Arch.*, 6(2), 681 – 682.
- Jensen, V. (1968), The Plate Count Method, In: Gray, T.R.G. and Parkinson, D (Eds), *The Ecology of soil bacteria: An International symposium*, Liverpool University press, Liverpool, 158 – 170.
- Jeyanthi, G.P., Bhuvanewari, V and Chitra, R. (2001), Bioremediation of zinc electroplating industry effluents by exploitation of metal tolerant

microorganisms, Proceedings of Enviro 2001, National Conference on Control of Industrial Pollution and Environmental Degradation, PSG College of Technology, Coimbatore, 8 – 14.

- Jha, B.S and Verma, B.P. (2002), Effect of pesticides mixture on protein content in the freshwater fish *Clarias batrachus*, J. Ecotoxicol. Environ. Monit., 12(3), 177 – 180.
- Jha, B.S. (1988), Effect of lead nitrate on certain organs of an air breathing teleost *Channa punctatus* (Bloch), Ph. D. Thesis, I. M. Mithila University, Darbhanga, India.
- Joner, E.J and Leyval, C. (1997), Uptake of cadmium by roots and hyphae of *Glomus mosseae* / *Trifolium subterraneum* mycorrhiza from soil amended with high and low concentration of cadmium, New Phytol., 135, 353 – 360.
- Jonnarth, A.U and Finlay, R.D. (2001), Effect of elevated nickel and cadmium on growth and nutrient uptake of mycorrhizal and non-mycorrhizal *Pinus sylvestris* seedlings, Plant Soil, 236, 128 – 138.
- Joshi, P.K and Tandon, S. (2003), Analysis and effect of paper mill effluent on germination and seedling growth of some pulses: *Vigna radiata*, *Glycine max* and *Cicer arietinum*, J. Indl. Polln. Ctrl., 19(1), 9 – 13.
- Joshi, U. N., Rathore, S.S and Arora, S.K. (1994), Effect of chromium on growth and development of cow pea (*Vigna unguiculata* L.), Indian J. Environ. Prot., 19 (10), 745 – 749.
- Jothimani, P and Bhaskaran, A. (2003), Assessing the azo reductase enzyme activity of bacterial cultures used for decolourisation, J. Ecotoxicol. Environ. Monit., 13(3), 179 – 183.
- Jothimani, P and Elayarajan, M. (2003), Effect of treated effluent on germination shoot length, root length and vigour index of crops, J. Ecobiol., 15(1), 49 – 54.
- Jothimani, P and Elayarajan, M. (2003), Impact of dye effluents on Na, Ca and Mg levels in soil and nutrient content crops, J. Ecobiol., 15(2), 89 – 98.
- Kakuta, I and Murachi, S. (1998), Physiological response of carp, *Cyprinus carpio*, exposed to raw sewage containing fish processing waste water, Environ. Toxicol. Water Quality, 12, 1 – 9.
- Kalita, B., Bhuyan, K.C and Sharma, D.K. (2003), Physico-chemical qualities of effluents discharged from Nagon paper mill in Assam, J. Ecotoxicol. Environ. Monit., 13(1), 77 – 79.
- Kalita, M.C., Devi, P and Battacharya, I. (1993), Effect of cadmium on seed germination, early seedling growth and chlorophyll content of *Triticum aestivum*, Indian J. Plant Physiol., 36(3), 159 – 190.
- Kalleshappa, C.M., Manjappa, S., Aravinda, H.B., Pujar, B.G and Shanmukhappa, S. (2008), Study of ground water quality for irrigation in Honnali Taluk, Davangere, Karnataka (India), Poll. Res., 27(3), 411 – 418.

- Kannan, K and Oblisami, G. (1990), Decolourisation of pulp and paper mill effluent by growth of *Aspergillus niger*, World J. Microbiol. Biotechnol., 6, 114–116.
- Kannan, K and Oblisami, G. (1992), Influence of irrigation with paper and pulp mill effluent on soil chemical and microbiological properties, Biol. Fert. Soils, 10, 197 – 201.
- Kapoor, A and Viraraghavan, T. (1995), Fungal biosorption – An alternative treatment option for heavy metal bearing wastewater - A review, Bioresour. Technol., 53, 195.
- Kapoor, A and Viraraghavan, T. (1997), Heavy metal biosorption sites in *Aspergillus niger*, Bioresour. Technol., 61, 221 – 227.
- Kapoor, A., Viraraghavan, T and Cullimore, D.R. (1999), Removal of heavy metals using the fungus *Aspergillus niger*, Bioresour. Technol., 70, 95 – 104.
- Karavaiko, G.I, Zakharova, V.I, Avakyan, Z.A and Strizhko, L.S. (1996), Selective extraction of noble metals from solutions by microorganisms, Appl. Biochem. Microbiol., 32, 507 – 510.
- Karokoc, M and Dincer, S. (2003), Effect of temperature on zinc accumulation in the gill, liver and kidney of *Oreochromis niloticus*, Bull. Environ. Contam. Toxicol., 71, 1077 – 1083.
- Kasprzak, K. S. (1987), Nickel, Advances in Modern Environ. Toxicol., 11, 145 – 183.
- Kasprzak, K.S., Sunderman, F.W and Salnikow, K. (2003), Nickel carcinogenesis, Mut. Res., 533, 67 – 97.
- Kaur, K and Virk, S. (2007), Changes in the protein content of muscles and gills of *Cyprinus carpio* following exposure to and withdrawal of metals, Indian J. Ecol., 34(2), 195 – 196.
- Kaur, K. (1992), Effect of industrial effluents on reproductive and developmental biology of *Cyprinus carpio* (Linn), Ph.D. Thesis, Punjab Agricultural University, Ludhiana, 168.
- Kaushik, S and Saksena, D.N. (1999), Physico-chemical limnology of certain water bodies of central India. In, K.Vismayan edited fresh water ecosystem in India, Daya Publishing house Delhi, 336.
- Kavita, T., Sneh, L and Johri, R.M. (2005), Impact of Magnum paper mill industry effluent on germination and early growth performance of *Achyranthes aspera* Linn. and *Ricinus communis* Linn., Adv. Plant Sci., 18(2), 675–677.
- Khan, S.U and Moheman, A. (2006), Effect of heavy metals (cadmium and nickel) on the seed germination, growth and metals uptake by chilli (*Capsicum frutescens*) and sunflower plants (*Helianthus annuus*), Poll. Res., 25(1), 99 – 104.
- Khopkar, S.M. (1993), Environmental Pollution Analysis, Wiley Eastern Ltd., New Delhi, 1.

- King, M.M., Lynn, K.K and Huang, C.Y. (1985), Activation of the calmodulin-dependant phosphoprotein phosphatase by nickel ions, In: Brown SS, Sunderman FW Jr., ed. Progress in nickel toxicology, Proceedings of the 3rd International Conference on Nickel Metabolism and Toxicology, Paris, 4-7 September, 1984, Oxford, Blackwell Scientific Publications, 117 – 122.
- Kiran, S.T and Akar, T. (2005), Chromium (VI) biosorption characteristics of *Neurospora crassa* fungal biomass, Minerals Engin., 18 (7), 681 – 689.
- Kondal, J.K., Saxena, P.K and Soni, G.L. (1998), Effect of vegetable oil factory effluent on the liver of freshwater teleost *Heteropneustes fossilis* a biochemical study, Biol. Wastes, 25, 117 – 125.
- Kotsanis, V and Georgudaki, J.I. (1991), Arsenic induced liver hyperplasia and kidney fibrosis in rainbow trout (*Oncorhynchus mykiss*) by microinjection technique: A sensitive animal bioassay for environmental metal toxicity, Bull. Environ. Contam. Toxicol., 62, 169 – 178.
- Kramer, U., Howells, C.J. D., Charnock, J. M., Baker, A. J. M and Smith, J. A. C. (1996), Free histidine as a metal chelator in plants that accumulate nickel, Nature, 379, 635 – 638.
- Krishna, G and Ranjan, S.K. (1991), Special analytical techniques in nutritional Biochemistry, 1st Edition, Kalyani Publishers, New Delhi, 61 – 81.
- Krishnamohan, K and Muthukrishnan, N. (1996), Fluoride pollution of ground water, Discussion paper 22nd Wed Conference on reaching the unreached: challenges for the 21st century, New Delhi, 86 – 93.
- Kuhn, D.D., Boardman, G.D., Craig, S.R., Flick, G.J and McLean, J.E. (2009), Use of microbial flocs generated from Tilapia effluent as a nutritional supplement for shrimp, *Litopenaeus vannamei*, in recirculating aquaculture systems, J. World Aquacul. Society, 39(1), 72 – 82.
- Kulkarni, G.P.P and Dharwadkar, P. (1998), Effect of dairy effluent on biochemical parameters of wheat seed and fish, Proc. Acad. Environ. Biol., 7(1), 57–60.
- Kumar, A.G and Bishwas, R. (2005), Effect of dyeing industry effluent on seed germination, development of seedling and chlorophyll content of *Withania somnifera*, Nature Environ. Polln.Technol., 4(3) 405 – 408.
- Kumar, G.A and Ashwani, K. (2006), Histopathological lesions in the selected tissues of *Cirrhinus mrigala* (Ham.) fingerlings exposed to a sublethal concentration of mercury, J. Environ. Biol., 27(2), 211 – 215.
- Kumar, P.Y and King, P. (2004), Assessment of ground water quality in Visakhapatnam area of Andhra Pradesh, India, Indian J. Environ. Ecoplan., 8(2), 327 – 330.
- Kumar, R and Bhargava, A.K. (2006), Effect of aluminium on adult plant growth and nitrogen distribution in *Vigna mungo* Linn., Adv. Plant Sci., 19(11), 477 – 480.

- Kumar, R. (2000), Chronic ammonia induced histopathological changes in Indian subtropical freshwater murrel, *Channa punctatus* (Bloch), Poll. Res., 19(4), 611 – 613.
- Kumar, R., Bishnoi, N.R., Garima, S and Bishnoi, K. (2008), Biosorption of chromium (VI) from aqueous solution and electroplating wastewater using fungal biomass, Chem. Eng. J., 135, 202 – 208.
- Kumar, S and Gopal, K. (2001), Impact of distillery effluent on physiological consequences in the fresh water teleost, *Channa punctatus*, Bull. Environ. Contam. Toxicol., 66, 617 – 622.
- Kumar, S.A., Rana, K.S and Sumita, S. (2006), Histological change in liver of a fish *Labeo rohita* (Ham.) due to cadmium, Uttar Pradesh, J. Zoo., 26(1), 111 – 112.
- Kumar, V.V and Kaladharan, P. (2006), Biosorption of metals from contaminated water using sea weed, Curr. Sci., 90(9), 1263 – 1266.
- Kumari, K.T and Abraham, E. (2007), Biosorption of anionic textile dyes by nonviable biomass of fungi and yeast, Bioresour. Technol., 98, 1704–1710.
- Lakshmi, M.V.V.C and Sridevi, V. (2009), Biodegradation of phenol in Vinasse by *Pseudomonas* species, *Aspergillus niger* and *Bacillus coagulans*, Poll. Res., 28(2), 207 – 209.
- Lakshmi, M.V.V.C., Sridevi, V and Beetri, S.K. (2007), A review on biosorption of heavy metals from industrial effluents, Indian J. Environ. Prot., 27(6), 545–553.
- Lakshmi, S and Sundaramoorthy, P. (2000), Effect of sugar mill effluent on germination, seedling growth and biochemical changes in ragi (*Eleusine coracana* (L.) Gaertn), Indian J. Environ. Ecolplan., 3(3), 501 – 506.
- Lau, P.S., Tsang, C.C.K., Tam, N.F.Y and Wong, Y.S. (1999), Effect of metal interference, pH and temperature on Cu and Ni biosorption by *Chlorella vulgaris* and *Chlorella miniata*, Environ. Technol., 20, 953 – 961.
- Leung, W.C., Wong, M.F., Chua, H., Lo, W., Yu, P.H.F and Leung, C.K. (2000), Removal and recovery of heavy metals by bacteria isolated from activated sludge treating industrial effluents and municipal waste water, Water Sci. Technol., 12, 233 – 240.
- Lin, C.C and Lai, Y.T. (2006), Adsorption and recovery of lead (II) from aqueous solutions by immobilized *Pseudomonas aeruginosa* PU21 beads, J. Haz. Mat., 137, 99 – 105.
- Lindsay, W.L and Norvell, W.A. (1978), Development of DTPA soil tests for zinc, manganese and copper, Soil Sci. Am. J., 42, 421 – 428.
- Lloyd, J.R and Lovely, D.R. (2001), Microbial detoxification of metals and radionuclides, Curr. Opin. Biotech., 12, 253.
- Loganathan, K., Velmurugan, B., Howredia, H.J., Selvanayagam, M and Bhusan, P.B. (2006), Zinc induced histological changes in brain and liver of *Labeo rohita* (Ham.), J. Environ. Biol., 27(1), 107 – 110.

- Lokhande, R.S and Vaidya, S. (2004), Physico-chemical studies of the industrial effluents from the MIDC area of Kalyan – Dombivali (Maharashtra), *J. Ecotoxicol. Environ. Monit.*, 14(3), 199 – 202.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. (1951), Protein measurement with Folin – phenol reagent, *J. Bio. Chem.*, 193, 265 – 275.
- Luna, S., Malla, K and Mohanty, B.K. (2005), Effect of paper mill effluents on germination of green gram (*Phaseolus aureus*) and growth behaviour of its seedling, *J. Environ. Biol.* 26(2), 379 – 382.
- Magyarosy, A., Laidlaw, R.D., Kilaas, R., Echer, C., Clark, D.S and Keasling, J.D. (2002), Nickel accumulation and nickel oxalate precipitation by *Aspergillus niger*, *Appl. Microbiol. Biotechnol.*, 59, 382 – 388.
- Mala, R and Babu, S.S. (2006), Biological treatment of textile dye effluent using water hyacinth, *Poll. Res.*, 25(1), 151 – 153.
- Malekzadeh, F., Farazmand, A., Ghafourian, H., Shahamat, M., Levin, M., Grim, C and Colwell, R.R. (2005), Accumulation of heavy metals by a bacterium isolated from electroplating effluent, *J. Gen. Microbiol.*, 131, 2539 – 2544.
- Malik, A. (2004), Metal bioremediation through growing cells, *Environ. Int.*, 30, 261–278.
- Malin, M and Bulow, L. (2001), Metal binding proteins and peptides in bioremediation and phytoremediation of heavy metals, *Trends Biotechnol.*, 19, 67 – 72.
- Manisha, K.P and Dhande, R.R. (2005), Toxic effect of copper on the gills of fish *Labeo rohita*, *Indian J. Environ. Sci.*, 9(2), 109 – 111.
- Manivasagaperumal, R and Vijayarengan, P. (2005), Effect of copper on biochemical changes in *Vigna radiata* (L.) Wilczek, *Plant Arch.*, 5(2), 245–248.
- Manivasakam, N. (1997), Industrial effluents: Origin, characteristics effects, analysis and treatment, Sakthi Publications, Coimbatore, 85 – 98, 307 – 360, 438 – 458.
- Manju, P., Bhuvaneshwari, V and Jeyanthi, G.P. (2009), Investigation of physico-chemical characteristics and screening for mutagenesis in chromium electroplating industry effluent, *Asian J. Microbiol. Biotech. Env. Sci.*, 11(1), 201 – 204.
- Mariappan, V and Rajan, M.R. (2002), Effect of tannery effluent on seed germination and seedling growth of *Parkinsonia aculeate* and *Caesalpinia coriaria*, *J. Ecobiol.*, 14 (4), 241-246.
- Massaccesi, G., Romero, M.C and Buesinszky, A.M. (2002), Cadmium removal capacities of filamentous soil fungi isolated from industrially polluted sediments, in La Plata (Argentina), *World J. Microbiol. Biotechnol.*, 18, 817-20.
- Matlock, M.M., Howerton, B.S and Atwood, D.A. (2002), Chemical precipitation of heavy metals from acid mine drainage, *Water Res.*, 36, 4757 – 4764.

- Mclaren, R.G and Clucas, L.M. (2001), Fractionation of copper, nickel and zinc in metal – spiked sewage sludge, *Environ. Qual.*, 30, 1968 – 1975.
- Medhi, U.J., Talukdar, A.K and Deka, S. (2008), Effect of pulp and paper mill effluent on seed germination and seedling growth of mustard (*Brassica campestris*), pea (*Pisum sativum*) and rice (*Oryza sativa*) seeds, *Poll. Res.*, 27(3), 437 – 442.
- Melgar, M.J., Alonso, J and García, M.A. (2007), Removal of toxic metals from aqueous solutions by fungal biomass of *Agaricus macrosporus*, *Science*, 70, 95 - 104.
- Mengel, K and Kirkby, E. A. (1987), In principles of plant nutrition, 4th edition, International potarts Institute, Berne, Switzerland, 573 – 588.
- Michael, P. (1984), Aquatic environment, in ecological methods for fields and laboratory investigations, Tata MC Graw Hill Publishing Company Limited, New Delhi, 92, 84 –151.
- Mishra, D.K., Bohidar, K and Pandey, A.K. (2005), Histopathological alterations in gills of the freshwater teleost, *Channa punctatus* (Bloch), exposed to sublethal concentration of cartap, *J. Ecophysiol. Occupl. Hlth.*, 5(3&4),161–164.
- Mishra, D.K., Bohindar, K and Pandey, A.K. (2006), Histopathological changes in liver of freshwater teleost, *Channa punctatus* (Bloch), exposed to sublethal concentration of carbaryl and cartap, *Aquacult.*, 7(1), 81 – 86.
- Mitchell, R.N and Cotron, R.S. (2004), Cell injury adaptation and death in : Kumar, V., Cotran, R and Robbins, S.L. (Eds), Robbins Basic Pathology, Saunders New Delhi, India, 3 – 32.
- Mittal, S and Sengar, R.M.S. (1989), Toxic effect of sulphate and its uptake in algae, *National Academy Sci. Lett.*, 12(7), 17 – 19.
- Moat, A.G., Foster, J.W and Spector, M.P. (2002), *Microbial Physiology*, Wiley-Liss, Inc, New York, 451 – 455.
- Mohanani, V and Nair, G.A. (2000), Impact of titanium dioxide factory effluent on the biochemical composition of the fresh water fishes *Oreochromis mossambicus* and *Eutroplus maculatus*, *Poll. Res.*, 19 (1), 67 – 71.
- Mohanty, S., Bapuji, M., Mishra, R.K., Sree, A., Ray, P., Mohapatra, S.B and Rath, C.C. (2004), Studies on metal tolerance of bacterial associates of marine sedentary organisms, *Asian J. Microbiol. Biotech. Env. Sci.*, 6(2), 291 – 296.
- More, T.G., Rajput, R.A and Bandila, N.N. (2003), Trace element contamination in a coastal aquifer of Andhra Pradesh, *J. Indl. Polln. Ctrl.*, 26, 181 – 202.
- Mungasavalli, D.P., Viraraghavan, T and Jin, Y.C. (2007), Biosorption of chromium from aqueous solutions by pretreated *Aspergillus niger* : Batch and column studies, *Colloids Surface A – Physicochem. Eng. Aspects*, 301, 214 – 223.

- Muraleedharan, T.R., Venkobachar, C and Leela, I. (1991), Investigations of fungal fruiting bodies as biosorbents for the removal of heavy metals from industrial processing streams, *Sep. Sci. Technol.*, 29, 1893 – 1903.
- Murphy, V., Hughes, H and McLoughlin, P. (2007), Cu (II) binding by dried biomass of red, green and brown macroalgae, *Water Res.*, 41, 731 – 40.
- Murugaiyan, V and Kanmani, S. (2009), Environmental audit of a small scale electroplating industry, *Indian J. Environ. Prot.*, 29(4), 304 – 311.
- Murugesan, M and Vasanthi, M. (2003), Biosorption of chromium using *Pseudomonas* sp., *J. Ecotoxicol. Environ. Monit.*, 13 (1), 69 – 71.
- Muthuchelian, K., Rani, S.M.V., Kandasamy, G and Kailash, P. (1998), Influence of sewage water and sewage soil on photosynthesis, nitrate reductase activity and biomass accumulation of *Phaseolus mungo* L., *Indian J. Environ. Hlth.*, 30(4), 367 – 371.
- Nagaraj, G and Sarma, A.L.N. (2008), Effect of sevin on survival and biochemical composition of *Catla catla*, *J. Ecotoxicol. Environ. Monit.*, 18(4), 859 – 871.
- Nagarajan, K and Devi, P.S.A. (2006), Histological changes in Indian freshwater major carp *Labeo rohita* due to distillery effluent, *Nature Environ. Polln. Technol.*, 5(1), 78 – 83.
- Nagaraju, D., Mahadeswara, H.S and Dharmesh, M.P. (2003), Heavy metal pollution of soils around Nanjangud, Karnataka and its impact on the environment, *J. Ecotoxicol. Environ. Monit.*, 13 (4), 295 – 306.
- Nagaraju, M., Narasimha, G and Rangaswamy, S. (2007), Impact of effluent of sugarcane industry on soil physicochemical and biological properties, *J. Indl. Polln. Ctrl.*, 23(1), 73 – 76.
- Nagarathnamma, R and Pratima, B. (1999), Decolourization and detoxification of extraction stage effluent from chlorine bleaching of kraft pulp by *Rhizopus oryzae*, *Appl. Environ. Microbiol.*, 65(3), 1078 – 1082.
- Nanda, P., Panda, B.N and Bhera, M.K. (2000), Nickel induced alteration in protein level of some tissues of *Heteropneustes fossilis*, *J. Environ. Biol.*, 21(2), 117 – 119.
- Nandeesh, M.C. (2002), Sewage fed aquaculture systems of Kolkata, *Fishing Chimes*, VII (2), 25 – 26.
- Natarajan, S., Selvakumari, G., Chandarabose, M.S. and Shanmugam, K. (1988), *Methods of water analysis*, First edition, Books world publications, 3 – 11.
- National Academy of Sciences (NAS) (1975), *Medical and biological effects of environmental pollutants, Nickel*, National Research Council, National Academy of Sciences, Washington, 277.
- Nealson, K.H., Rosson, R.A and Mayers, C.R. (1992), Microbial reduction of manganese and iron: New approaches to carbon cycling, *Appl. Environ. Microbiol.*, 58, 439.

- Neelima, P and Reddy, K.J. (2004), Interaction of some heavy metals stress on growth and yield in *Solanum melongena* L., *Eco. Env. Cons.*, 10(2), 153 – 159.
- Nemade, P.N and Shrivastava, V.S. (1998), Detection of metals in pulp and paper mill effluents by ICP-AES and flame photometry and their impact on surrounding environment, *J.Indl. Polln. Ctrl.*, 13, 143 – 149.
- Nirmala, A.R.C and Eliza, J. (2005), Effect of phosphamidan on the carbohydrate, protein and lipid contents in *Cirrhina mrigala*, *Asian J. Microbiol. Biotech. Env. Sci.*, 7(4), 813 – 814.
- Nizammuddin, S., Sridevai, A and Narasimha, G. (2008), Impact of dairy factory effluent on soil enzyme activities, *Eco. Env. Cons.*, 14(1), 89 – 94.
- Noorjahan, C.M., Dawood, S.S and Nausheen, D. (2003), Impact of dairy effluent on biochemical constituents of fish *Oreochromis mossambica*, *J. Ecotoxicol. Environ. Monit.*, 13(3), 227 – 231.
- Nwoko, C., Okeke, P.N., Agwu. O.O and Akpan, I.E. (2007), Performance of *Phaseolus vulgaris* L. in a soil contaminated with spent engine oil, *Afr. J. Biotech.*, 6(16), 1992 – 1925.
- Ochari, E. (1997), *Bioinorganic chemistry: An introduction* (Algin & Bacon, Baston), 1.
- Ogundiran, M.A., Fawole, O.O., Adewoye, S.O and Ayandiran, T.A. (2009), Pathologic lesions in the gills of *Clarias gariepinus* exposed to sublethal concentrations of soap and detergent effluents, *J. Cell Animal Biol.*, 3(5), 078 – 082.
- Olsen, S. R., Cole, C. V., Wantonabe, B. S. and Dean, L. A. (1954), Estimation of available phosphorus in extraction with sodium carbonate, *U. S. D. A. Circ.*, 1939.
- Paknikar, K.M., Pethkar, A.V and Puranik, P.R. (2003), Bioremediation of metalliferous wastes and products using inactivated microbial biomass, *Indian J. Biotech.*, 2, 426 – 443.
- Palanichamy, S and Baskaran, P. (1995), Selected biochemical and physiological responses of the fish *Channa striatus* as biomonitor to assess heavy metal pollution in freshwater environment, *J. Ecotoxicol. Environ. Monit.*, 5(2), 131 – 138.
- Palaniswami, C and Ramulu, S.V.S. (1994), Effect of continuous flow of effluent in a channel on the available nutrient status and on certain soil enzyme activities of the adjoining fields, *J. Indian Soc. Soil Sci.*, 42, 468 – 470.
- Pallavi, G and Neera, S. (2004), Effect of sublethal concentrations of zinc on histological changes and bioaccumulation of zinc by kidney of fish *Channa punctatus* (Bloch), *J. Environ. Biol.*, 27(2), 211 – 215.
- Panchanadikar, V.V and Das, R.P. (1994), Biosorption process for removing lead (II) ions from aqueous effluents using *Pseudomonas* sp., *Intern. J. Environ. Studies*, 46, 243 – 250.

- Pandey, G.C and Neraliyu, S. (2002), Distillery effluent induced alterations on the seed germination, seedling growth, chlorophyll and protein contents of bengal gram, *Cicer arietinum* Linn., Himalayan. J. Environ. Zoo., 16(1), 77–81.
- Pandey, S.N. (2006), Accumulation of heavy metals (Cd, Cr, Cu, Ni and Zn) in *Raphanus sativus* L. and *Spinacia oleracia* L. plants irrigated with industrial effluents, J. Environ. Bio., 27(2), 381 – 384.
- Pandey, S.N. (2006), Effect of brewery effluent on seedlings of *Cajanus cajan* and *Vigna mungo*, J. Appl. Biosci., 32(1), 199 – 122.
- Pandiyan, M., Ganeshram, S., Babu, C and Marimuthu, R. (2006), Correlation studies in green gram, Plant Arch., 6(2), 771 – 773.
- Panneerselvam, M., Thamizhiniyan, P and Lenin, M. (2008), Biochemical activity of *Phaseolus trilobus* Ait. in AM fungi and diary effluent, Plant Arch., 8(2), 611 – 612.
- Parameswari, E., Lakshmanan, A and Thilagavathi, T. (2009), Biosorption of chromium (VI) and nickel (II) by bacterial isolates from an aqueous solution, Electronic J. Environ. Agricul. Food Chem., 8(3), 150 – 156.
- Pathak, H., Joshi, H.C., Chaudhary, A., Chaudhary, R., Kalra, N and Dwivedi, M.K. (1999), Soil amendment with distillery effluent for wheat and rice cultivation, Water Air Soil Polln., 113, 133 – 140.
- Patil, S.M and Hande, R.S. (2004), A profile of physicochemical aspects of pollution in water of Patal Ganga creek and Arabian sea of Raigad district, Maharashtra, Poll. Res., 23 (4), 717 – 720.
- Patil, V.B and Paknikar, K.M. (1999), Removal and recovery of metal cyanides using a combination of biosorption and biodegradation processes, Biotech. Lett., 21, 913 – 919.
- Paul and Mukhopadyay (2001), Insitu accumulation of heavy metals in the Ganga river system - An overview, Ecol. Env. Cons., 12(3), 435 – 448.
- Pavadai, P., Dhanavel, D., Seetharaman, N and Selvaraju, M. (2004), Effect of zinc on germination and yield parameters in blackgram [*Vigna mungo* (L.) Hepper.var.co.3], Plant Arch., 4(2), 479 – 481.
- Pelgrom, S.M.G.J., Lamers, L.P.M., Garristsen, J.A.M., Lock, P.R.A.C., Balm, P.H.M and Bonga, W.S.E. (1994), Interactions between copper and cadmium during single and combined exposure in juvenile tilapia, *Oreochromis mossambicus*. Influence of feeding condition on whole body metal accumulation and the effect of the metals on tissue water and content, Aquatic Toxicol., 30, 117 – 135.
- Penche, F., Fraile, G., Gonzalez, F., Blazquez, M.A., Monoz, J.A and Ballester, A. (2005), Biosorption of copper, zinc, cadmium and nickel by *Chlorella malgain*, Chem. Ecol., 21, 61 – 75.
- Periyasamy, M and Rajan, M.R. (2009), Physico-chemical characteristics and water quality index of electroplating industry effluent, J. Indl. Polln. Ctrl., 25(1), 29 – 32.

- Pethkar, A.V and Paknikar, K.M. (1998), Screening of soil fungi for biosorption of some toxic and precious metals from solutions, In: Prakash, A. ed. Fungi in Biotechnology, New Delhi, CBS Publishers, 231 – 235.
- Pickering, A.D. (1981), Stress and compensation in teleostean fishes : Response to physical and social factors. In : Pickering, A.D. (Ed.) stress and fish, Academic Press, 295 – 322.
- Ponmurugan, P and Jayaseelan, S. (1999), Effect of some industrial effluents on germination and growth of *Typha angustata* (Bory and Chub), Indian J. Environ. Prot., 19(10), 762 – 766.
- Poonkothai, M and Parvatham, R. (2005), Biodegradation of automobile waste water using bacterial isolates, Poll. Res., 24(3), 605 – 607.
- Prabhakaran, K. (1990), In: Proc. Workshop on bioremediation of polluted habitats, TNAU, Coimbatore, March 22-23, 83 – 85.
- Pragasam, A and Kannabiran, B. (2004), Effect of distillery effluent on the NPK contents of *Vigna mungo* (L.) Hepper and physicochemical properties of soil, Indian J. Environ. Ecoplan., 8(2), 297 – 300.
- Prasad, B., Singh, K. M and Singh, R. B. (2000), Effect of carbamate (Furadan-3G) on the histopathological changes in the gills of *Channa marulins* (Ham.), J. Environ. Polln., 7(4), 279 – 281.
- Prasad, D.D.K and Prasad, A.R.K. (1987), Altered alpha-amino levulinic acid metabolism by lead and mercury in germinating seeds of bajra, J. Plant Physiol., 127, 241 – 250.
- Prasanna, N., Saravanan, N., Geetha, P., Shanmugugaparakash, M and Rajasekaran, P. (2008), Biodegradations of phenol and toluene by *Bacillus* sp., *Pseudomonas* sp., and *Staphylococcus* sp., isolated from pharmaceutical industrial effluent, Adv. Biotech., 7(1), 20 – 24.
- Prasanth, M.S. (2007), Impact of free cyanide on protein level in the Indian major carp, *Catla catla*, J. Ecotoxicol. Environ. Monit., 17(2), 159 – 166.
- Pratap, S.P., Manisha, M and Jaswant, S. (2006), Impact of fertilizer factory effluent on seed germination, seedling growth and chlorophyll content of gram (*Cicer arietinum*), J. Environ. Biol., 27(1), 153 – 156.
- Prescott, L.M., Harley, J.P., Klein, D.A. (2002), Microbiology, Fifth edition, McGraw-Hill Companies, 57 – 64.
- Prigione, V., Tigini, V., Pezzella, C., Anastasi, A., Sannia, G and Varese, G.C. (2008), Decolourisation and detoxification of textile effluents by fungal biosorption, Water Res., 42, 2911 – 2920.
- Radha, A and Rajendran, K. (2009), Impact of pesticides on protein level in the freshwater fish *Labeo rohita* (Ham.), Asian J. Microbiol. Biotech. Env. Sci., 11(1), 169 – 171.

- Radhakrishnaiah, K., Suresh, A., Urmila, B and Sivaramakrishna, B. (1991), Effects of mercury on lipid metabolic profiles in the organs of *Cyprinus carpio* (Linn.), J. Mendal., 8, 125 – 135.
- Raguveer, S and Sastry, C.A. (1990), Agriculture utilization of biologically treated pulp and paper mill waste water, Indian J. Environ. Prot., 10, 801 – 804.
- Rahman, K.M., Najid, K.M and Kamal, S. (1996), Growth performance of chick pea under the influence of nickel and cobalt as soil pollutants, J. Indian Bot. Sci., 75(3-4), 193 – 196.
- Rai, V.N., Tripathi, R and Kumar, K. (1992), Bioaccumulation of chromium toxicity on growth, photosynthetic pigments, photosynthesis, in vitro nitrate reductase activity and protein content in a chlorococcal green alga *Glaucolysis aostochinearum*, Chemosphere, 25, 1722 – 1732.
- Raina, A.K and Agarwal, B. (2003), Effect of paper mill effluent on the germination, growth and yield of *Lens exculenta* moench (lentil), J. Indl. Polln. Ctrl., 19(2), 301 – 306.
- Rajasubramanian, V., Sasikumar, K and Subhasini, S. (2006), Effects of monovalent and divalent mercury in the freshwater teleost *Labeo rohita*, J. Ecotoxicol. Environ. Monit., 16(3), 215 – 220.
- Rajendran, P., Muthukrishnan, J and Gunasekaran, P. (2003), Microbes in heavy metal bioremediation, Indian J. Exp. Biol., 41, 935 – 944.
- Rajeswari, M., Kalaichelvi, K., Manian, S and Indramuthu, J. (2005), Irrigational impact of dye house effluent on plant growth and soil characteristics, J. Indl. Polln. Ctrl., 21(2), 299 – 304.
- Rajukkannu, K., Manickam, T.S., Shanmugan, K., Chandrasekaran, A and Gladis, R. (1996), Proc. Nat. Symp. Use of distillery and sugar industry wastes in agriculture, 28th and 29th October, AC & RI, Trichy.
- Rajurkar, N.S., Nongbri, B and Patwardhan, A.M. (2003), Physico-chemical and biological investigations of river Umshyrpi at Shillong, Meghalaya, Indian J. Environ. Hlth., 45(1), 83 – 93.
- Rajvaidya, N and Kumar, D.M. (2003), Significance of microorganisms for biosorption / bioaccumulation of metallic contaminants, Microbial Tech. Biorem., 8, 7 – 29.
- Ramakrishnan, K., Thamizhiniyan, P., Sundaramoorthy, P and Sriramchandrasekaran, M.V. (2001), Effect of sugar mill effluent polluted soil on VAM fungi, J. Ecobiol., 13(3), 187 – 192.
- Ramakrishnan, K., Thamizhiniyan, P., Sundarmoorthy, Y.P and Senthilkumar, R.D. (2001), Effect of sugar mill raw and yeast treated effluent on seed germination and seedling growth of paddy (*Oryza sativa* L. var. ADT – 367), Asian J. Microbiol. Biotech. Environ. Sci., 23(1 & 2), 37 – 40.
- Ramalingam, K., Rahman, A.A and Bai, M.R. (1992), Biocides and carbohydrates metabolism in *Sarotherodon mossambicus*, J. Ecotoxicol. Environ. Monit., 2 (1), 13 – 18.

- Ramamurthy, V., Plato, V and Raveendran, S. (2009), Impact of pesticide (Monocrotophos) on the behavioural, respiratory and biochemical parameters in *Channa punctatus* (Bloch), Res. J. Biol. Sci., 4(1), 220 – 227.
- Ramasamy, K and Thanga, V.S.G. (1999), Soil environmental pollution and remedial measures, Proceedings of the workshop on bioremediation of polluted habitats, March 22 & 23, Tamil Nadu Agricultural University, Comibatore, India, 34 – 35.
- Ramsing, N.B., Fossing, H., Ferdelman, T.G., Anderson, F and Thamdrup, B. (1996), Distribution of bacterial populations in a stratified fjord (mariager Fjord, Denmark) quantified by *insitu* hybridization and related to chemical gradients in the water column, Appl. Environ. Microbiol., 62, 1391 – 1404.
- Rani, A.S and Raju, T.N. (2007), Histological variations in fresh water teleost, *Tilapia mossambica* (Peters) on exposure to arsenic, Nature Environ. Polln. Technol., 6(4), 637 – 642.
- Rao, J.K. (1984), Histopathological as a diagnostic tool in evaluating the toxicity of environment, Toxicology, selected lectures and methods, S.V. University, Tirupathi, India.
- Rao, K. V. K and Murthy, J.S. (1992), Plating and metal-finishing industries waste water treatment - An economic proposition, Res. Industry, 37, 92 – 94.
- Rao, L.M and Hymavathi, V. (2001), Age and growth of *Channa orientalis* in relation to slaughter house waste pollution in Mudarsarlova stream of Visakhapatnam, Poll. Res., 20(3), 303 – 308.
- Rao, M.G and Nandhakumar, N.V. (1983), Impact of effluent on seed germinability and chlorophyll content in *Cicer arietinum* L., Poll. Res., 2, 33.
- Rao, N.P and Rao, N.Y. (1992), Quality of effluent water discharged from paper board industry and its effects on alluvial soil and crops, Indian J. Agric. Sci., 62, 9 – 12.
- Raza, S.H and Murthy, M.S.R. (1995), Effect of industrial effluent on soil and natural vegetation of Nacharam industrial complex, Environ. Polln. Prot., Deep and Deep publications, New Delhi, 134 – 139.
- Reddy, G.V and Sirkar, L.N. (1991), Storage of pink perch (*Nemipterus japonicas*), chemical, microbiological and sensory assessment, Indian J. Fish., 38(1), 55 – 59.
- Reddy, M.V., Reddy, S.A and Radhakrishnaiah, K. (2007), Nickel induced changes in protein metabolism of the snail *Pila globosa*, Asian J. Environ. Sci., 2(1 & 2), 21 – 27.
- Revathi, K., Gulati, S and Sharief, D. (2005), Tannery effluent induced biochemical changes in the carnivorous fish *Gambusia affinis*, Poll. Res., 24(4), 815 – 818.
- Riley, J.P and Segan, D.A. (1970), The distribution of the major and minor elements in marine animals echinoderms and coelenterates, J. Mar. Biol. Ass., UK, 50, 721 – 730.

- Rita, J.J.A and Mitton, M.C.J. (2006), Carbamate pesticide lannate (Methomyl) induced histological aberrations of freshwater cichlid, *Oreochromis mossambicus* (Peters), J. Curr. Sci., 9(2), 743 – 752.
- Rodrigueza, M.R.C and Montano, M.N.E. (2007), Bioremediation of three carrageenophytes to extract ammonia from fish farm effluent, J. Appl. Phycol., 19(6), 1109 – 1114.
- Ross, I.S and Townley, C.C. (1986), The uptake of heavy metals by filamentous fungi. J. Eccles HH, Hunt. S, editors immobilization of ions by absorption, Chichestes, UK: Ellis Hoxwood, 49 – 57.
- Ross, S.M. (1994), Sources and forms of potentially toxic metals in soil – plant systems, In: Toxic metals in soil – plant systems (Ed : S.M. Ross), Wiley and Sons, New York, 3 – 25.
- Sabarinathan, D., Indira, V.V., Anitha, A and Darwin, S. (2006), Effect of dairy effluent on the survival, protein, carbohydrate and fat metabolism of freshwater fish *Ophiocephalus*, Poll. Res., 25(3), 675 – 676.
- Sag, Y. (2001), Biosorption of heavy metals by fungal biomass and modeling of fungal biosorption : A review, Sep. Purif. Rev., 30(1), 1 – 48.
- Sag, Y., Kaya, A and Kutsal, T. (2000), Biosorption of lead (II), nickel (II) and copper (II) on *Rhizopus arrhizus* from binary and ternary metal mixtures, Sci. Technol., 35, 2601 – 2617.
- Saggo, M.I.S., Verma, N and Sharma, P. (2004), Phytotoxicity of copper and lead in leafy vegetable Amaranthus (*Amaranthus olerceous*), Indian J. Environ. Ecolplan., 8(2), 353 – 358.
- Sakthivel, M. (1994), Sublethal effects of tannery and textile mill effluents on gill structure, respiration and bioconcentration of chromium in *Cyprinus carpio* (Linnaeus), J. Environ. Poll., 1 (3&4), 83 – 88.
- Saleh, A.A.H. (2001), Effect of Cd and Pb on growth, certain antioxidant enzymes activity, protein profile and accumulation of Cd, Pb and Fe in *Raphanus sativus* and *Eruca sativa* seedlings, Egy. J. Biol., 3, 131 – 139.
- Salniko, K., Davidson, T., Zhang, Q., Chen, L.C., Su., N and Costa, M. (2003), The involvement of hypoxia - inducible transcription factor 1 dependent pathway in nickel carcinogenesis, Cancer Res., 63, 3524 – 3530.
- Samyuktha, B.H.S., Backyavathy, M.D and Sudha, P.N. (2006), Standardisation of suitable concentration of distillery effluent for fish culture (*Tilapia mossambica*), Nature Environ. Polln. Technol., 5(3), 347 – 350.
- Sandana, K.M.C. (1995), Studies on the effect of liquid and solid wastes from industries and growth of certain crops, M.Sc.,Thesis, Tamil Nadu Agricultural University, Coimbatore.
- Sandhya, S., Johri, R.M and Snehlata, N, (2005), Effect of paper mill industry effluent on chlorophyll content of some medicinal plants, Adv. Plant Sci., 18(2), 691 – 692.

- Sangeeta, A., Chopra, A.K., Joshi, N and Prasad, G. (2005), Physicochemical and bacteriological characteristics of Aachal dairy mill effluent and its effects on seed germination of some agricultural crops, *Nature Environ. Polln. Technol.*, 4(3), 441 – 444.
- Sanyal, A., Rautaray, D., Bansal, V., Ahmad, A and Sastry, M. (2005), Heavy metal remediation by a fungus as a means of production of lead and cadmium carbonate crystals, *Langmuir*, 51, 7220 – 7224.
- Saravanan, M., Ponneelan, K.T.P.B., Suchitra, R., Poonkothai, M and Kalaiarasi, K. (2005), Biodegradation of oil and grease in automobile wastewater using immobilized extracellular enzyme producing bacteria, *J. Ecol. Res. Biocon.*, 6(1&2), 48 – 52.
- Saravanan, S., Subramani, A and Lakshmanachary, A.S. (1997), Influence of cadmium on germination and growth behaviour of *Arachis hypogea* (L.) var. VRI-2., *Geobios.*, 24(2-3), 167 – 170.
- Saritha, V., Maruthi, Y.A., Mukkanti, K and Maheswari, M.U. (2009), Impact of paper mill effluents on the physico-chemical characteristics of soil, *Asian J. Microbiol. Biotech. Env. Sci.*, 11(1), 87 – 90.
- Sastry, K.V., Gupta, P.K and Shukla, S. (1997), Effect of cadmium and copper on the freshwater fish *Channa punctatus* - A histological study, *Environ. Res.*, 16, 270 – 278.
- Sastry, K.V., Shukla, V., Abusaria, S and Gill, P. (2001), Studies on the impact of bicycle manufacturing industry effluent on soils, *Poll. Res.*, 20(2), 187–192.
- Saxena, M.C and Singh, V. (1974), Micronutrient research in soil and plants in India, In workshop ICAR, New Delhi, 185.
- Schnegg, H.A and Kirchgessner, M. (1980), Toxic effects of trace elements on the reproduction of mice and rats, *Arch. Environ. Hlth.*, 23, 102 – 106.
- Seema, B. (1997), Characterisation of agricultural soils irrigated with petroleum refinery effluents and microbiological analysis, *J. Environ. Poll.*, 4(4), 303–308.
- Selvaraju, M. (1999), Ecophysiological studies on the effect of zinc on *Vigna mungo* (L.) Hepper and *Vigna radiata* (L.) Wilczek., Ph.D.Thesis, Annamalai University.
- Sen, G., Behera, M.K and Patel, P.N. (1992), Toxic effect of zinc on brain and liver of *Channa punctatus* (Bloch), *J. Ecotoxicol. Environ. Monit.*, 2(2), 141 – 143.
- Sen, M., Dastidar, M.G and Roychoudhury, P.K. (2005), Biosorption of chromium (VI) by nonliving *Fusarium* sp. isolated from soil, *Pract. Periodical Hazard. Toxic Radioactive Waste Manag.*, 9, 147–151.
- Sevin, I. F. (1980), Nickel, Metals in the environment, Academic Press, London, 263 – 291.
- Seyis, I and Subasioglu, T. (2008), Comparison of live and dead biomass of fungi on decolourization of methyl orange, *Afr. J. Biotech.*, 7(13), 2212 – 2216.

- Shailendra, K., Srivastava, S., Singh, M., Kersingh, V., Arvind, K., Singh, K and De, S.K. (1993), Absorption of heavy metals (Cr, Fe, Mn, Cu and Zn) by lettuce (*amaranthus*) grown with sludge MRP along with sewage and tap water irrigation, *Indian J. Agric. Chem.*, 26, 24 – 34.
- Shakoori, A.R.A.Z and Iqbal, M. (1996), Effect of sublethal dose of fenvalerate (a synthetic pyrethroid) administered continuously for four weeks on the blood, liver, muscles of fresh water fish *Etenopharyngodon idella*, *Bull. Environ. Contam. Toxicol.*, 57, 487 – 499.
- Shalini, K.H.S., Devenda, S., Dhindsa, S., Dhindsa, S and Singh, R.V. (2003), Studies on causes and possible remedies of water and soil pollution in Sanganer town of pink city, *Indian J. Env.Sci.*, 7, 47 – 52.
- Shanker, A.K., Cervantes, C., Tavera, L.H and Avudainayagam, S. (2005), Chromium toxicity in plants, *Intern. Environ.*, 31, 739 – 753.
- Shanmugavel, P. (1993), Impact of sewage, paper and dye industry effluents on germination of green gram and maize seeds, *J. Ecobiol.*, 5, 69 – 71.
- Sharma, M.K., Mehra, R.K and Basker, B.C. (2003), Evaluation of various fractions of micronutrients (Zn, Fe, Cu and Mn) in soils of Rajasthan, *J. Ecophysiol.*, 6(1-2), 45 – 51.
- Sharma, M.P., Balf, S.V and Guptha, D.K. (2001), Soil fertility and productivity of rice (*Oryza sativa*), wheat (*Triticum aestivum*) cropping system in an inceptisol as influenced by integrated nutrient management, *Indian J. Agri. Sci.*, 71(2), 82 – 86.
- Sharma, P.D. (1997), Seventh edition, *Ecology and Environment*, Rastogi publications, Meerut, 468 – 470.
- Sharma, R.K and Agarwal, M. (2005), Biological effects of heavy metals: An overview, *J. Environ. Biol.*, 26(2), 301 – 313.
- Sharma, S.K., Srivastava, A and Singh, V.P. (1997), Effect of rubber factory effluent on the growth of *Vigna mungo* (Urd bean), *J. Environ. Poll.*, 4, 175 – 177.
- Shen, Z., Wang, J and Guan, H. (1993), Effect of aluminium and calcium on growth of wheat seedling and germination of seeds, *J. Plant Nutr.*, 16(1), 2135 – 2148.
- Shrikrishna, S and Singh, S.R. (1992), Effect of zinc on yield, nutrient uptake and quality of Indian mustard, *Indian Soc. Soil Sci.*, 40, 321 – 325.
- Shukla, O.P., Rai, U.N and Amit, P. (2005), Accumulation of chromium and its phytotoxic effects on *Bacopa monnieri* L., *J. Ecophysiol. Occupl. Hlth.*, 5(3&4), 165 – 169.
- Shukla, S., Seyata, K., Dass, M and Saksena, D.K. (2005), Biochemical alteration in the liver and kidney of a fresh water catfish *Clarias batrachus* (Linn.) exposed to organophosphorus pesticides Nuvan (DDVP), *J. Aqua. Biol.*, 20(1), 135 – 140.

- Shweta, S., Subhasini, S and Sharma, P.K. (2006), Histopathological studies of selected vital organs of a fresh water fish *Poecilia reticulata* following chronic exposure to an azo dye methyl red, Nature Environ. Polln. Technol., 5(1), 21 – 26.
- Sigel, H and Sigel, A. (1988), Nickel and its role in biology, Metal ions in biological systems, 23, Marcel Dekker, New York, 488.
- Singaram, P. (1996), Effect of tannery effluent on yield and chromium content in maize, Madras Agri. J., 83, 605 – 606.
- Singh, B.P. (1992), Use of linear measurement in the estimation of leaf area, The India Forester, 118(6), 438 – 440.
- Singh, D. (2007), Biosorption of zinc (II) from aqueous solution by non living *Spirogyra* sp., Poll. Res., 26(2), 297 – 300.
- Singh, M.P., Rastogi, P.C., Srivastava, A.K and Vishvakarma, N.K. (2008), Decolourisation of azo dyes with white rot fungi *Pleurotus* species, Poll. Res., 27(3), 365 – 369.
- Singh, M.V. (1998), 28th Annual report of AICRP on micro and secondary nutrients and pollutant elements in soils and plants, IISS, Bhopal, 145.
- Singh, P.S., Bhatnagar, M.K., Abhilasha, S and Shrivastava, P. (2004), Effect of paper mill effluent on root and shoot of seedlings, Poll. Res., 23(2), 403 – 404.
- Singh, S.P., Bhatnagar, M.K., Shrivastava, P and Singh, A. (2005), Growth performance and chemical analysis of some plants irrigated with paper mill effluent, J. Indl. Polln. Ctrl., 21(1), 163 – 166.
- Singh, Y.C.S., Khind, S and Singh, B. (1991), Efficient management of leguminous green manures in wetland rice, Adv. Agro., 45, 135 – 189.
- Sivakumar, K., Subbaiah, K.V and Gopal, D.V.R.S. (2001), Studies of certain trace elements in industrial effluents, sediments and their effect on plant physiology, Poll. Res., 20(1), 99 – 102.
- Sivapriya, O and Nirmala, R. (2003), Biodegradation of cyclohexanol by bacteria isolated from oil spilled soil around Vandavasi, J. Ecotoxicol. Environ. Monit., 13(3), 185 – 190.
- Somashekar, R.K., Gowda, M.T.G., Shettigar, S.C.N and Srinath, K.P. (1984), Effect of industrial effluent on crop plants, Indian J. Environ. Hlth., 26, 136 – 146.
- Somenath, B. (1991), Effect of acute sublethal concentration of toxic acid on the protein, carbohydrate and lipid levels in the tissues of the fish, *Labeo rohita*, J. Environ. Biol., 12(2), 107 – 112.
- Sonawane, V.D., Rawar, A.H and Hyaliji, M.T. (2004), Effect of sugar factory effluent on glycogen, protein and free amino acid contents in tissues of the fish *Lepidocephalus thermalis*, Nature Environ. Polln. Technol., 2(3), 239 – 242.

- Sornaraj, R., Singh, R.A.J.A and Jaisheeba, A.A. (2008), Histopathological alterations in the architecture of stomach in the fish *Mystus vittatus* reared in the pesticide mixed medium, *Poll. Res.*, 27(1), 145 – 149.
- Sornaraj, R., Thanalakshmi, S and Basakaran, P. (1995), Influence of heavy metals on biochemical responses of the freshwater air breathing fish *Channa punctatus* (Bloch), *J. Ecotoxicol. Environ. Monit.*, 5(1), 19 – 27.
- Srikanth, R and Reddy, S.R.P. (1991), Pb, Cd and Cr levels in vegetables in urban sewage sludge, *Food Chem.*, 40, 229 – 234.
- Srinivas, P., Kumar, G.N.P., Choudary, P.P and Kumar, K.P. (2008), Ground water recharges through rainwater harvesting and studying variations in water quality, *Poll. Res.*, 27(3), 503 – 506.
- Srivastava, P. (2007), Effect of pre-soaking of seeds with nickel salt on seedling growth in *Vigna radiata* L. cultivars, *Adv. Plant Sci.*, 20(II), 423 – 425.
- Srivastava, S and Thakur, I.S. (2003), Bioabsorption potentiality of acinetobacter sp. strain IST 103 of a bacterial consortium for removal of chromium from tannery effluent, *J. Sci. Indian Res.*, 62, 616 – 622.
- Srivastava, S and Thakur, I.S. (2006), Biosorption potency of *Aspergillus niger* for removal of chromium (VI), *Curr. Microbiol.*, 53, 232 – 237.
- Stebbing, A.R.D. (1985), A possible synthesis, In B.L. Bayne (Editors), *The effects of stress and pollution on marine animals*, Prager, New York.
- Stobart, A.K., Griffiths, W.T., Bukhari, A.I and Sherwood, R.P. (1985), The effect of Cd²⁺ on the biosynthesis of chlorophyll in leaves of barley, *Physiol. Plant.*, 63, 293 – 298.
- Subbaih, B. V and Asija, G. L. (1956), A rapid procedure for estimation of available minerals in soil, *Curr. Sci.*, 25, 260.
- Subramani, A., Saravanan, S., Sundaramoorthy, P and Lakshmanachary, A.S. (1998), Impact of fertilizer factory effluent on the morphometrical and biochemical changes of cowpea (*Vigna unguiculata* L), Walp, *Adv. Plant Sci.*, 11(1), 137 – 141.
- Subramani, A., Sundaramoorthy, P., Saravana, S., Selvaraju, M and Lakshmanachary, A.S. (1995), Impact of biologically treated distillery effluent on growth behaviour of green gram (*Vigna radiata* L.) Wilczek, *Crop Res.*, 19, 26 – 36.
- Subramani, A., Sundramoorthy, P., Saravanan, S., Selvaraj, M and Lakshmanachary, S.A. (1999), Impact of biologically treated distillery effluent on growth behaviour of green gram [*Vigna radiata* (Linn.) var co. 2 Wilczek.], *J. Indl. Polln. Ctrl.*, 15(2), 281 – 286.
- Subramanian, R., Saravanan, K and Aruldoss, K. (2008), Effect of lead acetate and influence of different feeds on protein metabolism of liver tissue in the freshwater fish *Oreochromis mossambicus*, *J. Ecotoxicol. Environ. Monit.*, 18(2), 189 – 196.

- Subudhi, E and Kar, R.N. (2008), *Rhizopus arrhizus* – An efficient fungus for copper effluent treatment, Intern.J. Integrative Biol., 2(3), 166 – 169.
- Sukumar, M., Sivasamy, A and Swaminathan, G. (2008), Biological decolorization of dye house effluent by *Trametes* sp. isolated from contaminated soil, Res. J. Biotech., 3(3), 53 – 58.
- Sundaramoorthy, P., Saravanan, S., Subramani, A and Lakshmanachary, A.S. (2000), Toxicity effect of fertilizer factory effluent on seed germination and seedling growth of some agricultural crops, Poll. Res., 19(4), 523 – 533.
- Sunderman, F.W., Sullivan, J.B and Krieger, G.R. (2001), Nickel in clinical environmental health and toxic exposures, Williams and Wilkins, Baltimore, 905 – 910.
- Surendra, S.S., Sandeep, S., Pooja, V., Saruchi, S., Shyam, S and Gopesh, P. (2005), Impact of distillery effluent on seed germination and seedling growth of some plants, Nature Environ. Polln. Technol., 4(3), 413 – 418.
- Suresh, K. (2005), Impact of paper mill effluent on seed germination and seedling growth of *Phaseolus aureus* C.V. Pant M-4, Flora Fauna, 11(2), 189 – 193.
- Suresh, K. (2006), Effect of the steel factory effluent on the seed germination and seedling growth of *Phaseolus mungo* CV.T-9, Adv. Plant Sci., 17(1), 277–283.
- Suresh, V. (2003), Environmental assessment of fishes grown in treated domestic sewage, J. Environ. Sys., 29, 55 – 70.
- Suryawanshi, M.S., Kalyankar, K.B and Pande, B.N. (2004), Ground water analysis in an industrial zone, Chikalhana (Aurangabad), Poll. Res., 23(4), 649 – 643.
- Sweeney, D.W and Graetzm, D.A. (1991), Effect of spent wash on physicochemical properties of soil, Agricul. Ecosys. Environ., 33, 341–351.
- Szincz, L and Forth, W. (1988), Effect of arsenic oxide on glyconeogenesis, Arch. Toxicol., 61, 444 – 449.
- Talaro, K.P and Talaro, A. (2002), Foundations in Microbiology, 4th edition, McGraw-Hill Publishers, Ohio, U.S.A, 558 – 563.
- Tao, S., Li, H., Li, C.S and Lam, K.C. (2000), Fish uptake of inorganic and mucus complexes of lead, Ecotoxicol. Environ. Safe., 46, 174 – 180.
- Thamizhiniyan, P. (1995), Effect of sugar mill effluent and biologically treated effluent on germination, growth and biochemical changes of groundnut (*Arachis hypogea* L.) and paddy (*O. sativa* L. Var. TKma), Ph.D. Thesis, Annamalai University.
- Thangam, R and Sivakumar, A.A. (2004), Bioaccumulation of chromium trioxide and its effect on blood glucose, glycogen content and LPH activity in the fish *Tilapia mossambica*, Indian. J. Environ. Hlth., 44, 41 – 45.
- Thangavel, P and Balagurunathan, R. (2002), Effect of tannery effluent on germination and growth of certain crop plants, Bull. Pure Appl. Sci., 121–125.

- Thanh, N.C and Simard, R.E. (1973), Biological treatment of domestic sewage by fungi, *Mycopathol. Mycol. Applicta.*, 51, 223 – 232.
- Tharakeshwari, M and Jagannath, S. (2006), Effect of distillery effluent on seed germination, seedling growth and root meristem cells of *Vigna radiata*, *J. Ecotoxicol. Environ. Monit.*, 16(4), 341 – 345.
- Thresh, I.C., Suckling, E.Y and Beale, J.E. (1994), *The examination of water and water supplies*, London, 98.
- Tikhomirov, F.A., Kuznetsova, N.N and Magina, L.G. (1987), Effect of nickel on plants in a sod-podzolic soil, *Agrokhimiya*, 8, 74 – 80.
- Tilak, K.S., Veeraiah, K and Yacobu, K. (2001), Studies on histopathological changes in the gill, liver and kidney of *Ctenopharyngodon idellus* (valenciennes) exposed to technical fenvalerate and EC 20%, *Poll. Res.*, 20(2), 267 – 270.
- Tiwari, D.R. (2001), Hydrogeochemistry of underground water in and around Chatarpur city, *Indian Environ. Hlth.*, 43(4), 176.
- Tomsett, A.B., Sewell, A.K., Jones, S.J., Miranda, J.R and Thurman, D.A. (1992), Metal binding proteins and metal regulated gene expression in higher plants, In *Inducible plant proteins*, Soc. Exp. Biol. Sem. Series, (Wary, J.L. (Eds), Cambridge University Press, New York, 1.
- Torresey, G.J.L., Gonzalez, J.H., Tiemann, K.J., Rodriguez, O and Gamez, G. (1998), Phytofiltration of hazardous Cd, Cr, Pb and Zn ions by biomass of *Medicago sativa* (Alfalfa), *J. Haz. Mat.*, 57, 29 – 39.
- Tunalia, S., Cabuk, A and Akar, T. (2006), Removal of lead and copper ions from aqueous solutions by bacterial strain isolated from soil, *Chem. Eng. J.*, 115, 203 – 211.
- U. S. Environmental Protection Agency (USEPA) (1980), Ambient water quality criteria for nickel, EPA Report, 206.
- U. S. Public Health Service (USPHS) (1993), Toxicological profile for nickel, U.S. Public health service, Agency for toxic substances and disease registry, Atlanta, Georgia, 158.
- Umamaheswari, S., Balamurugan, V and Vijayalakshmi, G.S. (2003), Impact of textile mill effluent on germination and seedling growth of *Vigna mungo*, *J. Ecotoxicol. Environ. Monit.*, 3(1), 47 – 51.
- Vasu, K., Hameed, S. A and Velaudhan, K.T. (1998), Accumulation of plant nutrients and heavy metals in soils neighbouring an industrial area, *Indian J. Environ. Hlth.*, 40(2), 189 – 196.
- Vasudevan, P., Padmavathy, V., Tewari, N and Dhingra, S.C. (2001), Biosorption of heavy metal ions, *J. Sci. Indian Res.*, 60, 112 – 20.
- Veer, B. (1998), Effects of nickel on leaves of chlorophyll components and Hill activity of certain vegetable crops, *Geobios*, 15, 231 – 233.

- Veliappan, A., Melchias, G and Kasinathan, P. (2002), Effect of heavy metal toxicity on the nodulation pattern of legume cultivars, J. Ecotoxicol. Environ. Monit., 12(1), 17 – 20.
- Venkataraman, G.V., Sandhya, P.N and Murthy, P.S. (2006), Impact of malathion on the biochemical parameter of gobiid fish, *Glossogobius giuris* (Ham.), J. Envi. Biol., 27(1), 119 – 122.
- Venkatesan, R. (2007), Effect of copper sulphate on histopathological changes in freshwater fish *Oreochromis mossambicus*, J. Environ. Biol., 17, 41 – 45.
- Venugopal, G. (2002), Use of gold ore tailings as a source of micronutrients in agriculture, M.Sc. (Agri) thesis, University of Agricultural Sciences, Dharwad.
- Verkleji, J.A.C. (1993), The effects of heavy metals stress on higher plants and their use as biomonitors In: Plant as bioindicators: Indicators of heavy metals in the terrestrial environment, Markert, B edition, VCH, NewYork, 415 – 424.
- Vidyavathi, K., Math, K and Yadahalli, G.S. (2009), Effect of application of gold ore tailing on fertility status of soil, J. Ecotoxicol. Environ. Monit., 19(1), 35–40.
- Vijayakumari, B. (2003), Impact of textile dyeing effluent on growth of soya bean (*Glycine max* L.), J. Ecotoxicol. Environ. Monit., 13(1), 59 – 64.
- Vijayaragavan, M., Vijayarengan, P and Jayakumar, K. (2007), Cadmium mediated toxic effect on biochemical constituents in *Raphanus sativus* L., Adv. Plant Sci., 20(2), 535 – 536.
- Vijayaraghavan, K and Yun, Y.S. (2008), Bacterial biosorbents and biosorption, Biotechnol. Adv., 26, 266 – 91.
- Vijayaraghavan, K., Palanivelu, K and Velan, M. (2005), Crab shell - based biosorption technology for the treatment of nickel bearing electroplating industrial effluents, J. Haz. Mat., 30, 1 – 4.
- Vijayrengan, P and Lakshmanachary, A.S. (1993), Effect of nickel on growth and dry matter yield of green gram cultivars, Indian J. Environ. Hlth., 37, 99–106.
- Vincent, S., Ambrose, T., Arunkumar, C.L and Selvanayagam, M. (1995), Biochemical responses of Indian major carp, *Catla catla* (Ham.) to chromium toxicity, Indian J. Environ. Hlth., 37(3), 192 – 196.
- Vincent, S., Ambrose, T., Arunkumar, L.C and Selvanayagam, M. (1996), Heavy metal cadmium influenced anaemia in the riverine major carp *Catla catla* (Ham.), Environ. Biol., 17(1), 81 – 84.
- Virendra, M and Dhar, P.S. (2002), Effect of distillery effluent and leachates of industrial sludge on the germination of black gram (*Cicer arietinum*), Poll. Res., 21(4), 461 – 467.
- Virk, S and Sharma, R.C. (1999), Biochemical changes induced by nickel and chromium in the liver of *Cyprinus carpio* L., Poll. Res., 18(3), 217 – 222.

- Vogel, A.I. (1964), A text book and quantitative inorganic analysis including elementary instrumental analysis, Third Edition, The English Language Book Society and Longmans Green and Company Limited, London, 56-60.
- Volesky, B and Naja, G. (2005), Biosorption: Application strategies, 16th Intern. Biotechnol. Symp. Compress Co., Cape Town, South Africa, 826 – 29.
- Vutukuru, S.S. (2003), Chromium induced alterations in some biochemical properties of the Indian major carp, *Labeo rohita* (Hamilton), Bull. Environ. Contam. Toxicol., 70(1), 118 – 123.
- WHO (World Health Organisation) (1985), Guidelines for drinking water quality, 1, Recommendations, WHO, Geneva, 130.
- Walkley, A and Black, C.A. (1934), An examination of the Degtiareff method of determining organic matter and proposed modification of chromic and titration method, Soil Sci., 37, 29 – 38.
- Wang, J and Chen, C. (2006), Biosorption of heavy metals by *Saccharomyces cerevisiae*: A review, Biotechnol. Adv., 24, 427 – 451.
- Wang, J and Chen, C. (2009), Biosorbents for heavy metal removal and their future, Biotechnol. Adv., 27, 195 – 226.
- Weis, P., Bogden, I.E and Enslee, E.C. (1986), Mg²⁺ induced hepatocellular changes in the mudpuppy, *Fundulus heteroclitus*, Environ. Health Perspect, 65, 165 – 175.
- Welch, R.M. (1995), Micronutrient nutrition of plants, Crit. Rev. Plant Sci., 14, 49 – 82.
- Wintz, M., Fox, T and Vulpe, C. (2002), Functional genomics and gene regulation in biometal research, Bull. Environ. Contam. Toxicol., 30, 765 – 768.
- Wood, B.W and Reilly, C.C. (2007), Interaction of nickel and plant diseases In: Datnoff, L.E., Elmer, W.H., Huber, D.M., editors, Mineral nutrition and plant disease, Minneapolis, American Phytopathological Society Press, 217-247.
- World Health Organization (WHO) (1989), Health guidelines for the use of waste water in agriculture and aquaculture, Report of a WHO scientific group, WHO technical report series, 778.
- Yadav, J.P and Minakshi, R. (2006), Effect of sugar mill and milk plant effluent on seed germination and early seedling growth of agricultural crops, Poll. Res., 25(4), 701 – 705.
- Yalcin, M., Solak, K and Akyurt, I. (2002), Growth of the catfish *Clarias gariepinus* (clariidae) in the river Asi (Orontes), Turkey, *Cybiu*, 26(3), 163 – 172.
- Yokoi, K., Uthus, E.O and Nielson, F.H. (2002), The essential use of nickel affects physiological functions regulated by the cyclic - GMP signal transduction system, Proceedings of the 7th international symposium on metal ions in biology and medicine, St. Petersburg, Russia, 5 – 9.

- Yoshida, S., Forno, D.A and Cock, J.I. (1971), Chlorophyll estimation in rice, Laboratory manual for Physiological studies of rice, IRRI Publication, New Delhi, 36 – 37.
- Zafar, S., Aqil, F and Ahmad, I. (2007), Metal tolerance and biosorption potential of filamentous fungi isolated from metal contaminated agricultural soil, *Bioresour. Technol.*, 98, 2557 – 2561.
- Zienolddiny, S., Ryberg, D and Haugen, A. (2000), Induction of microsatellite mutations by oxidative agents in human lungs cancer cell lines, *Carcinogenesis*, 1521 – 1526.
- Zupancic, M., Bukovec, N., Milacic, R and Scancar, J. (2004), Comparison of various phosphate stabilization agents for the immobilization of Ni and Zn in sewage sludge, *Water Air Soil Polln.*, 156(1), 57 – 69.