

## LIST OF TABLES

<b>Table No.</b>	<b>Title</b>	<b>Page No.</b>
1	State-wise species diversity of Orthopteran fauna in India	22
2	Family-wise endemic genera and species in India	23
3	Latitude and Longitude of different location of the study area	40
4	Weather report during the study period of January to December, 2019	48
5	Details of primer used in this study	53
6	Different stages of PCR condition	53
7	Checklist of Orthopterans diversity in the study area	58
8	Total number of Orthopterans among suborders	65
9	Total number of Orthopterans taxon among different families	65
10	Total number of species collected from different tribes	67
11	Orthopterans diversity in different sites of Coimbatore	74
12	Distribution of Orthopterans in different seasons of Coimbatore	80
13	List of host plants collected from the study area	88
14	Distribution of host plants and its densities in different sites and seasons	97
15	Total number of Orthopterans from different types of host plants	100
16	Comparison of different diversity index among different host plants	101
17	Comparison of Orthopterans family composition among different host plants	105
18	Total number of Orthopterans recorded from different families of host plants	106
19	Total number of Orthopterans recorded from different habitats	107
20	Population dynamics of acridids in different sites of the study area	114
21	Population dynamics of acridids in site I	116
22	Population dynamics of acridids in site II	117
23	Population dynamics of acridids in site III	117
24	Population dynamics of acridids in site IV	118
25	Population dynamics of acridids in site V	119

<b>Table No.</b>	<b>Title</b>	<b>Page No.</b>
26	Population fluctuation in different seasons of the study area	120
27	Population dynamics of acridids in post monsoon season	122
28	Population dynamics of acridids in summer season	123
29	Population dynamics of acridids in pre-monsoon season	123
30	Population dynamics of acridids in monsoon season	123
31	Percentages of acridids composition in different sites and seasons	126
32	Different morphometric parameters of acridids	137
33	Comparison of mean $\pm$ SD length of different morphometric parameters of acridids	141
34	Percentage of variance among acridids	142
35	Description of 19 landmarks location in the wing structure of acridid species	149
36	Maximum, minimum and mean landmarks length of acridid species	150
37	Consensus configuration of acridid species	155
38	Relative warp analysis of fore wing shape of acridids	157
39	Comparison of procrustes and tangent space distance in acridid species	159
40	Canonical variate analysis of landmark scores among acridids	161
41	Summary of similarity identification of acridids using BLAST	179
42	Total number of nucleotides composition and its percentages among acridids	180
43	Nucleotide substitution saturation test (DAMBE) in acridids	180
44	Estimation of transition/transversion bias	181
45	Average evolutionary divergence over all sequence pairs	181
46	K2P pair wise comparison of genetic distance among acridids	181
47	List of haplotype sequences retrieved from GenBank	182

## LIST OF FIGURES

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
1	Status of Indian genera of Acrididae	21
2	Status of Indian species of Acrididae	21
3	Study area map of Coimbatore, Tamil Nadu, India	40
4	Methods of species collection	42
5	Orthopterans collected from different habitats	46
6	Morphometric measurements of acridid	49
7	Percentages of Orthopteran family in the study area	65
8	Number of Orthopteran subfamilies collected from the study area	66
9	Percentages of subfamilies of Orthopterans	66
10	Total number of taxa collected from the different sites of study area	70
11	Species rich families and subfamilies of Orthopterans in site I	70
12	Species rich families and subfamilies of Orthopterans in site II	71
13	Species rich families and subfamilies of Orthopterans in site III	71
14	Species rich families and subfamilies of Orthopterans in site IV	72
15	Species rich families and subfamilies of Orthopterans in site V	72
16	Species rich sites in the study area	73
17	Species similarity in different sites using cluster analysis	73
18	Total number of taxa collected from different sites of study area	76
19	Species rich families and subfamilies of Orthopterans in post monsoon	77
20	Species rich families and subfamilies of Orthopterans in summer	77
21	Species rich families and subfamilies of Orthopterans in pre-monsoon	78
22	Species rich families and subfamilies of Orthopterans in monsoon	78
23	Species rich seasons in the study area	79
24	Species similarity in different seasons using cluster analysis	79
25	Comparison of different diversity index among different families of Orthopterans	81

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
26	Comparison of different diversity index among different sites of Orthopterans	82
27	Comparison of different diversity index among different seasons of Orthopterans	82
28	Numerical representation of the host plants of Orthopterans	93
29	Dominant monocot and dicot plants families with maximum species occurrence	93
30	Percentage of host plants habitats	94
31	Species similarity among host plants selection	102
32	Total number of Orthopterans among Monocot and Dicot plants	103
33	PCA scatter plots of Orthopterans composition among host plants	104
34	PCA scatter plots of Orthopterans composition among families of host plants	104
35	Correlation coefficient of Orthopterans composition with host plants and its families composition from different sites	109
36	Correlation coefficient of Orthopterans composition with host plants and its families composition from different seasons	109
37	Bi-plot of the first two axes of the principal component analysis of acridids among different sites	114
38	Similarity and dissimilarity of acridids composition among different sites	115
39	Bi-plot of the first two axes of the principal component analysis of acridids among different season	120
40	Similarity and dissimilarity of acridids composition among different seasons	121
41	Population dynamics of acridids in monthly wise in relation to meteorological parameters	127
42	Correlation coefficient between <i>T. annulata</i> and meteorological parameters	128
43	Correlation coefficient between <i>A. luteipes</i> and meteorological parameters	128
44	Correlation coefficient between <i>L. indica</i> and meteorological parameters	129

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
45	Correlation coefficient between <i>O. abruptus</i> and meteorological parameters	129
46	Correlation coefficient between <i>D. venusta</i> and meteorological parameters	130
47	Correlation coefficient between <i>O. fuscovittata</i> and meteorological parameters	130
48	Correlation coefficient between <i>P. infumata</i> and meteorological parameters	131
49	Correlation coefficient between <i>A. patruelis</i> and meteorological parameters	131
50	Correlation coefficient between <i>M. fasciata</i> and meteorological parameters	132
51	PCA biplot scatter diagram of various morphological parameters among acridids	143
52	Box plot showing variances among acridids morphology	143
53	Morphometric relationship among acridids using cluster analysis	144
54	Similarity of morphometric features among acridids using cluster analysis	145
55	Survivorship curve showing similarity of morphometric parameters	145
56	Variance at each landmarks for aligned specimens	155
57	Relative contribution of each landmark of acridids	156
58	Canonical variate axes of the wing shape of acridids	160
59	PCR amplified acridids samples resolved on 1% AGE	169
60	Multiple sequence alignment of the acridids species using multiple align show	173
61	Scatter plots showing the substitution rates among acridids	175
62	Overall estimation of nucleotide sequence transition and transversion of displayed against F84 genetic divergence of COI sequence	176
63	Rate of non-synonymous substitutions (Ka) and synonymous substitutions (Ks)	176
64	Phylogenetic relationship among selected acridids using Neighbor-Joining method	177

<b>Figure No.</b>	<b>Title</b>	<b>Page No.</b>
65	Phylogenetic relationship among selected acridids using Maximum Likelihood method	177
66	Phylogenetic analysis of selected acridids and its haplotypes retrieved from NCBI database	178

## LIST OF PLATES

<b>Plate No.</b>	<b>Title</b>	<b>Page No.</b>
I - V	Orthoptera fauna	<b>60</b>
VI - IX	Orthopterans host plants	<b>89</b>
X	Position of 19 landmarks in the right forewing of acridids (a to i)	<b>146</b>
XI	Consensus configuration of 19 landmarks in the fore wing of acridids (a to i)	<b>153</b>
XII	Mitochondrial DNA sequence based on COI gene of acridids (a to i)	<b>169</b>

## ABBREVIATIONS

<b>%</b>	- Percentage
<b>°C</b>	- Degree celcius
<b>µl</b>	- Microliter
<b>µm</b>	- Micrometer
<b>AL</b>	- Antenna Length
<b>ANOVA</b>	- One way Analysis of Variance
<b>AGE</b>	- Agarose Gel Electrophoresis
<b>BL</b>	- Body Length
<b>Bp</b>	- Base pair
<b>BLAST</b>	- Basic Local Alignment Search Tool
<b>Cm</b>	- Centimetre
<b>COI</b>	- Cytochrome C Oxidase Subunit I
<b>CVA</b>	- Canonical Variate Analysis
<b>D</b>	- Dominance
<b>DMRT</b>	- Duncan's Multiple Range Test
<b>Df</b>	- Degree of freedom
<b>DNTPs</b>	- Deoxynucleotide triphosphates
<b>FWL</b>	- Fore Wing Length
<b>HFL</b>	- Hind femur Length
<b>HL</b>	- Head Length
<b>K2P</b>	- Kimura 2-Parameter
<b>Ka</b>	- Synonymous substitution
<b>Kb</b>	- Kilobyte
<b>Km</b>	- Kilometre
<b>Ks</b>	- Non- synonymous substitution
<b>M</b>	- meter
<b>m<sup>2</sup></b>	- Square meter

<b>MAS</b>	- Multiple Align Show
<b>MCL</b>	- Maximum Composite Likelihood
<b>MEGA</b>	- Molecular Evolutionary Genetic Analysis
<b>ML</b>	- Maximum Likelihood
<b>MI</b>	- Milliliter
<b>Mm</b>	- Millimeter
<b>mt DNA</b>	- Mitochondrial Deoxyribo Nucleic acid
<b>NCBI</b>	- National Centre for Biotechnological Information
<b>NJ</b>	- Neighbour Joining
<b>P</b>	- Probability
<b>PAST</b>	- Paleontological Statistical Software
<b>PCA</b>	- Principal Component Analysis
<b>PCR</b>	- Polymerase Chain Reaction
<b>PL</b>	- Pronotum Length
<b>Rpm</b>	- Revolution Per Minute
<b>R<sup>2</sup></b>	- Coefficient of determination
<b>SPSS</b>	- Statistical Package for the Social Science
<b>S.E</b>	- Standard Error
<b>SVD</b>	- Singular value decomposition
<b>Ts</b>	- Transition
<b>Tv</b>	- Transversion