
BIBLIOGRAPHY

- Abeyasinghe, S. (2007). Induced systemic resistance (ISR) in bean (*Phaseolus vulgaris* L.) mediated by rhizobacteria against bean rust caused by *Uromyces appendiculatus* under greenhouse and field conditions. *Archives of Phytopathology and Plant Protection*, 42 (11): 1029-1087
- Abeyasinghe, S. (2009). Effect of combined use of *Bacillus subtilis* CA32 and *Trichoderma harzianum* RU01 on biological control of *Rhizoctonia solani* on *Solanum melongena* and *Capsicum annum*. *Plant Pathology journal*, 8: 9-16.
- Ahmad, F., Ahmad, I. and Khan, M.S. (2008). Screening of free-living rhizospheric bacteria for their multiple plant growth promoting activities. *Microbiological Research*, 163: 173-181
- Ahmed, S., Zaman, N. and Khan, S.N. (2012). Evaluation of manuring practices on root rot disease and agronomic characters of *Arachis hypogaeae* L. *African Journal of Biotechnology*, 11(5): 1119-1122
- Akhtar, M, S. and Siddiqui, Z. A. (2009). Use of plant growth-promoting rhizobacteria for the biocontrol of root-rot disease complex of chickpea. *Australasian Plant Pathology*, 38(1): 44-50
- Akhtar, M.S. and Siddiqui, Z.A. (2008). *Glomus intraradices*, *Pseudomonas alcaligenes* and *Bacillus pumilus*: effective agents for the control of root rot disease complex of chickpea (*Cicer arietinum* L.). *Journal of General Plant Pathology*, 74: 53-60
- Allegrucci, M. and Sauer, K. (2007). Characterization of colony morphology variants isolated from *Streptococcus pneumoniae* biofilms. *Journal of Bacteriology*, 189: 2030–2038
- Amzad-Hossain, M., Siddique, A., Mizanur-Rahman, S. and Amzad-Hossain, M. (2010). Chemical composition of the essential oils of *Stevia rebaudiana* Bertoni leaves, *Asian Journal of Traditional Medicines*, 5: 56–61

-
- Anand, R. and Kulothungan, S. (2010). Antifungal metabolites of *Pseudomonas fluorescens* against crown Rot Pathogen of *Arachis hypogaea*, *Annals of Biological Research*, 1 (1): 199-207
- Anand, T., Bhaskaran, R., Raguchander, T., Samiyappan, R., Prakasam, V. and Gopalakrishnan, C. (2009a). Defense responses of chilli fruits to *Colletotrichum capsici* and *Alternaria alternata*. *Biologia Plantarum*, 53(3): 553–559
- Anand, T., Chandrasekaran, A., Kuttalam, S., Raguchander, T. and Samiyappan, R. (2009b). Management of Cucumber (*Cucumis sativus* L.) Mildews through Azoxystrobin-Tolerant *Pseudomonas fluorescens*. *Journal of Agricultural Science and Technology*, 11:211-226
- Anand, T., Raguchander, T., Karthikeyan, G. Prakasam, V. and Samiyappan, R. (2007). Chemically and biologically mediated systemic resistance in cucumber (*cucumis sativus* L.) against *Pseudoperonospora cubensis* and *Erysiphe cichoracearum*. *Phytopathologia Mediterranea*, 46:259–271
- Andretta, C., Rosa, R., Tondo, E., Gaylarde, C. and Henriques, J. (2004). Identification and molecular characterization of a *Bacillus subtilis* IS 13 strain involved in the biodegradation of 4,5,6-trichloroguaiacol. *Chemosphere*, 55:631-639
- Angayarkanni, T., Kamalakannan, A., Santhini, E. and Predeepa, D. (2005). Identification of biochemical markers for the selection of *Pseudomonas fluorescens* against *Pythium* spp. In: *Asian conference on Emerging Trends in Plant Microbial Interactions*. University of Madras, Chennai. Pp. 295 -303.
- Anita, B. and Samiyappan, R. (2012). Induction of systemic resistance in rice by *Pseudomonas fluorescens* against rice root knot nematode *Meloidogyne graminicola*. *Journal of Biopesticides*, 5:53-59
- Anith, K. N., Momol, M.T., Kloepper, J.W., Marois, J.J., Olson, S.M. and Jones, J.B. (2004). Efficacy of plant growth promoting rhizobacteria, acibenzolar-S-methyl and soil amendment for integrated management of bacterial wilt on tomato. *Plant Disease*, 88: 669-673.

-
- Araujo, F.F., Henning, A. and Hungria, M. (2005). Phytohormones and antibiotics produced by *Bacillus subtilis* and their effects on seed pathogenic fungi and on soybean root development. *World Journal of Microbiology and Biotechnology*, 21(1): 639-1645
- Ardakani, S.S., Heydari, A., Khorasani, N. and Arjmandi, R. (2010). Development of new Bioformulations of *Pseudomonas fluorescens* and Evaluation of these products against damping-off of cotton seedlings. *Journal of plant pathology*, 92(1): 83-88.
- Arunkumar, G. S. (2008). Studies on leaf blight of chrysanthemum caused by *Alternaria alternata* (Fr.) Keissler. *M.Sc., Thesis submitted to the University of Agricultural Sciences, Dharwad, Karnataka.*
- Ashiru, A, W., Teniola, O.D., Dibiana, N.N. and Apena, A. (2012). Isolation of Starch degrading spoilage bacteria from 'Ogi' (Fermenting Maize Starch). *Pakistan Journal of Nutrition*, 11 (3): 243-246.
- Ataoglu, N., Turan, M. and Sezen, Y. (2004). Effects of phosphorus solubilizing bacteria (*Bacillus megatherium*) and growing media on growing performance and mineral contents of corn plant (*Zea mays* L.). *In: Proceedings of the International Soil Congress on Natural Resource Management for Sustainable Development, Erzurum, Turkey, 7–10 June, pp. 10–18.*
- Aysun, A. (2009). Isolation and identification of a lipase producing psychrotrophic bacteria from soil: cloning and partial characterization of its lipase. *M.Sc., Thesis Submitted to the Graduate School of Engineering and Sciences of İzmir Institute of Technology, Turkey*
- Ayyadurai, N., Ravindra Naik, P., Sreehari Rao, M., Sunish Kumar, R., Samrat, S.K., Manohar, M. and Sakthivel, N. (2005). Isolation and characterization of a novel banana rhizosphere bacterium as fungal antagonist and microbial adjuvant in micropropagation of banana. *Journal of Applied Microbiology*, 100: 926–937.

-
- Bakker, P.A.H.M., Pieterse, C.M.J. and Van Loon, L.C. (2007). Induced systemic resistance by fluorescent *Pseudomonas* spp. *Phytopathology*, 97: 239–243
- Barthalomew, J.W. and Mittewer, T. (1950). A simplified bacterial strain. *Stain Technology*, 25: 153-158
- Basha, S. T., Radhaiah, A., Nagalakshmi Devamma, M. and Eswara Reddy, N. P. (2012). Biocontrol potential of indigenous *Pseudomonas* spp against *Sclerotium rolfsii* causing stem rot of groundnut. *International Journal of Food, Agriculture and Veterinary Sciences*, 2(1): 134 -141
- Basim, H. and Katircioglu, Y.Z. (1990). Studies of *in vitro* antagonistic effect of some *Bacillus subtilis* isolates against important plant pathogenic fungi. *Proceeding Section of Turkish National Congress Biological Control*, 150: 850
- Battu, P.R. and Reddy, M.S. (2009). Siderophore-mediated Antibiosis of rhizobacterial fluorescent *Pseudomonads* against Rice fungal pathogens. *International Journal of Pharmtech Research*, 1(2): 227-229
- Baysal, O., Caliskan, M. and Yesilova, O. (2008). An inhibitory effect of a new *Bacillus subtilis* strain (EU07) against *Fusarium oxysporum* f. sp *radicis-lycopersici*. *Physiological and Molecular Plant Pathology*, 73 (1-3):25-32.
- Beattie, G.A. (2006). Plant-associated bacteria: survey, molecular phylogeny, genomics and recent advances. In: Gnanamanickam, S.S. (ed) *Plant-associated bacteria*. Springer, The Netherlands, pp 1–56.
- Begum, M., Ravisankar Rai, V. and Lokesh, S. (2003). Effect of plant growth promoting rhizobacteria on seed borne fungal pathogens in okra. *Indian Phytopathology*, 56(2):156-158.
- Bhattacharyya, P. N. and Jha, D. K. (2012). Plant growth-promoting rhizobacteria (PGPR): Emergence in agriculture. *World Journal of Microbiology and Biotechnology*, 28:1327–1350

-
- Bhosle, S. (2004). Commercial cultivation of *Stevia rebaudiana*. *Agrobios Newsletter*, 3(2): 43-45.
- Bloemberg, G.V. and Lugtenberg, B.J. (2001). Molecular basis of plant growth-promotion and biocontrol by rhizobacteria. *Current Opinion in Plant Biology*, 4: 343-350.
- Blumera, C. and Haas, D. (2000). Iron regulation of the *hcnABC* genes encoding hydrogen cyanide synthase depends on the anaerobic regulator ANR rather than on the global activator GacA in *Pseudomonas fluorescens* CHA0 , *Microbiology*, 146 (10): 2417-2424.
- Boller, T. and Mauch, F. 1998. Colorimetric assay of chitinase. *In: Methods in Enzymology*. 161: 430-435.
- Bora, T., Ozaktan, H., Gore, E. and Aslan, E. (2004). Biological control of *Fusarium oxysporum* f. sp. *Melonis* by wettable powder formulations of the two strains of *Pseudomonas putida*. *Phytopathology*, 152:471-475.
- Bradford, M. M. (1976). A rapid and sensitive method for quantification of microgram quantities of protein utilizing the principle of protein-dye binding. *Analytical Biochemistry*, 72: 248-254.
- Cakmakci, R., Kantar, F. and Sahin, F. (2001). Effect of N₂-fixing bacterial inoculations on yield of sugar beet and barley. *Journal of Plant Nutrition and Soil Science*, 164: 527–531.
- Calvo, P., Ormeno, O.E., Martínez R.E. and Zuniga, D. (2010). Characterization of Bacillus isolates of potato rhizosphere from andean soils of Peru and their potential PGPR characteristics. *Brazilian Journal of Microbiology*, 41: 899-906.
- Cappuccino, J.G. and Sherman, N. (2002). *Microbiology: A Laboratory Manual*. The Benjamin/ Cummings Publishing Company, Inc., California.

-
- Cazorla, F.M., Romero, D., Perez-Garcia, A., Lugtenberg, B.J.J., de Vicente, A. and Bloemberg, G. (2007). Isolation and characterization of antagonistic *Bacillus subtilis* strains from the avocado rhizosphere displaying biocontrol activity, *Journal of Applied Microbiology*, 103: 1950–1959
- Cenci, G., Trotta, F. and Caldini, G. (2006). Tolerance to challenges miming gastrointestinal transit by spores and vegetative cells of *Bacillus clausii*. *Journal of Applied Microbiology*, 101: 1208-1215.
- Chaiharn, M., Somporn, C. and Saisamorn, L. (2009). Screening siderophore producing bacteria as potential biological control agent for fungal rice pathogens in Thailand. *World Journal of Microbiology and Biotechnology*, 25(11): 1919-1928.
- Chakraborty, U., Bishwanath, C. and Merab, B. (2006). Plant growth promotion and induction of resistance in *Camellia sinensis* by *Bacillus megaterium*, *Journal of Basic Microbiology*, 46(3): 186–195.
- Chang, K. F., Howard, R. J., Gaudiel, R.G. and Hwang, H. F. (1997). First report of *Stevia* as a host of *Sclerotinia sclerotiorum*. *Plant Disease*, 81: 311
- Chang, W.T., Ming-Lun, C. and San-Lang, W. (2010). An antifungal chitinase produced by *Bacillus subtilis* using chitin waste as a carbon source. *World Journal of Microbiology and Biotechnology*, 26: 945–950.
- Chatsudthipong, V. and Muanprasat, C. (2009). Stevioside and related compounds: therapeutic benefits beyond sweetness. *Pharmacology and Therapeutics*, 121(1): 41-54.
- Chen, C., Belanger, R.R., Benhamou, N. and Paulitz, T.C. (2000). Defense enzymes induced in cucumber roots by treatment with plant growth promoting rhizobacteria (PGPR). *Physiological and Molecular Plant Pathology*, 56: 13-23.

-
- Chitra, K., Ragupathi, N., Dhanalakshmi, K., Mareeshwari, P., Indra, N., Kamalakannan, A. and Sankaralingam, A. (2006). Induction of peroxidase and polyphenol oxidase in *Arachis hypogaea* in response to treatment with *Pseudomonas fluorescens* and inoculation with *Alternaria alternata*. *Archives of Phytopathology and Plant Protection*, 39 (4): 315-321.
- Choudhary, D.K., Prakash, A. and Johri, B.N. (2007). Induced systemic resistance (ISR) in plants: mechanism of action. *Indian Journal of Microbiology*, 47: 289–297.
- Choudhary, D.K., Prakash, A., Wray, V. and Johri, B.N. (2009). Insights of the fluorescent pseudomonads in plant growth regulation, *Current Science*, 97(2): 170-179.
- Chung, S., Kong, M., Buyer, J. S., Lakshman, D. K., Lydon, J., Kim, S. D. and Roberts, D. P. (2008) Isolation and partial characterization of *Bacillus subtilis* ME488 for suppression of soil borne pathogens of cucumber and pepper. *Applied Microbiology and Biotechnology*, 80: 115-123.
- Compant, S., Duffy, B., Nowak, J., Clement, C. and Barka, E.A. (2005). Use of Plant Growth-Promoting Bacteria for Biocontrol of Plant Diseases: Principles, Mechanisms of Action, and Future Prospects. *Applied Environmental Microbiology*, 71(9): 4951–4959.
- Dai, J. and Mumper, R. (2010). Plant phenolics: Extraction, analysis and their antioxidant and anticancer properties. *Molecules*, 15: 7313-7352.
- De Oliveira, V. M., Forni-Martins, E. R., Magalhaes, P. M. and Marcos, N. A. (2004). Chromosomal and morphological studies of diploid and polyploid cytotypes of *Stevia rebaudiana* Bertoni (Eupatorieae, Asteraceae). *Genetics and Molecular Biology*, 27: 215-222.
- Deepa, C.K., Dastage, S.G. and Pandey, A. (2010). Plant growth-promoting activity in newly isolated *Bacillus thio-parus* (NII-0902) from Western ghat forest, India. *World Journal of Microbiology and Biotechnology*, 26: 2277-2283.

-
- Devi, A.(2009). Studies on the effect of bacterial antagonists against leaf spot of Stevia caused by *Alternaria alternata* M.Phil. (Biotechnology) Thesis, Avinashilingam University for Women, Coimbatore, India. p. 45
- Dey, R., Pal, K.K., Bhatt, D.M. and Chauhan, S.M.(2004). Growth promotion and yield enhancement of peanut (*Arachis hypogaea* L.) by application of plant growth-promoting rhizobacteria. *Microbiology Research*. 159(4):371-94.
- Diby, P., Saju, K. A., Jisha, P. J., Sharma, Y. R., Kumar, A. and Anandaraj, M. (2005). Mycolytic enzymes produced by *Pseudomonas fluorescens* and *Trichoderma* spp. against *Phytophthora capsici*, the foot rot pathogen of black pepper (*Piper nigrum* L.). *Annals of Microbiology*, 55 (2): 129-133.
- Dickerson, D. P., Pascholati, S. F., Hagerman, A. E., Butler, L. G. and Niholson, R. L. (1984). Phenylalanine ammonia lyase and hydroxyl cinnamate. *Phytopathology*, 73: 23-27
- Dragana,J., Protolipac, K., Starovic, M., Stojanovic, S., Pavlovic, S., Miladinovic, M. and Radovic, S. (2011). Antifungal activity of Indigenous *Bacillus* sp. isolate Q3 against Marshmallow Mycobiota. *Proceedings of National Science Matica Srpska*, Novi Sad, 120: 109-118.
- Dubey, R.C. and Maheshwari, D.K. (2002). Practical Microbiology, Chand, S. Co. Ltd, New Delhi, India, pp-317.
- Dutta, S., Mishra, A.K., Dileep Kumar, B.S. (2008). Induction of systemic resistance against fusarial wilt in pigeon pea through interaction of plant growth promoting rhizobacteria and rhizobia. *Soil Biology and Biochemistry*, 40(2): 452–461.
- Earnapalli, V.N. (2005). Screening of antagonistic microorganisms for biological control of early blight of tomato caused by *Alternaria solani*. M.Sc. (Agri.) Thesis submitted to University of Agricultural Science, Dharwad (India).

-
- El-Khallal, S.M. (2007). Induction and modulation of resistance in tomato plants against *Fusarium* wilt disease by bioagent fungi (arbuscular mycorrhiza) and/or hormonal elicitors (Jasmonic acid and salicylic acid): 1- Changes in the antioxidant enzymes, phenolic compounds and pathogenesis – related proteins. *Australian Journal of Basic and Applied Science*, 1:691-705.
- El-Mougy, N.S. and Abdel-Kader, M. M. (2008). Long term activity of bio priming seed treatment for biological control of faba bean root rot pathogens. *Australian Plant Pathology*, 37(5): 464-471.
- Esitken, A., Karlidag, H., Ercisli, S., Turan, M., Sahin, F. (2003). The effect of spraying a growth promoting bacterium on the yield, growth and nutrient element composition of leaves of apricot (*Prunus armeniaca* L. cv. *Hacihaliloglu*). *Australian Journal of Agricultural Research*, 54: 377-380
- Esmailzadeh, M., Soleimani, M.J. and Rouhani, H. (2008). Exogenous Applications of Salicylic Acid for Inducing Systemic Acquired Resistance Against Tomato Stem Canker Disease. *Journal of Biological Sciences*, 8: 1039-1044
- Evans, H.C. and Reeder, R.H. (2001) Fungi Associated with *Eichhorina Crassipes* (Water Hyacinth) in the Upper Amazon Basin and Prospects for Their Use in Biological Control, pp: 62–70. International Organization for Biological Control, Second Global Working Group Meeting for Biological and Integrated Control of Water hyacinth, 9-12 October 2000, Beijing, China
- Farooqi, W. A., Shaukat, G. A., Malik, M. A. and Ahmad, M. S., (1982). Studies on the inhibition of *Alternaria citri* in stored citrus fruits. *Proceedings of the Florida State Horticultural Society*. 94:279-280.
- Fatima, Z., Saleemi, M., Muhammad Zia, T., Sultan, M., Aslam., Riaz-Ur-Rehman. and Fayyaz Chaudhary, M. (2009). Antifungal activity of plant growth-promoting rhizobacteria isolates against *Rhizoctonia solani* in wheat. *African Journal of Biotechnology*, 8(2): 219-225

-
- Fernando, W. G. D., Nakkeeran, S., Zhang, Y. and Savchuk, S. (2007). Biological control of *Sclerotinia sclerotiorum* (Lib.) de Bary by *Pseudomonas* and *Bacillus* species on canola petals. *Crop Prot.*, 26:100-107.
- Fouzia, Y. and Saleem, S. (2009). Effect of solar heating by polyethylene mulching on sclerotial viability and pathogenicity of *Sclerotium rolfsii* on mungbean and sunflower, *Pakistan Journal of Botany*, 41(6): 3199-3205.
- Gajbhiye, A., Alok, R.R., Sudhir, U.M. and Dongre, A.B. (2010). Isolation, evaluation and characterization of *Bacillus subtilis* from cotton rhizospheric soil with biocontrol activity against *Fusarium oxysporum*. *World Journal of Microbiology and Biotechnology*, 26: 1187-1194.
- Galeotti, F., Barile, E., Curir, P., Dolci, M. and Lanzotti, V. (2008). Flavonoids from carnation (*Dianthus caryophyllus*) and their antifungal activity. *Phytochemistry Letter*, 1: 44-48.
- Gallagher, L, A. and Manoil,C. (2001) *Pseudomonas aeruginosa* PAO1 Kills *Caenorhabditis elegans* by cyanide poisoning. *Journal of Bacteriology*, 183 (21): 6207-6214
- Ganeshan, G.A. and Kumar, M .A. (2005). *Pseudomonas fluorescens*, a potential bacterial antagonist to control plant diseases. *Journal of Plant Infection*,1: 123-131
- Garg, N. and Gupta, H. (2010). Isolation and purification of fungal pathogen (*Macrophomina phaseolina*) induced chitinase from moth beans (*Phaseolus aconitifolius*). *Journal of Pharmacy and Bioallied Science*, 2(1): 38-43.
- Geetha, I. and Manonmani, A.M. (2008). Mosquito pupicidal toxin production by *Bacillus subtilis* subsp. *subtilis*. *Biological Control*, 44(2): 242-247.
- Geetha, I., Manonmani, A.M. and Paily, K.P. (2007). Identification and characterization of a mosquito pupicidal metabolite of a *Bacillus subtilis* sub sp. *subtilis* strain. *Applied Microbiology and Biotechnology*, 86(6): 1737-1744

-
- Geetha, N. P., Amruthesh, K. N., Sharathchandra, R. G. and Shetty, H. S. (2005). Resistance to downy mildew in pearl millet is associated with increased phenylalanine ammonia lyase activity. *Functional Plant Biology*, 32(3): 267–275.
- Geuns, J. M. (2003). Stevioside. *Phytochemistry*, 64(5): 913–921.
- Ghai, S., Sood, S.S. and Jain, R.K. (2007). Antagonistic and antimicrobial activities of some bacterial isolates collected from soil samples. *Indian Journal of Microbiology*, 47(1):77-80.
- Girish, N. and Umesha, S. (2005). Effect of plant growth promoting rhizobacteria on bacterial canker of tomato. *Archives of Phytopathology and Plant Protection*, 38(3): 235-243
- Gomez, K. A. and Gomez, A. A. (1984). Statistical procedures for agricultural research. John Wiley and Sons, New York, pp. 680.
- Gopalakrishnan, S., Humayun, P., Kiran, B.K., Kannan, I.G.K., Vidya, M.S., Deepthi, K., and Rupela, O.P. (2011). Evaluation of bacteria isolated from rice rhizosphere for biological control of charcoal rot of sorghum caused by *Macrophomina phaseolina* (Tassi) Goid. *World Journal of Microbial Biotechnology*, 27: 1313-1321.
- Gorden, S. A. and Paleg, L. G. (1957). Quantitative measurement of indole acetic acid. *Physiological Plant Pathology*, 10: 347-348
- Gregersen, S., Jeppesen, P.B., Holst, J.J. and Hermansen, K. (2004). Anti hyperglycemic effects of stevioside in Type 2 diabetic subjects. *Metabolism* 53: 73-76
- Gross, G.G. (1980). The biochemistry of lignification. *Advances in Botanical Research*, 8: 25–63.
- Guo, Y., Hui Zheng., Yiling Yang., Huimin Wang. (2007). Characterization of *Pseudomonas corrugata* Strain P94 Isolated from Soil in Beijing as a Potential Biocontrol Agent. *Current Microbiology*, 55: 247–253.

-
- Haas, D. and Defago, G. (2005). Biological control of soil borne pathogens by *fluorescent pseudomonads*. *Nature Reviews Microbiology*, 4: 1-13.
- Hammerschmidt, R. and Kuc, J. A. (1982). Lignification as a mechanism for induced systemic resistance in cucumber. *Physiological Plant Pathology*, 20: 61-71.
- Hase, S., Van Pelt, J. A., Van Loon, L. C. and Pieterse, C. J. M. (2003). Colonization of Arabidopsis roots by *Pseudomonas fluorescens* primes the plant to produce higher levels of ethylene upon pathogen infection. *Physiology and Molecular Plant Pathology*, 62, 219–226.
- Hassanein, W.A., Awany, N.M., El-Mougith, A.A. and Salah El-Dien, S.H. (2009) The Antagonistic Activities of Some Metabolites Produced by *Pseudomonas aeruginosa* Sha. *Journal of Applied Sciences Research*, 5(4): 404-414.
- Hayat, R., Ali, S., Amara, U., Khalid, R. and Ahmed, I. (2010). Soil beneficial bacteria and their role in plant growth promotion: A review. *Annals Microbiology*, 60: 579-598.
- Hildebrand, D.C., Schroth, M.N. and Sands, D.C.(1992). *Pseudomonas*. In: *Laboratory guide for Identification of Plant Pathogenic Bacteria* (Ed. N. W. Schaad) 2nd edition. International Book Distributing Co., Lucknow, pp. 60-80.
- Hoekstra, B. and Schaneberg, B. (2007). An improved HPLC method for the analysis of diterpenoid glycosides in *Stevia rebaudiana*. *Planta Medica*, 73: 9.
- Hohnadel, D and Meyer, J. M.(1998). Specificity of pyoverdine-mediated iron uptake among fluorescent *Pseudomonas* strains. *Journal of Bacteriology*, 170:4865–4873.
- Hou, X., Boyetchko, S., Brkic, M., Olson, D., Ross, A. and Dwayne, H. (2006). Characterization of the anti-fungal activity of a *Bacillus* spp. associated with sclerotia from *Sclerotinia sclerotiorum*. *Applied Microbiology and Biotechnology*, 72(4): 644-653

-
- Hsieh, F.C., Li, T.C. and Kao, S.S. (2004). Rapid detection and characterization of surfactin producing *B. subtilis* and closely related species based on PCR. *Journal of Current Microbiology*, 49: 186-191
- Hwang, S.J. (2006). Rapid *in vitro* propagation and enhanced stevioside accumulation in *Stevia rebaudiana*. Bert. *Journal of Plant Biology*, 49: 267-270
- Idris, E. E., Iglesias, D. J., Talon, M. and Borriss, R. (2007). Tryptophan-Dependent Production of Indole-3-Acetic Acid (IAA) Affects Level of Plant Growth Promotion by *Bacillus amyloliquefaciens* FZB42. *Molecular Plant-Microbe Interactions*, 20(6): 619–626
- Indira, S., Muthusubramanian, V., Tonapi, V. A., Varanavasiappan, S. and Seetharama, N. (2006). Utility of biocontrol agents in the suppression of seed borne pathogenic mycoflora and their effect on seed quality in sorghum (*Sorghum bicolor* (L.) Moench). *Arch. Phytopathol. Plant Prot.*, 39:379-387.
- Indiragandhi, P., Anandham, R., Kim, K., Yim, W., Madhaiyan, M. and Sa, T. (2008). Induction of defense responses in tomato against *Pseudomonas syringae* pv tomato by regulating the stress ethylene level with *Methylobacterium oryzae* CBMB20 containing 1-aminocyclopropane-1-carboxylate deaminase. *World Journal of Microbiology and Biotechnology*, 24: 1037-1045.
- Jamali, F., Sharifi-Tehrani, A., Lutz, M.P. and Maurhofer, M. (2009). Influence of host plant genotype, presence of a pathogen and coinoculation with *Pseudomonas fluorescens* strains on the rhizosphere expression of hydrogen cyanide- and 2,4-diacetylphloroglucinol biosynthetic genes in *Pseudomonas fluorescens* biocontrol strain CHA0. *Microbial Ecology*, 57: 267-275.

-
- Jaufeerally- Fakim, Y. and Dookun,A. (2000). Extraction of high quality DNA from polysaccharises secreting *Xanthomonas*. *Science and Technology*, 6:34-45
- Jayaraj, J., Parthasarathi, T. and Radhakrishnan, N.V. (2007). Characterization of a *Pseudomonas fluorescens* strain from tomato rhizosphere and its use for integrated management of tomato damping –off. *Biocontrol*, 52: 683-702.
- Jayaraj, J., Radhakrishnan, N.V., Kannan, R., Sakthivel, K., Suganya, D., Venkatesan, S. and Velazhahan, R. (2005). Development of new formulations of *Bacillus subtilis* for management of tomato damping-off caused by *Pythium aphanidermatum*. *Biocontrol Science and Technology*, 15(1): 55-65.
- Jayaraman, K. S., Ramanuja, M. N., Vijayaraghavan, P. K. and Vaisyanathan, C. S. (1987). Oxidative enzyme in pearl millet. *Food Chemistry*, 24: 203.
- Jayaraman, S., Manoharan, M. S. and Illanchezian, S. (2008) *In-vitro* antimicrobial and antitumor activities of *Stevia Rebaudiana* (Asteraceae) Leaf Extracts. *Tropical Journal of Pharmaceutical Research*, 7 (4): 1143-1149.
- Jourdan, E., Henry, G., Duby, F., Dommès, J., Barthélemy, J. P. Thonart, P. and Ongena, M. (2009). Insights into the Defense-Related Events Occurring in Plant Cells Following Perception of Surfactin-Type Lipopeptide from *Bacillus subtilis*. *The American Phytopathological Society*, 22(4): 456–468.
- Kalaiarasan, P., Lakhamanna, .P.L. and Samiyappan, R. (2006). Biotization of *Pseudomonas fluorescens* isolates in groundnut (*Arachis hypogeal* L) against root knot nematode *Meloidogyne arenaria*. *Indian journal of Nematology* 36: 1-5.
- Kamalakaran, A. (2004). Development of management strategies for the control of Coleus root rot disease caused by *Macrophomina phaseolina* and *Rhizoctonia solani*. Ph.D., thesis submitted to the Tamil Nadu Agricultural University, Coimbatore, India.

-
- Kamalakaran, A., Gopalakrishnan, C., Renuka, R., Kalpana, K., Ladha Lakshmi, D., Valluvaparidasan, V. (2008). First report of *Alternaria alternata* causing leaf spot on *Aloe barbadensis* in India. *Australasian Plant Disease Notes*, 3 (1): 110-111
- Kamalakaran, A., Valluvaparidasan, V., Chitra, K., Rajeswari, E., Salaheddin, K., Ladhakshmi, D. and Chandrasekaran, A. (2007). First report of root rot of stevia caused by *Sclerotium rolfsii* in India, *Plant Pathology*, 56(2): 350-350
- Kamalakaran, A., Valluvaparidasan, V., Chitra, K., Rajeswari, E., Salah Eddin, K., Ladhakshmi, D. and Chandrasekaran, A. (2006). First report of root rot of stevia caused by *Sclerotium rolfsii* in India. *New Disease Reports*, 13: 28.
- Kannan, N. (2003). Handbook of laboratory culture media, reagents, strains and buffers. Panima Publishing Corporation, New Delhi, India. Pp.77.
- Karnwal, A. (2009). Production of Indole Acetic Acid By Fluorescent *Pseudomonas* In The Presence Of L-Tryptophan And Rice Root Exudates. *Journal of Plant Pathology*, 91(1): 61-63.
- Karthikeyan, G., Doraisamy, S. and Rabindran, R. (2009). *Pseudomonas fluorescens* mediated systemic resistance against urdbean leaf crinkle virus in blackgram (*Vigna mungo*). *Archives of Phytopathology and Plant Protection*, 42(3): 201-212
- Karthikeyan, M., Jayakumar, V., Radhika, K., Bhaskaran, R., and Velazhahan, R. (2005). Induction of resistance in the host against the infection of leaf blight pathogen (*Alternaria palandui*) in onion (*Allium cepa* var *aggricatum*). *Indian Journal of Biochemistry and Biophysics*, 42: 371-377.
- Karthikeyan, M., Radhika, K., Bhaskaran, R., Mathiyazhagan, S., Sandoskumar, R., Velazhahan, R. and Alice, D. (2008). Biological control of onion leaf blight disease by bulb and foliar application of powder formulation of antagonist mixture. *Archives of Phytopathology and Plant Protection*, 41: 407-417.

-
- Karthikeyan, M., Radhika, K., Mathiyazhagan, S., Bhaskaran, R., Samiyappan, R. and Velazhahan, R. (2006a). Induction of phenolics and defense-related enzymes in coconut (*Cocos nucifera* L.) roots treated with biocontrol agents. *Brazilian Journal of Plant Physiology*, 18(3): 1677-0420.
- Karthikeyan, V., Sankaralingam, A. and Nakkeeran, S. (2006b). Biological control of groundnut stem rot caused by *Sclerotium rolfsii* (Sacc.). *Archives of Phytopathology and Plant Protection*, 39(3): 239-246.
- Katan, J. (2010). Cultural approaches for disease management: present status and future prospects. *Journal of Plant Pathology*, 92 (4): S4.7-S4.9
- Kavino, M., Harish, S., Kumar, N., Saravanakumar, D. and Samiyappan, R. (2008). Induction of systemic resistance in banana (*Musa* spp.) against Banana bunchy top virus (BBTV) by combining chitin with root-colonizing *Pseudomonas fluorescens* strain CHA0. *European Journal of Plant Pathology*, 120: 353–362
- Kavino, M., Harish, S., Kumar, N., Saravanakumar, D., Domodaran, T., Soorianasundaram, K. and Samiyappan, R. (2007). Rhizosphere and endophytic bacteria for induction of systemic resistance of banana plantlets against bunchy top virus. *Soil Biology and Biochemistry*, 39: 1087-1098.
- Khalid, A., Arshad, M. and Zahir, Z.A. (2004). Screening plant growth-promoting rhizobacteria for improving growth and yield of wheat. *Journal of Applied Microbiology*, 96: 473-480
- Khamna, S., Yokota, A. and Lumyong, S. (2009). Actinomycetes isolated from medicinal plant rhizosphere soils: diversity and screening of antifungal compounds, indole-3-acetic acid and siderophore production. *World Journal of Microbiology and Biotechnology*, 25: 649-655.
- Kim, J., Choi, Y.H. and Choi, Y.H. (2002), Use of stevioside and cultivation of *Stevia rebaudiana* in Korea, In: Kinghorn, A.D. (Ed.), *Stevia, the Genus Stevia*. 19, Medicinal and Aromatic Plants-Industrial Profiles. *Taylor and Francis, London and NY*, pp. 196–202.

-
- Kishore, G.K., Pande, S. and Podile, A.R. (2005). Phylloplane bacteria increase seedling emergence, growth and yield of field-grown groundnut (*Arachis hypogaea* L.). *Letters in Applied Microbiology*, 40: 260–268.
- Kloepper, J. W., Tuzun, S., and Kuc, J. A. (1992). Proposed definitions related to induced disease resistance. *Biocontrol Science and Technology*, 2: 349-351.
- Kraepiel, A. M. L., Bellenger, J. P., Wichard, T. and Morel, F.M. M. (2009). Multiple roles of siderophores in free-living nitrogen-fixing Bacteria. *Biometals*, 22:573–581
- Kuarabachew, H., Fasil, A. and Yaynu, H. (2007). Evaluation of Ethiopian isolates of *Pseudomonas fluorescens* as Biocontrol agent against potato bacterial wilt caused by *Ralstonia (Pseudomonas) solanacearum*. *Acta agriculturae slovenica*, 90(2): 125–135.
- Kuberan, T., Vidhya Pallavi, R., Anburaj, J., Sundaravadivelan, C., Kumar, P. and Prabakaran, V. (2011) Degradation and quantification of polyaromatic hydrocarbon by *Pseudomonas* sp. *Prime Journal of Microbiology Research*, 1(1):1-6
- Kumar, A., Devi, S., Patil, S., Payal, C. and Negi, S. (2012). Isolation, screening and characterization of bacteria from rhizospheric soils for different plant growth promotion (PGP) activities: an in vitro study, *Recent Research in Science and Technology*, 4(1): 01-05.
- Kumar, A., Prakash, A. and Johri, B.N. (2011). *Bacillus* as PGPR in Crop Ecosystem. In: *Bacteria in Agrobiolgy: Crop Ecosystems* edited by D.K. Maheshwari pp. 37-59
- Kumar, R. S. (2005). Characterization of antifungal metabolite produced by a new strain *Pseudomonas aeruginosa* PUPa3 that exhibits broad-spectrum antifungal activity and biofertilizing traits. *Journal of Applied Microbiology*, 98:145-154

-
- Kumar, S., Pandey, P. and Maheshwari, D.K. (2009). Reduction in dose of chemical fertilizers and growth enhancement of sesame (*Sesamum indicum* L.) with application of rhizospheric competent *Pseudomonas aeruginosa* LES4. *European Journal of Soil Biology*, 45: 334-340.
- Kuntal, D. A. S., Raman, D. A., Shivananda, T. N. and Sekeroglu, N. (2007). Comparative efficiency of bio and chemical fertilizers on nutrient contents and biomass yield in medicinal plant *Stevia rebaudiana* Bert. *International Journal of Natural and Engineering Sciences*, 1(3): 35-39.
- Latha, P., Anand, T., Ragupathi, N., Prakasam, V. and Samiyappan, R. (2009). Antimicrobial activity of plant extracts and induction of systemic resistance in tomato plants by mixtures of PGPR strains and Zimmu leaf extract against *Alternaria solani*. *Biological Control*, 50 (2): 85-93.
- Lavana, M., Chauhan, P. S., Chauhan, S.V. S., Singh, H. B. and Nautiyal, C. S. (2006). Induction of plant defense enzymes and phenolics by treatment with plant growth-promoting rhizobacteria *Serratia marcescens* NBRI1213. *Current Microbiology*, 52: 363-368.
- Lee, K. J., Kamalakannan, S., Sub, H.S., Seong, C. K. and Lee, G.W. (2007). Biological control of *Phytophthora* blight in red pepper (*Capsicum annuum* L.) using *Bacillus subtilis*. *World Journal of Microbiology and Biotechnology*, 24: 1139-1145
- Li, H., Xiaoxian, W., Meizhe, H., Zhenzhen, Z., Minqian, W., Qin, T., Changhong, L., Brian, K., Yucheng, G., Jinglei, S. and Yarong, X. (2012). Endophytic *Bacillus subtilis* ZZ120 and its potential application in control of replant diseases, *African Journal of Biotechnology*, 11(1): 231-242.
- Lin, H.L. (2008). Screening of *Pseudomonas fluorescens* and Biocontrol of *Alternaria alternata*. M.Sc., thesis submitted to Heilongjiang Bayi Agricultural University, China.

-
- Liu, Y.F., Chen, Z.Y., Nag, T.B., Zhang, J., Zhou, M.G., Song, .F.P. and Liu, Y.Z. (2006). Bacisubin, an antifungal protein with ribonuclease and hemagglutinating activities from *Bacillus subtilis* strain B-916. *Peptides*, 28: 553-559.
- Loake, G. and Grant, M. (2007). Salicylic acid in plant defence—the players and protagonists. *Current Opinion in Plant Biology*,10:466–472
- Lucy, M., Reed, E. and Glick, B.R. (2004). Application of free living plant growth promoting rhizobacteria. *Antonie Van Leeuwenhoek*, 86: 1-25.
- Madhaiyan, M., Suresh Reddy, B. V., Anandham, R., Senthilkumar, M., Poonguzhali, S., Sundaram, S. P. and Tongmin, S. (2006). Plant Growth–Promoting Methylo bacterium Induces Defense Responses in Groundnut (*Arachis hypogaea* L.) Compared with Rot Pathogens. *Current Microbiology*, 53: 270–276.
- Mafia, R.G., Acelino, C., Alfenas. A.M., Eraclides, M., Ferreira, D.H., Binoti, B. and Gizella, M. V. M. (2009). Plant growth promoting rhizobacteria as agents in the biocontrol of Eucalyptus mini-cutting rot. *Tropical plant pathology*, 34(1): 010-017
- Maiti, C.K., Surjit, S., Paul, A. K. and Acharya, K. (2011). *Pseudomonas aeruginosa* WS-1 for biological control of leaf blight disease of *Withania somnifera*, *Archives of Phytopathology and Plant Protection*, 45(7): 796-805.
- Maiti, C.K., Surjit, S., Paul, A.K. and Acharya, K. (2007 a). *Alternaria alternata* (Fr.) Keissler causing leaf spot and leaf blight diseases of some cultivated medicinal plants of lower Gangetic plains of West Bengal. *Journal of Mycopathological Research*, 45: 132 –136.
- Maiti, C.K., Surjit, S., Paul, A.K. and Acharya,K. (2007 b). First report of *Alternaria alternata* causing leaf spot on *Stevia rebaudiana*. *Plant Pathology*, 56: 723
-

-
- Mallesh, S. B. (2008). Plant Growth Promoting Rhizobacteria, their characterization and mechanisms in the suppression of soil borne pathogens of Coleus and Ashwagandha. *Ph.D., thesis submitted to the University of Agricultural Sciences, Dharward.*
- Mandal, S., Mallick, N. and Mitra, A. (2009). Salicylic acid-induced resistance to *Fusarium oxysporum* f. sp. *lycopersici* in tomato. *Plant Physiology and Biochemistry*, 47, 642–649
- Mansfield, J. W. (1983). Antimicrobial compounds. In *Biochemical Plant Pathology* (Callow, J. Ed.) John Wiley and Sons Ltd., UK, pp. 237-265
- Manwar, A.V., Khandelwal, S.R., Chaudhari, B.L., Meyer, J.M. and Chincholkar, S.B. (2004). Siderophore production by a marine *Pseudomonas aeruginosa* and its antagonistic action against phytopathogenic fungi. *Applied Biochemistry and Biotechnology*, 118: 243-251
- Mariutto, M., Duby, F., Adam, A., Bureau, C., Fauconnier, M., Ongena, M., Thonart, P. and Dommès, J. (2011) The elicitation of a systemic resistance by *Pseudomonas putida* BTP1 in tomato involves the stimulation of two lipoxygenase isoforms, *BMC Plant Biology*, 11:29
- Mathivanan, N., Prabavathy, V.R. and Vijayanandaraj, V.R. (2005). Application of talc formulation of *Pseudomonas fluorescens* Migula and *Trichoderma viride* Pers. Ex S.F. gray decrease the sheath blight disease and enhance the plant growth and yield rice. *Phytopathology*, 153: 697-701.
- Mathiyazhagan, S., Kavitha, K., Nakkeeran, S., Chandrasekar, G., Manian, K., Renukadevi, P., Krishnamoorthy, A, S. and Fernando, WGD. (2004). PGPR mediated management of stem blight of *Phyllanthus amarus* (Schum and Thonn) caused by *Corynespora cassiicola* (Berk and Curt) Wei. *Archives of Phytopathology and Plant Protection*, 37:183-199
- Maurya, S., Singh, R., Singh, D. P., Singh, H. B., Singh, U. P. and Srivastava, J. S. (2008). Management of collar rot of chickpea (*Cicer arietinum*) by *Trichoderma harzianum* and plant growth promoting rhizobacteria. *Journal of Plant Protection Research*, 48(3): 347-354.

-
- Mawadza, C., Kaul, R.H., Zvauya, R. and Mattiasson, B. (2000). Purification and characterization of cellulases produced by two *Bacillus* strains. *Journal of Biotechnology*, 83 (2000). 177–187.
- Mayer, A. M., Harel, E. and Shaul, R. B. (1965). Assay of catechol oxidase a critical comparison of methods. *Phytochemistry*, 5: 783-789.
- Mayer, A.M. (2006). Polyphenol oxidases in plants and fungi: going places? A review. *Phytochemistry*, 67:2318–2331
- Meera ,T. and Balabaskar, P. (2012). Isolation and characterization of *Pseudomonas fluorescens* from rice fields. *International Journal of Food, Agriculture and Veterinary Sciences*, 2 (1): 113-120
- Megeji, N.W., Kumar, J.K., Virendra, S., Kaul, V.K. and Ahuja, P.S.(2005). Introducing *Stevia rebaudiana* , a natural zero-calorie sweetener. *Current Science*, 88: 801–804
- Meyer, J. M., Azelvandre, P. and Georges, C. (1992). Iron metabolism in *Pseudomonas fluorescens*: Salicylic acid, a siderophore of *Pseudomonas fluorescens* CHA0, *Biofactors*. 4: 23-27
- Mikani, A., Etebarian, H.R., Sholberg, P.L., Gorman, D.T., Stokes, S. and Alizadeh, A. (2008). Biological control of apple gray mold caused by *Botrytis mali* with *Pseudomonas fluorescens* strains. *Post harvest Biology and Technology*, 48 (1): 107–112
- Miller, R. L. and Higgins, V. J. (1970). Association of cyanide with infection of birds foot trefoil by *Stemphylium* rot. *Phytopathology*, 60:104-110
- Minakshi., Saxena, A.K. and Matta, N.K. (2005). Selection of culturable PGPR from diverse pool of bacteria inhabiting pigeonpea rhizosphere. *Indian Journal of Microbiology*, 45: 21-26
- Mishra, R. K., Prakash, O., Alam, M. and Dikshit, A. (2010). Influence of plant growth promoting rhizobacteria (pgpr) on the productivity of *pelargonium graveolens*. *Recent Research in Science and Technology*, 2(5): 53-57
-

-
- Mishra, V.K., Biswas, S.K. and Rajik, M. (2011). Biochemical mechanism of resistance to *Alternaria* blight by different varieties of wheat. *International Journal of Plant Pathology*, 2: 72-80.
- Mishra, A.K. and Bohra, A. (2005). Plant pathology diseases and management, 2nd edition, Agrobias publication, 702-703
- Mizushima, Y., Akihisa, T., Ukiya, M., Hamasaki, Y., Murakami- Nakai, C., Kuriyama, I., Takeuchi, T., Sugawara, F. and Yoshida, H. (2005). Structural analysis of isosteviol and related compounds as DNA polymerase and DNA topoisomerase inhibitors. *Life Sciences*, 77: 2127- 2140
- Mundhe, V. G., Diwakar, M. P., Kadam, J. J., Joshi, M.S. and Sawant, U.K. (2009). *In Vitro* Evaluation of Bio-Agents and Botanicals Against *Sclerotium Rolfsii* Causing Foot Rot of Fingermillet (Nagli). *Journal of Plant Disease Sciences*, 4(2):183-186.
- Nagraj Kumar, M., Bhaskaran, R. and Velazhahan, R. (2004). Involvement of secondary metabolites and extracellular lytic enzymes produced by *Pseudomonas fluorescens* in inhibition of *Rhizoctonia solani*. *Microbiological Research*, 159: 73-81
- Nair, C. B. and Anith, K.N. (2009). Efficacy of Acibenzolar-S-methyl and rhizobacteria for the management of foliar blight disease of amaranth. *Journal of Tropical Agriculture*, 47(1-2): 43-47
- Nakkeeran, S., Kavitha, K., Chandrasekar, G., Renukadevi, P. and Fernando, W. G. D. (2006). Induction of plant defence compounds by *Pseudomonas chlororaphis* PA23 and *Bacillus subtilis* BSCBE4 in controlling damping-off of hot pepper caused by *Pythium aphanidermatum*, *Biocontrol Science and Technology*. 16(4): 403-416
- Nandakumar, R., Babu, S., Viswanathan, R., Raguchander, T. and Samiyappan, R. (2001). Induction of systemic resistance in rice against sheath blight disease by *Pseudomonas fluorescens*, *Soil Biology and Biochemistry*, 33: 603–612
-

-
- Nandini, M. (2007). Identification and Bioprospecting of novel antimicrobial compounds from *Bacillus subtilis* against *Macrophomina phaseolina* and *Rhizoctonia solani*. Unpub. M.Sc. (Biotechnology) Thesis, Avinashilingam University for Women, Coimbatore, India. pp. 30-60
- Nathan, P., Rathinam, X., Kasi, M., Abdul Rahman Z and Subramanian S (2011). A pilot study on the isolation and biochemical characterization of *Pseudomonas* from chemical intensive rice ecosystem. *African journal of Biotechnology*, 10(59):12653-12656.
- Nawani, N.N., Kapadnis, B.P., Das, A.D., Rao, A.S. and Mahajan, S.K. (2002). Purification and characterization of a thermophilic and acidophilic chitinase from *Microbispora* sp. V2. *Journal of Applied Microbiology*, 93, 965-975
- Nayaka, S. C., Shankar, A. C. U., Reddy, M. S., Niranjana, S. R., Prakash, H. S., Shetty, H. S. and Mortensen, C. M. (2008). Control of *Fusarium verticillioides*, cause of ear rot of maize by *Pseudomonas fluorescens*. *Pest management Science*, 65(7): 769-777
- Nayaka, S.C., Shankar, U., Reddy, A.C., Niranjana, M.S., Prakash, S.R., Shetty, H.S., Mortensen, H.S. and Carmen, N (2009). Control of *Fusarium verticillioides*, cause of ear rot of maize, by *Pseudomonas fluorescens*. *Pest Management Science*, Volume 65(7):769-775.
- Niranjan Raj, S., Deepak, S.A., Basavaraju, P., Shetty, H.S., Reddy, M.S., Joseph W. Kloepper. (2003). Comparative performance of formulations of plant growth promoting rhizobacteria in growth promotion and suppression of downy mildew in pearl millet. *Crop Protection*, 22(4): 579–588
- Okigbo, R. N. (2005). Biological control of postharvest fungal rot of yam (*Dioscorea* spp.) with *Bacillus subtilis*. *Mycopathologia*, 159: 307-314
- O'Sullivan and O'Gara, F. (1992). Traits of fluorescent *Pseudomonas* spp. Involved in suppression of plant root pathogens. *Microbiology Review*, 56: 662-676.

-
- Padmaja, C.K. and Adlene, S.D. (2007). Antimicrobial activity of *Pseudomonas fluorescens*. *Asian journal of Microbiology, Biotechnology and Environmental Sciences*, 9 (2): 333-335
- Paszkowski,W.L. and Dwornikiewicz,J. (2003). Effect of green manure on the incidence of cyanogenic *Pseudomonas* strains in hop garden soils. *Journal of chemistry Ecology*, 29:1159-1165
- Paul, Y.S. and Singh, A. (2002). Diseases of Medicinal Plants V. *In*: Sinha, P., Grovil, J.N. and Singh, V.K. (Eds.) Recent Progress in Medicinal Plants Diseases and their Management. Science Tech Publishing LLC,US A. 95-104
- Quagliotto, L., Azziz, G., Bajsa, N., Vaz, P., Perez, C., Ducamp, F., Cadenazzi, M., Altier, N. and Arias, A. (2009). Three native *Pseudomonas fluorescens* strains tested under growth chamber and field conditions as biocontrol agents against damping-off in alfalfa. *Biological control*, 51(1): 42-50
- Rachana, S. and Shalini, R. (2008). Antifungal activity of *Pseudomonas fluorescens* against different plant pathogenic Bacteria. *Electronic Journal of Environment, Agriculture and Food chemistry*, 6: 2798-2882.
- Radjacommare, R., Ramanathan, A., Kandan, A., Sible, G.V., Harish, S. and Samiyappan. R. (2004). Purification and anti-fungal activity of chitinase against *Pyricularia grisea* in finger millet. *World Journal of Microbiology and Biotechnology*, 20: 251-256.
- Raguchander, T., Prabakar, K. and Samiyappan, R. (2005). Field evaluation of *Pseudomonas fluorescens* and *Bacillus subtilis* on the management of *Cercospora* leaf spot and powdery mildew in urdbean. *Legume Research*, 28(2): 137-139.
- Rai, R.P. (1975). *In vitro* sensivity of *Alternaria daturae* Peck to the culture fi ltrate of *Bacillus subtilis*. *Indian Journal of Experimental Biology*, 13: 509-510.

-
- Rajendran, L. and Samiyappan, R. (2008). Endophytic *Bacillus* species confer increased resistance in Cotton against damping-off disease caused by *Rhizoctonia solani*. *Plant Pathology Journal*, 7(1): 1-12
- Rajendran, L., Karthikeyan, G., Raguchander, T. and Samiyappan, R. (2007). *In vitro* evaluation of bacterial endophytes influence on *ganoderma lucidum* (leys) karst Mycelial growth. *Journal of Plant Protection Research*, 47(4): 425-436
- Ramamoorthy, V., Raguchander, T. and Samiyappan, R. (2002a) Enhancing resistance of tomato and hot pepper to *Pythium* diseases by seed treatment with *fluorescent pseudomonads*. *European Journal of Plant Pathology*, 108: 429–441
- Ramamoorthy, V., Raguchander, T. and Samiyappan, R. (2002b). Induction of defense-related proteins in tomato roots treated with *Pseudomonas fluorescens* Pf1 and *Fusarium oxysporum* f. sp. *lycopersici*. *Plant and Soil*, 239: 55–68
- Ramanujam, R.J., Kulothungan, S., Anitha, S. and Deepa, K. (2011). A Study on Compatibility of *Pseudomonas fluorescens* L. and *Parthenium hysterophorus* L. as a Biocontrol agent to leaf spot by *Alternaria alternata* f.sp. *lycopersici* in Tomato. *South Asian Journal of Biological Science*, 1(2): 71 – 86
- Ramesh, K.N., Thirumalai, A.V. and Gunasekaran, P. (2002). Genotyping of antifungal compounds producing plant growth-promoting rhizobacteria, *Pseudomonas fluorescens*. *Current Science*, 82: 1463-1466.
- Ramjegathesh, R. and Ebenezer, E.G. (2012). Morphological and Physiological Characters of *Alternaria alternata* Causing Leaf Blight Disease of Onion, *International Journal of Plant Pathology*, 13 (2): 34-44
- Ramyasmruthi, S., Pallavi, O., Pallavi, S., Tilak, K. and Srividya, S. (2012). Chitinolytic and secondary metabolite producing *Pseudomonas fluorescens* isolated from Solanaceae rhizosphere effective against broad spectrum fungal phytopathogens. *Asian Journal of Plant Science and Research*, 2 (1):16-24

-
- Ranjani, V.V. and Parakhia, A.M. (2009). Management of root rot disease (*Macrophomina phaseolina*) of castor (*Ricinus communis*) with soil amendments and biocontrol agents. *Journal of Mycology and Plant Pathology*, 39(2): 290-293.
- Reddy, B. P., Jansi rani, Reddy, M. S. and Vijay Krishna Kumar, K. (2010). *In-Vitro* Antagonistic potential of *Pseudomonas fluorescens* isolates and their Metabolites against rice Sheath Blight Pathogen, *Rhizoctonia solani*. *International Journal of Applied Biology and Pharmaceutical Technology*, 1(2): 676-679.
- Reeleder, R. (1999). Septoria leaf spot of *Stevia rebaudiana* in Canada and methods for screening for resistance. *Journal of Phytopathology*, 147(10): 605-613.
- Reeves, M., Pine, L., Neilands, J. B. and Bullows, A. (1983). Absence of siderophore activity in *Legionella* spp. Grown in iron deficient media. *Journal Bacteriology*, 154: 324-329.
- Renuka, R., Prakasam, V., Ravichandran, V. and Karpagavalli, S. (2007). Antifungal activity of plant extracts against *Alternaria chlamydospora* the incitant of leaf blight disease of Chrysanthemum (*Dendranthema grandiflorum* Tzelvev). *Research on Crops*, 8: 463-468.
- Rezzonico, F., Zala, M., Keel, C., Duffy, B., Loccoz, Y.M. and Defago, G. (2007). Is the ability of biocontrol *fluorescent pseudomonads* to produce the antifungal metabolite 2, 4-diacetylphloroglucinol really synonymous with higher plant protection, *New Phytologist*, 173: 861-872.
- Riker, A.J. and Riker, R.S. (1936). Introduction to research on plant diseases, John Swift, New York. 117pp.
- Rini, C.R. and Sulochana, K.K. (2006). Management of seedling rot of chilli (*Capsicum annum* L.) using *Trichoderma* spp. and fluorescent pseudomonads (*Pseudomonas fluorescens*). *Journal of Tropical Agriculture*, 44: 79-82.

-
- Roostan, Z., Safahieh, A., Mojodi, F., Zolgharnein, H., Ghanemi, K. and Abiar, H. (2012). Phenanthrene biodegradation by *Pseudomonas aeruginosa* and *Bacillus subtilis* isolated from Persian gulf sediments *African Journal of Microbiology Research*, 6(21):4585-4591.
- Ryu, C.M., Farag, M.A., Hu, C.H., Reddy, M.S., Kloepper, J.W. and Pare, P.W. (2004). Bacterial volatiles induce systemic resistance in Arabidopsis. *Plant Physiology*. 134: 1017-1026.
- Saharan, B.S. and Nehra, V. (2011). Plant growth promoting rhizobacteria, A Critical Review. *Life Science and Medicine Research*, 21:1-30.
- Saikia, R., Singh, T., Kumar, R., Srivastava, J., Srivastava, A. K., Singh, K. and Arora, D. K. (2003). Role of salicylic acid in systemic resistance induced by *Pseudomonas fluorescens* against *Fusarium oxysporum* f. sp. *ciceri* in chickpea. *Microbiological Research*, 158: 203-213.
- Saikia, R., Yadav, M., Singh, B.P., Gogoi, D.K., Singh, T. and Arora, D.K. (2006). Induction of resistance in chickpea by cell wall protein of *Fusarium oxysporum* f.sp. *ciceri* and *Macrophomina phaseolina*. *Current Science*, 91: 1543-1546.
- Sakthivel, U., Mahalakshmi, S., Karthikeyan, B. (2009) Studies on isolation and characterisation and its effect of seed inoculation of PGPR (*Pseudomonas fluorescens*) on yield of tomato. *Journal of Phytology*, 1(1): 33-39
- Saleem, M., Arshad, M., Hussain, S. and Bhatti, A.S. (2007). Perspective of plant growth promoting rhizobacteria (PGPR) containing ACC deaminase in stress agriculture. *Journal of Indian Microbiology and Biotechnology*, 34(10):635–648.
- Sallam, N., Abd Elrazik, A. A., Hassan, M. and Koch, E. (2009). Powder formulations *Bacillus subtilis*, *Trichoderma* spp. and *Conithyrium minitans* for biocontrol of Onion White Rot. *Phytopathology and Plant Protection*, 42 (2): 142-147.

-
- Sangita, S., Birinchi Kumar, S. and Kalika, S. P. (2008). Management of *Sclerotium rolfsii* with integration of non-conventional chemicals, vermicompost and *Pseudomonas syringae*. *World Journal of Microbiology and Biotechnology*, 24(4):517-522
- Saravanakumar, D. and Samiyappan, R. (2007). ACC deaminase from *Pseudomonas fluorescens* mediated saline resistance in groundnut (*Arachis hypogea*) plants. *Journal of Applied Microbiology*, 102: 1283-1292.
- Saravanakumar, D., Harish, S., Loganathan, M., Vivekananthan, R., Rajendran, L., Raguchander, T. and Samiyappan, R. (2007a) Rhizobacterial bioformulation for the effective management of *Macrophomina* root rot in mungbean, *Archives of Phytopathology And Plant Protection*, 40(5): 323-33.
- Saravanakumar, D., Lavanya, N., Muthumeena, B., Raguchander, T., Suresh, S. and Samiyappan, R. (2008). *Pseudomonas fluorescens* enhances resistance and natural enemy population in rice plants against leaf folder pest. *Journal of Applied Entomology*, 132 (6): 469- 479.
- Saravanakumar, D., Lavanya, N., Muthumeena, K., Raguchander, T. and Samiyappan, R. (2009). Fluorescent *Pseudomonas* mixtures mediate disease resistance in rice plants against sheath rot (*Sarocladium oryzae*) disease. *Biocontrol*, 54: 273–286.
- Saravanakumar, D., Vijayakumar, C., Kumar, N. and Samiyappan, R. (2007b). PGPR-induced defense responses in the tea plant against blister blight disease. *Crop Protection*, 26: 556-565.
- Saravanan, T., Bhaskaran, R. and Muthusamy, M. (2004). *Pseudomonas fluorescens* induced enzymological changes in banana roots against *Fusarium* wilt disease. *Plant Pathology Journal*, 3(2): 72-80.
- Savita, S., Sheela, K., Sunanda, S., Shankar, A. and Ramakrishna, P. (2004). *Stevia rebaudiana*, A functional component for food industry. *Journal of Human Ecology*, 15: 261–264.

-
- Schuhegger, R., Ihring, A., Gantner, S., Bahnweg, G., Knappe, C., Vogg, G., Hutzler, P., Schmid, M., Van Breusegem, F., Eberl, L., Hartmann, A. and Langebartels, C. (2006). Induction of systemic resistance in tomato by N-acetylhomoserine lactone-producing rhizosphere bacteria. *Plant Cell Environment*, 29: 909-918
- Seema, T. (2010). *Stevia rebaudiana*, A medicinal and nutraceutical plant and sweet gold for diabetic patients. *International Journal of Pharmacy and Life Sciences*, 1: 451-457.
- Sen, S., Biswas, G., Kumarbasu, S. and Acharya, K. (2012). Management of leaf spot disease of *Stevia rebaudiana* Bertoni with antagonistic bacteria. *Australian journal of crop sciences*, 6(2): 350-356.
- Sen, S., Tanaya, B., Kinnari, B., Rupa, A., Nirmalendu, S. and Krishnendu, A. (2006). *In vitro* antagonistic effect of fluorescent *Pseudomonas* BRL-1 against *Sclerotium rolfsii*. *Indian Phytopathology*, 59: 227-230.
- Sendhilvel, V., Marimuthu, T., and Samiappan, R. (2007). Talc-based formulation of *Pseudomonas fluorescens*-induced defense genes against powdery mildew of grapevine. *Archives of Phytopathology and Plant Protection*, 40(2): 81 – 89.
- Senthilkumar, M., Swarnalakshmi, K., Govindasamy, V., Lee, Y. K. and Annapurna, K. (2009). Biocontrol potential of soybean bacterial endophytes against charcoal rot fungus *Rhizoctonia bataticola*. *Current Microbiology*, 58: 288-293.
- Senthilkumar, P., Jonathan, E.I. and Samiyappan, R. (2008). Bioefficacy of *Pseudomonas fluorescens* on burrowing nematode, *Radopholus similis* in banana. *Indian Journal of Nematology*, 38: 46-52.
- Shanmugam, V., Kanoujia, N., Singh, M., Singh, S. and Prasad, R. (2011). Biocontrol of vascular wilt and corm rot of gladiolus caused by *Fusarium oxysporum* f. sp. *gladioli* using plant growth promoting rhizobacterial mixture, *Crop Protection*, 30(1):1-7

-
- Sharma, B. K., Singh, U. P. and Singh, K. P. (2002). Variability in Indian isolates of *Sclerotium rolfsii*. *Mycologia*, 94(6): 1051-1058.
- Sharma, M.K., Saha, S., Nayek, D.K., Naskar, I. and Singh, S.S. (2004). Medicinal plant's research and utilization – an overview. Ramakrishna Mission Ashrama, Narendrapur, India.
- Sharma, S. and Kaur, M. (2010). Antagonistic activities of rhizobacterial strains of *Pseudomonads* and *Bacillus* strains isolated from rhizosphere soil of carnation (*Dianthus caryophyllus* cv. sunrise), *Indian Journal of Microbiology*, 50(2): 229-232.
- Sid, A., Ezziyyani, M., Egea-Gilabert, C. and Candela, M. E. (2003). Selecting Bacterial Strains for use in the Biocontrol of Diseases Caused by *Phytophthora capsici* and *Alternaria alternata* in Sweet Pepper Plants. *Biologia Plantarum*, 47(4): 569-574
- Siddiqui, I.A. and Shaukat, S.S. (2003). Role of salicylic acid in *Pseudomonas aeruginosa* strain 1E - 6S mediated induction of systemic resistance against *Meloidogyne javanica* in tomato. *Phytopathologia Mediterranea*, 42(3): 268-274.
- Siddiqui, Y., Meon, S., Ismail, M.R., Ali, A., (2008). Trichoderma-fortified compost extracts for the control of choanephora wet rot in okra production. *Crop Protection*, 27, 385–390.
- Siddiqui, Z.A. (2007). Biocontrol of *Alternaria triticina* by plant growth promoting rhizobacteria on wheat. *Archives of Phytopathology and Plant Protection*, 40: 301-308.
- Silva, H.S.A., Romeiro, R., Da S. Macagnan., Halfeld-vieira, d., De Pereira. and Mounteer, A. (2004). Rhizobacterial induction of systemic resistance in tomato plants: Non-specific protection and increase in enzyme activities. *Biological Control*, 29: 288-295.

-
- Sindhu, J.S., Ravi, S. and Minocha, J.L. (1984). Peroxidase isozyme pattern in primary trisomics of pearl millet. *Theoretical and Applied Genetics*, 68: 179-182.
- Singh, N., Pandey, P., Dubey, R. C. and Maheshwari, D. K. (2008). Biological control of root rot fungus *Macrophomina phaseolina* and growth enhancement of *Pinus roxburghii* (Sarg.) by rhizosphere competent *Bacillus subtilis* BN1. *World Journal of Microbial Biotechnology*, 24: 1669-1679.
- Singh, U.P., Sarma, B.K. and Singh, D.P. (2003). Effect of plant growth-promoting rhizobacteria and culture filtrate of *Sclerotium rolfsii* on phenolic and salicylic acid contents in chickpea (*Cicer arietinum*). *Current Microbiology*, 46: 131–140
- Singh, R. and Sinha, A.P. (2005). Management of rice sheath blight by *Pseudomonas fluorescens* and Grain Yield. *Annals of Plant Protection Sciences*, 13(2): 410-414
- Slininger, I., Schisler, D.A., Burkhead, K.D. and Bothast, R.J. (2003). Postharvest biological control of potato sprouting by *Fusarium* dry rot suppressive bacteria. *Biocontrol Science and Technology*, 13: 477--494.
- Soltani, A .A., Khavazi, K., Rahmani, H.A., Omidvari,M., Dahaji, P.A. and Mirhoseyni ,H. (2010). Plant Growth Promoting Characteristics in Some *Flavobacterium* spp.Isolated from Soils of Iran. *Journal of Agricultural Science*, 2(4): 106-115.
- Stein, T. (2005). *Bacillus subtilis* antibiotics: structures, syntheses and specific functions, *Journal of Molecular Microbiology*, 56: 845–857.
- Sumon, M, H., Mostofa, M., Jahan, M.S., Kayesh, M.E.H. and Haque, M.A. (2008). Comparative efficacy of powdered form of stevia (*Stevia rebaudiana* Bertoni) leaves and glimepiride in induced diabetic rats. *Bangladesh Journal of Veterinary Medicine* 6 (2): 211-215.

-
- Sundarajan,T.(1995). Microbiology Laboratory Manual, 2nd edition, Chanda Publication, New Delhi, 48-79.
- Supaibulwattana, K., Kuntawunginn, W., Chaum, S. and Kirdmanee, C. (2011). Artemisinin accumulation and enhanced net photosynthetic rate in Qinghao (*Artemisia annua* L.) hardened *in vitro* in enriched-CO₂ photoautotrophic conditions. *Plant Omics Journal*, 4(2): 75-81.
- Tamilselvi, V.(2009). Studies on the effect of bacterial antagonists against root rot of stevia caused by *Sclerotium rolfsii*. M.Phil. (Biotechnology) Thesis, Avinashilingam University for Women, Coimbatore, India. pp. 52-54
- Tayung, K., Jha, D. K. and Deka, D. C. (2007). Isolation and identification of antimicrobial agent-producing bacterium from *Taxus baccata* rhizosphere antagonistic against clinically significant microbes, *Indian Journal of Microbiology*, 47: 317-322.
- Thilagavathi, R., Saravanakumar, D., Ragupathi, N. and Samiyappan, R. (2007). A combination of biocontrol agent improves the management of dry root rot (*Macrophomina phaseolina*) in greengram. *Phytopathologia Mediterranea*, 46(2): 157-167.
- Toledo, FL., Calvo, C. and Rodelas, R. (2006). Selection and identification of bacteria isolated from waste crude oil with polycyclic aromatic hydrocarbons. *Syst. Applied Microbiology*, 29: 244–252.
- Tsavkelova, E.A., Cherdynitseva, T.A., Klimova, S.Y., Shestakov, A.I., Botina, S.G. and Netrusov, A.I. (2007). Orchid-associated bacteria produce indole-3-acetic acid, promote seed germination, and increase their microbial yield in response to exogenous auxin. *Archives of Microbiology*, 188(6):655-64.
- Turan, M., Ataoglu, N. and Sezen, Y. (2004). Effects of phosphorus solubilizing bacteria (*Bacillus megaterium*) on yield and phosphorus contents of tomato plant (*Lycopersicon esculentum* L.) III. In: *Proceedings of the National Fertilizer Congress. Farming–Industry–Environment, Tokat, Turkey, 11–13 October*.

-
- Uddin, M.S., Chowdhary, M.S.H., Khan, M. M.M.H., Uddin, M.B., Ahmed, R. and Betan. A. M. (2006). *In vitro* propagation of *Stevia rebaudiana* Bert in Bangladesh. *African Journal of Biotechnology*, 5: 1238-1240.
- Umamaheswari, C., Sankaralingam, A. and Nallathambi, P. (2008). Mechanisms of action exerted by biocontrol agents against *Alternaria alternata* that causes leaf blight of watermelon. *Journal of Mycology and Plant Pathology*, 38(1):59-64.
- Umesha, S. and Hariprasad, P. (2010). Plant health improvement by *Bacillus subtilis* strain GBO3 in tomato against bacterial spot disease. *Indian Phytopathology*, 63(2):127-130.
- Van Loon, L. C. and Bakker, P. A. H. M. (2005). Induced systemic resistance as a mechanism of disease suppression by rhizobacteria. In: Siddiqui, Z. A. (ed) PGPR: biocontrol and biofertilization. Springer, Dordrecht, The Netherlands, pp. 39-66.
- Van Loon, L. C. and Glick, B. R. (2004). Increased plant fitness by rhizobacteria. In: *Molecular ecotoxicology of plants*, Sandermann, H. (ed), Springer-Verlag, Berlin Heidelberg, pp 177- 205.
- Verma, A. and Chincholkar, S. (2007). Microbial siderophores. Springer-Verlag, Berlin, Heidelberg, pp: 248.
- Vidhyasekaran, P. and Muthamilan, M. (1995). Development of formulations of *Pseudomonas fluorescens* for control of chickpea wilt. *Plant Diseases*, 79: 782-786.
- Vidhyasekaran, P., Rabindran, R., Muthamilan, M., Nayar, K.R., Rajappan, K., Subramanian, N. and Vasumathi, K. (1997). Development of powder formulation of *Pseudomonas fluorescens* for control of rice blast. *Plant Pathology*, 46: 291-297

-
- Vincent, J.M. (1947). Distortion of fungal hyphae in the presence of certain inhibitors. *Nature*, 159:850
- Viruel, E., Lucca, M.E. and Sineriz, F. (2011). Plant growth promotion traits of phosphobacteria isolated from puna, Argentina. *Archives of Microbiology*, 193:489-496
- Viswanathan, R. and Samiyappan, R. (2004). Production of secondary metabolites by strains of *Pseudomonas* spp. antagonistic to *Colletotrichum falcatum* causing red rot disease in sugarcane *Acta Phytopathologica et Entomologica Hungarica*, 39(1-3): 29-38(10)
- Vivekananthan, R., Ravi, M., Ramanathan, A. and Samiyappan, R. (2004). Lytic enzymes induced by *Pseudomonas fluorescens* and other biocontrol organisms mediate defence against the anthracnose pathogen in mango. *World Journal of Microbiology and Biotechnology*, 20: 235–244, 2004.
- Wang, H., Hwang, S.F., Chang, K.f., Turnbull, G.D. and Howard, R.J. (2003). Suppression of important pea diseases by bacterial antagonists, *Journal of Biocontrol*, 48: 447-460.
- Wattiau, P.M.E., Renard, P., Ledent Debois, V., Blackman, G. and Agathos, S.N.(2001). A PCR test to identify *Bacillus subtilis* and closely related species and its application to the monitoring of wastewater bio-treatment. *Applied Microbiology and Biotechnology*, 56: 816-819.
- Wei, L., Kloepper, J. W. and Tuzun, S. (1996). Induced systemic resistance to cucumber diseases and increased plant growth promoting rhizobacteria under field conditions. *Phytopathology*, 86: 221-224.
- Weisskopf, L., Fromin, N., Tomasi, N., Aragno, M., Martinoia, E., (2005). Secretion activity of white lupin's cluster roots influences bacterial abundance, function and community structure. *Plant and Soil*, 268: 181–194.

-
- Weller, D.M., Raaijmakers, J.M., Gardener, B.B.M. and Thomashow, L.S. (2002). Microbial populations responsible for specific soil suppressiveness to plant pathogens. *Annual Review of Phytopathology*, 40: 309-348
- Wilson, K. (1990). Preparation of genomic DNA from bacteria. In *Current Protocols in Molecular Biology* (Ausubel, F. M., Brent, R., Kingston, R. E., Moore, D. D., Seidman, J. G., Smith, J. A., and Struhl, K., Eds.), pp. 2.4.1–2.4.5, Greene Publ. Assoc. and Wiley Inter science, New York.
- Wu, S., Jia, S., Sun, D., Chen, M., Chen, X., Zhong, J. and Huan, L. (2005). Purification and characterization of two novel antimicrobial peptides Subpeptin JM4-A and Subpeptin JM4-B produced by *Bacillus subtilis* JM4. *Current Microbiology*, 51: 292-296.
- Zhang, S., Moyne, A.L., Reddy, M.S. and Kloepper, J. W. (2002). The role of salicylic acid in induced systemic resistance elicited by plant growth-promoting rhizobacteria against blue mold of tobacco. *Biological Control*, 25: 288–296.
- Ziedan, E. H., Saad, M. and Farrag, S. (2005). Biological control of grapevine root rot using antagonistic microorganisms. *African journal of Mycology and Biotechnology*, 13(3): 19-36.
- Zieslin, N. and Ben-Zaken, R. (1993). Peroxidase activity and presence of phenolic substances in peduncles of rose flower. *Plant Physiology and Biochemistry*, 31: 333-339.