

REFERENCES

- Abdel- Moneium, A.M. Abou Shabana, N.M. Khadre S.E.M. and Abdel-Kader H.H. (2008) Physiological and Histopathological effects in catfish (*Clarius lazera*) exposed to Dyestuff and Chemical wastewater, International Journal of Zoological Research., 4(4), 189-202.
- Abd-El-Kareem, M.S. and Taha, H.M. (2012) Decolourisation of malachite green and methylene blue by two microalgal species, International Journal of Chemical and Environmental Engineering., 3(5), 299-302.
- Abdul Baki, A.S. and Anderson, J.O. (1973) Vigour determination in soybean seed by multiple criteria, Crop Science., 13, 630-633.
- Abubacker, M.N., Mehala, T., Senthilkumar, S. and Selvam, R. (2018) Microbial degradation of textile effluent and in genotoxic effect on *Allium cepa*, International Research Journal of Environmental Sciences., 7(8),1-7.
- Adams, G.O., Fufeyin, P.T., Okoro, S.E. and Ehinomen. I. (2015) Bioremediation, Biostimulation and Bioaugmentation: A Review, International Journal of Environmental Bioremediation and Biodegradation., 3(1), 28-39.
- Adegoke, K.A. and Bello, O.S. (2015) Dye sequestration using agricultural wastes as adsorbents, Water Resources and Industry., 12, 8-24.
- Adeyemo, A.A. Adeoye, I.O. and Bello, O.S. (2015) Adsorption of dyes using different types of clay: a review, Applied Water Science., 4-29.
- Adhikari, S., Sarkar, B., Chatterjee, A., Mahapatra, C.T. and Ayyappan, S. (2004) Effects of cypermethrin and carbofuran haematological parameters and prediction of their recovery in a freshwater teleost, *Labeo rohita* (Hamilton), Ecotoxicology and Environmental Safety., 58, 220-226.
- Adi, A. and Noor, Z. (2009) Waste recycling: utilization of coffee grounds and kitchen waste in vermicomposting, Bioresource Technology., 100(2), 1027-1030.
- Afaq, S. and Rana, K. (2009) Toxicological effects of leather dyes on total leukocyte count of fresh water teleost, *Cirrhinus mrigala* (Ham), Biology and Medicine., 1(2), 134-138.

- Agbon, A.O., Arowolo, T. and Bakare, W. (2014) Local textile industry wastewater effect on freshwater fish species, *Journal of Aquatic Sciences.*, 29(2), 401-410.
- Agrahari, A.S., Kashev, C., Pandey, A. and Gopal, K. (2007) Biochemical alteration induced by monocrotophos in the blood plasma of fish, *Channa punctatus* (Bloch), *Pesticide Biochemistry and Physiology.*, 88, 268-272.
- Agrawal, S., Tipre, D., Patel, B. and Dave, S. (2014) Optimization of triazo acid black 210 dye degradation by *Providencia* species SRS82 and elucidation of degradation pathway, *Process Biochemistry.*, 49, 110-119.
- Ahlawat, K. and Kumar, A. (2009) Analysis of Industrial effluents and its comparison with other effluents from residential and commercial areas in Solan H.P, *Journal of Theoretical and applied Science.*, 1(2), 42-46.
- Ahmad, K., Ejaz, A., Azam, M., Khan, Z.I., Ashraf, M., Al-Qurainy, F., Fardous, A., Gondal, S., Bayat, A.R. and Valeem, E.E. (2011) Lead, cadmium and chromium contents of canola irrigated with sewage water, *Pakistan Journal of Botany.*, 43(2), 1403-1410.
- Ahmed, J.M. and Nizamuddin, M. (2012) Physicochemical Assessment of Textile Effluents in Chittagong Region of Bangladesh and Their Possible Effects on Environment, *International Journal of Research in Chemistry and Environment.*, 2(3), 220-230.
- Ajay, K.J. and Sarbhoy, R.K. (1987) Cytogenetical studies on the effect of some chlorinated pesticides. I. Effect on somatic chromosomes of Lens and Pisum, *Cytologia.*, 52, 47-53.
- Akar, S.T., Akar, T. and Cabuk, A. (2009) Decolourisation of a textile dye, reactive red 198 (RR198) by *Aspergillus parasiticus* fungal biosorbent. *Brazilian Journal of Chemical Engineering.*, 26, 399-405.
- Aksu, Z. (2003) Reactive dye bioaccumulation by *Saccharomyces cerevisiae*, *Process Biochemistry.*, 38, 1437-1444.
- Aksu, Z. and Donmez, G. (2003) A comparative study on the biosorption characteristics of some yeasts for remazol blue reactive dye, *Chemosphere.*, 50, 1075-1083.

- Aksu, Z. and Tezer, S. (2000) Equilibrium and kinetic modelling of biosorption of remazol black B by *Rhizopus arrhizus* in a batch system: effect of temperature, *Process Biochemistry.*, 36(5), 431-439.
- Aksu, Z. and Tezer, S. (2005) Biosorption of reactive dyes on the green alga *Chlorella vulgaris*, *Process Biochemistry.*, 40, 1347-1361.
- Alaguprathana, M. and Poonkothai, M. (2015) Bio-sorption of physico-chemical constituents in textile dyeing effluent using *Spirogyra gracilis* Kützing, *Journal of Algal Biomass Utilization.*, 6(2), 11-21.
- Alalewi, A. and Jiang, C. (2012) Bacterial influence on textile wastewater decolorization, *Journal of Environmental Protection.*, 3(8), 889-903.
- Albertini, R.J., Anderson, D. and Douglas, G.R. (2000) IPCS guidelines for the monitoring of genotoxic effects of carcinogens in humans, *Mutation Research.*, 463, 111-172.
- Alex, B.K. Koshy, E.P. and Thomas, G. (2013) Evaluation of cytotoxic and genotoxic effect of the textile dye direct brown on *Allium cepa* L., *International Journal of Applied and Natural Sciences.*, 2(4), 1-8.
- Alimba, C.G., Ogunkanmi, A.L. and Ogunmola, F.J. (2013) Cytotoxic and genotoxic assessment of textile effluent using *Allium* assay, *Current Topics in Toxicology.*, 9, 1-11.
- Allouche, F.N. and Yassaa, N. (2018) Potential adsorption of methylene blue from aqueous solution using green macroalgae *Posidonia oceanica*, *Materials Science and Engineering.*, 323, 1-7.
- Al-Masri, M.S., Amin, Y., Al-Akel, B. and Al-Naama, T. (2010) Biosorption of cadmium, lead, and uranium by powder of poplar leaves and branches, *Applied Biochemistry and Biotechnology.*, 160, 976-987.
- Almutairi, F.M., Williams, P.M. and Lovitt, R.W. (2012) Effect of membrane surface change on filtration of heavy metal ions in the presence and absence of polyethylenimine, *Desalination and Water Treatment.*, 42, 131-137.

- Alqaragully, M.B. (2014) Removal of textile dyes (maxilon blue and methyl orange) by date stones activated carbon, *International Journal of Advanced Research in Chemical Science.*, 1(1), 48-59.
- Al-Qodah, Z. (2000) Adsorption of dyes using shale oil ash, *Water Research.*, 34, 4295-4303.
- Al-Sabti, K. (2000) Chlorotriazine reactive azo red 120 textile dye induces micronuclei in fish, *Ecotoxicology and Environmental Safety.*, 47(2), 149-155.
- Amin, A.W. (2002) Cytotoxicity Testing of sewage water treatment using *Allium cepa* chromosome aberrations assay, *Pakistan Journal of Biological Sciences.*, 5, 184-188.
- Amte, G.K. and Mhaskar, T.V. (2013) Impact of Textile- Dyeing Industry Effluent on some Haematological parameters of Freshwater Fish *Oreochromis Mossambicus*, *Nature Environment and Pollution Technology.*, 12(1), 93-98.
- Amwele, H.R., Papirom, P., Chukanhom, K., Beamish, F.H.W. and Petkam, R. (2015) Acute and subchronic toxicity of metal complex azo acid dye and anionic surfactant oil on fish *Oreochromis niloticus*, *Journal of Environmental Biology.*, 36, 199-205.
- Antosiewicz, D. (1990) Analysis of the cell cycle in the root meristem of *Allium cepa* under the influence of ledakrin, *Folia Histochemica et Cytobiologica.*, 28(1-2), 79-95.
- AOAC International Methods, (1995), In official methods of analysis, 16th Edition. Association of Official Analytical Chemists, Arlington, Virginia.
- APHA (1989) Standard Methods for the examination of water and wastewater, XVII Edition, American Public Health Association, American Water Works Association, Water Pollution Control Federation, Washington DC, 2005-2605, 4.149 - 4.152, 5.2— 5.10, 4.33 -4.38.
- APHA (1998) Standard methods for the examination of water and waste water, Twentieth Edition, American Public Health Association, American Water Works Association, Water Environment Federation, Washington DC, 2005-2605, 2.36-2.39, 2.56-2.58, 3.1-3.99, 4.105-4.178, 5.2-5.10.

-
- Aravindan, R., Rao, J.R. and Nair, B.U. (2007) Removal of basic yellow dye from aqueous solution by sorption on green alga *Caulerpa scalpelliformis*, Journal of Hazardous Materials., 142 (1-2), 68-76.
- Aravindhnan, R., Madhan, B., Rao, J.R. and Nair, B.U. (2004) Recovery and reuse of chromium from tannery wastewaters using *Turbinaria ornate* seaweed, Journal of Chemical Technology and Biotechnology., 79, 1251-1258.
- Argun, M.E., Dursun, S., Karatas, M. and Guru, M. (2008) Activation of pine cone using fenton oxidation for Cd(II) and Pb(II) removal, Bioresource Technology., 99(18), 8691-8698.
- Arnold, R. W. (1984) Soil standard text book, 1st Edition, CRC Press, Boca Raton, London, 300.
- Arulazhagan, P. (2016) A study on Microbial decolourization of reactive red M8B by *Bacillus subtilis* isolated from dye contaminated soil samples, International Journal of Current Research in Biology and Medicine., 1(1), 1-13.
- Asses, N., Ayed, L., Hkiri, N. and Hamdi, M. (2018) Congo Red Decolorization and Detoxification by *Aspergillus niger*: Removal Mechanisms and Dye Degradation Pathway, Hindawai BioMed Research International., 18(2), 9.
- Atamanalp, M. (2007) The effects of a disinfectant (malachite green) on blood biochemistry of rainbow trout (*Oncorhynchus mykiss*), Journal of Fisheries and Aquatic Science., 2(1), 82-85,
- Avni, P. and Jagruti, B. (2016) Determination of genotoxic effect of azo dye C-1. Reactive red 120 on fish *Catla Catla*, Biotechnological research., 2(2), 77-80.
- Avni, P. and Jagruti, B. (2017) Haematotoxic potential of acid red 97 on *Catla catla* (Ham.), Bioscience Discovery., 8(2), 198-201.
- Ayed, L., Cheriaa, J., Laadhari, N., Cheref, A. and Bakhrouf, A. (2009) Biodegradation of crystal violet by an isolated *Bacillus* species, Annals of Microbiology., 59(2), 267-272.
- Azmat, R. (2014) Marine green algae *Codium iyengarii* as a good biosorbent for elimination of reactive black 5 from aqueous solution, Pakistan Journal of Pharmaceutical Sciences., 5, 1443-1449.
- Azza, MAA., Nabila, SA., Hany, HAG. and Rizka, KA. (2013) Biosorption of cadmium and lead from aqueous solution by fresh water alga *Anabaena sphaerica* biomass, Journal of Advanced Research., 4:367–374.

- Bagchi, M. and Ray, L. (2015) Adsorption behavior of reactive blue 4, a tri-azine dye on dry cells of *Rhizopus oryzae* in a batch system, *Chemical Speciation and Bioavailability.*, 27(3), 112-120.
- Balarak, D., Pirdadeh, F. and Mahdavi, Y. (2015) Biosorption of acid red 88 dyes using dried *Lemna minor* biomass, *Journal of Science Technology Environment informatics.*, 1(2), 81-90.
- Balasubramaniam, R., Perumal, S.V. and Vijayaraghavan, K. (2009) Equilibrium isotherm studies for the multicomponent adsorption of lead, zinc and cadmium onto Indonesian peat, *Industrial and Engineering Chemistry Research.*, 48, 2093-2099.
- Bancroft, J.D. and Cook, H.C. (1994) *Manual of histological techniques and their diagnostic application*, Churchill Livingstone, London, 289-305.
- Barot, J. and Bahadur, A. (2013) Behavioural and histopathological effects of azodye on kidney and gills of *Labeo rohita* fingerlings, *Journal of Environmental Biology.*, 34, 147-152.
- Barot, J. and Bahadur, A. (2014) Toxic effect of azo dye (c.i. direct green 6) on blood parameters of freshwater fish *Labeo rohita* (Ham.), *Journal of Cell and Tissue Research.*, 14(2), 4251-4254.
- Barot, J. and Bahadur, A. (2015), Toxic impacts of C.I. acid orange 7 on behavioural, haematological and some biochemical parameters of *Labeo rohita* fingerlings, *International Journal of Scientific Research in Environmental Sciences.*, 3(8), 0284-0290.
- Baskare, A.A., Mosuro, A.A. and Osibanjo, O. (2000) Effect of simulated leachate on chromosomes and mitosis in roots of *Allium cepa* L, *Journal of Environmental Biology.*, 21, 263-271.
- Bauer, A.W., Kirby, W.M., Sherris, J.C. and Turck M. (1966) Antibiotic susceptibility testing by a standardized single disk method. *American Journal of Clinical Pathology.*, 45 (4), 493-496.

- Bazrafshan, E., Zarei, A.A., Nadi, H. and Zazouli, M.A. (2014) Adsorptive removal of methyl orange and reactive red 198 dyes by *Moringa peregrina* ash, Indian Journal of Chemical Technology., 21, 105-113.
- Bennet, M. D. (1977) Heterochromatin, aberrant endosperm nuclei and grain shrivelling in wheat-rye genotypes, Heredity., 39, 411-418.
- Bewley, J.D. and M. Black. (1994) Seeds Physiology of Development and Germination. Second Edition. Plenum Press, New York and London.
- Beyer, J., Sandvik, M., Hylland, K., Field, E., Egaas, E., Aas, E., Skare, J.U. and Goksoyr, A. (1996) Contaminant accumulation and biomarker responses in flounder (*Platichthys flesus* L.) and atlantic cod (*Cadus morhua* L.) exposed by caging to polluted sediments in sorfjorden. Norway, Aquatic Toxicology., 36, 75-98.
- Bharathi, K.S. and Ramesh, S.T. (2013) Removal of dyes using agricultural waste as low-cost adsorbents: a review, Applied Water Science., 3, 773-790.
- Bhatt, N., Patel, K.C., Keharia, H. and Madamwar D. (2005) Decolourization of diazo-dye reactive blue 172 by *Pseudomonas aeruginosa* NBAR12, Journal of Basic Microbiology., 45, 407-418.
- Bhatti, H.N., Bajwa, I.I., Hanif, M.A and Bukhari, I.H. (2010) Removal of lead and cobalt using lignocellulosic fiber derived from citrus reticulate waste biomass, Korean Journal of Chemical Engineering., 27, 218-227.
- BIS, (1974) Guide for treatment of effluents of electroplating industry, Indian Standards, IS: 7453-1974, Bureau of Indian Standards, New Delhi.
- BIS, (1981) Tolerance limits for industrial effluents discharged into inland surface waters, IS: 2490, Part 1, Bureau of Indian Standards, New Delhi.
- BIS, (1993) Methods of sampling and test (Physical and Chemical) for water and waste water, Part 4 BOO, First Revision, 1 - 2.
- Blaxhall, P. and Daisley, K.W. (1973) Routine haematological methods for use with fish blood. Journal of Fish Biology., 5, 771-781.
- Boominathan, M. (2000) Interaction of *Spirulina platensis* with starchy effluent, M.Phil., Dissertation, Bharathidasan University, Tiruchirapalli, India.

- Boudechiche, N., Mokaddem, H., Sadaoui, Z. and Trari, M. (2016) Biosorption of cationic dye from aqueous solutions onto lignocellulosic biomass (*Luffa cylindrica*): characterization, equilibrium, kinetic and thermodynamic studies, *International Journal of Industrial Chemistry.*, 7(2), 167-180.
- Brahim, I.O., Belmedani, M., Belgacem, A., Hadoun, H. and Sadaoui, Z. (2014) Discoloration of azo dye solutions by adsorption on activated carbon prepared from the cryogenic grinding of used tires, *Chemical Engineering Transactions.*, 38, 121-126.
- Brookstein, D.S. (2009) Factors associated with textile pattern dermatitis caused by contact allergy to dyes, finishes, forms and preservations, *Dermatologic Clinics.*, 27, 309-322.
- Bujjamma, P. and Padmavathi, P. (2018) Effect of cadmium on haematological changes in a freshwater catfish, *Heteropneustes fossilis*, *International Journal of Zoology Studies.*, 3(1), 132-141.
- Bulgariu, L. and Bulgariu, D. (2014) Enhancing biosorption characteristics of marine green algae (*Ulva lactuca*) for heavy metals removal by alkaline treatment, *Journal of Bioprocessing and Biotechniques.*, 4, 1-10.
- Camargo, B.C.V., Maltempi, P.P.P. and Morales M.A.M. (2011) The use of the cytogenetic to identify mechanisms of action of an azo dye in *Allium cepa* meristematic cells, *Journal of Environmental and Analytical Toxicology.*, 1(3), 1-12.
- Caritra, R and Marin-Morales, M.A. (2008) Induction of chromosome aberrations in the *Allium cepa* test system caused by the exposure of seeds to industrial effluents contaminated with azo dyes, *Chemosphere.*, 72(5), 722-725.
- Carmargo, M.M.P. and Martiez, C.B.R. (2007) Histopathology of gills, kidney and liver of a Neotropical fish caged in anurban stream, *Neotropical Ichthyology*, 5(3), 327-336.
- Carvalho, C.S. and Fernandes, M.N. (2006) Effect of temperature on copper toxicity and hematological responses in the neotropical fish, *Prochilodus scrofa* at low and high pH, *Aquaculture.*, 251, 109-117.
- Cavas, T. and Gozukara, S.E. (2005) Induction of micronuclei and nuclear abnormalities in *Oreochromis niloticus* following exposure to petroleum refinery

-
- and chromium processing plant effluents, *Aquatic Toxicology.*, 74, 264-271.
- Cazenave, J., Wunderlin, D.A., Hued, A.C. and Bistoni, M.A. (2005) Haematological parameters in a neotropical fish, *Corydoras paleatus* (Jenyns, 1842), (Pisces, Callichthyidae) captured from pristine and polluted water, *Hydrobiologia.*, 537(1-3), 25-33.
- Chandran, R.P., Deepak, V., Krishna, S., Fathima, S., Thaha, A. and Raj, J. (2018) allelopathic activity of leaf extracts of *Mimosa pudica* on growth parameters of *Brassica juncea* seeds, *BAOJ Biotechnology.*, 4(1), 033.
- Chaudhury, S., Rohella, R.S., Manthan, M. and Sahoo, N. (1998) Decolourization of kraft paper mill effluent by white-rot fungi, *Indian Journal of Microbiology.*, 38, 221-224.
- Chauhan, L.K.S. and Gupta, S.K. (2005) Combined cytogenetic and ultrastructural effects of substituted urea herbicides and synthetic pyrethroid insecticide on the root meristem cells of *Allium cepa*, *Pesticide Biochemistry and Physiology*, 82, 27-35.
- Chavan, R.B. (2001) Indian textile industry-Environmental issues, *Indian Journal of Fibre and Textile Research.*, 26, 11-21.
- Chellababu, S., Sivarajan, M., Swaminathan, G. and Ramabrahman, B V. (2008) Biosorption kinetics of Basic dye (Bismark Brown) in aqueous solutions by chitosan, *Pollution Research.*, 27(2), 223-229.
- Chen ZX, Jin XY, Chen Z, Megharaj M, Naidu R (2011) Removal of methyl orange from aqueous solution using bentonite-supported nanoscale zero-valent iron. *Journal of Colloid and Interface Science.*, 363, 601-607.
- Chen, K.C., Wu, J.Y., Liou, D.J. and Huang, S.C.J. (2003) Decolourisation of textile dyes by newly isolated bacterial strains, *Journal of Biotechnology.*, 101, 57-68.
- Chen, S., Zhang, J., Zhang, C., Yue, Q., Li, Y. and Li, E. (2010) Equilibrium and kinetic studies of methyl orange and methyl violet ad sorption on activated carbon derived from *Phragmites australis*, *Desalination.*, 252, 149-156.
- Chitra, M.J., Das, A., Goel, M. and Kumar, K.R. (2013) Microalgae application for treatment of textile effluents, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 4(4), 1602-1606.

- Choudhary, R. and Pradhan, R.R. (2015) Adsorption study of algal biomass cultivated at carbon sequestration plant and its potential to treat industrial effluents, *International Advanced Research Journal in Science Engineering and Technology.*, 2(11), 89-93.
- Chu, H.C. and Chen, K.M. (2002) Reuse of activated sludge biomass: removal of basic dyes from wastewater by biomass, *Process Biochemistry.*, 37(6), 595-600.
- Colak, O. and Kaya, (1988) A study on possibilities of biological wastewater treatment using algae, *Doga Biyolji Serisi.*, 12(1), 18-29.
- Colak, O. and Kaya, Z. (1988) A study on the possibilities of biological wastewater treatment using algae, *Doga Biyolji Serisi.*, 12(1), 18-29.
- Cole, A.J., Mata, L., Paul, N. A. and Nys, R. D. (2013) Using CO₂ to enhance carbon capture and biomass applications of freshwater macroalgae, *GCB Bioenergy.*, 6(6), 1-10.
- Cole, A.J., Roberts, D.A. Garside, A.L. Nys, R. and Paul, N.A. (2015) Seaweed compost for agricultural crop production, *Journal of Applied Phycology.*, 28(1), 629-642.
- Dahunsi, S.O. and Oranusi, U.S. (2012) Acute toxicity of synthetic resin effluent to african catfish, *Clarias gariepinus* [Burchell, 1822], *American Journal of Food and Nutrition.*, 2(2), 42-46.
- Daneshvar, N., Ayazloo, M., Khataee, A.R. and Pourhassan, M. (2007) Biological Decolourisation of dye solution containing Malachite Green by microalgae *Cosmarium* sp, *Bioresource Technology.*, 98, 1176-1182.
- Das, C., Gupta, S. and De, S. (2010a) Treatment of dyeing effluent from tannery using membrane separation process, *International Journal of Environment and Waste management.*, 5, 354-367.
- Das, N. and Charumathi, D. (2012) Remediation of synthetic dyes from wastewater using yeast-an overview, *Indian Journal of Biotechnology.*, 11, 369-380.
- Das, S., Unni, B., Bhattacharjee, M., Wann, S.B. and Rao, P.G. (2012) Toxicological effects of arsenic exposure in a freshwater teleost fish, *Channa punctatus*, *African Journal of Biotechnology.*, 11(19), 4447-4454.

- Datta, s., Singh, J., Singh, J., Singh, S. and Singh, S. (2018) Assessment of genotoxic effects of pesticide and vermicompost treated soil with *Allium cepa* test, Sustainable Environment Research, 28, 171-178.
- Dawkar, V.V., Jadhav, U.U, Jadhav, S.U. and Govindwa, S.P. (2008) Biodegradation of disperse textile dye Brown 3REL by newly isolated *Bacillus* sp. VUS, The Society for Applied Microbiology, Journal of Applied Microbiology., 105, 14-24.
- Deepika, T. and Noorjahan, C.M. (2018) Impact of untreated and treated textile effluent on haematological parameters of fresh water fish, *Tilapia mossambica*, International Journal of Advanced Scientific Research and Management., 3(6), 24-28.
- Demirbas, A. (2009) Agricultural based activated carbons for the removal of dyes from aqueous solutions: a review, Journal of Hazardous Materials., 167, 1-9.
- Deniz, F. and Kepekci, R.A. (2016) Biosorption of dye from synthetic wastewater using alga enriched in phenolic compounds, Environmental Progress and Sustainable Energy., 35(3), 737-742.
- Denniz, F. and Saygideger, S.D. (2010) Equilibrium, kinetic and thermodynamic studies of acid orange 52 dye biosorption by *Paulownia tomentosa* steud. Leaf powder as a low-cost natural biosorbent, Bioresource Technology., 101, 5137-5143.
- Deokar, R. and Sabale, A. (2014) Biosorption of methylene blue from aqueous solution onto green seaweeds, International Journal of Recent Scientific Research., 5(2), 347-351.
- Dhanalakshmi, G., Dhanapakiam, P. and Reniprabha, A. (2018) Biochemical alternations induced by textile industrial effluent on common carp *Cyprinus carpio*, International Journal of Development Research., 8(10), 23183-23188.
- Dhanve, R., Jadhav, J. and Govindwar, S. (2014) A study of textile effluent Ecotoxicity and its biodegradation by an *Exiguobacterium* sp. RD3, International Journal of Current Biotechnology., 2(4), 45-50.
- Dotto, G.L., Vieira, M.L.G., Esquerdo, V.M. and Pinto, L.A.A. (2013) Equilibrium and thermodynamics of azo dyes biosorption onto *Spirulina platensis*, Brazilian Journal of Chemical Engineering., 30(1), 13-21.

- Doumas, B.T., Biggs, H.G. (1971) Albumin standards and the measurement of serum albumin with bromocresol green, *Clinica chimica Acta.*, 31(1), 87-96
- Drabkin, D.L. (1946) Spectrometric studies, XIV-the crystallographic and optimal properties of the haemoglobin of man in comparison with those of other species, *The Journal of Biological Chemistry.*, 164, 730-723.
- Du, L.N., Gang, L., Zhao, Y.H., Xu, H.K., Wang, Y., Zhou, Y. and Wang, L. (2015) Efficient metabolism of the azo dye methyl orange by *Aeromonas* SP. Strain DH-6: Characteristics and partial mechanism, *International Biodeterioration and Biodegradation.*, 105, 66-72.
- Du, L.N., Zhao, M., Li, G., Xu, F.C., Chen, W.H. and Zhao, Y.H. (2013) Biodegradation of malachite green by *Micrococcus* sp. strain BD 15: Biodegradation pathway and enzyme analysis, *International Biodeterioration and Biodegradation.*, 78, 108-116.
- Dubey, S.K., Pandey, A. Bajaj, A.K and Mishra, K. (2007) Some commercial azo dye and inhibits of mushroom tyrosinase Dopaoxidase activity, *Journal of Pharmacology, Toxicology.*, 2, 718-724.
- Ebrahim, M. and Mohammad, D. (2016) Biosorption Reactive Orange 16 Dye using *Sargassum glaucescens* from the Aquatic environments, *International Journal of Advanced Biotechnology and Research.*, 7(4).438-445.
- El- Neweshy and Abousrag, M.A. (2011) Chronic malachite green toxicity in Nile tilapia: Pathological and hematological studies with special reference to quantitative histopathological assessment, *Researcher.*, 3(4), 55-64.
- Elango, G., Rathika. G. and Elango. S. (2017) Physico-chemical parameters of textile dyeing effluent and its impacts with case study, *International Journal of Research in Chemistry and Environment.*, 7(1), 17-24.
- El-Ghamery, A.A I-Kholy, M.A. and Abou El-Yousser, M.A. (2003) Evaluation of cytological effects of Zn²⁺ in relation to germination and root growth of *Nigella sativa* L. and *Triticum aestivum* L, *Mutation Research/ Fundamental and Molecular Mechanisms of Mutagenesis.*, 537(1), 29-41.
- El-Ghamery, A.A.E. and Mousa, M.A. (2017) Investigation on the effect of benzyladenine on the germination, radicle growth and meristematic cells of *Nigella sativa* L. and *Allium cepa* L. *Annals of Agricultural Science.*, 62, 11-21.

- El-Kassas, H.Y and Mohamed, L.A. (2014) Bioremediation of the textile waste effluent by *Chlorella vulgaris*, Egyptian Journal of Aquatic Research., 40, 301-308.
- El-Sheekh, M.M., Gharieb, M.M and Abou-El-Souod, G.W. (2009) Biodegradation of dyes by some green algae and *Cyanobacteria*, International Biodeterioration and Biodegradation., 63, 699-704.
- El-Neweshy M.S. and AbouSrag M. A. (2011) Chronic malachite green toxicity in *Nile tilapia*: Pathological and hematological studies with special reference to quantitative histopathological assessment.” Researcher,3(4), 55-64.
- Elumalai, S., Saravanan, G.K., Ramganes, S., Sakthivel, R. and Prakasam, V. (2013) Phycoremediation of textile dye Industrial effluent from Tirupur district, Tamil nadu, India, International Journal of Science Innovations and Discoveries., 3(1), 31-37.
- Ergene, A., Ada, K., Tan, S. and Katircioglu, H. (2009) Removal of remazol brilliant blue R dye from aqueous solutions by adsorption onto immobilized *Scenedesmus quadricauda*: Equilibrium and kinetic modelling studies, Desalination., 249, 1308-1314.
- Etim, U.J., Umoren, S.A. and Eduok, U.M. (2012) Coconut coir dust as a low cost adsorbent for the removal of cationic dye from aqueous solution, Journal of Saudi Chemical Society., 20(1), 67-76.
- Evseeva, T.I., Geraskin, S.A. and Shuktomova, I.I. (2003), Genotoxicity and toxicity assay of water sampled from a radium production industry storage cell territory by means of *Allium* test, Journal of Environmental Radioactivity, 68(3), 235-248.
- Evseeva, T.I., Geras'kin, S.A., Shuktomova, I.I. and Taskaev, A.I. (2005), Genotoxicity and cytotoxicity assay of water sampled from the underground nuclear explosion site in the north of the Perm region (Russia), Journal of Environmental Radioactivity, 80(1), 59-74.
- Fakhry, E.M. (2013) *Padina pavonica* for the removal of dye from polluted water, American Journal of Plant Sciences., 4, 1983-1989.
- Fanta, E., Rios, F.S.A., Romao, S., Vianna' ACC and Freiburger, S. (2003) Histopathology of the fish *Corydoras paleatus* contaminated with sublethal

- levels of organophosphorus in water and food, *Ecotoxicol, Environ. Sab.*, 54, 119-130.
- FAO (1980) Soil testing and plant analysis, Bull. No. 38/1, Food and Agriculture Organisation, Rome, Italy.
- Fenech, M. and Crott, J.W. (2002) Micronuclei, nucleoplasmic bridges and nuclear buds induced in folic acid deficient human lymphocytes-evidence for breakage-fusion-bridge cycles in the cytokinesis-block micronucleus assay, *Mutation Research.*, 504, 131-136.
- Ferrando, M.D. and Moliner, E.A (1991) Changes in selected biochemical parameters in the brain of the fish, *Anguilla anguilla* (L.), exposed to lindane, *Bulletin of Environmental Contamination and Toxicology.*, 47(3), 459-64.
- Fiskesjo, G. (1981) Benzo(a)pyrene and N-methyl-N-nitro-N-nitrosoguanidine in the *Allium* test, *Hereditas.*, 95, 155-162.
- Fiskesjo, G. (1985) The *Allium* test as a standard in environmental monitoring. *Hereditas.*, 102, 99-112.
- Fiskesjo, G. (1993) A 2-3 day plant test for toxicity assessment by measuring the mean root growth of onions (*Allium cepa* L.), *Environmental Toxicology and Water Quality*, 8, 461-470.
- Foth, H.D. (1978) *Fundamentals of Soil Science*, John Wiley and Sons, New York.
- Freundlich, H. M. (1906) Over the Adsorption in Solution, *Journal of Physical Chemistry A.*, 57, 385-470.
- Fusconi, A., Repetto, O., Bonab, E., Massa, N., Gallo, C., Gaudot, E.D. and Berta, G. (2006) Effects of cadmium on meristem activity and nucleus ploidy in roots of *Pisum sativum* L. cv. Frisson seedlings, *Environmental and Experimental Botany.*, 58, 253-260.
- Gaim, K., Gebru, G. and Abba, S. (2015) The effect of arsenic on liver tissue of experimental animals (fishes and mice)-a review article, *International Journal of Scientific and Research Publications.*, 5(5), 1-9.
- Garg, P., Gupta, A. and Salya, S. (2006) Vermicomposting of different types of waste using *Eisenia fetida*: a comparative study, *Bioresource Technology.*, 97, 391-395.

- Gari, S.H., Sabir, J.S. and Baeshin, N.A. (1998) Cytotoxic and genotoxic effects of cadmium chloride in root meristems of *Vicia faba*. Proceedings International Congress Molecular Genetics., 1, 95-100.
- Gernhofer, M., Pawet, M., Schramm, M., Muller, E. and Triebkorn, R. (2001) Ultrastructural biomarkers as tools to characterize the health status of fish in contaminated streams, Journal of aquatic ecosystem, stress and recovery., 8, 241-260.
- Gerstner, H.B. and Huff, J.E. (1997) Clinical toxicology of mercury, Journal of Toxicology and Environmental Health, Part A., 2(3), 491-526.
- Ghazal, F.M., Mahdy, E.M., Abd EL- Fattah, M.S., EL-Sadany, A.E.Y. and Doha, N.M.E. (2018) The use of microalgae in bioremediation of the textile wastewater effluent, Nature and Science., 16(3), 98-104.
- Ghoreishi, S. and Haghghi, R. (2003) Chemical Catalytic Reaction and Biological Oxidation for Treatment of Non-Biodegradable Textile Effluent, Chemical Engineering Journal., 95, 163-169.
- Giese, M., Gao, Y.Z., Lin, S. and Brueck, H. (2010) Nitrogen availability in a grazed semi-arid grassland is dominated by seasonal rainfall, Plant and Soil, 340(1-2), 157-167.
- Gilley, D., Tanaka, H. and Herbert, B.S. (2005), Telomere dysfunction in aging and cancer, The International Journal of Biochemistry and Cell Biology, 37, 1000-1013.
- Glinska, S., Bartczak, M., Oleksiak, S., Wolska, A., Gabara, B., Posmyk, M. and Janas, K. (2007) Effects of anthocyanin-rich extract from red cabbage leaves on meristematic cells of *Allium cepa* L. roots treated with heavy metals, Ecotoxicology and Environmental Safety., 68(3), 343-350.
- Goel, P.K. (1997) Water Pollution: Causes, effects and control, New Age International (P) Limited Publishers, New Delhi, 269.
- Gomare, S.S. and Govindwar, S.P. (2009) *Brevibacillus laterosporus* MTCC 2298- A potential azo dye degrader, Journal of Applied Microbiology., 106, 993-995.
- Gomurgen, A.N. (2005), Cytological effect of the potassium metabisulphite and potassium nitrate food preservative on root tips of *Allium cepa* L., Cytologia, 70(2), 119-128.

- Gong, R., Ding, Y., Li, M., Yang, C., Liu, H. and Sun, Y. (2005) Utilization of powdered peanut hull as biosorbent for removal of anionic dyes from aqueous solution, *Dyes and Pigments.*, 64(3), 187-192.
- Gordon, P.F. and Gregory, P. (1987) *Organic Chemistry in Colour*. Springer, Berlin, Heidelberg.
- Guarín, J.R., Moreno-Pirajan, J.C. and Giraldo, L. (2018) kinetic study of the bioadsorption of methylene blue on the surface of the biomass obtained from the algae *D. Antarctica*, *Journal of Chemistry.*, Article ID 2124845, 12.
- GUBRETAS, Retrieved April 22, 2010 from <http://www.gubretas.com.tr/MAKALEFILE/profdrsuleymantaban.doc>
- Gul, S., Kurutas, E.B., Yildiz, E., Sahan, A. and Doran, F. (2004) Pollution correlated modifications of liver antioxidant systems and histopathology of fish (*Cyprinidae*) living in Seyhan Dam Lake, Turkey, *Environment International.*, 30, 605-609.
- Gupta, P. (2007) *Soil, Plant, Water and Fertilizer analysis*, Second edition, Agrobios (India), 65-151.
- Gupta, V.K and Rastogi, A. (2008) Biosorption of lead (II) from aqueous solutions by non-living algal biomass *Oedogonium* sp. and *Nostoc* sp.-A comparative study, *Colloids and Surfaces B: Biointerfaces.*, 64, 170-178.
- Gupta, V.K. (1998) Equilibrium uptake, sorption dynamics, process development, and column operations for the removal of copper and nickel from aqueous solution and wastewater using activated slag, a low-cost adsorbent, *Industrial and Engineering Chemistry Research.*, 37(1), 192-202.
- Gupta, V.K. and Rastogi, A. (2008) Equilibrium and kinetic modelling of cadmium (II) biosorption by nonliving algal biomass *Oedogonium* sp. from aqueous phase, *Journal of Hazardous Materials.*, 153, 759-766.
- Gupta, V.K., Ali, T.A., Saleh, A., Nayak, S. and Agarwal, S. (2012) Chemical treatment technologies for wastewater recycling A review, *Royal Society of Chemistry-Advances.*, 2, 6380-6388.
- Gupta, V.K., Bhushan, R., Nayak, A., Singh, P. and Bhushan, B. (2014) Biosorption and reuse potential of a blue green alga for the removal of hazardous reactive dyes from aqueous solutions, *Bioremediation Journal.*, 18, 3179-3191.

- Gupta, V.K., Bhushan, R., Nayak, A., Singh, P. and Bhushan, B. (2015) Biosorption and reuse potential of a blue green alga for the removal of hazardous reactive dyes from aqueous solutions, *Bioremediation Journal.*, 18, 179-191.
- Gurses, A., Acikyildiz, M., Gunes, K. and Gurses, M.S. (2016) SpringerBriefs in Green Chemistry, Dyes and Pigments., 83(8),13-29.
- Haddadian, Z., Shavandi, M.A., Abidin, Z.Z., Razi, A.F. and Ismail, M.H.S. (2013) Removal methyl orange from aqueous solutions using dragon fruit (*Hylocereus undatus*) foliage, *Chemical Science Transactions.*, 2(3), 900-910.
- Hameed, B.H. (2009) Spent tea leaves: A new non-conventional and low-cost adsorbent for removal of basic dye from aqueous solutions, *Journal of Hazardous Materials.*, 161, 753-759.
- Haroun, S.A. and Hussein, M.H. (2003) The promotive effect of algal biofertilizers on growth, protein pattern and some metabolic activities of *Lupinus termis* plants grown in siliceous soil. *Asian Journal of Plant Sciences.*, 2(13), 944- 951.
- Hassan, G.M. and Yassein, A.A. (2014), Cytogenotoxicity evaluation of water contaminated with some textile azo dyes using RAPD markers and chromosomal aberrations of onion (*Allium cepa*) root cells. *Egyptian Journal of Genetics and Cytology*, 43, 39-57.
- Hassan, I., Mohamedelhassan, E., Yanful, E.K. and Yuan, Z.C. (2016) A review article: electrokinetic bioremediation current knowledge and new prospects. *Advances in Microbiology.*, 6, 57-72.
- Haynes, R.J. (1985) Effects of soil acidification on the chemical extractability of Fe, Mn, Zn and Cu and the growth with micronutrient uptake of high bush blueberry plants, *Plant and Soil.*, 84(2), 201-212.
- Ho, Y.S. and McKay, G. (1999) Pseudo-second order model for sorption processes. *Process Biochemistry*, 34, 451-465.
- Hodaifa, G., Martinez, M.E. and Sinchez, S. (2010a) Influence of temperature on growth of *Scenedesmus obliquus* in diluted olive mill wastewater as culture medium, *Engineering in Life Sciences.*, 10(3), 257-264.

- Hogeboom, G.H., Schneider, W.C. and Palade, G.E. (1948) The Journal of Biological Chemistry., 172, 619-635.
- Hoshina, M.M. (2002) Evaluation of a possible contamination of the waters of the Claro Rivermunicipality of Rio Claro, part of the Corumbatai River basin, with the mutagenicity tests using *Allium cepa*. State University of Sao Paulo, Rio Claro, SP (in Portuguese).
- Hosseini, S., Khan, M.A., Malekbala, M.R., Thomas, W.C. and Choong, S.Y. (2011) Carbon coated monolith, a mesoporous material for the removal of methyl orange from aqueous phase: adsorption and desorption studies, Chemical Engineering Journal., 171, 1124-1131.
- Huang, X.J., Choi, Y.K., Im, H.S., Yarimaga, O., Yoon, E. and Kim, H.S. (2006) Aspartate aminotransferase (AST/GOT) and alanine aminotransferase (ALT/GPT) detection techniques, Sensors (Basel), 6(7), 756-782.
- Hussein, F.H. (2013) Chemical properties of treated textile dyeing wastewater, Asian Journal of Chemistry., 25(16), 9393-9400.
- Hussein, M.H., Abou El-Wafa, G.S., Shaaban-Dessuki S.A. and El-Morsy, R.M. (2018) Bioremediation of methyl orange onto *Nostoc carneum* biomass by adsorption; kinetics and isotherm studies, Global Advanced Research Journal of Microbiology., 7(1), 6-22.
- Ilyas, S. and Rehman, A. (2013) Decolorization and detoxification of synozol red HF-6BN azo dye, by *Aspergillus niger* and *Nigrospora* species, Iranian Journal of Environmental Health Science and Engineering., 10(1), 1-12.
- Islam, M.D.I., Mehedy, M.D.E., Chowdhury, S, Sen, P., Shormi, H. J. and Biswas, M. (2015) Physicochemical analysis of textile dye effluent and screening the textile dye degrading microbial species, Journal of Environmental Science, Toxicology and Food Technology., 9(3), 51-55.
- Jackson, W. (1973) Soil chemical analysis, Prentice Hall of India Private Ltd., New Delhi, 46-50.
- Jadhav, J.P., Kalyani, D.C., Telke A.A., Phugare A.A. and Govindwar S.P. (2010) Evolution of the efficacy of a bacterial consortium for the removal of colour,

- reduction of heavy metals ,and toxicity from textile dye effluent, *Bioresource Technology.*, 101,165-173.
- Jadhav, U., Vishal, U., Dawkar, V., Ghodake, G.S. and Govindwar, S.P. (2008) Biodegradation of Direct Red 5B, a textile dye by newly isolated *Comamonas* sp. UVS, *Journal of Hazardous Materials.*, 158, 507-516.
- Jain, A.K. and Sarbhoy, R.K. (1988) Cytogenetical studies on the effects of some chlorinated pesticides III. Concluding remarks, *Cytologia*, 53(3), 427-436,
- Jalil, A.A., Triwahyono, S., Yaakob, M.R., Azmi, Z.Z., Sapawe, N., Kamarudin, N.H., Setiabudi, H.D., Jaafar, N.F., Sidik, S.M., Adam, S.H. and Hameed, B.H. (2012) Utilization of bivalve shell-treated *Zea mays* L. (maize) husk leaf as a low-cost biosorbent for enhanced adsorption of malachite green, *Bioresource Technology.*, 120, 218-224.
- Janaki, P. (2001) Hardness and water quality, *Kisan World.*, 25, 30-31.
- Javed, M., Ahmad, I., Ahmad, A., Usmani, N. and Ahmad, M. (2016) Studies on the alterations in haematological indices, micronuclei induction and pathological marker enzyme activities in *Channa punctatus* (spotted snakehead) perciformes, channidae exposed to thermal power plant effluent, *Springer Plus*, 5, 761-770.
- Jayanthy, V., Geetha, R., Rajendran, R., Prabhavathi, B., Karthik Sundaram, S., Dinesh Kumar, S. and Santhanam, P. (2014) Phytoremediation of dye contaminated soil by *Leucaena leucocephala* (subabul) seed and growth assessment of *Vigna radiata* in the remediated soil, *Saudi Journal of Biological Sciences.*, 1-11.
- Jayaraj, R., Mohan, M.C., Prasath, P.M.D and Khan, T.H. (2011) Malachite Green Dye Removal Using the Seaweed *Enteromorpha*, *E-Journal of Chemistry.*, 8(2), 649-656.
- John, B. (2006) American chemical society water analysis by atomic absorption and flame emission spectroscopy, trace inorganic matter in water, *Advanced Chemicstry.*, 73, American chemical society, Washington DC.

- Joshi, P.K., Bose, M. and Harish, D. (2002) Haematological changes in the blood of *Clarias batrachus* exposed to mercuric chloride, *Journal of ecotoxicology and environmental monitoring*, 12, 119-122.
- Ju, D.J, Byun, I.G., Park, J.J., Lee, C.H., Ahn, G.H. and Park, T.J. (2008) Biosorption of a reactive dye (Rhodamine-B) from an aqueous solution using dried biomass of activated sludge, *Bioresource Technology.*, 99, 7971-7975.
- Jung, H., Wilson, D.B. and Walker, L.P. (2003) Binding and reversibility of *Thermobifida fusca* Cel5A, Cel6B, and Cel48A and their respective catalytic domains to bacterial microcrystalline cellulose, *Biotechnology and Bioengineering.*, 84(2), 151-159.
- Kadirvelu, K., Senthylkumar, P., Thamaraiselvi, K. and Subburam, V. (2002) Activated carbon prepared from biomass as adsorbent elimination of Ni II from aqueous solution, *Bioresource Technology.*, 81, 87-90.
- Kalaiarasi, K. and Lavanya, A. (2010) Biosorption of reactive dyes effluent by *A. fumigatus*, *Pollution Research.*, 29(2), 171-147.
- Kalita, B., Bhuyan, K.O and Sharma, D.K. (2003) Physico-chemical qualities of effluents discharged from Nagon paper mill in Assam, *Journal of ecotoxicology and environmental monitoring.*, 13(1), 77-79.
- Kalpana, D., Velmurugan, N., Shim, J.H., Oh, B.T., Senthil, K. and Lee, Y.S. (2012) Biodecolourisation and biodegradation of reactive levafix blue E-RA granulate dye by the white rot fungus *Irpex lacteus*, *Journal of Environmental Management.*, 111, 142-149.
- Kalyani, D.C., Patil, P.S., Jadhav, J.P. and Govindwar, S.P. (2008) Biodegradation of reactive textile dye red BLI by an isolated bacterium *Pseudomonas* sp. SUK1, *Bioresource Technology.*, 8(99), 4635-4641.
- Kandelbauer, A. and Guebitz, G.M. (2005) Bioremediation for the decolorization of textile dyes-a review, In: *Environmental Chemistry*. Springer, Berlin, 269-288.
- Kane, A.S., Salierno, J.D. and Brewer, S.K. (2005) Fish models in behavioral toxicology: Automated techniques, updates and perspectives, *Methods in Aquatic Toxicology.*, 2 (32), 559-590.

- Kannan, R.R., Rajasimman, M., Rajamohan, N. and Sivapraash, B. (2010) Brown marine algae *Turbinaria conoides* as biosorbent for Malachite green removal: equilibrium and kinetic modelling, *Frontiers of Environmental Science and Engineering.*, 4(1), 116-122.
- Kant, R. (2012) Textile dyeing industry an environmental hazard, *Natural Science.*, 4(1), 22-26.
- Kaoud, H.A., Zaki, M.M., El-Dahshan, A.R., Saeid, S. and Zorba H.Y.E. (2011) Amelioration the toxic effects of cadmium-exposure in Nile tilapia (*Oreochromis Niloticus*) by using *Lemna gibba* L, *Life Science Journal.*, 8(1), 185-195.
- Karthik, K., Thangam, Y. and Umavathi, S. (2016) Impact of textile effluent on haematological parameter to fresh water fish "*Cyprinus carpio*" *International Journal of Biosciences and Nanosciences.*, 3(9), 157-161.
- Katja, S., Georg, B.O.S., Stephan, P. and Christian, E.W.S. (2005) Impact of PCB mixture (Aroclor 1254) and TBT and a mixture of both on swimming behavior, body growth and enzymatic biotransformation activities (GST) of young carp (*Cyprinus carpio*), *Aquatic Toxicology.*, 71, 49-59.
- Kaviraj, S. and Sharma, S. (2003) Municipal solid waste management through vermicomposting employing exotic and local species of earthworms. *Bioresource Technology.*, 90, 169-173.
- Kavitha, C., Malarvizhi, A., Kumaran, S.S. and Ramesh, M. (2010) Toxicological effects of arsenate exposure on hematological, biochemical and liver transaminases activity in an Indian major carp, *Catla catla*, *Food and Chemical Toxicology*, 48(10), 2848-2854.
- Kavitha, D. and Namasivayam, C (2007) Recycling coir pith, an agricultural solid waste, for the removal of procion orange from wastewater, *Dyestuff Pigment.*, 74, 237-248.
- Khalaf, M.A. (2008) Biosorption of reactive dye from textile wastewater by non-viable biomass of *Aspergillus niger* and *Spirogyra species*, *Bioresource Technology*, 99., 6631-6634.
- Khalesi, S., Sun, J., Buys, N. and Jayasinghe, R. (2014) Effect of probiotics on blood pressure Novelty and Significance, *Hypertension.*, 64(4), 897-903.

- Khamparia, S. and Jaspal, D. (2016) Adsorptive removal of direct red 81 dye from aqueous solution onto *Argemone Mexicana*, Sustainable Environment Research., 26(3), 117-123.
- Khan, N.A., Gupta, L., Javid, S., Singh, S., Khan, M. Inam A, and Samiullah, S. (2003) Effects of sewage wastewater on morphophysiology and yield of *Spinacia* and *Trigonella*, Indian Journal of Plant Physiology., 8(1), 74-78.
- Khasri, A. and Ahmad, M.A (2018) Adsorption of basic and reactive dyes from aqueous solution onto Intsia bijuga sawdust-based activated carbon: batch and column study, Environmental Science and Pollution Research., 25(31), 31508-31519.
- Khataee, A.R., Ayazloo, M. and Pourhassan, M. (2009a) Biological decolourisation of C.I. basic green4 solution by *Chlorella* species: effect operational parameters, Chinese Journal of Applied and Environmental Biology., 15, 110-114.
- Khataee, A.R., Vafaei, F. and Jannatkah, M. (2013) Biosorption of three textile dyes from contaminated water by filamentous green algal *Spirogyra* sp.: Kinetic, isotherm and thermodynamic studies, International Biodeterioration and Biodegradation., 83, 33-40.
- Kidgell, J.T., de Nys, R., Hu, Y., Paul, N.A. and Roberts, D.A. (2014) Bioremediation of a complex industrial effluent by biosorbents derived from freshwater macroalgae, Plos One., 9(6), e94706.
- Kilany M. (2017) Isolation, screening and molecular identification of novel bacterial strain removing methylene blue from water solutions, Applied Water Science., 7, 4091-4098.
- Kincl, V.S., Stegner, P., Lovka, M. and Toman, M.J. (1996) The evaluation of waste, surface and ground water quality using the *Allium* test procedure, Mutation Research, 368, 171-179.
- Kiran, B., Kaushik, A. and Kaushik, C.P. (2007) Response surface methodological approach for optimizing removal of Cr(VI) from aqueous solution using immobilized *Cyanobacterium*. Chemical Engineering Journal, 126, 147-153.
- Kong, M.S. and Ma, T.H. (1999) Genotoxicity of contaminated soil and shallow well water detected by plant bioassays, Mutation Research., 426(2), 221-226.

- Konuk, M., Liman R. and Cigerçi, H.(2007) Determination of genotoxic effect of Boron on *Allium cepa* root meristematic cells, Pakistan Journal of Botany., 39(1), 73-79.
- Kousha, M., Daneshvar, E., Sohrabi, M.S., Koutahzadeh, N. and Khataee A.R. (2012) Optimization of C.I. Acid black 1 biosorption by *Cystoseira indica* and *Gracilariopsis* biomasses from aqueous solutions, International Biodeterioration and Biodegradation., 67, 56-63.
- Kumar, K.V., Raamurthi, V. and Sivanesan, S. (2006) Biosorption of malachite green, a cationic dye onto *Pithophora* species, a fresh water algae, Dyes and Pigments., 69, 102-107.
- Kumar, K.V., Sivanesan, S. and Ramamurthi, V. (2005) Adsorption of malachite green onto *Pithophora* species, a fresh water alga: Equilibrium and kinetic modelling, Process Biochemistry., 40(8), 2865-2872.
- Kumar, S.S. and Jaabir, M. (2013) Biological treatment of textile wastewater and its re-use in irrigation: Encouraging water efficiency and sustainable development, Journal of Water Resources and Ocean Science., 2(5), 133-140.
- Kumar, V. and Chopra, A.K. (2012b) Effect of paper mill effluent irrigation on agronomical characteristics of *Vigna radiata* (L.) in two different seasons. Comm. Communications in Soil Science and Plant Analysis., 43(16), 2142-2166.
- Kwak, H.W., Kim, M.K., Lee, J.Y., Yun, H., Kim, M.H. and Park, Y.H. (2015) Preparation of bead type biosorbent from water soluble *Spirulina platensis* extracts for chromium (VI) removal, Algal Research., 7, 92-99.
- Lade, H., Kadam, A., Paul, D. and Govindwar, S. (2016) Exploring the potential of fungal-bacterial consortium for low-cost biodegradation and detoxification of textile effluent, Archives of Environmental Protection., 42(4), 12-21.
- Lagergren, S. (1898) Zur theorie der sogenannten adsorption gelöster stoffe. Kungliga Svenska Vetenskapsakademiens, Handlingar., 24(4), 1-39.
- Langmuir, I. (1918) The adsorption of gases on plane surfaces of glass, mica and platinum, Journal of the American Chemical Society., 40, 1361-1403.

- Lavanya, S., Mathan, R., Chokkalingam, K. and Annamalai, M. (2011) Hematological, biochemical and ion regulatory responses of Indian major carp *Catla catla* during chronic sub lethal exposure to inorganic arsenic, *Chemosphere.*, 82, 977-985.
- Lawton, R.J., de Nys, R. and Paul, N. A. (2013) Selecting reliable and robust freshwater macroalgae for biomass applications, *Plos One.*, 8, e64168.
- Lawton, R.J., de Nys, R., Skinner, S., and Paul, N.A. (2014) Isolation and identification of *Oedogonium* species and strains for biomass applications, *Plos One.*, 9(3), e90223.
- Lazarova, V., Cirelli, G., Jeffrey, P., Salgot, M., Icekson, N. and Brissaud, F. (2000) Enhancement of integrated water management and water reuse in Europe and the Middle East, *Water Sci Technol.*, 42, 193-202.
- Leme, D.M. and Morales, M.A.M. (2009) *Allium cepa* test in environmental monitoring: a review on its application, *Mutation Research.*, 682(1), 71-81.
- Lemly, A.D. (1993) Teratogenic effects of selenium in natural populations of fresh water fish, *Ecotoxicology and Environmental Safety.*, 26(2), 181-204.
- Lerda, D., Bistoni, M.B., Pelliccioni, P. and Litterio, N. (2010) *Allium cepa* as a biomonitor of ochratoxin A toxicity and genotoxicity, *Plant Biology.*, 12(4), 685-688.
- Levy, P.S., Roth, H.D. and Deubner, D.C. (2007) Exposure to beryllium and occurrence of lung cancer: a re-examination of findings from a nested case-control study, *Journal of Occupational and Environmental Medicine.*, 49, 96-101.
- Lima-de-Faria, A. and Jaworska, H. (1972) The relation between the chromosome size gradient and the sequence of DNA replication in rye, *Hereditas.*, 70(1), 39-57.
- Lin, J., Zhang, X., Li, Z. and Lei, L. (2010) Biodegradation of Reactive blue 13 in a two-stage anaerobic/aerobic fluidized beds system with a *Pseudomonas* sp. isolate, *Bioresource Technology.*, 101(1), 34-40.
- Lindsay, W.L and Norvell, W.A. (1978) Development of DTPA soil tests for zinc, manganese and copper, *Soil Science Society of America Journal.*, 42, 421-428.

- Lodeiro, P., Cordero, B., Barriada, J.L., Herrero, R. and Sastre de Vicente, M.E. (2005) Biosorption of cadmium by biomass of brown marine macroalgae., *Bioresour Technology.*, 96(16), 1796-1803.
- Lopez-Ramirez, J.A., Oviedo M.D.C. and Alonso, J.M.Q. (2006) Comparative studies of reverse osmosis membranes for wastewater reclamation, *Desalination*, 191, 137-147.
- Lv, G.Y., Cheng, J.H., Chen, X.Y., Zhang, Z.F. and Fan, L.F. (2013) Biological decolourisation of malachite green by *Deinococcus radiodurans* R1, *Bioresource Technology.*, 144, 275-280.
- Mackereth, F.J. (1953) Phosphorus utilization by *Asterionella formosa* Hass, *Journal of Experimental Botany.*, 4, 296-313.
- Mahajanashetti, A.R. and Mise, S.R. (2017) Physico-chemical analysis of textile dye wastewater, *International Journal for Scientific Research and Development.*, 5(6), 1071-1073.
- Mahmood, R., Hayyat, M.U., Sharif, F., Ali, S., Rizwan, S.T. and Haider, Z. (2013) Evaluation of treated textile effluent for irrigation and its effects on growth of *Zea mays* L. CV C1415, *Biologia (Pakistan).*, 59(2), 329-335.
- Mahmoud, M.S., Mostafa, M.K., Mohamed, S.A., Sobhy, N.A. and Nasr, M. (2017) Bioremediation of red azo dye from aqueous solutions by *Aspergillus niger* strain isolated from textile wastewater. *Journal of Environmental Chemical Engineering.*, 5, 547-554.
- Majlessi, M., Eslami, A., Saleh, H.N., Mirshafieean, S. and Babaii, S. (2012) Vermicomposting of food waste: assessing the stability and maturity, *Iranian Journal of Environmental Health Science and Engineering.*, 9(25), 1-6.
- Manikandan, P., Palanisamy, P. N., Baskar, R., Sivakumar, P. and Sakthisharmila, P. (2015) Physico chemical analysis of textile industrial effluents from tirupur city, TN, India, *International Journal of Advance Research In Science And Engineering.*, 4(2), 93-104.
- Marcano, L.I., Carruyo, A. and Monitiel, X. (2004) Cytotoxic and mode of action of melecic hydrazide in root tips of *Allium cepa* L. *Environmental Research*, 94, 221-226.

- Maser, P., Gierth, M. and Schroeder, J.I. (2002) Molecular mechanisms of potassium and sodium uptake in plants, *Plant and Soil.*, 247(1), 43-54.
- Maurya, R., Ghosh, T., Paliwal, C., Shrivastav, A., Chokshi, K., Pancha, I., Ghosh, A. and Mishra, S. (2014) Biosorption of methylene blue by de-oiled algal biomass: equilibrium, kinetics and artificial neural network modelling, *Plos one.*, 9(10), 113.
- McDonald, D.G. (1983) The effects of H⁺ upon the gill of fresh water fish, *Can. J.* 61, 691-703.
- Mekki, A., Dhouib, A. and Sayadi, S. (2007) Polyphenols dynamics and phytotoxicity in a soil amended by olive mill wastewaters. *Journal of Environmental Management.*, 84(2), 134-140.
- Meng, X.Y., Zhang, H.X., Mezei, M. and Cui, M. (2012) Molecular Docking: A powerful approach for structure-based drug discovery, *Current Computer-Aided Drug Design.*, 7, 2: 146-157.
- Mertz, W. (1969) Chromatin occurrence and function in biological system, *Physiological Reviews.*, 49, 136.
- Metin, M. and Burun, B. (2010), Effects of the High Doses of *Urginea maritima* (L.) Baker Extract on Chromosomes, *Caryologia.*, 63(4), 367-375.
- Meyers, T.R. and Hendricks, J.D. (1985) Histopathology, In: Rand, G.M. Petrocelli, S.R(Eds), *Fundamentals of Aquatic Toxicology: Methods and Applications.* Hemisphere Publishing Corporation, Washington, USA, 283-331.
- Michalak, I. and Chojnacka, K. (2013) Algal compost - toward sustainable fertilization, *Reviews in Inorganic Chemistry.*, 33(4), 161-172.
- Michalak, I., Marycz, K., Basinska, K. and Chojnacka, K. (2014) Using SEM-EDX and ICP-OES to investigate the elemental composition of green macroalga *Vaucheria sessilis*, *The Scientific World Journal.*, Article ID 891928, 1-8.
- Michalak, I., Tuhy, L. and Chojnacka, K. (2016) Co-composting of algae and effect of the compost on germination and growth of *Lepidium sativum*, *Polish Journal of Environmental Studies.*, 25(3), 1-9.

- Milind, A.U., Shelke, R.S., Bharad, J.V. and Madje, B.R. (2010) Adsorption of acid dyes from aqueous solution onto the surface of acid activated Nirgudi leaf powder: A case study, *International Journal of Chem Tech Research.*, 2, 2046-2051.
- Mishra, V. and Pandey, S.D. (2002) Effect of distillery effluent and leachates of industrial sludge on the germination of black gram (*Cicer arietinum*), *Pollution Research.*, 21(4), 461-467.
- Mittal, A., Malviya, A., Kaur, D., Mittal, J. and Kurup, L. (2007) Studies on the adsorption kinetics and isotherms for the removal and recovery of methyl orange from wastewaters using waste materials., 148, 229-240.
- Mohan, MS., Chandrasekhar, RN., Prasad, KK. and Karthikeyan, J. (2002) Treatment of simulated reactive yellow 22 (azo) dye effluents using *Spirogyra* species, *Waste Management.*, 22(6), 575-582.
- Mokhtar, N., Aziz, E.A., Aris, A., Ishak, W.F.W. and Ali, N.S.M. (2017) Biosorption of azo-dye using marine macro-alga of *Euchema Spinosum*, *Journal of Environmental Chemical Engineering.*, 5, 5721-5731.
- Mona, S., Kaushik, A. and Kaushik, C. P. (2011) Biosorption of reactive dye by waste biomass of *Nostoc linckia*, *Ecological Engineering.*, 37, 1589-1594.
- Mona, S., Kaushik, A. and Kaushik, C.P. (2011) Waste biomass of *Nostoclinckiaas* adsorbent of crystal violet dye: Optimization based on statistical model, *International Biodeterioration and Biodegradation.*, 65(3), 513-521.
- Moss, D.W., Henderson, A.R. and Kochmos, J.F. (1986) Enzymes, principles of diagnostic enzymology and the aminotransferase, In text book of clinical chemistry (Ed.N.W. Tietz) Saunders, Philadelphia., 663-678.
- Mubarak, A.D., Suresh, R., Kumar, P., Gunasekaran M. and Thajuddin, N. (2011) Efficiency of textile dye decolorization by marine cyanobacterium, *Oscillatoria formosa* NTDM02, *African Journal of Basic and Applied Sciences.*, 3(1), 9-13.
- Murugesan, K. and Kalaichelvan, P.T. (2003) Synthetic dye decolourization by white rot fungi, *Indian journal of experimental biology.*, 41(9), 1076-1087.

- Nacera, Y. and Aicha, B. (2006) Equilibrium and kinetic modelling of methylene blue biosorption by pretreated dead *Streptomyces rimosus*: Effect of temperature, Chemical Engineering Journal., 119(2-3), 121-125.
- Nachiyar, C.V., Namasivayam, S.K.R., Kumar, R.R. and Sowjanya, M. (2014) Bioremediation of textile effluent containing Mordant Black 17 by bacterial consortium CN-1, Journal of Water Process Engineering., 4, 196-200.
- Nadeem, U., Kant, A. and Gaijon, P. (2014) Bioremediation of crystal violet dye by algae *Spirulina platensis*, International Journal of Emerging Technology and Research., 1(5), 6-10.
- Nagai, T., Yukimoto, T. and Suzuki, N. (2002) Glutathione peroxidase from the liver of Japanese sea Bass *Lateolabrax japonicas*, Verlag der zeitschrift fur Naturforschung, Tübingen, 57C, 172-176.
- Nagasathya, A. and Thajuddin, N. (2008) Decolourization of paper mill effluent using hypersaline *Cyanobacterium*, Research Journal of Environmental Sciences., 2(5), 408-414.
- Namasivayam and C.Yamuna, R.T. (1992) Removal of congo red from aqueous solutions by biogas waste slurry, Journal of Chemical Technology and Biotechnology, 53(2), 153-157.
- Namasivayam, C. and Kavitha, D. (2002) Removal of congo red from water by adsorption onto activated carbon prepared from coir pith, an agricultural solid waste, Dyes and Pigments., 54, 47-58.
- Nandi, B., Goswami, A. and Purkait, M. (2009) Removal of cationic dyes from aqueous solutions by kaolin: kinetic and equilibrium studies, Applied Clay Science., 42, 583-590.
- Nandi, D., Patra, R.C. and Swarup, D. (2005) Effect of cysteine, methionine, ascorbic acid and thiamine on arsenic-induced oxidative stress and biochemical alterations in rats, Toxicology., 1-211(1-2), 26-35.
- Ncibi, M.C., Hamisa, A.M.B., Athallah, A., Kortas M.H., Baklouti, T., Mahjoub, B. and Seffen, M. (2009) Biosorptive uptake of methylene blue using Mediterranean

- green alga *Enteromorpha* species, Journal of Hazardous Materials., 170, 1050-1055.
- Ndegma, P.M. and Thompson, S.A. (2000) Effects of stocking density and feeding rate on vermicomposting of biosolids, Bioresource Technology., 71, 5-12.
- Ndegwa, P.M., Thompson, S.A. and Das, K.C. (2000) Effects of stocking density and feeding rate on vermicomposting of biosolids, Bioresource Technology., 71(1), 5-12.
- Nelson, D.A and Morris, M.W. (1989) Basic methodology, Haematology and Coagulation, part IV, In: Nelson, D.A., Henry, J.B. (Eds.), Clinical Diagnosis and Management by Laboratory Methods, 17th ed. W.B. Saunder Company, Philadelphia, USA, 578-625 (Chapter 27).
- Nesse, P., Grava, J. and Bloom, P.R. (1988) correlation of several tests for phosphorous with resin extractable phosphorous for 30 alkaline soils, Communications in Soil Science and Plant Analysis., 19(6), 675-689.
- Neveux, N., Yuen, A.K., Jazrawi, C., Magnusson, M., Haynes, B.S., Masters, A.F., Montoya, A., Paul, N.A., Maschmeyer, T. and de Nys, R. (2014) Biocrude yield and productivity from the hydrothermal liquefaction of marine and freshwater green macroalgae, Bioresource Technology., 155, 334-341.
- Nielsen, M.H. and Rank, J. (1994) Screening of toxicity and genotoxicity in wastewater by the use of the *Allium* test, Hereditas., 121(3), 249-254.
- Nigam, P., Armour, G., Banat, I.M., Singh, D. and Marchant, R. (2000) Physical removal of textile dyes from effluents and solid-state fermentation of dye-adsorbed agricultural residues, Bioresource Technology., 72, 219-226.
- Nikalje, S.B., Muley, D.V. and Angadi, S.M. (2012) Histopathological changes in liver of freshwater major, carp, *Labeo rohita*, after acute and chronic exposure to textile mill effluent. The bioscan., 7(2), 215-220.
- Nilsen, E.T. and Orcutt, D. M. (1996) The physiology of plants under stress, abiotic factors, John Wiley and Sons, Inc, New York.
- Nivetha, E., Bela, R. B., Shanmugapriya, N. and Malliga, P. (2014) Decolourising efficiency of *Oscillatoria subuliformis* with coir pith in textile dye effluent, Global Journal for Research Analysis., 3(10), 72-75.

- Nsami, J.N. and Mbadcam, J.K. (2013) The adsorption efficiency of chemically prepared activated carbon from cola nut shells by ZnCl₂ on methylene blue, *Journal of Chemistry.*, Article ID 469170, 1-8.
- Nussey, G., Vuren J.H.J. and Preez, H.H. (2007) The effect of copper and zinc at neutral and acidic pH on the general hematology and osmoregulation of *Oreochromis mossambicus*, *African Journal of Aquatic Science*, 27, 61-84.
- Ohioma, A.I., Luke, NO. and Amraibure, O. (2009) Studies on the pollution potential of wastewater from textile processing factories in Kaduna, Nigeria. *Journal of Toxicology and Environmental Health Sciences.*, 1, 34-37.
- Olaganrthan, R. and Patterson, J. (2012) Histological changes in the Target organs of *Channa punctuates* after exposure to anthraquinone vat dyes, *Journal of Ecotoxicology and Environmental monitoring.*,22(5), 443-449.
- Olguin, E.J. (2003) Phycoremediation: key issues for cost-effective nutrient removal processes, *Biotechnology Advances.*, 22, 81-91.
- Olsen, S. R., Cole, C. V., Wantonabe, B. S. and Dean, L. A. (1954) Estimation of available phosphorus in extraction with sodium carbonate, *U. S. D. A. Circ.*, 1939.
- Omar, H., El-Gendy, A. and Al-Ahmary, K. (2018) Bioremoval of toxic dye by using different marine macroalgae, *Turkish Journal of Botany.*, 42, 15-27.
- Omar, H.H. (2008) Algal decolorization and degradation of monoazo and diazo dyes, *Pakistan Journal of Biological Sciences*, 15, 11(10), 1310-1316.
- Ong, S.A., Inadama, D., Uchiyama, K. and Ishida, Y. (2010) Phytoremediation of industrial effluent containing azo dye by model up-flow constructed wetland, *Chinese Chemical Letters.*, 20(2), 225-228.
- Oyedemi, S.O., Yakubu, M.T. and Afolayan, A.J. (2011) Antidiabetic activities of aqueous leaves extract of *Leonotis leonurus* in streptozotocin induced diabetic rats, *Journal of Medicinal Plants Research.*, 5, 119-125.
- Ozer, A. and Ozer, D. (2003) Comparative study of the biosorption of Pb(II), Ni(II) and Cr(VI) ions onto *Saccharomyces cerevisiae*: determination of biosorption heats, *Journal of Hazardous Materials.*, 100, 219-229.

- Ozer, A., Akkaya, G. and Turabik, M. (2005) Biosorption of acid red 274 (AR 274) on *Enteromorpha prolifera* in a batch system, *Journal of Hazardous Materials B.*, 126(1-3), 119-127.
- Ozer, A., Akkaya, G. and Turabik, M. (2006) Biosorption of acid blue 290 (AB 290) and acid blue 324 (AB 324) dyes on *Spirogyra rhizopus*, *Journal of Hazardous Materials B.*, 135, 355-364.
- Ozer, A., Akkaya, G. and Turabik, M. (2006) The removal of acid Red 274 from wastewater: accompanied biosorption and biocoagulation with *Spirogyra rhizopus*, *Dyes Pigments.*, 71, 83-89.
- Pal, S. and Reddy, P.B (2018) Biophenol a (BPA) induced histopathological and biochemical alterations in the liver and kidney of stinging cat fish *Heteropneustes fossilis*, *Trends in Fisheries Research.*, 7(1), 67-73.
- Palaniappan, P.L. and Vijayasundaram, V. (2009) The effect of arsenic exposure and the efficacy of DMSA on the proteins and lipids of the gill tissues of *Labeo rohita*, *Food and Chemical Toxicology.*, 47(8), 1752-1759.
- Palanisamy, P., Sasikala, G., Mallikaraj, D., Bhuvaneshwari, N. and Natarajan, G.M. (2011), Haematological changes of fresh water food fish, *Channa striata* on exposure to *Cleistanthus collinus* suicidal plant extract, *Research Journal of Pharmaceutical, Biological and Chemical Sciences*, 2, 812-816.
- Pamila, D., Subbaiyan, P.S. and Ramaswamy, M. (1991) Toxic effects of chromium and cobalt on *Sarotherodon mossambicus* (Peters), *Indian journal of environmental health.*, 33, 218-225.
- Pampalona, J., Roscioli, E., Silkworth, W. T., Bowden, B., Genesca, A., Tusell, L. and Cimini, D. (2016) Chromosome bridges maintain kinetochore-microtubule attachment throughout mitosis and rarely break during anaphase, *PloS one.*, 11(1), e0147420.
- Pansamriut, S., Daneshvar, N., Ayazloo M., Khataee, A.R. and Pourhassan, M., (2007) Biological decolorization of dye solution containing Malachite Green by microalgae *Cosmarium* sp. *Bioresource Technology.*, 98,1176-1182.

- Parshetti, G., Kalme, S., Saratale, G. and Govindwar, S. (2006) Biodegradation of malachite green by *Kocuria rosea* MTCC 1532, *Acta Chimica Slovenica.*, 53, 492-498.
- Parshetti, G.K., Telke, A.A., Kalyani, D.C. and Govindwar, S.P. (2010) Decolorization and detoxification of sulfonated azo dye methyl orange by *Kocuria rosea* MTCC 1532, *Journal of Hazardous Materials.*, 176, 503-509.
- Pathomsiriwong, W. and Reanprayoon, P. (2012) Bisorption of acid dyes by non-living aquatic macrophyte *Hydrilla verticillata*, *Journal of environmental Science and Technology.*, 5(5), 332-342.
- Patil, B.C. and Bhat, G.I. (1992) A comparative study of MH and EMS in the induction of chromosomal aberration on lateral root meristem in *Clitoria ternatea* L., *Cytology.*, 57, 295-264.
- Phugare, S.S., Kalyani, D.C., Patil, A.V. and Jadhav, J.P. (2011) Textile dye degradation by bacterial consortium and subsequent toxicological analysis of dye and dye metabolites using cytotoxicity, genotoxicity and oxidative stress studies, *Journal of Hazardous Materials.*, 186, 713-723.
- Phugare, S.S., Kalyani, D.C., Surwase, S.N. and Jadhav, J.P. (2011) Eco-friendly degradation, decolourisation and detoxification of textile effluent by a developed bacterial consortium, *Ecotoxicology and Environmental Safety.*, 74, 1288-1296.
- Pimpao, C.T., Zampronio, A.R. and Silva de Assis, H.C. (2007) Effects of deltamethrin on hematological parameters and enzymatic activity in *Ancistrus multispinis* (Pisces, Teleostei), *Pesticide Biochemistry and Physiology.*, 88, 122-127.
- Pokharia, A. and Ahuwalia, S.S. (2016) Decolourization of Xenobiotic Azo dye black WNN by immobilized *Paenibacillus alvei*. MTCC 10625, *International Bioremediation and Biodegradation.*, 4(2), 35-46.
- Ponnuswamy, I., Madhavan, S., Shabudeen, S. and Shoba, U.S. (2013) Isolation and Identification of green microalgae for carbon sequestration and waste water treatment by using PCR studies, *International Journal of Engineering Science and Innovative Technology.*, 2(5), 263-268.

- Ponraj, M., Gokila, K. and Zambare, V. (2011) Bacterial decolorization of textile dye-orange 3R, *International Journal of Advanced Biotechnology and Research.*, 2(1), 168-177.
- Pourbabae, A.A, Malekzadeh, F., Sarbolouki, M.N. and Najafi, F. (2006) Aerobic decolourisation and detoxification of a disperse dye in textile effluents by a new isolate of *Bacillus* sp., *Biotechnology and Bioengineering.*, 93, 631-635
- Praveena, M., Sandeep, V., Kavitha, N. and Rao, J.K. (2013) Impact of tannery effluent, chromium on hematological parameters in a fresh water fish, *Labeo Rohita* (Hamilton), *Research Journal of Animal, Veterinary and Fishery Sciences.*, 1(6), 1-5.
- Pulate, P.V. and Tarar, J.L. (2014) Cytogenetic effect of systemic fungicide calixin on root meristem cells of *Allium cepa* L, *International Journal of Life Sciences Scientific Research.*, 2, 341-345.
- Purdom, A. and Anderson, Y. (1980) Decolourization of triphenylmethane azo and anthraquinone dyes by a newly isolated *Aeromonas hydrophila* strain, *Applied Microbiology and Biotechnology.*, 77, 1316-1321.
- Qari, S.H.M. (2010) DNA-RAPD Fingerprinting and cytogenetic screening of genotoxic and antigenotoxic effects of aqueous extracts of *Costus Speciosus* (Koen.), *Journal of King Abdulaziz University-Science.*, 22(1), 133-152.
- Qiu, T., Xie, P., Guo, L. and Zhang, D.L. (2009) Plasma biochemical responses of the planktivorous filter-feeding silver carp (*Hypophthalmichthys molitrix*) and bighead carp (*Aristichthys nobilis*) to prolonged toxic cyanobacterial blooms in natural waters, *Environmental Toxicology and Pharmacology.*, 27, 350-356.
- Rachakornkij, M., Ruangchuay, S. and Teachakulwiroj, S. (2004) Removal of reactive dyes from aqueous solution using bagasse fly ash, *Environmental and Hazardous Management.*, 26(1), 13-24.
- Rachakornkij, M., Ruangchuay, S. and Teachakulwiroj, S. (2004) Removal of reactive dyes from aqueous solution using bagasse fly ash, *Environmental and Hazardous Management.*, 26(1), 13-24.

- Rachna, P. and Sumathi, S. (2008) Kinetic and equilibrium studies on the biosorption of reactive black 5 dye by *Aspergillus foetidus*, *Bioresource Technology*., 99(1), 51-58.
- Raij, B., Quaggio J.A. and Silva N.M. (1986) extraction of phosphorus, potassium, calcium and magnesium from soils by an ion-exchange resin procedure, *Communications in Soil Science and Plant Analysis*.,17(5) 547-566.
- Rajendran and Gunasekaran, P. (2007) *Microbial Bioremediation*, first edition, MJP Publishers, Chennai, 40-41.
- Rajeshkannan, R., Manivasagan, R. and Natarajan, R. (2010) Optimization, equilibrium and kinetics studies on sorption of Acid Blue 9 using brown marine algae *Turbinaria conoides*, *Biodegradation*., 21(5), 713-727.
- Rajurkar, N.S., Nongbri, B and Patwardhan, A.M. (2003) Physico-chemical and biological investigations of river Umshyrpi at Shillong, Meghalaya, *Indian Journal of Environmental Health*., 45(1), 83-93.
- Ramdas, B.V. (2013), Protective role of ascorbic acid on the cadmium induced changes in hematology of the freshwater fish, *Channa orientalis* (Schneider), *Advances in Applied Science Research*., 4, 305-308.
- Ramesh, F. and Nagarajan, K. (2014) Influence of treated sago effluent on the growth rates of the fresh water fish *Catla catla*, *International Journal of Bioassays*., 3(04), 2013-2016.
- Ramesh, M., Sankaran, V., Gowtham, V. and Poopal, R.K. (2014) Hematological, biochemical and enzymological responses in an Indian major carp *Labeo rohita* induced by sublethal concentration of water bore selenite exposure, *Chemico Biological Interactions*., 207, 67-73.
- Rammel, R.S., Zatiti, S.A. and El-Jamal, M.M. (2011) Biosorption of crystal violet by *Chaetophora elegans* alga, *Journal of the University of Chemical Technology and Metallurgy*., 46(3), 283-292.
- Rana, K.S. and Raizada, S. (2000) Histopathological alterations induced by tannery and textile dyeing effluents in kidney of *Labeo rohita*. *J. Environ. Bio*, 21(4), 301-304.

- Rank, J. (2003) The method of Allium anaphase-telophase chromosomal aberration assay, *Ecologia.*, 1, 38-42.
- Rao, AV., Jain, BL. and Gupta, IC. (1993) Impact of textile Industrial effluents on agricultural land A case study, *Indian Journal of Environmental Health.*, 35 (2), 13-138.
- Ravisankar, S. and John, E. (2012) Textile dyeing effluent induced histopathology in the gills of *Tilapia mossambica*, *Pollution Research paper.*, 31(2), 155-160.
- Razi, M.A.M , MohdHishammudin, M.N.A. and Hamdan, R. (2017) Factor Affecting Textile Dye Removal Using Adsorbent From Activated Carbon: A Review, *MATEC Web of Conferences.*, 103, 06015.
- Reddy, D.H.K. and Lee, S.M. (2013a) Application of magnetic chitosan composites for the removal of toxic metal and dyes from aqueous solutions, *Advances in Colloid Interface Science.*, 201(202), 68-93.
- Reethamma, O.V. and Joseph, S.M.V. (2016) Histopathological studies on the gill and liver tissue of *Etroplus maculatus* Exposed to fluben diamide, *International Journal of Science Technology and Engineering*, 3(4), 147-152.
- Reitman, S. and Franckel, S. (1957) A colourimetric method for the determination of serum glutami oxalo acetic and glutamic pyruvic transaminase. *American Journal of Clinical Pathology.*, 28, 56-63.
- Roberts, D.A., de Nys, R., and Paul, N.A. (2013) The effect of CO₂ on algal growth in industrial waste water for bioenergy and bioremediation applications, *Plos One.*, 8(11), e81631.
- Robinson, T., Mullar, G. and Marachant, R. (2001) Remediation of dyes in textile dyeing industry effluents a critical review on current treatment technologies with a proposed alternative, *Bioresource Technology.*, 77, 247-255.
- Rodriguez, M.E., Narros, G.A. and Molleda, J.A. (1995) Wastes of multilayer containers as substrate in composting processes, *Journal of the Air and Waste Management Association.*, 45(3), 156-60.
- Roopadevi, H. and Somashekar, R.K. (2012) Assessment of the toxicity of waste water from a textile industry to *Cyprinus carpio*, *Journal of Environmental Biology.*, 33(2), 167-71.

- Roy, R., Fakhruddin, A. N. M., Khatun, R. and Islam, M.S. (2010) Reduction of COD and pH of textile industrial effluents by aquatic macrophytes and algae, *Journal of Bangladesh Academy of Sciences.*, 34(1), 9-14.
- Rump, H.H. and Krist, K. (1992) *Laboratory manual for examination of water, wastewater and soil.* 2nd ed., VCH Publishers, New York, 1992.
- Rusan, M.J., Albalasmeh, A., Zuraiqi, S. and Bashabsheh, M. (2015) Evaluation of phytotoxicity effect of olive mill wastewater treated by different technologies on seed germination of barley (*Hordeum vulgare* L.), *Environmental Science and Pollution Research.*, 22(12), 9127-9135.
- Rusia, V. and Sood, S.K. (1992) Routine haematological tests. In: Mukerjee, Kanai L. (Ed.), *Medical Laboratory Technology*, vol. I. Tata McGraw Hill Publishing Company Limited, New Delhi, 252-258 (Fifth reprint).
- Sadaf, S., Bhatti, H.N., Ali, S. and Rehman, K. (2014) Removal of indosol turquoise FBL dye from aqueous solution by bagasse, a low cost agricultural waste: batch and column study, *Desalination and Water Treatment.*, 52, 184-198.
- Sadhukhan B., Naba K.Mondal N.K., Chatteraj, S. (2016) Optimisation using central composite design (CCD) and the desirability function for sorption of methylene blue from aqueous solution onto *Lemna major*, *Karbala International Journal of Modern Science.*, 2(3), 145-155.
- Saha, M., Eskicioglu, C. and Marin, J. (2011) Microwave, ultrasonic and chemo-mechanical pre-treatments for enhancing methane potential of pulp mill wastewater treatment sludge, *Bioresource Technology.*, 102(17), 7815-7826.
- Saha, P., Raipat, B.S., Kumar, M. and Sinha, M.P. (2018) Bioremedial efficacy of *Nostoc carneum* agardh in industrial effluents treatment, *Journal of Microbiology and Experimentation.*, 6(11), 23-26.
- Saha, S.K., Islam, G.C. and Ratan, M.S. (2014) Reuse of textile dyeing wastewater for irrigation in cultivation of some selected crops: a review, *International Journal of Renewable Energy and Environmental Engineering.*, 2(4) 98-102.
- Sajitha, M. K. and Thoppil, J. E. (2018) Screening of cytotoxicity, metabolic inhibition and possible apoptotic cell death induced by *Gomphostemma heyneanum*

- Wall. ex Benth. var. heyneanum using *Allium cepa* root tips, International Journal of Pharmacy and Biological Sciences., 8(2), 56-64.
- Salleh, M.A., Mahmoud, D.K., Awang Abu, N.A., Wan Abdul Karim, W.A. and Idris, A. (2012) Methylene blue adsorption from aqueous solution by langsat (*lansiumdomesticum*) peel, Journal of Purity, Utility Reaction and Environment.,1, 472-495.
- Saltali, K., Sari, A. and Adin, M. (2007) Removal of ammonium ion from aqueous solution by natural Turkish (Yildizeli) zeolite for environmental quality, Journal of Hazardous Materials., 141, 258-263.
- Sancho, E., Ceron, J.J. and Ferrando, M.D. (2000) Cholinesterase activity and hematological parameters as biomarkers of sublethal molinate exposure in *Anguilla Anguilla*, Ecotoxicology and Environmental Safety., 46, 81-86.
- Sandhiya, R., Sumaiya Begum, K. and Charumathi, D. (2016) Decolourization of triphenylmethane dyes and dye industry effluent by *Staphylococcus aureus* isolated from dye contaminated site, International Journal of Pharmacy and Pharmaceutical Sciences., 8(9), 258-266.
- Santhy, K. and Selvapathy, P. (2006) Removal of reactive dyes from wastewater by adsorption on coir pith activated carbon, Bioresource Technology., 97, 1329-1336.
- Saraf, S. and Vaidya, V.K. (2016) Elucidation of sorption mechanism of *Rhizopus arrhizus* for reactive blue 222 using equilibrium and kinetic studies, Journal of Microbial and Biochemical Technology., 8(3), 236-46.
- Saratale, R.G., Saratale, G.D., Chang, J.S. and Govindwar S.P. (2010) Decolorization and biodegradation of reactive dyes and dye wastewater by a developed bacterial consortium, Biodegradation., 21, 999-1015.
- Saratale, R.G., Saratale, G.D., Chang, J.S. and Govindwar, S.P (2011) Bacterial decolourisation and degradation of dyes: a review, Journal of Taiwan Institute of Chemical Engineers., 42, 138-157.
- Saratale, R.G., Saratale, G.D., Chang, J.S. and Govindwar, S.P. (2010) Decolorization and biodegradation of reactive dyes and dye wastewater by a developed bacterial consortium, Biodegradation., 21, 999-1015.

- Saratale, R.G., Saratale, G.D., Kalyani, D.C., Chang, J.S. and Govindwar S.P. (2009) Enhanced decolourization and biodegradation of textile azo dye scarlet R by using developed microbial consortium-GR, *Bioresource Technology.*, 100, 2493-2500.
- Saravanan, M. and Ramesh, M. (2013) Short and long-term effects of clofibric acid and diclofenac on certain biochemical and ionoregulatory responses in an Indian major carp, *Cirrhinus mrigala*, *Chemosphere.*, 93, 388-396.
- Sari, A. and Tuzen, M. (2008) Biosorption of cadmium (II) from aqueous solution by red algae (*Ceramium virgatum*): equilibrium, kinetic and thermodynamic studies, *Journal of Hazardous materials.*, 157, 448-454.
- Sarwa, P., Vijayakumar, R. and Verma, S.K. (2014) Adsorption of acid red 66 dye from aqueous solution by green microalgae *Acutodesmus obliquus* strain PSV2 isolated from an industrial polluted site, *Open access Library Journal.*, 1(e712), 1-8.
- Sato, S. and Comerford N.B. (2006) Assessing methods for developing phosphorous desorption isotherms from soils using anion exchange membranes, *Plant and Soil.*, 279(1-2), 107-117.
- Savin, I.I. and Butnaru, R. (2008) Wastewater Characteristics in Textile Finishing Mills, *Environmental Engineering and Management Journal.*, 7(6), 859-864.
- Schneider, G. (2010) Virtual screening: an endless staircase- *Nature Reviews Drug Discovery* 9, 4:273-276.
- Scott, G.R. and Sloman, K.A. (2004) The effects of environmental pollutants on complex fish behavior: Integrating behavioral and physiological indicators of toxicity, *Aquatic Toxicology.*, 68, 369-392.
- Selvankumar, T., Sudhakar, C., Govindaraju, M., Selvam, K., Aroulmoji, V., Sivakumar, V. and Govarthanam, M. (2017) Process optimization of biogas energy production from cow dung with alkali pre-treated coffee pulp 3 *Biotech.*, 7, 254, DOI 10.1007/s13205-017-0884-5
- Senturk, T., Camlı, C. and Yıldız, S. (2017) Comparing the phytoremediation efficiency of three different algae for the nutrient removal of gediz river in

- manisa/turkey, Celal Bayar University Journal of Science., 13(3), 737-743.
- Seth, C.S., Chaturvedi, P.K. and Misra. V. (2007) Toxic effect of arsenate and cadmium alone and in combination on giant duckweed (*Spirodela polyrrhiza* L.) in response to its accumulation, *Environmental Toxicology.*, 22(6), 539-549.
- Setia, R., Sharma, K.N., Marschner, P. and Singh, H. (2009) Changes in nitrogen, phosphorous and potassium in a long-term continuous maize-wheat cropping system in India, *Communications in Soil Science and Plant Analysis.*, 40(21-22), 3348-3366.
- Selvaraj, D., Leena, R. and Kamal. D.C. (2015).Toxicological and his-topathological impacts of textile dyeing industry effluent on a se-lected teleost fish *Poecilia reticulata*. *Asian Journal of Pharmacology and Toxicology*, 03(10), 26-30.
- Shakil, S., Rizvi, D. and Haneef, M. (2013) A simple click by click protocol to perform docking: autodock 4.2 made easy for non-bioinformaticians, *EXCLI Journal.*, 12, 831-857.
- Sharma, G., Kumar, M., Jasuja, N.D., Ali, M.I. and Saran, S. (2014) Decolourisation of different textile dyes by microalgal species, *Journal of Environment Science and Technology.*, 2(1), 66-73.
- Sharma, J. and Langer, S. (2014) Effect of manganese on haematological parameters of fish, *Garra gotyla gotyla*, *Journal of Entomology and Zoology Studies.*, 2(3), 77-81.
- Sharma, K.S. (2003) Municipal solid waste management through vermicomposting employing exotic and local species of earthworms, *Bioresource Technology.*, 90, 169-173.
- Sharma, P. and Dubey, R.S. (2005) Lead toxicity in plants, *Brazilian Journal of Plant Physiology.*, 17(1), 35-52.
- Sharma, P., Singh, L. and Dilbaghi, N. (2009) Response surface methodological approach for decolourisation of simulated dye effluent using *Aspergillus fumigatus* fresenius, *Journal of Hazardous Materials*, 161, 1081-1086.

- Sharma, S. and Malaviya, P. (2016) Bioremediation of Tannery Wastewater by *Aspergillus flavus* SPFT2, International Journal of Current Microbiology and Applied Sciences., 5(3):137-143,
- Sharma, S. and Vig, A.P. (2012) Antigenotoxic effects of Indian mustard (*Brassica juncea* (L.) Czern.) aqueous seeds extract against mercury (Hg) induced genotoxicity, Scientific Research and Essay., 7, 1385-1392.
- Sheth, N.T. and Dave, S.R. (2009) Optimisation for enhanced decolourization and degradation of reactive red BS C.I. 111 by *Pseudomonas aeruginosa* NGKCTS, Biodegradation., 20(6), 827-836.
- Shukla, S.R. and Pai, R.S. (2005) Adsorption of Cu (II), Ni (II) and Zn (II) on dye loaded ground nutshell sand sawdust, Separation and Purification Technology., 43, 1-8.
- Sibi, G. (2016) Biosorption of chromium from electroplating and galvanizing industrial effluents under extreme conditions using *Chlorella vulgaris*, Green Energy and Environment., 1, 172-177.
- Silva-Stenico, M.E., Vieira, F.D.P., Genuário, D.B., Silva, C.S.P., Moraes, L.A.B. and Fiore, M.F. (2012) Decolorization of Textile Dyes by Cyanobacteria, Journal of the Brazilian Chemical Society., 23(10), 1863-1870.
- Simpi, B., Hiremath, S.M. and Murthy, K.N.S. (2011) Analysis of water quality of using physico-chemical parameters Hosahalli Tank in Shimoga District, Karnataka, India. Global Journal of Science Frontier Research., 11(3), 31-34.
- Singh, D. and Suthar, S. (2012) Vermicomposting of herbal pharmaceutical industry waste: Earthworm growth, plant-available nutrient and microbial quality of end materials, Bioresource Technology., 112, 179-185.
- Singh, P. and Singh, R. (2017) Bioremoval of Azo Dyes: A Review, International Journal of Applied Sciences and Biotechnology., 5(2), 108-126.
- Singh, P.K. and Singh, R.L. (2017) Bio-removal of azo dyes: a review, International Journal of Applied Sciences and Biotechnology, 5(2), 108-126.

- Sinha, U. (1979) Cytomorphological and macromolecular changes induced by pfluorophenylalanine in *Allium cepa* and Triticale, *Cytology and Genetics*, 14, 198-203.
- Sivakalai, S., N. Ramanathan, N. and Romanian J. (2013) Textile wastewater following purge with *Spirulina platensis*, *Biophysical Journal.*, 23(1-2), 27-34.
- Sivakumar, K.K., Balamurugan, C., Ramakrishnan, D. and Leena, H.B. (2011) Assessment studies on wastewater pollution by textile dyeing and bleaching industries at Karur, Tamil Nadu, *Rasayan journal of chemistry.*, 4(2), 264-269.
- Sivarajasekar, N., Baskar, R. and Balakrishnan, V. (2009) Biosorption of an azo dye from aqueous solutions onto *Spirogyra*, *Journal of the University of Chemical Technology and Metallurgy.*, 44(2), 157-164.
- Smaranda, C., Popescu, M.C. Bulgariu, D. Maluțan, T. and Gavrilescu, M (2011) Adsorption of organic pollutants onto a Romanian soil: Column dynamics and transport, *Process Safety and Environmental Protection.*, 816, 1-13.
- Smith, J.L. (2006) *Textiles Processing (Printing, Dyeing and Finishing)*, Abhishek Publications, Chandigarh, 1st edition, 122.
- Somashekar, R.K. and Gowda, M.T.G. (1984) Effects of fungicide vitavax on *Allium cepa*. *Cytologia.*, 49, 177-181.
- Sondhi, N., Bhardwaj, R., Kaur, S., Kumar, N. and Singh, B. (2008) Isolation of 24-epibrassinolide from leaves of aegle marmelos and evaluation of its antigenotoxicity employing *Allium cepa* chromosomal aberration assay, *Plant Growth Regulation.*, 54, 217-224.
- Soni, R.K., Acharya, P.B. and Modi, H.A. (2015) Toxicological assessment of reactive red 35 and its biodegraded products using cytogenotoxicity, oxidative stress and phytotoxicity studies, *An Indian Journal of Environmental Science.*, 11(7), 254-260.
- Souza, PC and Rodriguez, G.O.B. (2007) Fish hemoglobins, *Brazilian Journal of Medical and Biological Research.*, 40(6), 769-778.

- Sridhar, S. and Chandra, J.H. (2014) Involvement of computational tools towards in silico remediation - synthetic textile dyes interacting with azoreductase, *International Journal of ChemTech Research.*, 6(9) 4412-4416.
- Srinivasan, A. and Viraraghavan, T. (2010) Decolourisation of dye wastewaters by biosorbents: a review, *Journal of Environmental Management.*, 91, 1915-1929.
- Sripriya, L., Vijayalakshmi, M., Sumathy, R. and Sharmila, J. (2014) Impact of textile dyes on the biochemistry and histology of liver, a freshwater fish, tilapia, *Oreochromis mossambicus*, *International Journal of Pharma and Biosciences.*, 5(B), 271-298.
- Sriram, N., Reetha, D. and Saranraj, P. (2013) Biological degradation of reactive dyes by using bacteria isolated from dye effluent contaminated soil, *Middle-East Journal of Scientific Research.*, 17(12), 1695-1700.
- Srivastav, K.A. and Roy, D. (2015) Effects of malachite green (Triarylmethane dye) and Pyceze (Bronopol) on the hematological parameters of a freshwater catfish *Heteropneustes fossilis* (Bloch), *International Journal of Fisheries and Aquaculture.*, 2(6), 119-122.
- Stephen, I.B., Chien, J.T., Ho, G.H., Yang, J. and Chen, B.H. (2006) Equilibrium and kinetics studies on sorption of basic dyes by a natural polymer (γ -glutamic acid), *Biochemical Engineering Journal.*, 31, 204-215.
- Subbaih, B. V and Asija, G. L. (1956) A rapid procedure for estimation of available minerals in soil, *Current Science.*, 25, 260.
- Suriyaprabha, R. and Fulekar, M.H. (2018) Study on the physico-chemical parameters of dye industry effluents from industrial estate vatva, Ahmedabad, Gujarat, *International Journal of Advance Engineering and Research Development.*, 5(3), 1076-1710.
- Suthar, S. (2007) Vermicomposting potential of *Perionyx sansibaricus* (Perrier) in different waste materials, *Bioresource Technology.*, 98, 1231-1237.
- Suvetha, L., Saravanan, M., Hurb, J.H., Ramesha, M. and Clara Bindu, F. (2015) Responses of the Indian major carp *Labeo rohita* to deltamethrin at acute and sublethal concentrations, *Toxicological and Environmental Chemistry.*, 97(2), 186-199.

- Tan, C.Y., Li, G., Lu, X.Q. and Chen, Z.I. (2010) Biosorption of basic orange using dried *Anabaena filiculoides*, *Ecological Engineering*.,36, 1333-1340.
- Tariq, J., Ashraf, M., Jaffar, M. and Afzal, M. (1996) Pollution status of the Indus river, Pakistan, through heavy metal and macronutrient contents of fish, sediment and water, *Water Research*., 30(6), 1337-1344.
- Telke, A, Kalyani, D., Jadhav, J. and Govindwar, S. (2008) Kinetics and Mechanism of Reactive Red 141 Degradation by a Bacterial Isolate *Rhizobium radiobactor* MTCC8161, *Acta Chimica Slovenica*., 8(55), 320-329.
- Telke, A.A., Joshi, S.M., Jadhav, S.U., Tamboli, D.P. and Govindwar, S.P. (2010) Decolorization and detoxification of Congo red and textile industry effluent by an isolated bacterium *Pseudomonas* sp. SU-EBT, *Biodegradation*., 21, 283-296.
- Thakuria, B., Jungai, N. and Adhikar, S. (2015) Catalytic site prediction of azoreductase enzyme of *E. coli* with potentially important industrial dyes using molecular docking tools, *International Journal of Bioscience, Biochemistry and Bioinformatics*., 5, 2: 91-99.
- Thinakaran, N., Baskaralingam, P., Pulikesi, M., Panneerselvam, P. and Sivanesan, S. (2008) Removal of acid violet 17 from aqueous solutions by adsorption onto activated carbon prepared from sunflower seed hull, *Journal of Hazardous Materials*., 151, 316-322.
- Thophon, S., Kruatrachue, M., Upathan, E.S., Polcethitiyook, P., Saphong, S. and Jarikhuan, S. (2003) Histopathological alterations of white seabars, *Lates calcarifer* in acute and subchronic cadmium exposure, *Environmental pollution*., 121, 307-320.
- Tiago, S.F.H., Ive, M.A., Iwana, G.K., Johnson, S.C., Moracs, G. and Afonso, L.O.B. (2008) Impairment of the stress response in matrinxa juvenile *Brycon amazonicus* exposed to low concentration of phenol, *Comparative Biochemistry and physiology Part C*., 147, 416-423.
- Tigni, V., Giansanti, P., Mangiavillano, A., Pannocchia, A. and Varese, G.C. (2011) Evaluation of toxicity, genotoxicity and environmental risk of simulated textile

and tannery wastewaters with a battery of biotests, *Ecotoxicology and Environmental Safety.*, 74, 866-873.

Trinder. P. (1969) Determination of blood glucose using an oxidase-peroxidase system with a non-carcinogenic chromogen, *Journal of Clinical Pathology.*, 22(2), 158-161.

Tripathy S.K. and Patel, S. (2014) Abnormal mitosis in root meristem cells of *Allium cepa* L. induced by a fabric dye reactive turquoise blue (Procion MX), *African Journal of Biotechnology.*, 13(38), 3881-3891.

Tripathy, S.K. and Rao, D.A. (2015) Mitotic aberrations induced by orange red(a food additive dye)as a potential genotoxicant on root tip cells of onion (*Allium cepa* L.), *International Food Research Journal.*, 22(1), 383-392.

Turkoglu, S. (2009) Genotoxic effects of mono-, di-, and trisodium phosphate on mitotic activity, DNA content, and nuclear volume in *Allium cepa* L, *Caryologia.*, 62(3), 171-179.ss

Turkoglu, S. (2007) Genotoxicity of five food preservatives tested on root tips of *Allium cepa* L. *Mutation Research.*, 626, 4-14.

Umpuch, C. and Sakaew, S. (2013) Removal of methyl orange from aqueous solutions by adsorption using chitosan intercalated montmorillonite, *Songklanakarin Journal of Science and Technology.*, 35(4), 451-459.

Vaithyanathan, T., Murugan, A.K. and Sundaramoorthy, P. (2018) Sugar mill effluent induced changes in growth and yield of african marigold (*Tagetes erecta* L.), *American Journal of Earth and Environmental Sciences.*, 1(1), 34-40.

Vazhangat, P. and Thoppil, J.E. (2016) Apoptotic induction via membrane/DNA damage and metabolic inactivation by synthetic food colorants in *Allium cepa* root meristem, *Turkish Journal of Biology.*, 40, 922-933.

Verma, P., Baldrian, P. and Nerud, F. (2003) Decolourisation of structurally different synthetic dyes using cobalt/ascorbic acid/ hydrogen peroxide system, *Chemosphere.*, 50, 975-979.

Vig, B.K. (1978), Somatic mosaicism in plants with special reference to somatic crossing over, *Environmental Health Perspectives.*, 27, 27-36.

- Vigiliano, FA., Aleman, N., Quiroga, MI. and Nieto, J.M. (2006) Ultrastructural Characterization of Gills in Juveniles of the Argentinian Silverside, *Odontesthes bonariensis* (Valenciennes, 1835), (Telostei: Antheriniformes), *Anatomia histologia Embryologia.*, 35(2), 76-83.
- Vijaya, P.P. and Sandhiya, S. (2003) Decolourisation and complete degradation of methyl red by a mixed culture, *Environmentalist.*, 23, 145-149.
- Vijayakumar, S. and Manoharan, C. (2012) Treatment of dye industry effluent using free and immobilized Cyanobacteria, *Journal of Bioremediation and Biodegradation.*, 3(10), 1-6.
- Vijayaraghavan, J., Pushpa, T.B., Basha, S.J.S. and Jegan. J. (2015) Removal of a basic dye from aqueous solution by *Gracilariacorticata*, *Journal of Environment and Biotechnology Research.*, 1(1), 30-36.
- Vijayaraghavan, K. and Yun, Y. S. (2008) Bacterial biosorbents and biosorption, *Biotechnology Advances.*, 26, 266-291.
- Vijayaraghavan, K., Jegan, J., Palanivelu, K. and Velan, M. (2004) Removal of nickel (II) ions from aqueous solution using crab shell particles in a packed bed up-flow column, *Journal of Hazardous Materials.*, 113(1-3), 223-230.
- Vijayaraghavan, K., Lee, M.W. and Yun, Y.S. (2008) A new approach to study the decolorization of complex reactive dye bath effluent by biosorption technique, *Bioresource Technology.*, 99, 5778-5785.
- Vilar, V.J., Cidalia, P., Botelho, M.S., Rui, A. and Boaventura, R. (2006) Methylene blue adsorption by algal biomass based materials: biosorbent characterization and process behaviour, *Journal of Hazardous Materials.*, 147, 120-132.
- Vogel, A.I. (1964) A text book and quantitative inorganic analysis including elementary instrumental analysis, 3rd Edition, The English Language Book Society and Longmans Green and Company Limited, London, 56-60.
- Waghmode, T.R., Kurade, M.B., Kabra, A.N. and Govindwar, S.P. (2012), Biodegradation of rubine GFL by *Galactomyces geotrichum* MTCC 1360 and subsequent toxicological analysis by using cytotoxicity, genotoxicity and oxidative stress studies, *Microbiology.*, 158(9), 2344-2352.

- Walkley, A. and Black, C.A. (1934), An examination of the degtiareff method of determining organic matter and proposed modification of chromic and titration method, *Soil Science.*, 37, 29-38.
- Waring, D.R. and Hallas, G. (1990) *The chemistry and application of dyes*, Springer US, Boston.
- Watharkar, A.D., Khandare, R.V., Waghmare P.R. and Jadhav, J.P. (2014) Treatment of textile effluent in a developed phytoreactor with immobilized bacterial augmentation and subsequent toxicity studies in *Etheostoma olmstedii* fish, *Journal of hazardous materials.*, 283. 1-12.
- Webster, P.L. and McLeod, R.D. (1996) The root apical meristems and its margins. In: Waisel Y, Eshel A, Kafkafi U (eds) *Plant root: the hidden half*, 2nd edn. Marcel Dekker, New York, NY, 51-76.
- Wester PW and Canton JH (1991). The usefulness of histopathology in aquatic toxicity studies. *Comp. Biochem. Physiol.* 100C: 115-117.
- Wepener, V., Vuren, V.J.H. and Preez, D.H.H. (1992) The effect of hexavalent chromium at different pH values on the haematology of *Tilapia sparmani* (Cichlidae), *Comparative Biochemistry and Physiology.*, 101C(2), 375-381.
- Witeska, M. (2004) The effect of toxic chemicals of blood cell morphology in fish, *Fresenius Environmental Bulletin.*, 13(12a), 1379-1384.
- World Health Organization (WHO) (1989) Health guidelines for the use of waste water in agriculture and aquaculture, Report of a WHO scientific group, WHO technical report series., 778.
- Yagub, M.T., Sen, T.K., Afroze, S. and Ang, H.M. (2014) Dye and its removal from aqueous solution by adsorption: a review, *Advances in Colloid and Interface.*, 209, 172.184.
- Yousef, M.I., El-Demerdash, F.M. and Radwan, F. M. (2008) Sodium arsenite induced biochemical perturbations in rats: ameliorating effect of curcumin, *Food and Chemical Toxicology.*, 46(11), 3506-3511.

- Yu, X.Z., Feng, Y.X. and Yue, D.M. (2015) Phytotoxicity of methylene blue to rice seedlings, *Global Journal of Environmental Science and Management.*, 1(3), 199-204.
- Yuan, Z.Y. and Li, L.H. (2007) Soil water status influences plant nitrogen use: a case study, *Plant Soil.*, 301(1-2), 303-313.
- Yuzbasioglu, D., Unal, F., Sancak, C. and Kasap, R. (2003) Cytological effects of the herbicide racer "flurochloridone" on *Allium cepa*, *Caryologia.*, 56(1), 97-105.
- Zaki, A.B., El-Sheikh, M.Y., Evans, J. and El-Safty, S.A. (2000) Kinetics and mechanism of the sorption of some aromatic amines onto amberlite IRA-904 anion-exchange resin, *Journal of Colloid and Interface Science.*, 221(1), 58-63.
- Zhang, F., Knapp, J.S. and Tapley, T.N (1999) Development of bioreactor systems for decolourisation of orange II using white rot fungus, *Enzyme and Microbial Technology*, 24(1-2), 48-53.
- Zhang, F., Niu, J., Zhang, W., Chen, X., Li, C., Yuan, L. and Xie, J. (2010) Potassium nutrition of crops under varied re-gimes of nitrogen supply, *Plant Soil.*, 335(1-2), 21-34.
- Zhang, T., Wang, Y., Ng, J. and Sun, D.D. (2012) A free-standing, hybrid TiO₂, K-OMS-2 hierarchical nanofibers membrane with high photocatalytic activity for concurrent membrane filtration applications, *Royal Society of Chemistry-Advances.*, 2, 3636-3641.
- Zhou, X., Li, Q., Arita, A., Sun, H. and Costa, M. (2009) Effects of nickel, chromate and arsenite on histone 3 lysine methylation. *Toxicol. Applied Pharmaceutical.*, 236, 78-84.