



# *CONTENTS*



## CONTENTS

<b>Chapter No.</b>	<b>Title</b>	<b>Page no.</b>
	List of Tables	
	List of Figures	
	List of Plates	
1	Introduction	1
1.1	Chemical process of corrosion	1
1.2	Classification of corrosion	3
1.3	Forms of Corrosion	4
1.4	Consequences of corrosion	7
1.5	Losses due to corrosion	8
1.6	Corrosion cost	9
1.7	Importance of corrosion studies	11
1.8	Corrosion principle	11
1.9	Theories of corrosion inhibition	14
1.10	Corrosion prevention	15
1.11	Corrosion control methods	17
1.12	Inhibitors	18
1.13	Pickling and Metal finishing	20
1.14	Need for Green inhibitors	22
1.15	Bioaccumulation	24
1.16	Objectives	25
1.17	Plant profile of inhibitors selected	26
2	Review of Literature	30
2.1	Organic Compounds as inhibitors for corrosion of mild steel	30
2.2	Organic Compounds as inhibitors for corrosion of metals and alloys other than mild steel	38
2.3	Natural products/ Plant materials as corrosion inhibitors for mild steel	40
2.4	Natural products/ Plant materials as corrosion inhibitors for metals and alloys other than mild steel	56

3	Methods and Materials	60
3.1	Mild steel coupons	60
3.2	Selection of the medium	60
3.3	Selection of inhibitor	61
3.4	Sample collection	61
3.5	Preparation of the inhibitor	61
3.6	Equipments used	62
3.7	Laboratory methods of testing	63
3.8	Determination of thermodynamic parameters	64
3.9	Adsorption isotherms	66
3.10	Electrochemical studies	66
3.11	FT-IR Analysis	68
3.12	Bio accumulation studies	68
3.13	Phytochemical analysis	68
4	Results and Discussion	69
4.1	Weight loss measurements	69
4.2	Temperature study	78
4.3	Adsorption Isotherms	85
4.4	Eyring and Arrhenius plots for HCl medium	104
4.5	Eyring and Arrhenius plots for H <sub>2</sub> SO <sub>4</sub> medium	111
4.6	Electrochemical studies	117
4.7	Comparison of results from Weight loss, Polarisation and Electrochemical Impedance methods	137
4.8	FT-IR studies	139
4.9	Mechanism of Inhibition	147
4.10	Effectiveness of the pickling bath	152
4.11	Durability and Stability test	153
4.12	Petroleum ether washed extract	160
4.13	Extract prepared by soaking the plant materials for 12 hours	161
4.14	Bioaccumulation: UV-Visible absorption spectroscopic technique	163
5	Summary and Conclusion	174
	Appendix	
	References	

## LIST OF TABLES

<b>Table No.</b>	<b>Title</b>	<b>Page No.</b>
4.1	Variation of inhibition efficiency for mild steel corrosion in 1M HCl in the presence of various concentrations of CFL extract and immersion periods	70
4.2	Variation of inhibition efficiency for mild steel corrosion in 1M HCl in the presence of various concentrations of BSL extract and immersion periods	70
4.3	Variation of inhibition efficiency for mild steel corrosion in 1M HCl in the presence of various concentrations of MJF extract and immersion periods	71
4.4	Variation of inhibition efficiency for mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of CFL extract and immersion periods	74
4.5	Variation of inhibition efficiency for mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of BSL extract and immersion periods	74
4.6	Variation of inhibition efficiency for mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of MJF extract and immersion periods	75
4.7	Variation of inhibition efficiency for mild steel corrosion in 1M HCl in the presence of various concentrations of CFL extract with temperature	78
4.8	Variation of inhibition efficiency for mild steel corrosion in 1M HCl in the presence of various concentrations of BSL extract with temperature	79
4.9	Variation of inhibition efficiency for mild steel corrosion in 1M HCl in the presence of various concentrations of MJF extract with temperature	79
4.10	Variation of inhibition efficiency for mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of different concentrations of CFL extract with temperature	82
4.11	Variation of inhibition efficiency for mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of different concentrations of BSL extract with temperature	82

4.12	Variation of inhibition efficiency for mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of different concentrations of MJF extract with temperature	83
4.13	Linear regression analysis of Langmuir Adsorption Isotherm for the dissolution of mild steel in 1M HCl in presence of the extracts at different temperatures	88
4.14	Linear regression analysis of Langmuir Adsorption Isotherm for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in presence of the extracts at different temperatures	91
4.15	Linear regression analysis of Freundlich Adsorption Isotherm for the dissolution of mild steel in 1M HCl in presence of the extracts at different temperatures	94
4.16	Linear regression analysis of Freundlich Adsorption Isotherm for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in presence of the extracts at different temperatures	96
4.17	Linear regression analysis of Temkin Adsorption Isotherm for the dissolution of mild steel in 1M HCl in presence of the extracts at different temperatures	99
4.18	Linear regression analysis of Temkin Adsorption Isotherm for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in presence of the extracts at different temperatures	102
4.19	El Awady Thermodynamic model for the dissolution of mild steel in 1M HCl in presence of the extracts with temperature	103
4.20	El Awady Thermodynamic model for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in presence of the extracts with temperature	104
4.21	Activation parameters for the dissolution of mild steel in 1M HCl in the absence and presence of various concentrations of CFL extract	108
4.22	Activation parameters for the dissolution of mild steel in 1M HCl in the absence and presence of various concentrations of BSL extract	108
4.23	Activation parameters for the dissolution of mild steel in 1M HCl in the absence and presence of various concentration of MJF extract	109

4.24	Thermodynamic functions for the dissolution of mild steel in 1M HCl in the absence and in the presence of various concentrations of CFL extract	110
4.25	Thermodynamic functions for the dissolution of mild steel in 1M HCl in the absence and in the presence of various concentrations of BSL extract	110
4.26	Thermodynamic functions for the dissolution of mild steel in 1M HCl in the absence and in the presence of various concentrations of MJF extract	111
4.27	Activation parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of CFL extract	114
4.28	Activation parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of BSL extract	114
4.29	Activation parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of MJF extract	115
4.30	Thermodynamic parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of CFL extract	116
4.31	Thermodynamic parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of BSL extract	116
4.32	Thermodynamic parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of MJF extract	117
4.33	Electrochemical kinetic parameters for the dissolution of mild steel in 1M HCl in the absence and in the presence of various concentrations of CFL extract	118
4.34	Electrochemical kinetic parameters for the dissolution of mild steel in 1M HCl in the absence and in the presence of various concentrations of BSL extract	119
4.35	Electrochemical kinetic parameters for the dissolution of mild steel in 1M HCl in the absence and in the presence of various concentrations of MJF extract	119

4.36	Impedance parameters for the corrosion of mild steel in 1M HCl for different concentrations of CFL extract	123
4.37	Impedance parameters for the corrosion of mild steel in 1M HCl for different concentrations of BSL extract	123
4.38	Impedance parameters for the corrosion of mild steel in 1M HCl for different concentrations of MJF extract	124
4.39	Electrochemical kinetic parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of CFL extract	128
4.40	Electrochemical kinetic parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of BSL extract	129
4.41	Electrochemical kinetic parameters for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of MJF extract	129
4.42	Impedance parameters for the corrosion of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for different concentrations of CFL extract	132
4.43	Impedance parameters for the corrosion of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for different concentrations of BSL extract	132
4.44	Impedance parameters for the corrosion of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for different concentrations of MJF extract	133
4.45	Comparison of inhibition efficiencies obtained from Weight loss, Polarisation and Electro chemical impedance methods for the dissolution of mild steel in 1M HCl and 0.5M H <sub>2</sub> SO <sub>4</sub> in presence of the extracts	138
4.46	IR bands for pure <i>Cassia fistula</i> leaf powder and the adsorbed layer of CFL in 1M HCl and 0.5M H <sub>2</sub> SO <sub>4</sub>	144
4.47	IR bands for pure <i>Bougainvillea spectabilis</i> leaf powder and the adsorbed layer of BSL in 1M HCl and 0.5M H <sub>2</sub> SO <sub>4</sub>	145
4.48	IR bands for pure <i>Mirabilis jalapa</i> flower powder and the adsorbed layer of MJF in 1M HCl and 0.5M H <sub>2</sub> SO <sub>4</sub>	145
4.49	Inhibition efficiency of the extracts in 1M HCl and 0.5M H <sub>2</sub> SO <sub>4</sub> obtained during continuous monitoring of the pickling bath	152

4.50	Inhibition efficiency of CFL extract stored under different storage conditions for the dissolution of mild steel in 1M HCl	154
4.51	Inhibition efficiency of BSL extract stored under different storage conditions for the dissolution of mild steel in 1M HCl	155
4.52	Inhibition efficiency of MJF extract stored under different storage conditions for the dissolution of mild steel in 1M HCl	156
4.53	Inhibition efficiency of CFL extract stored under different storage conditions for the dissolution of mild steel in 0.5 M H <sub>2</sub> SO <sub>4</sub>	157
4.54	Inhibition efficiency of BSL extract stored under different storage conditions for the dissolution of mild steel in 0.5 M H <sub>2</sub> SO <sub>4</sub>	158
4.55	Inhibition efficiency of MJF extract stored under different storage conditions for the dissolution of mild steel in 0.5 M H <sub>2</sub> SO <sub>4</sub>	159
4.56	Variation of inhibition efficiency for the mild steel corrosion in 1M HCl in presence of different concentrations of the extract prepared after washing with petroleum ether with immersion period at 303 ±2K	160
4.57	Variation of inhibition efficiency for the mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in presence of different concentrations of the extract prepared after washing with petroleum ether with immersion period at 303 ±2K	161
4.58	Variation of inhibition efficiency for the mild steel corrosion in 1M HCl in presence of different concentrations of the extracts (prepared without refluxing)	162
4.59	Variation of inhibition efficiency for the mild steel corrosion in 0.5M H <sub>2</sub> SO <sub>4</sub> in presence of different concentrations of the extracts (prepared without refluxing)	162
4.60	Concentration of the inhibitor, octanol and phosphate buffer	164

4.61	Partition co-efficient values for CFL, BSL and MJF in octanol-water system	165
4.62	Inhibition efficiencies obtained by Weight loss method with the industrial acids for the set of lab and industrial samples	167

## LIST OF FIGURES

Figure No.	Title	Page No.
1.1	Pourbaix diagram for Fe-Water system	13
1.2	Evan's diagram	14
1.3	<i>Cassia fistula</i> leaves	27
1.4	<i>Bougainvillea spectabilis</i> leaves	28
1.5	<i>Mirabilis jalapa</i> leaves	29
3.1	Electrochemical measurement unit and Three electrode cell	67
4.1	Variation of corrosion rate for mild steel in 1M HCl in the absence and presence of various concentrations of BSL extract with immersion period	73
4.2	Variation of corrosion rate for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of CFL extract with immersion period	77
4.3	Variation of corrosion rate for the dissolution of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of MJF extract with immersion period	77
4.4	Variation of corrosion rate for mild steel in 1M HCl in the absence and in the presence of CFL extract with temperature	81
4.5	Variation of corrosion rate for mild steel in 1M HCl in the absence and in the presence of BSL extract with temperature	81
4.6	Variation of corrosion rate for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of CFL extract with temperature	84
4.7	Variation of corrosion rate for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of BSL extract with temperature	84
4.8	Variation of corrosion rate for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of MJF extract with temperature	85

4.9	Langmuir adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of CFL extract at different temperatures	87
4.10	Langmuir adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of BSL extract at different temperatures	87
4.11	Langmuir adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of MJF extract at different temperatures	87
4.12	Langmuir adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of CFL extract at different temperatures	90
4.13	Langmuir adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of BSL extract at different temperatures	90
4.14	Langmuir adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of MJF extract at different temperatures	90
4.15	Freundlich adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of CFL extract at different temperatures	93
4.16	Freundlich adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of BSL extract at different temperatures	93
4.17	Freundlich adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of MJF extract at different temperatures	93
4.18	Freundlich adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of CFL extract at different temperatures	95
4.19	Freundlich adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of BSL extract at different temperatures	95
4.20	Freundlich adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of MJF extract at different temperatures	95

4.21	Temkin adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of CFL extract at different temperatures	98
4.22	Temkin adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of BSL extract at different temperatures	98
4.23	Temkin adsorption isotherm for the mild steel dissolution in 1M HCl in the presence of various concentrations of MJF extract at different temperatures	98
4.24	Temkin adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of CFL extract at different temperatures	101
4.25	Temkin adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of BSL extract at different temperatures	101
4.26	Temkin adsorption isotherm for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of various concentrations of MJF extract at different temperatures	101
4.27	Eyring plot for the mild steel dissolution in 1M HCl in the absence and in the presence of various concentrations of CFL extract at different temperatures	105
4.28	Eyring plot for the mild steel dissolution in 1M HCl in the absence and in the presence of various concentrations of BSL extract at different temperatures	105
4.29	Eyring plot for the mild steel dissolution in 1M HCl in the absence and in the presence of various concentrations of MJF extract at different temperatures	105
4.30	Arrhenius plot for the mild steel dissolution in 1M HCl in the absence and in the presence of various concentrations of CFL extract at different temperatures	107
4.31	Arrhenius plot for the mild steel dissolution in 1M HCl in the absence and in the presence of various concentrations of BSL extract at different temperatures	107
4.32	Arrhenius plot for the mild steel dissolution in 1M HCl in the absence and in the presence of various concentrations of MJF extract at different temperatures	107

4.33	Eyring plot for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of CFL extract at different temperatures	112
4.34	Eyring plot for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of BSL extract at different temperatures	112
4.35	Eyring plot for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of MJF extract at different temperatures	112
4.36	Arrhenius plot for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of CFL extract at different temperatures	113
4.37	Arrhenius plot for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of BSL extract at different temperatures	113
4.38	Arrhenius plot for the mild steel dissolution in 0.5M H <sub>2</sub> SO <sub>4</sub> in the absence and in the presence of various concentrations of MJF extract at different temperatures	113
4.39	Potentiodynamic polarization curves for mild steel in 1M HCl for various concentrations of CFL extract	121
4.40	Potentiodynamic polarization curves for mild steel in 1M HCl for various concentrations of BSL extract	121
4.41	Potentiodynamic polarization curves for mild steel in 1M HCl for various concentrations of MJF extract	121
4.42	Nyquist plots for mild steel in 1M HCl in the absence and in the presence of various concentrations of CFL extract	125
4.43	Nyquist plots for mild steel in 1M HCl in the absence and presence of various concentrations of BSL extract	125
4.44	Nyquist plots for mild steel in 1M HCl in the absence and presence of various concentrations of MJF extract	125
4.45	Bode plots for mild steel in 1M HCl for various concentrations of CFL extract	126

4.46	Bode plots for mild steel in 1M HCl for various concentrations of BSL extract	127
4.47	Bode plots for mild steel in 1M HCl for various concentrations of MJF extract	127
4.48	Potentiodynamic polarization curves for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of CFL extract	131
4.49	Potentiodynamic polarization curves for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of BSL extract	131
4.50	Potentiodynamic polarization curves for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of MJF extract	131
4.51	Nyquist plots for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of CFL extract	134
4.52	Nyquist plots for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of BSL extract	134
4.53	Nyquist plots for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of MJF extract	134
4.54	Bode plots for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of CFL extract	135
4.55	Bode plots for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of BSL extract	136
4.56	Bode plots for mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> for various concentrations of MJF extract	136
4.57	a) FTIR spectra of CFL	139
	b) FTIR spectra of the surface film formed by the corrosion of mild steel in 1M HCl in the presence of 5%v/v of CFL extract	140
	c) FTIR spectra of the surface film formed by the corrosion of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of 5%v/v of CFL extract	140
4.58	a) FTIR spectra of BSL	141
	b) FTIR spectra of the surface film formed by the corrosion of mild steel in 1M HCl in the presence of 5%v/v of BSL extract	141

	c) FTIR spectra of the surface film formed by the corrosion of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of 5%v/v of BSL extract	142
4.59	a) FTIR spectra of MJF	142
	b) FTIR spectra of the surface film formed by the corrosion of mild steel in 1M HCl in the presence of 5%v/v of MJF extract	143
	c) FTIR spectra of the surface film formed by the corrosion of mild steel in 0.5M H <sub>2</sub> SO <sub>4</sub> in the presence of 5%v/v of MJF extract	143
4.60	Structure of phytoconstituents of <i>Cassia fistula</i>	149
4.61	Structure of phytoconstituents of <i>Bougainvillea spectabilis</i>	151
4.62	Structure of phytoconstituents of <i>Mirabilis jalapa</i>	151

## LIST OF PLATES

<b>Plate No.</b>	<b>Title</b>	<b>Page No.</b>
1	Plate 1	169
1.1	Sulphuric acid pickling baths	169
1.2	Hydrochloric acid pickling bath	169
1.3	Electro plating bath	169
2	Plate 2	170
2.1	Fresh Samples	170
2.2	Samples immersed in acid bath (H <sub>2</sub> SO <sub>4</sub> )	170
2.3	Samples after pickling	170
2.4	Pickled samples after one week	170
3	Plate 3	171
3.1	Fresh Samples	171
3.2	Samples immersed in acid bath (HCl)	171
3.3	Samples after pickling	171
3.4	Pickled samples after one week	171
4	Plate 4	172
4.1	Samples immersed in industrial acid (H <sub>2</sub> SO <sub>4</sub> )	172
4.2	Samples after pickling under lab conditions	172
4.3	Pickled samples after one week	172
4.4	Electroplated samples	172
5	Plate 5	173
5.1	Samples immersed in industrial acid (HCl)	173
5.2	Samples after pickling under lab conditions	173
5.3	Pickled samples after one week	173
5.4	Electroplated samples	173