



Bibliography

BIBLIOGRAPHY

- Acharya, K., Samui, K., Rai, M., Dutta, B.B. and Acharya, R. (2004) Antioxidant and nitric oxide synthase activation properties of *Auricularia auricular*, Ind. J. Exp. Biol., 42, 538-540.
- Aeschlach, R., Loliger, J., Scott, B.C., Mureia, A., Butter, J., Halliwell, B. and Aruoma, O.I. (1994) Antioxidant actions of thymol, carvacrol, 6-gingerol, zingerone and hydroxyl tyrosol, Food Chem. Toxicol., 32, 31-36.
- Aherne, S.A., Kerry, J.P. and O'Brien, N.M. (2006) Effects of plant extracts on antioxidant status and oxidant-induced stress in Caco-2 cells, British J. Nutr., 97, 321-328.
- Ahn, S.H., Cheung, W.L., Hsu, J.Y., Diaz, R.L., Smith, M.M. and Allis, C.D. (2005) Sterile 20 kinase phosphorylates histone H2B at serine 10 during hydrogen peroxide-induced apoptosis in *S. cerevisiae*, Cell, 120, 25-36.
- Ajith, T.A., Harikumar, K.B., Thasna, H., Sabu, M.C. and Babitha, N.V. (2006) Proapoptotic and antitumor activities of the HMG-CoA reductase inhibitor, lovastatin, against Dalton's lymphoma ascites tumor in mice, Clin. Chim. Acta., 366, 322-8.
- Alam, M.S., Kaur, G., Jabbar, Z., Javed, K. and Athar, M. (2006) Evaluation of antioxidant activity of *Salix caprea* flowers, Phytother Res., 20, 479-83.
- Ali, M.B., Hahn, E.J. and Paek, K.Y. (2006) Copper induced changes in the growth, oxidative metabolism and saponin production in suspension culture roots of *Panax ginseng* in bioreactors, Plant Cell Rep., 25, 1122-1132.
- Alkhalaf, M. (2007) Resveratrol-induced apoptosis is associated with activation of p53 and inhibition of protein translation in T47D human breast cancer cells, Pharmacol., 80, 34-43.
- Allen, D.D., Caviedes, R., Cardenas, A.M., Shimahara, T., Segura-Aguilar, J. and Caviedes, P. (2005) Cell Lines as *in vitro* models for drug screening and toxicity studies, Drug Development and Industrial Pharmacy, 31, 757 – 768.
- Amirghofran, Z., Bahmani, M., Azadmehr, A. and Javidnia, K. (2006) Induction of apoptosis in leukemia cell lines by *Linum persicum* and *Euphorbia cheiradenia*, J. Cancer Res. Clin. Oncol., 132, 427-432.
- Amirghofran, Z., Bahmani, M., Azadmehr, A., Ashouri, E. and Javidnia, K. (2007) Anti-tumor activity and apoptosis induction in human cancer cell lines by *Dionysia termeana*. Cancer Invest., 25, 550-4.
- Anandjiwala, S., Bagul, M.S., Srivasa, H., Kalola, J. and Rajani, M. (2007) Antioxidant activity of stem bark of *Thespesia populnea* soland excorr, J. Nat. Remed., 7, 135-141.
- Anderson, R.F., Fisher, L.J., Hara, Y., Harris, T., Mak, W.B., Melton, L.D. and Packer, J.E. (2001) Green tea catechins partially protect DNA from OH radical-induced strand breaks and base damage through fast chemical repair of DNA radicals, Carcinogenesis, 28, 1189-1193.
- Ando, T., Ichikawa, J., Okamoto, A., Tasaka, K., Nakao, A. and Hamada, Y. (2005) Gemcitabine inhibits viability, growth and metastasis of osteosarcoma cell line, J. Orthopaedic Res., 23, 964-969.
- Ani, V., Varadaraj, M.C. and Naidu, K.A. (2006) Antioxidant and antibacterial activities of polyphenolic compounds from bitter cumin (*Cuminum nigrum* L.), Eur. Food Res. Technol., 224, 109-115.
- Anon, R. (2002) News and Views, Toxicol., 176, 245-251.

Antony, J.V., Dharaneedharan, S., Geraldine, P. and Balasundram, C. (2007) Dietary supplementation of vitamin A, C and E prevents p-dimethylaminoazobenzene induced hepatic DNA damage in rats, *Ind. J. Biochem. Biophys.*, 44, 156-163.

Aquil, F., Ahmad, I. and Mehmood, Z. (2006) Antioxidant and free radical scavenging properties of twelve traditionally used medicinal plants, *Turk. J. Biol.*, 30, 177-183.

Ardekani, M.A. and Ardekani, A.S. (2007) Effect of vitamin C on blood glucose, serum lipids and serum insulin in type 2 diabetes patients, *Ind. J. Med. Res.*, 126, 471-474.

Armutcu, F., Coskun, O., Gurel, A., Sahin, S., Kanter, M., Cihan, A., Numanoglu, K. V. and Altinyazar, C. (2005) Vitamin E protects against acetone-induced oxidative stress in rat blood cells, *Cell. Biol. Toxicol.*, 29, 173-178.

Arts, M.J.T.J., Haenen, G.R.M.M., Voss, H.P. and Bast, A. (2004) Antioxidant capacity of reaction products limits the applicability of the Trolox equivalent antioxidant assay, *Food Chem. Toxicol.*, 42, 45-49.

Atawodi, S.E. (2005) Antioxidant potential of African Medicinal Plants, *African J. Biotech.*, 4, 128-133.

Athukorala, Y., Lee, K., Song, C., Ahn, C., Shin, T., Cha, Y., Shahidi, F. and Jeon, Y. (2003) Potential antioxidant activity of Marine red alga *Grateloupia filicina* extracts, *J. food lipids*, 10, 251-265.

Avcı, G., Kupeli, E., Eryavaz, A., Yesilide, E. and Kucukkurt, I. (2006) Antihypercholesterolaemic and antioxidant activity assessment of some plants used as remedy in Turkish folk medicine, *J. Ethnopharmacol.*, 85, 227-230.

Azab, S.S., El-demerdash, E., Abdel-Naem, A.B., Yousef, E., El-Sharkarvy, N. and Osman, A.M. (2005) Modulation of epirubicin cytotoxicity by tamoxifen in human breast cancer cell lines, *Biochem. Pharmacol.*, 70, 725-732.

Azad, N., Rojanasakul, Y. and Vallyathan, V. (2008) Inflammation and lung cancer: Roles of Reactive Oxygen / Nitrogen Species, *J. Toxicol. Env. Health*, 11, 1-15.

Baatout, S., Derradji, H., Jacquet, P. and Mergeay, M. (2005) Increased radiation sensitivity of an eosinophilic cell line following treatment with epigallocatechin-gallate, resveratrol and curcuma, *Int. J. Mol. Med.*, 15, 337-52.

Babu, B.H., Shylesh, B.S. and Padikkala, J. (2001) Tumour reducing and anticarcinogenic activity of *Acanthus ilicifolius* in mice, *Fitoterapia*, 72, 272-277.

Badami, S., Prakash, O.M., Dongre, S.H. and Suresh, B. (2005) *In vitro* antioxidant properties of *Solanum pseudocapsicum* leaf extracts, *Res. Lett.*, 37, 251-252.

Bafna, A.R. and Mishra, S.H. (2005) *In vitro* antioxidant activity of methanol extract of rhizomes of *Curculigo orchoides Gaertn*, *Ars Pharm.*, 46, 125-138.

Balasundram, N., Ai, J., Sambanthamurthi, R., Sundram, K. and Samman, S. (2005) Antioxidant properties of palm fruit extracts, *Asia Pac. J. Clin. Nutr.*, 4, 319-324.

Balasundram, N., Sundram, K. and Samman, S. (2006) Phenolic compounds in plants and agri-industrial by-products: antioxidant activity, occurrence, and potential uses, *Food Chem.*, 99, 191-203.

Baldus, S. and Meinertz. (2006) Current concepts of diabetic atherogenesis, *Clin. Res. Cardiol.*, 95, 1-6.

Barbini, L., Lopez, P., Ruffa, J., Martino, V., Ferraro, G., Campos, R. and Cavallaro, L. (2006) Induction of apoptosis on human hepatocarcinoma cell lines by an alkyl resorcinol isolated from *Lithraea molleoides*, *World J. Gastroenterol.*, 12, 5959-5963.

- Baskar, R., Rajeswari, V. and Kumar, S.T. (2007) *In vitro* antioxidant studies in leaves of *Annona* species, *Ind. J. Exp. Biol.*, 45, 480-485.
- Baskic, D., Papovic, S., Ristic, P. and Arsenijevic, N.N. (2006) Analysis of cyclohexamide-induced apoptosis in human leukocytes: Fluorescence microscopy using annexin V/PI versus Acridine orange/EtBr, *Cell Bio. Int.*, 30, 924-932.
- Bayfield, R.F. and Cole, E.R. (1980) Colorimetric estimation of vitamin A with trichloroacetic acid, *Meth. Enzymol.*, 67, 189-195.
- Bazhanova, E.D. (2005) Participation of interferon-alpha in regulation of apoptosis, *Journal of Evolutionary Biochem. Physiol.*, 41, 127-133.
- Bet, V.V., Deshpande, K.H., Suryakar, A.N., Ankush, R.D. and Katkam, R.V. (2006) Depleted nitrite and enhanced oxidative stress in Urolithiasis, *Ind. J. Clin. Biochem.*, 121, 177-180.
- Bhupinder, K., Gursharan, K., Amajit, K., Bhatti, K.N., Sandhu, S.M. and Kaur, K. (2004) Natural scavenger fresh vs processed foods, *Ind. Food Industry*, 23, 51-60.
- Bhutia, R.D., Upadhyay, B. and Maneesh, M. (2006) Association of plasma level of Thio barbituric Acid Reactive Substances with extent of hepato cellular injury in preterm infants with cholestatic jaundice, *Ind. J. Clin. Biochem.*, 21, 39-41.
- Biard, C., Surai, P. F. and Moller, A. P. (2005) Effects of carotenoid availability during laying on reproduction in the blue tit, *Oecologia*, 144, 32-44.
- Boraschi, D. and Maurizi, G. (1998) Quantification of DNA fragmentation with diphenylamine, *prude cytometry CDROM series 4*.
- Bortner, C.D. and Cidlowski, J.A. (2002) Apoptotic volume decrease and the incredible shrinking cell, *Cell Death Differ*, 9, 1307-1310.
- Bouaziz, C., Abid-Esse, S., Bouslimi, A., Golli, EE. and Bacha, H. (2006) Cytotoxicity and related effects of T-2 toxin on cultured Vero cells, *Toxicol.*, 48, 343-352.
- Braga, P. A. C., Santos, D. A. P., Dos, A., Silva, M. F. D. G. F. Da, P., Vieira, P. C., Fernandes, J. B., Houghton, P. J. and Fang, R. (2007) *In vitro* cytotoxicity activity on several cancer cell lines of acridone alkaloids and N-phenylethyl-benzamide derivatives from *Swinglea glutinosa* (Bl.) Merr., *Nat. Product Res.*, 21, 47 – 55.
- Bravo, L. (1998) Polyphenols: chemistry, dietary sources, metabolism, and nutritional significance, *Nutr. Rev.*, 56, 317–333.
- Bungu, L., Carminitu, L.F., Brauns, C.S. and Venter, V.M. (2006) *Tulbaghia violacea* inhibits growth and induces apoptosis in cancer cells *in vitro*, *Afr. J. Biotechnol.*, 5, 1936-1943.
- Burdall, S.E., Hanby, A.M., Mark, R.J., Lansdown, R. and Speirs, V. (2003) Breast cancer cell lines: friend or foe? *Breast cancer Res.*, 5, 89-95.
- Cai, Y., Cai, C.B., Zhang, D.Y., Han, B., Wang, Y.G. and Wang, M.W. (2005) Apoptosis-inducing effect of carbazole alkaloid (HY-1) in human erthroleukemia k562 cells, *Zhonghua Zhong Liu Za Zhi*, 27, 457-460.
- Calapai, G. and Captuti, A.P. (2007) Herbal Medicines: Can We Do Without Pharmacologist?, *eCAM*, 4, 41-43.
- Candan, F. and Sokeman, A. (2004) Effects of *Rhus coriaria* (Anacardiaceae) on lipid peroxidation and free radical scavenging activity, *Phytoether Res.*, 18, 84-86.
- Cantarella, G., Uberti, D., Carsana, T., Lombardo, G., Bernardini, R. and Memo, M. (2003) Neutralization of TRAIL death pathway protects human neuronal cell line from beta-amyloid toxicity, *Cell Death Differ.*, 10, 1341-51.

Carpenter, R., O'Callaghan, Y.C., O'Grady, M.N., Kerry, J.P. and O'Brien, N.M. (2006) Modulatory Effects of Resveratrol, Citroflavan-3-ol, and Plant-Derived Extracts on Oxidative Stress in U937 Cells, *J. of Med. Food.*, 9, 187-195.

Carr, A.C., Zhu, B.Z. and Frei, B. (2000) Potential antiatherogenic mechanism of ascorbate (Vitamin C) and alpha tocopherol (Vitamin E), *Circulation Research*, 87, 349-354.

Castellini, C., Mourvaki, E., Dal, B. and Galli, F. (2007) Vitamin E Biochemistry and Function: A case study in Male Rabbit, *Reprod Dom Anim.*, 42, 248-256.

Cavalcanti, B.C., Sombra, C.M.L., Oliveira, J.H.H.L., Berlinck, R.G.S.D., Moraes, M.O.D. and Perroa, C. (2008) Cytotoxicity and genotoxicity of igenamine isolated from the Brazilian marine sponge *Pachychalina alcaloidifera*, *Comparative Biochemical and Phys. Part C: Toxicol Pharmacol.*, 147, 409-415.

Cervantes, H., Jainu, M. and Devi, S.C.S. (2007) *In vitro* evaluation of free radical scavenging potential of *Cissus quadrangularis*, *Afr. J. Biomed. Res.*, 8, 95-99.

Ceschini, L. and Campos, E.G. (2006) Cytotoxic effects of *Cochlospermum* (Mark and Schrank) Pilger aqueous root extract on mammalian cells, *J. Ethanopharmacol.*, 103, 302-305.

Chai, T.T., Fadzillah, N.M., Kusnam, M. and Mahmood, M. (2005) Water stress-induced oxidative damage and antioxidant response in micropropagated banana plantlets, *Physiologia. Plantarum*, 49, 153-156.

Chen, Z., Saito, Y., Yoshida, Y. and Niki, E. (2008a) Effect of oxygen concentration on free radical – induced cytotoxicity, *Biosci. Biotechnol Biochem.*, 72, 1491-1497.

Chen, X.L., Cao, L.Q., She, M.R., Wang, Q., Huang, X.H. and Fu, X.H. (2008b) Gli-1 Si RNA induced apoptosis in Huh7 cells, *World J. Gastroenterol.*, 14, 582-589.

Chen, Y., Rollins, J., Paigen, B. and Wang, X. (2007) Towards understanding of the molecular basis of atherosclerosis with genetics and genomics, *Cell Metab.*, 6, 164–179.

Cheng, A.C., Jian, C.B., Huang, Y.H, Lai, C.S., Hsu, P.C. and Pan, M.H. (2007) Induction of apoptosis by *Uncaria tomentosa* through reactive oxygen species production, cytochrome c release and caspases activation in human leukemia cells, *Food Chem. Toxicol.*, 45, 2206-2218.

Chih, H.W., Chill, H.F., Tang, K.S., Chang, F.R. and Wu, Y.C. (2001) Bullatacin a potent antitumour annonaceous acetogenin, inhibits proliferation of human by apoptosis induction, *Life Sci.*, 69, 1321-1331.

Chodon, D., Ramamurthy, W. and SakthiSekaran, D. (2007) Preliminary studies on induction of apoptosis of genistein on Hep G₂ cell line, *Tox. in vitro*, 21, 887-891.

Choi, E.H, Chang, H.J, Cho, J.Y. and Chun, H.S. (2007) Cytoprotective effect of anthocyanins against doxorubicin-induced toxicity in H9c2 cardiomyocytes in relation to their antioxidants activities, *Food Chem. Toxicol.*, 45, 1873-1881.

Chow, C.K. and Chang, S.J. (2007) Value or Usefulness of the food frequency questionnaire for the assessment of dietary total antioxidant capacity, *J. Nutr.*, 137, 1496-1497.

Chowdhury, S.K.R., Raha, S., Tarnopolsky, M.A. and Singh, G. (2007) Increased expression of mitochondrial glycerophosphate dehydrogenase and antioxidant enzymes in prostate cancer cell lines/cells, *Free Rad. Res.*, 41, 1116-1124.

Cianchetti, S., Fiorentino, D.A., Colognato, R., Stefano, R., Franzoni, F. and Pedrinelli, R. (2008) Anti-inflammatory and anti-oxidant properties of telmisartan in cultured human umbilical vein endothelial cells, *Atherosclerosis*, 198, 22-28.

Coban, T. and Konuklugil, B. (2005) Free radical scavenging activity of *Linum arboreum*, *Pharma. Biolo.*, 43, 370-372.

- Cohen, J.J., Devore, M.D., Cikara, M. and Dowling, E.A. (2003) Cell death in immune, inflammatory and stress responses, *Essential of apoptosis: a guide for basic and clinical research*, Yin, X.N. and Dong, Z. (Eds.), Human Press, Totowa, NJ, 201.
- Collins, A.R. and Harrington, V. (2003) Antioxidants: not the only reason to eat fruits and vegetables, *Phytochem. Rev.*, 1, 167-174.
- Combes, R.D., Berridge, T., Connelly, J., Eve, M.D., Garnes, R.C., Toon, S. and Wilcon, P. (2003) Early microdose drug studies in human volunteers can minimize animal testing: Proceedings of a workshop organized by volunteers in Research and testing, *European J. Pharma Sci.*, 19, 1-11.
- Costa, D., Gomes, A., Reis, S., Lima, J.L. and Fernandes, E. (2005) Hydrogen peroxide scavenging by non-steroidal anti-inflammatory drugs, *Life Sci.*, 76, 2841-2848.
- Costa, P.M.D., Ferreira, P.M.P., Bolzani, V.D.S., Furlan, M., Santos, V.A.D.F.F.M.D., Corsino, J., Moraes, M.O.D., Costa-Lafufo, L.V., Montenegro, R.C. and Persea, C. (2008) Antiproliferative activity of peristimerin isolated from *Maytenns ilicifolia* (Celastraceae) in human HL-60 cells, *Tox. in vitro*, 222, 854-863.
- Cury-Boaventura, M.F., Pompeia, C. and Curi, R. (2004) Comparative toxicity of oleic acid and linoleic acid on Jurkat cells, *Clin Nutr.*, 23, 721-732.
- Custodio, J.B.A., Cardoso, C.M.P. and Almeida, L.M. (2002) Thiol protecting agents and antioxidants inhibit the mitochondrial permeability transition promoted by etoposide – implications in the prevention of etoposide-induced apoptosis, *Chem. Biol. Interact.*, 140, 169-184.
- Da Rosa, C.E., Bianchini, A. and Monserrat, J.M. (2008) Antioxidant responses of *Laonereis acuta* (Polychaeta) after exposure to hydrogen peroxide, *Braz. J. Med. Biol. Res.*, 41, 117-121.
- Dahiru, D., William, E.T. and Nadro, M.S. (2005) Protective effect of *Ziziphus maritiana* leaf extract on carbon tetrachloride-induced liver injury, *Afr. J. Biotechnol.*, 4, 1177-1179.
- Dandamudi, S. and Campbell, R.B. (2007) The drug loading, cytotoxicity and tumor vascular targeting characteristics of magnetite in magnetic drug targeting, *Biomaterials*, 28, 4673-4683.
- Das, S.K. and Vasudevan, D.M. (2005) Monitoring oxidative stress in patients with non-alcoholic and alcoholic liver diseases, *Ind. J. Clin. Biochem.*, 20, 24 -28.
- Dash, D.K., Yeligar, V.C., Nayak, S.S., Ghosh, T., Rajalingam, D., Sengupta, P., Maiti, B.C. and Maity, T.K. (2007) Evaluation of hepato protective and antioxidant activity of *Ichnocarpus frutescens* (Linn.) R. on paracetamol-induced hepato toxicity in rats, *Trop. J. Pharm. Res.*, 6, 755-763.
- Davies, M.J. (2003) Singlet oxygen-mediated damage to proteins and its consequences, *Biochem. Biophys. Res. Commun.*, 305, 761-770.
- Dedousis, G.V.Z., Kaliora, A.C. and Andrikopoulos, N.K. (2005) Effect of phenols on natural killer (NK) cell-mediated death in the k562 human leukemic cell line, *Cell Biol. Inter.*, 29, 884-889.
- Derakshan, M. (2007) Apoptosis at a glance: Death or Life?, *Pak. J. Med. Sci.*, 23, 979-982.
- Desmarchelier, C., Cousio, J. and Ciccia, G. (1998) Antioxidant and free radical scavenging effects in extracts of the medicinal herb *Achyrocline satureioides*, *Brazl. Med. Biol. Res.*, 31, 1163-1170.
- Devi, K.P., Suganthi, N., Kesika, P. and Pandian, S.K. (2008) Bioprotective properties of seaweeds: *In vitro* evaluation of antioxidant activity and antimicrobial activity against food borne bacteria in relation to polyphenolic content, *BMC Complementary and Alternative Medicine*, 8, 38.

- Devi, S.L., Kannappan, S. and Anuradha, C.V. (2007) Evaluation of *in vitro* antioxidant activity of Indian bary leaf, *Cinnamomum tamala* (Buch-Ham) *T-Nees* and *Eberm* using rat brain synaptosomes as model system, *Ind. J. Exp. Biol.*, 45, 778-784.
- Du, L., Yu, Y., Li, Z., Chen, J., Liu, Y., Xia, Y. and Liu, X. (2007) Tim 18, a component of the mitochondrial translocator, mediates yeast cell death induced by arsenic, *Biochemistry*, 72, 843-847.
- Dufour, D., Pichette, A., Mshvildadze, A., Bradette-Hébert, M., Lavoie, S., Longtin, A., Laprise, C. and Legault, J. (2006) Antioxidant, anti-inflammatory and anticancer activities of methanolic extracts from *Ledum groenlandicum* Retzius, *J. Ethnopharmacol.*, 111, 22-28.
- Dzingirai, B., Muchuweti, M., Murenje, T., Chidewe, C., Benhura, M.A.N. and Chagonda, L.S. (2007) Phenolic content and phospholipids peroxidation inhibition by methanolic extracts of two medicinal plants, *Elionurus muticus* and *Hypoxis hemerocallidea*, *Afr. J. Biochem. Res.*, 1, 137-141.
- Eberle, J., Fecker, L.F., Hossini, A.M., Kurbanov, B.M. and Fechner, H. (2007) Apoptotic pathways and oncolytic adeno viral vectors: promising targets and tools to overcome therapy resistance of malignant melanoma, *Experimental dermatology*, 17, 1-11.
- Einbond, L.S, Su, T., Wu, H.A., Friedman, R., Wang, X., Jiang, B., Hagan, T., Kennelly, E.J., Kronenberg, F. and Weinstein, I.B. (2007) Gene expression analysis of the mechanisms whereby black cohosh inhibits human breast cancer cell growth, *Anticancer Res.*, 27, 697-712.
- Elizabeth, K. and Rao, M.N.A. (1990) Oxygen radical scavenging activity of curcumin, *Int. J. Pharm.*, 58, 237-240.
- Emami, S.A., Asili, J., Mohaghghi, Z. and Hasanzadeh, M.K. (2007) Advance Access Publication, 4, 313-319.
- Engi, H., Vasas, A., Redii, D., Molndr, J., Hohmann, J. (2007) New HDR modulators and apoptosis inducers from Euphorbia species, *Anticancer Res.*, 27, 3451-3458.
- England, K., O'Driscoll, C. and Cotter, T.G. (2004) Carbonylation of glycolytic proteins is a key response to drug-induced oxidative stress and apoptosis, *Cell Death Differ.*, 11, 252-260.
- Ertekin, M.V. (2004) Effects of oral *Ginkgo biloba* supplementation on cataract formation and oxidative stress occurring in lenses of rats exposed to total cranium radiotherapy, *Jpn. J. Ophthalmol.*, 48, 499-502.
- Esterbauer, H., Schwarzl, E. and Hayn, M. (1977) A rapid assay for catechol oxidase and laccase using 2-nitro-5-thiobenzoic acid, *Anal. Biochem.*, 77, 486-494.
- Facchini, P.J. and De Luca, V. (2008) *Opium poppy* and *Madagascar periwinkle*: model systems to investigate alkaloid biosynthesis in plants, *Plant J.*, 54, 763-84.
- Fan, Y. and Bergmann, A. (2008) Distinct Mechanisms of Apoptosis-Induced Compensatory Proliferation in Proliferating and Differentiating Tissues in the Drosophila Eye, *Developmental Cell*, 14, 399 - 410.
- Fayaz, M., Namitha, K.K., Chidambaramurthy, K.N., Mahadevaswamy, M., Sarado, R., Khanam, S., Subbarao, P.V. and Ravishankar, G.A. (2005) Chemical composition, iron bioavailability and antioxidant activity of *Kappachyeus alvazezzi* (Doty), *J. Agric. Food Chem.*, 53, 792-797.
- Fen, P. and Lou, H. (2004) Effects of polyphenols from grape seeds on oxidative damage to cellular DNA, *Mol. Cell. Biochem.*, 267, 67-74.
- Firenzuoli, F. and Gori, L. (2007) Herbal Medicine Today: Clinical and Research Issues, *Central of Natural Medicine*, 4, 37-40.
- Flohe, R.B. (2007) Adverse effects of Vitamin E by induction of drug metabolism, *Genes Nutr.*, 2, 249-256.

- Frei, B. and Higdon, J.V. (2003) Antioxidant activity of tea polyphenols in vivo: evidence from animal studies, *J. Nutr.*, 133, 3275S-3284S.
- Fu, X., Wang, L., Zhao, H., Xiang, H. and Cao, J. (2008) Synthesis of genistein derivative and determination of their protective effects against vascular endothelial cell damage caused by hydrogen peroxide, *Bioorg. and Med. Chem. Lett.*, 18, 513-517.
- Gacche, R.N. and Dhole, N.A. (2006) Antioxidant and possible anti-inflammatory potential of selected medicinal plants prescribed in the Indian traditional system of medicine, *Pharmaceutical Biol.*, 44, 389-395.
- Gad, H., Patwardhan, B., Vaidya, A.D.B. and Chorghade, M. (2007) Ayurveda and natural products drug discovery, *Curr Sci*, 86:789-799.
- Galati, E.M., Mondello, M.R., Lauriano, E.R., Taviano, M.F., Galluzzo, M. and Miceli, N. (2005) *Opuntia ficus indica* (L) mill fruit juice protects liver from carbon tetrachloride-induced injury, *Phytoether Res.*, 19, 796-800.
- Gao, R.J., Liang, Y.X., Li DD, Zhang HY, Zhen YS. (2007a) Effect of lidamycin on telomerase activity in human hepatoma BEL-7402 cells, *Biomed. Env. Sci.* 20,189-97.
- Gao, H., Shupe, T.F., Eberhardt, T.L. and Hse, C.Y. (2007b) Antioxidant activity of extracts from the wood and bark of Port *Oxford cedar*, *J. Wood Sci*, 53, 147-152.
- Gayathri, V., Asha, V.V. and Subramaniam, A. (2005) Preliminary studies on the immunomodulatory and antioxidant properties of *Selaginella* species, *Ind. J. Pharmacol.*, 37, 381-385.
- Geetha, A., Lakshmi, M.D., Annie, S.J. and Surendran, R. (2007), Level of oxidative stress in red blood cells of patients with liver cirrhosis, *Ind. J. Med. Res.*, 126, 204-210.
- Geetha, S., Ram, S.M., Singh, V., Ilavazhagan, G. and Sawhney, R.C. (2002) Anti-oxidant and immunomodulatory properties of seabuckthorn (*Hippophae rhamnoides*)-an *in vitro* study, *J. Ethnopharmacol.*, 79, 373-8.
- Geetha, T., Machotra, V., Chopra, K. and Kaun, I.D. (2005) Antimutagenic and antioxidant activity of quercetin, *Ind. J. Exp. Biol.*, 43, 61-67.
- Geracitano, R., Tozzi, A., Berretta, N., Florenzano, F., Guatteo, E., Viscomi, M.T., Chirole, B., Molinari, M., Bernadi, G. and Mercuri, N.B. (2005) Protective role of hydrogen peroxide in oxygen deprived dopaminergic neurons of the rat substantia nigra, *J. physiol.*, 568, 97-110.
- Ghosh, G., De, K., Maity, S., Bandyopadhyay, D., Bhattacharya, S., Reiter, R.T and Bandyopadhyay, A. (2007) Melatonin protects against oxidative damage and restores expression of GLUT4 gene in the hyperthyroid rat heart, *J. Pineal Res.*, 42, 71-82.
- Giamperi, L., Fraternali, D., Bucchini, A. and Ricci, D. (2004) Antioxidant activity of *Citrus paradise* seeds glyceric extract, *Fitoterapia*, 75, 221-224.
- Gill, C.I., Haldas, S.A., Boyd, L., Bennett, R., Whiteford, J., Butler, M., Pearson, J.R., Bradbury, I. and Rowland, I.R. (2007) Watercress supplementation in diet reduces lymphocyte DNA damage and alters blood antioxidant status in healthy adults, *Am. J. Clin. Nutr.*, 75, 504-510.
- Glei, M., Hofmann, T., Kuster, K., Hollmann, J., Lindhauer, M.G. and Pool-Zobel, B.L. (2006) Both wheat (*Triticum aestivum*) bran arabinoxylans and gut flora-mediated fermentation products protect human colon cells from genotoxic activities of 4-hydroxynonenal and hydrogen peroxide, *J. Agri. Food Chem.*, 54, 2088-2095.
- Gogvadze, V., Orrenius, S. and Zhivotovsky, O. (2008) Mitochondria in cancer cells: what is so special about them?, *Trends in Cell Biol.*, 18, 165-173.
- Goldberg, A.M. and Hartung, T. (2006) Protecting more than animals, *Scientific American*, India, 1, 66-73.

- Goodnow, C.C. (2007) Multistep pathogenesis of autoimmune disease, *Cell*, 130, 25–35.
- Gossiau, A. and Chen, K.Y. (2004) Nutraceuticals, apoptosis and disease prevention, *Nutrition*, 20, 95-102.
- Gotoh, A., Sakaeda, T., Kimura, T., Shirakawa, J., Wada, A., Kimachi, T., Takemoto, Y., Iida, A., Iwakawa, S., Hirai, M., Tomita, H., Oramura, N., Nakamura, J. and Okumura, K. (2004) Antiproliferative activity of *Rhinacanthus nasutus* (L.) kurz extracts and the active moiety Rhinacanthin C, *Pharma. Bulle.*, 27, 1070-1074.
- Grayck, N.E., Suliman, H and Piantadosi, C (2005) Extracellular superoxide dismutase. *Int. J. Biochem. Cell Biol.*, 37 2466–71.
- Gu G, Mulari M, Peng Z, Hentunen TA and Vaananen HK (2005) Death of osteocytes turns on. The inhibition of osteoclasts and triggers local bone resorption, *Biochem. Biophys. Res. Comm.*, 335, 1095-1101.
- Gu, Y. and Belury, M.A. (2005) Selective induction of apoptosis in murine skin carcinoma cells (CH72) by an ethanol extract of *Lentinula edodes*, *Cancer Lett.*, 229, 21-28.
- Guicciardi, M.E. and Gores, G.J. (2007) Apoptosis: a mechanism of acute and chronic liver injury, *Gut*. 54, 1024-1033.
- Guimaraes, C.M., Gao, M.S., Martinez, S.S., Pintado, A.I., Pintado, M.E., Bento, L.S. and Malcata, F.X. (2007) Antioxidant activity of sugar molasses, including protective effect against DNA oxidative damage, *J. Food Sci.*, 72, 039-43.
- Gulcin, I. (2005) The antioxidant and radical scavenging activities of black pepper (*Piper nigrum*) seeds, *Int. J. Food Sci. Nutr.*, 56, 491-499.
- Gulcin, I., Elias, R., Gepdiremen, A., Boyer, L. and Koksul, E. (2007a) A comparative study on the antioxidant activity of fringe tree (*Chionanthus virgincus* L.) extract, *Afr. J. Biotech.*, 6, 410-418.
- Gulcin, I., Elmastas, M. and Aboul-Enein, H.Y. (2007b) Determination of antioxidant and radical scavenging activity of Basil (*Ocimum basilicum* L. Family Lamiaceae) assayed by different methodologies, *Phytother. Res.*, (Epub ahead of print)
- Gulcin, I., Mshvildadze, V., Gepdiremen, A. and Elias, R. (2006) Screening of antiradical and antioxidant activity of monodesmosides and crude extract from *Leontice smirnowii* tuber, *Phytomed.*, 13, 343-351.
- Gumustekin, K., Altinkayanak, K., Timur, H, Taysis, S., Oztasan, N., Pelat, M. E., Akcay, F., Suleyan, H., Dane, S. and Gul, M. (2003) Vitamin E and *Hipopheia rhamnoides* L prevented nicotine-induced oxidative stress in rat brain, *Hum. Exp. Toxicol*, 22, 425-431.
- Gupta, M., Mazumder, U.K. and Gomathi, P. (2007) *In vitro* antioxidant and free radical scavenging activities of *Galega purpurea* root, *Pharmacognosy Magazine*, 3, 219-225.
- Gupta, V.K. and Sharma, S.K. (2006) Plants as natural antioxidants, *Natural Product Reliance*, 5, 326-334.
- Habig, W.H., Pabst, M.J and Jokoby, W.B. (1974) Glutathione transferase: A first enzymatic step in mercapturic acid III formation, *J. Biol. Chem.*, 249, 7130-7139.
- Hai, J., Lin, Q., Lu, Y., Zhang, H. and yi, J. (2007) Induction of apoptosis in rat C6 glioma cells by panaxydol, *Cell Biol. Int.*, 31, 711-715.
- Halliwell, B. and Whiteman, M. (2004) Measuring reactive species and oxidative damage *in vivo* and in cell culture: how should you do it and what do the results mean? *British J. Pharmacol.*, 142, 231-255.

- Han, S., Lo, S., Choi, Y., Kim, J. and Back, S. (2004) Antioxidant activity of crude extract and pure compounds of *Acer ginnala Max*, Bull. Korean Chem. Soc., 25, 389-391.
- Harborne, J.B. (1973) Phytochemical methods – A guide to modern techniques of plant analysis, Chapman and Hall Publ., 33-56.
- Harish, R. and Shivanandappa (2006) Antioxidant activity and hepatoprotective potential of *Phyllanthus niruri*, Food chem., 97, 521-525.
- Harrington, K.J. (2007) Cancer Biology and Imaging, Medicine, 36, 1-4.
- Harrington, K.J., Rowlinon-Busza, G., Uster, P.S. and Stewart, J.S. (2000) Pegylated liposome-encapsulated doxorubicin and lisplatin in the treatment of head and neck xenograftic tumour, Canc. Chem. Pharmacol., 46, 10-18.
- Hasan, P., Yasa, N., Ghanbari, S.V., Mohammadirad, A., Dehghan, G. and Abdollahi, M. (2007) *In vitro* antioxidant potential of *Teucrium Rolium*, as compared to α -tocopherol, Acta Pharm., 57, 123-129.
- Hatziantoniou, S., Dimas, K., Georgopoulos, A., Sotiriadiou, N. and Demetzos, C. (2006) Cytotoxic and antitumour activity of liposome-incorporated sclareol against cancer cell line and human colon cancer xenografts, Pharm. Res., 53, 80-87.
- Hawkins, C. L., and Davies, M. J. (2002) Hypochlorite-induced damage to DNA, RNA and polynucleotides: formation of chloramines and nitrogen-centered radicals, Chem. Res. Toxicol., 15, 83–92.
- Hayward, R.L., Schornagel, Q.C., Tente, R., Hacpheron, S.S., Aird, R.E., Guicard, S., Habtemariam, A., Sadler, B. and Jodrer, D.E. (2005) Investigation of the role of Bax, p21/Waf1 and P53 as determinants of cellular responses in HCT 116 colorectal cancer cells exposed to the novel cytotoxic ruthenium (II) organometallic agent, RM 175, Canc Chem. Pharmacol., 55, 577-583.
- Haznagy-Radnai, E., Czigele, S. Z., Zupko, I., Falkay, G. Y. and Matne, I. (2006) Comparison of antioxidant activity in enzyme-dependent system of six stachys species, Fitoterpia, 77, 521-524.
- He, R., Drury, G.E., Rotari, V.I., Gordon, A., Willer, M., Farzaneh, T., Woltering, E.J. and Gallois, P. (2008) Metacaspase-8 modulates programmed cell death induced by ultraviolet light and H₂O₂ in *Arabidopsis*, J. Biol. Chem., 283, 774-83.
- Heckelen, A., Hermel, M., Kondring, B. And Schrage, N.F. (2004) Ascorbic acid reversibly inhibits proliferation of retinal pigment epithelial cells, Acta Ophthalmol. Scand., 82, 564-568.
- Hemmati, S., Fuss, E., Mohagheghzadeh, A., Konuklugil, B., Alferman, A.W., Schmidt, T.J. (2004) Chemodiversity of lignan accumulation in the genus *Linum arboreum*, Botqnikertaging, 5-10.
- Henshall, D.C and Murphy, B.M. (2008) Modulators of neuronal cell death in epilepsy, Current Opinion in Pharmacology, 8, 75–81.
- Heo, H.J. and Lee, C.Y. (2005) Strawberry and its anthocyanin reduce oxidative stress-induced apoptosis in PC12 cells, J. Agric. Food Chem., 53, 1984-9.
- Heo, S.J., Park, P.J., Park, E.J., Kim, S.K. and Jeon, Y.J. (2005) Antioxidant activity of enzymatic extracts from a brown sea weed ecklonia cava by electron spin resonance spectrometry and comet assay, Eur. Food Res. Technol., 221, 41-47.
- Hewawasam, R.P., Jayatilaka, K.A.P.W and Mudduwa, L.K.B (2004) Hepatoprotective effect of *Epaltes divaricata* extract on carbon tetrachloride induced hepatotoxicity in mice, Ind. J. Med. Res., 120, 30-34.

Hileman, E.O., Albitar, J.L., Keeting, M. and Huang, P. (2004) Intrinsic oxidative stress in cancer cells : a biochemical basis for therapeutic selectivity, *Cancer Chemother. Pharmacol.*, 53, 209-219.

Ho, T.C., Yang, Y.C., Chen, S.L., Kuo, P.C., Sytwu, H.K., Cheng, H.C. and Tsap, Y.P. (2007) Pigment epithelium-derived factor induces THP-1 macrophage apoptosis and necrosis by the induction of the peroxisome proliferative-activated receptor gamma, *Mol. Immunol.*, Ahead of print.

Hoghan, F.S., Krishnegowda, N.K., Mikailova, M. and Kahlenberg, M. (2007) Flavonoid, silibinin, inhibits proliferation and promotes cell-cycle arrest of human colon cancer, *J. Surg. Res.*, 143, 58-65.

Homburg, C.H., De Hass, M., Von dem Borne, A.E., Verhoeven, A.J., Sperger, R.C.P. and Roos, D. (1995) Human neutrophils lose their surface Fc gamma R III and acquire Annexin V binding sites during apoptosis *in vitro*, *Blood*, 85, 532-540.

Horak, P., Surai, P.F., Ots, I. and Moller, A.P. (2004) Fat soluble antioxidants in brood-rearing great its parus major : relations to health and appearance, *J. Avian Biol.*, 35, 63-70.

Hsu, C.Y. (2006) Antioxidant activity of extract from *Polygonum ariculri* L., *Biol.Res.*, 39, 281-288.

<http://homepages.gac.edu/~cellab/chpts/chpt12/ex 12-10.html>

<http://compliance.vpr.okstate.edu/acuc/alternatives.htm>.

http://en.wikipedia.org/wiki/model_organism

<http://en.wikipedia.org/wiki/Peroxidase>

<http://idw-online.de/pages/de/news219496>

<http://www.health check systems.com/antioxid.htm>

http://www.oie.intelengnoormes/manual/A_00081.htm

<http://www.rice.edu/~jenky/sports/antiox.html>.

Hu XW, Huang HZ, Xie Q. (2006) Effects of apoptosis of Tca8113 cells induced by adriamycin on telomerase and telomere repeat binding factor proteins, *Zhonghua Kou Qiang Yi Xue Za Zhi.*, 41, 654-5.

Hu, T.M., Hayton, W.L., Morre, M.A. and Mallery, S.R. (2002) Kinetic modeling of nitric oxide associated reaction network, *Pharm. Res.*, 23, 1702-1711.

Hua, Z., Yan, G., Du, G. and Chen, J. (2007) Study and improvement of the conditions for the production of a novel alkali stable catalase, *Biotechnol. J.*, 2, 326-333.

Huang, G.J., Sheu, M.J.S., Chen, H.J., Chang, Y.S and Lin, Y.H (2007) Inhibition of Reactive nitrogen species *in vitro* and *ex vivo* by trypsin inhibitors from sweet potato 'Tainong 57' storage roots, *J. Agri. Food Chem.*, 55, 6000-6006.

Humphery, M.L., Cole, M.P., Pendergrass, J.C. and Kiningham, K.K. (2005) Mitochondrial mediated thimerosal-induced apoptosis in a human neuroblastoma cell line (SK-N-SH), *Neurotoxicol.*, 26, 407-416.

Hutadilok-Towatana, N., Chaiyamutti, P., Panthong, K., mahabusarakam, W. and Rukachaisirikul, V. (2006) Antioxidative and free radical scavenging activities of some plants used in Thai folk medicine, 44, 22-28.

Igarashi, M. and Miyazawa, T. (2001) The growth inhibitory effect of conjugated linoleic acid on a hepatoma cell line Hep G2, is induced by a change in fattyacid in cells, *Biochem. Biophys. Acta / Molecular and Cell Biology of Lipids*, 1530, 162-171.

- Ilavarasan, R., Mallika, M. and Venkataraman, S. (2005) Anti-inflammatory and antioxidant activities of *Cassia fistula* Linn Bark extracts, *Afs. J. Trad. Cam.*, 2, 70-85.
- Inagaki, S., Morimura, S., Gondo, K., Tang, Y., Akutagawa, H. and Kida, K. (2007) Isolation of tryptophol as an apoptosis-inducing component of vinegar produced from boiled extract of black soybean in human monoblastic leukemia U937 cells, *Biosci. Biotechnol. Biochem.* 71, 371-9.
- Ingale, A.G. (2006) *In vitro* regeneration of Aloe vera (*A. barbadensis*), *Bioinfolet.*, 3, 93-94.
- Jainu, M. and Devi, C.S.S. (2005) *In vitro* and *in vivo* evaluation of free radical scavenging potential of *Cissus quadrangularis*, *Afr. J. Biomed. Res.*, 95-99.
- Jakopec, S., Dubravcic, K., Polanc, S., Kosmrlj, J. and Osmak. (2006) Diazene JK-279 induces apoptosis-like cell death in human cervical carcinoma cells, *Toxicol. In vitro*, 20, 217-226.
- Jaksa, S., Rahmat, A., Othman, F., Ismail, P. and Mansor, S.M.H. (2005) Effect of *Strobilanthes crispus* on the Histology and Tumour Marker Enzymes in Rat Liver During Hepatocarcinogenesis, *J. Med. Sci.*, 5, 130-135.
- James, W. and Little, D.M.D. (2004) Complementary and alternative medicine: Impact on dentist, oral surgery, oral medicines, oral pathology, oral radiology and endodontology, *Medical Management Update*, 98, 139-145.
- Jeon, K.I., Park, E., Park, H.R., Jeon, V.J., Chas, H. and Lee, S.C. (2006) Antioxidant activity of far-infrared radiated rice hull extracts on reactive oxygen species scavenging and oxidative DNA damage in human lymphocytes, *J. Med. Food*, 9, 42-50.
- Jeune, M.A., Kumi Diaka, J. and Brown, J. (2005) Anticancer activities of pomegranate extracts and genistein in human breast cancer cells, *J. Med. Food*, 8, 496-475.
- Jeyaprakash, K. and Chinnaswamy, P. (2007) Antioxidant property of Spirulina and Liv-52 against lead induced toxicity in albino rats, *J.Nat. Rem.*, 7, 80-85.
- Jung, S.K., Lee, K.W., Byun, S., Kang, N.J., Lim, S.H., Heo, Y., Bode, A.M., Bowden, G.T., Lee, H.J. and Dong, Z. (2008) Myricetin suppresses UVB-induced skin cancer by targeting Fyn, *Cancer res.*, 68, 6021-629.
- Kalaivani, K. (2007) Antioxidant and anticancer effects evoked *in vitro* and *in vivo* by *Solanum nigrum* (L) leaves, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfilment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Kalvelyte, A., Imbrasaitė, A., Bukauskiene, A., Verselis, V.K. and Bukauskas, F.F. (2003) Connexins and apoptotic transformation, *Biochem. Pharma.*, 66, 1661-1672.
- Kamalakaran, N., Rukkumani, R., Varma, P.S., Viswanathan, P., Rajasekharan, K.N. and Menon, V.P. (2005) Comparative effects of Curcumin and an analogue of Curcumin in carbon tetrachloride induced hepatotoxicity in rats, *Basic Clin. Pharmacol. Toxicol.*, 97, 15-21.
- Kang, D.G., Yan, C.K. and Lee, H.S. (2003) Screening and comparison of antioxidant activity of solvent extracts of herbal medicines used in Korea, *J. Ethnopharmacol.*, 87, 231-236.
- Kanter, M., Coskun, O. and Budancamanak, M. (2005) Hepatoprotective effects of *Nigella sativa* L. and *Urtica dioica* L. on lipid peroxidation, antioxidant enzyme systems and liver enzymes in carbon tetrachloride treated rats, *World J. Gastroent.*, 11, 6684-6688.
- Kanupriya, Prasad, B., Sairam, M., Kumar, R., Sawhney, Sharma, S.K., Ilavazhagan, G., Kumar, D., Banerjee, P.K. (2005), Cytoprotective and antioxidant activity of *Rhodiola imbricata* induced oxidative injury in U-937 human macrophages, *Mol. Cell. Biochem.*, 275, 1-6.
- Karmakar, S., Banik, N.L., Patel, S.J. and Ray, S. (2007) Garlic compounds induced calpain and intrinsic caspase cascade for apoptosis in human malignant neuroblastoma SH-SY5Y cells, *Apop.*, 12, 671-684.

- Kaur, C. and Kapoor, H.C. (2002) Antioxidant activity and total phenolic content of some Asian vegetable, *Ind. J. Food Sci. and Tech.*, 37, 153-161.
- Kaur, G., Jabbar, Z., Athar, M. and Alam, M.S. (2006) *Punica granatum* (pomegranate) flower extract possesses potent antioxidant activity and abrogates Fe-NTA induced hepatotoxicity in mice, *Food chem., Toxicol.*, 44, 984-93.
- Kaviarasan, S. and Anuradha, C.V. (2007) Fenugreek (*Trigonella foenum graecum*) seed polyphenols protect liver from alcohol toxicity: a role on hepatic detoxification system and apoptosis, *Pharmazie*, 62, 299-304.
- Kawai, Y., Morinaga, H., Kondo, H., Miyoshi, N., Nakamura, Y., Uchida, K. and Osawa, T. (2004) Endogenous Formation of Novel Halogenated 2-Deoxycytidine Hypohalous acid-mediated DNA modification at the site of inflammation, *J. Biol. Chem.*, 279, 51241-51249.
- Kenjale, R.D., Shah, R.K. and Sathaye, S.S. (2007) Antistress and antioxidant effects of roots of *Chlorophytum borivilianum*, *Ind. J. Exp. Biol.*, 45, 974-979.
- Kern, M.A., Haugg, A.M., Eiteneuer, E., Konze, M., Drebber, U., Dienes, H.P., Schirmacher, P and Kaaper, H.U (2006) *Ex vivo* analysis of antineoplastic agents in precision-cut tissue slices of human origin: effects of cyclooxygenase-2 inhibition in hepatocellular carcinoma, *Liver Int.*, 26, 604-612
- Khalaf, N.A., Shakya, A.K., Al-othman, A., Ahbar, Z. and Farah, H. (2007) Antioxidant activity of some common plants, *Turk J. Biol.*, 31, 1-5.
- Khanam, S., Shivaprasad, H.N. and Kshama, D. (2004) *In vitro* antioxidant screening models, *A Review, Ind. J. Pharm. Educ.*, 38, 180.
- Khandelwal, K.R. (2002) Practical pharmacognosy techniques and experiments, IX Edition, Nirali Prakashan Publishers, Pune, 149-157.
- Kim, D.O., Lee, K.W., Lee, H.J. and Lee, C.Y. (2002) Vitamin C equivalent antioxidant capacity (VCEAC) of phenolic phytochemicals, *J. Agric. Food Chem.*, 50, 3713-3717.
- Kim, Y., Lian, F., Yeum, K.J., Chongviriyaphan, N., Choi, S.W., Russel, R.M. and Wang, X.D. (2007a) The effects of combined antioxidant (beta-carotene, alpha-tocopherol and ascorbic acid) supplementation on antioxidant capacity, DNA single-strand breaks and levels of insulin-like growth factor-1/IGF-binding protein 3 in the ferret model of lung cancer, *Int. J. Cancer*, 120, 1847-1854.
- Kim, D.S., Kim, S.H., Song, J.H., Chang, Y., Hwang, S.V. and Kim, T.S. (2007b) Enhancing effects of ceramide derivatives on 1, 25-dihydroxy vitamin D₃-induced differentiation of human HL-60 leukemia cells, *Life Sci.*, 81, 25-26.
- Kim, J., Kim, D.K., Sony, E.Y., Lee, H.G., Kim, J.W., Chae, S., Kim, E., Lee, M., Young, Y. and Lim, J. (2006) Apoptosis-inducing factor (AIF) inhibits protein synthesis by interacting with the eukaryotic translation initiation factor 3 subunit p44 (eIF3g), *FEBS Letters*, 580, 6375-6383.
- Kim, J.E., Kim, A.R., Chung, H.Y., Han, S.Y., Kim, S.B. and Choi, S.J. (2003) *In vitro* peroxynitrite scavenging activity of diaryl heptanoids from *Curcuma longa*, *phytoether. Res.*, 17, 870-875.
- Kiruthika, B. (2003), Studies on the responses evoked by *Zea mays* leaves in *in vitro* models subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Master of Science in Biochemistry.
- Kitts, D.D., Popovich, D.G. and Hu, C. (2007) Characterizing the mechanism for ginsenoside-induced cytotoxicity in cultured leukemia (THP-1) cells. *Can. J. Physiol. Pharmacol.*, 85, 1173-1183.

- Knook, D. L., Bosma, A. and Seifert, W. F. (1995) Role of Vitamin A in liver fibrosis, *J. Gastroentrol. Hepatol.*, 10, S47-S49.
- Knorre, D.A., Smirnora, E.A. and Severen, F.F. (2005) Natural condition inducing programmed cell death in the yeast *Saccharomyces cerevisiae*, *Biochemistry (Moscow)*, 264-266.
- Ko, C.H., Shen, S.C, Hsu, C.S. and Chen, Y.C. (2005) Mitochondrial-dependent, reactive oxygen species-independent apoptosis by myricetin: roles of protein kinase C, cytochrome C, and caspase cascade, *Biochem. Pharmacol.*, 69, 913-927.
- Ko, J., Jang, S.-W., Kim, Y. S., Kim, I. S., Sung, H. J., Kim, H. H., Park, J. Y., Lee, Y. H., Kim, J., and Na, D. S. (2004) Human LZIP binds to CCR1 and differentially affects the chemotactic activities of CCR1-dependent chemokines *FASEB J.* 18, 890–892.
- Ko, K.M. and Leung, H.Y. (2007) Enhancement of ATP generation capacity, antioxidant activity and immunomodulatory activities by Chinese Yang and Yin tinofying herbs, *Chinese Medicine*, 2, 1-10.
- Koleckar, V., Brojerova, E., Opletal, L., Jun, D. and Kuca, K. (2007) Antioxidants, free radicals, mechanism of action, and application in the therapy of the sulfur mustard–caused injury, *Ces. Slov. Farm.*, 56, 73–76.
- Konduri, S., Schwarz, M.A., Cafasso, D. and Schwarz, R.E. (2007) Androgen receptor blockade in experimental combination therapy of pancreatic cancer, *J. Surgical Res.*, 142, 378-386.
- Krishna, M.G., Thirupathi.K., Kumar,S.S., Raju,V.S., Ravikumar,B. and Krishna, D.R. (2008) A review of medicinal plants of the genus cordial: their chemistry and pharmacological uses, *J. Nat. Rem.*, 8, 1-10.
- Krishnaiah, D., Sarbatly, R. and Bono, A. (2007) Phytochemical antioxidants for health and medicine – A move towards nature, *Biotechnology and Molecular Biology Reviews*, 1, 097-104.
- Kukic, J., Petrovic, S. and Niketic, M. (2006) Antioxidant activity of four endemic stachy Taxa, *Biol. Pharmacol. Bull.*, 29, 725.
- Kumar, R.S., Sivakumar, T., Shanmugasundarm, R., Sivakumar, P., Nethaji, R., Gupta, M. and Mazumdas, U.K. (2006) Antimicrobial and antioxidant activities of *Careya arborea Roxb.* stem bark, *Ind. J. Pharmacology and Therapeutics*, 5, 35-41.
- Kumar, V.M.H. and Gupta, Y.K. (2003) Effect of *Centella asiatica* on cognition and oxidative stress in an intracerebroventricular streptozotocin model of Alzheimer's disease in rats, *Clin. Exp. Pharmacol. Physiol.*, 30, 336-42.
- Kuranaga, E., and Miura, M. (2007) Nonapoptotic functions of caspases: caspases as regulatory molecules for immunity and cell-fate determination, *Trends Cell Biol.*, 17, 135–144.
- Kurreeman, F.S., Padyukov, L., Marques, R.B., Schrodi, S.J., Seddighzadeh, M., Stoeken-Rijsbergen, G., Helm-van Mil, A.H., Allaart, C.F., Verduyn, W., Houwing-Duistermaat, J., Alfredsson, L., Begovich, A.B., Klareskog, L., Huizinga, T.W and Toes, R.E. (2007) A Candidate Gene Approach Identifies the *TRAF1/C5* Region as a Risk Factor for Rheumatoid Arthritis, *Plos Medicine.*, 4, 278.
- Kutuk, O. and Basaga, H (2003) Aspirin prevents apoptosis and NF-KB activation induced by H₂O₂ in HeLa cells, *Free Rad. Res.*, 37, 1267-1276.
- Lamkanfi, M., Festjens, N., Declercq, W., Vanden Berghe, T., and Vandenaabeele, P. (2007) Caspases in cell survival, proliferation and differentiation, *Cell Death Differ.*, 14, 44–55.
- Lan, W.U. (2007) Effect of chlorogenic acid on antioxidant activity of *Flos Lonicerae* extracts, *J. Zhejiang University. Sci. B.*, 8, 673-679.

- Lapshina, E.A., Sudnikovich, E.I.U., Kubyshin, V.L., Zabrodskaya, S.V., Maksimchik, I.U.Z. and Zavodnik, I.B. (2006) Hypochlorous acid modifies rat liver and heart enzymes of the pentose phosphate pathway and antioxidative defense *in vitro*, *Biomed. Khim.*, 52, 469-478.
- Lee, B.B., Cha, M.R., Kim, S.Y., Park, E., Park, H.R. and Lee, S.C. (2007a) Antioxidative and Anticancer Activity of Extracts of Cherry Blossoms (*Prunus serrulata* var. *spontanea*), *Plant Foods Hum. Nutr.*, 62, 79-84.
- Lee, E., Enomoto, R., Suzuki, C., Ohno, M., Ohashi, T., Miyauchi, A., Tanimoto, E., Maeda, K., Hirano, H., Yokoi, T. and Sugahara, C. (2007b) Wogonin, a plant flavone, potentiates etoposide-induced apoptosis in cancer cells, *Ann.NY Acad.Sci.*, 1095, 521-526.
- Lee, C.Y., Peng, W.H., Cheng, H.Y., Chen, F.N., Lai, M.T. and Chiu, T.H. (2006a) Hepatoprotective effect of Phyllanthus in Taiwan on acute liver damage induced by carbon tetrachloride, *Am. J. Clin. Med.*, 34, 471-482.
- Lee, S.H., Pettinella, C. and Blair, I.A. (2006b) LC/ESI/MS analysis of saturated and unsaturated fatty acids in rat intestinal epithelial cells, *Curr. Drug Metab.*, 7, 929-937.
- Lee, G.Y., Park, K., Nam, J.H., Kim, S.Y. and Byunm, Y. (2006c) Anti-tumor and anti-metastatic effects of gelatin-doxorubicin and PEGylated gelatin-doxorubicin nanoparticles in SCC7 bearing mice, *J. Drug Target.*, 14, 707-716.
- Lee, E.J., Kim, S.R., Kim, J. and Kim, Y.C. (2002) Hepatoprotective phenyl propanoids from *Scrophularis buergeriana* roots against CCl₄-induced toxicity: action mechanism and structure-activity relationship, *Plants Med.*, 68, 407-411.
- Li, S., Wang, T, Rice, G., Yu, J., Liang, S. and Hu, X. (2007a) Apoptosis in Hela cells induced by extract from *Cremanthodium humila*, *Food and Chem. Tox.*, 45, 2040-2046.
- Li, W.Y., Chiu, L.C., Lam, W.S., Wong, W.Y., Chan, Y.T., Ho, Y.P., Wong, E.Y., Wong, Y.S. and Ooi, V.E. (2007b) Ethyl acetate extract of Chinese medicinal herb *Sarcandra glabra* induces growth inhibition on human leukemic HL-60 cells, associated with cell cycle arrest and up-regulation of pro-apoptotic Bax/Bcl-2 ratio, *Oncol. Rep.*, 17, 425-431.
- Li, S., Zhang, Y., Zhao, J. and Wang, L. (2007c) Hong Q polysaccharides in vitro antitumor activity and structure-activity relationship study, *Chinese Med. Clin. Pharmacol.*, 23, 35-37.
- Li, Y. and Schellhorn, H.E. (2007) New developments and novel therapeutic perspectives for vitamin C, *J. Nutr.*, 137, 2171-2184.
- Lin, H.L., Yang, J.S., Yang, J.H., Fan, S.S., Chang, W.C., Li, Y.C. and Chung, J.G. (2006) The role of Ca²⁺ on the DADS induced apoptosis in mouse-rat hybrid retina ganglion (N18), *Neurochem. Res.*, 31, 383-393.
- Lin, W.C. and Lin, W.L. (2006) Ameliorative effect of *Ganoderma lucidum* on carbontetrachloride-induced liver fibrosis in rats, *World J. Gastroenterol.*, 12, 265-270.
- Linster, C.L. and Van Schaftingen, E. (2007) Vitamin C, *FEBS J.*, 274, 1-22.
- Liu, M.J., Wang, Z., Ju, Y., Zhou, J.B., Wang, Y. and Wong, R.N. (2004) The mitotic-arresting and apoptosis-inducing effects of diosgenyl saponins on human leukemia cell lines, *Biol. Pharm Bull.*, 27, 1059-65.
- Liu, Z., Ng, E.K.W., Liang, N., Deng, Y., Leung, B.C.S and Chen, G.G. (2005a) Cell death induced by *Pteris semipinnata* L. is associated with p53 and oxidant stress in gastric cancer cells, *FEBS Letters*, 579, 1477-1487.
- Liu, L., Mei, Q., Liu, L., Zhang, F., Liu, Z., Wang, Z. and Wang, R. (2005b) Protective effects of *Rheum tanguticum* polysaccharide against hydrogen peroxide-induced intestinal epithelial cell injury, *World J. Gastroenterol.*, 11, 1503-1507.

- Ljubuncici, P., Dakwar, S., Portnaya, I., Cogan, U., Azaizeh, H. and Bomzon, S. (2006) Aqueous extracts of *Teucrium polium* possess remarkable antioxidant activity *in vitro*, Evid.Based Complement Alternat. Med., 3, 329-338.
- Llanes, S.P., Dalvit, G., Descalzo, A., Insani, M., Beloni and Cetica, P. (2005) Effect of Alpha-Tocopherol and Ascorbic acid on Bovine Docyte *in vitro* maturation, Black well vellay, 40, 93-97.
- Lodovici, M., Menichetti, S., Viglianisi, C., Caldini, S. and Giuliani, E. (2006) Polyhydroxylated 4-thiaflavans as multipotent antioxidants: protective effect on oxidative DNA damage *in vitro*, Bioorg. Med. Chem. Lett., 16, 1957-1960.
- Lopez, V., Akerrata, S., Casanova, E., Garcia-Mina, J.M., Cavero, R.Y. and Calvo, M.I. (2007) *In vitro* Antioxidant and Anti-rhizopus Activities of Lamiaceae Herbal Extracts, Plant Foods Hum. Nutr., 62,151-155.
- Lopez-Lazarao, M., Pena, N.P., Pastor, N., Martin-Cordero, C., Navarro, E., Cortes, F., Ayuso, M.J. and Toro, M.V. (2003) Anti-tumour activity of *Digitalis purpurea* L., Planta Med., 69, 701-704.
- Lowary, P.T. and Widom, J. (1989) Higher-order structure of *Saccharomyces cerevisiae* chromatic, Proc. Natl. Acad. Sci., 86, 8266-8270.
- Luck, H. (1974) In: Methods in enzymatic analysis, II Edn., Bergmeyer, Academic Press, New York., 805.
- Luhua, S., Ciftci-Yilmaz, S., Harper, J., Cushman, J. and Mittler, R. (2008) Enhanced tolerance to oxidative stress in transgenic *Arabidopsis thaliana* plants, expressing proteins of unknown function, Plant Physiol. Rev., 1104-1108.
- Madeo, F., Herker, E., Maldener, C., Wissing, S., Lachelt, S., Herlam, M., Fehr, M., Lauber, K. and Sigrist, S.J. (2002) A caspase-Related Protease Regulator Apoptosis in yeast., Mol. cell, 9, 911-917.
- Mahboob, M., Rahman, M.F. and Grover, P. (2005) Serum lipid peroxidation and antioxidant enzyme levels in male and female diabetic patients, Singapore Med. J., 46, 322.
- Maheswari, M.V. and Rao, P.G.M. (2005) Antihepatotoxic effect of grape seed oil in rats, Ind. J. Pharmacol., 37, 179-182.
- Malathy, N. (2008) Effects of *Triticum aestivum* leaf extract on the apoptotic events in *Saccharomyces cerevisiae* cells subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Master of Science in Biochemistry.
- Maldonado, P.D., Cruz, I.R., Mata, R. and Chaverri, J.P. (2005) Antioxidant activity of A-Type proanthocyanidins from *Geranium nivenum*, (Geraniaceae), J. Agric. Food Chem., 53, 1996-2001.
- Malikova, J., Swaczynova, J., Kolar, Z. and Strnad, M. (2007) Anticancer and antiproliferative activity of natural brassinosteroids, Phytochem., Ahead of print.
- Mallick, C.P. and Singh, M.B. (1980) Plant enzymology and plant histoenzymology, Kalyani Publishers, New Delhi., 286.
- Malpure, P.P., Shah, A.S. and Juvekar, A.P. (2006) Antioxidant and anti-inflammatory activity of extract obtained from *Aspergillus candidus* MTCC 2202 broth filtrate, Ind. J. Exp. Biol., 44, 468-473.
- Mandal, A. K. and Das, N. (2005) Sugar coated liposomal flavanoid; A unique formulation in combating carbontetrachloride induced hepatic oxidative damage, J. Drug. Target, 13, 305-315.

- Manian, R., Anusuya, N., Siddhuraju, P. and Manian, S. (2008) The antioxidant activity and free radical scavenging potential of two different solvent extracts of *Camellia sinensis*(L), *Ficus bengalensis* L and *Ficus Racemosa* L, Food Chemistry, 107, 1000-1007.
- Manjunatha, B. (2006) Hepatoprotective activity of *Pterocarpus santalinus* L.f., an endangered medicinal plant, Ind. J. Pharmacol., 38, 25-28.
- Mansouri, A., Makris, B.P. and Kefalas, P. (2005) Determination of hydrogen peroxide scavenging activity of cinnamic and benzoic acid highly sensitive peroxyoxalate chemiluminescence-based assay: structure-activity, J. Pharm. Biomed. Anal., 39, 22-26.
- Marquez, A., Villa-Trevino, S. and Gueraud, F. (2007) The LEC rat: a useful model for studying liver carcinogenesis related to oxidative stress and inflammation, Redox. Rep., 12, 35-39.
- Marshak, D.R. and Greenwalt, D.E. (2006) High Content Screening: A Powerful Approach to Systems Cell Biology and Drug Discovery, Methods in Mol. Biol., 356, 121-128.
- Martinsson, P. (2001) Pharmacological studies of CHS 828 and etoposide induced tumour cell death, Acta Universitatis Upsaliensis, 1095, 53, 5157-8.
- Marxen, K., Vanselow, K.H., Lippeneier, S., Hintze, R., Ruser, A. and Hansen, U. (2007) Determination of DPPH Radical oxidation caused by methanolic extracts of some microalgal species by Linear Regression Analysis of spectrophotometric measurements, Sensors, 7, 2080-2095.
- Masuda, T., Oyama, Y., Yonemori, S., Takeda, Y., Yamazaki, Y., Mizuguchi, S., Nakata, M., Tanaka, T., Chikahisa, L., Inaba, Y. and Okada, Y. (2002) Flowcytometric estimation on cytotoxic activity of leaf extracts from seashore plants in subtropical Japan: isolation, quantification and cytotoxic action of deoxypodophyllotoxin, phytoether Res., 16, 353-58.
- Meera, S. and Rana, A.C. (2006) *In vitro* antioxidant activity of hydro alcoholic extract of *Taraxacum officinale* roots in rats, Res. Lett., 38, 54-55.
- Mello, L.D. and Kubota, L.T. (2007) Biosensors as a tool for the antioxidant status evaluation, Talanta, 72, 335-348.
- Mensor, C.C., Menezes, F.S., Leitao, G.G., Reis, A.S., Dos Santos, T.C., Coube, C.S. and Leitao, S.G. (2001) Screening of Brazilian Plant extracts for antioxidant activity by the use of DPPH free radical method, Phytother. Res., 15, 127-130.
- Mera., Yener, Z., Kahraman , T. and Mert, N. (2001) Effect of *Nigella sativa* on Glucose Concentration, Lipid Peroxidation, antioxidant defence system and liver damage in Experimentally-Induced Diabetic Rabbits, J. VetMedA Physiol. Pathol. Clin.Med., 48, 593-599.
- Mercille, S. and Massie, B. (1994) Induction of apoptosis in nutrient – deprived cultures of hybridoma and myeloma cells, Biotech. Bioengin., 44, 1140-1154.
- Milhavet, O., McMahan, H.E.M., Rachidi, W., Nishida, N., Katamine, S., mange, A., Artotto, M., Casanova, D., Riondel, J., Favier, A. and Lehman, S. (2000) Prion infection impairs the cellular response to oxidative stress. PNAS, 97, 43-47.
- Minuz, P., Fava, C. and Cominacini, L. (2006) Oxidative stress, antioxidants, and vascular damage, British J. Clin. Pharmacol., 61, 774-777.
- Misra, D. S., Maiti, R., Bera, S., Das, K. and Ghosh, D. (2005) Protective effect of composite extract of *W. somnifera*, *Ocimum sanctum* and *Zingiber officinale* on swimming-induced reproductive endocrine dysfunction in male rat, Iranian J. Pharmacol. Therapeutics, 4, 110-117.
- Misra, H.P. and Fridovich, I. (1972) The role of superoxide anion in the antioxidantation of epinephrine and a simple assay for superoxide dismutase, J. Biol. Chem., 247, 3170-3175.
- Mohamed, R., Pineda, M. and Aguilar, M. (2007) Antioxidant capacity of extracts from wild and crop plants of the Mediterranean region, 72, 39-43.

- Mondal, S.K., Chakraborty, G., Gupta, M. and Mazumder, U.K. (2006) *In vitro* antioxidant activity of *Diospyros malabarica* Kostel bark, Ind. J. Exp. Biol., 44, 39-44.
- Moongkarndi, P., Kosem, N., Kaslungka, S., Luanratana, O., Pongpan, N. and Neungton, N. (2004) Antiproliferation, antioxidation and induction of apoptosis by *Garcinia mangostana* (Mangosteen) on SKBR3 human breast cancer cell line, J. Ethnopharmacol., 90, 161-166.
- Moosavi, M.A., Yazdanparast, R. and Sanati, M.H. (2005) The cytotoxic and anti-proliferative effects of 3-hydrogen kwadaphnin in K562 and jurkat cells is reduced by guanosine, J. Biochem. Mol. Biol., 38, 391-8.
- Moron, M.S., Depierre, J.N. and Mannervik, V.C. (1979) Levels of glutathione, glutathione reductase and glutathione S-transferase activities in rat lung and liver, Biochem. Biophys. Acta., 582, 67-68.
- Mosaffa, F., Behravan, J., Karimi, G. and Transhahi, M. (2006) Antigenotoxic effects of *Satureja hortensis* L on rat lymphocytes exposed to oxidative stress, Arch.Pharm.Res., 29, 159-164.
- Muchuweti, M., Nyamukonda, L., Chagonda, L.S., Ndhkala, A.R., Mupure, C. and Benhura, M. (2006) Total phenolic content and antioxidant activity in selected medicinal plants of Zimbabwe, Int. J. Food Sci. and Tech., 41, 33-38.
- Murray, K.R. (1998) Red and White blood cells, In: Murray, K.R. Granner, K.D., Mayes, A.P. and Rodwell, W.V., Harpers lange, Stanford Connecticut, 25th edition, 767-768.
- Murthy, K.N., Rajesha, J., Swamy, M.M. and Ravishankar, G.A. (2005), Comparative evaluation of hepatoprotective activity of carotenoids of microalgae, J. Med. Food, 8, 523-538.
- Murthy, K.N.C., Rajasekaran, T., Giridhar, P. and Ravishankar, G.A. (2006) Antioxidant properties of *Decalepis hamiltonii* wight and Arn, Ind. J. Exp. Biol., 44, 832-837.
- Musa, D., Dilsiz, N., Gumushan, H., Ulakoglu, G. and Bitiren, M. (2004) Antitumor activity of an ethanol extract of *Nigella sativa* seeds, Biologia. Bratislava., 59, 735-740.
- Nagano, T., Oyama, Y., Kajita, N., Chikahisa, L., Nakata, M., Okazaki, E. and Masuda, T. (1997) New curcuminoids isolated from *Zingiber cassumunar* protect cells suffering from oxidative stress: a flow-cytometric study using rat thymocytes and hydrogen peroxide, Jpn. J. Pharmacol., 75, 363-370.
- Naidu, P. S., Singh, A. and Kulkarni, S. K. (2006) Effect of *Withania somnifera* root extracts on reserpine- induced orofacial dyskinesia and cognitive dysfunction, Phytother. Res., 20, 140-146.
- Naik, G.H., Priyadharsini, K.I. and Mohan, H. (2006) Free radical scavenging reaction and phytochemical analysis of triphala, an Ayurvedic formulation, Curr.Sci., 90, 1100-1105.
- Narendhirakannan, R.T., Subramaniam, S. and Kandaswamy, M. (2005) Free radical scavenging activity of *Cleome gynandra* L. leaves on adjuvant induced arthritis in rats, Mol. Cell Biochem., 27, 671-680.
- Neto, S.L.L.D., Toledo, M.A.D., Medeiros-Souza, P. and Souza, G.A. (2006) The use of Herbal Medicine in Alzheimer's Disease – A Systematic Review, General Internal Medicinal Center, 3, 441-445.
- Noctor, G. (2006) Metabolic signaling in defense and stress: the central roles of soluble redox couples. Plant Cell, Environ., 29, 409-425.
- Noyan, S., Cavusoglu, I. and Minbay, F. Z. (2006) The effect of Vitamin A on CCl₄ induced hepatic injuries in rats: A histochemical, immuno-histochemical and ultrastructural study, Acta Histochem., 107, 421-434.
- O'Brien, N.M., Carpenter, R., O'Callaghan, Y.C., O'Grandy, M.N. and Kerry, J.P. (2006) Modulatory effects of resveratrol, citroflavan-3-O1 and plant-derived extracts on oxidative stress in U937 cells, J. Med. Food, 9, 187-195.

- O'Callaghan, P.T., Jones, M.D., Holt, C.A., Leadbeater, S., Dent, C. and Nokes, L.D. (2001) A novel approach to forensic investigation: three-dimensional kinematic and kinetic motion analysis, *J. Clin. Forensic Med.*, 8, 49-53.
- Oboh, A. and Gbolade, B.A. (2003) Biochemical changes in Cassava products (flour & gari) subjected to *Saccharomyces cerevisiae* solid media fermentation, *Food Chemistry*, 82, 4, 599-602.
- Oboh, G., Batista, J.J. and Rochu, S. (2006) Polyphenol in red pepper [*Capsicum annum* var *aviculens* (Tepin)] and thus protective effect on some pro-oxidant induced lipid peroxidation in brain and liver, *Eur. Food Res. Tech.*, 225, 239-247.
- Okhawa, H., Ohishi, N. and Yagi, K. (1979) Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction, *Anal. Biochem.*, 95, 351-358.
- Onderwater, R.C., Commandeur, J.N. and Vermeulen, N.P. (2004) Comparative cytotoxicity of N-substituted N'-(4-imidazole-ethyl) thiourea in precision-cut liver slices, *Toxicol.*, 197, 81-91.
- Orrell, R.W., Lane, R.J. and Ross, M. (2008) A systematic review of antioxidant treatment for amyotrophic lateral sclerosis/ motor neuron disease, *Amyotroph. Lateral. sclera.*, 14, 1-16.
- Ozgen, U., Mavi, A., Terzi, Z., Yildirim, A., Coskum, M. and Houghton, P.J. (2006) Antioxidant properties of some medicinal Lamiaceae (Labiatae) species, *Pharmaceutical Biol.*, 44, 107-112.
- Pakhale, S.S., Karibasappa, G.S. and Ramachandrani, A.G. (2007) Scavenging effect of Indian grape poly phenols on 2, 2-diphenyl-1-picryl hydrazyl (DPPH) radical by electron spin resonance spectrometry, *Ind. J. Exp. Biol.*, 45, 968-973.
- Pandey, M.M., Govindarajan, R., Rawat, A.K.S. and Pushpangadan, P. (2005) Free radical scavenging potential of *Saussurea costus*, *Acta pharm.*, 55, 297-304.
- Pandit, S., Sur, T.K., Jana, U., Debnath, P.K., Sen, S. and Bhattacharya, D. (2004) Prevention of carbontetra chloride-induced hepatotoxicity in rats by *Adhatoda vasica* leaves, *Ind. J. Pharmacol.*, 36, 312-313.
- Panovska, T.K., Kulevanova, S. and Stelova, H. (2005) *In vitro* antioxidant activity of some *Teucrium* species, 55, 207-214.
- Pardo-Andreu, G.L., Delgado, R., Nunez-Selles, A.J. and Vercesi, A.E. (2006) *Magnifera indica* L. extract (vimang) inhibits 2-deoxyribose damage induced by Fe(III) plus ascorbate, *Phyther. Res.*, 20, 120-124.
- Parekkadan, B., Poll, D., Megeed, Z., Kobayashi, N., Tilles, Berthiaume, F. and Yarmush, M.L. (2007) Immunomodulation of activated hepatic stellate cells by mesenchymal stem cells, *Biochem. Biophys. Res. Comm.*, 363, 247-252.
- Park, E.K., Kwon, K.B., Park, K.I., Park, B.H. and Ghee, E.C. (2002) Role of Ca²⁺ in diallyl disulfide induced apoptotic cell death of HcJ-15 cells, *Exp. Mol. Med.*, 34, 250-257.
- Park, H.R., Park, E., Rim, A.R., Kyung, I.M.J., Hwang, J.H. and Lee, S.C. (2006) Antioxidant activity of extracts from *Acanthopanax senticosus*, *Afr. J. Biotechnol.*, 5, 2388-2396.
- Patel, S.P. and Katyare, S.S. (2006) A comparative study of Reactive Oxygen Species (ROS) related parameters in Rat tissues, *Ind. J. Clin. Biochem.*, 21, 48-53.
- Patil, H.E., Mahatma, M.K., Pate, N.J., Bhatnagar, R. and Jadeja, G.C. (2005) Differential response of pearl millet hybrids to water stress in relation to antioxidant enzymes and proline, *Ind. J. plant Physiol.*, 10, 344-348.
- Pavana, P., Sethupathy, S. and Manoharan, S. (2007) Anti hyperglycemic and anti lipid peroxidative effects of *Tephrosia Purpurea* seed extracts in streptozotocin induced diabetes Rats, *Ind. J. Clin. Biochem.*, 22, 77-83.

- Pavia, P.B and Corcepcion, M.R. (2006) Carotenoid Biotechnology in plants for nutritionally improved foods, *Physiologia Plantarum*, 126, 369-381
- Peng, B., Chang, Q., Wang, L., Hu, Q., Wang, Y., Tang, J. and Liu, X. (2008) Suppression of human ovarian SKOV-3 cancer cell growth by *Duchesnea* phenolic fraction is associated with cell cycle arrest and apoptosis, *Gynecol Oncol.*, 108, 173-81.
- Petruczynika, A. and Waksmundzka-Hajnos, M. (2006) Effect of Chromatographic Conditions on the Separation of Selected Alkaloids on Phenyl Stationary Phase by an HPLC Method, *J. Liquid Chromatography and Related Technologies*, 29, 2807-2822.
- Piao, X., Piao, X.L., Kim, H.Y. and Cho, E.J. (2008) Antioxidative activity of *Geranium* (Pelargonium in quinans Ait) and its active component, 1,2,3,4,6-penta-O-gallolyl-beta-D-glucose, *Neuropathy*.
- Pietarinen, S.P., Willfor, S.M., Ahotupa, M.O., Hemming, J.E. and Holmbom, B.R. (2006) Knot wood and bark extracts : Strong antioxidants from waste materials, *J. Wood Sci.*, 52, 436-444.
- Popovic, M., Kaurinovic, B., Trivic, S., Mimica-Duki, N. and Bursac, M. (2006) Effect of celery (*Apium graveolens*) extracts on some biochemical parameters of oxidative stress in mice treated with carbon tetrachloride, *Phytoether Res.*, 20, 531-537.
- Pourcel, L., Routaboul, J.M., Cheynier, V. (2007) Flavonoid oxidation in plants: from biochemical properties to physiological functions, *Trends in Plant Sci.*, 12, 29-36.
- Prabhu, N., Shylaja, R., Chinnaswamy, P., Manju, R. and Pushpa, J. (2008) Antibacterial activities of flavonoids obtained from the root extract of *Trianhnama decandra Linn.* The antiseptic, 105, 148-149.
- Prakash, D., Suri, S., Upadhyas, G. and Singh, B.N. (2007) Total phenol, antioxidant and free radical scavenging activities of some medicinal plants, *Int. J. Food Sci. and Nutri.*, 58, 18-28.
- Prasannachandra, D'Souza, V. and D'Souza, B (2006) Comparative study on LPO and antioxidant vitamins E and C in *Falciparum* and *Vivax malaria*, *Ind. J. Clin. Biochem.*, 21, 103-106.
- Preethi, K.C., Kuttan, G. and Kuttan, R. (2006) Antioxidant potential of an extract of *Calendula officinalis* flower *in vitro* and *in vivo*, *Pharma.Biol.*, 44, 691-697.
- Pretsch, W. (2002) GR activity deficiency in homozygous Grla 1 Neu mice does not cause haemolytic anaemia, *Genet. Res.*, 73, 1-5.
- Puncturee, K., Wild, C.P., Kasinerk, W. and Vinitkettumnuen, U. (2005) Immuno modulatory activities of *Centella asiatica* and *Rhinacanthus nasutus*, *Asian Pac. J. Cancer Prev.*, 6, 396-400.
- Purevdorj-Gage, B., Sheehan, K.B. and Hyman, L.E. (2006) Effects of low-shear modeled microgravity on cell function, gene expression, and phenotype in *Saccharomyces cerevisiae*, *Appl. Environ. Microbiol.*, 72, 4569-75.
- Qian, Z.J., Jung, W.K., Byun, H.G. and Kim, S.K. (2008) Protective effect of an antioxidative peptide purified from gastrointestinal digests of oyster, *Crassostrea gigas* against free radical induced DNA damage. *Bioresource Technology*, 99, 3365-3371.
- Rabi, T. and Gupta, S. (2008) Dietary terpenoids and prostate cancer chemoprevention, *Front Bio. Sci.*, 13, 3457-69.
- Rai, R.R. and Phadke, M.S. (2006) Plasma oxidant-antioxidant status in different respiratory disorders, *Ind. J. Clin. Biochem.*, 21, 161-164.
- Rajasekaran, S., Sivagnanam, K. and Subramanian, S. (2006) Antioxidant effects of *Aloe vera* gel extract in streptozotocin- induced diabetes in rats, *Clin. Exp. Pharmacol. Physiol.*, 33, 232-237.

- Rajeshwar, Y., Senthilkumar, G.P., Gupta, M. and Mazumder, H. (2005) Studies on *in vitro* antioxidant activities of methanolic extract of *Mucuna puriens* seeds., *European Bull. Drug Res.*, 13, 31-39.
- Raj Kapoor, B., Jayakar, B., Muruges, N. and Sakthisekaran, D. (2005) Chemoprevention and cytotoxic effect of *Bauhinia variegata* against N-nitrosodiethylamine induced liver tumors and human cancer cell lines, *J. Ethnopharmacol.*, 26, 51-58.
- Ramakrishna, V. and Jaiikhani, R. (2007) Evaluation of oxidative stress in Insulin Dependent Diabetes Mellitus (IDDM) patients, *Diagnostic Pathology*, 2, 1-6.
- Ramalho, R.M., Borralho, P.M., Castro, R.E., Sola, S., Steer, C.J. and Rodrigues, C.M.P. (2006) Tauroursodeoxycholic acid modulates p53-mediated apoptosis in Alzheimer's disease mutant neuroblastoma cells, *J. Neurochem.*, 98, 1610-1618.
- Ramasarma, T. (1990) Hydrogen peroxide has a role in cellular regulation, *Ind. J. Biochem. Biophys.*, 27, 269-274.
- Ramprasath, V.R., Kumar, B.S., Shanthi, P. and Sachdanandam, P. (2006) Therapeutic efficacy of kalpaamruthaa on lipid peroxidation of antioxidant status in experimental mammary carcinoma in Rats, *J. Health Sci.*, 52, 748-757.
- Rao, A.V. and Agarwal, S. (1999) Role of Lycopene as Antioxidant Carotenoid in the Prevention of Chronic Diseases: A Review. *Nutrition Research*, 19, 305-323.
- Rao, A.V. and Ali, A. (2007) Biologically Active Phytochemicals In Human Health: Lycopene, *Int. J. Food Properties*, 10, 279-288.
- Rao, A.V., Mira, M.R. and Rao, L.G. (2006) Lycopene, *Advances in Food and Nutr. Res.*, 51, 99-164.
- Rao, J.R., Kumar, U.S., Reddy, S.V., Tiwari, A.K. and Rao, M. (2005) Antioxidants and a new germacrene sesquiterpene from *Carissa spinarum*, *Nat. Pdt. Res.*, 19, 763-769.
- Rashmi, R., Kumar, S.T.R and Karunagaran, D. (2003) Human colon cancer cells differ in their sensitivity to curcumin-induced apoptosis and heat shock protects them by inhibiting the release of apoptosis-inducing factor and caspases, *FEBS Lett.*, 538, 19-24.
- Ratnasooriya, W.D., Jayakody, J.R., Premakumara, G.A. and Ediriweera, E.R. (2005) Antioxidant activity of water extract of *Scoparia dulcis*, *Fitoterapia*, 76, 220-222.
- Ray, S., Sengupta, A. and Ray, A. (2007) Effects of paraquat on antioxidant system in Rats, *Ind. J. Exp. Biol.*, 45, 432-438.
- Ray, S.D., Patel, N., Shah, N., Nasori, A., Nagvi, A. and Stohs, S.J. (2006) Pre-exposure to a novel nutritional mixture containing a series of phytochemicals prevents acetaminophel induced programmed and unprogrammed cell deaths by enhancing BCL-XL expression and minimizing oxidative stress in the liver, *Mol. Cell. Biochem.*, 293, 119-136.
- Reddy, K.P., Subhani, S.M., Khan, P.A. and Kumar, K.B. (1995) Effect of light and benzyl adenine on dark treated growing rice (*Oryza sativa*) leaves – changes in peroxidase activity, *Plant Cell Physiol.*, 26, 987-994.
- Reddy, P.H. (2006) Mitochondrial Oxidative Damage in Aging and Alzheimer's disease: Implications for Mitochondrial Targeted Antioxidant Therapeutics, *J. Biomed. Biotechnol.*, 31372, 1-13.
- Rehakova, Z., Koleckar, V., Cervenka, F., Jahodar, L., Saso, L., Opletal, L., Jun, D. and Kuca, K. (2007) DPPH radical scavenging activity of several naturally occurring coumarins and their synthesized analogues measured by SIA metho, *Toxicol. Mech. Method.*, In press.

- Ren, J., Li, Q., Wu, S., Li, S. and Babcock, S.A. (2004) Cardiac over expression of antioxidant catalase attenuates aging-induced cardiomyocyte relaxation dysfunction, *Mech. Ageing Dev.*, 128, 276-285.
- Rethy, B., Zupko, I., Minorics, R., Hohmann, J., Ocsovszki, I. and Falkay, G. (2007) Investigation of cytotoxic activity on human cancer cell lines of arborinine and furanoacridones isolated from *Ruto graveolens*, *Planta Med.*, 73, 41-48.
- Rho, Y.H., Lee, B.W., Park, K.H. and Bae, Y.S. (2007) Cudraflavanone A purified from *Cudrania tricuspidata* induces apoptotic cell death of human leukemia U937 cells, at least in part, through the inhibition of DNA topoisomerase I and protein kinase C activity, *Anticancer Drugs.*, 18, 1023-8.
- Ribeiro, G.F., Core-Real, M. and Johansson, B. (2006) Characterization of DNA damage in yeast apoptosis induced by H₂O₂, Acetic acid and Hyperosmotic shock, *Mol. Biol. Cell*, 17, 4584-4591.
- Riccardi, C. and Nicoletti, I. (2006) Analysis of apoptosis by propidium iodide staining and flow cytometry, *Nat. Protoc.*, 1, 1458-61.
- Rocha, D.D., Militao, G.C.G., Veras, M.L., Pessoa, Q.D.L., Silveria, E.R., Alves, A.P.N.N., Moraes, M.O.D., Pessoa, C. and Costa-Latufo, L.V. (2006) Selective cytotoxicity of withaphysalins in myeloid leukemia cell lines versus peripheral blood mononuclear cells, *Life Sci.*, 79, 1692-1701.
- Roe, J.H. and Keuther, C.A. (1943) The determination of ascorbic acid in whole blood and urine through 2,4-dinitro phenyl hydrazine derivative dehydro ascorbic acid, *J. Biol. Chem.*, 147, 399-407.
- Roome, T., Dar, A., Ali, S., Naqvi, S. and Choudhary, M.I. (2008), A study on antioxidant, free radical scavenging, anti-inflammatory and hepatoprotective actions of *Aegiceras corniculatum* (stem) extracts, *J. Ethnopharmacol.*, (Epub ahead of print).
- Rosenberg, H.R. (1992), *Chemistry and Physiology of the vitamins*, Interscience Publisher, New York, 452-453.
- Roy, M.K., Nakahara, K., Na, T.V., Trakoontivakorn, G., Takenaka, M., Isobe, S. and Tsushida, T. (2007) Baicalein, a flavonoid extracted from a methanolic extract of *Oroxylum indicum* inhibits proliferation of a cancer cell line *in vitro* via induction of apoptosis, *Pharmazie.*, 62, 149-153.
- Ruch, R.J., Cheng, S. and Klaunig, J.E. (1989) Prevention of cytotoxicity and inhibition of intercellular communication by antioxidant catechins isolated from Chinese green tea, *Carcinogenesis*, 10, 1003-1008.
- Rucinska, A., Kirko, S. and Gabryelak, T. (2007) Effect of the phytoestrogen, genistain 8-C glycoside, on Chinese hamster ovary cell *in vitro*, *Cell Bio. Int.*, 31, 1371-1378.
- Russo, A., Izzo, A.A., Cardile, V., Borrelli, F. and Vanella, A. (2001) Indian medicinal plants as antiradicals and DNA cleavage protectors, *Phytomed.*, 8, 125-132.
- Sah, N.K., Singh, S.N.P., Sahdev, S., Banerjee, S., Sha, V., Khan, Z. and Hasnain, S.E. (2005) Indian herb 'Sanjeevani' (*Selaginella bryopteris*) can promote growth and protect against heat shock and apoptotic activities of ultraviolet and oxidative stress, *J. Biosci.*, 30, 499-505.
- Saito, Y., Nishio, K., Ogawa, Y., Kimata, J., Kinum, T., Yoshida, Y., Noguchi, N. and Niki, E. (2006) Turning point in apoptosis / necrosis induced by hydrogen peroxide, *Free Rad. Res.*, 40, 619-630.
- Salah, K.B.H., Mahjoub, M.A., Chaumonts, J.P., Michel, L., Millet-Clerc, J., Chraeif, I., Ammar, S., Mighri, Z. and Aouni, M. (2006) Chemical composition and *in vitro* antifungal and

antioxidant activity of the essential oil and methanolic extract of *Teucrium sauvagei.*, Nat Pdt. Res., 20, 1089-1097.

Sanmugapriya, E. and Venkataraman, S. (2006) Studies on hepatoprotective and antioxidant actions of *Strychnos potatorum* Linn. Seeds on CCl₄ induced acute hepatic injury in experimental rats, J. Ethnopharmacol., 105, 154-160.

Saraswathy, U. (2006) Antioxidant response evoked by *Piper betel* and its effect on oxidant induced molecular events in simulated *in vitrosystems*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.

Sarkardei, S. and Howell, N.K. (2007) Effect of natural antioxidants on stored freeze dried food product formulated using horse mackerel (*Trichurus trichurus*), Int. J. Food Sci. Tech., 1-7.

Sarker, K.P., Obara, S., Nakata, M., Kitajima, I. and Maruyama, I. (2000) Anandamide induces apoptosis of PC-12 cells: involvement of superoxide and caspase-3, FEBS Lett., 472, 39-44.

Sathya, L. (2006) Effects of *Artemisia vulgaris* leaves on the molecular events related to apoptosis in *saccharomyces cerevisiae* cells subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Master of Philosophy in Biotechnology.

Sato, E., Kohno, M., Hamano, H. and Niwano, Y. (2006) Increased antioxidative potency of garlic by spontaneous short-term fermentation, Plant Foods Hum. Nutr., 61, 157-160.

Schreiner, M. and Huyskens-keil, S. (2008) Phytochemicals in Fruit and Vegetables: Health Promotion, Plant Sciences, 25, 267-278.

Sebastian, K.S. and Thampan, R.V. (2007) Differential effects of Soybean and fenugreek extracts on the growth of MCF-7 cells, Chem. Biol. Interact., 1317-1319.

Seifen, W. F., Bosma, A., Brouwer, A., Hendriks, H. F., Van Leeuwen, R. E., Van Thiel-de Ruyter, G. C., Seifert-Bock, I. and Knook, D. L. (1995) Beta-carotene (pro vitamin A) decreases the severity of CCl₄-induced hepatic inflammation and fibrosis in rats, liver, 15, 1-8.

Selvendiran, K., Singh, J.P., Krishnan, K.B. and Sakthisekaran, D. (2003) Cytoprotective effect of Piperine against benzo (a) pyrene induced lung cancer with reference to lipid peroxidation and antioxidant system in Swiss albino mice, Fitoterapia, 74, 109-115.

Selvi, S., Devi, V.P., Siya, S., Murugan, S. and Chinnaswamy, P. (2007) Comparison of non-enzymic antioxidant status of fresh and dried form of *Pleurotus Florida* and *Calocybe indica*, Pakistan J. of Nut., 6, 468-471.

Send, A., Chen, J.L., Jolad, S.D., Stoddart, C., Rozhon, E. and Kernan, M. (1996) Two new naphthoquinones with antiviral activity from *Rhinacanthus nasutus*, American Chemical Society and American Society of Pharmacognazy, 873-877.

Senkoylu, A., Yilmaz, A., Ergun, M.A., Ilhan, M.N., Simsek, A., Altun, N., Bolukbasi, S. and Menevse, S. (2008) Effect of *strontium ranelate* on hydrogen peroxide-induced apoptosis of CRL-11372 cells, Biochem Genet. 46, 197-205.

Seo, W., Pae, H., Oh, G., Chai, K., Yun, Y., Chung, H., Jang, K.K. and Kwon, T. (2001) Ethyl acetate extract of the stem bark of *Cudrania tricuspidata* induces apoptosis in human leukemia HL-60 cells, Am. J. Chin. Med., 29, 313-320.

- Sermeus, A., Cosse, J., Crespin, M., Mainfroid, V., de Longueville, F., Ninane, N., Raes, M., Remacle, J. and Michiels, C. (2008) Hypoxia induces protection against etoposide-induced apoptosis: molecular profiling of changes in gene expression and transcription factor activity, *Mol. Cancer*, 7, 7-27.
- Serteser, A., Kargioglu, M., Gok, V., Bagci, Y., Ozcan, M.M. and Arslan, D. (2008) Determination of antioxidant effects of some plant species wild growing in Turkey, *Int. J. Food Sci. Nutr.*, 12, 1-9.
- Shahjahan, M., Sabitha, K.E., Jainu, M. and Shyamala Devi, C.S. (2005) Effect of *Solanum trilobatum* against CCl₄ induced rat liver dysfunction, *Indian drugs*, 39, 333-337.
- Shao, H. B. and Chu, W. (2005) Plant molecular biology in China: opportunities and challenges, *Plant Mol. Biol. Rep.*, 23, 345-358.
- Shao, H., Chu, L., Lu, Z. and Kang, C. (2008) Primary antioxidant free radical scavenging and redox signaling pathway in higher plant cells, *Int. J. Biol. Sci.*, 4, 8-14.
- Sheeja, K., Shihab, P.K. and Kuttan, G. (2006) Antioxidant and anti-inflammatory activities of the plant *Andrographis paniculata* Neer, *Immunopharmacol. Immunotoxicol.*, 28, 129-140.
- Shetty, S., Udupa, S. and Udupa, L. (2007) Evaluation of antioxidant and wound healing effects of alcoholic and aqueous extract of *Ocimum sanctum* Linn in rats, *Advance Access Publication*, 5, 95-101.
- Shin, K., Lim, S., Lee, S., Lee, Y. and Cho, S. (2001) Antioxidant and immunostimulating activities of the fruiting bodies of *Paecilomyces japonica*, a new type of cordyceps species, *Annals of the New York Academy of Sciences*, 928, 261-273.
- Shirwaikar, A., Prabhu, K.S. and Punitha, I.S.R. (2006a) *In vitro* antioxidant studies of *Sphaeranthus indicus* (Linn), *Ind. J. Exp. Biol.*, 44, 993-996.
- Shirwaikar, A., Rajendran, K. and Kumar, C.D. (2004) *In vitro* antioxidant studies of *Annona squamosa* Linn. leaves, *Ind. J. Exp. Biol.*, 42, 803-807.
- Shirwaikar, A., Ram, A.H.N. and Mohapatra, P. (2006b) Antioxidant and antiulcer activity of aqueous extract of a polyherbal formulation, *Ind. J. Exp. Biol.*, 44, 474-480.
- Shivaprasad, H.N., Kharya, M.D. and Rana, A.C. (2008) Antioxidant and adaptogenic effect of a herbal preparation, *Triphala.*, *J. Nat. Rem.*, 8, 82-88.
- Shon, M., Kim, T. and Sung, N. (2006) Antioxidants and free radical scavenging activity of *Phellinus baumii* extracts, *Food Chem.*, 94, 19-25.
- Shrikumar and Ravi. (2007) *In vitro* antioxidant activity of various extracts of *Curculigo orchioides* Gaertn (Fam: Amaryllidaceae), *J. Nat. Rem.*, 13-16.
- Shrikumar, S., Sukumar, M. and Ravi, T.K. (2007) *In vitro* antioxidant activity of various extracts of *Curculigo Orchioides Gaertn* (fam: Amaryllidaceae), *J. Nat. Rem.*, 7, 252-257.
- Shrivatsava, P., Pantano, C., Watkin, R., McElhinnet, B., Guala, A., Poynter, M.L., Persinger, R.L., Budd, R and Janssen-Heininger, Y. (2004) Reactive Nitrogen species – Induced cell death requires fas-dependent activation of C-Jun N-terminal kinase, *Mole. Cell. Biol.*, 24, 6763-6772.
- Shyur, I., Tsung, J., Chen, J., Chiu, C. and Lo, C. (2005) Antioxidant properties of extracts from medicinal plants popularly used in Taiwan, *Int. J. Applied Sci. and Engg.*, 3, 195-202.
- Sies, H. (2007) Total Antioxidant Capacity: Appraisal of a Concept, *J. Nutr.*, 137, 1493-1495.
- Silva, A.F.A., de Andrado, J.P., Machads, K.R.B., Rocha, D.B., Apcl, M.A., Sobrel, M.E.G., Henriques, A.T. and Zuanazzi, J.A.S. (2008) Screening for cytotoxic activity of extracts and isolated alkaloids from bulks of *Hippeashum vittatum*, Article in press. .
- Simroff, N., Running, J.A. and Gatzek, S. (2004) In vitamin C: its function and biochemistry in animals and plants, *Bio. Scientific*, London, P.1.

- Singh, R., Singh, R.K., Tripathi, A.K., Cornelissan, G., Schwarzkopff, O., Otsuka, K., Halbarg, F. (2005) Chronomics of circulating plasma lipid peroxides and antioxidant enzymes and other related molecules in cirrhosis of liver: In the memory of later Shri Chetan Singh, Biomed. Pharmacother., 59, 229-235.
- Sinha, S., Dixit, P., Bhargava, S., Devasagayam, T.P.A. and Ghaskadbi, S.(2006) Bark and fruit extracts of *Gmelina arborea* protect liver cells from oxidative stress, Pharma. Biol., 44, 237-243.
- Sini, H. and Devi, K.S. (2004) Antioxidant activities of the chloroform extract of *Solanum trilobatum*, Pharmaceut. Biol., 42, 462-466.
- Siripong, P., Kanokmedakul, K., Piyaviriyagul, S., Yahuafai, J., Ruchirawat, S., Ruchirawat, S. and Oku, N. (2006) Antiproliferative naphthoquinone esters from *Rhinacanthus nasutus* Kurz. roots on various cancer cells, J. Trad. Med., 23, 166-172.
- Sivakami, S., Pallavi, V.L. and Rahuram, N. (2003) Oxidative stress and gene expression of antioxidant enzymes in the renal cortex of streptozotocin-induced diabetes rats, Mol. Cell. Biochem., 243, 147-152.
- Sivalokanathan, S., Balasubramanian, M.P. and Vijayababu, M.R. (2006) Effects of *Terminalia arjuna* bark extract on apoptosis of human hepatoma cell line HepG2, World J. Gastroenterol., 12, 1018-1024.
- Skehan, P., Storeng, R., Scudiero, D., Monks, A., McMahon, J., Vistica, D Warren, J.T., Bokesch, H., Kenney, S. and Boyd, M.R. (1990) New colorimetric cytotoxicity assay for anticancer drug screening, J. Natl. Cancer Inst., 82,1107-1112.
- Skulachev, V.P. (2006) Bioenergetic aspects of apoptosis, necrosis and Mitoptosis, Apoptosis, 11, 473-485.
- Smirnoff, N. (2005) Mitochondrial and peroxisomal manganese superoxide dismutase: differential expression during leaf development, J. Exp. Bot., 54, 923-933.
- Sohini and Rana, S.V.S. (2007) Protective effects of ascorbic acid against oxidative stress induced by inorganic arsenic in liver and kidney of rats, Ind. J. Exp. Biol., 45, 371-375.
- Somasundar, P., Riggs, D.R., Jackson, B.J., Cunningham, C., Vona-Davis, L. and McFadden, D. (2005) Inositol Hexaphosphate (IP6): A Novel Treatment for Pancreatic Cancer, J. Surgical Res., 126, 199-203.
- Song, X. and Zhang, W. (2006) Growth inhibition effecton parthenolide on hepatocellular carcinoma cell line BEL-7402, Chem. Res., 22, 173-176.
- Soni, K., Kumar, S.P. and Saraf, M.N. (2006) Antioxidant activity of fraction of *Tephrosia purpurea*. Linn, Indian Journal of Pharmaceutical sciences, 68, 456-460.
- Souli, E., Machluf, M., Morgensten, A., Saho, E. and Yannai, S. (2008) Indole-3-carbinol (I3C) exhibits inhibitory and preventive effects on prostrate tumors in mice, Food and Chem. Toxicol., 46, 863-870.
- Sreeja, V.S. (2006) Effects of *Alternanthera sessilis* and *Bacopa monnieri* leaves on the molecular events related to apoptosis in cells subjected to oxidative stress, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Master of Science in Biotechnology.
- Sreejith, P., Beyo, R.S., Divya, L., Vijayasree, A.S., Manju, M. and Oommen, O.V. (2007) Triiodothyronine and melatonin influence antioxidant defense mechanism in a teleost *Anabas testudineus* (Bloch): *in vitro* study, Ind. J. Biochem. Biophys., 44, 164-168.
- Srekanth, D., Arunasree, M.K., Roy, K.R., Reddy, C.T., Reddy, G.V. and Reddanna, P. (2007) Betanin a betacyanin pigment purified from fruits of *Opuntia ficus-indica* induces apoptosis in human chronic myeloid leukemia Cell line-K562, Phytomed., 14, 739-746.

- Sreelatha, S. (2006) protective effects of *Moringa oleifera* leaves against biological oxidative damage *in vitro* and *in vivo*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Srinivasan, R., Chandrasekar, M.J.N., Narayan, M.J. and Suresh, B. (2007) Free radical scavenging activity of *Ipomoea obscura* (L.) Ker-Gawl, Ind. J. Nat. Remed., 7/2, 184-188.
- Sriram, N., Kalayarasan, S. and Sudhandiran, G. (2008) Enhancement of antioxidant defense system by epigallocatechin-3-gallate during bleomycin induced experimental pulmonary fibrosis, J. Biol. Pharm. Bull., 31, 1306-1311.
- Srivastava, A. and Shivanandappa, T. (2006) Hepatoprotective effect of the aqueous extract of the roots of *Decalepis Hamiltonii* against ethanol-induced oxidative stress in mice, Hepatol. Res., 35, 267-275.
- Sroka, Z., Fecka, I. and Cisowski, W. (2005) Antiradical and anti-H₂O₂ properties of polyphenolic compounds from an aqueous peppermint extract, Z. Naturforsch., 60, 826-832.
- Subhashini, J., Mahipal, S.V.K. and Reddanna, P. (2005) Anti-proliferative and apoptotic effects of celecoxib on human myeloid leukemia *in vitro*, Cancer Lett., 224, 31-43.
- Subramanian, M., Chintalwar, G.J. and Chattopadhyay, S. (2005) Antioxidant and radio protective properties of an *Ocimum sanctum* polysaccharide, Redox. Rep., 10, 257-264.
- Sudhakar, N., Prasad, D., Mohan, N. and Murugesan, K. (2006) *In vitro* propagation of *Rhinacanthus nasutus*: A medicinal herb plant cell, Biotechnol. Mol. Biol., 7, 159-162.
- Suggitt, M. and Bibby, M.C. (2005) 50 years of preclinical anticancer drug screening: empirical to target driven approaches, Clin. Cancer Res., 11, 971-981.
- Suja, S.R., Lath, P.G., Pushpangadan, P. and Rajasekharan, S. (2003) Evaluation of hepatoprotective effects of *Rhinacanthus nasutus* root extracts, Ethnomedicine and Ethnopharmacology Division, Tropical Botanic Garden and Research document, 4, 151-157.
- Sumathi, S. (2007) Antioxidative responses evoked by *Withania somnifera* against oxidative stress-induced molecular events *in vitro* and *in vivo*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Sumathi, S. and Padma, P.R. (2008) Antioxidant status of different parts of *Withania somnifera*, Plant Archives, 8, 69-71.
- Summa, C., Raporo, F.C., Mecourt, J., Scalzo, R.L., Wagner, K.H., Elmadja, I. and Anklam, E. (2006) Effect of roasting on the radical scavenging activity of cocoa beans, Eur.Food Res.Technol., 22, 368-375.
- Sun, B., Qu, W.J., Zhang, X.L., Yang, H.J., Zhuang, X.Y. and Zhang, P. (2004) Investigation on inhibitory and apoptosis-inducing effects of saponins from *Tribulus terrestris* on hepatoma cell line BEL-7402, Zhongguo Zhong Yao Za Zhi, 29, 681-684.
- Sundararajan, R., Haja, N.A., Venkatesan, K., Mukherjee, K., Saha, B.P., Bandopadhyay, A. and Mukherjee, P.K. (2006) *Cytisus scoparius* link – A natural antioxidant, BMC Complementary and Alternative Medicine, 6, 25-35.
- Sung, S.H., Lee, E.J., Cho, J.H., Kim, H.S. and Kim, Y.C. (2000) Sauchinone, a lignan from *Saururus chinensis*, attenuates CCl₄ – induced toxicity in primary cultures of rat hepatotoxicity, Biol. Pharm. Bull., 23, 666-668.
- Surch, Y.J. and KyungNa, H.N. (2007) NF-kB and Nrf2 as prime molecular targets for chemoprevention and cytoprotection with anti-inflammatory and antioxidant phytochemicals, Genes Nutr., 62-65.

- Takebayashi, J., Tai, S., Gohda, E. and Yamamoto, I. (2006) Characterisation of the radical scavenging reaction of 2-O substituted ascorbic acid derivatives, AA-2G, AA-2P and AA-2S : A kinetic and stoichiometric study, *Biol. Pharma. Bull.*, 29, 766.
- Tandon, V. and Gupta, B.M. (2005) Free Radicals / Reactive Oxygen Species, *Commentary*, 12, 143-148.
- Tarhan, L., Kayali, H.A. and Urek, R.O. (2007) *In vitro* antioxidant properties of *Cucurbita Pepo* L. Male and Female Flowers Extracts, *Springer Science Business Media Inc.*, 62, 49-51.
- Tariq, S.A. (2007) Role of ascorbic Acid in scavenging free radicals and lead toxicity from biosystems, *Mol. Biotechnol.*, 37, 62-65.
- Tatiya, A.V., Saliya, A.K. and Surana, S.J. (2008) Evaluation of antioxidant and anti inflammatory activity of stem bark of *Brickellia airy* – shawii in rats, *J. Nat. Rem.*, 8, 18-23.
- Thippeswamy, G. and Salimath, B.P (2006) *Curcuma aromatica* extract induces apoptosis and inhibits angiogenesis in Ehrlich ascites Tumor cells *in vivo*, *My Sci.*, 1, 79-92.
- Thirupathi, K., Satheshkumar, S., Raju, V.S., Ravikumar, R., Krishna, D.R. and Mohan, K.G. (2008) A review of medicinal plants of the genus *Cordia*: their chemistry and pharmacological uses, *J. Nat. Rem.*, 8, 1-10.
- Tilak, J. C. and Devasagayam, T.P.A. and Adhikari, S. (2003) Radioprotective and antioxidative properties of Indian medicinal plant, *Terminalia arjuna*, *BARC Newsletter*, 249, 167-175.
- Tredger, J. M. and Shermann, R. A. (1997) The liver: new functional, prognostic and diagnostic tests, *Ann. Clin. Biochem*, 34, 121-141.
- Tripathi, R. and Kamat, J.P. (2007) Free radical induced damages to rat liver sub cellular organelles: Inhibition by *Andrographis paniculata* extract, *Ind. J. Exp. Biol.*, 45, 959-967.
- Tse, W.P., Cheng, C.H., Che, C.T., Zhao, M. and Lin, Z.X. (2007) Induction of apoptosis underlies the *Radix rubiae*-mediated anti-proliferative action on human epidermal keratinocytes: implications for psoriasis treatment. *Int. J. Mol. Med.*, 20, 663-72.
- Ugochukwu, N.H. and Babadu, N.E. (2002) Antioxidant effects of *Gongronema latifolium* in hepatocytes of rat models of non-insulin dependent diabetes mellitus, *Fitoterapia*, 73, 612-618.
- Um, S.J., Lee, S.Y., Kim, E.J., Han, H.S., Koh, Y.M., Hong, K.J., Sin, H.S. and Park, J.S. (2001) Antiproliferative mechanism of retinoid derivatives in ovarian cancer cells, *Cancer Lett.*, 174, 127-134.
- Usoh, I.F., Akpan, E.J., Etim, E.O. and Farombi, E.O. (2005) Antioxidant actions of dried flower extracts of *Hibiscus sabdariffa* L. on sodium arsenite-induced oxidative stress in rat, *Pakistan J. Nutr.*, 4, 135-141.
- Vaisi-Raygani, A., Rahini, Z., Zahraie, M., Noroozian, M. and Pourmotabled, A. (2007) Enzymatic and non-enzymatic antioxidant defense in Alzheimer's disease, *Acta Medica Iranica*, 45, 271-274.
- Valko, M., Izakovic, M., Mazur, M., Rhodes, C.J. and Tesler, J. (2004) Role of oxygen radicals in DNA damage and cancer incidence, *Mol. Cell. Biochem.*, 266, 37-56.
- Varier, A.R. (2002) Effects of *Bacopa monnieri* and *Alternanthera sessilis* on oxidant-induced events *in vitro*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Master of Science in Biochemistry.
- Vasdev, S. and Vicki, R.T. (2005) Antioxidants in the treatment of hypertension. *Int. J. Angiology*, 14, 60-73.
- Vaughan, B. (2005) Hydrogen peroxide curse or cure? *Alternatives News letter*, 1, 551.

- Venukumar, M.R. and Latha, M.S. (2002) Antioxidant activity of *Curculigo orchoides* in carbon tetra chloride induced hepatopathy in Rats, *Ind. J. Clin. Biochem.*, 17, 80-87.
- Vertuani, S., Angusti, A. and Manfredini, S. (2004) The antioxidants and pro-antioxidants network: An overview, *Curr. Pharm. Des.*, 10, 1677-94.
- Vickers, A.E.M., Saulnies, M., Cruz, E., Merema, M.T., Rose, K., Bentley, P. and Olinga, P. (2004) Organ slice viability extended for pathway characterization: An *in vitro* model to investigate fibrosis, *Toxicol. Sci.*, 82, 534-544.
- Vidya, M. (2007) Antioxidant effects evoked by *Triticum aestivum* leaves on oxidant induced damage *in vitro* and *in vivo*, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Doctor of Philosophy in Biochemistry.
- Vijaya, P.V., Christie, A.D.S. and Ramkumar, K.M. (2007) Induction of apoptosis by ginger in Hep2 cell line is mediated by reactive oxygen species, *basic Clin. Pharmacol. Toxicol.*, 100, 302-307.
- Vijayachandran, L. (2007) Influence of *Clitoria ternatea* leaves on the molecular events related to apoptosis in oxidatively stressed *Saccharomyces cerevisiae* cells, A thesis submitted to Avinashilingam University for Women, Coimbatore in partial fulfillment of the requirements for the degree of Master of Science in Biotechnology.
- Vitale, A.A., Acher, A. and Pomilio, A.B. (1995) Alkaloids of *Datura serox* from Argentina, *J. Ethnopharmacol.*, 49, 81-89.
- Volkovova, K., Barancokova, M. and Kazinirova, A. (2006) Antioxidant supplementation reduced inter-individual variation in markers of oxidative damage, *Free Radic. Res.*, 39, 659-666.
- Vona-Davis, L., Frankenberry, K., Cunningham, C., Riggs, D.R., Jackson, B.J., Szwerc, M.F. and McFadden, D.W. (2005) MAPK and PI3K inhibition reduces proliferation of Barrett's adenocarcinoma *in vitro*, *J. Surgical Res.*, 127, 53-58.
- Vrba, J., Dolezel, P., Vicar, J., Modriansky, M. and Ulrichova, J. (2008) Chelerythrine and dihydrochelerythrine induce G1 phase arrest and biomotal cell death in human leukemia HL-60 cells, *Tox. in vitro*, 22, 1008-1017.
- Wada, S., Wi, Z.G., Kondo, T., Zhao, Q.L., Ogawa, R., Shogi, M., Arai, T., Nakino, K. and Furuta, I. (2005) A hydrogen peroxide-generating agent, 6-formylpterin, enhances heat induced apoptosis, *Int. Hyperthermia*, 21, 231-246.
- Walrand, S., Farges, M.C., Dehaese, O., Cardinault, N., Grinard, R.M., Grolier, P., Bouteloup-Demange, C., Ribalta, J., Winklhofer-Roob, B.M., Rock, E. and Vasson, M.P. (2005), *In vivo and in vitro* evidences that carotenoids could modulate the neutrophil respiratory burst during dietary manipulation, *Euro. J. Nutr.*, 44, 114-126.
- Wang, L., Yen, J.H., Liang, H.L. and Wu, M.J. (2003) Antioxidant effect of methanol extracts from lotus plumule and blossom (*Nelumbo nucifera* Gertn), *J. Food Drug Anal.*, 11, 60-66.
- Wang, S.Y., Wu, J.H., Cheng, S.S., Lo, C.P., Chang, H.L., Shyyur, L.F. and Chang, S.T. (2004) Antioxidant activity of extract from *Colocedrus formosana* leaf, bark and heartwood, *J. Wood Sci.*, 50, 422-426.
- Wang, T., Wei, J., Qian, X., Ding, Y., Yu, L. and Lid, B. (2008a) Gambogic acid, a potent inhibitor of survivin, reverses docetoxel resistance in gastric cancer cells, *Can Lett.*, 262, 214-222.
- Wang, J., Seethala, R.R., Zhang, Q., Gooding, W., van Waes, C., Hasegawa, H. and Ferris, R.L. (2008b) Autocrine and Paracrine chemokine receptor 7 activation in Head and Neck cancer: Implications for therapy, *J. Natl. Cancer Inst.*, 100, 502-512.

- Wang, Y.K. and Huang, Z.Q. (2005) Protective effects of icariin on human umbilical vein endothelial cell injury induced by H₂O₂ *in vitro*.
- Wangcharoen, W. and Morasuk, W. (2007) Antioxidant capacity and phenolic content of some Thai culinary plants, *Mj. Int. J. Sci. Tech.*, 1,100-106.
- Wardi, J., Reifen, R., Aeed, H., Zadel, L., Auni, Y. and Bruck, R. (2001) Beta-carotene attenuates experimentally induced liver cirrhosis in rats, *Isr. Med. Asso. J.*, 3, 151-154.
- Waris, G. and Ahsan, H. (2006) Reactive oxygen species : role in the development of cancer and various chronic conditions, *J. Carcinog.*, 5, 3163-3164
- Weant, A.E., Michalek, R.D., Khan, I.U., Holbrook, B.C., Willingham, M.C. and Grayson, J.M. (2008) Apoptosis regulators bim and fas function concurrently to control autoimmunity and CD8+ t-cell contraction, *Immunity*, 28, 218-230.
- Weisel, T., Baum, M., Eisenbrand, G., Dietrich, H., Will, F., Stockis, J.P., Kulling, S., Rufer, C., Johannes, C. and Janzowski, C. (2006) An anthocyanin polyphenolic-rich fruit juice reduces oxidative DNA damage and increases glutathione level in healthy prohands, *Biotechnol. J.*, 1, 388-397.
- Whitworth, A.J., Theodore, D.A., Greene, J.C., Benes, H., Wes, P.D. and Pallanck, L.J. (2005) Increased glutathione-S-transferase activity rescues dopaminergic neuron loss in a *Drosophila* model of Parkinson's disease, *PNAS*, 102, 8024-8029.
- Win, W., Cao,Z., Peng, X., Trush, M.A. and Li, Y. (2002) Different effects of genistein and resveratrol on oxidative DNA damage *in vitro*, *Mutat.Res.*, 513, 113-120.
- Winn, R.K. and Harlan, M. (2005) The role of endothelial cell apoptosis in inflammatory and immune diseases, *J. Thrombosis and Haemostasis*, 3, 1815-1824.
- Witham, F.H., Blaydes, B.F. and Derlin, R.M. (1971) Experiments in plant physiology, Van Nostrand, New York, 245.
- Wiyakrutta, S., Sriubolmas, N., Panphut, W., Thongon, N., Danwiset-Kanjana, K., Ruangrunsi, N. and Meevootisom, M.V. (2004) Endophytic fungi with anti-microbial, anticancer and anti-malarial activities isolated from Thaimedicinal plants, *World Journal of Microbiology and Biotechnology*, 20, 265-272.
- Wolfe, K., Wu, X. and Liu, R.H. (2003) Antioxidant activity of apple peels, *J. Agric. Food. Chem.*, 51, 609-14.
- Wood, J.P.M., Lascaratos, G., Bron, A.j., Osborne, N.N. (2008) The influence of visible light exposure on cultured RGC-5 cells, *Mol. Vision*, 14, 334-344.
- www.cyto.purdue.edu/flowcyt/research/apopto/data/chap9.htm.
- Xu, G., Qian, Z., Yu, S., Gong, Z. and Shen, X. (2006) Evidence of crocin against endothelial injury induced by hydrogen peroxide *in vitro*, *J. Asian Natu. Pat. Res.*, 8, 79-85.
- Yahuafai, J., Siripong, P., Shimizu, K., Ichikawa, K., Yonezawa, S., Asai, T., Kanokmedakul, K., Ruchirawat, S. and Oku, N. (2006), Induction of Apoptosis in tumor cells by three naphthoquinone esters isolated from Thai Medicinal Plant: *Rhinacanthus nasutus* Kurz, *Biol Pharm Bull.*, 29, 2070-2076.
- Yang, D., Zhang, Z.J., Oldenburg, M., Ayala, M. and Zhang, S.C. (2007) Human embryonic stem cell-driven dopaminergic neurons reverse functional deficit in arkinsonian rats, *Stem Cells*, Ahead of print.
- Yang, Y., Wang, J., Xu, C., Pan, H. and Zhang, Z. (2006) Meltol inhibits apoptosis of human neuro blastoma cells induced by hydrogen peroxide, *J. Biochem. Mol. Biol.*, 39, 145-149.

- Yashioka, Y., Kitao, T., Kishino, T., Yamamuro, A. and Maeda, S. (2006) Nitric oxide protects macrophages from hydrogen peroxide-induced apoptosis by inducing the formation of catalase, *J. Immunol.*, 176, 4675-4681.
- Ye, M., Liu, J.K., Lu, Z.X., Zhao, Y., Liu, S.F., Li, L.L., Tan, M., Weng, X.X., Li, W. and Cao, Y. (2005) Grifolin, a potential anti tumor natural product from the mushroom *Albatrellus confluens*, inhibits tumor cell growth by inducing apoptosis *in vitro*, *FEBS Lett.*, 579, 3437-3443.
- Yeon, H.Y., Chung, C.C. and Song, Y.S. (2005) Antioxidative and anti-inflammatory effects of *Saururus chinensis* methanol extract in RAW 264.7, Macrophages, *J. Med. Food*, 8, 190-197.
- Yerushalmi, R., J. Nordenberg, E. Beery, O. Uziel, M. Lahav, D. Luria, E. Fenig, J. (2007) Combined antiproliferative activity of imatinib mesylate (STI-571) with radiation or cisplatin *in vitro* *Exp. Oncol.*, 29, 126-131.
- Yin, D., Kondo, S. and Takeuchi, J. (1994) Induction of apoptosis in murine ACTH-secreting pituitary adenoma cells by bromocriptine, *FEBS Lett.*, 339, 73-75.
- Young, S.C., Wang, C.J., Lin, J.J., Peng, P.L., Hsu, J.L. and Chou, F.P. (2006) Protective effect of *Piper betle* leaf extracts against carbon tetrachloride-induced liver fibrosis in rats, *Arch. Toxicol.*, 81, 45-85.
- Yu, Y., Du, J. and Wang, C. (2008) Protection against hydrogen peroxide-induced injury by Z-ligustilide in PC12 cells, *Exp. Brain. Res.*, 184, 307-312.
- Zahir, N. and Weaver, V.M. (2004) Death in the third dimension: apoptosis regulation and tissue architecture, *Current opinion in Genetics and development*, 14, 71-80.
- Zakaria, H., Simpson, K., Brown, R.R. and Krotwarie, A. (1979) Use of reversed phase HPLC analysis for the determination of provitamin A, carotene in tomatoes, *J. Chromatography*, 176, 109-117.
- Zhang, K., Guo, Q.L., You, Q.D., Yang, Y., Zhang, H.W., Yang, L., Gu, H.Y., Qi, Q., Tan, Z., Wang, X. (2008) Wogonin induces the granulocytic differentiation of human NB4 promyelocytic leukemia cells and up-regulates phospholipid scramblase 1 gene expression. *Cancer Sci.*, 99, 689-95.
- Zhang, Y., Venugopal, S.K., He, S., Liu, P., Wu, J. and Zern, M.A. (2007) Ethanol induces apoptosis in hepatocytes by a pathway involving novel protein kinase C isoforms, *Ultrasound Med. Biol.*, 19, 2339-2350.
- Zhao, W., Entschladen, F., Liu, H., Niggemann, B., Fang, Q., Zaenker, K.S. and Han, R. (2003) Boswellic acid acetate induces differentiation and apoptosis in highly metastatic melanoma and fibrosarcoma cells, *Cancer Detect. Prev.*, 27, 67-75.
- Zhao, X.Y., Li, G.Y., Liu, Y., Chai, L.M., Chen, J.X., Zhang, Y., Du, Z.M., Lu, Y.J. and Yang, B.F. (2008) Resveratrol protects against arsenic trioxide-induced cardiotoxicity *in vitro* and *in vivo*, *Br. J. Pharmacol.*, Epub ahead of print.
- Zhen, G.H., Jiang, B., Bao, Y.M., Li, D.X. and An, L.J. (2006) The protective effects of flavonoids from *Cuscuta chinensis* in PC 12 cells from damage induced by H₂O₂, *Article in Chinese*, 29, 1051-5.
- Zheng, L., Zheng, J., Wu, L.J. and Zhao, Y.Y. (2006) Julibroside J8-induced HeLa cell apoptosis through caspase pathway, *J. Asian Nat. Prod. Res.*, 8, 457-465.
- Zhou, X.Q., Juan, C.N and Yong, S. (2005) The effect of Vitamin C on stress withstanding capability in the Juvenile soft-shelled turtle (*Pelodiscus Sinensis*), *Aqua culture*, 11, 169-174.