

BIBLIOGRAPHY

- Abdul R.A and Hopper W. (2010). Antibacterial activity of *Artemisia nilagirica* leaf extracts against clinical and phytopathogenic bacteria. *BMC Complementary and Alternative medicine*, Vol. 10(6), pp. 1-20.
- Adedayo B.C., Obboh G and Akindahunsi A.A. (2010). Changes in the total phenol content and antioxidant properties of pepperfruit (*Dennettia tripetala*), with ripening. *African J. Food Science*, Vol. 4(6), pp. 403-409.
- Adeshina G.O., Onaolapo J.A., Ehinmidu J.O and Odama L.E. (2010). Phytochemical and antimicrobial studies of the ethyl acetate extract of *Alchornea cordifolia* leaf found in Abuja, Nigeria. *J. Medicinal Plants Research*, Vol. 4(8), pp. 649-658.
- Adnan M., Hussain J., Mohammad T.S., Khan Z.S., Ullah F., Bahader A., Khan N., Khan A.L and Watanabe T. (2010). Proximate and nutrient composition of medicinal plants of humid and sub-humid regions in North-west Pakistan. *J. Medicinal Plants Research*, Vol. 4(4), pp. 339-345.
- Ahad H.A., Kumar C.S., Nanda P.S., bhanu U.T., Ravindra B.V and Mohan V.G. (2010). Traditional Indian Herbs Used for Diabetes. *J.Ind. T. P.S*, Vol. 1(2), pp. 69-78
- Ahsanul M.A., Rubina A., Dedarul K.A. and Shawkat M.A. (2009). *In vitro* Cytotoxic properties of ethanolic extracts of various parts of *Swietenia mahagoni*. *European J. Scientific Research*, Vol. 32(4), pp.541-544.
- Aiyegoro O.A and Okoh A.I. (2009). Use of bioactive plant products in combination with standard antibiotics: Implications in antimicrobial chemotherapy. *J. Medicinal Plants Research*, Vol. 3(31), pp.1147-1152.
- Akinpelu D.A., Aiyegoro O.A and Okoh A.I. (2009). The bioactive potentials of two medicinal plants commonly used as folklore remedies among some tribes in West Africa. *African J. Biotechnology*, Vol. 8(8), pp. 1660-1664.
- Al-Kassi G.A.M and Witwit N.M. (2010). A Comparative study on diet supplementation with a mixture of herbal plants and Dandelion as a source of Prebiotics on the performance of Broilers. *Pak. J. Nutrition*, Vol. 9(1), pp. 67-71.
- Almeselmani M., Deshmukh P.S and Sairam R.K. (2006). Protective role of antioxidant enzymes under high temperature stress. *Plant science*, Vol. 171, pp.382-388.
- Amoli J.S., Sadighara P., Barin A., Yazdani A and Satari S. (2009). Biological screening *Amaranthus retroflexus* L. (Amaranthaceae). *Revista Brasileira de Farmacognosia*, Vol.19(2), pp. 1-7.
- Amran A.A., Zakaria Z., Othman F., Das S., Raj S and Nordin N.M.M. (2010). Aqueous extract of *Piper sarmentosum* decreases atherosclerotic lesions in high cholesterolemic experimental rabbits. *Lipids in health and disease*, Vol. 9(44), pp.1-6.
- Andrabi S.M.H., Ansari M.S., Ullah N and Afzal M. (2008). Effect of nonenzymatic antioxidants in extender on post-thaw quality of buffalo (*Bubalus bubalis*) Bull spermatozoa. *Pak.Vet. J.*, Vol. 28(4), pp. 159-162.
- Andryskowski G and Owczarek T. (2007). The evaluation of selected oxidative stress parameters in patients with hyperthyroidism. *Polskie Actumum Medycyny Wewbetrzbej*, Vol. 117(7), pp.1-4.
- Ani V., Varadaraj M.C and Naidu K.A. (2006). Antioxidant and antibacterial activities of polyphenolic compounds from bitter cumin (*Cuminum nigrum* L.). *European Food Res. Technology*, Vol. 224, pp. 109-115.
- Anwar F., Jamil A., Iqbal S and Sheikh M.A. (2006). Antioxidant activity of various plant extracts under ambient and accelerated storage of sunflower oil. *Grasas Y Aceites*, Vol.57(2), pp.189-197.
- Aqil F and Ahmad I. (2003). Broad spectrum antibacterial and antifungal properties of certain traditionally used Indian medicinal plants. *World J. Microbiology and Biotechnology*, Vol. 19, pp. 653-657.
- Ara N and Nur H. (2009). *In vitro* Antioxidant activity of methanolic leaves and flowers extracts of *Lippia alba*. *Research J. Medicine and Medical Sciences*, Vol. 4(1), pp. 107-110.
- Aron D.I. (1949). *Plant Physiology*. pp.241.
- Arun K., Mali P.C and Manga V.K. (2010). Changes of some phenolic compounds and enzyme activities on infected pearl millet caused by *Sclerospora graminicola*. *International J. Plant Physiology and Biotechnology*, Vol. 2(1), pp. 6-10.
- Ashok K., Rajiv R., Sriparna B., Khanna H.D and Bhargava V. (2008). Antioxidant levels in cord blood of low birth weight newborns. *Indian Pediatrics*, Vol. 45, pp. 583-585.
- Ata A., Bosch S.A.V.D., Harwanik D.J and Pidwinski G.E. (2007). Glutathione S-transferase and acetylcholinesterase-inhibiting natural products from medicinally important plants. *Pure Appl. Chem.*, vol. 79(12), pp. 2269-2276.
- Atabek M.E., Keskin M., Yazici C., Dendirci M., Hatipoglu N., Koklu E and Kurtoglu S.(2006). Protein oxidation in obesity and insulin resistance. *European J. Pediatrics*, vol.165, pp.753-756.
- Aung W., Hasegawa S., Furukawa T and Saga T. (2007). Potential role of ferritin heavy chain in oxidative stress and apoptosis in human mesothelial and mesothelioma cells: implications for asbestos-induced oncogenesis. *Carcinogenesis*, Vol.28(9), pp.2047-2052.

- Awoyinka O.A., Balogun I.O and Ogunnowo A.A. (2007), Phytochemical screening and *in vivo* bioactivity of *Cnidioscolus aconitifolius* (Euphorbiaceae), *J. Medicinal Plants Research*, Vol. 1(3), pp. 63-65.
- Ayo R.G., Amupitan J.O and Zhao Y. (2007), Cytotoxicity and antimicrobial studies of 1,6,8-trihydroxy-3-methyl-antraquinone (emodin) isolated from the leaves of *Cassia nigricans* Vahl, *African J. Biotechnology*, Vol.6(11), pp.1276-1279.
- Ayoola G.A., Coker H.A.B., Adesegun S.A., Adepoju Bello A.A., Obaweya K., Ezennia E.C and Atangbayila T.O. (2008), Phytochemical screening and antioxidant activities of some selected medicinal plants used for malaria therapy in South Western Nigeria, *Tropical J. Pharmaceutical Research*, Vol. 7(3), pp. 1019-1024.
- Azuma K., Ohyama A., Ippoushi K., Ichiyanagi T., Takeuchi A., Saito T and Fukuoka H. (2008), Structures and Antioxidant activity of Anthocyanins in many accessions of eggplant and its related species, *J. Agricultural and Food chemistry*, Vol.56(21), pp.10154-10159.
- Babu A.V., Rao R.S.C., Kumar K.G., Babu B.H and Sathyanarayana P.V.V (2009), Biological activity of *Merremia emarginata* crude extracts in different solvents, *Research J. Medicinal Plants*, Vol. 3(4), pp.134-140.
- Baker M.A and Aitken R.J. (2005), Reactive oxygen species in spermatozoa: methods for monitoring and significance for the origins of genetic disease and infertility, *BMC Reproductive biology and Endocrinology*, Vol. 3(67), pp.1-9.
- Balakrishnan V., Prema P., Ravindran K.C and Robinson J.P. (2009), Ethnobotanical studies among villagers from Dharapuram Taluk, Tamil Nadu, India, *Gobal J. Pharmacology*, Vol. 3(1), pp.8-14.
- Basker R., Rajeswari V and Sathishkumar T. (2007), *In vitro* antioxidant studies in leaves of *Annona* species, *Indian J. Experimental Biology*, Vol. 45, pp. 480-485.
- Bastos M.L.A., Lima M.R.F., Conserva L.M., Andrade V.S., Rocha E.M.M and Lemos R.P.L. (2009), Studies on the antimicrobial activity and brine shrimp toxicity of *Zeyheria tuberculosa* (Vull.) Bur. (Bignoniaceae) extracts and their main constituents, *BMC Annals of clinical microbiology and antimicrobials*, Vol. 8(16), pp. 1-6.
- Beutler E. (1984), Red cell metabolism- A manual of biochemical methods, 3rd ed., Grune and Stratton oriando, Vol. 21, pp.11-20.
- Bharali R., Tabassum J., Azad M.R.H. (2003), Chemomodulatory effect of *Moringa Oleifera*, Lam. on Hepatic Carcinogen metabolizing enzymes, Antioxidant parameters and skin papillomagenesis in mice, *Asian Pacific J. of Cancer Prevention*, Vol. 4, pp. 131-139.
- Bhattari S., Chaudhary R.P., Quave C.L and Taylor R.S.L. (2010), The use of medicinal plants in the trans-himalayan arid zone of Mustang district, Nepal, *J. Ethnobiology and Ethnomedicine*, Vol. 6(14), pp.1-11.
- Bloch K., Shichman E., Vorobeychik M., Bloch D and Vardi P. (2007), Catalase expression in pancreatic alpha cells of diabetic and non-diabetic mice, *Histochem. Cell Biol.*, Vol. 127, pp. 227-232.
- Bocanegra-Garcia V., Camacho-Corona M.R., Ramirez-Cabrera M., Rivera G and Garza-Gonzalez E. (2009), The bioactivity of plant extracts against representative bacterial pathogens of the lower respiratory tract, *BMC Research notes*, Vol. 2(95), pp. 1-5.
- Bogdanovic J., Radotic K and Mitrovic A. (2008), Changes in activities of antioxidant enzymes during *Chenopodium murale* seed germination, *Biologia Pkatarum*, vol. 52(2), pp. 396-400.
- Bonacorsi C., Raddi M.S.G., Carlos I.Z., Sannomiya M and Vilegas W. (2009), Anti-Helicobacter pylori activity and immunostimulatory effect of extracts from *Byrsonima crassa* Nied. (Malpighiaceae), *BMC Complementary and Alternative Medicine*, Vol. 9(2), pp.1-7.
- Boukes G.J., Venter M.V and Oosthuizen V. (2008), Quantitative and qualitative analysis of sterols/sterolins and hypoxoside contents of three *Hypoxis* (African potato) spp., *African J. biotechnology*, Vol.7(11), pp. 1624-1629.
- Boussaada O., Chriaa J., Nabli R., Ammar S., Saidana D., Mahjoub M.A., Chraeif I and Helal A.N. (2008), Antimicrobial and antioxidant activities of methanol extracts of *Evax pygmaea* (Asteraceae) growing wild in Tunisia, *World J. Microbiol. Biotechnology*, Vol. 24, pp. 1289-1296.
- Brambilla D., Mancuso C., Scuderi M.R., Bosco P., Cantarella G., Lempereur L., Benedetto G.D., Pezzino S and Bernardini R. (2008), The role of antioxidant supplement in immune system, neoplastic, and neurodegenerative disorders: a point of view for an assessment of the risk/benefit profile, *BMC Nutrition J*, Vol. 7(29), pp. 1-9.
- Brijesh S., Poonam D., Pundarikakshudu T., Antia N and Birdi T. (2009), Studies on the antidiarrhoeal activity of *Aegle marmelos* unripe fruit: Validating its traditional usage, *BMC Complementary and Alternative Medicine*, Vol. 9(47), pp.1-12.
- Britto J.D and Mahesh R. (2007), Evolutionary Medicine of Kani Tibal's Botanical Knowledge in Agasthiayamalai biosphere Reserve, South India, *Ethnobotanical Leaflets*, Vol. 11(1), pp. 280-290.
- Brown D.R. (2005), Neurodegeneration and oxidative stress: prion disease results from loss of antioxidant defence, *Folia Neuropathologica*, Vol. 43(4), pp.229-243.
- Bukhsh E., Malik S.A and Ahmad S.S. (2007), Estimation of nutritional value and trace elements content of *Carthamus oxyacantha*, *Eruca sativa* and *Plantago ovate*, *Pak. J. Botany*, Vol. 39(4), pp. 1181-1187.

- Buricova L and Reblova Z. (2008). Czech Medicinal Plants as Possible Sources of Antioxidants, *Czech J Food Science*, Vol. 26(2), pp.132-138.
- Bussmann R.W., Glenn A., Meyer K., Kuhlman A. and Townesmith A. (2010). Herbal mixtures in traditional medicine in Northern Peru, *J. Ethnobiology and Ethnomedicine*, Vol. 6(10), pp.1-11.
- Carbone M.c., Tatone C., Monach S.D., Marci R, Caserta D., Colonna R and Amicarelli F. (2003). Antioxidant enzymatic defences in human follicular fluid: characterization and age- dependent changes, *Molecular Human Reproduction*, Vol. 9(11), pp. 639-643.
- Carter P. (1971). Spectrophotometric determination of serum iron at the submicrogram level with a new reagent- ferrozine, *Anal.Biochemistry*, Vol. 40, pp. 450-458.
- Cenini G., Sultana R., Memo M and Butterfield D.A. (2008). Elevated levels of pro-apoptotic p53 and its oxidative modification by the lipid peroxidation product, HNE, in brain from subjects with amnesic mild cognitive impairment and Alzheimer's disease, *J. Cell. Mol. Med.*, Vol 12(3), pp.987-994.
- Cervantes-Cervantes M.P., Calderon-Salinas J.V., Albores A and Munoz-Sanchez J.L. (2005). Copper increases the damage of DNA and Proteins caused by Reactive oxygen species, *Biological Trace Element Research*, Vol. 103, pp.229-248.
- Chakraborty I., Kunti S., Bandyopadhyay M., Dasgupta A., Chattopadhyay G.D and Chakraborty S. (2007). Evaluation of serum zinc level and plasma SOD activity in senile cataract patients under oxidative stress. *Indian J. Clinical Biochemistry*, Vol.22(2), pp.109-113.
- Chan L.W., Cheah E.L.C., Saw C.L.L., Weng W and Heng P.W.S. (2008). Antimicrobial and antioxidant activities of *Cortex magnolia Officinalis* and some other medicinal plants commonly used in South-east Asia. *BMC Chinese medicine*, Vol. 3(15), pp. 1-10.
- Chaturvedi P. (2008). Inhibitory response of *Raphanus Sativus* on Lipid peroxidation in Albino rats. *eCAM, oxford J.*, Vol. 5(1), pp. 55-59.
- Chhetri H.P., Yogol N.S., Sherchn J., Anupa K.C., Mansoor S and Thapa P. (2008). Phytochemical and Antimicrobial evaluations of some medicinal plants of Nepal. *Kathmandu University J of Science, Engineering and Technology*, Vol. 1(5), pp. 49-54.
- Clement Y.N., Gittens J.M., Basdeo L., Blades A., Francis M.J., Gomes N., Janjua M and Singh A. (2007). Perceived efficacy of herbal remedies by users accessing primary healthcare in Trinidad, *BMC Complementary and Alternative Medicine*, Vol. 7(4), pp.1-9.
- Choi U., Lee O., Yim J.H., Cho C., Rhee Y.K., Lim S and Kim Y. (2010). Hypolipidemic and Antioxidant effects of Dandelion (*Taraxacum officinale*) Root and Leaf on Cholesterol-Fed Rabbits, *International J. Mol. Sci.*, Vol.11, pp.67-78.
- Cordell G.A. (2007). A vision for medicinal plants, *Bol. Latinoam. Caribe Plant. Med. Aromaticas*, Vol. 6(4), pp.89-91.
- Costantini D., Fanfani A and Dell'Omo G. (2008). Effects of corticosteroids on oxidative damage and circulating carotenoids in captive adult kestrels (*Falco tinnunculus*), *J. Comp. Physiol. B.*, Vol. 178, pp. 829-835.
- Curtis C.D., Thorngren D.L and Nardulli A.M. (2010). Immunohistochemical analysis of oxidative stress and DNA repair proteins in normal mammary and breast cancer tissues, *BMC Cancer*, Vol. 10(9), pp.1-13.
- D'souza A., Kurien B.T., Rodgers R., Shenoi J., Kurono S., Matsumoto H., Hensley K., Nath S.K and Scofield R.H. (2008). Detection of Catalase as a major protein target of the lipid peroxidation product 4-HNE and the lack of its genetic association as a risk factor in SLE. *BMC Medical Genetics*, Vol. 9(62), pp.1-8.
- Da Rosa C.E., Bianchini A and Monserrat J.M. (2008). Antioxidant responses of *Laonereis acuta* (Polychaeta) after exposure to hydrogen peroxide. *Brazilian J. Medical and Biological Research*, Vol.41(2), pp.117-121.
- Darwish R.M and Aburjai T.A. (2010). Effect of ethnomedicinal plants used in folklore medicine in Jordan as antibiotic resistant inhibitors on *Escherichia coli*, *BMC Complementary and Alternative medicine*, Vol. 10(9), pp.1-8.
- Dash M., Patra J.K and Panda P.P. (2008). Phytochemical and antimicrobial screening of extracts of *Aquilaria agallocha* Roxb., *African J. Biotechnology*, Vol. 7(20), pp. 3531-3534.
- David J.S. (2010). An ethnobotanical survey of medicinal plants in Babungu, Northwest Region, Cameroon. *J. Ethnobiology and Ethnomedicine*, Vol. 6(8), pp. 1-7.
- Deepa V.S., Suresh P.K., Latha S., Selvamani P and Srinivasan S. (2009). Antioxidant studies on the ethanolic extract of *Commiphora* spp., *African J. Biotechnology*, Vol. 8(8), pp. 1630-1636.
- Delorenze G.N., McCoy L., Tsai A., Quesenberry C.P., Rice T., Li'yasova D and Wrensch M. (2010). Daily intake of oxidants in relation to survival among adult patients diagnosed with malignant glioma. *BMC Cancer*, Vol. 10(215), pp.1-15.
- Demiray S., Pintado M.E and Castro P.M.L. (2009). Evaluation of phenolic profiles and antioxidant activities of Turkish medicinal plants: *Tilia argentea*, *Craegi folium* leaves and *Polygonum bistorta* roots. *World Academy of Science, Engineering and Technology*, Vol. 54, pp. 312-317.

- Deore S.L., Khadabadi S.S., Patel Q.R., Deshmukh S.P., Jaju M.S., Junghare N.R., Wane T.P and Jain R.G. (2009), *In vitro* antioxidant activity and quantitative estimation of phenolic content of *Lagenaria siceraria*, *Rasayan J. Chemistry*, Vol. 2(1), pp. 129-132.
- Dilsiz N., Sahaboglu A., Yildiz M.Z and Reichenbach A. (2006), Protective effects of various antioxidants during ischemia-reperfusion in the rat retina, *Graefe's Arch. Clin. Exp. Ophthalmol.*, Vol. 244, pp.627-633.
- Dominguez M.G., Jiang X and Castelao J.E. (2007), Lipid Peroxidation, oxidative stress genes and dietary factors in breast cancer protection: a hypothesis, *Breast Cancer Research*, Vol. 9(1), pp. 1-11.
- Dusting G.J and Triggle C. (2005), Are we over oxidized? Oxidative stress, cardiovascular disease and the future of intervention studies with antioxidants, *Vascular Health and Risk Management*, Vol.1 (2), pp.93-97.
- Ekue M.R.M., Sinsin B., Eyog-Matig O and Finkeldey R. (2010), Uses, traditional management, perception of variation and preferences in ackee (*Blighia sapida* K.D. Koenig) fruit traits in Benin: implications for domestication and conservation, *J. Ethnobiology and Ethnomedicine*, Vol. 6(12), pp.1-14.
- Elizabeth K and Rao M.N.A. (1990), Oxygen radical scavenging activity of curcumin, *International J. Pharm.*, Vol. 58, pp. 237-240.
- Erasto P and Mbwambo Z.H. (2009), Antioxidant activity and HPTLC profile of *Lagenaria siceraria* fruits, *Tanzania J Health Research*, Vol.11(2), pp.79-83.
- Esterbauer H., Schwartz Z and Hayan M. (1997), A rapid assay for catechol oxidase and laccase using 2-nitro-5 thio benzoic acid, *Anal. Biochem.*, Vol. 489, pp. 489-494.
- Fakeye T.O., Adisa R and Musa I.E. (2009), Attitude and use of herbal medicines among pregnant women in Nigeria, *BMC Complementary and Alternative Medicine*, Vol. 9(53), pp. 1-7.
- Fennell C.W., Light M.E., Sparg S.G., Stafford G.I and Staden J.V. (2004), Assessing African medicinal plants for efficacy and safety: agricultural and storage practices, *J. Ethnopharmacology*, Vol. 95, pp.113-121.
- Ferreira A.C.F., Neto J.C., Silva A.C.m., Kuster R.M and Carvalho D.P. (2006), Inhibition of thyroid peroxidase by *Myrcia uniflora* Flavonoids, *Chemical Research in Toxicology*, Vol. 19(3), pp. 351-355.
- Finney D.J.(1971), Probit analysis, 3rd ed., Cambridge University Press, Cambridge, pp.333.
- Fisher-Wellman K and Bloomer R.J. (2009), Acute exercise and oxidative stress: a 30 year history, *BMC Dynamic Medicine*, Vol. 8(1), pp.1-72.
- Frenette M., Maclean P.D., Barclay R.C and Scaiano J.C. (2006), Radically Different Antioxidants: Thermally generated Carbon-centered Radicals as Chain-Breaking Antioxidants, *J. Am. Chem. Soc.*, Vol. 128, pp.16432-16433.
- Froufe H.J.C., Abreu R.M.V and Ferreira I.C.F.R. (2009), A QCAR model for predicting antioxidant activity of wild mushrooms, *SAR and QSAR in Environmental Research*, Vol. 20(6), pp.579-590.
- Gajewski M., Weglarz Z., Sereda A., Bajer M., Kuczkowska A and Majewski M. (2010), Carotenoid accumulation by carrot storage roots in relation to nitrogen fertilization level, *Not. Bot. Hort. Agrobot.*, Vol.38(1), pp. 71-75.
- Gallo G and Martino G. (2009), Red blood cell glutathione peroxidase activity in female nulligravid and pregnant rats, *BMC Reproductive Biology and Endocrinology*, Vol. 7(7), pp. 1-7.
- Gertrudes Q.B. (2006), Phytochemical analysis and toxicity test of functional foods, 24th Annual PAASE Meeting: Philippine-American Bonds in Science and Technology.
- Gessler N.N., Aver'yanov A.A and Belozerskaya T.A. (2007), Reactive oxygen species in regulation of Fungal Development, *Biochemistry (Moscow)*, Vol.72(10), pp. 1091-1109.
- Ghanta S., Banerjee A., Poddar A and Chattopadhyay S. (2007), Oxidative DNA damage preventive activity and antioxidant potential of *Stevia rebaudiana* (Bertoni) Bertoni, a Natural Sweetener, *J. Agricultural and Food Chemistry*, Vol. 55(26), pp. 10962-10967.
- Golkar P., Arzani A., Rezaei A.M., Yarali Z and Yousefi M. (2009), Genetic variation of leaf antioxidants and chlorophyll content in safflower, *African J. Agricultural Research*, Vol. 4(12), pp. 1475-1482.
- Green M.J and Hill H.A.O. (1984), Chemistry of dioxygen methods, *Enzymology*, pp.105.
- Gulcin I., Elias R., Gepdirem A., Boyer L and Koksali E. (2007), A comparative study on the antioxidant activity of fringe tree (*Chionanthus virginicus* L.) extracts, *African J. Biotechnology*, Vol. 6(4), pp. 410-418.
- Gulcin I., Huyut Z., Elmastas M., Aboul-Enein H.Y. (2010), Radical scavenging and antioxidant activity of tannic acid, *Arabian J. Chemistry*, Vol. 3, pp. 43-53.
- Gupta M., Mazumdar., Gomathi P and Kumar R.S. (2004), Antioxidant and free radical scavenging activities of *Ervatamia coronaria* Stapf. Leaves, *Iranian J. Pharmaceutical Research*, Vol. 2, pp.119-126.
- Gupta V.K and Sharma S.K. (2006), Plants as natural antioxidants, *Natural Product Radiance*, Vol. 5(4), pp.326-334.

- Gursoy N and Tepe B. (2009), Determination of the antimicrobial and antioxidativ properties and total phenolics of Two "Endemic" Lamiaceae species from Turkey: *Ballota rotundifolia* L. and *Tercrium chamaedrys* C. Koch, *Plant Foods Hum. Nutr.*, Vol. 64, pp. 135-140.
- Hakiman M and Maziah M. (2009), Nonenzymatic and enzymatic antioxidant activities in aqueous extract of different *Ficus deltoidea* accessions, *J. Medicinal Plant Research*, Vol. 3(3), pp. 120-131.
- Halvorsen B.L., Carlsen M.H., Phillips K.M., Siv K.B., Holte K., David R.J and Blomhoff R. (2006), Content of redox-active compounds (ie, antioxidants) in foods consumed in the United States, *American J. Clinical Nutrition*, Vol.84, pp.95-135.
- Haneman K and Cherr S.Z. (2007), Some facts about Phytochemicals, *Nutritional and Health Info-sheet for Health professionals*, pp.1-4.
- Harbone J.B. (2005), *Phytochemical methods- A guide to modern techniques of plant analysis*, 3rd ed., Springer Pvt.Ltd., New Delhi.
- Haripyaree A., Guneshwor K and Damayanti M. (2010), Evaluation of Antioxidant properties of some medicinal plants by sulfur free radical reactivity with curcumin as reference, *Electronic J. Environmental, Agricultural and Food chemistry*, Vol. 9(2), pp.337-344.
- Hayet E., Maha M., Samia A., Mata M., Gros P., Raida H., Ali M.M., Mohamed A.S., Gutmann L., Mighri Z and Mahjoub A. (2008), Antimicrobial, antioxidant and antiviral activities of *Retama raetam* (Forssk.) Webb flowers growing in Tunisia, *World J. Microbiol Biotechnology*, Vol. 24, pp. 2933-2940.
- Hayouni El. A., Aberdrabba M., Bouix M and Hamdi M. (2007), The effects of solvents and extraction method on the phenolic contents and biological activities *in vitro* of Tunisian *Quercus coccifera* L. and *Juniperus phoenicea* L. fruit extracts, *Food Chemistry*, Vol. 105, pp. 1126-1134.
- Hazra B., Sarkar R., Biswas S and Mandal N. (2008), Antioxidant and free radical scavenging activity of *Spondias pinnata*, *BMC Complementary and Alternative Medicine*, Vol.8(63), pp.1-10.
- Hazra B., Sarkar R., Biswas S and Mandal N. (2010), Comparative study of the antioxidant and reactive oxygen species scavenging properties in the extracts of *Terminalia chebula*, *Terminalia belerica* and *Embllica officinalis*, *BMC Complementary and Alternative Medicine*, Vol.10(20), pp.1-15.
- He C., Ji X., Pan Y., Wang H., Wang K., Liang M and Yang L. (2009), Antioxidant activity of alcoholic extract of *Agrimonia pilosa* Ledeb, *Medicinal Chemistry Research*, Vol. 10, pp.1-14.
- Hedge J.E and Hofreiter B.T (1962), *Carbohydrates Chemistry*, 17th ed., (Wistler R.L and Miller B. J.N (Ed), Academic Press, pp. 188.
- Heiligers P.H.M., Groot J.D., Koster D and Dulmen S.V. (2010), Diagnoses and visit length in complementary and mainstream medicine, *BMC Complementary and Alternative Medicine*, Vol. 10(3), pp.1-8.
- Hepsibha B.T., mSathiya S., Babu C.S., Premalakshmi V and Sekar T. (2010), *In vitro* studies on antioxidant and free radical scavenging activities of *Azima tetraacantha*. Lam leaf extracts, *Indian J. Science and Technology*, Vol. 3(5), pp. 571-577.
- ICMPHD. (2010), A Report on the International conference on "Medicinal plants and Herbal drugs: Challenges and Opportunities in cultivation, sustainable Utilization and Conservation, *Current Science*, Vol. 98(2), pp.1558-1559.
- Iyengar M.A. (1995), *Study of crude drugs*, 8th ed., Manipal power press, Manipal, India, pp.2.
- Jain P.K and Agrawal R.K. (2008), Antioxidant and Free radical Scavenging properties of developed Mono- and Polyherbal Formulations, *Asian J. Exp. Science*, Vol. 22(3), pp.213-220.
- Jaleel C.A. (2009), Nonenzymatic Antioxidant Changes in *Withania somnifera* with Varying Drought Stress levels, *American-Eurasian J. Scientific Research*, Vol. 4(2), pp. 64-67.
- Jaleel C.A., Gopi R and Paneerselvam R. (2009), Alterations in non-enzymatic antioxidant components of *Catharanthus roseus* exposed to paclobutrazol, gibberellic acid and *Pseudomonas fluorescens*, *Plant Omics J.*, Vol. 2(1), pp. 30-40.
- James O and Jacob O.B. (2010), Evaluation of biosafety and antioxidant activity of the fruit and leaf of *Saba florida* (Benth.) from Ibaji forest, *International J. Medicine and Medical sciences*, Vol. 2(3), pp. 100-105.
- James O. (2009), Cytotoxicity and antioxidant screening of some selected Nigerian medicinal plants, *Asian J. Pharmaceutical and Clinical Reasearch*, Vol. 2(4), pp. 48-53.
- Jin J., Xu Y and Huang Y. (2010), Protective effect of niric oxide against arsenic-induced oxidative damage in tall fescue leaves, *African J. Biotechnology*, Vol. 9(11), pp.1619-1627.
- Johansen J.S., Harris A.K., Rychly D and Ergul A. (2005), Oxidative stress and the use of antioxidants in diabetes: Linking basic science to clinical practice, *BMC Cardiovascular Diabetology*, Vol. 4(5), pp. 1-11.
- Joshua A.J., Goudar K.S., Sameera N., Pavan G.K., Murali B., Dinakar N and Amit A. (2010), Safety Assessment of Herbal formulations, RumbionTM and TyrelTM *American J. Pharmacology and Toxicology*, Vol. 5(1), pp.42-47.

- Joy B and Remani P. (2008), Antitumor constituents from *Annona Squamosa* fruit pericarp, *Med. Chem. Research*, Vol. 17, pp. 345-355.
- Kang J., Cheun H., Kim J., Moon S., Park S., Kim S., Sohn W and Kuk Na B. (2008), Identification and characterization of a mitochondrial iron- superoxide dismutase of *Cryptosporidium parvum*, *Parasitol. Res.*, Vol. 103, pp. 77-795.
- Kannan S. (2006), Free radical theory of autoimmunity, *BMC Theoretical biology and Medical Modelling*, Vol. 3(22), pp.1-16.
- Kaplan P., Matejovicova M., Herijgers P and Flameng W. (2008), Lack of the effect of Superoxide Dismutase and Catalase on Na⁺, K⁺-ATPase activity in stunned Rabbit hearts, *Physiological Research*, Vol. 57(2), pp.61-66.
- Katerova Z. (2009), Prolonged influence of short pulses ultraviolet-C radiation on young pea plant does not alter important antioxidant defense enzyme activities in young leaves, *General and Applied Plant Physiology*, Vol. 35(4), pp. 134-139.
- Kaur P and Arora S. (2009), Superoxide anion radical scavenging activity of *Cassia siamea* and *Cassia javanica*, *Med. Chem. Research*, Vol. 10, pp. 1-13.
- Kaur R., Thind T.S., Singh B and Arora S. (2009), Inhibition of lipid peroxidation by extracts/subfractions of Chickrassy (*Chukrasia tabularis* A. Juss.), *Naturwissenschaften*, Vol. 96, pp.129-133.
- Kaushik P and Goyal P. (2008), *In vitro* evaluation of *Datura innoxia* (thron-apple) for potential antibacterial activity, *Indian J. Microbiology*, Vol. 48, pp. 353-357.
- Kaviarasan S., Naik G.H., Gangabhairathi R., Anuradha C.V and Priyadarsini K.I. (2007), *In vitro* studies on antiradical and antioxidant activities of fenugreek (*Trigonella foenum graecum*) seeds, *Food chemistry*, Vol. 103, pp. 31-37.
- Khalil M.Y., Moustafa A.A and Naguib N.Y. (2007). Growth, phenolic compounds and Antioxidant activity of some medicinal plants grown under organic farming condition, *World J. Agricultural Sciences*, Vol. 3(4), pp. 451-457.
- Khan A., Rahman M and Islam S. (2007). Antibacterial, Antifungal and Cytotoxic Activities of Tuberos Roots of *Amorphophallus campanulatus*, *Turk. J. Biology*, Vol. 31, pp.167-172.
- Khosrowbeygi A and Zarghami N. (2007). Levels of oxidative stress biomarkers in seminal plasma and their relationship with seminal parameters, *BMC Clinical Pathology*, Vol. 7(6), pp.1-6.
- Kinnula V.L and Crapo J.D. (2003). Superoxide dismutases in the lung and human lung diseases, *American J. Crit. Care Med.*, Vol. 167, pp. 1600-1619.
- Kiran B and Raveesha K.A. (2010), *In vitro* evaluation of Antioxidant Potentiality of seeds of *Psoralea corylifolia* L., *World Applied Sciences J.*, Vol. 8(8), pp. 985-990.
- Kochhar A., Nagi M and Sachdeva R. (2006), Proximate composition, available carbohydrates, dietary fibre and antinutritional factors of selected Traditional medicinal plants, *J.Hum. Ecol.*, Vol. 19(3), pp. 195-199.
- Krishnaiah D., Devi T., Bono A and Sarbatly R. (2009). Studies on phytochemical constituents of six Malaysian medicinal plants, *J. Medicinal plants Research*, Vol. 3(2), pp. 67-72.
- Krishnaraju A.V., Rao T.V.N., Sundararaju D., Vanisree M., Tsay H.S and Subbaraju G.V. (2006). Biological screening of medicinal plants collected from Eastern Ghats of India using *Artemia salina* (Brine shrimp Test), *International J. Applied science and Engineering*, Vol. 4(2), pp.115-125.
- Krolieka A., Szpitter A., Maciag M., Biskup E., Gilgenast E., Romanik G., Kaminski M., Wegrzyn G and Lojkowska E. (2009). Antibacterial and antioxidant activity of the secondary metabolites from invitro cultures of the Alice sundew (*Drosera aliciae*), *Biotechnol. Appl. Biochem.*, Vol. 53, pp. 175-184.
- Kshirsagar R and Upadhyay S. (2009). Free radical scavenging activity screening of medicinal plants from Tripura, Northeast India, *Natural Product Rediance*, Vol. 8(2), pp.117-122.
- Lavhale M.S and Mishra S.H. (2007), Evaluation of free radical scavenging activity of *Butea monosperma* Lam., *Indian J. Experimental Biology*, Vol. 45, pp. 376-384.
- Lee S and Lim K. (2006). Apoptosis induced by glycoprotein (150-kDa) isolated from *Solanum nigrum* L. is not related to intracellular reactive oxygen species (ROS) in HCT-116 cells, *Cancer Chemother. Pharmacol.*, Vol.57, pp.507-516.
- Lee W.S., Kim J., Han J., Jang K.C., Sok D and Jeong T. (2006),Antioxidant activities of Abietane diterpenoids isolated from *Torreya nucifera* leaves, *J. Agricultural and Food chemistry*, Vol.54(15), pp.5369-5374.
- Li N., Liu J., Zhang J and Yu B. (2008). Comparative Evaluation of Cytotoxicity and Antioxidative activity of 20 Flavonoids, *J. Agricultural and Food chemistry*, Vol. 56(10), pp. 3876-3883.
- Liu Y., Chang A.Y.W., Tsai Y and Chan J.Y.H. (2009). Differential protection against oxidative stress and nitric oxide overproduction in cardiovascular and pulmonary systems by propofol during endotoxemia, *J. Biomedical Sciences*, Vol. 16(8), pp. 1-40.
- Lowry O.H., Rosenberg N.J., Farr A.L and Rundall A. (1951), *J. Biol.Chem.*, Vol. 193, pp. 265.
- Luck H. (1974). Methods of enzymatic analysis. Academic Press, pp. 885-894.

- Magder S. (2006), Reactive oxygen species: toxic molecules or spark of life?, *Critical care*, Vol. 10(1), pp.1-8.
- Mahmoudi M., Ebrahimzadeh M.A., Ansaroudi F., Nabavi S.F and NAbavi S.M. (2009), Antidepressant and antioxidant activities of *Artemisia absinthium* L. at flowering stage, *African J. Biotechnology*, Vol. 8(24), pp. 7170-7175.
- Maiyo Z.C., Ngure R.M., Matasyoh J.C and Chepkorir R. (2010), Phytochemical constituents and antimicrobial activity of leaf extracts of three *Amaranthus* plant species, *African J. Biotechnology*, Vol. 9(21), pp. 3178-3182.
- Malick C.P and Singh M.B. (1980), In plant enzymology and Histoenzymology, Kalyani Publishers, New Delhi, pp. 286.
- Manilal A., Sujith S., Kiran G.S., Selvin J and Shakir C. (2009), Cytotoxic potentials of Red Alga, *Laurencia brandenii* collected from the Indian Coast, *Global J. Pharmacology*, Vol. 3(2), pp. 90-94.
- Manjeet S., Arseneault M., Sanderson T., Murthy V and Ramassamy C. (2008), challenges for Research on polyphenols from foods in Alzheimer's Diseases: Bioavailability, Metabolism and Cellular and Molecular Mechanisms, *J. Agricultural and Food Chemistry*, Vol.56(13), pp.4855-4873.
- Maridass M. (2008), Evaluation of Brine Shrimp Lethality of *Cinnamomum* Species, *Ethnobotanical Leaflets*, Vol. 12(1), pp.772-775.
- Martini S., Addario C.D., Colacevich A., Focardi S., Borghini F., Santucci A., Figura N and Rossi C. (2009), Antimicrobial activity against *Helicobacter pylori* strains and antioxidant properties of blackberry leaves (*Rubus ulmifolius*) and isolated compounds, *International J. Antimicrobial agents*, Vol. 34, pp. 50-59.
- Masum A.S.M.G.A., Khandaker L., Hossain K.G and Fuuta Y. (2010), Total polyphenol, polyphenol oxidase, Antioxidant activity and color profiles of some wheat varieties form Bangladesh, *Research J. Agriculture and Biological Science*, Vol. 6(2), pp. 186-190.
- Mathabe M.C., Nikolova R.V., Lall N and Nyazema N.Z. (2006), Antibacterial activities of medicinal plants used for the treatment of diarrhoea in Limpopo Province, South Africa, *J. Ethnopharmacology*, Vol. 105, pp. 286-293.
- Matsunami T., Sato Y., Sato T., Ariga S., Shimomura T and Yukawa M. (2010), Oxidative stress and gene expression of antioxidant enzymes in the streptozotocin-induced diabetic rats under hyperbaric oxygen exposure, *International J. Clinical Exp. Pathol.*, Vol. 3(2), pp.177-188.
- McCord J.M and Fridovich I. (1968), The reduction of cytochrome C by milk xanthine oxidase, *J. Biol.Chem*, Vol. 43, pp.5753-5760.
- McRae J., Yang Q., Crawford R and Palombo E. (2007), Review of the methods used for isolating pharmaceutical lead compounds from traditional medicinal plants, *Environmentalist*, Vol. 27, pp. 165-174.
- Meera R., Devi P., Kameswari B., Madhumitha B and Merlin N.J. (2009), Antioxidant and hepatoprotective activities of *Ocimum basilicum* Linn. And *Trigonella foenum-graecum* Linn. against H₂O₂ and CCl₄ induced hepatotoxicity in goat liver, *Indian J. Experimental Biology*, Vol. 47, pp. 584-590.
- Melino V.J., Soole K.L and Ford C.M. (2009), Ascorbate metabolism and the development demand for tartaric and oxalic acids in ripening grape berries, *BMC Plant Biology*, Vol. 9(145), pp. 1-14.
- Mensor C.C., Menezes F.S., Leitan G.G., Reis A.S., Dossaltos T.C., Carbe C.S and Leitao S.G. (2001), Screening of Brazilian Plant extracts for antioxidant activity by use of DPPH free radical methods, *Phytother.*, Vol. 15, pp. 127-130.
- Meyer B.N., Ferrign R.N., Putnam J.E., Jacobson L.B., Nicholas D.E and McLaughlin J.L. (1982), Brine shrimp: A convenient general bioassay for active plant constituents, *Planta medica*, Vol. 45, pp. 31-34.
- Mihailova G., Petkova S and Georgieva K. (2009), Changes in some antioxidant enzyme activities in *Haberlea rhodopensis* during desiccation at high temperature, *Biotechnol. And Biotechnol.*, Vol. 23, pp. 561-564.
- Misra M.P and Fridovich I. (1972), The role of superoxide anion in the autooxidation of epinephrine and simple assay for superoxide dismutase, *J. Biological Chemistry*, Vol. 247, pp. 31-70.
- Mohan K.S and Venkataramana G. (2007), Status of lipid peroxidation, Glutathione, Ascorbic acid, vitamin E and Antioxidant enzymes in patients with osteoarthritis, *Indian J. Med. Sci.*, Vol. 61(1), pp. 9-14.
- Mojica E.R.E and Micor J.R.L. (2007), Bioactivity study of *Barringtonia asiatica* (L.) Kurz. Seed aqueous extract in *Artemia salina*, *International J. botany*, Vol. 3(3), pp.325-328.
- Moron M.S., Bepierre J.W and Mannerwick B. (1979), Levels of glutathione reductase and glutathione-s-transferase in rat lung and liver, *Biochem., Biophys, Acta.*, pp. 582.
- Moskaug J., Carlsen H., Myhrstad M.C.W and Blomhoff R. (2005), Polyphenols and glutathione synthesis regulation, *The American J. clinical Nutrition*, Vol. 81, pp. 277-283.
- Moura D.J., Richter M.F., Boeira J.M., Henriques J.A.P and Saffi J. (2007), Antioxidant properties of β -caboline alkaloids are related to their antimutagenic and antigenotoxic activities, *Mutagenesis*, Vol.22(4), pp. 293-302.
- Muthu C., Ayyanar M., Raja N and Ignacimuthu S. (2006), medicinal plants used by traditional healers in Kancheepuram District of Tamil Nadu, India, *J. Ethnobiology and Ethnomedicine*, Vol. 2(43), pp.1-10.

- Muthuvelan B and Raja R.B. (2008), Studies on the efficiency of different extraction procedures on the antimicrobial activity of selected medicinal plants, *World J. Microbial Biotechnology*, Vol. 24, pp.2837-2842.
- Naik G.H., Priyadarsini K.I and Mohan H. (2005), Evaluating the antioxidant activity of different plant extracts and herbal formulations, *Res. Chem. Intermed.*, Vol. 31(3), pp.145-151.
- NCCLS, National Committee for Clinical Laboratory standards, performance standards for antimicrobial well diffusion susceptibility test, (1997), 6th Ed., Approved standard, Wayne.
- Nazifi S., Saeb M., Baghshani H and Saeb S. (2009), Influence of road transportation during hot summer conditions on oxidative status biomarkers in Iranian dromedary camels (*Camelus dromedaries*), *African J. Biochemistry Research*, Vol. 3(7), pp. 282-287.
- Neha S and Rekha V. (2010), Comparative study of primary metabolites in different plant parts of *Clitoria ternatea(L.)*, *Guazuma Ulmifolia (Lam.)* and *Madhuca india (Gmel)*. *J.Chemical and Pharmaceutical Research*, Vol.2(2), pp. 168-171.
- Nwanjo H.U., Oze G., Okafor M.C., Nwosu D and Nwankpa P.(2007), Oxidative stress and non-enzymic antioxidant status in hypertensive patients in Nigeria. *African J Biotechnology*, Vol. 6(14), pp.1681-1684.
- Ojokuku S.A., Okunowo W.O and Apena A. (2010), Evaluation of the chemical composition of *Khaya grandifoliola* and *Ficus capensis*, *J. Medicinal Plants Research*, Vol. 4 (12), pp. 1126-1129.
- Okhawa H., Ohishi N and Yagi K. (1979), Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. *Anal.Biochem*, Vol. 95. Pp. 351-358.
- Okingbo R.N., Anuagasi C.L and Amadi J.E. (2009). Advances in selected medicinal and aromatic plants indigenous to Africa. *J. Medicinal Plants Research*, Vol. 3(2). pp.86-95.
- Okonkwo T.J.N and Okonkwo C.J.O. (2009). Antioxidant properties of *Diospyros preussi* (Ebenaceae Gurke) seed oil. *Tropical J. Pharmaceutical Research*, Vol. 8(6). pp. 551-555.
- Oladimeji H.O., Nia R and Essien E.E. (2006). *In vitro* antimicrobial and brine shrimp lethality potential of the leaves and stem of *Calotropis procera* (Ait).. *African J. Biomedical Research*, Vol. 9. pp.205-211.
- Olaleye and Tolulope M. (2007). Cytotoxicity and antibacterial activity of methanolic extract of *Hibiscus sabdariffa*. *J. Medicinal plants Research*, Vol. 1(1). pp.9-13.
- Olayinka A.A and Okoh A. (2010). Preliminary phytochemical screening and *In vitro* antioxidant activities of the aqueous extract of *Helichrysum longifolium DC.*, *BMC Complementary and Alternative Medicine*, Vol. 10(21), pp. 1-8.
- Otitoju O and Onwurah I. N.E. (2007). Glutathione S-transferase (GST) activity as a biomarker in ecological risk assessment of pesticide contaminated environment. *African J. Biotechnology*, Vol. 6(12), pp. 1455-1459.
- Paaver U., Matto V and Raal A. (2010). Total tannin content in distinct *Quercus robur L.* galls. *J. Medicinal Plants Research*, Vol. 4(8), pp. 702-705.
- Pala N.A., Negi A.K and Todaria N.P. (2010). Traditional uses of medicinal plants of Pauri Garhwal, Uttarakhand. *New New ork Science J.*, Vol. 3(6), pp.61-65.
- Palash Mandal., Tarun K.M and Mitali G. (2009). Free radical scavenging activity and phytochemical analysis in the leaf and stem of *Drymaria diandra Blume*. *International J. Integrative Biology (IJIB), A J. Biology beyond borders*, Vol. 7(2), pp. 80-84.
- Pandima K., Suganthy N., Kesika P and Pandian S.K. (2008). Bioprotective properties of seaweeds: *In vitro* evaluation of antioxidant activity and antimicrobial activity against food borne bacteria in relation to polyphenolic content. *BMC Complementary and Alternative Medicine*, Vol. 8(38), pp.1-11.
- Panghal M., Arya V., Yadav S., Kumar S and Prakash J.Y. (2010). Indigenous Knowledge of medicinal plants used by Saperas community of Khetawas, Jhajjar District, Haryana, India. *J. Ethnobiology and Ethnomedicine*, Vol. 6(4), pp.1-11.
- Parvaiz A., Jaleel C.A., Azooz M.M and Nabi G. (2009). Generation of ROS and Nonenzymatic antioxidants during Abiotic stress in plants. *Botany Research International*, Vol. 2(1), pp.11-20.
- Paschapur M.S., Patil M.B., Kumar R and Patil S.R. (2009). Evaluation of anti-inflammatory activity of ethanolic extract of *Borassus flabellifer L.* male flowers (inflorescences) in experimental animals. *J. Medicinal Plants Research*, Vol. 3(2), pp. 49-54.
- Pathirana C.L., Dexter J and Shahidi F. (2006). Antioxidant properties of Wheat as Affected by pearling, *J. Agricultural and Food chemistry*, Vol. 54(17), pp. 6177-6184.
- Patil S.b., Kodliwadmth M.V and Sheela M.K. (2007). Study of oxidative stress and enzymatic antioxidants in normal pregnancy. *Indian J. Clinical Biochemistry*, Vol. 22(1), pp. 135-137.
- Perera L.M.S., Escobar A., Souccar C., Remigio M.A and Mancebo B. (2010). Pharmacological and toxicological evaluation of *Rhizophora mangle(L.)*, as a potential antiulcerogenic drug: Chemical composition of active extract. *J.Pharmacognosy and Phytotherapy*, Vol. 2(4), pp.56-63.

- Peteros N.P and Uy M.M. (2010), Antioxidant and cytotoxic activities and phytochemical screening of four Philippine medicinal plants, *J. Medicinal Plants Research*, Vol. 4(5), pp. 407-414.
- Philips A., Philips S., Arul V., Padmakeerthiga B., Renju V., Santha S and Sethupathy S. (2010), Free radical scavenging activity of Leaf extracts of *Indigofera aspalathoides* – An *in vitro* Analysis, *J. Pharmaceutical Science and Research*, Vol.2(6), pp. 322-328.
- Picada R.P., Fachinetto R., Souza A.P., Luiz R.P., Narjara G.S.S., Maria B.M., Boschetti T.K., Linde M.A., Escobar M.B., Farias A.M., Morsch V.M and Teixeira J.B.R.(2009), Antioxidant effects of different extracts from *Melissa officinalis*, *Matricaria recutita* and *Cymbopogon citrates*, *Neurochem. Research*, Vol. 34, pp. 973-983.
- Pisuthhanan S., Plianbangchang P., Pisutthanan N., Ruanruay S and Muanrit O. (2004), Brine shrimp lethality activity of Thai medicinal plants in the Family Meliaceae, *Naresuan University J.*, Vol. 12(2), pp. 13-18.
- Pourmorad F., Hosseinimehr S.J and Shahabimajd N. (2006), Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants, *African J. Biotechnology*, Vol. 5(11), pp. 1142-1145.
- Pratap R.S., Sharad S and Kapur S. (2004), Free radicals and oxidative stress in Neurodegenerative diseases: Relevance of Dietary Antioxidants, *J. Indian Academy of Clinical Medicine*, Vol.5(3), pp.218-225.
- Prachayasakul W., Pongchaidecha A., Chattipakorn N and Chattipakorn S. (2008), Ethnobotany and ethnopharmacology of *Tabernaemontana divaricata*, *Indian J. Med. Research*, Vol. 127, pp.317-335.
- Puig E.R and Castell M. (2008), Cocoa: Antioxidant and immunomodulator, *British J of Nutrition*, Vol. 1, pp. 1-10.
- Puttaraju N.G., Venkaeshaiah S.U., Dharmesh S.M., Nanjaraj S.M and Somasundaram R. (2006), Antioxidant activity of Indigenous Edible mushrooms, *J Agricultural and Food chemistry*, Vol. 54(26), pp.9764-9772.
- Qujeq D and Rezvani T. (2007), Catalase (antioxidant enzyme) activity in streptozotocin-induced diabetic rats, *International J. Diabetes and Metabolism*, Vol. 15, pp. 22-24.
- Qureshi R., Bhatti G.R and Asma R.M. (2010). Ethnomedicinal uses of herbs from northern part of Nara desert, Pakistan, *Pak. J. Bot.*, Vol. 42(2), pp. 839-851.
- Raaman N.(2006). Phytochemical Techniques. New Publishing Agency, New Delhi, pp. 19-24: 32-40.
- Rahman K. (2007). Studies on free radicals, antioxidants, and cofactors, *Clinical Interventions in Aging*, Vol. 2(2), pp.219-236.
- Rahman M.A., Rana M.S., Zaman M.M., Uddin A.A and Akter R.(2010). Antioxidant, Antibacterial and Cytotoxic activity of the methanol extract of *Urtica crenulata*, *J. Scientific research*, Vol. 2(1), pp. 169-177.
- Raja B., Pugalendi K.V and Arjunan M.M. (2010). Aqueous extract of *Melothria maderaspatana* (Linn.) leaf exerts antihypertensive effect and improves MUFA, PUFA and membrane fluidity of erythrocytes in patients with hypertension – an electron paramagnetic resonance investigation, *J. Herbal medicine and Toxicology*, Vol. 4(1), pp. 133-139.
- Raja S., Haja N.A., Venkatesan K., Kakali M., Saha B.P., Bandyopadhyay A and Pulok K.M. (2006). Cytisus scoparius link- A natural antioxidant, *BMC Complementary and Alternative medicine*, Vol. 6(8), pp. 1-7.
- Rakesh E.M., Rahul D.S and Ramchandra B.J. (2010). Study of preliminary anticancer potential of some hemeparasite plants, *International J. Pharma. Research and Development (IJPRD)*, Vol. 2(1), pp.1-4.
- Rani S.T., Monika C., Rani S.B and Krishnaveni A. (2009). Antimicrobial activity of *Passiflora foetida* leaf extract on human pathogens, *Asian J. Microbiol. Biotech. Env.Sci.*, Vol. 11(1), pp. 165-168.
- Rao M.R., Palada M.C and Becker B.N. (2004). Medicinal and aromatic plants in agroforestry systems, *Agroforestry systems*, Vol.61, pp.107-122.
- Rasool S.N., Jaheerunnisa S., Suresh K.C and Jayaveera K.N. (2008), Antimicrobial activities of *Plumeria acutifolia*, *J. Medicinal Plants Research*, Vol. 2(4), pp.77-80.
- Rathee J.S., Patro B.S., Mula S., Gamre S and Chattopadhyay S. (2006). Antioxidant activity of Piper betel leaf extract and its constituents, *J. Agricultural and food Chemistry*, Vol. 54(24), pp.9046-9054.
- Rauniyar N., Stevens S.M and Prokai L. (2007). Fourier transform ion cyclotron resonance mass spectrometry of covalent adducts of proteins and 4-hydroxy-2-nonenal, a reactive end-product of lipid peroxidation, *Anal Bioanal Chem*, Vol. 389, pp. 1421-1428.
- Reddy K.P., Subhani S.M., Khan P.A and Kumar K.B. (1995). Effect of light and benzyl adenine on dark-treated growing rice leaves. II changes in peroxidase activity, *Plant cell Physiology*, Vol. 24, pp. 987-994.
- Reddy P.N., Reddy P.S and Rajeswararao M. (2007). Studies on the effect of doxorubicin on MDA, NO₂, NO₃, Se-GSH peroxidase and SOD levels in albino rat tissues, *African J. Biotechnology*, Vol. 6(20), pp. 2303-2309.
- Reed D.J. (2008). The Glutathione Pathway, *Current protocols in Toxicology*, Vol.38, pp.1-4.
- Retnam R and Martin P. (2006). Ethnomedicinal Plants, *Agrobios (India)*, pp.113.

- Robert E.B. (1971). *Agro. J.*, Vol. 63, pp.511.
- Roe J.H and Kuether A. (1953). The determination of ascorbic acid in whole blood and urine through 2,4-dinitrophenyl hydrazine derivative of dehydro ascorbic acid. *J. Biological Chemistry*, Vol. 147, pp. 399-404.
- Rosenberg H.R. (1992). *Chemistry and Physiology of the vitamins*. Inter Science Publishers. Inc. New York, pp. 452-453.
- Rotruck T.T., Ganther A.L., Swanson A.B., Hafeman D.G and Hoekstra W.G. (1973). Selenium. biochemical role as a component of glutathione peroxidase. *Science*, Vol. 179, pp. 588-590.
- Ruch R.J., Cheng S.J and Kalaunig J.E. (1989). Prevention of cytotoxicity and inhibition of intra cellular communication by antioxidant catechins isolated from Chinese green tea. *Carcinogenesis*, Vol. 10, pp. 1003-1008.
- Rupesh d., Acharya C., Bindu P.C and Kundu S.C. (2008). Antioxidant potential of silk protein sericin against hydrogen peroxide-induced oxidative stress in skin fibroblasts. *BMB Reports*, Vol. 41(3), pp.236-241.
- Sadanand B.P., Kodhiwadmath M.V and Sheela M.K. (2008). Correlation between lipid peroxidation and nonenzymatic antioxidants in pregnancy induced hypertension. *Indian J. Clinical Biochemistry*, Vol.23(1), pp.45-48.
- Sahu S.C., Dhal N.K and Mohanty R.C. (2010). Potential Medicinal plants used by tribal of Deogarh district. Orissa, India. *Ethno. Med.*, Vol. 4(1). pp. 53-61.
- Saikat S., Raja C., Sridhar C., Reddy Y.S.R and Biplab D. (2010). Free radicals, Antioxidants, Diseases and Phytomedicines: Current status and future prospect. *International J. Pharmaceutical Sciences Review and Research*, Vol. 3(1). pp.91-100.
- Salehi P., Sonboli A., Ebrahimi S.N and Yousefzadi M. (2007). Antibacterial and antioxidant activities of the essential oils and various extracts of *Salvia sahendica* in different phonological stages. *Chemistry of Natural Compounds*, Vol. 43(3), pp. 328-330.
- Salvi M., Battaglia V., Brunati A.M., Rocca N.L., Tibaldi E., Pietrangeli P., Marcocci L., Mondovi B., Rossi C.A and Toninello A. (2007). Catalase takes part in rat liver mitochondria oxidative stress defense. *J. Biological Chemistry*, Vol. 282(33), pp. 24407-24415.
- Samuel A.J.S.J., Kalusalingam a., Kumar C.D., Gopinath R., Radhamani S., Husain H.A., Vignesh M and Proom P. (2010). Ethnomedical survey of plants used by the Orang Asli in Kampung Bawong, Perak, West Malaysia. *J. Ethnobiology and Ethnomedicine*, Vol. 6(5), pp.1-6.
- Sankar S.R., Manivasagam T., Krishnamurti A and Ramanatan M. (2007). The neuroprotective effect of *Withania somnifera* root extract in MPTP-intoxicated mice: An analysis of Behavioral and biochemical variables. *Cellular and Molecular Biology Letters*, Vol.12(4), pp.473-481.
- Sardari K., Emami M.R., Tabatabaee A and Ashkiani A. (2007). Cataract surgery in an African lion (*Panthera leo*) with anterior lens luxation. *Comp. Clin. Pathol.*, Vol.16, pp.65-67.
- Sasmal D., Das S and Basu S.P. (2007). Phytoconstituents and therapeutic potential of *Nyctanthes arbortristis* Linn.. *Pharmacognosy Reviews*, Vol. 1(2), pp.344-349.
- Sayre L.M., Moreira P.I., Smith M.A and Perry G. (2005). Metal ions and oxidative protein modification in neurological disease. *Ann. 1st Super Sanita*, Vol. 41(2), pp.143-164.
- Sengul M., Yildiz H., Gungor N., Cetin B., Eser Z and Ercisli S. (2009). Total phenolic content, antioxidant and antimicrobial activities of some medicinal plants. *Pak. J. Pharm. Sci.*, Vol. 22(1), pp. 102-106.
- Senthil N., Badami S., Dongre S.H and Bhojraj S. (2008). Antioxidant and hepatoprotective activity of the methanol extract of *Careya arborea* bark in Ehrlich ascites carcinoma-bearing mice. *J. Natural Medicine*, Vol. 62, pp.336-339.
- Shah F.D., Patel J.B., Shukla S.N., Shah P.M and Patel P.S. (2009). Evaluation of Plasma Non-enzymatic Antioxidants in Breast Cancer biology. *Asian Pacific J. Cancer Prevention*, Vol. 10, pp.91-96.
- Shahid S., Bleam R., Bessarab D and Thompson S.C. (2010). "If you don't believe it, it won't help you": use of bush medicine in treating cancer among Aboriginal people in Western Australia. *J. Ethnobiology and Ethnomedicine*, Vol. 6(18), pp.1-20.
- Sharififar F., Moshafi M.H., Nudehe G.D., Ameri A., Alishahi F and Pourhemati A. (2009). Bioassay screening of the essential oil and various extracts from 4 spices medicinal plants. *Pak. J. Pharm. Science*, Vol. 22(3), pp.317-322.
- Sharique A and Seera .B (2009). Ascorbic acid, Carotenoids, Total phenolic content and Antioxidant activity of various genotypes of *Brassica Oleracea encephala*, *J. Medical and Biological Sciences*, Vol. 3(1), pp.1-8.
- Sharma R.J., Chaphalkar S.R and Sdsool A.D. (2010). Evaluating antioxidant potential, cytotoxicity and intestinal absorption of flavonoids extracted from medicinal plants. *International J. Biotechnology Applications*, Vol. 2(1), pp. 1-5.
- Shetty S., Udupa S and Udupa L. (2008). Evaluation of antioxidant and wound healing effects of alcoholic and aqueous extract of *Ocimum sanctum* Linn in Rats. *eCAM, oxford J.*, Vol. 5(1), pp. 95-101.
- Shirwaikar A., Ram H.N.A and Mohanpatra F. (2006). Antioxidant and antiulcer activity of aqueous extract of a polyherbal formulation. *Indian J. Exp. Bio.*, Vol. 44, pp. 474-480.

- Shrilatha B., Slawo L., Kevin M.M., Richard B.C., Barry D and Stephania A.C. (2009), Environmentally persistent free radicals amplify ultrafine particle mediated cellular oxidative stress and cytotoxicity, *Partice and fibre Toxicology*, Vol. 6(11), pp.1-14.
- Shripor A., Ansari Mh.K., Salami S., Pakdel F.G and Rasmi Y. (2007), Effect of vitamin E on oxidative stress status in small intestine of diabetic rats, *World J Gastroenterology*, Vol. 13(32), pp. 4340-4344.
- Siddiqui A.A and Ali M. (1997), Practical Pharmaceutical Chemistry, 1st ed., CBS Publishers and Distributors, New Delhi, pp. 126-131.
- Singh P.P., Mahadi F., Roy A and Sharma P. (2009), Reactive oxygen species, Reactive nitrogen species and antioxidants in etiopathogenesis of diabetes mellitus type-2, *Indian J Clinical Biochemistry*, Vol. 24(4), pp.324-342.
- Soetan K.O and Aiyelaagbe O.O. (2009), The need for bioactivity-safety evaluation and conservation of medicinal plants- A review, *African J. Medicinal Plants Research*, Vol. 3(5), pp. 324-328.
- Somogyi M. (1952), *J. Biol. Chem*, Vol. 200, pp. 245.
- Souri E., Amin G., Farsam H., Jalalizadeh H and Barezi S. (2008), Screening of Thirteen medicinal plant extracts for Antioxidant activity, *Iranian J. Pharmaceutical Research*, Vol. 7(2), pp. 149-154.
- Srikumar R., Parthasarathy N.J., Manikandan, S., Narayanan G.S and Sheeladevi R. (2006), Effect of Triphla on oxidative stress and on cell-mediated immune response against noise stress in rats, *Molecular and cellular Biochemistry*, Vol. 283, pp.67-74.
- Street R.A., Stirk W.A and Staden J.V. (2008), South African traditional medicinal plant trade- Challenges in regulating quality, safety and efficacy, *J. Ethnopharmacology*, Vol. 119, pp.705-710.
- Stukelj M., Valencak Z., Krsnik M and Svete A.N. (2010), The effect of the combination of acids and tannin in diet on the performance and selected biochemical, haematological and antioxidant enzyme parameters in grower pigs, *Acta Veterinaria Scandinavica*, Vol. 53(19), pp. 1-8.
- Sudharameshwari K and Radhika J. (2007), Antibacterial screening of *Aegle marmelos*, *Lawsonia inermis* and *albizia libbeck*, *African J. Traditional, complementary and alternative medicine*, Vol. 4(2), pp. 199-204.
- Sulekha M., Satish Y., Sunita Y and Rajesh K.N. (2009), Antioxidants: A Review. *J. Chemical and Pharmaceutical Research*, Vol. 1(1), pp.102-104.
- Sunil K and Dinesh K. (2009), Antioxidant and free radical scavenging activities of edible weeds, *African J. Food Agriculture Nutrition and Development*, Vol. 9(5), pp. 1174-1190.
- Surendra K.S and Vivek K. G. (2008), *In vitro* antioxidant studies of *Ficus racemosa* Linn. Root, *Pharmacognosy Magazine*, Vol. 4(13), pp. 70-74.
- Swarnalatha L and Neelakanta P.R. (2009), Antimicrobial, antidiarrhoeal and analysis of phytochemical constituents of *Sphaeranthus amaranthoides*, *Indian J. Science and Technology*, Vol. 2(3), pp.45-48.
- Tavilani H., Goodarzi M.T., Vaisi-raygani A., Salimi S and Hassanzadeh T. (2008), Activity of Antioxidant enzymes in seminal plasma and their relationship with lipid peroxidation of Spermatozoa, *International Braz J. Urology*, Vol. 34(4), pp.485-491.
- Tefera A., Seyoum T and Woldetsadik K. (2008), Effects of disinfection, packaging and evaporatively cooled storage on sugar content of mango, *African J. Biotechnology*, Vol.7(1), pp. 65-72.
- Thipyapong P., Stout M.J and Atjarusit J. (2007), Functional analysis of Polyphenol oxidases by antisense/sense Technology, *Molecules*, Vol. 12, pp. 1569-1595.
- Thring T.S.A., Hili P and Naughton D.P. (2009), Anti-collagenase, anti-elastase and antioxidant activities of extracts from 21 plants, *BMC Complementary and Alternative Medicine*, Vol. 9(27), pp.1-11.
- Tlili N., Sasri N., Saadaoui E., Khaldi A and Triki S. (2010), Sterol composition of caper (*Capparis spinosa*) seeds, *African J. Biotechnology*, Vol. 9(22), pp.3328-3333.
- Tung N.H., Ding Y.D., Kim S.K., Bae K and Kim Y.H. (2008), Total peroxy radical-scavenging capacity of the chemical components from the stems of *Acer tegmentosum* Maxim, *J. Agricultural and Food chemistry*, Vol. 56(22), pp. 10510-10514.
- Tyagi S., Singh G., Sharma A and Aggarwal, (2010), Phytochemicals as candidate therapeutics: An Overview, *International J Pharmaceutical Sciences Review and Research*, Vol. 3(1), pp.53-55.
- Uprety Y., Asselin H., Boon E.K., Yadav S and Shrestha K.K (2010), Indigenous use and biosafety of medicinal plants in the Rasuwa District, Central Nepal, *J. Ethnobiology and Ethnomedicine*, Vol. 6(3), pp.1-10.
- Valko M., Izakovic M., Mazur M., Rhodes C.J and Telser J. (2004), Role of oxygen radicals in DNA damage and cancer incidence, *Molecular and Cellular Biochemistry*, Vol.266, pp.37-56.
- Varahalarao V and Chandrashekar K.N. (2010), *In vitro* Bioevaluation of some Indian medicinal plants, *Drug Invention today*, Vol. 2(1), pp. 65-68.

- Walji R., Boon H., Barnes J., Austin Z., Welsh S and Baker G.R. (2010), Consumers of natural health products: natural-born pharmacovigilantes, *BMC Complementary and Alternative Medicine*, Vol. 10(8), pp.1-10.
- Wang J., Peng Q and Li G. (2009), New compounds of natural resources in 2008, *African J Biotechnology*, vol. 8(18), pp.4299-4307.
- Waris G and Ahsan H. (2006), Reactive oxygen species: role in the development of cancer and various chronic conditions. *BMC J Carcinogenesis*, Vol. 5(14), pp.1-8.
- Woznlak B., Musialkiewicz D., Woznlak a., Drewa G., Drewa T., Drewa S., Mila-Kierzenkowska C., Porzych M and Musialkiewicz M. (2008), Lack of changes in the concentration of thiobarbituric acid-reactive substances (TBARS) and in the activities of erythrocyte antioxidant enzymes in alcohol-dependent patients after detoxification, *Med. Sci. Monit. Clinical Research*, Vol. 14(1), pp. 32-36.
- Wu-Yang H., Yi-Zhong C., Jie X., Harold C and Mei S. (2007), A Potential antioxidant Resource: Endophytic Fungi from Medicinal Plants, *Economic Botany*, Vol. 61(1), pp.14-30.
- www.healthyyounaturally.com
- www.inepo.com/english/uplFiles_resim/Testing_plants_whether_they_cause_cancer.doc
- www.paho/cfni.org
- www.softwarepart.com/waterina.com/images/diagram01.gif
- www.spyhunter007.com/images/antioxidant_diagram.gif
- Xu K and Stringer J.L. (2008), Antioxidants and free radical scavengers do not consistently delay seizure onset in animal models of acute seizures. *National Institute of Public Access, Epilepsy Behav.*, Vol. 13(1), pp.77-82.
- Yamasaki Y., Konno H and Noda K. (2008), Polyphenol oxidase from wheat bran is a serpin. *Acta Biochimica Polonica*, Vol. 55(2), pp. 325-328.
- Yen Chen C., Milbury P.E., Lapsley K and Blumberg J.B. (2005), Flavonoids from Almond skins are bioavailable and Act synergistically with Vitamins C and E to Enhance Hamster and Human LDL Resistance to Oxidation. *The J. Nutrition*, Vol. 135, pp. 1366-1373.
- Zakaria H., Simpson K., Brown P.R and Krutulovic A. (1979). Use of reverse phase HPLC analysis for the determination of provitamin carotenoids in tomatoes. *J. Chromatography*, Vol. 176, pp.109-117.
- Zakaria H.M., Mainen J.M., Pax J.M., Modest C.K and Ramadhani S.O.N.(2007). Antimicrobial activity and brine shrimp toxicity of extracts of *Terminalia brownii* roots and stem. *BMC Complementary and Alternative Medicine*, Vol. 7(9), pp. 1-5.
- Zakaria Z.A. (2007), Free radical scavenging activity of some plants available in Malaysia. *Iranian J. Pharmacology and Therapeutics*, Vol. 6, pp. 87-91.
- Zhang L., Yang Q., Luo X., Fang C., Zhang Q and Tang Y. (2007). Knockout of *crtB* or *crtI* gene blocks the carotenoid biosynthetic pathway in *deinococcus radiodurans* R1 and influences its resistance to oxidative DNA-damaging agents due to change of free radicals scavenging ability. *Arch Microbiol.*, Vol. 188, pp. 411-419.
- Zhang W., Li B., Han L and Zhang H. (2009). Antioxidant activities of extracts from areca (*Areca catectu L.*) flower, husk and seed. *African J. Biotechnology*, Vol. 8(16), pp. 3887-3892.
- Zhao B. (2005). Natural Antioxidant for neurodegenerative diseases. *Molecular Neurobiology*, Vol. 31(3), pp.283-293.
- Zhishen J., Mengcheng T and Jianming W. (1999). Determination of flavonoid contents in mulberry and their scavenging effects on superoxide radicals. *Food Chemistry*, Vol. 64, pp. 555-559.
- Zhu C., Yamamura S., Koiwa H., Nishihara M and Sandmann G. (2002). cDNA cloning and expression of carotenogenic genes during flower development in *Gentiana lutea*. *Plant Molecular biology*, Vol. 48, pp.277-285.
- Zwenger S and Basu C. (2008). Plant terpenoids: applications and future potentials. *Biotechnology and Molecular Biology Reviews*, Vol. 3(1), pp.1-7.