

## **REFERENCE**

## REFERENCE

**ABC. (2007).**

<http://abc.net.au/news/stories/2007/09/08/2027566.htm?section=australia>

**Acaray, A. and Pinar, R. (2005).** Edtna Ercaj. 31(1), 35-8.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list\\_uids=16083026&query\\_hl=9&itool=pubmed\\_docsum](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?db=pubmed&cmd=Retrieve&dopt=AbstractPlus&list_uids=16083026&query_hl=9&itool=pubmed_docsum)

**Agarwal, K. S., Dash, S. C., Irshad, M., Raju, S., Singh, R. and Pandey, M.**

**(2005).** Prevalence of chronic renal failure in adults in Delhi, India.

Nephrology Dialysis Transplantation. 20(8), 1638-1642.

**Agarwal, S. K. (2005).** Chronic kidney disease and its prevention in India. Kidney

International. 68, 41-45.

<http://www.nature.com/ki/journal/v68/n98s/abs/4496437a.html>.

**Alvarez, U. F., Fernandez, R. M. J., Vasquez, A., Mon, C., Sanchez, R. and**

**Rebollo, P. (2001).** Physical symptoms and emotional disorders in patients on periodic hemodialysis programme. Nefrologia. 21(2), 191-9.

**American Kidney Foundation. (2007).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**American Psychological Association. (2007).**

<http://www.apa.org/topics/controlanger.html>

**American Society of Nephrology fall 2000 meeting.**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**American Society of Nephrology. (2006).**

<http://www.medicalnewstoday.com/articles/57072.php>

**Annals of Internal Medicine. (2000).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Archives of Internal Medicine. (2001).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Arslanian, J. (2002).** Hemodialysis patients' symptom experiences: effects on physical and mental functioning. *Nephrology Nursing Journal*.

[http://findarticles.com/p/articles/mi\\_m0ICF/is\\_6\\_29/ai\\_n18614687](http://findarticles.com/p/articles/mi_m0ICF/is_6_29/ai_n18614687)

**Batson and Schwartz. (1999). In Sinclair (1999).** The prevention and management of renal disease- a psychological perspective.

<http://www.calgaryhealthregion.ca/clin/adultpsy/Papers/kidney.pdf>.

**Beck. (1971).** Beck Depression Inventory.

**Bhagavad Gita.** [http://www.successconsciousness.com/bhagavad\\_gita\\_quotes.htm](http://www.successconsciousness.com/bhagavad_gita_quotes.htm).

(2007)

**Bonadona. R. (2003).** Meditation's impact on chronic illness. *Holist Nurs Pract.* 17(6), 309-19.

**Bonsignore M., Barkow K., Jessen F. and Heun R. (2001).** Validity of the five-item

WHO Well-Being Index (WHO-5) in an elderly population. *Eur Arch*

*Psychiatry Clin Neurosci.* 251 Suppl 2, II27-31.

**Cohen, S. D., Patel, S. S., Khetpal, P., Peterson, R. A. and Kimmel, P. L. (2007).**

Pain, sleep disturbance and quality of life in patients with kidney disease. Clin J Am Soc Nephrol. 8, 17702733. <http://lib.bioinfo.pl/auth:Patel.SS>

**Craven. (2006).** <http://www.who-5.org/> 2007

**Cristavao. (1999).**

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?itool=abstractplus&db=pubmed  
&cmd=Retrieve&dopt=abstractplus&list\\_uids=10827598](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?itool=abstractplus&db=pubmed&cmd=Retrieve&dopt=abstractplus&list_uids=10827598)

**Cukor, D. (2007).** Use of CBT to Treat Depression among Patients on Hemodialysis.

American Psychiatric Association.

<http://psychservices.psychiatryonline.org/cgi/content/full/58/5/711>

**Cukor, D., Coplan, J., Brown, C., Friedman, S., Cromwell, S. A., Peterson, R.A.**

**and Kimmel, P. L. (2007).** Depression and anxiety in urban hemodialysis patients. Clin J Am Soc Nephrol. 2(3), 484-90.

**Daily Times Monitor.**

(2007). [http://www.dailytimes.com.pk/default.asp?page=2007%5C09%5C08%5Cstory\\_8-9-2007\\_pg7\\_58](http://www.dailytimes.com.pk/default.asp?page=2007%5C09%5C08%5Cstory_8-9-2007_pg7_58)

**Daniker, B., Kimmel, P.L., Ranich, T. and Peterson, R. A. (2001).** Depression and

marital dissatisfaction in patients with end-stage renal disease and in their spouses. Am J Kidney Dis. 38(4), 839-46.

**Dash, S. C. and Agarwal, S. K. (2006).** Incidence of chronic kidney disease in India.

Nephrology Dialysis Transplantation. 21(1), 232-233.

**Davison, S. N. (2007).** Chronic kidney disease: psychosocial impact of chronic pain.

Geriatrics. 62(2), 17-23.

<http://cat.inist.fr/?aModele=afficheN&cpsidt=18570893>

**DaVita Inc. (2007).** <http://www.davita.com/articles/ckd/index.shtml?id=214>

**Deccan Herald. (2007).**

[www.deccanherald.com/deccanherald/mar102007/editpage225616200739.asp](http://www.deccanherald.com/deccanherald/mar102007/editpage225616200739.asp)

**Dunham, W. (2006).** Cancer risk rises after kidney transplant, study says. Reuters Limited, 2007.

<http://www.upmccancercenters.com/news/reuters/reuters.cfm?article=9391>

**Eduard, A. Iliescu, Karen E. Yeates and Holland, D. C. (2004).**

<http://ndt.oxfordjournals.org/cgi/content/full/19/1/95>

**Estes, J. A. (2004).** DaVita Social Worker, DaVita Inc.

<http://www.davita.com/kidney-disease/emotional-issues/a/866>

**Fabrazzo, M, and De Santo, R. M. (2006).** Depression in chronic kidney disease.

*Semin Nephrol.* 26(1),56-60.

**Fadem, S. (2005).** Slowing the progression of kidney disease. American association

of kidney patients, Inc., 2007. <http://www.aakp.org/aakp-library/Kidney-disease-progression/>

**Finkelstein, F. O. and Finkelstein, S. H. (2007).** Spirituality, Quality of life and

Dialysis patient. *Nephrology Dialysis Transplantation.* 22(9), 2432-2434.

**Finkelstein, F., O. and Finkelstein, S., H. (2000).** Depression in chronic dialysis

patients: assessment and treatment. *Nephrol Dial Transplant.* 15, 1911-1913.

<http://ndt.oxfordjournals.org/cgi/content/full/15/12/1911>

**Fluoridalert.org. (2007).** <http://fluoridealert.org/health/kidney>.

- Gayathri Devi and Gayatri Devi, S. (2007).** Management of depression in depressive patients through Positive Therapy. Unpublished manuscript. Department of Psychology, Avinashilingam University for Women. Coimbatore.
- Gibar, O., Han. K and Plivazky, N. (2005).** Mental adjustment, coping strategies, and psychological distress among end-stage renal disease patients. J Psychom Res. 58(6), 471-6.
- Gill, E. J., Smith, M., Dumke, L. F., Larson, H. and Segal, J. (2007).**  
[http://www.helpguide.org/mental/stress\\_signs.htm](http://www.helpguide.org/mental/stress_signs.htm)
- Goldberg, A. P., Hagberg, J., Delmez, J. A., Carney, R.M., McKeivitt, P. M., Ehsani, A. A. and Harter, H. R. (2006).** Metabolic and psychological effects of exercise training in hemodialysis patients.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list\\_uids=7395782&dopt=Abstract](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?cmd=Retrieve&db=PubMed&list_uids=7395782&dopt=Abstract)
- Goldin, R. M. (2005).** Hypertention and CKD. *Kidney Beginnings: The Magazine.*4(1). <http://www.aakp.org/aakp-library/hypertension-and-c-k-d/>.
- Google. (2007).** [en.wikipedia.org/wiki/Depression\\_\(geology\)](http://en.wikipedia.org/wiki/Depression_(geology))
- Gregorio, T. O., Pereira, B. J. and G. Soucie. (2002).** Systemic complications of chronic kidney disease, pinpointing clinical manifestations and best management. *Postgraduate Medicine.* 3(2).  
[http://www.postgradmed.com/issues/2002/02\\_02/obrador.htm](http://www.postgradmed.com/issues/2002/02_02/obrador.htm)
- Gurklis and Menke, (1995).** 22(4),381-8.  
[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?itool=abstractplus&db=pubmed&cmd=Retrieve&dopt=abstractplus&list\\_uids=7654085](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?itool=abstractplus&db=pubmed&cmd=Retrieve&dopt=abstractplus&list_uids=7654085)

**Guzman, S. J. and Nicassiol, P. M. (2004).** The Contribution of Negative and Positive Illness Schemas to Depression in Patients with End-Stage Renal Disease. <http://www.springerlink.com/content/j098027671216604/>

**Hampton VA Medical Center. (2007).**

[http://findarticles.com/p/articles/mi\\_m0ICF/is\\_3\\_29/ai\\_n18613780](http://findarticles.com/p/articles/mi_m0ICF/is_3_29/ai_n18613780)

**Health Central Network. (2007).** <http://www.healthsquare.com/fgpd/fg4ch18.htm>

**Health24. (2006).** [http://www.health24.com/medical/Condition\\_centres/777-792-817-1796,17826.asp](http://www.health24.com/medical/Condition_centres/777-792-817-1796,17826.asp)

**Health24. (2006).** [http://www.health24.com/medical/Condition\\_centres/777-792-817-1796,17826.asp](http://www.health24.com/medical/Condition_centres/777-792-817-1796,17826.asp)

**Healthy-holistic-living.com. (2007).** <http://www.healthy-holistic-living.com/chronic-illness-and-depression.html>.

**Heilman, B. (2007).** <http://www.davita.com/articles/ckd/index.shtml?id=930>

**Heiwe, S. and Dahlgren, M. A. (2003).** Living with chronic renal failure: patients' experiences of their physical and functional capacity. *Physiother Res Int.* 8(4), 167-77.

**Hemalatha Natesan and Menon, N. (Revised 2005).** SI (Stress Inventory). Unpublished Psychological Test, Department of Psychology, Avinashilingam University for Women. Coimbatore.

**Hemalatha Natesan. (2000).** Relaxation Therapy Cassettes. Department of Psychology, Avinashilingam University for Women. Coimbatore.

**Hemalatha Natesan. (2003).** Case Study Schedule, Unpublished Manuscript.  
Department of Psychology, Avinashilingam University for Women.  
Coimbatore.

**Hemalatha Natesan. (2003).** Case Study Re-assessment Schedule, Unpublished  
Manuscript. Department of Psychology, Avinashilingam University for  
Women. Coimbatore.

**Hemalatha Natesan. (2004).** Positive Therapy - Handbook for Healthy, Happy and  
Successful Living. Coimbatore. Ganesh Krupa.

[http://en.wikipedia.org/wiki/Stress\\_\(medicine\)](http://en.wikipedia.org/wiki/Stress_(medicine)). (2007).

<http://kidneydiseases.about.com/od/kidneys101/a/Overview0001.htm>. (2007).

<http://kidneydiseases.about.com/od/riskfactors/a/Article0003.htm> 2007. (2007).

<http://www.emedicinehealth.com/script/main/art.asp?articlekey=58887&pf=3&page=1> (2007).

<http://www.emedicinehealth.com/script/main/art.asp?articlekey=58887&pf=3&page=1>, (2007).

<http://www.kidneypatientguide.org.uk/site/anger.php>. (2005).

<http://www.kidneypatientguide.org.uk/site/anxiety.php> 2005

<http://www.kidneypatientguide.org.uk/site/anxiety.php>. (2005).

<http://www.kidneypatientguide.org.uk/site/emotional.php>. (2005).

<http://www.kidneypatientguide.org.uk/site/stress.php>. (2005).

<http://www.kidneypatientguide.org.uk/site/stress.php>. (2005).

[http://www.webhealthcentre.com/general/renal\\_disease\\_symptom.asp](http://www.webhealthcentre.com/general/renal_disease_symptom.asp). (2007).

**Jadoulle, V., Hoyois, P. and Jadoul, M. (2005).** Anxiety and depression in chronic hemodialysis:some somatopsychic determinants. Clin Nefrol. 63(2), 113-8.  
[http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list\\_uids=15730053&dopt=Citation](http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list_uids=15730053&dopt=Citation)

**Jefferson, T. (2000).** <http://www.lifepositive.com/stress.html>

**Johns Hopkins University Researchers. (2004).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Johnson and Gabow. (2006).**

[http://enserver0.nkf.med.ualberta.ca/cn/Schrier/Volume3/chapte6/ADK3-06\\_10QXD.pdf](http://enserver0.nkf.med.ualberta.ca/cn/Schrier/Volume3/chapte6/ADK3-06_10QXD.pdf).

**Johnson, D.W. and Usherwood, T. (2006).** Chronic kidney disease - Management update. Australian Family Physician. 34(11), 898 - 992.  
<http://www.racgp.org.au/afp/200511/4832>

**Joynt, K. and Whellan, D. (2003).** Depression and cardiovascular disease: mechanisms of interaction. Biological Psychiatry. 54(3), 248-261.

**Kathuria, P. (2007).**

[http://www.emedicinehealth.com/chronic\\_kidney\\_disease/article\\_em.htm](http://www.emedicinehealth.com/chronic_kidney_disease/article_em.htm)

**Kavitha and Natesan, H. (2005).** Management of stress and enhancement of general well-being in Haemodialysis patients through Positive Therapy. Unpublished manuscript. Department of Psychology, Avinashilingam University for Women. Coimbatore.

**Khullar, D. (2006).**

<http://www.doctorndtv.com/DoctorNDTV%20show/detailtopics.asp?id=75>

- Kimmel, P. L. and Peterson, R. A. (2005).** Depression in end-stage renal disease patients treated with hemodialysis: tools, correlates, outcomes, and needs. Semin Dial. 18(2), 91-7.
- Kimmel, P. L., Emont, S. L., Newmann, J. M., Danko, H., and Moss, A. H. (2003).** ESRD patient quality of life: symptoms, spiritual beliefs, psychosocial factors, and ethnicity. Am J Kidney Dis. 42(4), 713-21.
- Kimmel, P. L., Peterson, R. A., Weihs, K. L., Simmens, S. J., Alleyne, S., Cruz, I. and Veis, J. H. (2006).** Multiple measurements of depression predict mortality in a longitudinal study of chronic hemodialysis outpatients. <http://kidney.niddk.nih.gov/kudiseases/pubs/kdd/index.htm>
- Kimura, H and Ozaki, N. (2006).** Diagnosis and Treatment of Depression in Dialysis patients. Ther Apher Dial. 10(4), 328-32.
- King. (2006).** [http://www.kidney.org/patients/pdf/ff\\_su05.pdf](http://www.kidney.org/patients/pdf/ff_su05.pdf).
- Kothari, C. P. (2000).** Research Methodology: Methods and Techniques. New Delhi, Wiley Eastern Ltd; 52-54.
- Kumar. (2003).** <http://medind.nic.in/iav/t03/i3/iavt03i3p89.pdf>.
- Kurella, M., Glenn, M., Chertow, M. D., Luan, J. and Kristine Yaffe, K. (2004).** Cognitive Impairment in Chronic Kidney Disease. Journal of the American Geriatrics Society. 52(11) 1863.
- Kurella, M., Kimmel, P. L., Young, B. S. and Chertow, G. M. (2005).** Suicide in the United States end-stage renal disease program. J Am Soc Nephrol. 16(3), 774-81.
- Laudanski, K., Nowaz, K. and Wancowicz, Z. (2002).** Mood and illness-related stress in dialysed patients. Pol Nerkur Lekarski. 13(77), 376-9.

**LeMaistre, J. (1999).**

[http://www.alpineguild.com/COPING%20WITH%20CHRONIC%20ILLNES  
S.html](http://www.alpineguild.com/COPING%20WITH%20CHRONIC%20ILLNES<br/>S.html)

**Life Extension Foundation. (2007).**<http://www.lef.org/protocols/prtel-065.shtml#kid>

**Luthi, J. C., Flander, W.D., Burnie, M., Burnand, B. and McClellan, W. M.**

**(2006).** <http://www.biomedcentral.com/1471-2369/7/3>

**Mani, M. K.(2005).** Chronic Renal Failure in India. *Nephrol Dial Transplant.* 8, 684-689.

[http://ndt.oxfordjournals.org/cgi/content/abstract/8/8/684?ijkey=edca6deac884b  
3501618360ee2f7dccf56687cd0&keytype2=tf\\_ipsecsha](http://ndt.oxfordjournals.org/cgi/content/abstract/8/8/684?ijkey=edca6deac884b<br/>3501618360ee2f7dccf56687cd0&keytype2=tf_ipsecsha)

**Mani. (1997).** *The Hindu.* 14(25).13-26.

<http://www.hinduonnet.com/fline/fl1425/14250760.htm>

**Martin Luther King.** <http://heartsandminds.org/quotes/depression.htm>. (2007)

**Maya. C, (2006).**

<http://www.thehindu.com/2006/03/09/stories/2006030917530400.htm>

**Mayo Clinic researchers**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summary](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summary)

**McClellan, M. J. (2001).** Emotional trauma associated with renal disease and natural disasters. *Nephrol Nurs J.* 28(5), 529-30, 535-6.

**Medifocus.com, Inc. (2007).** [http://www.medifocushealth.com/NK006/Lifestyle-Issues-in-KidneyFailure\\_Mental-Health-Issues.php](http://www.medifocushealth.com/NK006/Lifestyle-Issues-in-KidneyFailure_Mental-Health-Issues.php)

**Medifocus.com, Inc. (2007).** [http://www.medifocushealth.com/NK006/Lifestyle-Issues-in-Kidney-Failure\\_Mental-Health-Issues.php](http://www.medifocushealth.com/NK006/Lifestyle-Issues-in-Kidney-Failure_Mental-Health-Issues.php)

**Merkus, M., Jager, K., Dekker, Haan, F. R., Boeschoten, E. and Krediet. (1999).**  
Physical symptoms and quality of life in patients on chronic dialysis. 14(5),  
1163-1170. <http://ndt.oxfordjournals.org/cgi/content/abstract/14/5/1163>.

**Mills, H. L. (2006).** <http://www.optimums.com/id34.html> 2006

**Mittal, S. Kher, V., Gulati, S., Agarwal, L.K. and Arora, P. (1997).** Chronic renal  
failure in India. Ren Fail. 19(6), 763.  
[http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=retrieve&db=pubmed&list\\_uids=9415933&dopt=AbstractPlus](http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=retrieve&db=pubmed&list_uids=9415933&dopt=AbstractPlus)

**Modi, G. K. and Jha, V. (2005).** The incidence of end-stage renal disease in India: A  
population-based study. Kidney Int. 70(12), 2131-3.

**Montgomery. (2006).** Johns Hopkins University. (2007).  
[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Murtagh, Fliss, E.M., Addington-Hall, Julia, Higginson and Irene J. (2007).**  
The prevalence of symptoms in end-stage renal disease: a systematic review.  
Advances in Chronic Kidney Disease. 14(1), 82-99.

**National Institute of Neurological Disorders and Stroke (2007).**  
[http://www.ninds.nih.gov/disorders/restless\\_legs/detail\\_restless\\_legs.htm](http://www.ninds.nih.gov/disorders/restless_legs/detail_restless_legs.htm)

**National Kidney Foundation. (2004).**  
[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**National Kidney Foundation. (2007).**  
<http://www.kidney.org/kidneydisease/ckd/index.cfm>

**National Kidney Foundation. (2007).**

[http://www.kidney.org/patients/plu/plu\\_manag/ii.cfm](http://www.kidney.org/patients/plu/plu_manag/ii.cfm)

**National Tainan Institute of Nursing Department. (Cho, Y. C. and Tsay, S. L.)**

**(2004).** *J Nurse Res.* 12(1), 51-9.

**New England Journal of Medicine reports. (2006).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**New guidelines from the National Kidney Foundation.**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**NIH and Walter Reed Army Medical Center clinicians. (2003).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Nizam, A., Abbas, S., Aslam, F., Minhas, F. A. and Najam, N. (2005).** Diabetic

Patients with Hemodialysis Have Anxiety, Depression and Poor QOL. 2(2).

[http://www.jpps.com.pk/show\\_article.php?JID=2&ArtID=21](http://www.jpps.com.pk/show_article.php?JID=2&ArtID=21)

**Nordal, (2007).** Uremic pruritis- pathogenesis and treatment. *Tidsskr Nor Laegeforen.*

127(9), 1201-3.

**O'Donnel, K and Chung, J.Y. (1997).** The diagnosis of major depression in end -

stage renal disease. 66(1), 38-43.

[http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?itool=abstractplus&db=pubmed&cmd=Retrieve&dopt=abstractplus&list\\_uids=8996714](http://www.ncbi.nlm.nih.gov/entrez/query.fcgi?itool=abstractplus&db=pubmed&cmd=Retrieve&dopt=abstractplus&list_uids=8996714)

**Obrador, G. T. and Pereira, B. J. G. (2002).** Systemic complications of chronic kidney disease- Pinpointing clinical manifestations and best management.

Postgrad Med.111(2), 115-122.

[http://www.postgradmed.com/issues/2002/02\\_02/obrador.htm](http://www.postgradmed.com/issues/2002/02_02/obrador.htm)

**Patel, S. S., Peterson, R. A. and Kimmel, P. L. (2005).** The Impact of Social Support on End-Stage Renal Disease. Seminars In Dialysis. 18 (2), 98–102.

**Patel, S. S., Shah, V. S., Peterson, R. A. and Kimmel, P. L. (2002).** Psychosocial variables, quality of life, and religious beliefs in ESRD patients treated with hemodialysis. Am J Kidney Dis. 40(5), 1013-22.

[http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list\\_uids=12407647&dopt=Citation](http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list_uids=12407647&dopt=Citation)

**Patel, S.S., Peterson, R.A. and Kimmel, P.L. (2005).** The Impact of Social Support on End-Stage Renal Disease. Seminars in Dialysis. 18 (2), 98-102.

**Pawar, A., Rathod, J., Chaudhury, S., Saxena, S. K., Saldanha, D., Ryali, V. S. S.**

**R. and Srivas, T. A. V. A. K. K. (2006).** Cognitive and emotional effects of renal transplantation. Indian Journal of Psychiatry. 48(1), 21-26.

**Perkins, C. (2007).** <http://www.holistichelp.net/chronic-illness.html>

**Peter Sinclair.**

<http://quotations.about.com/cs/inspirationquotes/a/OvercomingAd1.htm>. (2007)

**Praveena and Natesan, H. (2004).** Management of pain through Positive Therapy.

Unpublished manuscript. Department of Psychology, Avinashilingam University for Women. Coimbatore.

**Price, P. (2004).** [http://www.allaboutdepression.com/gen\\_05.html](http://www.allaboutdepression.com/gen_05.html)

**Rabindranath, K.S., Daly, C., Butler, J.A., Roderick, P. J. and Macleod, S.A.M. (2005).** Psychosocial interventions for depression in dialysis patients. Cochrane Database Syst Rev.20(3),CD004542.

**Rajakumari and Natesan, H. (2006).** Management of stress in nurses through Positive Therapy. SCOPE. Annamalai Psychology Journal. Chidambaram.

**Rajalakshmi and Natesan, H. (2007).** Management of depression and enhancement of well-being in cancer patients through Positive Therapy. Unpublished manuscript. Department of Psychology, Avinashilingam University for Women. Coimbatore.

**Ravenscroft, E. F. (2005).** Diabetes and kidney failure; how individuals with diabetes experience kidney failure. Nephrology Nursing Journal.  
[http://findarticles.com/p/articles/mi\\_m0ICF/is\\_5\\_32/ai\\_n17211655](http://findarticles.com/p/articles/mi_m0ICF/is_5_32/ai_n17211655). 2007

**Researchers at the Center for Biomedical Engineering report. (2001).**  
[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Reuters Health (2006).**  
[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Ro, Y. J., Ha, H.C., Kim, C. G. and Yeom, H.A. (2002).** The effects of aromatherapy on pruritus in patients undergoing hemodialysis. Dermatol Nurs. 14(4), 231-4, 237-8, 256.

**Rule, A. (2005).** Mayo Foundation for Medical Education and Research, 2005.  
<http://www.mayoclinic.org/news2005-rst/2899.html>

**Rule, A. (2007).** Kidney disease associated with benign prostrate.

[http://www.rxpnews.com/nephrology/Chronic Kidney Disease Associated with Benign Prost\\_1782\\_1782.shtml](http://www.rxpnews.com/nephrology/Chronic_Kidney_Disease_Associated_with_Benign_Prost_1782_1782.shtml).

**Sagawa, M., Oka, M., Chaboyer, W., Satoh, W. and Yamaguchi, M. (2001).**

Cognitive behavioral therapy for fluid control in hemodialysis patients.

Nephrology Nursing Journal. Feb (2001).

[http://findarticles.com/p/articles/mi\\_m0ICF/is\\_1\\_28/ai\\_n18613046](http://findarticles.com/p/articles/mi_m0ICF/is_1_28/ai_n18613046)

**Sahoo, S. (2006).** Diabetes may lead to kidney failure: Study. Indian Express

Newspapers Ltd., 2007.

<http://cities.expressindia.com/fullstory.php?newsid=248638>.

**Sakhaee, K. (2006).**

<http://www.medicinenet.com/script/main/art.asp?articlekey=77463>

**Schrag, F. (2003).** [http://www.aakp.org/aakp-library/managing-the-emotional-](http://www.aakp.org/aakp-library/managing-the-emotional-impact-of-ckd/)

[impact-of-ckd/](http://www.aakp.org/aakp-library/managing-the-emotional-impact-of-ckd/)

**Seneca.** <http://www.heartquotes.net/Stress.html>. (2007)

**Shlipak, M. (2006).** American Journal of Epidemiology.

[http://www.nlm.nih.gov/medlineplus/news/fullstory\\_43278.html](http://www.nlm.nih.gov/medlineplus/news/fullstory_43278.html).

**Sinclair, J. (1999).** The prevention and management of renal disease- a psychological

perspective. University of Calgary.

<http://www.calgaryhealthregion.ca/clin/adultpsy/Papers/kidney.pdf>. 2007

**Spence, J. D., Barnett, P. A., Linden, W., Ramsden, V. and Taenzer, P. (1999).**

In Sinclair (1999). Recommendations on Stress Management. CMAJ, 160 (9 Suppl).

**Stewart, D. (2007).** <http://healthresources.caremark.com/topic/printview>

**Stinton, L. (2007).**

<http://www.swin.edu.au/victims/resources/assessment/affect/bdi.html>

**Stressfocus. (2006).** [http://www.stressfocus.com/stress\\_focus\\_article/stress-effects-on-body.htm](http://www.stressfocus.com/stress_focus_article/stress-effects-on-body.htm)

**Strid, H., Simrén, M., Johansson, A. C., Svedlund, J., Samuelsson, O. and**

**Björnsson, E. S. (2002).** The prevalence of gastrointestinal symptoms in patients with chronic renal failure is increased and associated with impaired psychological general well-being. Nephrol Dial Transplant. 17, 1434-1439.

<http://ndt.oxfordjournals.org/cgi/content/full/17/8/1434>

**The University of Pennsylvania researchers. (2001).** The study was published in

The New England Journal of Medicine; 344 (10).

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**Thomas, M. (2006).** Biopeer the global life sciences research community.

[http://www.biopeer.com/biopeer/2006/08/kidney\\_disease.html](http://www.biopeer.com/biopeer/2006/08/kidney_disease.html)

**Tossani, E., Cassano, P. and Fava, M. (2005).** Depression and Renal Disease

Seminars In Dialysis. 18 (2), 73–81. [http://www.blackwell-](http://www.blackwell-synergy.com/links/doi/10.1111/j.1525-139X.2005.18217.x/abs/)

[synergy.com/links/doi/10.1111/j.1525-139X.2005.18217.x/abs/](http://www.blackwell-synergy.com/links/doi/10.1111/j.1525-139X.2005.18217.x/abs/)

**U. S. Surgeon General David Satcher's report on Oral Health in America. (2000).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**University of Michigan researchers. (2006).**

[http://www.sciencedaily.com/news/health\\_medicine/kidney\\_disease/display=summaries](http://www.sciencedaily.com/news/health_medicine/kidney_disease/display=summaries)

**University of Pennsylvania. (2006).**

<http://www.consumermedhelp.com/KPNews.html>

**Valdez, R. (2004).**

<http://www.valdezseminars.com/Published%20Articles/iKidney%20-20Managing%20Stress.htm>

**Vasquez, I., Valderrabano. F., Jofre, R., Fort, J., Gomez, L. J. M., Moreno, F. S. and Guajardo. (2003).** Psychosocial factors and quality of life in young hemodialysis patients with low comorbidity. Journal of Nephrology. 16(6),886-94.

**Venkateswari and Rohini, N. S. (2006).** Management of pain and depression in institutionalized geriatrics through Positive Therapy. Unpublished manuscript. Department of Psychology, Avinashilingam University for Women. Coimbatore.

**Vupputuri, S., Soucie, J. M., McClellan, W. and Sandler, D. P. (2004).** History of kidney stones as a possible risk factor for chronic kidney disease. Ann Epidemiol. 14(3), 222-8.

**Watnick, S., Kirwin, P., Mahnensmith, R. and Concato, J. (2003).** The prevalence and treatment of depression among patients starting dialysis. Am J Kidney Dis. 41(1), 105-10.

**Weisbord, S. D., Fried, L. F., Arnold, R. M., Fine, M. J., Levenson, D. J., Peterson, R. A., and Switzer, G. E. (2005).** Prevalence, severity and importance of physical and emotional symptoms in chronic hemodialysis patients. *J Am Soc Nephrol.* 16, 2487-2494.  
<http://jasn.asnjournals.org/cgi/content/abstract/16/8/2487>

**Weisbord, S.D., Fried, L.F., Mor, M. K., Resnick, A. L., Unruh, M. L., Palevsky, P. M., Levenson, D. J., Cooksey, S. H., Fine, M. J., Kimmel, P. L. and Arnold, R. M. (2007).** Renal Provider Recognition of Symptoms in Patients on Maintenance Hemodialysis. *Clin J Am Soc Nephrol.* 2, 960-967.  
<http://cjasn.asnjournals.org/cgi/content/full/2/5/960>.

**Welch, J. L. and Austin, J. K. (1999).** Factors associated with treatment related stressors in hemodialysis. *American Nephrology Nurses' Association Journal.* 26(3), 318-25.  
[http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list\\_uids=10633603&dopt=Citation](http://www.ncbi.nlm.nih.gov/sites/entrez?cmd=Retrieve&db=PubMed&list_uids=10633603&dopt=Citation)

**WHO. (1998).** Well-being Index. [http://www.cure4you.dk/354/WHO-5\\_English.pdf](http://www.cure4you.dk/354/WHO-5_English.pdf)

**Wuerth, D., Finkelstein, S. H. and Finkelstein, F. O. (2005).** The identification and treatment of depression in patients maintained on dialysis. *Seminars in Dialysis.* 18(2), 142-146. <http://www.blackwell-synergy.com/doi/abs/10.1111/j.1525-139X.2005.18213.x>

**Yildirim, Y.K. and Fadiloglu, C. (2006).** The effect of progressive muscle relaxation training on anxiety levels and quality of life in dialysis patients. Edtna Erca J. 32(2), 86-8.

**Yogatha, P and Gayatri Devi, S. (2006).** Management of stress-induced diabetes through Positive Therapy. Unpublished manuscript. Department of Psychology, Avinashilingam University for Women. Coimbatore.

**Yucedal, C., Olmez, N., Gazen, G., Celik, F., Altindag, A., Yilmaz, M. E. and Kara, I. H. (2003).** Depression in dialysis patients. Edtna Erca J. 29(3), 151-5.

**Zimmermann, P. R., Camey S.A. and Mari Jde J. (2006).** A cohort study to assess the impact of depression on patients with kidney disease. Int J Psychiatry Med. 36(4), 457-68.