



## Bibliography

---

## BIBLIOGRAPHY

- 📖 Ali, S. S., Kasoju, N., Luthra, A., Singh, A., Sharanabasava, H., Sahu, A. and Bora, U. (2008), Indian medicinal herbs as sources of antioxidants, *Food Research International*, 41, 1–15.
- 📖 Alonso, G, M., Pascual-Teresa, S., Santos-Buelga, C., Julian C. and Rivas-Gonzalo. (2004), Evaluation of the antioxidant properties of fruits, *Food Chemistry* 84, 13–18.
- 📖 Alothman, M., Bhat, R. and Karim, A, A. (2009), Antioxidant capacity and phenolic content of selected tropical fruits from Malaysia, extracted with different solvents, *Food Chemistry*, 115, 785–788.
- 📖 Alyson, E., Alexander, M. W. and Chassy. (2004), Antioxidants and the Nutritional Quality of Organic Agriculture, *Communiqué*.
- 📖 Arango, Y, and Heise, K, P. (2009), Tocopherol synthesis from homogentisate in *Capsicum annuum* L. (yellow pepper) chromoplast membranes: evidence for tocopherol cyclase, *Biochem. J*, 336, 531-533.
- 📖 Baskar, R., Rajeswari, V. and Kumar, S, T (2009), in vitro studies in leaves of *Annona* species, *indian journal of experimental biology*, 45, 480- 485.
- 📖 Bhuiyan, M, A, R., Hoque, M, Z. and Hossain, S, J. (2009), Free Radical Scavenging Activities of *Zizyphus mauritiana*, *World Journal of Agricultural Sciences* 5, 318-322.
- 📖 Bruijn, J, Valdebenito, A., Loyola, C., Serra, Salazar, F. and López, F. (2009), Continuous stabilization of chardonnay with ion-exchange resin: influence on protein and phenolic profiles of wine, *Chilean journal of agricultural research*, 69, 54-59.

- 📖 Boussaada, O., Chriaa, J., Nabli, R., Ammar, S., Saidana, D., Mahjoub, M, I., Chraeif, E. and Hela, A, N. (2008), Antimicrobial and antioxidant activities of methanol extracts of *Evax pygmaea* (Asteraceae) growing wild in Tunisia, *World J Microbiol Biotechnol*, 24,1289–1296.
- 📖 Cindy S. and Oliveri, (2003), *Nutraceuticals, Phytochemicals, and Antioxidants- What are they all about?*, <http://ohioline.osu.edu>.
- 📖 Citoglu, G, S., Çobanb, T., Severa, B., İscan. and M. (2004), Antioxidant properties of *Ballota* species growing in Turkey, *Journal of Ethnopharmacology*, 92, 275–280.
- 📖 Chanda, S and Dave, R. (2009), *In vitro* models for antioxidant activity evaluation and some medicinal plants possessing antioxidant properties: An overview, *African Journal of Microbiology Research*, 3, 981-996.
- 📖 Cheel, J., Theoduloz, C., Rodriguez, J, A., Caligari, P, D, S. and Schmeda-Hirschmann, G. (2007), Free radical scavenging activity and phenolic content in achenes and thalamus from *Fragaria chiloensis* ssp. *chiloensis*, *F. vesca* and *F. ananassa*, *Food Chemistry*, 102, 36–44.
- 📖 Cheng, G., Duan, X., Shi, J., Lu, W., Luo, Y., Jiang, W. and Jiang, Y. (2008), Effects of reactive oxygen species on cellular wall disassembly of banana fruit during ripening, *Plant Science*, 170, 962–967.
- 📖 Choi, C, W., Kim, S, C., Hwang, S, S., Choi, B, K., Ahn, H, J., Lee, M, Y., Park, S, H. and Kim, S, K. (2002). Antioxidant activity and free radical scavenging capacity between Korean medicinal plants and flavonoids by assay-guided comparison, *Plant Science*, 163, 1161- 1168.
- 📖 Chon, S., Kim, Y., Park, Y., Heo, G., Park, Y. and Gorinstein, S. (2009), Antioxidant and antiproliferative effects of methanol extracts from raw and fermented parts of mulberry plant (*Morus alba* L.), *Eur Food Res Technol* 230, 231–237.

- 📖 Costantini, D and Verhulst, S. (2009) Does high antioxidant capacity indicate low oxidative stress?, *Functional Ecology*,23, 506–509.
- 📖 Craig, W, J. (2010), Health-promoting properties of common herbs, *Am J Clin Nut*, 70, 491–9.
- 📖 Dallak, M., Al-Khateeb, M., Abbas, M., Elessa, R., Al- Hashem, F., Bashir, N. and Khalil, M. (2009). *In vivo*, Acute, Normo-hypoglycemic, Antihyperglycemic, Insulinotropic Actions of Orally Administered Ethanol Extract of *Citrullus colocynthis* (L.) Schrab Pulp, *American Journal of Biochemistry and Biotechnology*, 5, 119-126.
- 📖 David, M. and Richard, J, S. (1983), In: “Methods of Enzymic analysis”, vol. 3, Bergmeyer.J and Marriane Gra. B (ed), verlag chemic weinheim Deer Field, Beach Florida, Basel,p. 358.
- 📖 Delazar, A., Gibbons, S., Kosari, A., Nazemiyeh, Modarresi, M., Nahar, L., Satyajit D. and Saker. (2006), *Daru*, 14, 3.
- 📖 Ding, Q., Dimayuga, E. and Keller, N, J. (2007), Oxidative damage, protein synthesis, and protein degradation in alzheimer’s disease, *Current Alzheimer Research*, 4, 73-79.
- 📖 Djeridan, A., Yousfi, M., Nadjemi, B., Vidal, N., Lesgards, J. and Stocker, P. (2007), Screening of some Algerian medicinal plants for the phenolic compounds and their antioxidant activity, *Eur Food Res Technol*, 224, 801–809.
- 📖 Dowling, D, K. and Simmons, L, W. (2009), *The Royal Society*, 276, 1737–1745..
- 📖 Ebrahimzadeh, M, A., Nabavi, S, F., Nabavi, S, M. and Pourmorad, F. (2010), Nitric oxide radical scavenging potential of some Elburz medicinal plants, *African Journal of Biotechnology*, 9, 5212-5217.

- Einbonda, L. S., Reynertson, K. A., DongLuo, X., Basile, M. J. and Kennelly, E. J. (2010), Anthocyanin antioxidants from edible fruits, *Food Chemistry* 84, 23–28.
- Elizabeth, H. and Rao, R.K. (1990), Scavenging of hydroxyl, *Chem. Phys. hydroxyl radical.*, 197, 103-110.
- Erdemoglu, N., Nilufer, N., Turan.,Cakıcı, I., Sener, B. and Aydın, A. (2006), Antioxidant Activities of Some Lamiaceae Plant Extracts, *Phytother. Res.* 20, 9–13.
- Erasto, P and Mbwambo, Z H. (2009), Antioxidant activity and HPTLC profile of *Lagenaria siceraria* fruits, *Tanzania Journal of Health Research*, 11, 2.
- Fard, M, H, Naseh, G., Bodhankar, S, L., and Dikshit, M.(2010), Cardioprotective Effect of *Lagenaria siceraria* (Molina) Standley (Cucurbitaceae), Fruit Juice on Doxorubicin Induced Cardiotoxicity in Rats, *American Journal of Pharmacology and Toxicology* 5, 103-108.
- Frusciante, L., Carli, P., Ercolano, M, R.,Pernice, R., Foglia, A. and Pellegrini, N. (2007), Antioxidant nutritional quality of tomato, *Mol. Nutr. Food*, 51, 609 – 617.
- Giwa, S, Abdullah, C, L. and Adam, N, M. (2010), Investigating “Egusi” (*Citrullus Colocynthis* L.) Seed Oil as Potential Biodiesel Feedstock, *Energies* 2010, 3, 607–618.
- Guo, C., Yang, J., Wei, J., Li, Y., Xu, J. and Jiang, Y. (2003), Antioxidant activities of peel, pulp and seed fractions of common fruits as determined by FRAP assay, *Nutrition Research*, 23, 1719–1726.
- Gulcin, I., Elmastat, M. and Aboul-Enein, H, Y. (2007), Determination of Antioxidant and Radical Scavenging Activity of Basil (*Ocimum basilicum* L. Family Lamiaceae) Assayed by Different Methodologies, *Phytotherapy Research*, 21, 354–361.
- Gupta, V, K. and Sharma, S, K. (2006), Plants as natural antioxidants, *Natural Product Radiance*, 5, 326- 334.

- 📖 Gursoy, N. and Tepe, B. (2009), Determination of the Antimicrobial and Antioxidative Properties and Total Phenolics of Two “Endemic” Lamiacea Species from Turkey: *Ballota rotundifolia* L. and *Teucrium chamaedrys* C. Koch Plant Foods Hum Nutr, 64, 135–140.
- 📖 Guorong, D., Mingjun, L., Fengwang, M. and Liang, D. (2009), Antioxidant capacity and the relationship with polyphenol and Vitamin C in Actinidia fruits, Food Chemistry, 113, 557–562.
- 📖 Gutteridge, J. M. C. and Halliwell, B. (2010), Antioxidants: Molecules, medicines, and myths, Biochemical and Biophysical Research Communications, 393, 561–564.
- 📖 Hafidh, R.R., Abdulmir, A.S., Abu Bakar, F., Abas, F., Jahanshiri, F. and Sekawi, F. (2009), Antioxidant Research in Asia in the Period from 2000-2008, American Journal of Pharmacology and Toxicology, 4(3), 48-66.
- 📖 Hatam, N, A, R., Whiting, D, A. and Yous, N, J. (1989), Cucurbitacin glycosides from *Citrullus colocynthis*, Phytochemistry, 28, 1268- 1271.
- 📖 Hassan, A, I., Abdel-Barry, J. and Mohammeda, S. (2000), The hypoglycaemic and antihyperglycaemic effect of *Citrullus colocynthis* fruit aqueous extract in normal and alloxan diabetic rabbits, Journal of Ethnopharmacology, 71, 325–330.
- 📖 Heim, K, E., Tagliaferro, A, R. and Bobilya, D, J. (2002), Flavonoid antioxidants: chemistry, metabolism and structure-activity Relationships, Journal of Nutritional Biochemistry, 13, 572–584.
- 📖 Hermann, J, R. (2005), Protein and the Body, Division of Agricultural Sciences and Natural Resources, Oklahoma State University, 3163, 1-4.
- 📖 Jacob, R, A. (1995). The Integrated Antioxidant System, Nutrition Research, 15, 755-766.

- 📖 Jaleel, C, A., Gopi, R. and Panneerselvam, R. (2009), Alterations in non-enzymatic antioxidant components of *Catharanthus roseus* exposed to paclobutrazol, gibberellic acid and *Pseudomonas fluorescens*, *Plant Omics Journal*, 2, 30-40 .
- 📖 James, O. (2010), Polyphenol compositions and antioxidant capacity: A comparison of ripe and unripe fruit extract of *Cissus multistriata* (Vitaceae) plant, *International Journal of Medicine and Medical Sciences*, 2, 133-137.
- 📖 Jayaprakasha, G, K., Negi, P, S., Jena, B.S. and Rao, L. (2007), Antioxidant and antimutagenic activities of *Cinnamomum zeylanicum* fruit extracts, *Journal of Food Composition and Analysis*, 20, 330–336.
- 📖 Jayaraman, R., Shivakumar, A., Anitha, T., Joshi, V, D. and Palei, N, N. (2009). Antidiabetic effect of petroleum ether extract of *Citrullus colocynthis* fruit against streptozotocin- induced hyperglycaemic rats, *Journal of Biology and Plant Biology*, 54, 127–134.
- 📖 Javed, A, M. (1994), Studies on composition and metabolism of lipids in seeds of *Citrullus* species, University of Punjab, 28- 29.
- 📖 Jimenez, P, J., Arranz, S., Taberner, M., Serrano, M., Goni, I. and Saura-Calixto, F. (2008), Updated methodology to determine antioxidant capacity in plant foods, oils and beverages: Extraction, measurement and expression of results, *Food Research International* 41, 274–285.
- 📖 Jovanovic, P., Žoric, Stefanovic, I., Džunic, B., Jovic, J, D., Radenkovic, M. and Jovanović, M. (2010), Lactate dehydrogenase and oxidative stress activity in primary open-angle glaucoma aqueous humour, *Bosnian journal of basic medical sciences*, 10, 83-88.
- 📖 Jung, M, J., Heo, S. and Wang, M. (2010). HPLC analysis and antioxidant activity of *Ulmus davidiana* and some flavonoids, *Food Chemistry* 120, 313–318.

- 📖 Kadry, H., Basha, A. J., Gindi, E. O. and Temraz, A. (2010), Antioxidant activity of aerial parts of *Tribulus alatus* in rats, Pak. J. Pharm. Sci.,23, 59-62.
- 📖 Kakkar, P., Das, B. and Vishwanathan, P. N. (1984). A modified spectrophotometric assay of superoxide dismutase, Indian. J.Biochem. Biophys.,21, 131-140.
- 📖 Kancheva, V. D., (2009), Phenolic antioxidants – radical-scavenging and chain-breaking activity: A comparative study, Eur. J. Lipid Sci. Technol, 111, 1072–1089.
- 📖 Katerova Z. (2009), Prolonged influence of short pulses ultraviolet-Cradiation on young pea plant does not alter important antioxidant defense enzyme activities in young leaves, General and Applied Plant Physiology, 35, 134–139
- 📖 Karadenuz, F., Burdurlu, H., Koca, N.and Soyer, Y. (2005), Antioxidant Activity of Selected Fruits and Vegetables Grown in Turkey, Turk J Agric 29, 297-303.
- 📖 Kaur, P and Arora, S. (2009), Superoxide anion radical scavenging activity of *Cassia siamea* and *Cassia javanica*, Med Chem 12, 9274-9
- 📖 Khalafet, N. A., Shakya, A. K., Othman, A. A., Agbar, Z. E.and Farah, H. (2008), Antioxidant Activity of Some Common Plants, Turk J Biol, 32, 51-55.
- 📖 Kumar, S., Kumar, D., Manjusha, Saroha, K., Singh, N. and Vashishta, B. (2008), Antioxidant and free radical scavenging potential of *Citrullus colocynthis* (L.) Schrad. methanolic fruit extract, Acta Pharm. 58, 215–220.
- 📖 Kumar, P., Sucheta, S., Deepa, S. V., Selvamani, P. and Latha, S. (2008), Antioxidant activity in some selected Indian medicinal plants, African Journal of Biotechnology, 7 (12), 1826-1828.
- 📖 Laura, E., Sancho, G. G., Yahia, E. M., Téllez, M. A, M. and Aguilar, G. (2010), Effect of Maturity Stage of Papaya Maradol on Physiological and Biochemical Parameters, American Journal of Agricultural and Biological Sciences 5, 194-203.

- 📖 Lavitschk,R, J., Oliveira, C, R., Mascara, D., Faria, P, A., Bincoletto, C and Esposito, E. (2007), *In vitro* cytotoxicity and antioxidant activity of *Agaricus subrufescens* extracts, African Journal of Biotechnology, 6, 1144-1150.
- 📖 Lee, K.and Ng, K. (2007), Identification and quantification of antioxidants in *Fructus lycii*, Food Chemistry, 105, 353–363.
- 📖 Lekameera. R, Vijayabaskar, P. and Somasundaram, S, T. (2008), Evaluating antioxidant property of brown ALGA *Colpomenia sinuosa*, African Journal of Food Science, 2, 126-130.
- 📖 Leonardis, A, D., Aretini, A., Alfano, G., Macciola, V. and Ranalli, G. (2008) Isolation of a hydroxytyrosol-rich extract from olive leaves (*Olea Europaea* L.) and evaluation of its antioxidant properties and bioactivity, Eur Food Res Technol, 226, 653–659.
- 📖 Lopez, A, C., Yahia, E, M. and Padilla, G, K, R. (2010), Bioconversion of carotenoids in five fruits and vegetables to vitamin a measured by retinol accumulation in rat livers, American Journal of Agricultural and Biological Sciences, 5, 215-221.
- 📖 Luck, H. (1974), In: Methods in enzymic analysis-2 (Ed. Bergmeyer), Academic Press, Newyork, p 885.
- 📖 McRae, J, Yang,Q., Crawford, R.and Palombo, E (2007), Review of the methods used for isolating pharmaceutical lead compounds from traditional medicinal plants, Environmentalist, 27, 165–174.
- 📖 Marzouka, B., Marzoukb, Z., Decore, R., Edziri, H., Halouid, E., Feninad, N., and Aouni, M. (2009), Antibacterial and anticandidal screening of Tunisian *Citrullus colocynthis* Schrad. from Medenine, Journal of Ethnopharmacology, 125, 344–349.

- 📖 Marzouk, B., Z., Halouib, E., Feninab, N., Bouraouic, A. and Aounia, M. (2010), Screening of analgesic and anti-inflammatory activities of *Citrullus colocynthis* from southern Tunisia, *Journal of Ethnopharmacology*, 128, 15–19.
- 📖 Mensor, C.C., Menezes, F.S., Leitan, G.G., Resi, A.S., Dossaltos, T.C., Carbe, C.S. and Leitao, S.G. (2001), Screening of Brazilian plant extracts for antioxidant activity by use of DPPH free radical methods, *phytother. Res.*, 15, 127-130.
- 📖 Mokbel, M, S. and Hashinaga, F. (2006), Evaluation of the antioxidant activity of extracts from buntan (*Citrus grandis* Osbeck) fruit tissues, *Food Chemistry* 94 (2006) 529–534.
- 📖 Moron, M, S., Depierre, J, N. and Mannervik, V. (1979), Levels of glutathione, glutathione reductase and glutathione- S- transferase activity in rat lung and liver, *Biochem. Biophys. Acta.*, 582, 67- 68.
- 📖 Matsunami, T., Sato, Y., Sato, T., Ariga, S., Shimomura, T. and Masayoshi, Y. (2010), Oxidative stress and gene expression of antioxidant enzymes in the streptozotocin-induced diabetic rats under hyperbaric oxygen exposure, *Int J Clin Exp Pathol*, 3, 177-188.
- 📖 Memon, U., Brohi, A., Azhar, S. and Bano, H. (2003), Antibacterial Screening of *Citrullus colocynthis*, *Pakistan Journal of Pharmaceutical Sciences*, 16, 1-6.
- 📖 Meena, M, C and Patni, V. (2008), Isolation and identification of flavonoid "Quercetin" from *Citrullus colocynthis* (Linn.) Schrad. *Asian J. Exp. Sci.*, 22, 137-142.
- 📖 Muller, L., Gnoyke, S., Popken, A, M. and Bohm, V. (2010), Antioxidant capacity and related parameters of different fruit formulations, *Food Science and Technology*, 1–8.
- 📖 Naidu, M, S, K., Suryakar, A, N., Swami, S, C., Katkam, R, V. and .Kumbar, K, M. (2008), Oxidative stress and antioxidant status in cervical cancer patients, *Indian Journal of Clinical Biochemistry*, 22, 140-144.

- 📖 Nasrabadi, H, T. (2008), Some biochemical properties from Kohlrabi (*Brassica oleracea gongylodes*), *Journal of Biological Science*, 3, 649- 653.
- 📖 Neli H. and Mermelstein, (2008), Determining Antioxidant Activity, *Food Technology*, 63- 66, [www.ift.org](http://www.ift.org).
- 📖 Niki, E. (2010), Assessment of Antioxidant Capacity *in vitro* and *in vivo*, *Free Radical Biology & Medicine*, 13, 4- 26.
- 📖 Nikkhah, E., Khayami, M. and Heidari, R. (2009), *In vitro* antioxidant activity of berry (*Morus alba var.nigra*), *International Journal of Plant Production*, 3, 1735-6814.
- 📖 Okonkwo, T and Chinedu, O. (2009), Antioxidant Properties of *Diospyros Preussi* (*Ebenaceae Gurke*) Seed Oil, *Tropical Journal of Pharmaceutical Research*, 8, 551-555.
- 📖 Ozsoy, N., Yilmaz, T., Kurt, O., Can, A. and Yanardag, R. (2009), *In vitro* antioxidant activity of *Amaranthus lividus* L, *Food Chemistry*, 116, 867- 872.
- 📖 Panz, Y, Wójcik, R, and Baster, K, K. (2008), Activity of superoxide dismutase obtained from senile cataract lens effect of diabetes mellitus, *Acta biochimica polonica*, 55, 821–823.
- 📖 Pathirana, L.C.M., Shahidi, F. and Alasalvar, C, (2006), Antioxidant activity of cherry laurel fruit (*Laurocerasus officinalis* Roem.) and its concentrated juice, *Food Chemistry*, 99, 121–128.
- 📖 Patil, B., Kodliwadmath, M, V. and Kodliwadmath, S, M. (2008), Correlation between lipid peroxidation and non-enzymatic antioxidants in pregnancy induced hypertension, *Indian Journal of Clinical Biochemistry*, 23, 45-48
- 📖 Pereira, R., Fachineto, R., Prestes, A., Puntel, R., Silva, G., Heinzmann, B, M., Boschetti, T, K., Athayde, M, L., Burger, M, E., Morel, A, F., Morsch, V, M. And

Rocha, B.(2009), Antioxidant Effects of Different Extracts from *Melissa officinalis*, *Matricaria recutita* and *Cymbopogon citrates*, *Neurochem*, 34, 973–983.

- 📖 Poblete, A., Alarcon C, L., Llissi, E. and Campos. A. M, (2009), Oxygen radical antioxidant capacity (orac) values of herbal teas obtained employing different methodologies can provide complementary data, *J. Chil. Chem. Soc.*, 54, 154- 158.
- 📖 Pokorny, J. (2007), Are natural antioxidants better and safer than synthetic antioxidants?, *Eur. J. Lipid Sci. Technol*, 109, 629–642.
- 📖 Ponist,S., Mihalova, D., Jancinova, V., Snirc, V., Ondrejickova, O, Mascia, C, Poli, G., Stancikova, M., Nosal, R. and Bauerova, K. (2010), Reduction of oxidative stress in adjuvant arthritis. Comparison of efficacy of two pyridoindoles: stobadine dipalmitate and SMe1.2HCl, 57, 223–228.
- 📖 Pourmorad, F., Hosseinimehr, S. J. and Shahabimajd, N. (2006). Antioxidant activity, phenol and flavonoid contents of some selected Iranian medicinal plants, *African Journal of Biotechnology*, 5, 1142-1145.
- 📖 Prakash, A. (2001), *Medallion laboratories analytical progress*, 9, 1-6.
- 📖 Prior, R, L. (2010), Free Radicals: The Pros and Cons of Antioxidants, *J. Nutr.* 134: 3184–3185.
- 📖 Qusti, S, Y., Khatwa, A, N. and Lahwa, M, B. (2010), Free radical scavenging enzyme of fruit plant species cited in the Holy Quran, *World applied science journal*, 9, 338-344.
- 📖 Rafat, A., Philip, K. and Muniandy, S. (2010), Antioxidant potential and content of phenolic compounds in ethanolic extracts of selected parts of *Andrographis paniculata*, *Journal of Medicinal Plants Research*, 4, 197-202.

- 📖 Reddy, K. P., Subhani, S. M., Khan, P. A. and Kumar, K. B. (1995), Effects of Light and Benzyladenine on dark treated graving rice (*Oryza sativa*) leaves. II. Changes in peroxidase activity, *Plant Cell. Physiol.*, 26, 987- 994.
- 📖 Reddy, E. P., Reddy, V. S. and Mouli, K. C. (2009), Physiological antioxidant system and oxidative stress in stomach cancer patients with normal renal and hepatic function, *Online Journal of Health and Allied Sciences*, 8, 1-4.
- 📖 Roe, J. H. and Keuther, C. A. (1943), the determination of ascorbic acid in whole blood and urine through 2,4- dinitrophenyl hydrazine derivative of dehydroascorbic acid, *J. Biol. Chem.*, 147, 399- 407.
- 📖 Rogiers, S. Y., Mohan Kumar, G. N. and Knowles, N. R. (2007), Maturation and ripening of fruit of *Amelanchier alnifolia* Nutt. are accompanied by increasing oxidative stress, *Annals of Botany*, 81, 203- 211.
- 📖 Rop, O., Reznicek, V., Valsikova, M., Jurikova, T., Mlcek, J. and Kramarova, D. (2010), Antioxidant Properties of European Cranberrybush Fruit (*Viburnum opulus* var. *edule*), *Molecules*, 15, 4467-4477.
- 📖 Rosenburg, H. R. (1992) *Chemistry and Physiology of the Vitamins*, Interscience publishers Inc., New York, pp. 452-453.
- 📖 Ruch, R.J. and Hill, H.A.O. (1989), *Chemistry of dioxygen*, *Methods Enzymol.*, 105.
- 📖 Sahgal, G., Ramanathan, S., Sasidharan, S., Mordi, M. N., Ismail, S. and Mansor, S. M. (2009), *In Vitro* Antioxidant and Xanthine Oxidase Inhibitory Activities of Methanolic *Swietenia mahagoni* Seed Extracts, *Molecules*, 14, 4476-4485.
- 📖 Sathishsekar, D. and Subramanian, S. (2005), Antioxidant properties of *Momordica Charantia* (bitter gourd) seeds on Streptozotocin induced diabetic rats, *Asia Pac J Clin Nutr*, 14, 153-158.

- 📖 Schantz, M., L Schreiber, H., Guillemaut, P. and Schantz, R. (2006), Changes in ascorbate peroxidase activities during fruit ripening in *Capsicum annuum*, 358, 149-152.
- 📖 Sen, S., Chakraborty, R., Sridhar, C., Reddy, Y, S, R. and De, B. (2010), Free radicals, antioxidants, diseases and phytomedicines: current status and future prospects, International Journal of Pharmaceutical Sciences Review and Research, 3, 91- 100.
- 📖 Sendogdu, N., Aslan, M., Orhan, D, D., Ergun, F. and Yeşilada, E. (2006), Antidiabetic and antioxidant effects of *vitis vinifera* l. leaves in streptozotocin-diabetic rats, Turkish J. Pharm. Sci. 3, 7-18.
- 📖 Sharma, R, J., Chaphalkar S, R. and Adsool A, D. (2010), Evaluating antioxidant potential, cytotoxicity and intestinal absorption of flavonoids extracted from medicinal plants, International Journal of Biotechnology Applications, 2, 01-05.
- 📖 Sheded, M.G., Pulford, I, D. and Hamed, A, I. (2006), Presence of major and trace elements in seven medicinal plants growing in the South-Eastern Desert, Egypt, Journal of Arid Environments, 66, 210–217.
- 📖 Shebly, A, A, E. (2009), The Role of Antioxidant (Vitamin E) in the Control of Lead (Pb) Pollution and Enhancement of Growth Within Nile Tilapia (*Oreochromis niloticus*), Intern J Appl Res Vet Med, 7, 97- 101.
- 📖 Shin, Y, J., Kim, J, K., Seo, J, M., Lee, S, M., Hyon, J, Y., Yu, Y, S. and Wee, W, R. (2009), Protective effect of clusterin on oxidative stress-induced cell death of human corneal endothelial cells, Molecular Vision, 15, 2789-2795.
- 📖 Shirwaikar, A., Prabha, K, S. and Punitha, I, S, R. (2006), *In vitro* antioxidant studies of *Sphaerathus indicus*, Indian Journal of Experimental Biology, 44, 993-996.

- 📖 Singh, R., Singh, B., Singh, S., Kumar, N., Kumar, S. and Arora, S. (2009), Investigation of Ethyl Acetate Extract/Fractions of *Acacia nilotica* Willd. Ex Del as Potent Antioxidant, *Rec. Nat. Prod.*, 3:3, 131-138.
- 📖 Singh, R., Rastogi, S. and Dwivedi, U. N. (2010), Phenylpropanoid Metabolism in Ripening Fruits, *Comprehensive Reviews in Food Science and Food Safety* \_ Vol. 9, 398-405.
- 📖 Sinha, S., Saxena, R. and Singh, S. (2005), Chromium induced lipid peroxidation in the plants of *Pistia stratiotes* L.: role of antioxidants and antioxidant enzymes, *Chemosphere*, 58, 595–604.
- 📖 SRISTI database, (2009), *Herbal Practices and Products*, Haryana Innovates, 31-46.
- 📖 Souri, E., Aminb, G., Farsama, H., Jalalizadeha, H and Barezia, S. (2008), Screening of Thirteen Medicinal Plant Extracts for Antioxidant Activity, *Iranian Journal of Pharmaceutical Research*, 7 (2), 149-154.
- 📖 Stangeland, T. and Remberg, S. V., Lye, K. A. (2009), Total antioxidant activity in 35 Ugandan fruits and vegetables, *Food Chemistry*, 113, 85–91.
- 📖 Stratil, P., Klejdus, B. and Kuba, V. (2007), Determination of phenolic compounds and their antioxidant activity in fruits and cereals, *Talanta* 71, 1741–1751.
- 📖 Sun, D., Liang, G., Xie, J., Lei, X. and Mo, Y. (2010), Improved preservation effects of litchi fruit by combining chitosan coating with ascorbic acid treatment during postharvest storage, *African Journal of Biotechnology*, 9, 3272-3279.
- 📖 Thaiponga, K., Boonprakoba, U., Crosbyb, K., Zevallosc, C, L. and Byrned, D, H. (2006), Comparison of ABTS, DPPH, FRAP, and ORAC assays for estimating antioxidant activity from guava fruit extracts, *Journal of Food Composition and Analysis*, 19, 669–675.

- 📖 Toit, R., Volstedt, Y. and Apostolides, Z, (2009), Comparison of the antioxidant content of fruits, vegetables and teas measured as vitamin C equivalents, *Toxicology* 166, 63–69.
- 📖 Valko, M., Leibfritz, D., Moncola, J., Cronin, M, T, D., Mazura, M. and Telser, J. (2007), Free radicals and antioxidants in normal physiological functions and human disease, *The International Journal of Biochemistry & Cell Biology*, 39, 44–84.
- 📖 Winterbourn, C., Hawkins, R. E., Brain, M. and Carell, R. W (1975), The estimation of red cell superoxide dismutase activity, *J. Lab. Clin. Med*, 85, 337- 341.
- 📖 Wojdyo, A.,Oszmianski, J. And Czemerzys, R. (2007), Antioxidant activity and phenolic compounds in 32 selected herbs, *Food Chemistry*, 105, 940–949.
- 📖 Wua, S.J and Ng, L.T. (2008), Antioxidant and free radical scavenging activities of wild bitter melon (*Momordica charantia* Linn.) in Taiwan, *LWT*, 41, 323–330.
- 📖 Wang, S, Y and Jiao, H. ( 2001), Changes in Oxygen-Scavenging Systems and Membrane Lipid Peroxidation during Maturation and Ripening in Blackberry, *J. Agric. Food Chem*, 49, 1612-1619
- 📖 Yan, L., Teng, L. and Jhi, T, J. (2006), Antioxidant properties of guava fruit with some local fruit, *Sunway Academic Journal* 3, 9–20.
- 📖 Yogendrasinh B, Rajendra V. and Bhatt. (2010), Effects of antioxidant vitamins along with atorvastatin and atorvastatin–niacin combination on diet-induced hypercholesterolemia in rats, *Int J Physiol Pathophysiol Pharmacol*, 2, 57-63.
- 📖 Zahra, R., Majid, R. and Amin, B. (2009), Seasonal changes of peroxidase, polyphenol oxidase enzyme activity and phenol content during and after rest in pistachio (*Pistacia vera* L.) flower buds, *World Applied Sciences Journal* 6, 1193-1199.

- 📖 Zakaria, H., Simpson, K., Brown, P.R. and Krotulovic, A. (1979), Use of reversed phase HPLC analysis for the determination of provitamin A, Carotenes in tomatoes, *J. Chromatography.*, 176, 109-17.
- 📖 Zhang, H., Yang, D. and Tang, G. Y. (2006), Multipotential antioxidants: from screening to design, *Drug Discovery Today*, 11, 15- 16.
- 📖 Zhang, Z., Chang, Q., Zhu, M., Huang, Y., Ho, W, K, K. and Chen, Z. (2001), Characterization of antioxidants present in hawthorn fruits, *Journal of Nutritional Biochemistry*, 12, 144–152.